3

SCIENCE ABSTRACTS: SECTION A AUTHOR INDEX NUMBER

UNIVERSITY OF ILLINOIS
LIBRARY
JUN 18 1962
CHICAGO

LUME 63

PHYSICS ABSTRACTS

THOR
DEX
MBER

0

Published by The Institution of Electrical Engineers

AUTHOR INDEX 1960

Abonyi,I. Steady state solution of the relativistic Boltzmann transport equation, 0=18990
Abragam,A. Spin temperature and nuclear polarization, 0=8090
Abragam,A. The possibility of observing cooperative phenomena in nuclear magnetism, 0=16182
Abragam,A. The influence of ultrasonics on the emission and absorption of γ-rays without recoil, 0=20335
Abragam,A. and Winter,J.M. Some experiments on the shapes of resonance lines in a rigid lattice, 0=4528
Abrahám,A. See Tauc,J., 0=2905
Abraham,C.T. See Watanabe,S., 0=18999
Abraham,F.F. Determination of long-wave atmospheric radiation, 0=14299
Abraham,M.,Jeffries,C.D. and Kedzie,R.W. Dynamic nuclear orientation of Co^{60}, 0=5655
Abrahams,E. See Miller,A., 0=18013
Abrahams,M.S.,Braunstein,R. and Rosi,F.D. Thermal, electrical and optical properties of (In,Ga)As alloys, 0=2897
Abrahams,S.C. Liquid-helium goniometer-mounted cryostat for a single crystal automatic neutron diffractometer, 0=4614
Abrahams,S.C. See Sime,J.G., 0=4659
Abrahamson,G.R. and Huber,G.B. Precision high-velocity detonating cord, 0=3313
Abramchik,M. and Maletskii,I. Multiresonance volume absorber, 0=6896
Abramenkov,A.D. See Grizhko,V.M., 0=20472
Abramov,A.I. Measurement of the angular distribution of neutrons elastically scattered by He^3, 0=9367
Abrikosov,A.A. and Gor'kov,L.P. The problem of the Knight shift in superconductors [of small dimensions], 0=19552
Abrikosov,A.A.,Gor'kov,L.P. and Khalatnikov,I.M. Analysis of experimental data relating to the surface impedance of superconductors, 0=8930
Abrikosov,N.Kh. See Beglaryan,M.L., 0=6387
Abrikosov,N.Kh. See Dudkin,L.D., 0=607
Abrosimov,A.T.,Bazilenskaya,G.A.,Solov'eva,V.I. and Khristiansen,G.B. Very high-energy extensive air showers, 0=7433
Abrosimov,A.T,Basilevskaya,G.A.Solovieva,V.I. and Khristiansen,G.B. Study of extensive air showers of superhigh energy, 0=11244
Abrosimov,N.K. Cyclotron with an oblique accelerating gap, 0=9118
Abrosimova,L.N. See Pinsker,Z.G., 0=14010
Abroyan,I.A. Emission of an oxide cathode under bombardment by positive ions, 0=10938
Acharya,Y.V.G. Spectrum of axi-symmetric turbulence in a contracting stream, 0=2154
Achter,M.R.,Birks,L.S. and Brooks,E.J. Grain-boundary diffusion of zinc in copper measured by the electron-probe microanalyser, 0=1602
Acioli,J.L. Decay of $\Lambda_0 \rightarrow n + \gamma$ through non local Fermi interactions due to vector mesons, 0=20235
Ackerman,E. See Anthony,A., 0=806
Acloque,P. and Guillemet,C. The total reflection wave, 0=16814
Acrivos,A. Solution of the laminar boundary layer energy equation at high Prandtl numbers, 0=16677
Acrivos,A.,Shah,M.J. and Petersen,E.E. On the flow of a non-Newtonian liquid on a rotating disk, 0=10633
Acrivos,A. See Knott,R.F., 0=5201
Adachi,K. See Mikami,I., 0=21040
Adachi,S. Impedance characteristics of a uniform current loop having a spherical core, 0=17113
Adachi,T. Neutron detector for reactor control, 0=9384
Adadurov,G.A. See Dremin,A.N., 0=3585
Adair,R.K. Capture in (K^-,p) atoms, 0=470
Adair,R.K. See Haas,R., 0=2684
Adair,T.W.,III,Squire,C.F. and Utley,H.B. High field solenoid magnet with liquid nitrogen cooling, 0=7193
Adakhovskii,A.P. See Levchenko,A.A., 0=16352
Adam,J. and Cox,B. Neutron and fission fragment damage in zirconia, 0=2822
Adam,J. and Cox,B. The irradiation-induced phase transformation in zirconia solid solutions, 0=21211
Adam,J. and Rogers,M.D. The crystal structure of ZrO_2 and HfO_2, 0=3225
Ádám,J. See Gergely,G., 0=2963
Ádám,J. See Gergely,G., 0=8764
Adam,M.G. A new determination of the centre to limb change in solar wave-lengths, 0=18774
Adamchuk,Yu.V. See Pevzner,M.I., 0=4123
Adamov,M.N. An integral representation of dispersion formula for the hydrogen atom in the ground state, 0=15639
Adamovich,M.I.,Gorzhevskaya,E.G.,Larionova,V.G.,Popova,V.M., Kharlamov,S.P. and Yagudina,F.R. Photoproduction of charged π-mesons near the threshold, 0=13046
Adams,C.Q. A simple field detector for a d.c. permeameter, 0=19868
Adams,E. See Hubbard,W.M., 0=11823
Adams,E.D. See Fairbank,W.M., 0=8884
Adams,E.N. Irreversible processes in isolated systems, 0=18986
Adams,E.N. and Blount,E.I. Energy bands in the presence of an external force field. II. Anomalous velocities, 0=9881
Adams,E.N. and Holstein,T.D. Quantum theory of transverse galvanomagnetic phenomena, 0=2842
Adams,E.N. See Haering,R.R., 0=4368
Adams,G.B.,Jr. See Graven,W.M., 0=18411
Adams,G.B.,Jr. See Saloman,R.E., 0=4412
Adams,J.B. The Cern proton synchrotron, 0=7179
Adams,J.B. The Cern Symposium 1956. I, 0=19811
Adams,M.A. Design for an autographically recording tensile machine, 0=4550
Adams,M.A.,Roberts,A.C. and Smallman,R.E. Yield and fracture in polycrystalline niobium, 0=16231
Adams,M.J. and Jacob,L. Electrical conductivity of strontium oxide, 0=20873
Adamson,T.C.,Jr. On the structure of plane detonation waves, 0=16772
Adamsky,R.F. Preferred orientation and ordering in evaporated films of Fe, Ni, and Fe-Ni, 0=11861
Adamson,A.W. See Irani,R.R., 0=14634
Adawi,I. Variational approach to deviations from Ohm's law, 0=1624
Adawi,I.A. Variational treatment of warm electrons in nonpolar crystals, 0=18009
Adda,Y.,Kirianenko,A. and Mairy,C. A study of the self-diffusion of uranium in the β-phase, 0=11644
Addamiano,A. and Aven,M. Some properties of zinc sulfide crystals grown from the melt, 0-1880
Addey,F. Solar activity during 1958, 0=12278
Addingley,C.G. and Gaze,R. Measurement of asbestos dust concentrations with the long-running thermal precipitator, 0=4743
Adel,A. and Epstein,E.S. Power-spectrum analysis of atmospheric ozone parameters, 0=12145
Adelsberger,U. See Scheibe,A., 0=2092
Adelson,H.E.,Bostick,H.A.,Moyer,B.J. and Waddell,C.N. Use of the four-inch liquid hydrogen bubble chamber as a fast-neutron spectrometer, 0=2466
Ademollo,M.,Bocciolini,M.,Caporiacco,G.D. and Mandò,M. On the $^{196}Au^m$ isomeric state, 0=17521
Ader,M. The application of photographic emulsions to measurements of gaps in particle tracks, 0=12770
Ader,M. and Cabannes,M.-P. Some properties of particles of abnormally long range emitted by radioelements, 0=9542
Adirovich,E.I. Conductivity and voltage transfer coefficient of a semiconductor diode in the non-stationary regime, 0=4329
Adirovich,É.I. Electric fields and currents in dielectrics, 0=16004
Adirowitsch,E.I. Influence of field emission on the distribution of strong fields in solids, 0=1666
Aditya,P.K. A simple method for the energy estimation of electron pairs, 0=17313
Aditya,P.K. See Daniel,R.R., 0=20258
Adkins,C.J. The small-ion concentration and space charge near the ground, 0=781
Adlam,J.H. and Allen,J.E. Collision-free hydromagnetic disturbances of large amplitude in a plasma, 0=10912
Adlam,J.H. and Holmes,L.S. Production of millimicrosecond current pulses using a pressurized spark gap, 0=16967
Adler,B.J. and Wainwright,T.E. Studies in molecular dynamics. II. Behavior of a small number of elastic spheres, 0=18993
Adler,F.T. See Murphy,A.T., 0=241
Adler,H. Thermoluminescence of the rare earths in CaF_2, 0=665
Adler,R. and Wade,G. Beam refrigeration by means of large magnetic fields, 0=12637
Adler,R. See Chidley,B., 0=2686
Admiraal,P.S. See Koelmans,H., 0=8011
Adonina,A.I. See Shestopalov,V.P., 0=11056
Adrian,F.J. Matrix effects on the electron spin resonance spectra of trapped hydrogen atoms, 0=7890

Adrianov,V.N. See Filimonov,S.S., 0=19497

Adrianova,I.I. See Popov,Yu.V., 0=12494

Adrova,N.A.,Andreev,V.N.,Koton,M.M.,Panov,Yu.N. and Musalev,N.S. Optical and scintillation properties of the oxydiazole-series compounds, 0=4447

Aebischer-Néoschil, Gaultier du Marache,Duffieux,P.M., Viénot,J.C. and Obert,W.J. Spectral analysis of photographic images, 0=19370

Aéro,É.L. and Kuvshinskii,E.V. The fundamental equations of the theory of the elasticity of a medium of particles with rotary interactions, 0=21093

Aérov,M.É.,Nikitina,N.I.,Trainina,S.S. and Gusev,I.V. Heat-mass exchange in a granular layer. IV. Local coefficients of heat-mass exchange in a layer of balls, 0=12514

Aerts,E. Magneto-electrical field-effect measurements. 0=20883

Aerts,E.,Amelinckx,S. and Vennik,J. Field effect measurements in a transverse magnetic field, 0=15920

Aeschlimann,F. Extension of the functional theory to particles of spin $\frac{1}{2}$, 0=5487

Aeschlimann,F. Extension of the functional theory of particles to the nucleon and photon, 0=5488

Aeschlimann,F. The mean-wave in a system of particles in the functional theory, 0=17267

Aeschlimann,F. On the systems of particles in the non-relativistic functional theory, 0=20081

Aeschlimann,F. and Destouches,J.-L. Non-linear electromagnetism and photons in the functional theory of particles, 0=3914

Afanas'ev,A.Ya. See Fakidov,I.G., 0=1612

Afanas'eva,E.A. See Popov,N.A., 0=10882

Afanas'eva,N.A.,Kamentsev,I.E. and Frank-Kamenetskii,V.A. Variation of the unit cell parameters of quartz from different sources, 0=14021

Afanas'eva,N.V. The ground states of bound paramagnetic rare-earth ions in an external magnetic field, 0=11946

Afanas'yeva,L.I. See Kunin,N.F., 0=15999

Affel,R.G. See Bettis,E.S., 0=13312

Afrosimov,V.V.,Il'in,R.N. and Solov'ev,E.S. Capture of electrons by protons in inert gases, 0=16977

Agaev,Ya. and Nasledov,D.N. Some electrical properties of the AlSb—InSb system, 0=15943

Agar,A.W. Accuracy of selected-area microdiffraction in the electron microscope, 0=7158

Agar,A.W. See Haine,M.E., 0=5864

Agar,A.W.,Frank,F.C. and Keller,A. Crystallinity effects in the electron microscopy of polyethylene, 0=16340

Agar,J.N. and Turner,J.C.R. Thermal diffusion in solutions of electrolytes, 0=6784

Agarbiceanu,I.I.,Ionesco-Pallas,N.,Drăganesco,V., Comaniciu,N. and Tatu,V. Determination of the nuclear magnetic moment of Hg^{199} from the hyperfine structure of the Hg I line at 5461 A, 0=5656

Agarwal,B.K. On the thickness of helium films, 0=7019

Agarwal,P.D. Rigorous solution of eddy current losses in rectangular bar for single plane domain wall model, 0=10143

Agarwal,P.D. and Graham,D.C. Effect of eddy currents on domain wall behavior configations, wall motion, and loss for a domain model of cube-on-edge material, 0=10144

Agarwal,S.P. See Pomerantz,M.A., 0=9480

Agarwal,S.P. See Pomerantz,M.A., 0=11248

Agarwal,S.P. See Pomerantz,M.A., 0=11261

Agarwal,S.P. See Pomerantz,M.A., 0=15487

Agarwala,U.,Hunt,J.B. and Taube,H. Tracer experiments on the reaction of UH$_3$ with aqueous acid, 0=14103

Ageev,N.V. See Bÿkov,V.N., 0=3041

Ageeva,N.S. The propagation of a sound pulse in an underwater sound channel, 0=123

Aggarwal,R.R. Diffraction of light by ultrasonic waves, 0=14845

Agishev,E.I. and Belyakov,Yu.I. Thermionic emission from nickel [and platinum] in the presence of haloids, 0=10936

Agishev,E.I. and Belyakov,Yu.I. Non-stationary thermionic emission of nickel and tungsten in vacuo, 0=10972

Agishev,E.I. See Belyakov,Yu.I., 0=12120

Agnew,L, See Elioff,T., 0=361

Agnew,L.E.,Jr,Elioff,T.,Fowler,W.B.,Lander,R.L.,Powell,W.M., Segré,E.,Steiner,H.M.,White,H.S.,Wiegand,C. and Ypsilantis,T. Antiproton interactions in hydrogen and carbon below 200 MeV, 0=11172

Agostinelli,C. A remarkable class of ellipsoidal figures of revolution of a uniformly rotating self-gravitating magnetohydrodynamic fluid mass, 0=291

Agostinelli,C. The equations of adiabatic magnetodynamic equilibrium of a uniformly rotating gravitating gaseous fluid mass, 0=5384

Agostinelli,C. The adiabatic magnetodynamic equilibrium of a fluid gaseous gravitating mass in non-uniform rotation, 0=19914

Agranovich,V.M. Theory of circular dichroism in crystals, 0=18111

Agranovich,V.M. Dispersion of electromagnetic waves in crystals, 0=19451

Agranovich,V.M. Migration of energy of the electronic excitation by a virtual-exciton mechanism, 0=21011

Agranovich,V.M. and Konobeev,Yu.V. The effect of re-absorption on the yield and duration of luminescence of molecular crystals. I, 0=1742

Agranovich,V.M. and Rukhadze,A.A. A theory of absorption of light in crystals, 0=16041

Agranovich,V.M. and Stavinskii,V.S. On the theory of the "second moment" in the nuclear model of Lane, Thomas and Wigner, 0=2619

Agranovskaya,A.I. See Krainik,N.N., 0=7978

Agranovskaya,A.I. See Smolenskii,G.A., 0=629

Agranovskaya,A.I. See Smolenskii,G.A., 0=631

Agranovskaya,A.I. See Smolenskii,G.A., 0=636

Agranovskaya,A.I. See Smolenskii,G.A., 0=637

Agranovskaya,A.I. See Smolenskii,G.A., 0=638

Agranovskaya,A.I. See Smolenskii,G.A., 0=1698

Agranovskaya,A.I. See Smolenskii,G.A., 0=6154

Agranovskaya,A.I. See Smolenskii,G.A., 0=7974

Agranovskaya,A.I. See Smolenskii,G.A., 0=16020

Agrawal,H.C. Heat transfer in laminar flow between parallel plates at small Péclét numbers, 0=6973

Agresta,J. See Tralli,N., 0=15616

Agron,P.A. See Levy,H.A., 0=3193

Agron,P.A. See Levy,H.A., 0=4247

Agroskin,L.S. and Korolev,N.V. Microscope-spectrophotometers, 0=3595

Agu,B.N.C. See Matsukawa,E., 0=3816

Aguilar,J. and Altés,M.C. Elastic scattering of 19.5 MeV deuterons in chloroform, 0=20461

Aguilar,J.,Burcham,W.E.,Catalá,J.,England,J.B.A.,McKee,J.S.C. and Rotblat,J. The scattering of 38 MeV α-particles by C, N, O, F and Kr nuclei, 0=7583

Aguilar,J.,Burcham,W.E.,England,J.B.A.,García,A.,Hodgson,P.E., March,P.V.,McKee,J.S.C.,Mosinger,E.M. and Toner,W.T. The scattering of 28.5 MeV ^{3}He particles by ^{12}C, ^{20}Ne and ^{40}A nuclei, 0=20463

Aguilar,J. See Catalá,J., 0=20468

Agy,V. and Davies,K. Ionospheric investigations using the sweep-frequency pulse technique at oblique incidence, 0=3345

Agy,V. See Zacharisen,D.H., 0=14252

Aharoni,A. Some recent developments in micromagnetics at the Weizmann Institute of Science, 0=3003

Aharoni,A. Reduction in coercive force caused by a certain type of imperfection, 0=11839

Aharoni,A.,Frei,E.H. and Shtrikman,S. Theoretical approach to the asymmetrical magnetization curve, 0=1785

Aharoni,A.,Frei,E.H. and Shtrikman,S. Theoretical approach to the asymmetrical magnetization curve, 0=3004

Aharonov,Y. See Bohm,D., 0=18950

Ahern,S.A.,Martin,M.J.C. and Sucksmith,W. The spontaneous magnetization of nickel + copper alloys, 0=1789

Ahlburg,H. See Zallen,R., 0=11793

Ahlstrom,E.,Matthei,W.G. and Gärtner,W.W. Use of surface-barrier photodiodes as fast response photocapacitors, 0=622

Ahmad,I. A model of the grain structure of tracks taking into account contact development, 0=12781

Ahmad,I.,Colle,P.,Demers,P. and Demers,J. The nuclear emulsion considered as a generator of pulses, 0=12782

Ahmad,I. and Demers,J. The effect of development on the structure of tracks and the fog in fine-grain emulsions, 0=5188

Ahmad,I.,Demers,P. and Meunier,J.L. Identification of particles in fine-grain emulsions, 0=197

Ahmad,I. See Demers,P., 0=12783

Ahmavaara,Y. Chirality invariance and the Lorentz group, 0=17208

Ahrend,M. See Pohlmann,G., 0=1945

Ahrens,T. Nuclear matrix element relations in the Fermi theory of beta decay, 0=11350

Ahsanullah,A.K.M. See Qurashi,M.M., 0=19480

Ahsmann,G.J.M. and v.Gelder,Z. The normal cathode fall for monocrystalline materials, 0=19633

Aibers,Dzh.A. [Ibers,J.A.] and Vainshtein,B.K. An expanded table of atomic scattering amplitudes for electrons based on the statistical model including exchange, 0=16303

Aibers,Dzh.A.[Ibers,J.A.]. See Vainshtein,B.K., 0=16302

Aida,K. See Ōse,M., 0=8394

Aigrain.P.[Ed.]. See Gibson.A.F.[Ed.].. 0=20877

Aigrain,P. See Gibson,A.F.[Eds.], 0=20878

Aigrain,P.[Ed.]. See Gibson,A.F.[Ed.]., 0=20879

Aigrain,P. See Weulersse,P., 0=6423

Aikin,A.C. See Nicolet,M., 0=14226

Ainslie,D.S. Electrification of conductors for demonstration experiments, 0=234

Ainslie,D.S. Measurement of velocity of sound from resonance in open pipes, 0=2199

Ainslie,D.S. Problems in electrostatics, 0=19589

Airepetyants,S.V. and Bresler,M.S. Determination of the anisotropy of electrical conductivity of semiconductors by the four probes method, 0=572

Airapetyants,S.V. and Shmelev,G.I. A method of growing homogeneous single crystals of alloyed semiconducting materials, solid solutions and intermetallic compounds of definite composition, given the composition of the melt, 0=12005

Airoldi,G.,Fuhrman,Z. and Germagnoli,E. Annealing of electron irradiated germanium, 0=4343

Aisenberg,S.,Statz,H. and Koster,G.F. Test of spin Hamiltonian for iron^{3+} in strontium titanate, 0=3133

Aitchison,G.J.,Thomson,J.H. and Weekes,K. Some deductions of ionospheric information from the observations of emissions from satellite 1957α2. II. Experimental procedure and results, 0=8396

Aitchison,G.J. and Weekes,K. Some deductions of ionospheric information from the observations of emissions from satellite 1957α2. I, 0=8395

Aitchison,T.W.,Bruce,J.W. and Winning,D.S. Vibration amplitude meter using moiré-fringe technique, 0=3581

Aitken,K.L.,Littler,D.J.,Lockett,E.E. and Palmer,G.H. The pile-neutron absorption cross-section of samarium-149, 0=4125

Aitken,M.J. and Middlemas,N. Cu^{65}(γ,3n) reaction and its bearing on the use of the Cu^{63}(γ,n) Cu^{62} reaction for bremsstrahlung monitoring, 0=5772

Aizenberg,N.B. Penetration of electrons through a rectangular potential barrier with a small cylindrical inhomogeneity, 0=15334

Aizu,H.,Fujimoto,Y.,Hasegawa,S.,Koshiba,M.,Mito,I., Nishimura,J.,Yokoi,K. and Schein,M. Heavy nuclei in the primary cosmic radiation at Prince Albert, Canada. I. Carbon, nitrogen, and oxygen, 0=1338

Aizu,K. Maximal weak interactions, 0=20034

Aizu,K. and Honda,T. On a possible small Pauli term in quantum electrodynamics, 0=20029

Ajzenberg-Selove,F. and Dunning,K.L. Neutrons from the He^3 bombardment of O^{16} and Mg^{24}, 0=15581

Ajzenberg-Selove,F.,Osgood,C.F. and Baker,C.P. Neutrons from the proton bombardment of Li^6 and Li^7, 0=4096

Ajzenberg-Selove,F. and Stelson,P.H. Be^9(α,n)C^{12} reaction and the parameters of the 7.66 MeV state of C^{12}, 0=17609

Akabane,K. Solar radio emission at 9500 Mc/s. I. A polarimeter in the microwave region, 0=16524

Akabane,K. Solar radio emission at 9500 Mc/s. II. Observation of the solar radio emission, 0=18644

Akano,M. See Suzuki,R., 0=16948

Akasofu,S. Magneto-hydrodynamic waves in the ionosphere, 0=8370

Akasofu,S. On the ionospheric heating by hydromagnetic waves connected with geomagnetic micropulsations, 0=16439

Akasofu,S. On the electric field of the polar magnetic storm, 0=18466

Akasofu,S.I. The ring current and the outer atmosphere, 0=14263

Akasofu,S.I. Large-scale auroral motions and polar magnetic disturbances. I. A polar disturbance at about 1100 hours on 23 September 1957, 0=18467

Akcasu,Z. General solution of the reactor kinetic equations without feedback, 0=13321

Aked,A.Bruce,F.M. and Gordon,C. Some sparkover phenomena with enclosed gaps, 0=10887

Åkerlind,L. See Uhler,U., 0=1497

Akhiezer,A.I.,Bar'yakhtar,V.G. and Peletminskii,S.V. On the theory of relaxation processes in ferrodielectrics at low temperatures, 0=4497

Akhiezer,A.I.,Lyubarskii,G.Ya. and Polovin,R.V. Simple waves in magnetohydrodynamics, 0=9164

Akhiezer,A.N. Coupling of rectangular waveguides by means of a hole in the wide wall, 0=17109

Akhiezer,I.A. and Polovin,R.V. Motion of a conducting piston in a magnetohydrodynamical medium, 0=9165

Akhiezer,I.A. and Polovin,R.V. Theory of relativistic magnetohydrodynamic waves, 0=11028

Akhiezer,I.A.,Polovin,R.V. and Tsintsadze,N.L. Simple waves in the Chew—Goldberger—Low approximation, 0=9163

Akiba,T. and Sato,I. The dispersion relations for the scattering of photons from proton, 0=11130

Akimchenko,I.P. See Shashkov,Yu.M., 0=4302

Akimov,I.A. The effect of illumination on the contact potential of some semiconductors, 0=1626

Akimov,Yu.K. A coincidence circuit for small amplitude pulses, 0=5464

Akimov,Yu.K.,Marish,K.S.,Savchenko,O.V. and Soroko,L.M. Measurement of the polarization of deuterons in the reaction $p + p \rightarrow d + \pi^+$ at proton energies of 670 MeV, 0=9357

Akimov,Yu.K.,Marish,K.S.,Savchenko,O.V. and Soroko,L.M. Measurement of the polarization of deuterons in the reaction $p + p \rightarrow d + \pi$ with 670 MeV protons, 0=11169

Akimov,Yu.K.,Savchenko,O.V. and Soroko,L.M. The reaction $d + d \rightarrow \pi^0 + He^4$ at a deuteron energy of 400 MeV, 0=15459

Akimova,M.K. See Strutinskii,V.W., 0=9593

Akimova,M.K. See Strutinski,V.M., 0=13286

Akindinov,V.V. See Linkova,N.V., 0=13263

Akischin,P.A. and Rambidi,N.G. Molecular structure studies on alkali halides in the vapour state by electron diffraction, 0=5992

Akishin,A.I. Detection of ion beams by electron multipliers in mass spectrometry and nuclear physics, 0=3813

Akishin,A.I. and Vasil'ev,S.S. Emission of secondary electrons under the action of Li, B and N with energy up to 10 MeV, 0=267

Akishin,P.A.,Naumov,V.A. and Tatevskii,V.M. Electron diffraction investigation of the molecular structures of gallium and yttrium halides, 0=15774

Akishin,P.A.,Rambidi,N.G. and Zasorin,E.Z. Electron diffraction investigation of the molecular structures of the aluminum halides, 0=14007

Akishin,P.A.,Rambidi,N.G. and Zasorin,E.Z. An electron diffraction investigation of the structure of the phosphorus pentoxide molecule, 0=17855

Akishin,P.A. See Panchenkov,G.M., 0=276

Akita,K. See Hirao,K., 0=14195

Akol'zina,L.A. Preconduction current pulses at reduced pressure, 0=1105

Akpinar,S. The output distorsion of a differential interval analyzer of universal design, 0=17183

Aksenov,G.I. and Sidnikhin,A.I. The nature of the intercrystalline transition zones in metallic [alloy] polycrystals, 0=15849

Aksenov,S.I. Nuclear magnetic resonance shift in molybdenum, 0=2180

Aksenov,V.I. See Kuznetsov,V.A., 0=10355

Akulov,N.S. Contribution to the theory of ferroelectric polarization curves, 0=10016

Akundov,G.A.,Abdullaev,G.B. and Guseinov,G.D. On some properties of thallium selenide single crystals, 0=18054

Alad'ev,A.T. Longevity of technical dielectrics working in high-frequency fields, 0=632

Aladzhalova,N.A. See Lazorenko-Manevich,R.M., 0=21281

Aladzhalova,N.A. Trusov,G.N., 0=12106

Albenesius,E.L. Tritium as a product of fission, 0=461

Albenesius,E.L. and Ondrejcin,R.S. Nuclear fission produces tritium, 0=20511

Alberghini,J.E. and Steffen,R.M. Transverse polarization of K-conversion electrons following the beta decay of Hg^{203}, 0=4061

Alberigi,A.,Bernardini,C. and Quercia,I.F. Proposal for an analog-to-digital electronic converter suited for nuclear pulse height analysis, 0=20004

Alberigi-Quaranta,A.,Bernardini,C.,Infante,C. and Quercia,I.F. A logarithmic, constant percent error, pulse height analyzer, 0=20002

Albers,J.R. See Fano,U., 0=2513

lbers,J.R. See Fano,U., 0=2515
lbers,J.R. See Lewis,H.R., 0=5706
lbers,K. The measurement of the temperature dependence of the luminescence of CdS, 0=4437
lbers,K. See Wilke,K.T., 0=8017
lbert,L. and Jaenicke,W. Needle growth in the oxidation of copper. I, 0=6331
lbert,L. and Jaenicke,W. Needle growth in the oxidation of copper. II, 0=13960
lbert,P. See Dimitrov,O., 0=2839
lbert,R.D. (p, n) cross-section and proton optical-model parameters in the 4 to 5.5 MeV energy region, 0=434
lbertoni,S.,Bocchieri,P. and Loinger,A. New theorem in the classical ensemble theory, 0=16615
berts,L. and Shepstone,B.J. The influence of temperature on the eddy current anomaly factor, 0=11847
lbouy,G. and Valadarès,M. The conversion electron spectrum (low energy) and the auger (L,M,N) spectra emitted during the β decay of protoactinium 233, 0=11371
lbouy,G. and Valadarès,M. The conversion electron spectrum emitted during the Pa^{233} → U^{233} transition, 0=15553
lbrecht,A.C. "Forbidden" character in allowed electronic transitions, 0=15747
lbrecht,A.C. Vibronic calculations in benzene, 0=15748
lbrecht,A.C. On the assignment of the lowest triplet state in benzene, 0=17767
brecht,H.J. Analysis of ionospheric paths in long-range propagation, 0=15161
lbrecht,H.O.,Denison,W.C.,Livingston,L.G. and Mandeville,C.E. Quenching effects and the afterglow of chlorophyll, 0=2177
lbrecht,H.O. See Swann,C.P., 0=318
lbright,C.H.,Haag,R. and Treiman,S.B. Renormalization of a parity non-conserving theory, 0=2483
lburger,D.E. 7.656 MeV E0 transition in C^{12}, 0=405
lburger,D.E. Nuclear pair emission from the 7.656 MeV level in C^{12}, 0=9573
lburger,D.E. Isomeric transition in Pb^{205}, 0=9584
lburger,D.E.,Gallmann,A. and Wilkinson,D.H. Decay schemes of C^{15}, N^{16}, and O^{19}, 0=2635
lburger,D.E. and Pixley,R.E. 9.0-MeV gamma-emitting level in C^{12}, 0=17558
lden,H.L. See Eichhorn,H., 0=12316
ldenkamp,A.A.,Marks,C.P. and Zijlstra,H. Frictionless recording torque magnetometer, 0=9132
lder,B.J. Free volume theory for square-well potentials, 0=4242
lder,B.J. and Christian,R.H. Destruction of diatomic bonds by pressure, 0=15767
der,B.J.,Vaisnys,J.R. and Jura,G. Penetration depth of surface effects in molecular crystals, 0=11555
lder,B.J. See Hrostowski,H.J., 0=20986
lder,G. and Reams,W. Heterogeneous nature of reaction in radiation-induced solid-state polymerization of acrylamide, 0=14135
lder,K. and Winther,A. On the theory of multiple Coulomb excitation with heavy ions, 0=17487
lderman,P.R.H.,Owston,P.G. and Rowe,J.M. The crystal structure of the ethylene complex trans-[Pt(C$_2$H$_4$)(NH(CH$_3$)$_2$) Cl$_2$], 0=8235
lderson,R.H. See Wroe,H., 0=1114
ldred,A.T.,Filby,J.D. and Pratt,J.N. The vapour pressure of solid cadmium, 0=13472
dred,A.T. See Pratt,J.N., 0=3678
ldrich,R.W. and Holonyak,N.,Jr. Two-terminal asymmetrical and symmetrical silicon negative resistance switches, 0=1649
lègre,R. Application of the method of modulated incident flux to the study of the reflection of refractories and of the absorption of flames in the infrared, 0=2935
leksandrov,A.Ya. Some interrelations between solutions of plane and of radially-symmetrical problems concerning infinite plates, 0=3473
leksandrov,A.Ya. Some interrelations between solutions of plane and of axially-symmetrical problems; solutions of axially-symmetrical problems by means of analytic functions, 0=10624
leksandrov,B.N. Preparation of pure tin by multiple zone refining combined with prolonged vacuum heat treatment, 0=13962
leksandrov,B.N.,Verkin,B.I.,Lifshits,I.M. and Stepanova,G.I. Possible causes of inhomogeneous distribution of impurities in a crystalline ingot, 0=1883
Aleksandrov,B.N.,Verkin,B.I. and Svechkarev,I.V. Temperature dependence of the magnetic susceptibility of indium, lead and tin crystals, 0=21026
Aleksandrov,D.D.,Olendzkaya,N.F. and Ptitsȳn,S.V. The electric strength of a high-voltage mercury tube, 0=12435
Aleksandrov,G.N. Fundamental processes in the ionization zone of corona from leads at atmospheric pressure, 0=14992
Aleksandrov,I.V.,Korst,N.N. and Sokolov,N.D. The effect of the mobility of protons on the width of nuclear magnetic resonance lines in crystals, 0=16189
Aleksandrov,K.S. An ultrasonic pulse method of measuring the elastic moduli of monoclinic crystals, 0=13896
Aleksandrov,K.S. The wave surfaces for elastic waves in crystals, 0=17877
Aleksandrov,K.S. See Chumakov,A.A., 0=13650
Aleksandrov,K.S. See Sil'vestrova,I.M., 0=13952
Aleksandrov,L.A.,Bogoroditskii,N.P.,Lisker,K.E. and Fridberg,I.D. The temperature dependence of permittivity of ionic dielectrics over a wide range of temperatures, 0=13645
Aleksandrov,L.A. See Bogoroditskii,N.P., 0=2918
Aleksandrov,L.N. Determination of the activation energy of the rearrangement processes during phase transformations in solid solutions, 0=1935
Aleksandrov,V.V.,Pruzhinina,V.I.,Rekov,A.I.,Tarakanova,T.S. and Teplov,E.A. Some electrical properties of boro-silico-carbides, 0=9972
Aleksandrov,Yu.A.,Andreev,V.N. and Bondarenko,I.I. On the question of antigravitation, 0=2503
Alekseev,A.I. Nonrelativistic solution of the Bethe—Salpeter equation, 0=9267
Alekseev,A.I. Three-photon annihilation of positronium in the P-state, 0=11152
Alekseev,A.I. Emission of Bremsstrahlung by fission fragments, 0=12898
Alekseev,N.V. and Evseev,A.M. Investigation of the structures of liquid alloys of Cd—Sn, 0=16691
Alekseev,V.A. See Kheiker,D.M., 0=12017
Alekseeva,K.I.,Brikker,S.I.,Grigorov,N.L.,Murzin,V.S. and Savin,F.D. Investigation of pion production in interactions of [primary] cosmic-ray protons and alpha particles with carbon nuclei in the stratosphere, 0=9494
Alekseeva,K.I. and Grigorov,N.L. Heavy nuclei flux in the primary cosmic radiation at a geomagnetic latitude of 31°N, 0=9486
Alekseeva,V.G. and Eliseev,P.G. Effect of bismuth on dislocation density in single crystal germanium, 0=1583
Alekseevskii,N.E.Bondar',V.V. and Polykarov,Yu.M. Superconductivity of electrodeposited copper—bismuth alloys, 0=10849
Alekseevskii,N.E. and Gaidukov,Yu.P. The influence of plastic deformation on the anomalous behaviour of the resistance of gold at low temperatures, 0=2847
Alekseevskii,N.E. and Gaidukov,Yu.P. The anisotropy of magnetoresistance and the topology of the Fermi surfaces of metals, 0=9939
Alekseevskii,N.E. and Mikheeva,M.N. The critical currents in superconducting films of tin, 0=12562
Alenka,V.P. See Senftle,F.E., 0=4044
Aléonard,R. and Barbier,J.C. A study of paramagnetism in rare earth garnets at high temperatures, 0=13739
Alers,G.A. Elastic moduli of vanadium, 0=16200
Alers,G.A. See Neighbours,J.R., 0=523
Alers,G.A.,Neighbours,J.R. and Sato,H. Magnetic contributions to the elastic constants of nickel and an Fe-30% Ni alloy at high magnetic fields, 0=3065
Alers,G.A.,Neighbours,J.R. and Sato,H. Temperature dependent magnetic contributions to the high field elastic constants of nickel and an Fe—Ni alloy, 0=11874
Alers,P.B. Faraday effect in cerium phosphate glasses at low temperatures, 0=2933
Alessandrini,E.I. See Rosenbaum,H.S., 0=212277
Alexander,G. See K$^-$-collaboration, 0=1308
Alexander,G.,Eisenberg,Y. and Kessler,D. A possible explanation for the multi-nucleon K$^-$ capture, 0=15438
Alexander,G. See Eisenberg,Y., 0=20219
Alexander,G. See K$^-$-Collaboration, 0=15430
Alexander,J.M. and Gazdik,M.F. Recoil properties of fission products, 0=20512
Alexander,K.F. and Bredel,V. Production of short lived isomers by pulse activation with thermal neutrons, 0=17523
Alexander,N.S. See Onwumechilli,C.A., 0=14175
Alexander,N.S. See Onwumechilli,C.A., 0=14176

Alexander,R.G. Anisotropy field measurements on Ni—Fe thin films, 0=3057
Alexander,S. Relative signs of spin—spin interactions in nuclear magnetic resonance. II, 0=15760
Alexander,T.K. See Walker,W.H., 0=2683
Alexandrov,I.P. and Kikoin,I.K. I.V.Kurchatov (1903-1960), 0-19960
Alexanian,C.,Durif,S. and Soulé,J.L. The determination of specific surfaces and interfaces by small-angle scattering of X-rays. II. Experimental studies, 0=21222
Alexeff,I. and Haeberli,W. Polarization in proton—proton scattering near 3.3 MeV, 0=7346
Alfaro,V.De. See De Alfaro,V.
Alferov,Zh.I. and Silina,É.V. The influence of the state of the surface on the breakdown voltage of silicon diodes, 0=6114
Alferov,Zh.I. and Yaru,É.A. "Breakdown" of silicon alloy diodes in the forward direction, 0=9966
Alford,W.L. See Koehler,D.R., 0=13288
Alfrey,G.F. and Taylor,K.N.R. Bombardment conductivity in synthetic zinc sulphide crystals, 0=18055
Alfrey,G.F. and Wiggins,C.S. Carrier concentration and hole mobility in p-type gallium phosphide, 0=11713
Alfvén,H. Momentum spectrum of the Van Allen radiation, 0=779
Alfvén,H. Cosmical electrodynamics, 0=16520
Alger,R.S. See Jordan,R.D., 0=7892
Algie,J.E.,Downes,J.G. and Mackay,B.H. Electrical conduction in keratin, 0=11655
Ali Abdel Kerim Ibrahim. A graphical method for determining the coefficient of viscosity of Newtonian liquids using an oscillating cylinder viscometer. II, 0=16666
Ali Abdel-Kerim Ibrahim. A graphical method for determining the coefficient of viscosity of non-elastic liquids. IV, 0=6732
Ali Abdel Kerim Ibrahim and Abdel Monem I Kabiel. Experimental and theoretical investigations on the oscillating cylinder viscometer for Newtoniam liquids, 0=12401
Ali Abdel Kerim Ibrahim and Abdel Monem I.Kabiel. On the oscillating cylinder viscometer, 0=19043
Ali,S.A.,Grenier,C.G. and Reynolds,J.M. Isothermal galvanomagnetic effects in zinc at low temperatures, 0=9944
Aliev,M.G. See Abdullaev,G.B., 0=6125
Aliev,M.I. and Abdullaev,G.B. On the influence of added halogen on the thermal conductivity and diffusion in selenium, 0=6057
Aliev,N.A. and Ibragimov,N.I. The effect of tin and bismuth impurities on the thermal conductivity of selenium, 0=11589
Alikhanov,A.I.,Eliseev,G.P. and Lyubimov,V.A. Polarization of RaE electrons and time reversal invariance, 0=2644
Alikhanov,A.I.,Eliseyev,G.P. and Luibimov,V.A. The energy dependence of the polarization of electrons and time parity, 0=4050
Alikhanov,A.I.,Galaktionov,Yu.V.,Gorodkov,Yu.V.,Eliseev,G.P. and Lyubimov,V.A. A measurement of the spirality of the μ-meson, 0=20176
Alikhanov,A.I.,Khrimyan,A.V.,Kosmachevsky,V.K., Avakyan,V.V.,Gorodkov,Yu.V.,Egiyan,K.Sh. and Nalbandyan,N.A. Studies of the nature and spectra of particles generated by high-energy nucleons, 0=9454
Alikhanov,A.I. and Lyubimov,V.A. Possibility of determining the chirality of the muon by means of δ-electron cascades from magnetized iron, 0=13010
Alikhanov,A.I. See Lyubimov,V.A., 0=15519
Alikhanov,R.A. Neutron diffraction investigation of the antiferromagnetism of the carbonates of manganese and iron, 0=11851
Alikhanov,R.A. A cryostat for neutron diffraction investigations, 0=12016
Alikhanov,R.A. Antiferromagnetism in NiF_2, 0=13852
Alikhanyan,A.,Kirillov-Ugryumov,V.G.,Kotenko,L.P., Kuznetsov,E.P. and Samoilov,A.V. Single scattering of 10-30 MeV μ^--mesons on carbon. 0=9696
Alimov,Yu.I. See Skrotskii,G.V., 0=10196
Aliverti,G.,Demichelis,F. and Lovera,G. γ-ray spectroscopy of artificial radionuclides collected by air filtration at the ground, 0=429
Ali-Zade,S.A.,Gurevich,I.I.,Dobretsov,Yu.P.,Nikol'skii,B.A. and Surkova,L.V. Asymmetry of angular distribution of $\mu^+ \rightarrow e^+$ decay electrons in a 27 000 gauss magnetic field, 0=15378
Al-Jeboori,M.A.,Bokhari,M.S.,Strzałkowski,A. and Hird,B. Polarization in deuteron elastic scattering from carbon at 6 MeV, 0=15577
Al-Jeboori,M.A. See Strzałkowski,A., 0=11401
Alkemade,C.T.J. On the problem of Brownian motion of nonlinear systems, 0=8564
Alkemade,C.T.J. On the excess photon noise in single-beam measurements with photo-emissive and photo-conductive cells, 0=14954
Alkhazov,D.G.,Grinberg,A.P.,Gusinskii,G.M.,Erokhina,K.I. and Lemberg,I.Kh. Lifetime of the first excited state of Mg^{24}, 0=2567
Alkhazov,D.G.,Grinberg,A.P.,Gusinskii,G.M.,Erokhina,K.I. and Lemberg,I.Kh. Coulomb excitation of aluminium, 0=2622
Alkhazov,D.G.,Grinberg,A.P.,Gusinskii,G.M.,Erokhina,K.I. and Lemberg,I.Kh. Coulomb excitation of odd-A nuclei by heavy ions, 0=7587
Alksnis,Ya. and Ulmanis,U. Scattering of Ce^{137} gamma-rays in lead, 0=13259
Allaby,J.V.,Ashmore,A.,Diddens,A.N. and Eades,J. A measurement of the spin correlation coefficient C_{nn} in p—p scattering at 320 MeV, for 90° centre of mass scattering angle, 0=7347
Allais,M.L. A mechanical apparatus enabling the measurement by compensation of a Kerr constant, 0=19460
Allan,A.H.,Crombie,D.D. and Penton,W.A. Long-path v.l.f.—frequency variations associated with the solar flare of 23 February 1956, 0=304
Allan,W.J. and Webb,W.W. Some observations on mechanisms of growth of metal whiskers, 0=18319
Allanazarov,A. See Annaev,R.G., 0=13816
Allard,J.G. See Etzel,H.W., 0=1594
Allard,N. A recording Fabry—Perot interferometer for the study of the green night-sky line, 0=16471
Allas,R.G. and Shull,F.B. Polarization of protons in $C^{12}(d,p)C^{13}$, 0=2665
Allavena,M. See Bratoz,S., 0=17836
Allcock,G.McK. The electron density distribution in the outer ionosphere derived from whistler data, 0=6449
Allcock,G.R. Topics in the theory of dispersion relations, 0=3931
Allcock,G.R. See Hooton,D.J., 0=4089
Allen,C.W. A sunspot cycle model, 0=16541
Allen,C.W. Oscillator strengths of neutral atoms of the iron-group, 0=20590
Allen,E. Convenient color indices for near-white samples, 0=1048
Allen,E.H.W. A new inferential-type flow meter with twin rotors, 0=4989
Allen,F.G.,Buck.T.M. and Law,J.T. p layers on vacuum heated silicon, 0=9967
Allen,G.,Gee,G. and Read,B.E. Stress relaxation in elastomers by visco-elastic mechanisms. I. Natural rubber at high rates of strain and low temperatures, 0=3160
Allen,G. See Schwed,P., 0=9877
Allen,H.C.,Jr and Plyler,E.K. Ethane carbon—carbon distance obtained from infrared spectra, 0=1513
Allen,H.C.,Jr and Plyler,E.K. Some vibrational—rotational bands of deuterated methanes, 0=7761
Allen,J.E.,Apostolakis,A.J.,Lee,Y.J.,Major,J.V. and Ferreira,E.P. The interaction of π^--mesons with complex nuclei in the energy range (100-800 MeV). I. The interaction lengths and elastic scattering of 88 MeV π^--mesons in G5 emulsion, 0=20185
Allen,J.E. See Adlam,J.H., 0=10912
Allen,J.E. See Segre,S.E., 0=17019
Allen,J.F. Film transfer in He II, 0=8866
Allen,J.F. Helium II film flow, 0=8920
Allen,J.S.,Burman,R.L.,Herrmannsfeldt,W.B.,Stähelin,P. and Braid,T.H. Determination of the beta-decay interaction from electric—neutrino angular correlation measurements, 0=1385
Allen,J.S.,Chatterjee,S.,Ernest,L.E. and Yavin,A.I. Variable energy spiral ridge cyclotron, 0=15096
Allen,J.W. The reverse characteristics of gallium arsenide p—n junctions, 0=4360
Allen,J.W. Effect of electric fields on hydrogen-like excitons, 0=13629
Allen,J.W. Gallium arsenide as a semi-insulator, 0=18041
Allen,J.W. On a new mode of deformation in indium antimonide, 0=21116
Allen,J.W. and Gibbons,P.E. Breakdown and light emission in gallium phosphide diodes, 0=18042

llen,K.R. and Phillips,K. Investigation of electron avalanches in air using a cloud chamber, 0=16974

llen,K.R. See Phillips,K., 0=5764

llen,K.W.,Almqvist,E. and Bigham,C.B. Energy levels of ^{6}Li and ^{6}He from a study of the ^{7}Li(^{3}He,α)^{6}Li and ^{7}Li(t,α)^{6}He reactions, 0=15523

llen,K.W.,Eccleshall,D. and Yates,M.J.L. 1.12 MeV level in ^{18}F, 0=5669

llen,L. Jr,Beavers,J.L. II,Whitaker,W.A.,Welch,J.A. Jr and Walton,R.B. Project Jason measurement of trapped electrons from a nuclear device by sounding rockets, 0=10429

llen,L.C. Hartree—Fock equations with a perturbing field, 0=9734

llen,L.C. and Karo,A.M. Basic functions for AB initio calculations, 0=17821

llen,L.C. See Karo,A.M., 0=1511

llen,N.L. Periodic magnetic field fluctuations in the sceptre discharge, 0=19636

llen,P.H.G. Electric stress and heat transfer, 0=5256

llen,R.B.,Bernstein,H. and Kurtz,A.D. Effect of oxide layers on the diffusion of phosphorus into silicon, 0=6059

llen,R.C. The interaction of 0.15 to 1.0 MeV neutrons with U-238, U-235 and Pu-239, 0=13272

len,R.D.,Glasier,L.F., Jr and Jordan,P.L. Spectral emissivity, total emissivity, and thermal conductivity of molybdenum, tantalum, and tungsten above 2300°K, 0=14876

llen,T.L. Bond energies and the interactions between next-nearest neighbors. I. Saturated hydrocarbons, diamond, sulfanes, S_n, and organic sulfur compounds, 0=1512

llen,W.A.,Meloy,G.E. and Rogers,J.W. Hypervelocity precision impact instrument, 0=12394

llenden,D. Two emission stabilizers for electron-bombardment furnaces, 0=4831

ller,L.H. Some aspects of ultraviolet satellite spectroscopy, 0=4913

ller,L.H. Compositions and mean atmospheric parameters of subdwarfs, 0=18785

ller,L.H. and Chapman,S. Diffusion in the sun, 0=18766

lles,W. Remark on the τ^{+} meson decay, 0=17408

les,W. and Tomasini,A. Application of fixed angle dispersion relations to proton—proton scattering, 0=2539

lles,W. and Tomasini,A. Application of fixed angle dispersion relations to nucleon—nucleon scattering in the triplet state, 0=2540

lles-Borelli,V.,Bergia,S.,Ferreira,E.P. and Waloschek,P. Experimental results on pion production compared with predictions of the isobar model, 0=1303

lley,P. and Serin,B. Deviations from Matthiessen's rule in aluminum, tin, and copper alloys, 0=1613

lley,R.E., Jr. In-pile measurements of radiation effects in magnetic materials, 0=3071

lley,R.E. Jr, and Legg,V.E. Effects of hydrostatic pressure on the properties of magnetic materials, 0=10166

llgaier,R.S. Magnetoresistance in a multivalley model with <110>-ellipsoids of general shape, 0=1618

llgaier,R.S. Weak-field magnetoresistance in p-type lead telluride at room temperature and 77°K, 0=13616

llgaier,R.S. See Brebrick,R.F., 0=13617

llibone,T.E. and Chick,D.R. The basic physics of thermonuclear processes, 0=5836

llin,E.J. See Gush,H.P., 0=4196

llison,F.E. and Schriempf,J.T. Explosively loaded metallic cylinders. II, 0=8582

llison,F.E. and Watson,R.W. Explosively loaded metallic cylinders. I, 0=8581

llison,G.M. See Mooradian,A.J., 0=5824

llison,J.B. and Becker,R.S. Effect of metal atom perturbations on the luminescent spectra of porphyrins, 0=10064

llison,J.W. Half-life of iridium 192, 0=13176

Allison,S.K. Classical analysis of the reaction Be^{9}(Li^{7},Li^{8})Be^{8}, 0=17611

Allison,S.K.,Cuevas,J. and Garcia-Munoz,M. Experiments on charge-changing collisions of lithium ionic and atomic beams, 0=19625

Allison,S.K.,Cuevas,J. and Garcia-Munoz,M. Efficient production of multiply charged positive ions by low energy stripping in helium gas, 0=19626

Allkofer,O.C. Measurements of the momentum spectrum and of the positive excess of cosmic-ray particles at sea level, 0=9476

Allnatt,A.R. and Rice,S.A. On the dynamical theory of diffusion in crystals. V. Random-walk treatment of the heat of transport, 0=13497

Allred,J.C.,Bendt,P.J. and Peterson,R.E. Critical measurements on $UO_3-H_3PO_4$ solutions, 0=13365

Allred,J.C. and Carter,D.S. Kinetics of homogeneous power reactors of the LAPRE type, 0=13322

Allred,W.P.,Mefferd,W.L. and Willardson,R.K. The preparation and properties of aluminum antimonide, 0=4598

Allsopp,H.L. and Gibbs,D.F. The electromechanical properties of barium titanate, 0=16028

Allum,F.R. See Spicer,B.M., 0=4112

Almássy,G. See Gergely,G., 0=8764

Almazov,A.B. [Energy] spectrum of an ideal Fermi gas in a lattice, 0=11564

Almazov,A.B. The frequency distribution function of vibrations of atoms in a crystalline lattice, 0=11565

Almén,O.,Bruce,G. and Lundén,A. Electromagnetic isotope separator in Gothenburg, 0=19795

Almén,O. and Nielsen,K.O. Systematic investigation of a magnetic ion source for an electromagnetic isotope separator, 0=19778

Almqvist,E.,Bromley,D.A.,Gove,H.E. and Litherland,A.E. Low levels of Al^{27}, 0=20347

Almqvist,A.,Bromley,D.A. and Kuehner,J.A. Resonances in C^{12} on carbon reactions, 0=13251

Almqvist,E. See Allen,K.W., 0=15523

Almqvist,E. See Bromley,D.A., 0=1398

Almqvist,E. See Bromley,D.A., 0=5756

Almqvist,E. See Clarke,R.L., 0=4098

Almqvist,E. See Kuehner,J.A., 0=5753

Almqvist,E. See Bromley,D.A., 0=9648

Alperin,H.A. Neutron diffraction investigation of the magnetic structure of nickel oxide, 0=11919

Al'perovich,L.I.,Sherbaf,I.D. and Marupov,R. The origin of luminescence of liquids under the action of hard radiations, 0=19158

Alpert,N.L.,Behnke,F. and Strauss,P.A. A new infrared spectrometer in the 12.5-25 micron region, 0=2240

Alsop,L.E.,Giordmaine,J.A.,Mayer,C.H. and Townes,C.H. Observations of discrete sources at 3 cm wavelength using a maser, 0=18626

Alster,J. See van Oostrum,K.J., 0=7566

Alston,M.H.,Cundy,D.C.,Evans,W.H.,Newport,R.W. and Williams,P.R. A 10 in. diameter liquid hydrogen bubble chamber, 0=15200

Alterman,Z.,Jarosch,H. and Pekeris,C.L. Oscillations of the earth, 0=8518

Altes,J.P.K. Use of an electronic analogue computer with resistance network analogues, 0=6543

Altes,J.P.K.,Dekker,L. and Gilissen,H.P.J. Use of an electronic analogue computer with resistance network analogues, 0=10467

Altés,M.C. See Aguilar,J., 0=20461

Altman,F.G. and Busch,K.H. Determination of the speed of passing vehicles by apparatus using [interrupted] light beams, 0=4986

Altman,R.L. Thermodynamic functions of some gaseous diatomic halides of aluminum, boron and lithium, 0=963

Altman,R.L. Thermodynamic properties of C_2, 0=6836

Al'tshuler,L.M. The problem of the zone of action of an uninsulated tube in a solid mass, 0=8817

Al'tshuler,L.M. The method of the "supplementary layer" in Forchheimer problems, 0=8818

Al'tshuler,L.M. The temperature field in a massive [block of matter] due to [heated] tubes, 0=12511

Al'tshuler,L.V.,Kuleshova,L.V. and Pavlovskii,M.N. Dynamic compressibility, equation of state and electrical conductivity of sodium chloride at high pressures, 0=20730

Al'tshuler,L.V.,Kormer,S.B.,Bakanova,A.A. and Trunin,R.F. State equations of aluminium, copper and lead in the high-pressure region, 0=11550

Al'tshuler,L.V.,Kormer,S.B.,Brazhnik,M.I.,Vladimirov,L.A., Speranskaya,M.P. and Funtikov,A.I. Isentropic compressibility of aluminium, copper, lead and iron at high pressures, 0=11974

Alumkal,A.,Barkow,A.G.,Kane,G.,McDaniel,R.E. and O'Friel,Z. ^{8}Li fragments associated with nuclear disintegration, 0=17575

Alväger,T. and Ryde,H. Search for double-quantum emission in the decay of Xe^{131m}, 0=11373

Alväger,T. See Johansson,B., 0=17518

Alväger,T. See Johansson,B., 0=20371

Alvarez,L.W. Hodoscope design to minimize photomultiplier use, 0=5449

Alvarez,R.A.,Brown,K.L.,Panofsky,W.K.H. and Rockhold,C.T. Double focusing zero dispersion magnetic spectrometer, 0=9252

Alvial,G.,Grimaldi,L.,Riquelme,J.,Silva,E. and Stantic,S. A method to determine the charge of nuclei with nuclear emulsions, 0=12729

Aly,F.M. See El-Nadi,A., 0=3885

Aly,H.H.,Duthie,J.G.M. and Fisher,C.M. The analysis of 4.5 BeV negative pion interactions in nuclear emulsion, 0=20186

Aly,H.H. and Fisher,C.M. The angular distribution of secondary π-mesons from 4.5 GeVπ^- and 6 GeV proton interactions in emulsion, 0=15390

Alyamovskii,S.I. See Gel'd,P.V., 0=18353

Alyamovskii,V.N. and Kitaeva,V.F. Profile of the H_β hydrogen line in argon behind a shock wave, 0=15659

Alyamovskii,V.N. See Sobolev,N.N., 0=973

Amado,R.D. and Brueckner,K.A. Moment of inertia of interacting many-body fermion systems, 0=335

Amaglobeli,N.S.,Golovin,B.M.,Kazarinov,Yu.M.,Medved',S.V. and Polev,I.M. Determination of the coupling constant of the π-meson—nucleon interaction from the cross-section for elastic scattering of neutrons by protons at energy 630 MeV, 0=9407

Amaglobeli,N.S. and Kazarinov,Yu.M. Elastic scattering of 630 MeV neutrons by protons, 0=7352

Amai,S.,Fukuda,H.,Iso,G. and Sato,M. Hydrodynamical treatment of multiple meson production in high energy nucleon—nucleus collisions, 0=7395

Amai,S.Murota,T. and Nishida,M. A remark on high energy phenomena, 0=11280

Amai,S. See Nagata,S., 0=13105

Amaldi,E.,Baroni,G.,Bellettini,G.,Castagnoli,C.,Ferro-Luzzi,M. and Manfredini,A. Study of antiprotons with emulsion technique, 0=5561

Amar,H. Properties of multidomain particles, 0=3047

Amar,V. and Pauri,M. On the Gürsey baryon equation, 0=2501

Amat,G. On the form of the secular equation giving the vibration—rotation levels of a molecule with axial symmetry, 0=7742

Amati,D.,Fierz,M. and Glaser,V. High-energy limit of scattering cross sections, 0=5502

Amati,D.,Leader,E. and Vitale,B. Theory of low energy nucleon—nucleon scattering. I, 0=15341

Amati,D.,Stanghellini,A. and Vitale,B. Pion—hyperon scattering. Influence of nonsymmetric Λ and Σ interaction, 0=370

Ambartsumian,V.A. On the problem of the mechanism of the origin of stars in stellar associations, 0=10513

Ambasankaran,C. See Phillips,K., 0=7337

Ambegaokar,V. and Kohn,W. Electromagnetic properties of insulators. I, 0=5260

Ambler,E.,Hayward,R.W.,Hoppes,D.D. and Hudson,R.P. Experiments on the β-decay of polarized nuclei, 0=9557

Ambler,E. and Plumb,H. Use of carbon resistors as low temperature thermometers in the presence of stray r.f fields, 0=19517

Ambrosen,J. Time residence of radioactive debris in the stratosphere, 0=6487

Ambrosino,G.,Cambou,F. and Crettez,J.P. Method of discrimination of neutrons and of γ-rays, 0=19990

Ambrosini,G. See Rydell,N., 0=4143

Ambrosino,G. See Cambou,F., 0=7245

Ambs,W.J. See Kruger,J., 0=740

Ambs,W.J. See Kruger,J., 0=14982

Ameer,G. See Babrov,H., 0=15788

Amelinckx,S. Mechanism for the growth of whiskers from solution on an impervious substrate, 0=4597

Amelinckx,S. Radiation-induced precipitation sites in potassium chloride, 0=17978

Amelinckx,S. and Delavignette,P. Observation of dislocations in non-metallic layer structures, 0=7886

Amelinckx,S. and Delavignette,P. Dislocation loops due to quenched-in point defects in graphite, 0=17946

Amelinckx,S.,Strumane,G. and Webb,W.W. Dislocations in silicon carbide, 0=13538

Amelinckx,S. and Strumane,R. Geometry and kinetics of the polygonization of sodium chloride, 0=15854

Amelinckx,S.,Vennik,J. and Remaut,G. Electrical effects during cyclic stressing of sodium chloride, 0=7917

Amelinckx,S. See Aerts,E., 0=15920

Amelinckx,S. See Delavignette,P., 0=17941

Amelinckx,S. See Delavignette,P., 0=20815

Amenitskii,N.A.,Noskova,R.I. and Salomonovich,A.E. Radio image of the moon at 8 mm, 0=18649

Ament,W.S. Reciprocity and scattering by certain rough surfaces, 0=17107

Amerighi,M.C.,Di Corato,M. and Fedrighini,A. Constant sagitta measurements on protons in G5, K5 and L4 emulsions, 0=12776

Ames,O.,Bernstein,A.M.,Brennan,M.H.,Haberstroh,R.A. and Hamilton,D.R. Spins and decay modes of certain neutron-deficient silver isotopes, 0=13171

Amick,J.A. A review of "Electrofax" behavior, 0=4387

Amick,J.A. A volume-charge capacitor model for "electrofax layers", 0=4388

Amiel,S. Reactions of alpha particles with germanium-70 and zinc-70, 0=1421

Amiel,S. and Winsberg,L. A possible geochemical application of krypton-85, 0=4777

Amiot,P. The selection of stainless steels for use in liquid hydrogen bubble chambers, 0=17160

Amiot,P. Device for thermal control of liquid hydrogen bubble chambers, 0=19570

Amirkhanov,Kh.I.,Bashirov,R.I. and Zakiev,Yu.É. Galvanomagnetic effects in n-type InSb in magnetic pulsed fields, 0=15956

Amirkhanova,D.Kh. Thermomagnetic properties of gallium antimonide, 0=15954

Amirkhanova,D.Kh. and Bashirov,R.I. The effect of a magnetic field on the thermal conductivity of indium antimonide, 0=15821

Amirov,R.Sh. See Linkova,N.V., 0=13263

Amirthalingam,V. Crystallographic studies on sodium uranyl-8-quinolinate, $Na.UO_2.(C_9H_6NO)_3$, 0=4647

Amirthalingam,V.,Padmanabhan,V.M. and Shankar,J. The crystal structure of bis-acetylacetone beryllium, 0=8238

Amith,A. New parallel photoelectromagnetic effect, 0=1683

Amith,A. Photoconductive and photoelectromagnetic lifetime determination in presence of trapping. I. Small signals, 0=2865

Ammar,R.,Levi Setti,R.,Slater,W.E.,Limentani,S.,Schlein,P.E., and Steinberg,P.H. Final state interaction in $^5He\Lambda$ decay, 0=415

Ammar,R.,Levi Setti,R.,Slater,W.E.,Limentani,S.,Schlein,P.E. and Steinberg,P.H. Mesic decays of hypernuclei from K^--capture. I. Binding energies, 0=13154

Ammar,R.G. Hyperfragments produced by K^- capture in nuclear emulsion: π^0 decay modes, 0=13050

Ammar,R.G. A possible method of specific charge identification from profile measurements in nuclear emulsions, 0=15210

Amme,R.C. and Legvold,S. Vibrational transitions and the intermolecular potential, 0=15787

Amme,R.C. See Calvert,J.B., 0=19206

Ammiraju,P. and Biswas,S.N. Theoretical analysis of absorption of slow π^--mesons in light nuclei, 0=20505

Amonenko,V.M.,Ryabchikov,L.N.,Tikhinskii,G.F. and Finkel',V.A. Mechanism of evaporation of Be in a high vacuum, 0=3677

Amouyal,A.,Benoist,P. and Horowitz,J. New method of determination of the thermal utilization factor of a [reactor] cell, 0=7659

Amr El-Sayed,M.F. A nuclear method for determining very low vapor pressures, 0=19512

Amsel,G.,Baruch,P. and Smulkowski,O. An n—p junction used as a charged particle detector, 0=7247

Amster,A.B. Methods for the study of deflagration to detonation transition, 0=6999

Amster,A.B. and Beauregard,R.L. Pressure sensing probes for detecting shock waves, 0=3583

Amster,A.B.,Kendall,P.A.,Veillette,L.J. and Harrell,B. Continuous oscillographic method for measuring the velocity and conductivity of stable and transient shocks in solid cast explosives, 0=3584

Amster,H.J. The Wigner—Wilkins calculated thermal neutron spectra compared with measurements in a water moderator, 0=12975

Amus'ya,M.Ya. Dependence of the internal nuclear potential parameters on the particle number, 0=13102

an Nhan,Tran. See Tran an Nhan.

acker,F. and Mannkopff,R. A reproducible 4000°K black radiator, 0=204
nanthakrishnan,R. Light curves of meteors, 0=18709
nanthakrishnan,R. and Venkiteshwaran,S.P. Formation of rainbows in a vertically projected searchlight beam, 0=16473
nanthanarayanan,N.I. and Peavler,R.J. Room temperature decomposition of austenite in fifty percent nickel — fifty percent iron magnetic alloy tapes, 0=3274
nanthanarayanan,V. Polarization studies on the Raman spectra of cubic crystals. I. Sodium chlorate, 0=13689
nastasevich,V.S. Equilibrium conditions for electron beams, 0=9084
ncell,J.E. Sound pressure spectra of a muted cornet, 0=16803
ndelfinger,C. The development of a fast bubble chamber, 0=15202
ndelfinger,C. See Fünfer,E., 0=1140
ndelin,J.P.,Jr. See White,R.L., 0=1540
nderle,R.J. See Cohen,C.J., 0=18871
nders,E. A time scale for the mixing process in S-type stars, 0=13
ndersén,E. Approach to the quantum mechanical many-body problem with strong two-particle interaction. II, 0=12883
ndersen,S.L.,Holtebekk,T.,Lönsjö, O. and Tangen,R. Resonances for proton capture in magnesium, 0=5744
ndersen,W.H. See Chaiken,R.F., 0=3309
nderson,A.C.,Hart,H.R., Jr and Wheatley,J.C. Self-diffusion coefficient and nuclear susceptibility of liquid He^3, 0=19542
nderson,A.C. See Hulsizer,R.I., 0=9598
nderson,A.E. See Wachtel,M.M., 0=10757
nderson,A.C. See Wheatley,J.C., 0=10245
nderson,A.G. Nonresonant nuclear spin absorption in lithium, sodium, and aluminum, 0=684
nderson,A.G. and Redfield,A.G. Nuclear spin-lattice relaxation in metals, 0=3140
Anderson,A.G. See Redfield,A.G., 0=8950
nderson,C.E.,Knox,W.J.,Quinton,A.R. and Bach,G.R. Nuclear fragments produced in the heavy ion bombardment of aluminum, 0=4104
Anderson,C.E. See Broek,H.W., 0=20161
Anderson,C.E. See Quinton,A.R., 0=664
Anderson,C.E. See Quinton,A.R., 0=17636
nderson,D.G.,Dracass,J. and Flanagan,T.P. Luminescent glasses for use in the detection of nuclear radiation, 0=15192
Anderson,D.H.,Frank,P.J. and Gutowsky,H.S. Electron spin resonance studies of semiquinones and the C—F bond, 0=4218
Anderson,D.H. See Brown,T.H., 0=17778
Anderson,E.,Buckley,R.A.,Hellawell,A. and Hume-Rothery,W. A determination of the melting point of element 43 (technetium), 0=20725
Anderson,E. See Hume-Rothery,W., 0=21244
Anderson,E.E. Some electrical and magnetic properties of garnets, 0=3093
Anderson,E.E. and Cunningham,J.R.,Jr. High-permeability garnets, 0=21056
Anderson,E.E. See Cunningham,J.R.,Jr. 0=10136
Anderson,E.E. See McDuffie,G.E.Jr, 0=10137
Anderson,E.E.,Cunningham,J.R.,Jr and McDuffie,G.E. Magnetic properties of the mixed garnets $(3-x)Y_2O_3.xGd_2O_3.5Fe_2O_3$, 0=3089
Anderson,E.M.S. See Hanson,J.A., 0=8452
Anderson,E.M.S. See Hanson,J.A., 0=14351
Anderson,E.M.S. See Hanson,J.A., 0=14352
Anderson,E.M.S. See Hanson,J.A., 0=18562
Anderson,E.W. See McCall,D.W., 0=3513
Anderson,E.W. See McCall,D.W., 0=4246
Anderson,F. An experimental pitch indicator for training deaf scholars, 0=14332
Anderson,F, See Block,M.M., 0=1372
Anderson,F. See Lodge,J., 0=20241
Anderson,F.R. and Holland,V.F. Ion-bombardment etching of synthetic fibers, 0=17052
Anderson,F.R. See Leonhard,F., 0=21262
Anderson,G. See Chick,B., 0=2206
Anderson,G.R. See Wexler,S., 0=4733
Anderson,G.R. See Wexler,S., 0=16388
Anderson,H.L.,Fujii,T.,Miller,R.H. and Tau,L. Branching ratio of the electronic mode of positive pion decay, 0=17374
Anderson,H.R. Sudden increase of cosmic-ray intensity, 0=1334

Anderson,J.C. Internal ferromagnetic resonance in small cobalt particles, 0=8078
Anderson,J.C. and Donovan,B. Internal ferromagnetic resonance in magnetite, 0=10199
Anderson,J.C. See Ghielmetti,H., 0=13093
Anderson,J.C. See Roederer,J.G., 0=20283
Anderson,J.C. See Roederer,J.G., 0=20284
Anderson,J.D.,Gardner,C.C.,McClure,J.W.,Nakada,M.P. and Wong,C. Back-angle elastic scattering of 14.6 MeV neutrons from aluminum, copper and zirconium, 0=458
Anderson,J.D. See Wong,C., 0=1276
Anderson,J.M. Ultimate and secondary electron energies in the negative glow of a cold-cathode discharge in helium, 0=9043
Anderson,J.M. and Harris,L.A. Negative glow plasma as a cathode for electron tubes, 0=15068
Anderson,J.S.,Faulkner,E.A. and Klemperer,D.F. Analysis of composite spectral-sensitivity functions, 0=6130
Anderson,J.S. and Klemperer,D.F. Photoelectric measurements on nickel and nickel oxide films, 0=19720
Anderson,K.A. Luminescent effects in photomultiplier tube faces and Plexiglas Cerenkov detectors, 0=2462
Anderson,K.A. Balloon observations of X-rays in the auroral zone. I, 0=14272
Anderson,K.A.,Arnoldy,R.,Hoffman,R.,Peterson,L. and Winckler,J.R. Observations of low-energy solar cosmic rays from the flare of 22 August 1958, 0=9483
Anderson,K.H. See Benson,S.W., 0=1535
Anderson,L.W.,Pipkin,F.M. and Baird,J.C.,Jr. N^{14}—N^{15} hyperfine anomaly, 0=1482
Anderson,L.W.,Pipkin,F.M. and Baird,J.C.,Jr. Precision determination of the hyperfine structure of the ground state of atomic hydrogen, deuterium, and tritium, 0=7725
Anderson,L.W.,Pipkin,F.M. and Baird,J.C.,Jr. Hyperfine structure of hydrogen, deuterium, and tritium, 0=20543
Anderson,N. Compression waves in a plasma in a static magnetic field, 0=15045
Anderson,O.L. The Debye temperature of vitreous silica, 0=11580
Anderson,O.T.,Liebenberg,D.H. and Dillinger,J.R. He II film profile and relative importance of height and surface pressure, 0=3697
Anderson,P.W. Knight shift in superconductors, 0=231
Anderson,P.W. Theory of dirty superconductors, 0=3704
Anderson,P.W. and Morel,P. Generalized Bardeen—Cooper—Schrieffer states and aligned orbital angular momentum in the proposed low-temperature phase of liquid He^3, 0=19540
Anderson,P.W. and Suhl,H. Spin alignment in the superconducting state, 0=2286
Anderson,P.W. See Brueckner,K.A., 0=11124
Anderson,R.A. Use of punched cards for personal reference files, 0=18896
Anderson,R.A. and McFarland,R.H. Effects of added gases on the sensitized fluorescence spectrum of a Hg—Tl mixture, 0=15660
Anderson,R.L. and O'Rourke,M.J. A vapor-grown variable capacitance diode, 0=18024
Anderson,R.L. See O'Rourke,M.J., 0=18023
Anderson,R.N. See Knott,R.F., 0=5201
Anderson,R.V. and Serbu,G.P. Airborne measurement of atmospheric conductivity in fifteen-day-old thermonuclear debris, 0=10402
Anderson,R.W. and Bronisz,S.E. Twinning in tantalum, 0=18294
Anderson,S. Lecture demonstration of optical properties of thin films of dielectrics and metals, 0=16868
Anderson,S.,Wiley,J.S. and Hendricks,L.J. Zone refining and chemical analysis of KCl and KBr, 0=8167
Anderson,R.L. Germanium—gallium arsenide heterojunctions, 0=18026
Anderson,V.C. Digital array phasing, 0=14777
Anderson,W.,Bentley,R.E.,Burton,L.K. and Greatorex,C.A. Detection of recently produced fission products in the atmosphere, 0=11330
Andersson,G. See Burgman,J.O., 0=19780
Andersson,G. See Jung,B., 0=7514
Andersson,S. Structural and geometrical relations between α- and β-titanium, the ω-alloy phases, δ-titanium oxide and titanium monoxide, 0=16310
Andersson-Lindström,G. See Bormann,M., 0=13289
Andrä,W.,Málek,Z.,Schuppel,W. and Stemme,O. "Spontaneous magnetic anisotropy" in polycrystalline thin films, 0=10153
Andrä,W. See Málek,Z., 0=6234

Andrade,E.N.da C. and Jolliffe,K.H. The flow of polycrystalline metals under single shear. II, 0=8121
André,G.O. Angular distribution of protons from $Li^6(d, p)Li^7$ and $Li^6(d, p)Li^{7*}$, 0=7575
Andreae,J.H.,Bass,R.,Heasell,E.L. and Lamb,J. Pulse techniques for measuring ultrasonic absorption in liquids, 0=16790
Andreae,J.H.,Joyce,P.L. and Oliver,R.J. Ultrasonic relaxation in liquid methylene chloride, 0=6791
Andreae,J.H.,Jupp,C. and Vincent,D.G. Compressional relaxation with a tuning fork, 0=5010
Andreeshchev,E.A. and Rozman,I.M. The quantum yield of fluorescence of certain substances in polystyrene, 0=16098
Andreev,G.A. Investigation of thermal breakdown of rock salt at constant voltage by means of oscillographic methods, 0=1711
Andreev.G.A. See Vorob'ev.A.A.. 0=16026
Andreev,N.S.,Aver'yanov,V.I. and Voishvillo,N.A. Structural interpretation of anomalous scattering of visible light in sodium-borosilicate glasses, 0=16040
Andreev,V.N. The measurement of ν_{eff} and $\sigma_f + \sigma_c$ of ^{235}U and ^{239}Pu for fast neutrons, 0=11456
Andreev,V.N. See Adrova,N.A., 0=4447
Andreev,V.N. See Aleksandrov,Yu.A., 0=2503
Andreev,V.V. See Kosevich,A.M., 0=11653
Andrejtschin,R. See Nadjakov,G., 0=20929
Andrejtschin,R. See Nadjakov,G., 0=20930
Andrejtschin,R. See Nadjakov,G., 0=20931
Andrenko,S.D. See Shestopalov,V.P., 0=15149
Andres,H. A method of measuring the complex dynamic elastic modulus, 0=1842
Andres,U.Ts. Equilibrium and motion of a sphere in a viscoplastic liquid, 0=19051
Andresen,A. See Nathans,R., 0=4492
Andress,B. and Mollwo,E. On the edge luminescence of zinc oxide, 0=6202
Andrew,E.R. Nuclear magnetic resonance in solids, 0=4523
Andrew,E.R. and Swanson,K.M. An experimental study of the nuclear relaxation mechanism in several crystals, 0=11956
Andrew,K.L. See Reader,J., 0=4170
Andrews,A.B. See Howell,B.F.,Jr, 0=8350
Andrews,C.L. Analog study of large-signal high-frequency diodes, 0=15069
Andrews,E.H. Cooling of a spinning thread-line, 0=6987
Andrews,G.J. Vibration isolation of a rigid body on resilient supports, 0=14707
Andrews,J.C. See Volpe,J.J., 0=13344
Andrews,J.N. and Ubbelohde,A.R. Overvoltage and diffusion through iron and palladium, 0=8309
Andrews,K.W. and Johnson,W. New method for the determination of grain or crystallite size from spotty diffraction rings, 0=6345
Andrews,R.D. See Rudd,J.F., 0=8257
Andreyev,N.S. See Porai-Koshits,E.A., 0=10320
Andriankin,É.I. Heat wave radiating energy from its front, 0=10798
Andriankin,É.I. Converging waves in a plastic material, 0=12452
Andriankin,E.I. and Koryavov,V.I. A shock wave in a plastic medium with variable density, 0=993
Andrianov,A.M. See Artsimovich,L.A., 0=5317
Andrianov,A.M. See Artsimovich,L.A., 0=5320
Andrianov,D.G. See Fistul',V.I., 0=9959
Andrievskii,A.I. and Nabitovich,I.D. Structural changes in thin tungsten films, 0=12086
Andrievskii,A.I.,Sandulova,A.V. and Yurkevich,M.I. The diffusion of silver in cuprous oxide, 0=11639
Andronik,I.K. and Vot,M.V. Anisotropy of electrical properties of cadmium antimonide monocrystals, 0=15946
Andronikashvili,E.L. and Kazarov,R.E. An experimental investigation of the energy spectrum of the penetrating component of extensive air showers, 0=13087
Andronikashvili,É.L. and Tsakadze,D.S. Experimental investigation of the harmonic oscillations of a disk in rotating helium II, 0=10827
Andronikashvili,É.L. and Tsakadze,D.S. The propagation of oscillations along vortex lines in rotating helium II, 0=10828
Androsenko,A.L.,Broder,D.L. and Lashuk,A.I. Gamma rays accompanying the inelastic scattering of 3 MeV neutrons, 0=2682
Andrussow,L. On the vaporization equilibrium. Systematic considerations and calculations by means of algebraic exponents, 0=5215
Andryukhina,É.D. See Vasil'eva,M.Ya., 0=2369
Andryukhina,É.D.,Grebenshchikova,S.E.,Rabinovich,M.S., Raizer,M.D., Safronov,A.Ya. and Shpigel',I.S. Certain peculiarities of the induction discharges in gases, 0=16978
Anet,F.A.L. Spin coupling between protons of different rings in aromatic compounds, 0=7809
Anet,F.A.L.,Bader,R.F.W. and Van der Auwera,A.M. Chemical evidence for a triplet ground state for methylene, 0=15711
Anex,B.G. and Simpson,W.T. Metallic reflection for molecular crystals, 0=17847
Angelopoulos,M. The temperature distribution in a finite unsheathed cylinder with time dependent distribution of heat sources. Application to a very long fuel element, 0=1460
Angino,E.E. Pressure effects on thermoluminescence of limestone relative to geologic age, 0=10087
Angino,E.E. Some effects of pressure on the thermoluminescence of limestone, 0=10088
Angleman,C.C. See Enge,H.A., 0=13238
Ångström,A.K. and Drummond,A.J. Transmission of "cutoff" glass filters employed in solar radiation research. II, 0=16825
Ångström,A.K. and Drummond,A.J. On the influence of thickness and temperature on the "cut-off" characteristics of glass filters, 0=19387
Angström,A.K. See Karoli,A.R., 0=14880
Angulo,C.M. and Chang,W.S.C. The launching of surface waves by a parallel plate waveguide, 0=5411
Anikhindi,R.G. and Saxena,A.P. Chlorine filled ozoniser as a counter. 0=9228
Anikina,M.P.,Ivanov,R.N.,Kukavadze,G.M. and Ershler,B.V. The half-life of Sr^{90} and its yield from ^{233}U fission, 0=1136
Anikina,M.P. See Ivanov,R.N., 0=11455
Anikina,M.P. See Myasishcheva,G.G., 0=7616
Anikina,M.P. See Tret'yakov,E.F., 0=11372
Anisimova,I.D. See Kozina,G.S., 0=16112
Anisovich,V.V. Resonance model for the $\pi + N \longrightarrow \pi + \pi + N$ reaction at 300-450 MeV meson energies, 0=20191
Anisovich,V.V. and Ansel'm,A.A. Non-conservation of parity in processes of neutrino capture by protons and deuterons, 0=1269
Ankerman,P.W. and Rubega,R.A. Bistatic scattering from totally reflecting flat plates, 0=6879
Ankudinov,V.A. See Fogel',Ya.M., 0=7079
Annaev,R.G. and Allanazarov,A. Anisotropy of the galvanomagnetic effect in a crystal of n-type germanium at temperatures of the transitional region of conductivity, 0=13816
Anno,T. Semiempirical calculation on the electron structure of the nitrogen-containing heterocyclic molecules. IV. Electronic structure of pyridine, 0=5967
Anno,T. and Sadô,A. Electronic states of p-benzoquinone. V. Vibrational analysis of the vapor absoprtion spectrum around 4500 A region, 0=15706
Anno,T. and Sadô,A. Electronic states of p-benzoquinone. VI. Molecular geometry in the excited electronic state of the 4500 A absorption system as derived from the Franck—Condon principle, 0=15707
Anolick,E.S. See Singer,J., 0=3270
Ansbacher,F. A note on the overlap integral of two harmonic oscillator wave functions, 0=522
Ansell,G.S. See Schindler,A.I., 0=3007
Ansel'm,A.A. Some general properties of the photon propagation function in quantum electrodynamics, 0=12822
Ansel'm,A.A. and Gribov,V.N. The possibility of determining the amplitude for charge exchange pion—pion scattering from an analysis of the $\pi^- + p = N + \pi^+ + \pi^-$ reactions near threshold, 0=9413
Ansel'm,A.A. and Gribov,V.N. The possibility of determining the $\pi - \pi$ scattering amplitudes from the analysis of the +p N + + reactions near threshold, 0=11211
Ansel'm,A.A. See Anisovich,V.V., 0=1269
Ansel'm,A.I. and Korovin,L.I. The calculation of the oscillator strength for transitions of impurity electrons in uniaxial crystals, 0=13510
Ansel'm,A.I. and Lang,G.I. The theory of two-phonon scattering of conduction electrons in atomic crystals, 0=528

nselone,P.M. Convergence of the Wick-Chandrasekhar approximation technique in radiative transfer. II, 0=10619
nselone,P.M. Convergence of Chandrasekhar's method for the problem of diffuse reflection, 0=19003
ntal,J. and König,A. Combined vacuum meter for laboratory use, 0=5060
ntell,G.R. Chlorine and iodine as impurities in InAs and GaP, 0=17947
ntenen,K. The mechanism of some electrets, 0=18106
nthony,A.,Ackerman,E. and Lloyd,J.A. Noise stress in laboratory rodents. I. Behavioral and endocrine response of mice, rats, and guinea pigs, 0=806
nthony,A. and Harclerode,J.E. Noise stress in laboratory rodents. II. Effects of chronic noise exposure performance and reproductive function of guinea pigs, 0=807
ntipova-Karataeva,I.I. Investigation and interpretation of bands in the absorption spectra of crystals coloured with chromium ions, 0=4410
Antolković,B.,Paić,M.,Prelec,K. and Tomaš,P. Magnetic mass analysis of a 200 keV ion beam from a Cockcroft and Walton accelerator, 0=19829
Antončík,E. The use of the repulsive potential in the quantum theory of solids, 0=2777
Antončik,E. Approximate formulation of the orthogonalized plane-wave method, 0=2778
Antončík,E. On the approximate formulation of the orthogonalized plane-wave method, 0=13521
Antončik,E. See Tauc,J., 0=18120
Anton'eva,N.M.,Bashilov,A.A. and Kulakovskii,E.K. Radioactive decay of Ag^{110m}, 0=7530
Antonieva,N.M.,Bashilov,A.A.,Dzhelepov,B.S. and Sergienko.V.A. Decay of Gd^{146} and Eu^{146}. 0=4060
Antoniu,M. See Petrescu,V., 0=20950
Antonov,A.S. See Golovin,B.M., 0=10001
Antonov-Romanovskii,V.V. The superlinear rise of photoconductivity of a phosphor in the initial stages of excitation, 0=9986
Antonov-Romanovskii,V.V. The initial stages of luminescence rise in phosphors with levels of several types, 0=10051
Antonov-Romanovskii,V.V. The initial stages of decay in phosphors with levels of several types, 0=10056
Antonov-Romanovskii,V.V. Steady-state luminescence of phosphors with several types of traps, 0=10071
Antonov-Romanovskii,V.V.,Dubinin,V.G.,Prokhorov,A.M., Trapeznikova,Z.A. and Fok,M.V. Detection of the ionization of Eu^{++} in the phosphor SrS:Eu,Sm by the method of paramagnetic absorption, 0=13713
Antonov-Romanovskij,V.V. On the electroluminescence of powdered sinz sulphide layers, 0=6206
Antonova,S.F.,Vasilenko,S.S.,Kaganskii,M.G. and Kaminskii,D.L. Positron spectrum of Eu^{152} and Eu^{152m}, 0=9566
Antonova,S.F.,Vasilenko,S.S.,Kaganskii,M.G. and Kaminskii,D.L. Positron decay of Ir^{192}, 0=9567
Antonova,S.F.,Vasilenko,S.S.,Kaganskii,M.G. and Kaminskii,D.L. Investigation of the γ-spectrum of Ce^{140}, 0=13210
Antony,G.W. The modal non-escape probability of neutrons for convex bodies, 0=12973
Antropov,E.T. See Sobolev,N.N., 0=973
Anufrieva,E.V.,Vol'kenshtein,M.V. and Razgovorova,T.V. Study of vitrification by a luminescence method, 0=4680
Anwar,M.Masoud. See Masoud Anwar,M.,
Anzai,T. See Sakurai,T., 0=14753
Aoki,I. and Fukunaga,Y. On tetragonalization of the spinel structure of Co Mn mixed oxides, 0=8216
Aono,S. Charge-transfer forces in molecular compounds, 0=13456
Aono,S. On the geometrical structure of benzene—iodine complex, 0=15779
Aono,S. Charge-transfer forces in molecular compounds. II. Benzene—iodine complex, 0=20685
Aono,S. See Higuchi,J., 0=4217
Aono,Y. and Kawakami,K. Cosmic rays observed by satellite 1958 alpha, 0=20298
Apalin,V.F.,Dobrȳnin,Yu.P.,Zakharova,V.P.,Kutikov,I.E. and Mikaelyan,L.A. The mean number of neutrons emitted in ternary fission of U^{235}, 0=4137
Apanasevich,P.A. See Stepanov,B.I., 0=10050
Apers,D. See Crabs,L., 0=9921
Apin,A.Ya. See Voskoboinikov,I.M., 0=10814
Apinit,S. See Sauka,Ya., 0=16329
Apker,L. See Philipp,H., 0=17029
Aponte,J.D. and Korff,S.A. Effect of gaseous impurities on BF_3 proportional counters. 0=9231
Apostolakis,A.J. See Allen,J.E., 0=20185
Apostolesku,S. See Dragomiresku,D., 0=17625
Apostolov,D.A. See Berlovich,Ė.E., 0=9586
Appel,J. Phonon relaxation time and the variation of thermoelectric power of semiconductors by a magnetic field, 0=1692
Appelt,G. and Hachenberg,O. Secondary electron emission of antimony—caesium and bismuth—caesium layers of various compositions, 0=12629
Appen,A.A. and Gan' Fu-si. Electric properties of the aluminosilicate borosilicate and alumino-borosilicate glasses, 0=6152
Apple,E.F. Effect of CdS addition in ZnS:Cu, In and ZnS:Ag, in phosphors, 0=11784
Apple,E.F. and Prener,J.S. On the infrared emission in ZnS:Cu — Effect of sulfur pressure and aluminum, 0=11781
Appleton,E. Global morphology of the E- and F1-layers of the ionosphere, 0=21360
Appleton,E. and Lyon,A.J. Studies of the E layer of the ionosphere. I. Some relevant theoretical relationships, 0=766
Apter,J.,Roussel,J.,Tissier,J.M. and Wahl,R. A 1000 channel time-of-flight analyser, 0=19996
Apushkinskii,G.P. and Pariiskii,Yu.N. Observations of the Crab Nebula with the large [high resolution] radio telescope of the Pulkovo Observatory, 0=18668
Arafa,A.A.,Sultan,F.S.A. and Shafie,I.S. On a thermistor-Pirani gauge of high sensitivity, 0=19231
Arai,S. Energy losses of electrons passing through rare gases. II, 0=10970
Arai,S. Energy losses of electrons passing through gases hydrogen, oxygen, nitrogen, air, carbon dioxide, methane and acetylene, 0=19764
Arai,S.I. Energy losses of electrons passing through rare gases. I, 0=10969
Arai,T. Theorem on separability of electron pairs, 0=15770
Arai,T. General analysis of various methods of atoms in molecules, 0=17834
Arai,T. See Ishiguro,K., 0=1623
Arajs,S. Paramagnetic susceptibility of polycrystalline thulium from 300 to 1500°K, 0=8030
Arajs,S. Paramagnetic behavior of polycrystalline samarium from 300°K to 1400°K, 0=18169
Arajs,S. and Miller,D.S. Spontaneous magnetizations of some gadolium alloys, 0=3011
Arajs,S. and Miller,D.S. Paramagnetic susceptibilities of Fe and Fe—Si alloys, 0=11809
Arajs,S. and Miller,D.S. Magnetic behaviour of polycrystalline neodymium, holmium, and erbium from 300 to 1500°K, 0=11810
Arakawa,H. Cosmic-ray intensities and liquid-water content in the atmosphere, 0=7440
Araki,G.,Mano,K. and Ohta,M. Isotope shift of He 2P, 0=1470
Araki,G.,Mano.K. and Ohta,M. $2^{3,1}$P state of helium atom, 0=20547
Araki,G.,Ohta,M. and Mano,K. Triplet intervals of helium. 0=2711
Araki,H. and Yanase,M.M. Measurement of quantum mechanical operators, 0=18951
Araki,T. See Yamaguchi,Y., 0=18472
Aramaki,S. On the cut-off theory in quantum field theory, 0=12812
Aramaki,S. Dispersion relations and high energy limits in quantum field theory, 0=20075
Araújo,J.M. Collective vibrations of closed-shell nuclei, 0=4019
Arbell,H. and Halperin,A. Thermoluminescence of ZnS single crystals, 0=4464
Arbogast,C.L. See Smith,J.F., 0=1840
Arbuzov,B.A. The asymptotic behaviour of the photon propagator in quantum electrodynamics, 0=3915
Archard,G.D. Trajectory plotting in electron guns, 0=5354
Archard,G.D. Fifth order spherical aberration of magnetic lenses, 0=19746
Archenhold,W.F.,Brown,A.C. and Thompson,J.E. Stabilized torque magnetometer, 0=3828
Archenhold,W.F.,Sandham,H.F. and Thompson,J.E. Rotational hysteresis loss in grain-oriented silicon-iron, 0-8044
Archer,S. See Edge,D.O., 0=829
Archibald,P.C.,Conger,R.L.,Sharp,R.W. and Tomlinson,J.L. High speed magnetooptical measurements on films, 0=12666
Ard,W.B.,Jr. See Hasty,T.E., 0=2825

Ardenne,M.v. See v.Ardenne,M.
Arditi,M. The effect of buffer gases on the shift of line widths and frequencies in hyperfine transitions of the ground state of alkali atoms, 0=17701
Arduino,H.A.,Guerci,J.C. and Levialdi,A. Relation between the decrease of quantum yield and the law of emission of zinc silicate activated by manganese, 0=4453
Arecchi,F.T. Fast coincidences with slow scintillators, 0=2460
Arell,A. Direct determination of the transition energies of NH_4Cl at 183.1°C and NH_4Br at 137.2°C, 0=16334
Arell,A. See Hovi,V., 0=18372
Arend,H. On the photosensitivity of minute single crystals of $BaTiO_3$, 0=4726
Arend,H.T. and Coufová,P. On colour changes in $BaTiO_3$ single crystals in hydrogen atmospheres at high temperatures, 0=4297
Arendt,P.R. See Hutchinson,H.P., 0=14314
Argon,A.S. Surface cracks on glass, 0=10274
Argon,A.S. Distribution of cracks on glass surfaces, 0=10275
Argyle,P.E. The automatic guider of the Dominion Astrophysical Observatory, 0=12243
Argyres,P.N. Quantum theory of transport in a magnetic field, 0=4284
Argyres,P.N. and Roth,L.M. Theory of electrical conduction in high magnetic fields, 0=11652
Aries,R. and Labin,E. Silicon in infrared optics, 0=14809
Arifkhanov,U.R.,Makarov,M.M.,Perfilov,N.A. and Shamov,V.P. Fragment production by 100 MeV protons, 0=13234
Arifov,U.A.,Ayukhanov,A.Kh. and Gruich,D.D. On the question of the scattering of slow alkali ions from the surface of metals, 0=19802
Arifov,U.A.,Ayukhanov,A.Kh.,Stardubtsev,S.V. and Khadzhimukhamedov,Kh.Kh. A technique for investigating secondary processes caused by ions at a high-temperature target in the presence of thermionic emission, 0=7167
Arifov,U.A. and Khadzhimykhamedov,Kh.Kh. On the question of the neutralization of fast positive ions on the surface of a metal, 0=19808
Arifov,U.A. and Rakhimov,R.R. Investigation of the dependence of ion—electron emission on certain parameters of the target and the bombarding ions, 0=19805
Arifov,U.A. and Tashkanova,D.A. Secondary electron emission during the bombardment of a sodium layer by argon ions, 0=19728
Arima,A. Spin–orbit splitting and tensor force, 0=17465
Arima,A. Nuclear binding energies and low-lying energy levels in the $2s_{1\,2}$ and $1d_{2\,2}$ shells, 0=13138
Arima,A. See Noya,H., 0=11300
Arima,Y. See Yonezawa,T., 0=14257
Ariya,S.M. and Bogdanova,N.I. Electric conductivity of some oxides of titanium and vanadium, 0=6128
Ariya,S.M. and Grossmann,G. The magnetic susceptibility of solid solutions of vanadium dioxide in titanium dioxide, 0=18166
Arkad'eva,E.N.,Paritskii,L.G. and Rȳvkin,S.M. Investigation of the kinetics of infrared impurity photoconductivity in CdS, induced by preliminary illumination, 0=15985
Arkad'eva,E.N. and Rȳvkin,S.M. Study of trapping levels in polycrystalline Sb_2S_3 and in single crystals of Se by the method of thermo-stimulated current, 0=6134
Arkad'eva,E.N. and Rȳvkin,S.M. Study of the trapping levels in polycrystalline Sb_2S_3 by the method of thermo-stimulated current, 0=6135
Arkad'eva,E.N. and Rȳvkin,S.M. Induced infrared photosensitivity in certain semiconductors, 0=18061
Arkhangel'skaya,V.A.,Vainberg,B.I. and Razumova,T.K. A reflectometer, based on a $CaSO_4$:Mn phosphor, for use in the vacuum ultraviolet region, 0=16829
Arkhangel'skii,M.E. Action of sound on the process of diffusion from a liquid to a gel, 0=8816
Arkharov,V.I. On the influence of the complexity of the "elementary act" on the temperature dependence of the velocity of the atomic movement process in the solid phase and on the magnitude of the apparent activation energy, 0=4265
Arkharov,V.I.,Borisov,B.S.,Vangengeim,S.D. and Sokolova,G.K. Investigation of the relationship between the internal adsorption and the electrical resistance of alloys, 0=14064
Arkharov,V.I.,Klotsman,S.M. and Timofeev,A.N. The influence of minor impurities on the diffusion coefficient in polycrystalline materials. II, 0=4303
Arkharov,V.I.,Klotzman,S.M. and Timofeev,A.N. The use of radioactive indicators in solving the problem of internal adsorption in solid bodies, 0=11647
Arkharov,V.I. and Konev,V.N. Investigation of reactive diffusion in metalcomposite gas systems. I. General considerations, 0=17973
Arkharov,V.I. and Shangareev,F.L. Investigation, by means of narrow primary X-ray beams, of the recrystallization of pure Cu[99.99%], 0=1912
Arkhipova,É.N. See Frisman,E.V., 0=12498
Arkhipov,R.G. and Shal'nikov,A.I. Motion of charges in liquid helium II, 0=8865
Arkhipov,V.M. The interference—modulation method, 0=10771
Arkhipov,V.N. The influence of a magnetic field on the stability of a boundary layer, 0=7202
Arking,A. See Bradley,R.C., 0=17043
Arkipov,V.A. The absolute intensity of the 2.5 MeV ^{140}La gamma-radiation, 0=7321
Árkosi,K. and Morlin,Z. Electron-microscopic investigations on NaCl crystals, 0=16366
Arkovenko,G.I. See Vasil'ev,D.M., 0=10264
Armand,G.,Le Quinio,R. and Prevot,F. The proton synchrotron "Saturne" vacuum chamber, 0=2412
Armand,G. and Lutz,J. The proton synchrotron "Saturne". Magnet construction and assembly, 0=2412
Armand,N.A. The propagation of surface electromagnetic waves along a multi-wire system, 0=9212
Armbruster,J.C.,Azou,P. and Bastien,P. An absolute viscometric method, 0=10632
Armbruster,R. See Gorodetzky,S., 0=7560
Armbruster,R. See Gorodetzky,S., 0=11321
Armbruster,R. See Gorodetzky,S., 0=13150
Armenteros,R.,Coombes,C.A.,Cork,B.,Lambertson,G.R. and Wenzel,W.A. Antiproton–proton cross sections at 1.0, 1.25 and 2.0 BeV, 0=17338
Armington,J.C. Chromatic and short term dark adaptation of the human electroretinogram, 0=2060
Armington,J.C. See Biersdorf,W.R., 0=817
Armstrong,A.H.,Frye,G.M., Jr and Rosen,L. Adaptation of a commercial domestic refrigerator for development of nuclear emulsions, 0=15212
Armstrong,A.H. and Rosen,L. Mechanism of the $Zn^{64}(n,p)Cu^{64}$ reaction at incident neutron energies of 8 and 14 MeV, 0=20500
Armstrong,B.H. Use of fractional parentage coefficients in the calculation of photoelectric cross sections, 0=7687
Armstrong,B.H. and Meyerott,R.E. Absorption coefficients for high-temperature nitrogen, oxygen and air, 0=7120
Armstrong,E.B. The temperature in the atmospheric region emitting the nightglow O I 5577 line and in regions above faint auroral arcs, 0=6477
Armstrong,E.B. Line width of O I 5577 of the night sky and of aurorae, 0=16463
Armstrong,G.T. and Jessup,R.S. Combustion calorimetry with fluorine: constant pressure flame calorimetry, 0=7007
Armstrong,H.L. Possible use of Newton's first law in defining intervals of time, 0=4985
Armstrong,H.L. Statement of the second law of thermodynamics, 0=16926
Armstrong,H.L. Alternative derivation of some thermodynamic formulas, 0=16927
Armstrong,J.C., Jr. See Stevenson,P.C., 0=4139
Armstrong,R.A. and Szabo,A. Relaxation in ruby, 0=18215
Armstrong,R.J. and Nicholls,N.S. Deuterium as a filling for high-voltage thyratrons, 0=7153
Armstrong,R.W.,Faust,J.W., Jr and Tiller,W.A. A structural study of the compound $AgSbTe_2$, 0=21202
Arnaud,M. and Cahen,O. A study of magnetic focusing systems, 0=15106
Arndt,R. See Hines,R.L., 0=13569
Arndt,R. See Primas,H., 0=7236
Arneth,R. The absorption of ZnO crystals in the infrared, 0=2945
Arnikar,H.J. The electromigration of radioactive ions in fused salts. Application to the separation of isotopes, 0=4718
Arnold. See Yarnell,J., 0=8919
Arnold,E.D. Effect of uranium recycle of transuranic element buildup, 0=13364
Arnold,G.W. and Compton,W.D. Radiation effects in silica at low temperatures, 0=2834

Arnold,G.W. and Compton,W.D. Threshold energy for lattice displacement in -Al_2O_3, 0=6045

Arnold,G.W. Jr. Defects in natural and synthetic quartz, 0=16117

Arnold,G.W. See Compton,W.D., 0=7903

Arnold,J.R. See Lal,D., 0=11282

Arnold,J.W.,McCoubrey,J.C. and Ubbelohde,A.R. Efficiencies of additives in the transfer of vibrational energy in ethylene and nitrous oxide, 0=7817

Arnold,K.W. See von Engel,A., 0=19645

Arnold,L. Aeroelasticity, 0=16724

Arnold,R.C. See Kruse,U.E., 0=2579

Arnold,W.H. Jr. Two group calculation of prompt neutron lifetime, 0=12988

Arnoldy,R. See Anderson,K.A., 0=9483

Arnoldy,R. See Winkler,J.R., 0=8402

Arnoldy,R.L.,Hoffman,R.A. and Winckler,J.R. Observations of the Van Allen radiation regions during August and September 1959. I, 0=14267

Arnott,R. See Dwight,K., 0=2300

Arnott,R.J. See Goodenough,J.B., 0=11830

Arnous,E.,Heitler,W. and O'Raifeartaigh,L. On a convergent non-local field theory. II, 0=15234

Arnous,E.,Heitler,W. and Takahashi,Y. On a convergent non-local field theory. I, 0=15233

Arnous,E. and Héno,Y. Theory of radiative transitions: general formulae and applications to resonance scattering and multiple scattering (excitation transfers), 0=15515

Arnowitt,R.,Deser,S. and Misner,C.W. Canonical variables for general relativity, 0=6660

Arnowitt,R.,Deser,S. and Misner,C.W. Dynamical structure and definition of energy in general relativity, 0=2106

Arnowitt,R.,Deser,S. and Misner,C.W. Energy and the criteria for radiation in general relativity, 0=10579

Arnowitt,R.,Deser,S. and Misner,C.W. Finite self-energy of classical point particles, 0=10583

Arnowitt,R.,Deser,S. and Misner,C.W. Consistency of the canonical reduction of general relativity, 0=16586

Arnowitt,R.,Deser,S. and Misner,C.W. Note on positive-definiteness of the energy of the gravitational field, 0=18910

Arnowitt,R,Deser,S. and Misner,C.W. Gravitational-electromagnetic coupling and the classical self-energy problem, 0=18935

Arnowitt,R.,Deser,S. and Misner,C.W. Interior Schwarzschild solutions and interpretation of source terms, 0=18936

Arns,R.G.,Riggs,R.D. and Wiedenbeck,M.L. Decay of Re^{188}, 0=5733

Arns,R.G. See Sund,R.E., 0=9572

Aroeste,H. See Jameson,W.J.,Jr, 0=4244

Arons,A.B. Structure, methods, and objectives of the requires freshman calculus-physics course at Amherst College, 0=26

Aronson,A. and Clayton,J.C. Thermodynamic properties of nonstoichiometric urania—thoria solid solutions, 0=6382

Aronson,J.R.,Lord,R.C. and Robinson,D.W. Far infrared spectrum and structure of disiloxane, 0=20635

Aronsson,B. The crystal structure of Ru_7B_3, 0=18349

Aronsson,B. and Lundgren,G. X-ray investigations on Me—Si—B systems (Me = Mn, Fe, Co). I. Some features of the Co—Si—B system at 1000°C. Intermediate phases in the Co—Si—B and Fe—Si—B systems, 0=18359

Aroyan,G.F. The technique of spatial filtering, 0=14813

Arp,H. Southern hemisphere photometry. VIII. Cepheids in the Small Magellanic Cloud, 0=18831

Arp,V.,Edmonds,D. and Petersen,R. Hyperfine coupling in CoFe and CoNi alloys as determined by heat capacity measurements, 0=517

Arrechi,F.T.,Gatti,E. and Zaglio,E. A new method for timing scintillation pulses, 0=17191

Arridge,R.G.C. Contact electrification and polarization of nylon threads, 0=7056

Arroe,H. and Cornwall,J.M. Isotope shift in the Mo spectrum, 0=5884

Arrott,A. and Noakes,J.E. Saturation magnetization and Curie points in dilute alloys of iron, 0=3015

Arrott,A. See Freeman,M.W., 0=12214

Arrott,A. See Overhauser,A.W., 0=11910

Arrott,A. See Sato,H., 0=3014

Arsac,J. Atmospheric scintillation observed with centimetric waves, 0=16474

Arsac,J. and Simon,J.C. Representation of a physical phenomenon by sums of translated functions, 0=18569

Arsenyev,Yu.D. Dual cycle boiling water reactors, 0=11469

Artamonov,O.M. and Strakhov,L.P. Generation of e.m.f.'s in lead sulphide films on bombardment with slow electrons, 0=15897

Artemov,K.P.,Kalinin,S.P. and Samoilov,L.N. [Elastic] scattering of 5-10 MeV protons on He^3, 0=9359

Artemov,K.P.,Vlasov,N.A. and Samoilov,L.N. Polarization of neutrons from the $T(p,n)He^3$ reaction and protons from the $He^3(n,p)T$ reaction, 0=9362

Arthurs,A.M. and Dalgarno,A. The mobilities of ions in molecular gases, 0=19620

Arthurs,A.M. and Dalgarno,A. The theory of scattering by a rigid rotator, 0=20609

Arthurs,A.M. and Moiseiwitsch,B.L. The K-shell ionization of atoms by high-energy electrons, 0=7684

Artman,J.O. and Foner,S. Domain configurations in cubic crystals of positive anisotropy with superimposed uniaxial anisotropy, 0=13795

Artman,J.O.,Murphy,J.C.,Kohn,J.A. and Townes,W.D. Effects of polytypism on the electron paramagnetic resonances of $K_3Co(CN)_6$ and other spectroscopic implications, 0=13877

Artobolevskii,I.I. A class of curves belonging to a connecting-rod system, 0=14553

Artsimovich,L.A.,Andrianov,A.M.,Bazilevskaya,O.A., Prokhorov,Yu.G. and Filippov,N.V. An investigation of high-current pulsed discharges, 0=5320

Artsimovich,L.A.,Andrianov,A.M.,Dobrokhotov,E.I., Lukyanov,S,Yu.,Podgornyi,I.M.,Sinitsyn,V.I. and Fillippov,N.V. High-energy radiation from pulsed discharges, 0=5317

Aruja,E.,Welch,J.H. and Gutt,W. X-ray analysis technique for very high temperatures, 0=4607

Arutyunyan,F.R. Determination of charged particle mass from scattering and residual range in multiplate cloud chambers, 0=9309

Arutȳunyan,V.M. and Muradyan,R.M. Scattering of Dirac particles in the second Born approximation, 0=9269

Arvieu,R. and Vénéroni,M. Quasi-particles and collective states of spherical nuclei, 0=7453

Arvieu,R. See Vénéroni,M., 0=11308

Arvin,C. See Pietri,G., 0=19726

Arȳnov,A. Outflow of a gas from a container with walls enclosing a small angle $2\theta_0$, 0=93

Arzeliès,H. Relativistic kinematics, 0=10571

Arzeliès,H. Relativistic dynamics and its applications. I. Dynamics of a slowly accelerated particle. Application to interaction phenomena between electric charges (relativistic electromagnetism). 0=10572

Arzeliès,H. Relativistic dynamics and its applications. II. Problems of motion in the dynamics of a slowly accelerated particle, 0=10573

Arzeliès,H. Conducting or polarizable media in motion, 0=19888

Asaad,A.S. See Divari,N.B., 0=18722

Asaad,W.N. Relativistic calculation of the K—LL Auger spectrum, 0=7718

Asada.T.,Masuda,M.,Okumura,M. and Okuma,J. Decay properties of ZnS(Ag) phosphors, 0=21009

Asai,K. On the anomalous dispersion of n-primary alcohols, 0=20960

Asanov,R.A. Beta decay of spin-3/2 particles, 0=2502

Asaro,F.,Perlman,I.,Rasmussen,J.O. and Thompson,S.G. Isomers of Am^{242}, 0=20372

Asaro,F.,Stephens,F.S.,Hollander,J.M. and Perlman,I. Anomalous electric dipole conversion coefficients in odd-mass isotopes of the heavy elements. 0=5708

Asaro,F. See Stephens,F.S., 0=13184

Åsbrink,S.,Blomqvist,G. and Westman,S. Crystallographic calculations using an electronic digital computer. II. Calculation of structure factors, 0=8201

Åsbrink,S. See Westman,S., 0=8200

Ascari,A. A precautionary calculation of the reactor start-up incident, 0=2699

Ascari,A.,Horn,G. and Pedretti,E. The first start-up of the Sorin "Avogadro RSI" reactor, 0=2700

Asch,G. The variation of the factors g and g' in the alloys Fe—Ni as a function of concentration, 0=3108

Asch,G. $MnAu_2$ magnetic resonance, 0=13864

Ascher,M. Explicit solutions of the one-dimensional heat equation for a composite wall, 0=19481

Ascoli,A.,Odescalchi,M.U. and Schiavini,G.M. Extension of a simple method for crystal growth, 0=3174

Ascoli,R. and Minardi,E. Lee model with complex energy eigenvalues, 0=12857
Ascoli,R. and Minguzzi,A. Analyticity properties of production amplitudes, 0=11081
Ascoli-Bartoli,U. and Rasetti,F. Measurement of the refractive index of a plasma in the optical region, 0=3778
Asdente,M. and Friedel,J. Calculation of the resistivity of spherical cavities in Cu, 0=4318
Asdente,M. See Tosi,M.P., 0=4306
Ash,R. and Barrer,R.M. Permeation of hydrogen through metals, 0=20848
Ashbrook,J. The lunar straight wall, 0=10491
Ashby,N. Relativistic theory of the spherical electrostatic analyzer, 0=2389
Asher,H.,Dodin,L. and Mulholland,H.P. Improved design for an auto-focus range-finder, 0=14859
Ashford,J.R. Some statistical aspects of dust counting, 0=8326
Ashford,J.R. See Fay,J.W.J., 0=6422
Ashford,J.R. See Fay,J.W.J., 0=8327
Ashkin,A. and White,L.D. Partition noise in electron beams at microwave frequencies, 0=15074
Ashkin,J. Pion—nucleon scattering, 0=5588
Ashkin,J. Strange particles, 0=5619
Ashkin,J.,Fazzini,T.,Fidecaro,G.,Goldschmidt-Clermont,Y., Lipman,N.H.,Merrison,A.W. and Paul,H. A new measurement of the mean life of the positive pion, 0=15389
Ashkin,J.,Fazzini,T.,Fidecaro,G.,Lipman,N.H.,Merrison,A.W. and Paul,H. Search for the decay $\mu \rightarrow e + \gamma$ and observation of the decay $\mu \rightarrow e + \nu + \bar{\nu} + \gamma$, 0=13005
Ashkin,J.,Fazzini,T.,Fidecaro,G.,Merrison,A.W.,Paul,H. and Tollestrup,A.V. The electron decay mode of the pion, 0=367
Ashman,L.E. See Preston,J., 9=3682
Ashmore,A.,Diddens,A.N. and Huxtable,G.B. A measurement of the spin correlation coefficient C_{KP} in p—p scattering at 382 MeV, for 90° centre-of-mass scattering angle, 0=5559
Ashmore,A. See Allaby,J.V., 0=7347
Ashton,F.,Nash,W.F. and Wolfendale,A.W. The momentum spectrum of cosmic rays at a depth of 38 metres water equivalent underground, 0=9477
Ashton,F.,Wolfendale,A.W. and Nash,W.F. The momentum spectrum of cosmic rays underground at a depth of 38 m. water equivalent, 0=9458
Asimow,R. Precision lattice parameter measurements of cold-worked metals, 0=4619
Askar'yan,G.A. Radiation of volume and surface compression waves during impingement of a non-relativistic electron stream at the surface of a dense medium, 0=12447
Askaryan,G.A. Axial stability and localization of constrictions of quasi-neutral plasma accelerated by electromagnetic fields, 0=15017
Askar'yan,G.A.,Kotenko,L.P.,Kuznetsov,E.P. and Samoilov,A.V. Some experiments with metastable liquids in an X-ray beam, 0=20104
Aslanyan,V.M. and Vol'kenshtein,M.V. Optical activity and intermolecular interaction, 0=3542
Asplund,I. and Wiedling,T. Zero-spin excited state in
Asplund,I. and Wiedling,T. Angular correlation measurements on Xe^{128}, 0=5721
Asselmeyer,F. and Bienert,W. X-ray crystallographic investigation of mechanically and thermally worked (100) faces of rocksalt, 0=8213
Asselmeyer,F. and Riedel,H. Resistance of polished rock salt surfaces to water vapour, 0=1901
Assenheim,J.G. See Clark,D.E., 0=6068
Astaf'ev,V.A. Momentum spectrum of π-mesons from $\pi^+ + p \rightarrow 2\pi^+ + n$, 0=13034
Astakhov,A.V. The problem of proving double dispersion relations, 0=15290
Astbury,A.,Blair,I.M.,Hussain,M.,Kemp,M.A.R.,Muirhead,H. and Voss,R.G.P. Angular distribution of neutrons following the nuclear capture of polarized muons, 0=2687
Astier,A. The proton synchrotron "Saturne". Experiments with a cloud chamber carried out by the Physics-Laboratory of Ecole Polytechnique, 0=2412
Aström,B. Scintillation spectrometer with constant relative channel width, 0=17280
Åström,B. See Atterling,H., 0=7591
Åström,B. See Fields,P.R., 0=7498
Åström,H.U. Anelasticity of nitrogen in α-iron, 0=6296
Astrov,D.N.,Novikova,S.I. and Orlova,M.P. Shift of the Curie temperature during uniform compression of manganese and cobalt fluorides, 0=8073
Asunmaa,S.K. Silver-activated nitrocellulose as recording material for X-ray microscopy, 0=21254
Asyee,J. Boiling experiments in connection with the Halden boiling water reactor cores, 0=4142
Atack,D. and Tabor,D. The friction of wood, 0=8137
Atack,D. See May,W.D., 0=3477
Ataev,O.M. Determination of the number of collisions in the ionosphere, 0=3349
Ataka,Y. The pion—nucleon s-wave scattering, the structure of the nucleon and the composite model of baryons and mesons, 0=20203
Atakhodzhaev,A.K.,Vuks,M.F. and Plaksina,K.V. Broadening of the scattering line and the orientational relaxation time of solutions, 0=3530
Atal,B.S. A semi-empirical method of calculating reverberation chamber coefficients from acoustic impedance values, 0=16807
Atalla,M.M. and Tannenbaum,E. Impurity redistribution and junction formation in silicon by thermal oxidation, 0=15936
Atanasiu,G. and Pătraşcu,S. A null method for the measurement of the temperature dependence of magnetic moment, 0=9133
Atanasiu,G. and Pătraşcu,S. A null method for the measurement of the temperature dependence of magnetic moment, 0=19869
Aten,A.H.W., Jr. Abundances of even-mass isobars, 0=7705
Aten,A.H.W., Jr and Funke-Klopper,A.G. A short-lived heavy isotope of lutetium, 0=20385
Aten,A.H.W., Jr and Pieterse,A.C. Dose distribution of gamma radiation in cylindrical volumes of water, 0=15558
Aten,A.H.W., Jr and Wolzak,G. Gamma rays of promethium-152, 0=7537
Aten,A.H.W., Jr. See Ythier,C., 0=20384
Athavale,V.N. See Chiplonkar,M.W., 0=1987
Athay,R.G. The equilibria and ultraviolet spectra of H, He I, and He II in the solar atmosphere, 0=12280
Athay,R.G. Rocket and satellite observations of the solar ultra-violet spectrum, 0=16545
Athay,R.G. A model of the chromosphere from radio and optical data, 0=18630
Athay,R.G. Phenomena of the solar atmosphere, 0=18743
Athay,R.G. Hβ, Hγ and K profiles in chromospheric spicules, 0=18761
Athay,R.G. and Johnson,H.R. The excitation of He I in the solar spectrum, 0=6602
Atherton,N.M. and Whiffen,D.H. An electron spin resonance study of a γ-irradiated single crystal of glycollic acid, 0=20666
Atkins,K.R.,Donovan,R. and Walmsley,R.H. Low-temperature impurity conduction in n-type silicon, 0=9968
Atkins,K.R. Ions in liquid helium, 0=2285
Atkins,K.R. and Flicker,H. Velocity of sound in liquid He^3 at high pressures, 0=2281
Atkinson,J.H. and Perez-Mendez,V. Gas Čerenkov counters, 0=2461
Atkinson,J.R.,Greer,J.R. and Wyllie,G. Scattering of electrons and positrons by xenon and mercury, 0=9652
Atkinson,J.R.,McFarlane,W.,Reid,J.M. and Swinbank,P. A γ-ray collimator and expansion chamber for use with the 340 MeV electron synchrotron, 0=17286
Atkinson,M.P. See Bane,W.T., 0=7051
Atkinson,M.P. See Barber,D.L.A., 0=3646
Ato,Y. Huzimura,R., 0=11687
Atoji,M. and Rundle,R.E. Neutron diffraction study on tungsten bronzes Na_xWO_3 ($x = 0.9 \sim 0.6$), 0=6361
Atoji,M.,Schirber,J.E. and Swenson,C.A. Crystal structure of β-Hg, 0=3220
Atta,C.M.van. See van Atta,C.M.
Attard,A.E. and Azároff,L.V. Liquid-nitrogen cryostat for single-crystal X-ray diffraction, 0=12015
Atterling,H. The acceleration of heavy ions in the Stockholm 225 cm cyclotron, 0=9123
Atterling,H. and Forsling,W. Light polonium isotopes from carbon ion bombardments of platinum, 0=7589
Atterling,H.,Forsling,W. and Åström,B. Neutron-deficient polonium isotopes from neon ion bombardments of wolfram, 0=7591
Atterling,H. and Lindström,G. The 225 cm cyclotron at the Nobel Institute of Physics, Stockholm, 0=9122
Atterling,H. See Fields,P.R., 0=7498
Attia,E.A. See Kamel,R., 0=21125

Atwater,H.A. Dislocation theory of formation of small-angle boundaries, 0=549

Atwater,H.A. Microwave measurement of semiconductor carrier lifetimes, 0=9954

Atwood,M. and Vu Hai. Perturbation of the band of the first harmonic in the vibration-rotation spectra of HCl in condensed state, 0=15702

Aub,M.R. and Zienau,S. Studies on the retarded interaction between neutral atoms. I. Three-body London—van der Waals interaction of neutral atoms, 0=20581

Aubrey,J.E. Cyclotron resonance in lead, 0=20784

Auclair,J.M. A study of the variation with incident neutron energy of the relative probability of ternary fission with the emission of a long-range α-particle, 0=9700

Auer,P.L. and Hurwitz,H. Jr, Positive column formation in ion sources employing surface ionization, 0=10973

Auer,P.L. and Tamor,S. Statistical mechanics of the non-uniform gas, 0=18973

Auerbach,L. More Christiansen filters, 0=19385

Auffray,J.P. See Stephen,M.J., 0=2746

Augard,R. See Lallemand,A., 0=18591

Augustine,F. and Hale,D.R. Topography and etch patterns of synthetic quartz, 0=16285

Aukerman,L.W. Electron irradiation of indium antimonide, 0=1670

Aukerman,L.W. Electron irradiation of indium arsenide, 0=1671

Aukerman,L.W. and Willardson,R.K. High temperature Hall coefficient in GaAs, 0=9973

Auld,B.A. Finite amplitude electromagnetic waves in gyromagnetic media, 0=10190

Auld,B.A. Walker modes in large ferrite samples, 0=16142

Auleytner,J. Determination of the orientation of mosaic blocks by means of a fine-focus X-ray tube, 0=16288

Auleytner,J. and Kołakowski,B. Microscopic observations of the surface of InSb monocrystals, 0=13930

Aull,L.B.,Reinhardt,G.C. and Whitehead,W.D. Fast photoneutrons from tantalum and gold, 0=5777

Auluck,F.C. and Nayyar,N.K. The stability of a gravitating cylinder in the presence of magnetic fields, 0=12687

Aurela,A. See Hovi,V., 0=11263

Aurela,A. See Hovi,V., 0=13091

Aust,K.T. Relative energies of tilt-type subboundaries in aluminium, 0=7897

Austern,N. and Iano,P. Variational calculations with repulsive core potentials, 0=20309

Austern,N. and Rost,E. Evaluation of the interaction effect in n-p capture, 0=7377

Austern,N. See Rost,E., 0=20426

Austin,I.G. Infrared Faraday rotation in InAs and InP, 0=20919

Auth,J.,Krenzke,G. and Niekisch,E.A. A study of the field effect in CdS single crystals, 0=6118

Auth,J.,Niekisch,E.A. and Puff,H. The infrared quenching of the photoconductivity of CdS single crystals, 0=2910

Authier,A. See Lefèvre,F., 0=21186

Autler,S.H. Superconducting electromagnets, 0=7029

Auxier,J.A. See Strickler,T.D., 0=12944

Auzins,P. See Orton,J.W., 0=6270

Auzins,P. See Orton,J.W., 0=15513

Auzins,P. See Wertz,J.E., 0=21075

Avakian,P. and Smakula,A. Growth of cesium chloride crystals from solution and melt, 0=18306

Avakov,G.V. Electron—electron scattering and quantum electrodynamics at small distances, 0=9337

Avakov,G.V. and Ter-Martirosyan,K.A. Test of quantum electrodynamics in electron scattering, 0=3916

Avakyan,V.V. See Alikhanov,A.I., 0=9454

Avak'yants,G.M. Properties of germanium in a strong electric field, 0=15932

Avdeenko,A.A. See Shklyarevskii,I.N., 0=3635

Aven,M. and Parodi,J.A. Study of the crystalline transformations in ZnS:Cu, ZnS:Ag and ZnS:Cu, Al, 0=11998

Aven,M. See Addamiano,A., 0=1880

Averbach,B.L. See Hilliard,J.E., 0=16344

Averbach,B.L. See Hordon,M.J., 0=19501

Averbach,B.L. See Houska,C.R., 0=18374

Averbuch,P.,de Bergevin,F. and Müller-Warmuth,W. The influence of lattice deformations on the nuclear magnetic resonance of metallic copper, 0=4527

Averbuch,P.,Ducros,P. and Paré,X. Nuclear magnetic resonance of protons in chabazite, 0=4535

Avericheva,V.E. See Savintsev,P.A., 0=3265

Averkin,A.A.,Sergeeva,V.M. and Shelýkh,A.I. The influence of omnidirectional pressure on the electrical resistance and thermoelectric power of In_2Te_3, 0=13615

Avery,R. Two-group diffusion theory for a ring of cylindrical rods, 0=12954

Aver'yanov,V.I. See Andreev,N.S., 0=16040

Avez,A. Global properties of periodic closed space-times, 0=16566

Avignon,Y.,Boischot,A. and Simon,P. Characteristics of an exceptional solar emission at 169 Mc/s, observed on 4 November, 1957, 0=4848

Avignon,Y. and Pick-Gutmann,M. Relations between the emission of cosmic rays from the sun and bursts of type IV, 0=4858

Avinor,M. Visible emission of nickel-activated CaS, 0=6193

Avinor,M. Gold-activated (Zn, Cd)S phosphors, 0=16096

Avinor,M. and Meijer,G. Emission of activated cadmium selenide phosphors, 0=10058

Avinor,M. and Meijer,G. Vanadium activated zinc and cadmium sulphide and selenide phosphors, 0=11785

Avinor,M. See Meijer,G., 0=13715

Avivi,P. See Ofer,S., 0=17920

Avotina,M.P. See Grigoriev,E.P., 0=20315

Avraamov,Yu.S.,Belyakov,L.N. and Livshits,B.G. Internal friction peaks in Ni—Cr based solid solutions, 0=1933

Avvakumov,V.I. Dynamical nature of the Jahn—Teller effect and its influence on the paramagnetic resonance of Cu^{2+}, 0=11943

Avvakumov,V.I.,Garif'yanov,N.S.,Kozýrev,B.M. and Tishkov,P.G. Paramagnetic resonance and paramagnetic relaxation in solutions of iron-group salts, 0=8085

Awunor-Renner,E.R.T.,Blaskovitch,L.,French,B.R., Ghesquiere,C.,de Minvielle-Devaux,I.B.,Neale,W.W., Pelletier,C.,Rivet,P.,Sahiar,A.B. and Skillicorn,I.O. An experiment on nuclear interactions of high energy (10-100 GeV), 0=15497

Axe,J.D.,Ru-tao Kyi and Stapleton,H.J. Paramagnetic resonance in tetravalent Pa^{231}, 0=10235

Axel,P. See Jamnik,D., 0=3950

Axelrod,N.N. Ultrahigh-vacuum valve, 0=3575

Axelrod,N.N. and Givens,M.P. Optical measurement of the plasma frequency and $M_{2,3}$ band of chromium, 0=20981

Axelsson,B. See Beckman,O., 0=9760

Axensten,S.,Johansson,C.M. and Lindgren,I. Nuclear spins of the bismuth isotopes Bi^{199}, Bi^{200}, Bi^{201} and Bi^{202}, 0=5652

Axford,R.A. Heat conduction in internally cooled nuclear reactors, 0=12515

Axson,M. and Magarshack,J.M. Method of measuring the angular deflexion in a dynamometer, 0=8591

Ayant,Y. and Thomas,J. Anisotropy of the Landé factor of ytterbium in a garnet type gallate, 0=10189

Ayant,Y. See Dreyfus,B., 0=11585

Ayer,F. See Pickup,E., 0=17405

Aylett,B.J. Robust and sensitive spoon gauge, 0=16664

Aynard,R. Atomic radii of the elements. Elements characterized by their s and p electrons of the outer shells 1, 2, 3 and 4, 0=11477

Aynard,R. Atomic radii of the elements. Elements characterized by their d and f electrons of the inner shells (3 to 7), 0=11478

Aynard,R. Atomic numbers of the elements, 0-11479

Ayukhanov,A.Kh. and Iskhakov,G.I. Use of mass-spectrometer of the dynamic type for investigating secondary processes, 0=19809

Ayukhanov,A.Kh. See Arifov,U.A., 0=7167

Ayukhanov,A.Kh. See Arifov,U.A., 0=19802

Azam,M.N. and Dickinson,H. Time-lags in the intrinsic electrical breakdown of glass, 0=8979

Azarkh,Z.M. See Sof'ina,V.V., 0=14024

Azároff,L.V. See Attard,A.E., 0=12015

Azároff,L.V. See Mohanty,G.P., 0=21193

Azbel,M.Ya. See Gurzhi,R.N., 0=9947

Azéma,J.L. The influence of ionizing radiations on spark breakdown at atmospheric pressure, 0=7106

Azen,R.S. See Shimanskaya,N.P., 0=10073

Azhgirey,L.S.,Vzorov,I.K.,Zrelov,V.P.,Mescheryakov,M.G., Neganov,B.S.,Ryndin,R.M. and Shabudin,A.F. Nuclear interactions of 660 MeV protons and the momentum distribution of nucleons in nuclei, 0=5742

Azhgirei,L.S.,Vzorov,I.K.,Zrelov,V.P.,Meshcheryakov,M.G., Neganov,B.S.,Ryndin,R.M. and Shabudin,A.F. Interaction between 660 MeV protons and atomic nuclei and the nuclear internal momentum distribution of nucleons, 0=13231
Azimov,S.A.,Gulyamov,U.G.,Karimova,R. and Rakhimbaev,B.G. Anomalous decays of hyperfragments, 0=13157
Azou,P. See Armbruster,J.C., 0=10632
Azpeitia,A.G. and Newell,G.F. Theory of oscillation type viscometers. III. A thin disk, 0=16669
Azpeitia,A.G. and Newell,G.F. Theory of oscillation type viscometers. IV. A thick disk, 0=16670
Azuma,R.E. See Lewis,G.M., 0=3996

Baart,E.E.,Green,L.L. and Willmott,J.C. The energy levels of ^{26}Al in the region of 2 MeV, 0=9530
Baba,H. and Suzuki,S. Electronic structure and spectrum of acetanilide, 0=15705
Babaréko,A.A. See Guseva,L.N. 0=1910
Babayan,Kh.P.,Sarinyan,M.G. and Tumanyan,E.R. Investigation of a high-energy interaction in a nuclear emulsion, 0=9496
Babcock,H.W. See Howard,R., 0=9
Babcock,H.W. See Howard,R., 0=14429
Babei,N. See Petrescu,V., 0=20950
Baberkin,A.S.,Krushinskaya,N.P. and Proskurnin,M.A. Effect of solid substances on the process of decomposition of CCl$_4$ in aqueous solution induced by gamma radiation,0=18441
Babetskii,Ya.S. See Vernov,S.N., 0=9466
Babichev,M.A. See Khrushchov,M.M., 0=13917
Babikov,V.V. The cross-section for formation of the compound nucleus in the interaction of atomic nuclei, 0=7588
Babkin,V.S. and Kozachenko,L.S. Pre-detonation mechanism of flame propagation in roughened tubes, 0=10809
Babloyantz,A. Rotational effect on the thermodynamic properties of isotopes, 0=20606
Babloyantz,A. See Bellemans,A., 0=8655
Babrov,H.,Ameer,G. and Benesch,W. Molecular collision cross sections from infrared absorption measurements, 0=15788
Babu Rao,P. and Sreerama Murty,K. Potential constants of VOCl$_3$, 0=5900
Băbuţia,I. See Borneas,M., 0=72
Băbuţia,I. See Borneas,M., 0=73
Băbuiţia,I. See Borneas,M., 0=8640
Băbuţia,I. See Borneas,M., 0=8648
Băbuţia,I. See Borneas,M., 0=14613
Băbuţia,I. See Borneas,M., 0=19087
Babykin,M.V.,Plakhov,A.G.,Skachkov,Y.F. and Shapkin,V.V. Parallel-plate spark counters for measuring short time intervals, 0=3886
Bacchella,G.L. Developments and future aims of neutron diffraction, 0=4604
Bacchella,M. See K$^-$-collaboration, 0=1308
Bach,G. On the distribution in cutting a sphere into transparent sections of finite thickness, 0=5157
Bach,G.R. See Anderson,C.E., 0=4104
Bach,R.L. See Hubbell,J.H., 0=16916
Bachelet,F.,Balata,P.,Conforto,A.M.,Iucci,N. and Marini,G. The cosmic ray storm of May 11, 1959, 0=2609
Bachelet,F.,Balata,P.,Conforto,A.M. and Marini,G. Cosmic ray and geomagnetic disturbances from July 1957 to July 1958. I. The cosmic ray events and their correlation with the geomagnetic events, 0=15490
Bachelet,F.,Balata,P.,Conforto,A.M. and Marini,G. Cosmic ray and geomagnetic disturbances from July 1957 to July 1958. II. The geomagnetic events, 0=15491
Bachmann,H.G. and Zemann,J. The crystal structure of linarite, PbCuSO$_4$(OH)$_2$, 0=12052
Bachmann,L.,Orr,W.H.,Rhodin,T.N. and Siegel,B.M. Determination of surface structure using ultra-high vacuum replication, 0=14046
Bachynski,M.P. Propagation at oblique incidence over cylindrical obstacles, 0=12669
Bachynski,M.P. See Neugebauer,H.E.J., 0=12697
Baciu,G. Methods of covering with a semiconducting layer using dioxide of tin, 0=21251
Backenstoss,G.K.,Frauenfelder,H.,Hyams,B.D.,Koester,L.J.,Jr and Marin,P.C. An investigation of the stability of nucleons, 0=15337
Bäcklin,A. See Bäckström,G., 0=5712
Backofen,W.A. See Hosford,W.F.,Jr, 0=18253
Bäckström,G. A device for the precision measurement of an inhomogeneous magnetic field, 0=19865
Bäckström,G.,Bergman,O.,Burde,J. and Lindskog,J. The decay of Au^{194}, 0=7523
Bäckström,G.,Lindskog,J.,Bergman,O.,Bashandy,E. and Bäcklin,A. Contributions to the decay of Tb^{160} to Dy^{160}, 0=5712
Bäckström,G. See de Croës,M., 0=13204
Backus,G. Linearized plasma oscillations in arbitrary electron velocity distributions, 0=12622
Backus,J. Studies of cold cathode discharges in magnetic fields, 0=1115
Backus,J. and Huston,N.E. Ion energies in a cold cathode discharge in a magnetic field, 0=5275
Bacon,A.E. See Schofield,T.H., 0=16281
Bacon,G.E. Thermal motion in crystals and molecules, 0=21153
Bacon,G.E. and Curry,N.A. A study of 4,4'-dichloro diphenyl sulphone by neutron diffraction, 0=4660
Bacon,G.E. and Dyer,R.F. Neutron diffraction instruments at a high-flux nuclear reactor, 0=3199
Bacon,J.F.,Hasapis,A.A. and Wholley,J.W.,Jr. Viscosity and density of molten silica and high silica content glasses, 0=18383
Bacon,R. Growth, structure, and properties of graphite whiskers, 0=6333
Bacon,W.E. See Fozard,J.L., 0=3365
Báczyński,A. and Czajkowski,M. On the metastable state of dye molecules, 0=3537
Badalyan,A.M. and Chzhou Guan-chzhao [Chou Kuang-chao]. Production of an electron—positron pair by a neutrino in the field of a nucleus, 0=12913
Badalyan,G.V. A study of fast deuterons at 3200 m above sea level, 0=2611
Bădărău,E. and Hagiescu-Mirişte,M. The energies of positive ions at the cathode of a mercury glow discharge, 0=19638
Badareu,E. and Popescu,I. Some problems regarding the phenomena occurring at the cathode of the glow discharge, 0=19639
Badareu,E.,Popescu,I. and Iova,I. Studies on the clarification of the mechanism of the double-cathode effect, 0=7081
Bader,R.F.W. See Anet,F.A.L., 0=15711
Badessa,R.S.,Kent,R.L.,Nowell,J.C. and Searle,C.L. A Doppler-cancellation technique for determining the altitude dependence of gravitational red shift in an earth satellite, 0=12361
Badley,J.H. See Tunnicliff,D.D., 0=16924
Badoz,J. See Wayland,H., 0=5186
Badzioch,S. Collection of gas-borne dust particles by means of an aspirated sampling nozzle, 0=8325
Baender,R.G. See Kycia,T.F., 0=9431
Baer,G.,Ganz,D. and Thomas,H. Secondary recrystallization in vacuum annealed silicon iron, 0=10285
Baer,R. and Dean,C. Nuclear quadrupole resonances using impurity molecules as probes, 0=4539
Baer,W. See Klein,D., 0=13275
Baer,W. See Klein,D., 0=13339
Baerg,A.P.,Bartholomew,R.M.,Brown,F.,Katz,L. and Kowalski,S.B. The angular distribution of photofission fragments, 0=1451
Baez,A.V. Graphical derivation of the inverse-square law of gravitation from an elliptic orbit and Kepler's law of areas, 0=3426
Baez,A.V. A self-supporting metal Fresnel zone-plate to focus extreme ultra-violet and soft X-rays, 0=19444
Bagariatskii,B.A. The zenith-angle distribution function of auroral protons, 0=795
Bagariazky,B.A. See Krassovsky,V.I., 0=4808
Bagaryatskii,Yu.A. An X-ray investigation of aging in aluminium alloys. V. The use of special types of photograph to elucidate the peculiarities of the structure of alloys, 0=14003
Bagaryatskii,Yu.A. An X-ray investigation of aging in aluminium alloys. VI. Methods of calculating diffuse scattering, 0=14004
Bagaryatskii,Yu.A. X-ray investigation of aging of aluminium alloys. VII. On the structure of the Guinier—Preston zones in aluminium—copper alloys, 0=14005
Bagdasar'yan,Z.A. See Piskunov,A.K., 0=21077
Bagguley,D.M.S. Electron—phonon interactions, 0=6013
Bagley,E.B. Hooke's law in shear and polymer melt fracture, 0=13903

Bagley,E.B. and Birks,A.M. Flow of polyethylene into a capillary, 0=8605
Baglin,A. The propagation of waves in a partially ionised medium, 0=19705
Baglin,J.E. See Spicer,B.M., 0=4112
Baglin,J.E.E. See Thies,H.H., 0=5769
Bagot,C.H. See Huxley,L.G.H., 0=8995
Bahadur,K. and Sastry,P.V. Thin films of silver—cadmium alloy, 0=12045
Bahng,J.D. See Rogerson,J.B., 0=10761
Bai,C.Lakshmi. See Lakshmi Bai,C.,
Baicker,J.A. and Jones,K.W. Polarization of neutrons from the reactions Li^7(p,n)Be^7 and D(d,n)He^3, 0=17589
Baier,V.I. Electron—electron scattering cross-section at high energies, 0=11145
Bailey,C.A. The specific heat of cerium magnesium nitrate below 10°K, 0=20750
Bailey,D.K. and Pomerantz,M.A. The cosmic ray increase of 17 July 1959, 0=11275
Bailey,H.R. Heat conduction from a cylindrical source with increasing radius, 0=6968
Bailey,H.R. and Larkin,B.K. Remarks on some criteria for the in situ combustion of crude oil, 0=14106
Bailey,J.E. Electron microscope observations on the annealing processes occurring in cold-worked silver, 0=20822
Bailey,J.E. and Hirsch,P.B. The dislocation distribution, flow stress and stored energy in cold-worked polycrystalline silver, 0=20813
Bailey,J.M. and Gwathmey,A.T. Dislocation arrays in depth and recrystallization produced by surface deformation of single crystals of copper at high temperature, 0=3172
Bailey,L.E. Crossed electric and magnetic field multichannel ion analyzer, 0=19798
Bailey,P.C. Absorption and reflectivity measurements on some rare earth iron garnets and α-Fe$_2$O$_3$, 0=10045
Bailey,R.L. See Schmitt,H.W., 0=17626
Bailey,V.A. Some methods for studying wave-propagation in a uniform magneto-ionic medium, 0=1210
Bailey,V.A. The steady-state universe and the deduction of continual creation of matter, 0=3405
Bailey,V.A. Some possible effects caused by strong gyrowaves in the ionosphere. I, 0=6454
Bailey,V.A. Existence of net electric charges on stars, 0=10512
Bailey,V.A. A unified theory of terrestrial and solar magnetization, the outer Van Allen Belt and high energy primary cosmic rays, 0=18473
Bailey,V.A. Net electric charges on stars, galaxies and "neutral" elementary particles, 0=18789
Bailie,A. and Bryant,R. Osculating elements derived from the modified Hansen theory for the motion of an artificial satellite, 0=18883
Bailie,A. See Musen,P., 0=8531
Bailie,A. See Upton,E., 0=2090
Bailliard,J.P. On the grain density of tracks in nuclear emulsions, 0=196
Baily,N.A. and Brown,G.C. The relative stopping powers of pure gases to that of air, 0=352
Bailyn,M. Exchange and correlation effects in electron—phonon scattering in normal metals, 0=6014
Bailyn,M. Transport in metals. II. Effect of the phonon spectrum and umklapp processes at high and low temperatures, 0=17888
Bailyn,M. The phonon drag component of the thermoelectric power of the alkali metals at low temperatures, 0=20760
Bain,W.C. The azimuth distributions of oblique reflections from meteor trails and its relation to meteor radiant distributions, 0=14391
Bainbridge,I.F. See Polmear,I.J., 0=21240
Bair,E.J. See Current,J.H., 0=10778
Bair,J.K.,Edge,R.D. and Willard,H.B. Reaction C^{14}(p,n)N^{14}, 0=17583
Bair,J.K.,Cohn,H.O. and Willard,H.B. Level structure of N^{14}, 0=17499
Bair,L.R. See Glass,C.A., 0=157
Baird,J.C., Jr. See Anderson,L.W., 0=1482
Baird,J.C., Jr. See Anderson,L.W., 0=7725
Baird,J.C., Jr. See Anderson,L.W., 0=20543
Baird,K.M. New techniques in interferometric metrology at the National Research Council of Canada, 0=16661
Baird,Q.L. See Nall,J.C., 0=11369
Bairiot,H. Thermal cycling of α-uranium, 0=13570
Bak,B. and Hansen-Nygaard,L. Molecular structure correlations, 0=15776
Bak,T.A. See Prigogine,I., 0=3296
Bakanov,S.P. On the molecular flow of gases through a porous partition, 0=14686
Bakanova,A.A. See Al'tshuler,L.V., 0=11550
Bakaev,I.I. See Sinel'nikov,K.D., 0=10924
Baker,A.N. See Brand,F.A., 0=13635
Baker,A.R. A measurement of the neutron—proton capture cross-section, 0=7378
Baker,C.P. See Ajzenberg-Selove,F., 0=4096
Baker,C.P. See Baker,E.W., 0=7548
Baker,D. A gauge for the precision measurement of the thickness of germanium and silicon wafers, 0=6722
Baker,D.J. See Haycock,O.C., 0=6448
Baker,E.W.,Katcoff,S. and Baker,C.P. Energy and angular distributions of alpha particle from reactions of high-energy protons with Ag and Br nuclei, 0=7548
Baker,F.A. Nonproportionality in the Bayard—Alpert ionization gauge, 0=19225
Baker,F.A. and Giorgi,T.A. Sorption and desorption of gas in a hot-cathode ionization gauge, 0=16746
Baker,G.A., Jr. An implicit, numerical method for solving the n-dimensional heat equation, 0=3668
Baker,G.A., Jr. Note on the solution of the neutron diffusion problem by an implicit numerical method, 0=5567
Baker,G.A., Jr. Stopping of π-minus and K-minus mesons on hydrogen in nuclear emulsion, 0=5592
Baker,G.A., Jr,Ford,K.W. and Porter,C.E. Optimal accuracy rocket trajectories, 0=911
Baker,G.A.,Jr, McCarthy,I.E. and Porter,C.E. Application of the phase space quasi-probability distribution to the nuclear shell model, 0=17470
Baker,G.A., Jr and Oliphant,T.A. An implicit, numerical method for solving the two-dimensional heat equation, 0=3667
Baker,G.S. See Gabrysh,A.F., 0=17979
Baker,J. See Lambe,J., 0=536
Baker,J.G. See Favero.P., 0=20628
Baker,J.G. See Favero.P., 0=20629
Baker,J.M.,Hayes,W. and Jones,D.A. Paramagnetic resonance of impurities in CaF$_2$, 0=6267
Baker,J.M.,Hayes,W. and O'Brien,M.C.M. Satellite lines in the paramagnetic resonance spectra impurities in calcium fluoride, 0=8088
Baker,J.M. See Jones,D.A., 0=6263
Baker,M. and Zachariasen,F. Coupled integral equations for the nucleon and pion electromagnetic form factors, 0=12844
Baker,M. and Zachariasen,F. Pion—pion scattering in the ϕ^4 theory, 0=13028
Baker,N. and Kippenhahn,R. Investigations of rotating stars. III. Meridional circulations in the case of non-rigid rotation, 0=2086
Baker,R.G.,Brandon,D.G. and Nutting,J. The growth of precipitates, 0=20825
Baker,R.M.L.Jr. Effect of accommodation on the transitional aerodynamic drag of meteorites, 0=12268
Baker,S.D. See McIntyre,J.A., 0=2671
Baker,T.W. See Thomas,D.K., 0=7010
Baker,W.E. and Compton,D.M.J. Radiotracer studies of the incorporation of iodine into vapor-grown Ge, 0=17966
Baker,W.E. and Compton,D.M.J. Incorporation of As into vapor-grown Ge, 0=17967
Baker,W.P. Simple, high-sweep-speed, single stroke oscilloscope, 0=3797
Baker,W.P. and Waddington,F.B. Dielectric measurements on the thin films by means of electrodes coated with irradiated silicone rubber, 0=5259
Bakhru,K. See Satyanarayana,R., 0=6461
Bakish,R. On etching effects in tantalum, 0=13969
Bakker,C. See Wanmaker,W.L., 0=4441
Bakshiev,N.G. See Neporent,B.S., 0=15784
Bakulina,I.N. and Ionov,N.I. Determination of the ionization potential of uranium by a surface ionization method, 0=10874
Balabanov,S. See Nadjakov,G., 0=19706
Balabanov,S. See Nadjakov,G., 0=20929
Balachandran,A.P. and Ranganathan,N.R. A note on scattering and production amplitudes, 0=17260
Balachandran,A.P. and Ranganathan,N.R. A note on the relative parity $p_{\omega\pi}$, 0=17412
Balachandran,C.G. Ultrasonic velocities in aqueous electrolyte solutions, 0=16769

Balain,K.S.,Grenier,C.G. and Reynolds,J.M. Effect of uniform compression on the Ettingshausen—Nernst effect in zinc at low temperatures, 0=13582

Balakina,L.M. See Shevelëv,A.K., 0=716

Balakrishna,S. Ultrasonic velocities in rocks: some special features of Indian granite, 0=2201

Balandin,M.P. See Laberrig-Frolova,J.V., 0=9594

Balarin,M. The deformability of neighbouring ions concerning a note in the work of R.Hosemann; an X-radiographical proof of the "pointstructure" of electrons. 0=7880

Balarin,M. A generalization of Slater's mean exchange potential in Hartree—Fock equations for multicentre problems, 0=8558

Balashko,Yu.G. and Barit,I.Ya. Scattering of deuterons by deuterium and tritium at low energies, 0=2600

Balashko,Yu.G.,Barit,I.Ya. and Goncharov,Yu.A. Scattering of protons on tritons at small energies, 0=13073

Balashov,V.V. The phase factors for the transition from "particle" to "hole" states in the nuclear-shell theory. 0=9498

Balashov,V.V. Nuclear forces and levels of the lithium isotopes, 0=9499

Balashov,V.V. and Eltekov,V.A. Method for separating the relative motion of two nucleons in oscillator potential well, 0=11283

Balashov,V.V.,Neudachin,V.G.,Smirnov,Yu.F. and Yudin,N.P. Reduced widths for nucleon association in the shell model of the nucleus, 0=9545

Balasubramanian,K. See Krishnan,R.S., 0=4421

Balata,P. See Bachelet,F., 0=2609

Balata,P. See Bachelet,F., 0=15490

Balata,P. See Bachelet,F., 0=15491

Balats,L.Ya. See San'ko,L.A., 0=9470

Balats,M.Ya.,Kondrat'ev,L.N.,Landsberg,L.G.,Lebedev,P.I., Obukhov,B.V. and Pontekorvo [Pontecorvo],B. Intensity of non-radiative transitions in μ-mesic atoms. 0=20567

Balats,M.Ya.,Lebedev,P.I. and Obukhov,Yu.V. Production of K^+ mesons by cosmic-ray protons at 3250 m above sea level, 0=9493

Balchan,A.S. and Drickamer,H.G. High pressure high temperature optical device, 0=8798

Balchan,A.S. See Suchan,H.L., 0=4405

Baldeschwieler,J.D. and Pimentel,G.C. Light-induced cis—trans isomerization of nitrous acid formed by photolysis of hydrazoic acid and oxygen in solid nitrogen, 0=21288

Baldin,A.M. Dispersion-relations analysis of the π-meson photoproduction data in the threshold region. 0=9423

Baldin,A.M. Optical anisotropy of atomic nuclei. 0=9653

Baldin,A.M. Polarizability of nucleons. 0=17326

Baldin,A.M. The non-physical region in the dispersion relations for the photoproduction of π-mesons, 0=20208

Baldin,A.M. and Govorkov,B.B. Investigation of dispersion relations for the photoproduction of pions, 0=1300

Baldin,A.M. and Govorkov,B.B. A check of dispersion relations for photoproduction of π-mesons, 0=5595

Baldin,A.M. and Semenko,S.F. Contribution to the theory of optical anisotropy of atomic nuclei, 0=20482

Baldin,S.A.,Gabrilovskii,V.V. and Chukreev,F.E. Scintillation in helium at high pressures due to alpha-particles, 0=8668

Baldinger,E.,Santschi,P. and Wehrli,P. High speed transistorized scale-of-two, 0=17192

Baldo-Ceolin,M. See Camerini,U., 0=381

Baldwin,G.C. See Kimel,W.R., 0=15630

Baldwin,H.W. and Taube,H. Flow adaptation of the isotopic dilution method for the study of ionic hydration, 0=14123

Baldwin,J.A., Jr and Rogers,J.L. Inhibited flux — a new mode of operation of the three-hole memory core, 0=2423

Baldwin,J.E. and Leslie,P.R.R. Radio emission from the Cygnus loop, 0=18664

Baldwin,J.E. See Edge,D.O., 0=829

Baldwin,R.L. See Kirkwood,J.G., 0=19105

Baldwin,S.A. and Man'ko,V.I. Polarization of protons in scattering by C^{12}, 0=13232

Bale,H.D. and Schmidt,P.W. Small angle X-ray scattering from aluminum hydroxide gels. II, 0=3332

Balea,E.,Friedländer,E.,Oncescu,M.,Potoceanu,C. and Sahini,M. High energy nuclear interactions of heavy cosmic ray primaries, 0=20307

Balea,E.,Friedländer,E. and Potoceanu,C. On the azimuthal distribution of meson jets, 0=20270

Balescu,R. Irreversible processes in ionized gases, 0=3776

Balescu,R. Irreversible processes in a plasma, 0=10616

Balescu,R. See Prigogine,I., 0=10614

Balescu,R. See Prigogine,I., 0=10615

Balestrini,S.J. and White,F.A. Workable magnetic shim to correct second-order aberration in a mass spectrometer, 0=12651

Balfour,D. and Menzies,D.C. The photodisintegration of nitrogen, 0=11438

Balian,R. The level density of a system of interacting nucleons in a shell, 0=4028

Balian,R.,Bloch,C. and De Dominicis,C. Formulation of statistical mechanics in terms of occupation numbers of quantized states, 0=10603

Balian,R. and de Dominicis,C. The one-particle Green's function in statistical quantum mechanics, 0=11101

Balian,R. and De Dominicis,C. Expression of thermodynamical quantities in terms of a distribution function for quasi-particles, 0=12371

Balian,R. and De Dominicis,C. Expression of thermodynamic variables in terms of a distribution function of quasi-particles, 0=18980

Balian,R.L. and Gillet,V.P. Calculation of the direct interaction in the reaction $Be^9(n,2n)Be^8$, 0=9669

Balian,R. and Gillet,V.P. Direct-interaction, ejection in the $Be^9(n,2n)B^8$ reaction, 0=17628

Balicki,M. Absence of irradiation growth in alpha-uranium above 430°C, 0=13938

Baliga,S.P. and Thambyahpillai,T. The apparent sidereal daily variation of cosmic ray intensity during the recent sunspot minimum, 0=20292

Balin,G.P. The effect of ultraviolet radiation and temperature on luminescence of CdI_2:$MnCl_2$ and CdI_2:$MnCl_2$:Pb_2 phosphors, 0=4436

Balique,O. See Trompette,J., 0=8189

Balkanski,M. The present state of the exciton problem, 0=13522

Balkanski,M. See Weulersse,P., 0=6423

Ball,J.B. and Goodman,C.D. Experimental study of the mechanism of (p,t) reactions at 22 MeV, 0=17592

Ball,J.B. See Goodman,C.D., 0=9615

Ball,J.G. See Carrea,A.J., 0=8275

Ball,J.S. Effect of the pion—pion resonance on the negative—positive ratio, 0=17401

Ball,R. See Holland,L., 0=8783

Ball,W.P.,Booth,R. and MacGregor,M. Temperature coefficients of scintillating systems, 0=17141

Ball,W. and Lauterjung,K.H. Energies of neutrons from the capture of negative μ-mesons by lead nuclei, 0=1292

Ballam,J.,Hang,J.,Scandrett,J.H. and Walker,W.D. 460 MeV negative pion scattering from neutrons in a propane bubble chamber, 0=2576

Ballard,S.S. See McCarthy,K.A., 0=15822

Ballard,S.S. See Wolfe,W.L., 0=14808

Ballentyne,D.W.G. Crystal structure and electroluminescence in ZnS, 0=4454

Ballentyne,D.W.G. Electroluminescence — a disorder phenomenon, 0=18151

Ballerini,L. See Scandone,F., 0=2226

Balli,D. and Myuller,L. Investigation of the main X-ray K-absorption edge in selenium, 0=20734

Balligand,P. Reactor incidents at Saclay. 0=9717

Ballik,E.A. and Ramsay,D.A. Ground state of the C_2 molecule, 0=4215

Ballmoos,F.Von, See Von Ballmoos,F.

Balloffet,G.,Romand,J. and Vodar,B. Emission spectrochemical analysis in the far ultraviolet of powders containing the following elements: germanium, arsenic, selenium, bromine, tin, antimony, tellurium, 0=16397

Balloffet,G. See Romand,J., 0=6428

Balluffi,R.W. See Simmons,R.O., 0=4294

Balluffi,R.W. See Simmons,R.O., 0=4315

Balluffi,R.W. See Simmons,R.O., 0=13548

Bally,D. and Benes,L. The K-absorption spectrum of neutron irradiated nickel, 0=13471

Bally,D. and Müller,L. The fine structure of the K absorption edge of nickel and of iron in Ni—Fe alloys at low temperatures, 0=518

Bally,D.,Ţarină,E.,Todireanu,S. and Olteanu,I. The neutron crystal spectrometer of the Institute of Atomic Physics - Bucharest, 0=15370

Bally,D.,Todireanu,S.,Tarină,E. and Olteanu,I. A plane-crystal and bent-crystal high resolving-power neutron spectrometer, 0=11186

Balsara,E.M. See Naik,Y.G., 0=4979

alser,M. and Wagner,C.A. Measurements of the spectrum of radio noise from 50 to 100 cycles per second, 0=12712
alsley,B.B. See Bowles,K.L., 0=18490
altensperger,W. On the influence of exchange on superconductivity in an alloy with a transition metal, 0=8959
altzer,P.K. and Wojtowicz,P.J. On the origin of low moments in chromium-containing spinels, 0=3079
alwit,J.S. See Lawton,E.J., 0=16176
alwit,J.S. See Lawton,E.J., 0=16177
alÿgin,I.E. Electric breakdown of titanium-containing ceramics with a dielectric permeability of 80, 0=1713
Balÿgin,I.E. Some post-breakdown processes in air, 0=16994
Bame,S.J., Jr,Haddad,E.,Perry,J.E., Jr,Smith,R.K. and Swartz,B. Counter telescope measurement of neutron flux, 0=20163
Bam-Zelikovich,G.M. Motion of an axisymmetric stream of gas of low conductivity in an axisymmetric magnetic field, 0=11027
Banaigs,J.,Eberhard,P.,Goldzahl,L. and Hara,E. Elastic scattering of 1.12, 1.17, 1.33 and 2.62 MeV γ-rays, 0=9656
Banasevich,S.N.,Lur'e,B.G. and Murin,A.N. Determination of the effective charge of calcium ions in $NaCl-CaCl_2$ mixed crystals, 0=6062
Banbury,P.C. See Lindley,D.H., 0=4345
Bancie-Grillot,M.,Gross,E.F.,Grillot,E. and Razbirine,B.S. Influence of temperature on the two series of spectral bands in the low temperature green fluorescence of pure cadmium sulphide, 0=11775
Bancie-Grillot,M. See Bansi-Griio,M., 0=1744
Bancie-Grillot,M. See Bansi-Griio,O., 0=1745
Bancie-Grillot,M. See Gross,E., 0=18123
Band,W. New look at the theory of electron—phonon resonance. II, 0 527
Band,W. Studies in the theory of shock propagation in solids, 0=12453
Bandeen,W.R. and Otterman,J. Temperature correction in the rocket-grenade experiment due to the finite-amplitude-propagation effect, 0=14197
Bander,M. and Feinberg,G. μ-meson decay into three electrons, 0=15377
Bandyopadhyay,G. General static spherically symmetric solution of the "weaker" equations of Einstein's unified theory, 0=14507
Bandyopadhyay,P. The early morning E2-layer and some evidence of pre-sunrise F-layer "splitting", 0=14234
Bandyopadhyay,P. Models of the lower ionosphere as may be inferred from absorption results, 0=4801
Bandyopadhyay,P. Electron distribution in the F-layer of the ionosphere over Haringata (Calcutta) on quiet and disturbed days, 0=16452
Bandyopadhyay,P. See Datta,S., 0=16448
Bane,W.T. and Atkinson,M.P. Evaluation of approximate methods of applying binary scale factors in pulse-counting systems of measurement, 0=7051
Banerjee,B.K. Structure of fluoride containing oxide glass in relation to the possible role of fluoride ion in the vitreous matrix, 0=21218
Banerjee,H. Scattering of a longitudinally polarised electron beam by a uniform magnetic field, 0=7155
Banerjee,M.K. See Mukherjee,P.N., 0=7161
Banerjee,M.K. See Nagarajan,M.A., 0=17598
Banerjee,P. and Zeh,H.D. Determination of the configuration mixing in RaE from the β^--decays $Pb^{210} \longrightarrow Bi^{210} \longrightarrow Po^{210}$, 0=13144
Banerjee,S. On the smoothness of Bp, Bn graphs, 0=17479
Banerjee,S.P. Graphical determination of Bp, Bn. II, 0=17478
Banewicz,J.J.,Heidelberg,R.F. and Lindsay,R. High-temperature magnetic susceptibility of sintered α MnS, 0=4471
Bang,J. On the angular distribution of the scattered particles in Coulomb excitation, 0=12853
Banister,J.R. Separation of magnetic driving and ohmic heating, 0=14984
Bankoff,S.G. On Taylor instability of plane surfaces, 0=67
Banks,E. See Mandel,G., 0=13698
Banks,E. See Rubinstein,M., 0=2823
Bannik,B.P. and Bunyatov,S.A. Hyperfragments from σ_K stars, 0=2626
Bannik,B.P. and Grishin,V.G. Interference between Coulomb and nuclear scattering at high energies, 0=20429
Bannik,B.P.,Grishin,V.G.,Danÿsh,M.Ya.,Lynbimov,V.B. and Podgoretskii,M.I. Elastic scattering of 8.7 BeV protons on photographic emulsion nuclei, 0=7546
Bannister,E. See Monchamp,R.R., 0=3550
Bannister,G.H.,Burnett,R.C. and Murray,J.R. Ageing and hot hardness characteristics of certain thorium alloys, 0=18284
Banno,N. See Yamaguchi,Y., 0=18472
Baños,A.Jr. and Vernon,R. Large amplitude waves in a collision-free plasma. I. Single pulses with isotropic pressure, 0=12623
Bansi-Griio [Bancre-Grillot],M.,Gross,E.F.,Griio [Grillot],E. and Razbirin,B.S. Studies of linear fluorescence and absorption of pure cadmium sulphide crystals at the temperature of 4.2°K, 0=1744
Bansi-Griio [Bancie-Grillot],M. See Gross,E.F., 0=1745
Bansiger,K.G. and Iyengar,I. Photoelastic dispersion in barite, 0=6170
Banyard,K.E. Diamagnetism as a test of wave functions for some simple molecules, 0=17795
Bappu,M.K.V. and Sinvhal,S.D. Polarization measures of Comet Arend-Roland (1956h) and Comet Mrkos (1957d), 0=18728
Bär,F.,Huber,W.,Handschig,G.,Martin,H. and Kuhn,H. Nature of the free electron model. The case of the polyenes and polyacetylenes, 0=4235
Bär,F. See Kuhn,H., 0=4234
Barabanenkov,Yu.N. Hydrodynamic analysis of the compression of a rarefied plasma in an axially-symmetric magnetic field, 0=2367
Barabanenkov,Yu.N. Solution of the kinetic equation for a plasma in a variable magnetic field, 0=9033
Barabanenkov,Yu.N. The possibility of self-oscillation of charge in crossed fields, 0=10931
Barabanenkov,Yu.N. Coulomb scattering of charges in a strong magnetic field, 0=19683
Barabashov,N.P. and Chekirda,A.T. A study of the rocks most closely resembling the surface constituents of the moon, 0=18696
Barabashov,N.P.,Ezerskii,V.I. and Fedorets,V.A. Color contrasts of the lunar surface, 0=18695
Barabashov,N.P. and Lipskii,Yu.N. First results of photographing the side of the moon invisible from the earth, 0=6568
Baradzei,L.T.Solov'ev,M.V.Tulinova,Z.I. and Filatova,L.I. Momentum spectrum of particles of the hard component of
Barakat,Richard and Barakat,Robert. Optical studies of the diffraction of water waves by circular and thin elliptic cylinders, 0=8633
Barakat,Robert. See Barakat,Richard, 0=8633
Barakat,R.G. Transient diffraction of scalar waves by a fixed sphere, 0=2208
Baranger,M. Extension of the shell model for heavy spherical nuclei, 0=20317
Baranger,M. See Mozer,B., 0=10870
Baranov,B.V. and Goryunova,N.A. Preparation of homogeneous solid solutions in the AlSb—InSb, 0=10328
Baranov,I.A. See Protopopov,A.N., 0=11454
Baranov,I.A. See Protopopov,A.N., 0=13304
Baranov,S.A.,Polevoi,R.M.,Rodionov,U.F. and Shishkin,G.V. Nuclear energy levels of Tu^{169}, 0=7479
Baranovskii,V.I. See Murin,A.N., 0=7604
Baranowski,B. Temperature—dependence of the high hydrogen concentration in nickel layers, 0=6426
Baranowski,B. and Smialowski,M. Charging of nickel films with hydrogen evolved electrolytically in the presence of catalytic poisons, 0=8311
Baranskii,P.I. The nature of the volume-gradient e.m.f. developed in germanium in the presence of a current, 0=11690
Baranskii,P.I. The volume gradient Thomson effect, 0=11732
Baranskii,P.I. and Kurilo,P.M. Dependence of the bulk Peltier effect on the gradient of the specific resistance, 0=11733
Baranskii,P.I. and Tomkevich,S.L. Bridgman effect in bismuth telluride crystals, 0=20944
Bárány,N. Considerations regarding the possible use of some optical elements, 0=2233
Bárány,N. Micrometer adjustment of mirrors and prisms, 0=12397
Barashenkov,V.S. The interaction of K-mesons, pions, nucleons and hyperons, 0=1288
Barashenkov,V.S. Angular asymmetry in π-n collision and the $\pi - \pi$ interaction, 0=15396
Barashenkov,V.S. Non-elastic collisions of fast π-mesons with nucleons and periheral ($\pi\pi$) interactions, 0=7408

Barashenkov,V.S.,Belyakov,V.A.,Van Shu-Fen' [Wang Shu-Fen], Glagolev,V.V.,Dolkhazhav,N.,Kirillova,L.F.,Lebedev,R.M., Mal'tsev,V.M.,Markov,P.K.,Tolstov,K.D.,Tsyganov,E.N., Shafranova,M.G. and Yao Tsin-Se [Yao Ch'ing-Hsieh]. The interaction between fast nucleons and nuclei in the NIKFI-R photographic emulsion, 0=3966

Barashenkov,V.S.,Beliakov,V.A.,Glagolev,V.V.,Dalkhazhav,N., Yao Tsying Se,Kirillova,L.F.,Lebedev,R.M.,Maltsev,V.M., Markov,P.K.,Shafranova,M.G.,Tolstov,K.D.,Tsyganov,E.N. and Wang Shou Feng. Mechanism of interaction of fast protons with nucleons and nuclei, 0=4088

Barashenkov,V.S. and Huan Nen-Ning. Nucleon interaction cross-sections at 9 GeV energy, 0=11158

Barashenkov,V.S. and Mal'tsev,V.M. Resonance interactions of pions, 0=11212

Barashenkov,V.S. and Maltsev,V.M. Multiple production of nonstable particles in pion nucleon collisions, 0=15312

Barashenkov,V.S.,Maltsev,V.M. and Mihul,E.K. Central and peripheral collisions between fast nucleons. I, 0=3964

Barashenkov,V.S.,Mal'tsev,V.M. and Mikhul,E.K. Theoretical interpretation of inelastic p—p and p—n collisions at 9 BeV, 0=11168

Barashenkov,V.S. and Syan' Din Chan [Hsien Ting Ch'ang]. The real part of the elastic scattering amplitude at high energies, 0=20193

Barashenkov,V.S.,Van-Pei [Wang P'ei] and Mal'tsev,V.M. Momentum distribution of particles created in inelastic n—n collisions at 9 BeV, 0=9350

Barashenkov,V.S. See Blokhintsev,D.I., 0=2582

Barashenkov,V.S. See Blokhintsev,D.I., 0=11155

Barau,A.K. Unlike molecular interactions from viscosity and inter-diffusion, 0=15786

Barbashov,B.M. and Efimov,G.V. The Green's function in the model of scalar charged mesons with a fixed source, 0=5505

Barbashov,B.M. and Efimov,.G.V. A method for solving field theory problems involving a stationary nucleon, 0=20015

Barbashov,B.M. See Blokhintsev,D.I., 0=11155

Barber,D.L.A. and Atkinson,M.P. Method of measuring displacement using optical gratings, 0=3646

Barber,M.R. and Sanders,K.F. The calculation of electrostatic electron-gun performance, 0=17037

Barber,N.F. and Crombie,D.D. V.L.F. reflections from the ionosphere in the presence of a transverse magnetic field, 0=15164

Barber,R.C. See Isenor,N.R., 0=11494

Barber,W.C. and George,W.D. Neutron yields from targets bombarded by electrons, 0=4109

Barber,W.C. and Gudden,F.E. Inelastic electron scattering from carbon, 0=449

Barber,W.C. and Vanhuyse,V.J. Photoprotons from medium and heavy elements, 0=11432

Barber,W.C. and Wiedling,T. Electrodisintegration of Ta and Au nuclei, 0=20473

Barbier,D. Auroral activity at low latitudes, 0=6468

Barbier,D. Researches on the 6300 line of the night airglow, 0=18516

Barbier,D. Systematic variations of the intensity of the principal radiations of the light of the night sky at the Haute-Provence observatory, 0=21383

Barbier,D. and Glaume,J. Contribution to the study of the structure of the layer emitting the 5577 line in the night sky, 0=21385

Barbier,D. and Mayot,M. A new solution to a transfer problem, 0=14550

Barbier,J.C. See Aléonard,R., 0=13739

Barbier,M. and Schoch,A. Study of two-dimensional non-linear oscillations by means of an electromechanical analogue model, applied to particle motion in circular accelerators, 0=19835

Barbieri,L.J.,Webster,J.W. and Ken Tang Chow. Plutonium recycle in the Calder Hall type reactor, 0=13366

Barbour,J.P.,Charbonnier,F.M.,Dolan,W.W.,Dyke,W.P., Martin,E.E. and Trolan,J.K. Determination of the surface tension and surface migration constants for tungsten, 0=7839

Barbour,J.P. See Dyke,W.P., 0=9068

Barbrow,L.E. Memorandum on a procedure for obtaining spectral radiant intensities of tungsten-filament lamps, 400-700 m, 0=205

Bărbulescu,D. See Iliescu,G., 0=10132

Barcala,J. See Casas,J., 0=14796

Barcala,J. See Casas,J., 0=16815

Barchewitz,M. and Gautier,M. Multilayer filter systems used in the infrared, 0=14841

Barchewitz,P. See Legay,F., 0=16820

Barchuk,I.F.,Pasechnik,M.V. and Tsibul'ko,Iu.A. Gamma-ray spectra excited by the inelastic scattering of fast neutrons by Mg, Al, Fe, Cu, Sn, and Sb, 0=9679

Barchukov,A.I. and Prokhindeev,A.V. Details of a 2.5 to 5 mm radiospectroscope, 0=1227

Barcus,J.R. See Green,J.R., 0=13081

Bardeen,J. Theory of superconductivity, 0=10833

Bardeen,J. and Rickayzen,G. Ground-state energy and Green's function for reduced Hamiltonian for superconductivity, 0=10838

Barden,S.E. See Jewitt,P.A., 0=6699

Bardes,R. and Owen,G.E. Angular distributions of the Be^9(d,n)B^{10} neutrons, 0=20457

Bardócz,A. Theory of operation and constructional principles of a high-precision spectroscopiv spark source, 0=5169

Barducci,I. and Pisent,G. Experimental investigation on the flexural natural frequencies of prismatic bars as a function of the thickness/length ratio, 0=14706

Bareham,F.R. Choice of frequency for eddy-current tube testing, 0=10460

Barenblatt,G.I. Stable cracks developed in brittle substances under destructive loading, 0=1869

Barenblatt,G.I. and Zheltov,Yu.P. Fundamental equations for the flow of homogeneous fluids through fissured rocks, 0=12407

Barer,R. A new micrometer microscope, 0=19384

Barfield,R.N. See Brown,N.L., 0=8968

Barge,D.A. See Madey,R., 0=15218

Barger,R.L. and Kessler,K.G. Correction for systematic wavelength shifts in atomic beam devices, 0=5168

Barger,R.L. and Kessler,K.G. Sealed-off Hg^{198} atomic-beam light source, 0=10758

Bargmann,V. and Moshinsky,M. Group theory of harmonic oscillators. I. The collective modes, 0=20082

Barinskii,R.L. See Nadzhakov,E.G., 0=7720

Barinsky,R.L. and Nadjakov,E.G. Estimation of charge and type of chemical bond of osmium in compounds by L$_{iii}$ absorption spectra, 0=20672

Barinskii.R.L. See Narbutt,K.I., 0=8343

Barish,B.C. See Devlin,T.J., 0=11206

Barit,I.Ya.,Podgoretskii,M.I. and Shapiro,F.L. Some possible applications of resonance scattering of γ-radiation, 0=9523

Barit,I.Ya. See Balashko,Yu.G., 0=13073

Barit,I.Ya. See Balashko,Yu.G., 0=2600

Barjon,R.,Lambert,M. and Schmouker,J. (p,γ) reactions on Mg^{25} and Mg^{26} isotopes, 0=9630

Barkas,W.H. The range—energy relation in nuclear emulsions, 0=195

Barkas,W.H. The production and use of beams of particles from high-energy accelerators, 0=12654

Barkas,W.H. Equipment and methods for automatic track analysis, 0=12784

Barkas,W.H. See Heckman,H.H., 0=4105

Barkas,W.H. See Heckman,H.H., 0=12772

Barker,F.C. Calculation of splitting of $3s_{1/2}$ neutron levels, 0=20342

Barker,F.C.,Bradford,E. and Tassie,L.J. The 9.63 MeV state of C^{12}, 0=20348

Barker,J.J. The efficiency of composite fins, 0=12510

Barker,J.R. Conducting analogs of a magnetic field, 0=1095

Barker,J.R. See Kovattana,T., 0=16963

Barker,R.C. and Brownell,R.M. Direct-current measurements on tape-wound cores, 0=10130

Barker,R.S.,Richardson,D.A.,McConkey,E.A.G. and Rimmer,R. Gamma irradiation of lead silica glass, 0=16074

Barkhard,E.L. See Billington,D.S., 0=20849

Barkhatov,A.N. and Shmelev,I.I. Experimental investigations into the waveguide propagation of sound in laminar-inhomogeneous media, 0=19270

Barkov,L.M.,Makarin,V.K. and Mukhin,K.N. Measurement of the slowing down of neutrons in the energy range 1.46-0.025 eV in water, 0=3973

Barkov,L.M.,Makarin,V.K. and Mukhin,K.N. Measurement of the diffusion length of thermal neutrons in ice, 0=7362

Barkov,L.M. and Mukhin,K.N. The slowing down of fission neutrons in water, 0=3972

Barkov,L.M.,Venediktov,A.P. and Mukhin,K.N. The slowing down of fission neutrons in uranium-water media, 0=3974
Barkow,A.G. See Alumkal,A., 0=17575
Barloutaud,R.,Cotton,E.,Picou,J.L. and Quidort,J. Resonant absorption without nuclear recoil of the 23.8 keV γ-ray from Sn^{119}, 0=5661
Barloutaud,R.,Grjebine,T.,Lehmann,P.,Lévêque,A.,Quidort,J. and Temmer,G.M. Coulomb excitation of Pt^{194} and Pt^{195}, 0=13145
Barloutaud,R.,Lévêque,A.,Lehmann,P. and Quidort,J. Collective levels in the even—even nuclei between the masses 182 and 206, 0=9536
Barloutaud,R.,Picou,J.L. and Tzara,C. Resonant scattering of 23.8 keV γ-rays emitted without recoil from Sn^{119}, 0=9662
Barloutaud,R. See Lehmann,P., 0=9502
Barloutaud,R. See Tombrello,T.A., 0=13228
Barloutaud,R. See Tzara,C., 0=11560
Barlow,A.J. and Lamb,J. The visco-elastic behaviour of lubricating oils under cyclic shearing stress, 0=8597
Barnard,A.C.L. See Jones,W.M., 0=20143
Barnes,B.T. Intensities of λ1850 and λ2537 in low-pressure mercury vapor lamps with rare gas present, 0=9768
Barnes,C.A. See Nordberg,M.E., 0=5692
Barnes,C.R. and Geesner,C.R. Silicon nitride thin film dielectric, 0=4376
Barnes,C.W. A new method for obtaining flow signals from the electromagnetic flow meter, 0=6768
Barnes,E. See Williams,L.S., 0=6533
Barnes,G. Physics in auto accidents, 0=6705
Barnes,G. Erroneous readings of large magnitude in Bayard—Alpert ionization gauge and their probable cause, 0=19226
Barnes,G. New type of cold cathode vacuum gauge for the measurement of pressures below 10^{-3} mm Hg, 0=12438
Barnes,R.C. See Cooke-Yarborough,E.H., 0=11328
Barnes,R.G. and Segel,S.L. Pure nuclear quadrupole resonances in paramagnetic iron-group halides, 0=687
Barnes,R.S. The formation of internal gas bubbles in solids, 0=8259
Barnes,R.S. The generation of vacancies in metals, 0=17956
Barnes,R.S. and Mazey,D.J. The spontaneous fragmentation of thorianite on heating, 0=4579
Barnes,R.S. and Redding,G.B. The behaviour of helium atoms injected into beryllium, 0=20827
Barnes,R.S. See Churchman,A.T., 0=8265
Barnes,R.S. See Silk,E.C.H., 0=19979
Barnes,S.C. Twinning in copper electrodeposits, 0=18295
Barnes,S.W.,Rose,B.,Giacomelli,G.,Ring,J.,Miyake,K. and Kinsey,K. Pion—proton scattering below 150 MeV. I, 0=3986
Barnes,S.W.,Winick,H.,Miyake,K. and Kinsey,K. Pion—proton scattering below 150 MeV. II, 0=3987
Barnett,M.P. See Wait,S.C.,Jr, 0=5905
Baron,P. Apparatus for the integration of acoustic intensity. Application to the measurement of noise from machines, 0=14767
Barone,A.,Pisent,G. and Sette,D. Ultrasonic velocity in supercooled liquids, 0=6789
Baroni,G.,Bellettini,G.,Castagnoli,C.,Ferro-Luzzi,M. and Manfredini,A. Proton and antiproton diffraction scattering on complex nuclei, 0=12924
Baroni,G.,Castagnoli,C.,Manfredini,A. and Rossi,V. Inelastic scattering of antiprotons between 30 and 250 MeV, 0=15357
Baroni,G. See Amaldi,E., 0=5561
Baroody,E.M. Theory of displacement cascades in compounds, 9=2820
Barr,E.S. Historical survey of the early development of the infrared spectral region, 0=154
Barr,E.S. Anniversaries in 1960 of interest to physicists, 0=6640
Barr,L.W. See Inman,M.C., 0=17971
Barr,L.W. and Morrison,J.A. Formation of cavities on dislocations in crystals of NaCl and KCl, 0=11622
Barr,W. See Meleka,A.H., 0=19712
Barragán,A. and Solt,J. Tables of energy versus magnetic field strength for He^3, 0=7176
Barrat,J.P. Magnetic resonance line width of the 6 $^3P_1$ state or mercury and multiple scattering of 2537 A photons, 0=17659
Barrat,J.P. Study of the multiple coherent scattering of light from optical resonance. Application to the 6 $^3P_1$ level of mercury. II. Theoretical study, 0=20548
Barrat,J.P. Study of the multiple coherent scattering of the light from optical resonance. Application to the mercury 6 $^3P_1$ transition. III. Experimental results, 0=20549
Barrat,J.P. See Cagnac,B., 0-1472
Barrat,M. and Pebay-Peyroula,J.C. Magnetic resonance of atomic levels of cadmium excited by electron bombardment, 0=17663
Barraud,A. See Nguyen,Van Dong, 0=4338
Barraud,A. See van Dong,N., 0=6110
Barreau,P. See Bellicard,J.B., 0=17613
Barrer,R.M. and Stuart,W.I. Ion exchange and the thermodynamics of intracrystalline sorption. I. Energetics of occlusion of argon and nitrogen by faujasite-type crystals, 0=8333
Barrer,R.M. and Stuart,W.I. Ion exchange and the thermodynamics of intracrystalline sorption, II. Entropy of occlusion of argon and nitrogen by faujasite-type crystals, 0=8334
Barrer,R.M. and Wasilewski,S. Apparatus for measurement of sorption of reactive condensable vapours up to 350°C, 0=18451
Barrer,R.M. See Ash,R., 0=20848
Barrett,A.H. Microwave absorption and emission in the atmosphere of Venus, 0=16535
Barrett,C.S. Bismuth at low temperature, 0=18379
Barrett,C.S.,Graham,C.D,Jr and Lommel,J.M. Discussion of "orientation of recrystallized grains in strained aluminium single crystals", 0=21156
Barrett,J. and Mansell,A.L. Ultraviolet absorption spectra of the molecules H_2O, HDO and D_2O, 0=15736
Barrington,A.E. See Ryder-Smith,S.C., 0=8980
Barriol,J. and Weisbecker,A. Contribution to J.Duclaux's theory of a real gas, 0=19196
Barron,D.W. The "waveguide mode" theory of radio wave propagation when the ionosphere is not sharply bounded, 0=19949
Barron,D.W. and Budden,K.G. The numerical solution of differential equations governing the reflexion of long radio waves from the ionosphere. III, 0=7233
Barron,D.W. See Rishbeth,H., 0=16453
Barron,T.H.K.,Berg,W.T. and Morrison,J.A. On the heat capacity of crystalline magnesium oxide, 0=7849
Barron,T.H.K. and Fischer,G. Brillouin zones and crystal structure factors, 0=20717
Barron,T.H.K. and MacDonald,D.K.C. Problems of currents in magnetic fields, 0=9935
Barron,T.H.K. and Morrison,J.A. Properties of alkali halide crystals at low temperatures, 0=1556
Barron,T.H.K. and Morrison,J.A. The thermal properties of alkali halide crystals. III. The inversion of the heat capacity, 0=20745
Barros,F.de S. See Forsyth,P.D., 0=5754
Barros,F.de S. See Taylor,I.J., 0=11422
Barrow,G.M. See Bell,C.L., 0=2739
Barrow,R.F. The heat of sublimation and energy of dissociation of thallous chloride, 0=19511
Barrow,R.F.,Travis,N. and Wright,C.V. Excited electronic states of lithium and sodium molecules, 0=17765
Barrow,R.F. See Johns,J.W.C., 0=9818
Barrow,R.F. See Morgan,E., 0=7754
Barry,J.F.,Coleman,R.F.,Hawker,B.E. and Perkin,J.L. Cross sections for some (n,pn) reactions with heavy nuclides, 0=1446
Barry,J.F.,O'Connor,L.P. and Perkin,J.L. The radiative capture cross-section of ^{232}Th for neutrons in the energy range 300 to 1200 keV, 0=5800
Barry,T.I. and Stone,F.S. The reactions of oxygen at dark and irradiated zinc oxide surfaces, 0=8303
Barschall,H.H. See Johnsrud,A.E., 0=2680
Barsh,M.K. See Chaiken,R.F., 0=3309
Barshay,S. Low-type integral equations for the absorption and production of K mesons, 0=3999
Barshay,S. Interaction between a pair of K^+ mesons, 0=17415
Barshay,S. Possible method for determining the parity of the cascade hyperon, 0=17423
Barshay,S. and Schwartz,M. Theory of Σ-hyperon decays, 0=15442
Barson,F.,Dyett,M.J.,Karan,C. and Mutter,W.E. A controlled diffusion process for indium in n-type germanium, 0=15933

Barsukov,K.A. The Doppler effect in an anisotropic and gyrotropic medium, 0=9190

Barsukov,K.A. Transition radiation in waveguides, 0=11019

Barsukov,K.A. and Kolomenskii,A.A. Doppler effect in an electron plasma in a magnetic field, 0=9052

Barsukov,Yu.K. Investigation of the p—n junction for high current densities, 0=6102

Bartell,L.S. Electron diffraction study of monomethyl- and dimethylphosphine, 0=5991

Bartell,L.S. On the effect of intramolecular van der Waals forces, 0=5997

Bartell,L.S. Effect of specimen delocalization in electron diffraction studies of gas molecules, 0=5990

Bartell,L.S. and Bonham,R.A. Structure of isobutylene, 0=5989

Bartell,L.S. and Brockway,L.O. Electron diffraction study of the structure of trimethylphosphine, 0=4241

Bartell,L.S.,Kuchitsu,K. and DeNeui,R.J. Equilibrium bond lengths in methane and deuteromethane as determined by electron diffraction and spectroscopic methods, 0=20693

Bartell,L.S. See Bonham,R.A., 0=15778

Bartenev,G.M. and Razumovskaya,I.V. Theoretical strength and critical rupture stress of solids, 0=16233

Barth,C.A. and Kaplan,J. The ultraviolet spectrum of the oxygen afterglow and the night airglow, 0=5954

Barth,C.A. and Suess,H.E. The formation of molecular hydrogen through photolysis of water vapor in the presence of oxygen, 0=3319

Barth,H. Analysis of real structure of single crystals, 0=4628

Barth,H. See Brill,R., 0=12020

Barthère,J.,Dugas,J. and Durandeau,P. Spherical aberration coefficient of asymmetrical magnetic electron lenses, 0=12639

Barthere,J. See Durandeau,P., 0=19745

Barthle,R.C. See Eshleman,V.R., 0=4871

Bartholomew,G.A. Internal pair angular correlation spectrometer for determination of γ-ray multi-polarities, 0=15319

Bartholomew,C.Y. and La Padula,A.R. Penetration depth investigation of gas cleanup with radioactive tracers, 0=9003

Bartholomew,G.A.,Campion,P.J. and Robinson,K. A study of methods for obtaining high resolution with a pair spectrometer, 0=2632

Bartholomew,R.M. See Baerg,A.P., 0=1451

Bartke,J.,Ciok,P.,Gierula,J.,Holyński,R.,Miesowicz,M. and Saniewska,T. The angular distribution of secondary particles in high energy nuclear collisions with heavy nuclei of photographic emulsion, 0=13082

Bartky,I.R. and Giauque,W.F. The low temperature heat capacity and entropy of thallous chloride, 0=1066

Bartleson,C.J. Memory colors of familiar objects, 0=184

Bartlett,J.T. and Mitchell,J.W. The generation of dislocation loops at the surfaces of crystals of silver bromide, 0=20807

Bartlett,J.T. and Mitchell,J.W. Dislocations with Burgers vectors of a ⟨100⟩ in crystals of silver bromide, 0=20816

Bartley,S.H. and Nelson,T.M. Equivalence of various pulse-to-cycle fractions in producing critical flicker frequency, 0=3383

Bartnovskii,O.A. See Gabovich,M.D., 0=14985

Barton,G. Lee model with single boson oscillator, 0=20040

Barton,G.,Brink,D.M. and Delves,L.M. Quadrupole enhancement in O^{17} and F^{17}, 0=4021

Barton,G.W.,Jr,Tolman,L.F. and Roulette,R.E. Fast magnetic field sweep, 0=19867

Barton,J.C. Simple core scaling circuits, 0=20000

Barton,J.W. See Yurko,G.A., 0=4648

Barton,L.A. See Bube,R.H., 0=2908

Barton,R. The obtaining of a beam of monoenergetic protons using a [2 MeV] Van de Graaff [accelerator] and the study of the resonance capture of 1-2 MeV protons by Mg^{25} and Mg^{26}, 0=1175

Bartošek,V. The cooling of a hot wire in subsonic flow, 0=3666

Bartram,R. and Spruch,L. Bounds on the elements of the equivalent network for scattering in waveguides. II. Application to dielectric obstacles. 0=9214

Bartram,R. See Spruch,L., 0=9213

Bartschat,A. See Gobrecht,H., 0=642

Bartschat,A. See Gobrecht,H., 0=1715

Bartz,G. Depth of focus of the electron-optical image [formed] by electrostatic immersion objectives, 0=19748

Barua,A.K. Force parameters for some nonpolar molecules on the exp 6—8 model, 0=1515

Barua,A.K. See Srivastava,B.N., 0=3562

Barua,A.K. See Srivastava,K.P., 0=14691

Baruch,P. See Amsel,G., 0=7247

Baruch-Weill,M. Contribution to the study of some properties of vitreous silica in contact with aqueous solutions: behaviour of suspensions, electrokinetic mobilities, 0=4744

Barut,A.O. and Samiullah,M. The Kemmer β-formalism for particles of spin one-half, 0=20050

Bar'yakhtar,V.G. Theory of magnetic-moment relaxation in ferromagnetic dielectrics, 0=8062

Bar'yakhtar,V.G. and Urushadze,G.I. Theory of relaxation processes in ferromagnetic dielectrics with a weak magnetic anisotropy at low temperatures, 0=11878

Bar'yakhtar,V.G. See Akhiezer,A.I., 0=4497

Bas,E.B. Physical principles of electron microscopical imaging methods, 0=15077

Bas,E.B. and Gaydou,F. A tele-focus electron gun and its applications, 0=2393

Bas,E.B.,Preuss,L. and Schneider,W. On the relativistic electron optics of an electrostatic acclerator, 0=15091

Basak,B.S. and Basak,M.G. Crystal structure of 1.2-cyclopentenophenanthrene, 0=16332

Basak,M.G. See Basak,B.S., 0=16332

Bashandy,E.,Gerholm,T.R. and Lindskog,J. A delayed coincidence measurement of the 2.9 × 10^{-10} sec-half-life of the 279 keV first excited state in thallium 203, 0=15539

Bashandy,E. and Lindskog,J. A measurement of the lifetime of the first excited state in Tl^{200}, 0=7478

Bashandy,E. See Bäckström,G., 0=5712

Bashandy,E. See Lindskog,J., 0=11387

Bashilov,A.A. See Anton'eva,N.M., 0=7530

Bashilov,A.A. Antonieva,N.M., 0=4060

Bashirov,R.I. See Amirkhanova,D.Kh., 0=15821

Bashkin,S.,Kavanagh,R.W. and Parker,P.D. Search for Li^4, 0=2660

Bashkirov,N.M. A generalization of Fedorov's stereohedra method, 0=16250

Bashkirov,Sh.Sh. See Valiev,K.A., 0=2436

Bashmakov,V.I. See Kosevich,V.M., 0=13936

Bashmakov,V.I. See Kosevich,V.M., 0=18272

Bashshaliev,A.A. The effect of halogens on thermal conductivity of selenium, 0=546

Basile,L.J. and Weinreb,A. Transfer of excitation energy in solid solutions of anthracene—polystyrene and 9,10-diphenylanthracene—polystyrene, 0=20998

Basilevskaya,G.A. See Abrosimov,A.T., 0=11244

Basinski,Z.S. The deformation of face-centred cubic metals at low temperatures, 0=1851

Basinski,Z.S. Thermally activated glide in face-centred cubic metals and its application to the theory of strain hardening, 0=21114

Basinski,Z.S.,Dugdale,J.S. and Gugan,D. The strain dependence of the residual resistivity of potassium, 0=20870

Basinski,Z.S. and Verdini,L. The change of volume produced by martensitic transformation in lithium and sodium, 0=21188

Basler,R.P.,DeWitt,R.N. and Reid,G.C. Radiation information from $1958\delta_2$, 0=14477

Basov,N.G. and Oraevskii,A.N. The absolute stability of a molecular oscillator using a beam of ammonia molecules, 0=1201

Basov,N.G. and Osipov,B.D. Emission line of transition $F = 5/2 \rightarrow 3/2$, $J = 1$, $K = 1$ in the rotational spectrum of CH_3I^{127} molecule, 0=491

Basov,N.G. and Oraevskii,A.N. Use of slow molecules in a maser, 0=11040

Basov,N.G,Vul,B.M. and Popov,Yu.M. Quantum-mechanical semiconductor generators and amplifiers of electromagnetic oscillations, 0=11046

Bass,A.M. and Kessler,K.G. Large-aperture grating spectrograph utilizing commercial camera components, 0=159

Bass,F.G. and Kaganov,M.I. Raman scattering of electromagnetic waves in ferromagnetic dielectrics [ferrites], 0=9210

Bass,F.G. See Kaner,E.A., 0=299

Bass,L. On the stochastic equation for the energy loss of fast electrons in matter, 0=2529

Bass,R. A theoretical analysis of the mechanical relaxation of single-crystalline ice, 0=10265

Bass,R. See Andreae,J.H., 0=16790

Bassali,W.A. Stresses due to a free circular hole in an infinite thin isotropic plate under certain normal loadings, 0=6708

Bassali,W.A. Torsion of beams whose sections are bounded by certain quartic curves, 0=12390

Bassali,W.A. The transverse flexure of a thin circular plate subject to parabolic loading over a concentric ellipse, 0=19024
Bassali,W.A. and Gorgui,M.A. Flexural problems of circular ring plates and sectorial plates. I, 0=6712
Bassel,R.H. and Gerjuoy,E. Distorted wave method for electron capture from atomic hydrogen, 0=5869
Bassett,D.C.,Frank,F.C. and Keller,A. Evidence for distinct sectors in polymer single crystals, 0=4667
Bassett,D.W. and Robertson,A.J.B. Torsion balance measurements with molecular beams, 0=7824
Bassett,G.A. The plasticity of alkali halide crystals, 0=21127
Bassett,G.A. and Edeleanu,C. Etching of strained aluminium, 0=21173
Bassett,G.A. and Pashley,D.W. The growth, structure, and mechanical properties of evaporated metal films, 0=21246
Bassett,I.M. Towards a method for the accurate solution of the Schrödinger wave equation in many variables. I. Formulation of the method for an eigen value problem without symmetry conditions, 0=4940
Bassett,I.M. Towards a method for the accurate solution of the Schrödinger wave equation in many variables. II. A simple numerical illustration, 0=4941
Bassett,I.M. Towards a method for the accurate solution of the Schrödinger wave equation in many variables. III. Application of the general method to the wave equation without spatial symmetry, 0=4942
Bassi,G. and Hugo,J.P. Etch pits in zinc, 0=556
Bassi,I.W. See Natta,G., 0=4670
Bassi,I.W. See Natta,G., 0=4671
Bassi,I.W. See Natta,G., 0=4672
Bassompierre,A. Electronic paramagnetic relaxation at liquid helium temperatures, 0=6255
Bassompierre,G. See Gorodetzky,S., 0=11321
Bassompierre,G. See Gorodetzky,S., 0=11322
Bassompierre,G. See Gorodetzky,S., 0=17597
Bastard,C.,Lafoucrière,J. and Margrita,R. Study of the characteristics of a beta spectrograph using a magnetic field with rH constant, 0=19756
Bastide,R.P. See Rose,P.H., 0=19830
Bastien,P. See Armbruster,J.C., 0=10632
Bastin,J.A. An extension of the Newtonian law of gravitation, 0=16569
Bastin,J.A.,Mitchell,E.W.J. and Whitehouse,J. Use of an integrating sphere to distinguish between absorption and scattering in solids, 0=5134
Bastin-Scoffier,G. and Walen,R.J. Improvement of the background in spectrography and propagation of sources, 0=9551
Bastin-Scoffier,G. See Walen,R.J., 0=11340
Bastin-Scoffier,G. See Walen,R.J., 0=20377
Basu,A. Determination of Bp, Bn in the region: Z = 49 to Z = 54, 0=17477
Basu,N. and Sinha,M.S. New evidence for a particle of mass $\sim$525 me, 0=5574
Basu,N. and Sinha,M.S. Anomalous scattering of low energy mu-mesons in copper, 0=7399
Basu,S. Ionization in seeded detonation waves, 0=12103
Basu,S. See Chakravorty,A., 0=20980
Basu,S. See Chowdhury,M., 0=11545
Bat,G.A. and Kudrin,L.P. Angular and energy distribution of fission neutrons, 0=7640
Bat',G.A. and Zaretskii,D.F. Effective boundary conditions in the theory of neutron diffusion (a review), 0=9368
Bata,L. See Pál,L., 0=5825
Batanov,G.M. and Petrov,N.N. On the expulsion of electrons from glass by ions of helium and argon, 0=10939
Batchelor,R.,Ferguson,A.J.,Gove,H.E. and Litherland,A.E. Gamma rays from the 4.24 MeV state in Mg^{24}, 0=11383
Batchelor,R. See Bromley,D.A., 0=1398
Batdorf,R.L.,Chynoweth,A.G.,Dacey,G.C. and Foy,P.W. Uniform silicon p—n junctions. I. Broad area breakdown, 0=11703
Batdorf,R.L.,Dacey,G.C.,Wallace,R.L. and Walsh,D.J. Esaki diode in InSb, 0=11714
Bate,D.G. and Saxe,R.F. Production of a pulsed magnetic field using an electrolytic capacitor bank, 0=17065
Bate,G. and Taylor,K.N.R. Production and properties of thin layers of indium antimonide, 0=9975
Bate,R.T. and Willardson,R.K. Hall coefficient and magnetoresistance in semiconducting diamond, 0=6116
Bateman,R.,Finney,J.W.,Smith,E.K.,Tveten,L.H. and Watts,J.M. IGY observations of F-layer scatter in the Far East, 0=9222
Bateman,S.K. See Holland,L., 0=14087
Batenin,I.V.,Il'ina,V.A.,Kritskaya,V.K. and Sharov,B.V. The problem of the influence of neutron irradiation on the fine crystal structure of metals and alloys, 0=1917
Bates,D.R. Electron capture in fast collisions, 0=475
Bates,D.R. Some problems concerning the terrestrial atmosphere above about the 100 km level, 0=10403
Bates,D.R. Discussion of a paper by F.D.Stacey, "The possible occurrence of negative nitrogen ions in the atmosphere", 0=16422
Bates,D.R. Further discussion of paper by F.D.Stacey, "The possible occurrence of negative nitrogen ions in the atmosphere", 0=16424
Bates,D.R. Collisions involving the crossing of potential energy curves, 0=20577
Bates,D.R. and Lynn,N. Electron capture of the accidental resonance type, 0=8997
Bates,D.R. and McDowell,M.R.C. Recombination in the ionosphere during an eclipse, 0=775
Bates,D.R. and McDowell,M.R.C. Atmospheric helium, 0=782
Bates,D.R. and McDowell,M.R.C. Escape of helium, 0=18503
Bates,D.R. and Nicolet,M. Ion—atom interchange, 0=14200
Bates,H.F. The height of F-layer irregularities in the arctic ionosphere, 0=10422
Bates,H.F. Direct h.f. backscatter from the F region, 0=15173
Bates,H.F. Correction to the paper, "The height of F-layer irregularities in the Arctic ionosphere", 0=16445
Bates,L.F. and Carey,R. Domain tube structures in silicon iron, 0=16135
Bates,L.F. and Clow,H. The thermomagnetic behaviour of pure nickel ferrite, 0=6229
Bates,L.F. and Clow,H. The analysis of thermomagnetic measurements in weak fields, 0=13787
Bates,L.F.,Craik.D.J.,Griffiths,P.M. and Isaac,E.D. The domain structure of magnetoplumbite, 0=10151
Bates,L.F. and Davis,P.F. Direct measurement of domain wall energy, 0=4488
Bates,L.F. and Sansom,D.J. Magnetothermal effects in iron and silicon-iron, 0=4487
Bates,R.H.T. Random errors in aperture distributions, 0=5418
Bates,T. and Douglas R.W. The absorption bands of Cr^{3+} ions in solutions, crystals and glasses, 0=10041
Batrak,E.N. A model for the colour and luminescence centres in quartz, 0=18135
Batrak,E.N. Thermal emission and decolorization in X-irradiated quartz, 0=18154
Batschelet,E. and Grün,F. Numerical calculation of the diffusion evaporation with a convection term, 0=19108
Batson,A.P.,Culwick,B.B.,Hill,J.G. and Riddiford,L. Proton—proton interactions at 970 MeV, 0=1279
Batson,A.P.,Culwick,B.B.,Klepp,H.B. and Riddiford,L. Proton—deuteron interactions at 970 MeV, 0=9356
Batsonov,S.S. Relationship between refractivity and ionization potentials of atoms, 0=2321
Battaglia,A.,Gozzini,A. and Polacco,E. On some phenomena related to the saturation of rotational resonances in the microwave spectrum of OCS, 0=5918
Battino,R. See Wood,S.E., 0=10668
Batty,C.J. The loading of nuclear emulsions with water, 0=17168
Baturicheva,Z.B. See Startsev,V.I., 0=13712
Batusov,Yu.A.,Bogachev.N.P.,Bunyatov,S.A.,Sidorov,V.M. and Yarba,V.A. Production of charged meson by 290 MeV π^--mesons on hydrogen, 0=20214
Batusov,Yu.A.,Bogachev,N.P.,Sidorov,V.M. and Chulli,I. Meson production by 280 MeVπ^+-mesons on photo-emulsion nuclei, 0=2586
Batusov,Yu.A.,Bunyatov,S.A.,Sidorov,V.M. and Yarba,V.A. $\pi-\pi$ charge exchange cross section from analysis of $\pi^- + p \rightarrow \pi^- + \pi^+ + n$ at 290 MeV, 0=20192
Batygin,V.V. and Toptȳgin,I.N. Inelastic collisions between fast polarized particles and atoms, 0=9751
Bauch,H. The special position of periodic short pulses in the sensitivity to loudness, 0=18536
Baudin,G. and Hénon,G. Mutual influences in the spectrography of solutions of Fe, Ni, Cr and Ti, taken two at a time, 0=8339

Baudin,G. and Vo-Dinh,M. Mutual spectroscopic influences in solutions of the elements Fe, Ni, Cr, Ti taken three by three, 0=10378
Baudinet-Robinet,Y. See Morand,M., 0=7581
Bauer,A. Temperature measurements on a luminous arc discharge by means of radiation measurements, 0=19520
Bauer,A. and Schulz,P. Constricted high pressure xenon discharges at high current densities, 0=1107
Bauer,C.L. and Gordon,R.B. Dislocation damping effects in rock salt, 0=11973
Bauer,E. and Salkoff,M. Three-body recombination of oxygen atoms, 0=20679
Bauer,G. Measurement of absorption, transmission and scattering. I. General, 0=163
Bauer,G. Characteristic factors for diffuse reflection, 0=19362
Bauer,G.T. A new measuring system for quantum efficiency measurements of luminescent substances, 0=19393
Bauer,H.H. and Elving,P.J. The faradaic admittance of electrochemical processes. I. Apparatus suitable for phase angle measurement, 0=14119
Bauer,H.H.,Smith,D.L. and Elving,P.J. The faradaic admittance of electrochemical processes. II. Experimental test of the theoretical equations, 0=14120
Bauer,H.J.,Kneser,H.O. and Sittig,E. The propagation of sound waves in partially dissociated N_2O_4 and N_2O_3, 0=20598
Bauer,R. and Rozwadowski,M. A new type of fluorometer-measurements of decay periods of fluorescence of acridine yellow solutions as a function of concentration, 0=3538
Bauer,R.W. and Deutsch,M. Nuclear orientation of Mn^{56}, 0=4076
Bauer,R.W. and Deutsch,M. Nuclear polarization of Co^{55}, 0=11307
Bauer,R.W.,Deutsch,M.,Mutchler,G.S. and Simons,D.G. Nuclear orientation of Mn^{54} and Mn^{52m}, 0=20326
Bauer,S.H.,Ino,T. and Porter,R.F. Molecular structure of lithium chloride dimer. Thermodynamic functions of Li_nX_n(X = Cl, Br, I), 0=17854
Bauer,S.H. See LaVilla,R.E., 0=15775
Bauer,S.J. Inferred temperature variations at the F_2 peak, 0=14255
Bauer,S.J. and Daniels,F.B. Measurements of ionospheric electron content by the lunar radio technique, 0=10415
Bauer,S.J. See Daniels,F.B., 0=16773
Bäuerlein,R. Measurement of the energy of formation of a lattice defect by electron irradiation in some A^{III} B^{V} compounds, 0=4290
Baughan,E.C. The repulsion energies in ionic compounds. II. Lattice energies of some metallic nitrides, 0=13483
Baum,A.I. Observation of dislocations in tellurium, 0=17928
Baum,L.H. See Flournoy,J.M., 0=19522
Baum,L.H. See Siegel,S., 0=7796
Bauman,R.P. See Mandel,G., 0=13698
Baumann,F. Photoeffect in thin metal films, 0=9074
Baumann,K. and Höld,A. On the renormalization of beta coupling, 0=20031
Baumeister,P.W.,Jenkins,F.A. and Jeppesen,M.A. Characteristics of the phase-dispersion interference filter, 0=175
Baumgartner,E.,Brown,L.,Huber,P.,Rudin,H. and Striebel,H.R. Source of polarized deuterons and the verification of alignment with the T(d,n)He^4 reaction, 0=17431
Baumgartner,W.V. X-ray spectrometry extends film-badge dosimetry, 0=19977
Bauminger,R., See Ofer,S., 0=17920
Baur,W.H. The crystal structure of pure [Edel-] amblygonites $LiAlPO_4(OH,F)$, 0=4649
Baus,R.A. See Lockhart,L.B.,Jr, 0=14322
Bausch,W. and Schubert,R. Low reflection sound measuring rooms, 0=5104
Bauwens,J.C. and Homès,G.A. The appearance of surface cracks in polyvinyl chloride under tension, 0=10273
Bauwens,J.C.,Homès,G.A. and Pankowski-Fern,R. On the propagation of deformation bands in homogeneous isotropic material, 0=6300
Baxter,W.M. Sunspots and the "Wilson effect", 0=8499
Bay,Z. and Seliger,H.H. Collection of ions produced by alpha particles in air, 0=19612
Bayer-Helms,F. Hyperfine structure of $_{36}Kr^{83}$, 0=1483
Bayes,K.D. and Kistiakowsky,G.B. On the mechanism of the Lewis—Rayleigh nitrogen afterglow, 0=7758
Bayet,M. Extension of the concept of effective cross-section, 0=10604
Bayet,M. Nuclear physics. [Physique nucléaire], 0=19956
Bayley,F.J. See Cox,M., 0=6825
Bayley,H.G. Gelatin as a photoelastic material, 0=907
Baym,G. Inconsistency of cubic boson—boson interactions, 0=5482
Bayman,B.F. A derivation of the pairing-correlation method, 0=5492
Bayman,B.F.,Reiner,A.S. and Sheline,R.K. Levels in Zr^{90}: theoretical, 0=1364
Bayman,B.F. and Silverberg,L. On the coupling of A $j = \frac{3}{2}$ particle to nuclear quadrupole surface oscillations, 0=11287
Baynham,A.C.,Gibson,A.F. and Granville,J.W. On the dielectric constant of germanium at microwave frequencies, 0=7976
Baynton,P.L. See Elyard,C.A., 0=21216
Bayukov,Yu.D. and Leksin,G.A. Possibility of obtaining information on the $\pi-\pi$ interaction from nuclear reactions, 0=15399
Baz,A.I. Threshold effects in nuclear reactions, 0=7542
Baz'A.I. Resonance effects in the scattering of particles near a reaction threshold, 0=11393
Baz,A.I. Threshold effects in high energy reactions, 0=20041
Bazan,C. Statical charges of deformed polymer, 0=16008
Bażański,S. Lagrange function for the motion of charged particles in general relativity theory. II, 0=4936
Bażański,S. See Plebański,J., 0=6662
Bazer,J. See Ericson,W.B., 0=15133
Bazhanov,E.B. Spectrum of photo-protons produced by gamma rays in the narrow 82-89 MeV energy range, 0=9657
Bazhanov,E.B. Yield curves of photoprotons from the nucleus C^{12}, 0=11434
Bazhenov,N.M.,Bykov,M.I.,Volkova,L.A. and Vol'kenshtein,M.V. Photoelastic effect in polymethyl methacrylate, polybutyl methacrylate and polyvinyl acetate, 0=5187
Bazhenov,N.M. See Bolotina,I.A., 0=8258
Bazhenova,T.V. See Salamandra,G.D., 0=14108
Bazhulin,P.A. and Lazarev,Yu.A. Investigation of the Raman spectra in gases at low pressures using a photoelectric method, 0=17746
Bazhulin,P.A. and Smirnov,V.N. Studies of the temperature dependence of the infrared absorption band intensities in liquids, 0=3534
Bazhulin,P.A. See Smirnov,V.N., 0=3568
Bazilevskaya,G.A. See Abrosimov,A.T., 0=7433
Bazilevskaya,O.A. See Artsimovich,L.A., 0=5320
Bazley,N.W. Lower bounds for eigenvalues with application to the helium atom, 0=17654
Bazzard,G.H. Short-term differences in the behaviour of two daily indices of solar activity during the I.G.Y. 0=18646
Bazzard,G.H. See Minnis,C.M., 0=6452
Bazzard,G.H. See Minnis,C.M., 0=14230
Bazzard,G.H. See Minnis,C.M., 0=16454
Bazzard,G.H. See Minnis,C.M., 0=18500
Bazzard,G.H. See Minnis,C.N., 0=21357
Beach,L.A.,Shapiro,P.,O'Rourke,R.C.,Faust,W.R. and Lepson,B. Solutions of the constant velocity transport problem, 0=12960
Beacom,S.E. and Riley,B.J. Tracer follows leveler in electroplating bath, 0=14125
Beadle,R. See Kelliher,M.G., 0=19824
Beaglehole,D. Polarization of electrons in beta decay of thallium-204, 0=5704
Beale,G.E.,Jr and Broida,H.P. Spectral study of a visible, short-duration afterglow in nitrogen, 0=1522
Beam,J.E. and Davis,H.L. Energy levels of a slightly asymmetric top, 0=20603
Beament,J.W.L. and Machin,K.E. Thermostat suitable for controlling air temperature, particularly in biological research, 0=5221
Beams,J.W. Molecular pumping, 0=2187
Bean,B.R. and Horn,J.D. Radio-refractive-index climate near the ground, 0=3357
Bean,B.R.,Horn,J.D. and Riggs,L.P. Refraction of radio waves at low angles within various air masses, 0=15155
Bean,B.R.,Riggs,L.P. and Horn,J.D. Synoptic study of the vertical distribution of the radio refractive index, 0=4821
Bean,B.R. and Thayer,G.D. C.R.P.L. Exponential Reference Atmosphere, 0=21322

Bean,C.P.,DeBlois,R.W. and Nesbitt,L.B. Eddy-current method for measuring the resistivity of metals, 0=1088
Bean,C.P. and Jacobs,I.S. Magnetization of a dilute suspension of a multidomain ferromagnetic, 0=11843
Bean,C.P.,Livingston,J.D. and Rodbell,D.S. The anisotropy of very small cobalt particles, 0=13809
Bean,C.P. and Livingston,J.D. Superparamagnetism, 0=4470
Bean,C.P. See DeBlois,R.W., 0=3031
Bean,C.P. See Livingston,J.D., 0=2999
Beard,D.B. High nuclear excitation as a nuclear force probe, 0=406
Beard,D.B. Absence of craters on the far side of the moon, 0=10489
Beard,D.B. Relativistic calculation for cyclotron radiation from hot plasmas, 0=10918
Beard,D.B. Interaction of the solar plasma with the earth's magnetic field, 0=18468
Beard,D.B. and Johnson,F.S. Charge and magnetic field interaction with satellites, 0=10538
Beard,G.B. and Kelly,W.H. Search for the natural alpha activity of tungsten, 0=11347
Beard,G.B. See Kelly,W.H., 0=20410
Bearden,A.J. Lead K absorption edge for μ-meson mass determination, 0=11559
Bearden,A.J. See Lathrop,J., 0=20173
Bearden,J.A. and Thomsen,J.S. Résumé of atomic constants, 0=311
Beardsley,L.P. See Blakemore,J.S., 0=6143
Bearman,R.J. Statistical mechanical theory of the diffusion coefficients in binary liquid solutions, 0=10653
Bearman,R.J. and Jones,P.F. Statistical mechanical theory of the viscosity coefficients of binary liquid solutions, 0=19092
Beasley,J.K. See Billmeyer,F.W.,Jr, 0=183
Beattie,A.R. and Landsberg,P.T. Auger effect in semiconductors, 0=2869
Beattie,J.R. and Coen,E. The spectral emission of radiation by glass, 0=6988
Beattie,W.H. See Meehan,E.J., 0=14092
Beatty,K.O. See Richardson,F.M., 0=928
Beaufays,O. Low-frequency eddy-current losses in a cylindrical rod, 0=9183
Beaufays,O. Algebraic determination of a spinor by a pseudovector, 0=9275
Beaufays,O. On the loss due to eddy currents in a cylindrical core, in the quasi-stationary state, 0=17070
Beaumont,D.W. See Scatchard,G., 0=19506
Beaumont,R.H.,Chihara,H. and Morrison,J.A. An anomaly in the heat capacity of chromium at 38.5°, 0=17893
Beauregard,O.Costa de. See Costa de Beauregard,O.
Beauregard,R.L. See Amster,A.B., 0=3583
Beaver,R.J. See Thurber,W.C., 0=9722
Beavers,J.L.II. See Allen,L.Jr, 0=10429
Bebel,D. The range—energy relation in Agfa K2 nuclear emulsion, 0=5460
Bebel,D. See Bozoki,G., 0=2603
Becherer,G.,Brümmer,O. and Poser,H. Magnetic and X-ray investigations on thin iron layers, 0=1798
Becherer,R. A simple nuclear magnetic resonance spectrometer, 0=7235
Bechmann,R. An alternative transformation for the elastic and piezoelectric constants of anisotropic media, 0=6290
Beck,F. Treatment of the ground state of light nuclei, 0=399
Beck,G. and Nussenzveig,H.M. On the physical interpretation of complex poles of the S-matrix. I, 0=14520
Beck,H.V. The selection and design of experiments for alternating current teaching, 0=2294
Beck,P.A. See Cheng,C.H., 0=17896
Beck,P.A. See Rajan,N.S., 0=7910
Becken,J. and Maehlum,B. Drift measurements at Kjeller on the ionospheric F region, 0=14237
Becker,E.D. The effect of molecular interactions on n.m.r. reference compounds, 0=15763
Becker,E. A simple generalization of the Rayleigh boundary layer, 0=19060
Becker,E.D. and Bradley,R.B. Effects of "ring currents" on the N.M.R. spectra of porphyrins, 0=4222
Becker,E.W.,Klingelhöfer,R. and Lohse,P. On the possibility of directed injection of deuterium and tritium in a nuclear fusion experiment, 0=20709
Becker,F. Theoretical treatment of the influence of steric effects on the reactivity of aliphatic compounds. I, 0=1954
Becker,G. See Scheibe,A., 0=2092
Becker,G.W. Dynamic-elastic behaviour of foamed plastics, 0=18247
Becker,H. Equipment for "watching" propagating stress waves, 0=2143
Becker,H. See Guttmann,W., 0=10766
Becker,J.H. Several new methods to measure the thermal diffusivity of semiconductors, 0=11669
Becker,J.J. Domain boundary configurations during magnetization reversals, 0=3029
Becker,K.,Klein,E. and Zeitler,E. A wavelength-independent recording dosimeter film, 0=19978
Becker,L.C. See McIntyre,J.A., 0=7579
Becker,R.A. and Fowler,W.A. Abundances of the rare-earth nuclei produced by rapid neutron capture in supernovae, 0=844
Becker,R.L. Angular distributions of $B^{10}(d,\alpha)Be^8$ reactions from 0.6 to 1.5 MeV, 0=13240
Becker,R.L. and Rose,M.E. Polarization of conversion electrons following beta decay, 0=423
Becker,R.S. See Allison,J.B., 0=10064
Becker,U. A secondary [sun] spot zone, 0=10
Becker,U. Observation of surges, filaments and chromospheric structure in integrated light, 0=2083
Becker,W. New methods and some results concerning true ionospheric height calculations, 0=14210
Beckerman,M. and Behrndt,K.H. The influence of edge effects on domain structure and coercive force of circular nickel—iron films, 0=11863
Beckers,J.M. The spectrum of the zodiacal light, 0=3414
Beckman,O. Photographic bent crystal gamma spectrometer, 0=17282
Beckman,O.,Axelsson,B. and Bergvall,P. Effect of spectrometer window on the K absorption edge of Au, 0=9760
Beckmann,L.,Funck,E. and Mecke,R. Energy-limited resolution of spectrometers for the middle and far infrared, 0=2241
Beckmann,P. The probability distribution of the velocities of gas molecules after collision with a rapidly moving rigid body, 0=3557
Beckurts,K.H. Measurements with a pulsed neutron source, 0=12951
Beckwith,D.A. and Newell,G.F. Theory of oscillation type viscometers: the oscillating cup. II, 0=16668
Bederson,B.,Eisinger,J.,Rubin,K. and Salop,A. Atomic beam E—H gradient spectrometer, 0=15672
Bederson,B. See Rubin,K., 0=4166
Bedesku,A.,Mitrofanov,K.P.,Sorokin,A.A. and Shpinel',V.S. Decay of Te^{131} ($T_{1/2}$ = 30 hours), 0=11386
Bedford,R.E. A low temperature standard of total radiation, 0=19489
Bedford,R.G. See Zalkin,A., 0=724
Bednářová-Nováková,B. Recurrent geomagnetic storms and solar prominences, 0=12282
Bedritskii,A.I. The scattering of spin-2 particles by a Coulomb field, 0=2509
Bedyńska,T. Preliminary X-ray investigation of the structure thermistor mixture of nickel and manganese oxides, 0=14019
Beecroft,R.I. and Swenson,C.A. Behaviour of polytetrafluoroethylene (Teflon) under high pressures, 0=1875
Beek,L.K.H.van. See van Beek,L.K.H.
Beeler,J.R.,Jr,Stranathan,J.D. and Wiseman,G.G. Some effects of vapors on electret behavior, 0=4386
Beeler,R. See Béné,G.J., 0=15179
Beeley,R.J. Radiation processing of foods, 0=13165
Beels,R. and De Sutter,W. Pyrolytic coating of quartz and ceramic vessels used for zone melting, 0=21167
Beenakker,J.J.M.,Varekamp,F.H. and Knaap,H.F.P. The difference in the second virial coefficient in the equation of state between the ortho and para modifications of H_2 and D_2, 0=8706
Beenakker,J.J.M.,Varekamp,F.H. and van Itterbeek,A. The isotherms of the hydrogen isotopes and their mixtures with helium at the boiling point of hydrogen, 0=6837
Beenakker,J.J.M. See Coremans,J.M.J., 0=92
Beenakker,J.J.M. See Coremans,J.M.J., 0=8703
Beenakker,J.J.M. See Coremans,J.M.J., 0=8705
Beenakker,J.J.M. See de Bruyn Outboter,R., 0=14919
Beenakker,J.J.M. See Knobler,C.M., 0=10692
Beenakker,J.J.M. See van Ee,H., 0=100

Beenakker,J.J.M. See Varekamp,F.H., 0=8707
Beenakker,J.J.M. See Varekamp,F.H., 0=16734
Beer,A.C. See Duga,J.J., 0=1858
Beer,R. See Ring,J., 0=16883
Beers,D.S. See Abeles,B., 0=16908
Beers,D.S. See Bradley,R.C., 0=17043
Beery,W.M. See Crichlow,W.Q., 0=8429
Beets,C. Analysis of neutron spectra (250 keV to 5 MeV) by means of nuclear emulsions, 0=12793
Beets,C. and Breny,H. On the use of nuclear emulsions for measuring thermal-neutron densities in uniform media, 0=7257
Beets,C.,Breny,H. and Fournaux,J. Measurement of the flux of thermal neutrons in a uniform medium by means of boron-loaded nuclear emulsions, 0=12794
Begemann,F. and Friedman,I. Tritium and deuterium content of atmospheric hydrogen, 0=2040
Beggs,J.S. Mirror-image kinematics, 0=5137
Begiashvili,G.A. and Gedalin,E.V. Cherenkov radiation of a [point] magnetic dipole in an anisotropic [gyrotropic] medium, 0=12677
Beglaryan,M.L. and Abrikosov,N.Kh. An investigation of the Bi_2Te_3—Bi_2S_3 system, 0=6387
Begun,G.M. and Fletcher,W.H. Infrared and Raman spectra of $N_2{}^{14}O_4$ and $N_2{}^{15}O_4$, 0=13436
Begun,G.M. and Fletcher,W.H. Partition function ratios for molecules containing nitrogen isotopes, 0=20712
Begum,Q.N. See Marsden,P.L., 0=20290
Begzhanov,P.B. The cross-section of the pion-nucleon interaction at high energies, 0=2575
Behman,G.A. List of particle-accelerator installations, 0=19815
Behman,G.A. List of particle-accelerator installations: Addenda and errata, 0=19816
Behmoiras,J. See Stammreich,H., 0=11528
Behnke,F. See Alpert,N.L., 0=2240
Behr,A. Interstellar polarization of starlight space in the neighbourhood of the sun, 0=6611
Behr,J.Von. See Von Behr,J.
Behrends,R.E. and Landovitz,L. Mass splittings within baryon charge multiplets, 0=3941
Behrends,R.E. and Sirlin,A. Effect of mass splittings on the conserved vector current, 0=7506
Behrendt,D.R. See Liu,S.H., 0=2981
Behringer,J. On the connection between Raman scattering, absorption and fluorescence (resonance Raman effect), 0=2175
Behringer,J. and Brandmüller,J. On the relationship between the vibrational structure of electronic band spectra and the resonance Raman effect, 0=4209
Behrndt,K.H. See Beckerman,M., 0=11863
Behrndt,M.E.Blumberg,R.H. and Giedd,G.R. On the influence of aggregation on the magnetic phase transition of evaporated superconducting thin films, 0=10855
Beil,H. See Gewin,R., 0=20504
Beilinson,A.A. Application of the functional integration method to the construction of the fundamental solution of the Fokker—Planck—Kolmogorov equation, 0=2130
Behrndt,K.H. and Maddocks,F.S. Influence of substrate processing on the magnetic properties and reproducibility of evaporated nickel-iron films, 0=3060
Bekefi,G.,Hirshfield,J.L. and Brown,S.C. Incoherent microwave radiation from plasmas, 0=2370
Békéssy,A.,Pál,L. and Jánossy,L. Methods for determining the fluctuation of the energy and of the angular distributions of fast ionizing particles, 0=312
Bekker,Ya.M. The effect of uniaxial compression on magnetization of some ferrites, 0=21055
Bekryaev,V.I. See Kachurin,L.G., 0=10858
Bel,A.,Delmas,R. and François,B. Sintering of uranium oxide in hydrogen at 1350° C, 0=8464
Bel,L. Gravitational field with induction, 0=10562
Bel,N. On the classification of oscillations of two superposed fluids, 0=18860
Bel,N. and Schatzman,E. On the gravitational instability of a medium in nonuniform rotation, 0=10474
Belar,H. See Olson,H.F., 0=5114
Belatini,P.C.M.de. See de Belatini,P.C.M.
Belavtseva,E.M. Reciprocity rule in the disordering process in certain crystalline compounds exposed to medium energy electrons, 0=1609
Belcher,B.J. Measurement of the effects of piston mass and bursting pressure on the motion of a piston in a hypersonic gun tunnel, 0=4976
Belding,E.F. 3 d band structure of some transition elements, 0=20771
Beliaev,L.M.,Belikova,G.S.,Fridkin,V.M. and Zheludev,I.S. The question of the electret state in naphthalene, 0=13660
Beliakov,V.A. See Barashenkov,V.S., 0=4088
Belikov,A.M. and Umanskii,Ya.S. Studies of the anisotropic thermal vibrations of the atoms in several hexagonal carbides and diborides of transition group metals, 0=13488
Belikova,G.S. See Beliaev,L.M., 0=13660
Bell,C.L. and Barrow,G.M. Evidence for a low-lying second potential minimum in hydrogen-bonded systems, 0=2739
Bell,D.A. Noise spectra of a probe in a hot-cathode discharge, 0=9001
Bell,E.E. Radiometric quantities, symbols, and units, 0=8832
Bell,G.I. A simple treatment for effective resonance absorption cross sections in dense lattices, 0=15613
Bell,G.R. Sprayed metal coatings for abrasion, corrosion, and oxidation resistance, 0=5942
Bell,J.D. See Cannon,M.R., 0=6729
Bell,J.F. Propagation of large amplitude waves in annealed aluminum, 0=5076
Bell,J.S. and Soper,J.M. Hard core correlations and nuclear moments, 0=5658
Bell,N.W. Use of a thermistor as a d.c.-a.c. converter, 0=5264
Bell,R.E. and Jørgensen,M.H. Mean lives of positrons in aluminum and the alkali metals, 0=9342
Bell,R.J.,Bonner,T.W. and Gabbard,F. The disintegration of Ne^{20} by fast neutrons, 0=4122
Bell,T.F. See Helliwell,R.A., 0=18486
Bellamy,C.J. Thermal stresses in hollow cylinders of finite length, 0=14561
Bellamy,E.H. See Evans,H.C., 0=6204
Bellamy,E.H. See McWhirter,R.W.P., 0=2456
Bellamy,E.H. See Prentice,J.D., 0=5584
Bellamy,L.J. and Williams,R.L. Solvent effects on the infra-red spectra of hindered phenols, 0=8667
Bellasio,R. The magnetic tensiometer and its realization, 0=3826
Bellemans,A. and Babloyantz,A. On the free energy of liquid mixtures of ortho- and parahydrogen, 0=8655
Belles,F.E. See Brabbs,T.A., 0=16377
Bellettini,G. Momentum estimate from magnetic curvature in distorted emulsions, 0=2467
Bellettini,G.,Manfredini,A. and Sanna,R. A new developing device, 0=12748
Bellettini,G. See Amaldi,E., 0=5561
Bellettini,G. See Baroni,G., 0=12924
Bellicard,J.B. and Barreau,P. Measurements of elastic scattering of 28 MeV electrons on heavy nuclei, 0=17613
Bellin,J.L.S. and Beyer,R.T. Scattering of sound by sound, 0=5098
Bellman,R.,Kalaba,R. and Wing,G.M. Invariant imbedding and neutron transport in a rod of changing length, 0=5568
Bellman,R.,Kalaba,R. and Wing,G.M. Invariant imbedding and mathematical physics. I. Particle processes, 0=16616
Bellman,R.,Kalaba,R. and Wing,G.M. Dissipation functions and invariant imbedding. I, 0=19004
Bellman,R.,Kalaba,R. and Wing,G.M. Invariant imbedding, conservation relations and non-linear equations with two-point boundary values, 0=19005
Bellomo,A. and Bruno,E. Explanation of certain types of curves obtainable in high frequency titrations, 0=10377
Belluigi,A. The scale of potential produced in a homogeneous medium by a rectangular impulse. (First approximation), 0=237
Belna,R.,Debraine,P.,Ricateau,P. and Klein,R. The proton synchrotron "Saturne". Magnet power supply, 0=2412
Beloglasov,V.I. See Grishaev,I.A., 0=9202
Belogurov,V.N. See Lepeshinskaya,V.N., 0=9062
Belokon',V.A. The disappearance of the isothermal discontinuity at great densities of radiation, 0=906
Belon,A.E. and Clark,K.C. Spectroscopic observations of the great aurora of 10 February 1958. II. Unusual atomic features, 0=14282
Belon,A.E. See Clark,K.C., 0=14281
Belonosov,S.M. A plane problem in the theory of elasticity for a wedge, with given boundary stresses or strains, 0=12386

Belonosov,S.M. A plane problem in the theory of elasticity for an infinite strip, with given boundary stresses or strains, 0=19010

Belousov,A.S.,Rusakov,S.V.,Tamm,E.I. and Cherenkov,P.A. Search for particles with masses between 6 and 25 electron masses, 0=7311

Belousov,M.M. See Sobolev,N.N., 0=8852

Belousova,I.M. See Prokof'ev,V.K., 0=3749

Belov,K.P.,Goryaga,A.N.,Lin Chzhan-Da [Ling Chang-Ta]. The electrical and galvanomagnetic properties of lithium ferrite-chromite near the compensation point, 0=13830

Belov,K.P.,Katayev,G.I. and Levitin,R.Z. Internal friction anomalies in ferromagnets and antiferromagnets near the Curie point, 0=10256

Belov,K.P.,Kataev,G.I. and Levitin,R.Z. Anomalies of interval friction and the elasticity modulus in ferromagnetics near the Curie point, 0=11971

Belov,K.P. and Levitin,R.Z. Magnetostriction of antiferromagnetic nickel monoxide, 0=11918

Belov,K.P. and Pedko,A.V. On the magnetostriction of gadolinium iron garnets, 0=10164

Belov,K.P.,Popova,A.A. and Talalaeva,E.V. Electrical and magnetoresistance properties of single crystals of manganese ferrite, 0=11665

Belov,K.P. and Sirota,Z.D. Effect of atomic ordering on exchange interaction in the Fe_3Pt alloy, 0=10105

Belov,K.P. and Svirina,E.P. The Hall effect in ferrites near the Curie temperature, 0=7935

Belov,K.P.,Zaitseva,M.A. and Kadomtseva,A.M. Features of magnetic hysteresis phenomena in the systems $Pr_2O_3 \cdot Fe_2O_3$ and $La_2O_3 \cdot Fe_2O_3$, 0=13834

Belov,K.P.,Zaitseva,M.A. and Malevskaya,L.A. Magnetic and resonance properties of yttrium ferrite-garnets with replacement of Fe^{3+} ions by Cr^{3+} and Al^{3+}, 0=13835

Belov,K.P.,Zaitseva,M.A. and Ped'ko,A.V. Magnetic properties of gadolinium oxides, 0=11884

Belov,K.P. and Zalesskii,A.V. Thermal expansion and magnetostriction of pyrrhotite, 0=13818

Belov,N.V. The nomenclature of the 80 plane groups in three dimensions, 0=13926

Belov,N.V. The hexagonal space groups, 0=13985

Belov,N.V. The covariant and contravariant relations between derivative and parent structures, 0=13991

Belov,N.V.,Belova,E.N. and Tarkhova,T.N. More about the colour symmetry groups, 0=13988

Belov,N.V. and Klevtsova,R.F. The simplest method of deriving the Federov (space) groups, 0=16249

Belov,N.V. and Klevtsova,R.F. A very simple way of deducing the space groups, 0=18287

Belov,N.V.,Vainshtein,B.K.,Kitaigorodskii,A.I., Porai-Koshits,M.A.,Semiletov,S.A. and Sheftal',N.N. International Fedorov session on crystallography at Leningrad, 0=18286

Belov,N.V. See Borisov,S.V., 0=12030

Belov,N.V. See Donnei,G., 0=16251

Belov,N.V. See Neronova,N.N., 0=1695

Belov,N.V. See Pavlov,P.V., 0=14030

Belov,N.V. See Simonov,V.I., 0=14033

Belov,V.P.,Mingalev,B.S. and Shekhter,V.M. A possibility of determination of form-factors in leptonic decay of hyperons, 0=9439

Belova,E.N. See Belov,N.V., 0=13988

Belovintsev,K.A.,Karpukhin,O.A.,Kutsenko,A.V.,Shapkin,A.A., and Yablokov,B.N. A measuring device for the intensity distribution in a synchrotron extended gamma pulse, 0=7181

Belovintsev,K.A. and Yablokov,B.N. Measurements of the radial phase amplitude distributions of particles, 0=7180

Belovitskii,G.E. The applicability of the "Z-law" of Fermi and Teller to nuclear emulsions containing uranium, 0=15604

Belovitskii,G.E.,Kashchukeev,N.T.,Mikhul,A.,Petrashku,M.G., Romanova,T.A. and Tikhomirov,F.A. The mechanisms of uranium fission induced by slow μ-mesons, 0=9709

Belovitsky,G.E.,Korabliev,L.N.,Sukhov,L.V. and Chtranikh,I.V. Apparatus for automatic measurement of the multiple scattering of particles, 0=12786

Below,F. and Grabke,H. A method for quickly testing the performance of objectives, 0=19400

Belozerskii,G.N. See Nemilov,Yu.A., 0=14660

Belser,R.B. Alloying behavior of thin bimetal films, simultaneously or successively deposited, 0=8279

Belshé,J.C. See Everitt,C.W.F., 0=21307

Belskii,S.A. and Starodubtsev,S.V. Low-angle Rayleigh scattering of Co^{60} γ-rays, 0=11436

Belson,H.S. and Kriessman,C.J. Microwave resonance in hexagonal ferrimagnetic single crystals, 0=3110

Belson,H.S. and Kriessman,C.J. Ionic distribution and ferrimagnetic resonance in magnesium ferrite, 0=4503

Belson,H.S. See Kriessman,C.J., 0=3055

Belt,R.O. See Billington,D.S., 0=20849

Beltran-Lopez,V. See Hughes,V.W., 0=10561

Belyaev,A.D.,Vasilevskaya,V.N. and Miselyuk,E.G. Investigation of the influence of certain factors on the formation of dislocations during crystallization and their state in single-crystal germanium, 0=13536

Belyaev,L.M.,Perl'shtein,V.A. and Panova,V.P. Investigation of activator distribution in alkali halide crystals by the radioactive-tracer method. II, 0=13939

Belyaev,L.M.,Vitovskii,B.V. and Dobranskii,G.F. Some modifications in crystal growing methods, 0=16270

Belyaev,V.A. See Fedorenko,N.V., 0=12589

Belyaev,V.B.,Gershtein,S.S.,Zakhar'ev,B.N. and Lomnev,S.P. μ^--mesic molecular processes in hydrogen, 0=7828

Belyaev,V.B.,Zakhar'ev,B.N. and Solov'ev,V.G. On superfluidity of light nuclei, 0=13110

Belyaev,V.I. See Kolesnikov,A.G., 0=3361

Belyakov,L.N. See Avraamov,Yu.S., 0=1933

Belyakov,V.A. See Barashenkov,V.S., 0=3966

Belyakov,Yu.I. and Agishev,E.I. The application of the pulse mass-spectrometer to the study of gas evolution from metals, 0=12120

Belyakov,Yu.I. and Ionov,N.I. Pulsed mass-spectrograph investigation of desorption of hydrogen and deuterium from palladium, 0=10373

Belyakov,Yu.I. See Agishev,E.I., 0=10936

Belyakov,Yu.I. See Agishev,E.I., 0=10972

Belÿkh,L.P. and Nesmeyanov,A.N. Measurement of the pressure of vapour in equilibrium with solid beryllium oxide, 0=6997

Belynsky,V.N. See Breger,A.K., 0=5678

Belyustin,A.V. The solubilities of the various faces of a crystal, 0=13935

Bemerl,W. and Fetz,H. On the extreme shortwave u.v.-light from a cylindrically symmetrical rare gas corona. I. Intensity, absorption and ionization in certain gases, 0=1123

Bemerl,W. and Fetz,H. On the extreme shortwave u.v.-light from a cylindrically symmetrical rare gas corona. II. The time delay of emission, 0=1124

Bemski,G. Spin resonance of conduction electrons in InSb, 0=6268

Benade,A.H. See Chrien,R.E., 0=13262

Benade,A.H. See Ormestad,H.J., 0=5116

Benarie,M.M. Information capacity of the human eye with special consideration to low-level illumination, 0=6514

Benbow,J.J. Cone cracks in fused silica, 0=11986

Bendel,F. See Lange,W., 0=5008

Bender,P.A.,Jennings,D.A. and Tantilla,W.H. Chlorine nuclear spin-lattice relaxation time in solid sodium chlorate and p-dichloro benzene, 0=4532

Bender,P.A. and Love,W.F. Hall coefficient in tin—bismuth alloys, 0=13580

Bendt. See Yarnell,J., 0=8919

Bendt,P.J.,Karr,H.J. and Scott,F.R. Prompt neutron periods of a critical assembly measured with a pulsed source, 0=13345

Bendt,P.J. See Allred,J.C., 0=13365

Béné,G. See Csaki,A., 0=19955

Béné,G.J.,Beeler,R. and Golub,M. Glossaria interpretum. Nuclear physics and atomic energy, 0=15179

Benedek,G.B. and Kushida,T. Nuclear magnetic resonance in antiferromagnetic MnF_2 under hydrostatic pressure, 0=10249

Benedek,G.B. See Paul,W., 0=3386

Benedict,W.S.,Plyler,E.K. and Tidwell,E.D. Vibration-rotation bands of ammonia. IV. The stretching fundamentals and associated bands near 3μ, 0=4201

Benenson,R.E. See McDermott,L.C., 0=9645

Beneš,J. See Kubal,J., 0=3901

Benes,L. See Bally,D., 0=13471

Benesch,W. See Ameer,G., 0=15788

Benesovsky,F. See Rudy,E., 0=17995

Beneventano,M. A Cerenkov gas counter, 0=17154

Beneventano,M.,Finocchiaro,G.,Finzi,R.,Mezzetti,L.,Paoluzzi,L. and Schaerf,C. Forward angle photoproduction of single positive pions on hydrogen, 0=17398

Beneventano,M.,Pellegrini,U.,Rispoli,B.,Sacerdoti,G.C.,Sonà,P.G. and Toschi,R. A gamma ray spectrometer for energies up to 1 GeV, 0=17285
Benfield,A.E. Note on precession, 0=4974
Bengston,J. Neutron self-shielding in a simple plane lattice, 0=13337
Benioff,H. Observations of geomagnetic fluctuations in the period range 0.3 to 120 seconds, 0=14168
Benioff,P.A. Nuclear reactions of low-Z elements with 5.7 BeV protons, 0=13226
Benioff,P.A. Nuclear structure and simple nuclear reactions, 0=13227
Benisz,J. and Borowczak,C. A new method for the rapid measurement of the shrinkage factor of a nuclear emulsion, 0=17163
Benisz,J.,Chyliński,Z. and Wolter,W. Investigations of bremsstrahlung of electrons in the energy interval 10^{11}-10^{12} eV, 0=15323
Benisz,J. and Kierskowski,Z. A new method of gamma background eradication, 0=17165
Benjamin,P. and Weaver,C. Condensation energies for metals on glass and other substrates, 0=4696
Benjamin,P. and Weaver,C. Measurement of adhesion of thin films, 0=8144
Benjamin,P. and Weaver,C. Adhesion of metal films to glass, 0=8145
Bennema,P.,Hoijtink,G.J.,Lupinski,J.H.,Oosterhoff,L.J., Seller,P. and van Voorst,J.D.W. Photo-ionization of aromatic hydrocarbons in boric acid glasses, 0=21290
Bennemann,K.H. and Tewordt,L. Lattice deformations around interstitial atoms, vacancies, interstitial atom pairs and Frenkel pairs in copper, 0=17926
Bennett,A.I. See Longini,R.L., 0=12010
Bennett,A.I. and Longini,R.L. Dendritic growth of germanium crystals, 0=1891
Bennett,B. See Palinchak,S., 0=2300
Bennett,E.F. and Maxson,D.R. Angular distributions of deuterons from Li^7(p,d)Li^6 reactions, 0=1413
Bennett,F.D.,Shear,D.D. and Burden,H.S. Streak interferometry, 0=3642
Bennett,G.E. Harmonic generation in a ferrimagnetic disk, 0=9187
Bennett,H.E.,Bennett,J.M. and Nagel,M.R. Distribution of infrared radiance over a clear sky, 0=2024
Bennett,H.E. and Koehler,W.F. Precision measurement of absolute specular reflectance with minimized systematic errors, 0=164
Bennett,H.S. See Condell,W.J.,Jr, 0=7212
Bennett,H.W. and Nash,W.F. Model experiments on the design of solid iron magnets for use in cosmic ray spectrographs, 0=15462
Bennett,J.A. and Flanagan,T.P. Instrument for recording the resistance during the deposition of a thin film, 0=8288
Bennett,J.M.,Ross,I.G. and Wells,E.J. Asymmetric rotor energy levels: an improved computational procedure, 0=9784
Bennett,J.M. See Bennett,H.E., 0=2024
Bennett,R.A. See Donahue,D.J., 0=13326
Bennett,R.B. See Ch'en Shang-Yi, 0=13416
Bennett,R.G. R.F. admittance bridge for liquid-dielectric measurements, 0=10866
Bennett,R.G. and Dalby,E.W. Experimental oscillator strength of the comet-tail system of CO$^+$, 0=7777
Bennett,R.G. and Dalby,F.W. Experimental oscillator strengths of CH and NH, 0=15698
Bennett,R.G. See Dayton,I.E., 0=15754
Bennett,W.E. The generation of direct current at high potentials, 0=1176
Benney,D.J. and Lin,C.C. On the secondary motion induced by oscillations in a shear flow, 0=14600
Bennion,D.R. New multi-aperture magnetic logic element, 0=9140
Benoist,P.,Marty,C. and Meyer,P. The excitation of the 4.43 MeV level of C^{12} by protons of about 100 MeV, 0=9353
Benoist,P. See Amouyal,A., 0=7659
Benoît,G. See Horn,P., 0=19449
Benoit,G.H. A nuclear magnetic resonance maser, 0=3850
Benoit,H.,Grivet,P.,Guibe,L. and Sauzade,M. A maser with double nuclear resonance, 0=17096
Benoit,H. and Ottavi,H. A [nuclear magnetic resonance] spectrometer for high resolution in weak magnetic fields. Double resonance in ammonium nitrate, 0=11066
Benoit,H. and Ottavi,H. Study of the Bloch—Siegert effect in weak magnetic fields, 0=12672
Benoit,H. and Wippler,C. The angular distribution of light scattered by a system of copolymers, 0=14851
Benoit,H. See Klenine,S., 0=12111
Benoit,R. and Tran The Hien. A study of the geomagnetic field in the 5-50 c/s band, 0=4772
Benoit à la Guillaume,C. Contribution to the study of the recombination of excess carriers in germanium, 0=591
Benson,C.B. and Hallett,A.C.H. Viscosity measurements in liquid helium II, 0=19537
Benson,G,C. See Dempsey,E., 0=6541
Benson,R.E. See Phillips,W.D., 0=15762
Benson,R.F. Effect of line-of-sight aurora on radio star scintillations, 0=16465
Benson,S.W. On the existence of polyoxides of hydrogen, 0=17848
Benson,S.W. On the existence of energy chains in ozone decomposition, 0=18432
Benson,S.W. and Anderson,K.H. On the trapping of free radicals of oxygen and chlorine, 0=1535
Benson,S.W. and Jain,D.S. Further studies of the pyrolysis of dimethyl ether, 0=1949
Bent,H.A. Group electronegatives from bond lengths, 0=13445
Bent,H.A. Explanation of the nonadditivity of bond lengths, 0=17851
Bent,H.A. Electronegativities from comparison of bond lengths in AH and AH$^+$, 0=20641
Bent,H.A. Correlation of bond shortening by electronegative substituents with orbital hybridization, 0=20694
Bent,H.A. Bond shortening by electronegative substituents, 0=20695
Bent,R.D. See Kruse,T.H., 0=13206
Bentley,P.G. Isotopic analysis of boron in boron trifluoride by mass spectrometry, and measurement of natural boron 10 concentration, 0=16401
Bentley,P.G.,Bishop,J.,Davidson,D.F. and Evans,P.B.F.
Bentley,R.E. See Anderson,W., 0=11330
Bentley,W.C. See Fields,P.R., 0=13300
Benton,H.B. Small, lightweight ionization gauge control circuit, 0=2190
Bentwich,M. Use of a velocity—potential function in solving the wave equation for viscous media, 0=16763
Benveniste,J.,Mitchell,A.C.,Schrader,C.D. and Zenger,J.H. Gamma-rays from the interaction of 14 MeV neutrons with beryllium, 0=20490
Ben-Zvi,A. See Halperin,A., 0=2971
Ben-Zvi,A. See Halperin,A., 0=4466
Běr,K.V. Inhomogeneous distribution of field and current density in CdS monocrystals, 0=18088
Ber,L.É. A [simple] method for solving problems of nonisothermal turbulent convection in a channel formed by parallel planes, 0=8620
Beranek,L.L. Audience and seat absorption in large halls, 0=10743
Beranek,M. See Koller,A., 0=10932
Bercovitch,M.,Carmichael,H.,Hanna,G.C. and Hincks,E.P. Yield of neutrons per interaction in U, Pb, W, and Sn by protons of six energies between 250 and 900 MeV selected from cosmic radiation, 0=13098
Berdȳshev,A. See Seidov,Yu., 0=1812
Berdȳshev,A.A. See Karpenko,B.V., 0=11908
Berdȳshev,A.A. See Vonsovskii,S.V., 0=13750
Berenbaum,R. and Brodie,I. Measurement of the tensile strength of brittle materials, 0=4546
Berencz,F. Allowance for hybridization in the case of hydrogen molecule, 0=1509
Berencz,F. Electron correlation in the eigenfunction of the ground state of the hydrogen molecule, 0=13444
Berényi,C.,Máthé,G. and Scharbert,T. Investigations of the decay-scheme of Fe^{59}, 0=4070
Berényi,D. See Szalay,A., 0=1461
Berestetskii,V.B. Nuclear orientation in radiative K capture, 0=1390
Berestetskii,V.B. and Pomeranchuk,I.Ya. Beta interaction and nucleon form factor, 0=11143
Berestetskii,V.B. and Zhizhin,E.D. Photoproduction of π-mesons on nucleons in peripheral collisions, 0=20211
Berezhkova,G.V. See Regel',V.R., 0=13542
Berezhnoi,Yu.A. See Sitenko,A.G., 0=2670
Berezin,A.K.,Zeidlits,P.M.,Nekrashevich,A.M. and Silenok,G.A. Determination of the dispersion relation for waveguides with helices, 0=9216

Berezin,A.K.,Zeidlits,P.M.,Nekrashevich,A.M. and Skoblik,I.P. Experimental investigation of the dispersion relation of a waveguide with a cross-wound helix, 0=9217
Berezin,A.K. See Silenok,G.A., 0=9218
Berezin,I.A. and Stepanova,A.I. Sensitization of photographic plates for the ultraviolet region of the spectrum, 0=16904
erezin,O.A. Some "progressive" plane-wave motions of a gas in magnetohydrodynamics, 0=15119
erg,D. See Dakin,T.W., 0=3541
erg,G.J.van den. See van den Berg,G.J.
Berg,H.F. See Wiese,W., 0=19689
Berg,L.G. and Sidorova,E.E. Determination of thermal diffusivity by a thermographic method and its application in physico-chemical analysis, 0=19469
Berg,M.R. See Leadabrand,R.L., 0=10442
Berg,M.R. See Presnell,R.I., 0=10440
Berg,M.R. See Schlobohm,J.C., 0=10441
erg,S. and Forkner,J. Note on recent demonstrations of color mechanisms, 0=6524
erg,W.T. See Barron,T.H.K., 0=7849
Bergdolt,G. See Gorodetzky,S., 0=9587
Bergdolt,G. See Gorodetzky,S., 0=19992
erge,P. See Lambert.M., 0=4728
Bergel'son,L.D. Application of ultrasonics in conformational analysis, 0=19325
erger,A.G. See Knight,W.D., 0=4530
Berger,E.L. See Hefley,G., 0=16902
Berger,H.,Böer,K.W. and Weber,E.H. The influence of gaseous atmospheres on the spectral distribution of the photoconduction of single crystals of CdS, 0=9992
erger,J. and Joigneau,S. The linear relation between the material velocity and the shock-wave velocity in a metal, 0=6010
Berger,J.,Joigneau,S. and Bottet,G. Behaviour of sulphur under the action of a shock wave, 0=15806
Berger,M.J. and Cooper,J.W. Reflection of fast neutrons from water, 0=7366
Berger,M.J. and Raso,D.J. Monte Carlo calculations of gamma-ray backscattering, 0=7318
Berger,S. See Vegard,L., 0=794
Bergeron,C.J.,Grenier,C.G. and Reynolds,J.M. Galvanomagnetic and thermomagnetic potentials in zinc at liquid helium temperatures, 0=13581
ergevin,F.de. See de Bergevin,F.
Berggren,A. See Nilsson,R., 0=7500
Berggren,T, Inelastic nucleon—deuteron scattering. II. Physical discussion of the impulse approximation with the double scattering terms included, 0=7345
Berggren,T. and Lundqvist,S.O. Inelastic nucleon—deuteron scattering. I. The transition matrix in the impulse approximation for general two-body interactions, 0=7344
Berghammer,J. and Bloom,S. On the nonconservation of noise parameters in multivelocity beams, 0=19739
Berghezan,A. See Votava,E., 0=16278
Berghezan,A. and Fourdeux,A. Transmission electron microscopy studies of the mechanism of plastic deformation, 0=1859
Berghezan,A. See Fourdeux,A., 0=7887
Bergia,S.,Bertocchi,L.,Borelli,V.,Brautti,G.,Chersovani,L., Lavatelli,L.,Minguzzi-Ranzi,A.,Tosi,R.,Waloschek,P. and Zoboli,V. Elastic scattering π^- + p at 915 MeV, 0=15402
Bergia,S.,Bonsignori,F. and Stanghellini,A. Pion production and the "isobaric" model, 0=15409
Bergia,S. See Alles-Borelli,V., 0=1303
Bergkvist,K.E. See Stockendal,R., 0=17308
Berglund,S. High magnetic fields, 0=19875
Berglung,S.,Nilsson,R.,Ohlin,P.,Siegbahn,K.,Sundström,T. and Svennerstedt,S. Fusion experiments in deuterium plasma, 0=17645
Bergman,O. See Bäckström,G., 0=5712
Bergman,O. See Bäckström,G., 0=7523
Bergmann,E.D. See Yaroslavsky,S., 0=17850
Bergmann,O. Attempt at a finite theory of the electron, 0=7333
Bergmann,O. Problem of Rainich for two-component spinors, 0=12359
Bergmann,P.G. and Komar,A.B. Poisson brackets between locally defined observables in general relativity, 0=10578
Bergmann,P.G. and Morris,E. New potential for irreversible processes, 0=4949
Bergmann,P.G. See Boardman,J., 0=881
Bergmann,S.M. Submillimeter wave maser, 0=5395
Bergold,G.H. and Haney,G.R. Low background gas flow-counter, 0=3878
Bergonz,F.H. See v.Krzywoblocki,M.Z., 0=203
Bergsteinsson,J.L. See Roalsvig,J.P., 0=5778
Bergstrand,E. Some recent determinations of the velocity of light, 0=19355
Bergvall,P. Precision measurements on Kα X-ray lines from rare earth elements, 0=481
Bergvall,P. Precision measurements of gamma energies and intensities by crystal diffraction, 0=17566
Bergvall,P. and Hagström,S. Atomic level energies in rare earth elements, 0=13391
Bergvall,P.,Hörnfeldt,O. and Nordling,C. Crystal diffraction and photo electron measurements of K and L levels in the elements 47 Ag to 52 Te, 0=17717
Bergvall,P. See Beckman,O., 0=9760
Berk,N.,Steigert,F.E. and Salinger,G.L. Alpha—alpha scattering at 7.56 MeV, 9=4006
Berkelman,K. and Waggoner,J.A. Photoproduction of neutral pions at forward angles, 0=7410
Berkeš,B. A particularly simple current stabilizer of the highest grade for electromagnets, 0=19873
Berkes,I. Effect of magnetic stray field on the location of image in nuclear spectrometers, 0=19799
Berkes,I. and Demeter,I. Small angle scattering of electrons, 0=7714
Berko,S. See Brandt,W., 0=20115
Berko,S. See Stetson,R.F., 0=20158
Berkovich,I.B.,Zhdanov,A.P.,Lepekhin,F.G. and Khokhlova,Z.S. Non-meson decays of hyperfragments, 0=9539
Berkovich,I.B.,Zhdanov,A.P.,Lepekhin,F.G. and Khokhlova,Z.S. Non-mesonic decays of hyperfragments, 0=9540
Berkovich,S.L.,Gofren,M.V.,Lobachev,M.V.,Fal'k,T.K. and Sharanov,D.I. The high-speed DFS-12 diffraction grating spectrometer, 0=3633
Berkovskii,F.M.,Rȳvkin,S.M. and Strokan,N.B. Volt—amp characteristics of the depletion layer of a germanium p—n junction in forward direction, 0=20899
Berkowitz,A.E. and Flanders,P.J. Precipitation in a beta-brass-Fe alloy, 0=2993
Berkowitz,A.E. and Schuele,W.J. Magnetic properties of some ferrite micropowders, 0=3087
Berkowitz,J. Vibrational frequencies of alkali halide dimers. II. Bending, symmetric stretch, and B$_{1g}$ modes, 0=11522
Berkowitz,J.,Meschi,D.J. and Chupka,W.A. Heterogeneous reactions studied by mass spectrometry. II. Reaction of Li$_2$O(s) with H$_2$O(g), 0=14100
Berkowitz,J. See Chupka,W.A., 0=10350
Berkowitz,J. See Meschi,D.J., 0=14099
Berlaga,R.Ya.,Novik,F.T. and Strakhov,L.P. Preparation of PbS photoconductors by chemical precipitation, 0=619
Berley,D. and Gidal,G. Search for an electric dipole moment structure of the muon, 0=9393
Berlincourt,D. and Krueger,H.H.A. Domain processes in lead titanate zirconate and barium titanate ceramics, 0=1700
Berlincourt,T.G. Hall effect, resistivity and superconductivity of some metastable uranium-rich alloys, 0=4320
Berlincourt,T.G. See Bickel,P.W., 0=15884
Berlman,I.B. Efficiency of energy transfer in a solution of PPO in xylene, 0=19161
Berlovich,É.E.Fleisher,V.G.Breslav,V.I. and Preobrazhenskii,B.K. Quadrupole moment of Er^{168}. 0=11303
Berlovich,É.E.,Klement'ev,V.N.,Fleisher,V.G.,Larionov,O.V., Murtazin,F.Sh. and Apostolov,D.A. Forbidden transitions in the deformed Tu^{169} nucleus, 0=9586
Berlyand,O.S. A closed solution of the turbulent diffusion equation, 0=6440
Berman,L.D. Some laws of the flow processes of simultaneous heat and mass exchange in heterogeneous systems, 0=6959
Berman,R. Heat conductivity of LiF with varying concentrations of ^{6}Li and ^{7}Li, 0=9864
Berman,R.,Nettley,P.T.,Sheard,F.W.,Spencer,A.N., Stevenson,R.W.H. and Ziman,J.M. The effect of point imperfections on lattice conduction in solids, 0=9901
Bermond,J. The distinction between fog due to γ-radiation and chemical fog in the emulsion, 0=12731
Bermond,J.,Patou,C. and Scherer,M. The effect of processing conditions on spurious scattering in nuclear emulsions, 0=19982

Bermond,J. and Scherer,M. The variation of the background fog in nuclear emulsions with the pH of cold developer, 0=191

Bernal,J.D. The importance of symmetry in the solids and liquids, 0=6004

Bernal,J.D. Geometry of the structure of monatomic liquids, 0=6776

Bernal,J.D. Comments on the paper of Hallett and Mason, 0=8152

Bernal,J.D. and Feitknecht,W. On topotaxy, 0=6337

Bernard,A.,Bryson-Haynes,D. and Mulvey,T. Simple electronic scanning system for the X-ray microanalyser, 0=4762

Bernard,J. and Rossignol,A. 400 kV-200 joule X-ray flash tube, 0=20107

Bernard,M. Study of recombination and generation phenomena in germanium p_0-n_0 junctions, 0=7924

Bernard,M. and Leduc,B. Germanium p—n junctions plastically deformed, 0=13594

Bernard,M.P. Low temperature infrared absorption spectra of Rochelle salt (7000-9000 cm^{-1}) and the fundamental frequencies of the water molecules. 0=9799

Bernard,M.P. Hydrogen bridge lengths and orientation of the four types of water of crystallization molecule in Rochelle salt, 0=15781

Bernard,M.Y. See Dolique,J.M., 0=15021

Bernard,R.,Davoine,F. and Pinard,P. Extension of the scanning microscope technique to the observation of fluorescent materials, 0=1763

Bernard,R.,Goutte,R. and Guillaud,C. The advantages of an image converter in the negative ion microscope, 0=14096

Bernard,R.,Goutte,R. and Guillaud,C. Use of an image converter in emission microscopy with negative ions, 0=19800

Bernard,W. and Callen,H.B. Irreversible thermodynamics of nonlinear processes and noise in driven systems. 0=902

Bernard,W. and Callen,H.B. Irreversible thermodynamics of a nonlinear R—C system, 0=12565

Bernardes,N. Quantum mechanical law of corresponding states for Van der Waals solid at 0°K, 0=17868

Bernardes,N. and Primakoff,H. Theory of solid He^3, 0=14921

Bernardini,C.,Querzoli,R.,Salvini,G.,Silverman,A. and Stoppini,G. Search for new neutral mesons (the ρ^0-mesons), 0=2589

Bernardini,M.,Brovetto,P.,Ferroni,S. and Pasquarelli,A. Measurement of longitudinal polarization of β-electrons from ^{204}Tl by means of double Coulomb scattering, 0-2640

Bernardini,C. See Alberigi,A., 0=20004

Bernardini,C. See Alberigi-Quaranta,A., 0=20002

Bernas,A. See Cauchois,Y., 0=19822

Berners,E.D. See Michael,I., 0=2405

Bernheim,R.A. and Gutowsky,H.S. Dependence upon volume of nuclear quadrupole interactions in crystals, 0=6285

Berning,J.A. and Berning,P.H. Thin films calculations using the IBM 650 electronic calculator. 0=14079

Berning,P.H.,Hass,G. and Madden,R.P. Reflectance-increasing coatings for the vacuum ultraviolet and their applications, 0=8797

Berning,P.H. See Berning,J.A., 0=14079

Bernstein,A.M. See Ames,O., 0=13171

Bernstein,A.M. See Brennan,M.H., 0=20325

Bernstein,B. Proof of Carathéodory's local theorem and its global application to thermostatics. 0=12539

Bernstein,D.M. See Poirier,J.A., 0=3985

Bernstein,E.M. and De Boer,J. Gyromagnetic factors of deformed odd-mass nuclei with $153 \leq A \leq 187$. 0=17482

Bernstein,E.M. and Graftzer,R. Internal conversion electrons following Coulomb excitation of highly deformed odd-A nuclei, 0=15551

Bernstein,H. See Allen,R.B., 0=6059

Bernstein,I.B. Plasma oscillations perpendicular to a constant magnetic field. 0=12624

Bernstein,I.B.,Frieman,E.A.,Kulsrud,R.M. and Rosenbluth,M.N. Ion wave instabilities, 0=7118

Bernstein,J.,Fubini,S.,Gell-Mann,M. and Thirring,W. On the decay rate of the charged pion. 0=20179

Bernstein,J.,Gell-Mann,M. and Michel,L. On the renormalization of the axial vector coupling constant in β-decay, 0=15243

Bernstein,J. and Michel,L. T, P, C symmetries in the π^0 decay, 0=9398

Bernstein,P. See Sandler,S.R., 0=19969

Bernstein,R.B. Quantum mechanical (phase shift) analysis of differential elastic scattering of molecular beams. 0=17860

Bernstein,R.B. See Hoffman,M.Z., 0=15650

Bernstein,R.B. See Hostettler,H.U., 0=5993

Bernstein,R.B. See Hostettler,H.U., 0=15796

Bernstein,R.B. Rothe,E.W., 0=4162

Bernstein,R.B. See Schumacher,H., 0=15795

Bernstein,S. See Smith,E.C., 0=1444

Bernstein,W.,Kranz,A.Z. and Tenney,F. Oscillations in the B—1 stellarator, 0=1192

Berry,B.S. The role of vacancies in an unusual anelastic phenomenon, 0=16210

Berry,C.R. and Combs,C.M. Antiferromagnetic $FeVO_3$, 0=11914

Berry,H.W. See Levine,L.P., 0=8986

Berry,J.P. Surface characteristics of fractured poly(methyl methacrylate), 0=8260

Berry,J.P. Some kinetic considerations of the Griffith criterion for fracture. I. Equations of motion at constant force, 0=19027

Berry,J.P. Some kinetic considerations of the Griffith criterion for fracture. II. Equations of motion at constant deformation, 0=19028

Berry,R.J. The temperature-time dependence of the triple point of water, 0=1056

Berry,R.J. The reproducibility of the sulphur point, 0=16923

Berry,R.S. Correlation of rates of intramolecular tunneling processes, with application to some group V compounds, 0=5907

Berry,R.S. Time-dependent measurements and molecular structure: Ozone, 0=17845

Bersohn,R. Field gradients at the deuteron in molecules, 0=4230

Bersohn,R. Quadrupole moment of Fe^{57m}, 0=15514

Bersohn,R. See Das,T.P., 0=508

Berson,S.A. and Yalow,R.S. Correction of sample absorption of radioactivity, 0=9541

Berstein,I.L. and Gertsenstein,M.E. The possibility of measuring the propagation velocity of gravitation under laboratory conditions, 0=6654

Bertanza,L.,Franzini,P.,Mannelli,I.,Silvestrini,G.V. and Stoker,P.H. The production of π^--mesons in the pion—neutron collision at 1.2 GeV, 0=11214

Bertaut,E.F.,Deschamps,A.,Pauthenet,R. and Pickart,S. Substitution in hexaferrites of the Fe^{3+} ion by Al^{3+}, Ga^{3+}, Cr^{3+}, 0=13829

Bertaut,F. Spin configurations, 0=8036

Berteaud,A.J.,Villers,G. and Loriers,J. Variation of the g-factor and the absorption line width ΔH_a of yttrium garnets substituted with aluminium, 0=13859

Berteaud,A.J. See Vautier,R., 0=8076

Bertein,F. A simple analogue apparatus for the study of the treatment of an ingot by the zone melting method, 0=18316

Bertein,F. and Jelenski,A. Concerning the transmission of signals of any form with the aid of a degenerate parametric amplifier, 0=7215

Berthelot,A. The proton synchrotron "Saturne". Experiments with Saturne, 0=2412

Berthelot,A.,Choquet,C.,Daudin,A.,Gousso,O. and Lévy,F. A contribution to the study of antiproton annihilation in complex nuclei, 0=4090

Berthet,G.,Blanc,F.,Grangeon,J. and Raoult,G. Electron paramagnetic resonance spectrum of potassium chromicyanide magnetically diluted in a single crystal of potassium cobalticyanide, 0=681

Berthold,W.K.,Harris,A.K. and Hope,H.J. Correlated micropulsations at magnetic sudden commencements, 0=14165

Berthold,W.K.,Harris,A.K. and Hope,H.J. World-wide effects of hydromagnetic waves due to Argus. 0=16411

Bertocchi,L. See Bergia,S., 0=15402

Bertoldi,W. and Kleint,C. Outer field emission of single crystals of ZnS, 0=261

Bertolone,N.P. See Webb,W.W., 0=1887

Bertomeu,E.J. A method of measuring the speed of universal vacuum pumps, 0=10702

Bertotti,B. Uniform electromagnetic field in the theory of general relativity, 0=2111

Bertram,W.J.,Jr, Reiter,R.A.,Romanowski,T.A. and Sutton,R.B. Observation of the "isotope effect" in the nuclear capture of negative muons by chlorine, 0=17371

Bertrand,F.,Charpak,G. and Suzor,F. Measurement of the K-shell fluorescent yield of nickel and chlorine and of the L-shell of silver, 0=15652

shliu,M. See Dragomiresku,D., 0=17625
şliu,C. and Petraşcu,M.G. On a possibility of determining Z by means of δ rays, 0=19989
snard,S. and Talbot,J. On the brittleness of zone-refined iron at low temperatures, 0=16243
sprozvannaya,A.S. See Driatski,V.M., 0=18487
ss,L.,Ovadia,J. and Valassis,J. External beam current monitor for linear accelerators, 0=2406
ssa,F.I. See Abdel-Fattah El-Nadi, 0=18479
sse,A. and Desvignes,F. An infra-red polariscope, 0=180
sser,P.J. See Muckenhirn,O.W., 0=11866
ssis,G. See Bratož,S., 0=2750
ssis-Mazloum,N. and Lefebvre-Brion,H. Calculation of the hyperfine structure constants of the atoms N^{14} and O^{17} by the configuration interaction method, 0=20550
ssonov,M.I. and Kuvshinskii,E.V. Cracks in transparent plastics, their growth and structure, 0-6315
ssonov,M.I. and Kuvshinskii,E.V. Creep of solid amorphous polymers at high stresses, 0=16217
stul,A.B. Energy requirements of mechanical shear degradation in concentrated polymer solutions, 0=3522
stul,A.B. and Blackburn,D.H. Condensation coefficient of arsenic trioxide glass, 0=19509
tev,B.,Bozóki,G. and Fenyves,E. The absorption coefficient of the meson component of the cosmic radiation, 0=20273
he,H.A.,Beyster,J.R. and Carter,R.E. Inelastic cross-sections for fission-spectrum neutrons, I. 0=7624
he,H.A.,Beyster,J.R. and Carter,R.E. Inelastic cross-sections for fission-spectrum neutrons. II, 0=7625
he,H.A.,Beyster,J.R. and Carter,R.E. Inelastic cross-sections for fission-spectrum neutrons. III, 0=7626
he,H.A.,Beyster,J.R. and Carter,R.E. Inelastic cross-sections for fission-spectrum neutrons. IV, 0=7627
thge,H. and Keller,W. Dislocations rendered visible by surface evaporation in NaCl crystals, 0=9899
thke,G.W. Ultrarapid-scan infrared spectrometer, 0=16856
tjemann,A.G. See Dobbs,E.R., 0=9848
tinali,C. The thermoluminescence of precipitated calcium fluoride, 0=6210
ttis,E.S.,Cottrell,W.B.,Mann,E.R.,Meem,J.L. and Whitman,G.D. The aircraft reactor experiment — operation, 0=13314
ttis,E.S.,Schroeder,R.W.,Cristy,G.A.,Savage,H.W.,Affel,R.G. and Hemphill,L.F. The aircraft reactor experiment — design and construction, 0=13312
tler,P.C. and Charbonnier,F.M. Activation energy for the surface migration of tungsten in the presence of a high-electric field, 0=11646
tts,C. See Whitley,S., 0=5046
ukelman,T.E. and Lord,S.S.,Jr. The standard addition technique in flame spectrometry, 0=8338
un,J.A.,Miedema,A.R. and Steenland,M.J. Magnetic susceptibilities of chromium rubidium alum below 1°K, 0=8035
rtey,R.,Catillon,P.,Chaminade,R.,Faraggi,H.,Papineau,A. and Thirion,J. Elastic and inelastic scattering of 11 MeV protons on Zn^{64}, Zn^{66}, and Zn^{68} isotopes, 0=4092
usch,W. Two-quanta transitions in Ba^{137}, 0=17522
vans,J.T.,Dunkle,R.V.,Edwards,D.K.,Gier,J.T.,Levenson,L.L. and Oppenheim,A.K. Apparatus for the determination of the band absorption of gases at elevated pressures and temperatures, 0=2184
vc,V. Electromagnetic field of a ferromagnetic transformer, 0=17069
ver,M.B. See Titchener,A.L., 0=16349
verly,W.B. See Bucher,W.P., 0=455
verly,W.B. See Bucher,W.P., 0=5564
vington,P.R. See Lewis,H.W., 0=2476
ydon,J.,Delmas,G.,Druaux,J. and Griboval,P. An extraction of Hg^{198} formed in gold by slow neutron irradiation in the Saclay P2 pile, 0=17678
yer,J.B.,Van Bladel,J. and Peterson,H.A. Microwave thickness detector, 0=6721
yer,R.T. Parameter of nonlinearity in fluids, 0=10646
yer,R.T. See Bellin,J.L.S., 0=5098
yer,R.T. See Keck,W., 0=10661
eyer,R.T. See Proud,J.M.,Jr, 0=8751
ynon,J.H. and Saunders,R.A. Purification of organic materials by zone refining, 0=6329
eynon,W.J.G. Vertical drift effects in region-E, 0=21361
ynon,W.J.G. and Brown,G.M. Geomagnetic distortion of region-E, 0=6455
Beynon,W.J.G. and Brown,G.M. Region-E and solar activity, 0=8380
Beyster,J.R. See Bethe,H.A., 0=7624
Beyster,J.R. See Bethe,H.A., 0=7625
Beyster,J.R. See Bethe,H.A., 0=7626
Beyster,J.R. See Bethe,H.A., 0=7627
Bez,W. See Schrade,H., 0=10898
Bezbatchenko,A.L.,Golovin,I.N.,Ivanov,D.P.,Kirillov,V.D. and Yavlinsky,N.A. An investigation of a high-current gas discharge in a longitudinal magnetic field, 0=5312
Bezić,N. See Vakselj,M., 0=12897
Bezjak,A. and Grdenić,D. Crystal structure of mellitic acid, 0=10319
Bezotosnii,V.M. and Zamyatnin,Yu.S. Measurements of the absolute strengths of neutron sources, 0=7389
Bezrukikh,V.V. See Gringauz,K.I., 0=14381
Bezrukov,L.S.,Panov,D.A. and Timoshuk,D.V. The $Li^{7}(d,p)Li^{8}$ cross-section as a function of deuterons energy in the range 1.1-4 MeV, 0=7574
Bezuglȳi,P.A. and Galkin,A.A. Cyclotron resonance in indium at a frequency of 9300 Mc/s, 0=13528
Bezuglȳi,P.A.,Galkin,A.A. and Korolyuk,A.P. Anisotropy of the absorption coefficients of ultrasonics in superconductors, 0=13501
Bezuglȳi,P.A.,Galkin,A.A. and Korolyuk,A.P. Investigation of the anisotropy of the energy gap in superconducting tin, 0=19567
Bhadra,T.C. On the making of electret and measurement of the changes of dielectric constant of a polarised electret forming material with time, 0=6159
Bhagat,S.M. "Eddy" viscosity in liquid helium II, 0=5229
Bhagat,S.M. Effect of the van der Waal's corrections on the transition temperature of He^{3}—He^{4} mixtures, 0=2284
Bhagat,S.M. and Mendelssohn,K. Vorticity in superflow, 0=8922
Bhagavantam,S. and Chelam,E.V. Elastic behaviour of matter under very high pressures. Uniform compression, 0=16208
Bhagiratha Rao E. See Ramachandra Rao,B., 0=6464
Bhalla,C.P. and Rose,M.E. Pseudoscalar interaction in nuclear beta decay, 0=20380
Bhalla,M.S. See Hariharan,P., 0=5127
Bhalla,M.S. See Hariharan,P., 0=5175
Bhalla,M.S. See Hariharan,P., 0=6911
Bhandari,R.C. Scattering of thermal neutrons in beryllium, 0=7361
Bhandari,R.C. and Jain,R.D. Inelastic scattering of fission neutrons in uranium, 0=5801
Bhandari,R.C.,Kothari,L.S. and Singwi,K.S. Scattering of thermal neutrons in beryllium oxide, 0=7359
Bhanot,V.B.,Johnson,W.H.,Jr, and Nier,A.O. Atomic masses in the heavy mass region, 0=17673
Bhatia,A.K. and Sucher,J. On the radiative corrections to the scattering of mesons in an external electromagnetic field, 0=20166
Bhatia,B. Some factors determining the maximum angular velocity of pursuit ocular movements, 0=3378
Bhatnagar,H.L. Light scattering by anisotropic inhomogeneities in thin polymer films under strain. I. Simple elongation, 0=6374
Bhatnagar,P.L. and Lakshmana Rao,S.K. Problems on the motion of non-Newtonian viscous liquids, 0=2149
Bhatnagar,P.L. and Verma,P.D. On superposable flows, 0=2148
Bhatnagar,P.L. See Lal,P., 0=8693
Bhatt,V.P. See Pandya,N.S., 0=18332
Bhattacharya,B.N. and Gordy,W. Observation of π Stark components in microwave spectroscopy: precision measurements on HCN, 0=13441
Bhattacharya,G.N. See Sen,A.K., 0=6153
Bhattacharya,R.N. Wave resistance in deep water due to the accelerated motion of a pressure system, 0=8631
Bhattacharyya,B.K. Correlation studies of radio-aurora, magnetic, and earth-current disturbances, 0=10438
Bhattacharyya,B.K. A study of auroral motions from all-sky camera records, 0=18506
Bhattacharyya,J. See Piggott,W.R., 0=15166
Bhattacharyya,J.C. Non-uniformity in the brightness of the sun's disk at sunspot minimum, 0=838
Bhattacharyya,R. See Sengupta,A.K., 0=17501
Bhattacharyya,R. Effect of chemical treatment on the electrical conductivity of graphite, 0=17998

Bhattacharyya,R.N. Waves produced by a pressure system moving with an acceleration over the surface of deep water, 0=8630
Bhattacharyya,T.J. Absorption of microwaves in solutions of ortho-chlorophenol, 0=5027
Bhattacharyya,T.J. On the absorption of 3.18 cm microwaves in ethylene chlorhydrin and its solutions, 0=19157
Bhattacherjee,S.K. and Mitra,S.K. $\beta-\gamma$ direction correlation in ^{152}Eu, 0=13199
Bhattacherjee,S.K.,Raman,S. and Sahai,B. On the 1409 keV transition in Sm^{152}, 0=2646
Bhavsar,C.M. See Pathak,P.D., 0=14899
Bhide,V.G. and Damle,R.V. Dielectric properties of manganese dioxide. I., 0=18092
Bhide,V.G. and Damle,R.V. Dielectric properties of manganese dioxide. II., 0=18093
Bhide,V.G.,Damle,R.V. and Dani,R.H. Dielectric hysteresis in pyrolusite, 0=11740
Bhimasenachar,J. See Subrahmanyam,S.V., 0=10659
Bhimasenachar,J. See Subrahmanyam,S.V., 0=14640
Bhonsle,R.V. See Ramanathan,K.R., 0=21366
Bhowmick,S.K. Note on the effect of a centre of dilatation in a semi-infinite elastic solid with its plane face fixed, 0=19026
Bhowmik,B. See K$^-$-collaboration, 0=1308
Bhupala Rao,Y. A note on the spectrum of Br IV, 0=20585
Bhutani,O.P. A certain boundary value problem and its applications, 0=6642
Biagi,F. See Burkhard,M.D., 0=6886
Bialas,D.,Hosemann,R.,Kussmann,A.,Motzkus,F. and Wollenberger,H. Crystallographic evidence for a superstructure in German-silver alloys, 0=8214
Białkowski,G. and Jurewicz,A. K$^+$—nucleon scattering in the Tamm—Dancoff approximation, 0=2593
Białkowski,G. and Jurewicz,A. Non-adiabatic treatment of the scattering of K$^+$ mesons by nucleons, 0=17419
Bialkowski,G. and Jurewicz,A. A note on a possible classification of strangeness-2 mesons, 0=20164
Białynicki-Birula,I. On the internal degrees of freedom of particles in quantum field theory, 0=15304
Bialynicki-Birula,I. Finite value of the wave function renormalization constant in quantum electrodynamics, 0=17217
Bialynicki-Birula,I. On the gauge properties of Green's functions, 0=20017
Bianchi,L. and Cotton,E. The advantages of a Mileikowsky spectrometer with astigmatic focussing for measuring the energy distribution of reactions on light nuclei, 0=9251
Bianchi,L.,Cotton,E. and Mileikowsky,C. A heavy-particle spectrometer, 0=2403
Biberman,L.M. and Fomina,I.A. The action of medium-energy electrons on photographic emulsion, 0=12732
Biberman,L.M. and Norman,G.É. Calculation of photo-ionization absorption, 0=19609
Biberman,L.M. and Veklenko,B.A. Radiative processes ahead of a shock-wave front. 0=10728
Biberman,L.M. and Yakubov,I.T. An approximate method of calculation of the Franck—Condon factors, 0=15749
Bibl,K. Dynamic characteristics of the ionosphere and their coherency with the local and planetary magnetic index, 0=16433
Bibl,K.,Paul,A. and Rawer,K. The frequency dependence of ionospheric absorption, 0=15169
Bibl,K. and Rawer,K. Traveling disturbances originating in the outer ionosphere, 0=12165
Bibring,H. Presentation of evidence of a structure indicating martensitic shearing, 0=21207
Bibron,R. See Lefort,M., 0=17595
Bichard,J.W.,Mihelich,J.W. and Harmatz,B. Electron capture decay of Lu^{173} to levels in Yb^{173}, 0=1370
Bichkov,Yu.F.,Rozanov,A.N. and Skorov,D.M. Young's modulus of zirconium—niobium alloys, 0-8105
Bichkov,Yu.F.,Rozanov,A.N. and Skorov,D.M. Some properties of zirconium—niobium alloys, 0=8274
Bichsel,H. Relative ionization of protons near the end of their range, 0=20141
Bichsel,H. and Uehling,E.A. Multiple scattering correction for proton ranges and the evaluation of the L-shell correction and I value for aluminum, 0=15354
Bichsel,H. See Gabbard,F., 0=4120
Bickart,C.J. See Reder,F.H., 0=19923
Bickel,P.W. and Berlincourt,T.G. Optical mode scattering contribution to electrical resistivity in zirconium hydride, 0=15884
Bickerton,R. Thermonuclear processes, 0=5835
Bickerton,R.J. Brief review of the toroidal stabilised pinch, 0=19660
Bickerton,R.J. and Jukes,J.D. The direct conversion of thermo nuclear energy to electrical power in the stabilized pinch, 0=7678
Bickford,L.R.Jr, Instrinsic and anneal-induced anisotropy in cobalt-substituted W-type hexagonal oxides, 0=10120
Bickford,L.R.,Jr. Trigonal magnetocrystalline anisotropy in hexagonal oxides, 0=13840
Biddlestone,A.J. See Nutt,C.W., 0=2759
Bidwell,R.M.,King,L.D.P. and Wykoff,W.R. Radiolytic yields of nitrogen and hydrogen in water boilers, 0=13370
Bidwell,R.M. and Wykoff,W.R. The parasite reactor, a pressur bomb assembly for phase studies under irradiation, 0=1331
Biedenharn,L.C. See Griffy,T.A., 0=9556
Bienenstock,A.,Posner,A.S. and Block,S. Radial distribution study of vitreous barium borate, 0=14027
Bienert,W. See Asselmeyer,F., 0=8213
Bienlein,H.,Güthner,K.,Von Issendorff,H. and Wegener,H. An apparatus for measuring the longitudinal electron polarization by Mott-scattering, 0=17306
Bienvenue,L.L. See Sosin,A., 0=6294
Bier,K. Inversion of the separation-jet unmixing process in over-expanded gas jets, 0=19183
Bierl,R. The problem of vibration production from the point of view of new musical instrument research and development, 0=5113
Bierlein,T.K. and Green,D.R. The diffusion of uranium into aluminum, 0=13563
Biermann,L. Stellar atmospheres as a plasma, 0=3403
Biermann,L. Remarks on the stellarator-scheme, 0=19661
Biermann,L.,Kippenhahn,R.,Lüst,R, and Temesvary,S. Contributions to the theory solar granulation, 0=2078
Biermann,L. and Pfirsch,D. Cooperative phenomena and diffusion of a plasma in a transverse magnetic field. I, 0=5309
Biermann,L. and Trefftz,E. Formation of CO$^+$ ions in comets, 0=3415
Biermann,L. See Pfirsch,D., 0=5310
Bierrum,N.R. and Walsh,D. Harmonics from a microwave gas discharge, 0=19647
Bierrum,N.R.,Walsh,D. and Vokes,J.C. Coherence and bandwidth of a gas discharge harmonic generator, 0=12592
Biersack,J. Path stability in circular accelerators, 0=15093
Biersdorf,W.R. and Armington,J.C. Level of light adaptation and the human electroretinogram, 0=817
Biesterfeldt,H.J.,Lange,J.N and Skudrzyk,E.J. Vibrations of rods at frequencies below their radial resonance, 0=10707
Bietti,A. Virtual pion effects in longitudinal polarization and spectrum of neutrons from unpolarized μ^- absorbed at rest, 0=17368
Bigeleisen,J. Spectral and reactivity differences of transition metal ions in H$_2$O and D$_2$O, 0=13455
Bigeleisen,J. See Roth,E.G., 0=8700
Bigg,P.H. Weight-in-air basis of adjustment of precision weights, 0=3485
Bigg,P.H. See Elliott,K.W.T., 0=8677
Bigham,C.B. See Allen,K.W., 0=15523
Bigorgne,M. Study of the diffusion spectrum of nickel carbonyl in the liquid state and in solution, 0=19156
Bigorgne,M. and Chelkowski,A. Study of the scattering spectrum of nickel carbonyl vapour. 0=19218
Bilaniuk,O.M. and French,J.B. s-particle doublets in certain light nuclei, 0=17492
Bilaniuk,O.M. and Hensel,J.C. B^{10}(d,p)B^{11} reaction and the configurations of B^{11}, 0=17483
Bilaniuk,O.M. See Rietjens,L.H.T., 0=17605
Bilen'kii,S.M. and Ry̆ndin,R.M. Method for determining hyperc polarization in the reaction $\pi + p \to Y + K$, 0=2596
Bilen'kii,S.M. and Ry̆ndin,R.M. On the relativistic relation between polarization and asymmetry, 0=12855
Bilen'kii,S.M.,Ry̆ndin,G.M.,Smorodinskii,Ya.A. and Khé Tszo-Sy [Ho Tso-Hsiu]. Theory of the β-decay of neutrons, 0=734
Bilen'kii,S.M.,Ry̆ndin,R.M.,Smorodinskii,Ya.A. and Khé Tszo-Syu [Ho Tso Hsiu]. Addition to the paper "Theory of the β-decay of neutrons", 0=12938
Bilger,R.C. See Cox,J.R.,Jr, 0=14752
Bilhorn,D.E. See Tobocman,W., 0=1445
Bill,A.,Öbrink,K.J. and Ulfendahl,H.R. An easy way of calculating the composition of a two-component system from two-channel spectrometry, 0=12804

llings,D.E. Distribution of matter with temperature in the emission corona, 0=10503
llings,D.E. See Gantvoort,N.C., 0=14423
illington,C. Phosphorescence mechanisms. I. Approach and general analysis, 0=18142
illington,C. Phosphorescence mechanisms. II. Description of phosphorometer, 0=18143
illington,C. Phosphorescence mechanisms. III. Method of analysis, 0=18144
illington,C. Phosphorescence mechanisms. IV. Decay rate spectra of ruby, uranium glass, and Mn-activated zinc sulfide, 0=18145
illington,D.S.,Leeser,D.O.,Clark,J.W.,Hanscome,T.D., Carroll,J.G.,Belt,R.O. and Barkhard,E.L. Advances in radiation effects, 0=20849
illington,E.W. Some measurements of the time dependence of the viscosity of thixotropic fluids, 0=6736
illmeyer,F.W.,Jr,Beasley,J.K. and Sheldon,J.A. Formulation of transparent colors with a digital computer, 0=183
llups,R. See Skapski,A., 0=3505
ilpuch,E.G.,Weston,L.W. and Newson,H.W. Neutron capture cross sections in the keV region. I. Methods of measurement and analysis, 0=20487
ilpuch,E.G. See Nichols,P.F., 0=5788
ilpuch,E.G. See Weston.L.W., 0=20488
Bilwes,R.,Seltz,R.,Suffert,M.,Liess,M.,Nehlig,J.J. and Magnac-Valette,D. A very low voltage deuteron accelerator, 0=17055
Bincer,A.M. Electromagnetic structure of the nucleon, 0=9347
Bindal,V.N. See Parthasarathy,S., 0=5096
Bindal,V.N. See Parthasarathy,S., 0=10723
Binder,D. Technique for using the Np^{237} fission reaction as a detector for fast neutrons in a reactor, 0=20162
Binder,I. and Post,B. Manganese diboride, 0=8210
Bineau,M.,Consoli,T.,Hubert,P.,Prévot,F.,Ricateau,P. and Samain,A. Magnetic mirror machines. I. Résumé of the state of the problem and an outline of a programme of research, 0=19662
Bineau,M.,Consoli,T.,Maisonnier,C.,Prevot,F. and Ricateau,P. Magnetic mirror machines. II, 0=19663
ingel,W.A. Some properties of first order density matrices with special application to many-electron atoms, 0=11483
Bingham,C.D. See James,R.A., 0=5728
Bingham,H.H. See Webb,F.H. Jr, 0=10883
Binnendijk,L. Photoelectric light curves of V839 Ophiuchi, 0=12326
Binnendijk,L. Photoelectric observations of β Lyrae, 0=12327
Binnendijk,L. The light variation and orbital elements of U Pegasi, 0=12328
Binnendijk,L. The light variation and orbital elements of AH Virginis, 0=18803
Biogelot,A. Spectral methods in the boundary value problems of mathematical physics, 0=2067
Biondi,M.A. High-speed nonrefrigerated isolation traps for ultra high-vacuum systems, 0=108
Biondi,M.A. and Garfunkel,M.P. Millimeter wave absorption in superconducting aluminum. I. Temperature dependence of the energy gap, 0=2288
Biondi,M.A. and Garfunkel,M.P. Millimeter wave absorption in superconducting aluminum. II. Calculation of the skin depth, 0=2289
Biondi,M.A. and Rayne,J.A. Band structure of noble metal alloys: optical absorption in α-brasses at 4.2 °K, 0=1542
Biorci,G. and Ferro,A. Hysteresis losses along open transformations, 0=13781
Biorci,G.,Ferro,A. and Montalenti,G. Magnetic vsicosity in iron due to carbon atoms anchored in dislocations, 0=1803
Biorci,G.,Ferro,A. and Montalenti,G. Magnetic after-effect in iron due to motion of dislocations, 0=13820
Biorci,G.,Ferro,A. and Montalenti,G. Effect of neutron bombardment on the magnetic properties of very high permeabilty iron, 0=18189
Biorci,G. and Pescetti,D. Some consequences of the analytical theory of the ferromagnetic hysteresis, 0=13780
Biot,A. The convergent thick lens. I. Graphical representation of chromatic variation of the focal length, 0=3608
Biot,A. The convergent thick lens. II. Achromatism of the axial image point, 0=3609
Biot,A. The equivalent thickness of an absorbing lens, 0=5138
Biot,A. Geometrical optics and wave optics, 0=8767
Biot,A. On the transverse [chromatic] aberration of optical systems. II. The refracting element. III. Discussion of the general formula, 0=8771
Biot,A. The thick lens. III. Transverse chromatic aberration, 0=8772
Biot,A. On the thick lens, 0=14799
Biot,A. The transverse chromatic aberration of an optical system between two different media, 0=14800
Biot,M.A. and Tolstoy,I. Canonical and Hamiltonian formalism applied to the Sturm—Liouville equation, 0=16511
Bir,G.L. The influence of surface recombinations on photoconductivity of semiconductors, 0=617
Bir,G.L. See Pikus,G.E., 0=587
Bir,G.L. See Pikus,G.E., 0=11694
Bir,G.L. See Pikus,G.E., 0=13596
Birbeck,F.E. and Calverley,A. Improved apparatus for floating-zone melting by electron bombardment, 0=4592
Birch,J.A.,Kemp,W.R.G.,Klemens,P.G. and Tainsh,R.J. The lattice thermal conductivity of some gold alloys, 0=6025
Bird,G.R. and Parrish,M.,Jr. The wire grid as a near-infrared polarizer, 0=14852
Bird,J.F. Vibrations of thick-walled hollow cylinders: approximate theory, 0=19252
Bird,J.F.Haar,L.Hart,R.W. and McClure,F.T. Effect of solid propellant compressibility on combustion instability, 0=10808
Bird,J.F.,Hart,R.W. and McClure,F.T. Vibrations of thick-walled hollow cylinders: exact numerical solutions, 0=19251
Bird,J.F. See McClure,E.T., 0=8735
Bird,J.R.,Moxon,M.C. and Firk,F.W.K. Gamma ray spectra and parameters of neutron resonances in mercury, 0=4074
Bird,J.R. and Waters,J.R. The use of digital recording on magnetic tape for the study of γ-rays from resonant neutron capture in platinum, 0=4079
Bird,L.,Edwards,D.N.,Rose,B.,Taylor,A.E. and Wood,E. R parameter in p—p scattering at 142 MeV, 0=11166
Bird,L. See Taylor,A.E., 11164
Bird,L.E. See James,J.C., 0=8408
Bird,M.A. See Butt,E.P., 0=5837
Bird,R.B. New variational principle for incompressible non-Newtonian flow, 0=14588
Birdsall,C.K. and Lichtenberg,A.J. Traveling wave focusing for plasma containment, 0=1135
Birdsall,H.A. Digest of literature on dielectrics. Insulating films, 0=2300
Birdsall,T.G. Detection of a signal specified exactly with a noisy stored reference signal, 0=14341
Birdwell,B.F. and Crawford,G.W. Gamma radiolysis of propane. 0=16387
Birge,R.W. and Fowler,W.B. Proton helicity from Λ decay, 0=17330
Birge,R.W.,Lanou,R.E.,Jr,Whitehead,M.N. and Courant,H. A new use of counter control in cloud chamber operation, 0=17159
Birge,R.W. See Muller,F., 0=11220
Birge,R.W. See Whitehead,M.N., 0=9433
Birger,N.G. and Smorodin,Yu.A. The kinematics of elementary interactions, 0=9307
Birger,N.G. and Smorodin,Yu.A. A possibility of investigation of the structure of nucleons and nuclei, 0=9348
Birgfellner,H. Observations on exo-electron problems, 0=15053
Birk,M.,Goldring,G. and Wolfson,Y. Lifetimes of 2^+ rotational states, 0=1369
Birk,M. See Goldring,G., 0=17176
Birkeland,S.P.,Daub,G.H.,Hayes,F.N. and Ott,D.G. Liquid scintillators. X. Some aryl substituted phenanthrenes and dihydrophenanthrenes, and related p-terphenyls and p-quaterphenyls. Determination of Kallmann parameters, 0=16710
Birkhoff,G. Some mathematical problems of nuclear reactor theory, 0=17640
Birks,A.M. See Bagley,E.B., 0=8605
Birks,J.B. Transfer of excitation energy and radiationless transitions; reply to comments by Furst and Kallmann, 0=6809
Birks,J.B. and Cameron,A.J.W. Crystal fluorescence of carcinogens and related organic compounds, 0=8014
Birks,L.S. Technique for calculating X-ray intensities in the electron probe microanalyzer, 0=14155
Birks,L.S. See Achter,M.R., 0=1602
Birks,L.S. See Sweeney,W.E.,Jr, 0=10336

Birman,J.L. Simplified LCAO method for zincblende, wurtzite, and mixed crystal structures, 0=1541
Birman,J.L. Polarization of fluorescence in CdS and ZnS single crystals, 0=11783
Birmingham,B.W. See Chelton,D.B., 0=12540
Birmingham,B.W. See Mann,D.B., 0=8915
Birmingham,B.W. See Scott,L.E., 0-7039
Birnbaum,G. See Greifinger,C., 0=11043
Birnbaum,G. See Maryott,A.A., 0=5915
Birnbaum,G. See Maryott,A.A., 0=10700
Birnbaum,H.K. On the conditions governing the brittle fracture of iron single crystals, 0=18281
Birshtein,T.M.,Burshtein,L.L. and Ptitsȳn,O.B. Internal rotation in polymer chains and their physical properties. XII. The dipole moments of copolymers, 0=9833
Birshtein,T.M. and Ptitsȳn,O.B. Internal rotation in polymer chains and their physical properties. XIII. The dimensions and dipole moments of molecules of isotactic vinyl polymers, 0=9834
Birss,F.W. See Goodfriend,P.L., 0=17827
Birss,R.R. The thermal expansion anomaly of gasolinium, 0=7855
Birss,R.R. The saturation magnetostriction of polycrystals, 0=8056
Birss,R.R. The saturation magnetostriction of ferromagnetics, 0=11875
Birss,R.R. and Horne,R.J. The thermal expansion of a silicon single crystal, 0=11587
Birss,R.R. and Lee.E.W. Measurement of magnetostriction within the temperature range -196 to 400°C, 0=11876
Birss,R.R. and Fry,J.P. An electronic fluxmeter, 0=7183
Birtley,W.B. See Rank,D.H., 0=5926
Birtley,W.B. See Rank,D.H., 0=5928
Birtley,W.B. See Rank,D.H., 0=14819
Birtley,W.B. See Rank,D.H., 0=15726
Birtley,W.B. See Rank,D.H., 0=15727
Birx,D.L. See Franklin,R.G., 0=12690
Birzvalk,Yu. and Veze,A. Velocity distribution in electromagnetic pump channels, with a rectangular cross-section, 0=5389
Birzvalks,Yu. Analytic determination of the potential distribution in the boundary zone of an electromagnetic pump with constant current, 0=9149
Birzvalks,Yu. Current distribution in the region of the longitudinal axis of the channel of a constant-current pump, 0=15130
Bishop,A.E. See Cartwright,J., 0=4702
Bishop,F.W. Method to permit accelerated warm-up of the oil diffusion pump of the electron microscope without overheating, 0=218
Bishop,F.W. Use of a platinum filament in the electron microscope, 0=3808
Bishop,G. Inelastic scattering of electrons on O^{16} producing excitation of the giant resonance, 0=20474
Bishop,G.R. Application of the collective model to some nuclei in the d-shell, 0=4013
Bishop,G.R.,Demay,P. and Demichelis,F. Proton angular distributions in the reaction $Mg^{24}(d,p)Mg^{25}$, 0=9637
Bishop,G.R. and Kossanyi-Demay,P. The lifetime of the first excited state of Mg^{25} and the collective model, 0=17519
Bishop,G.R. and Madaule,F. Study of the excited levels of Po^{214} (RaC), 0=9604
Bishop,G.R. See Bizot,J.C., 0=13225
Bishop,J. See Bentley,P.G., 0=3812
Bishop,K.F. and Taylor,B.T. Growth of the tritum content of atmospheric molecular hydrogen, 0=5682
Bishop,R.E. See Dreyfus,M.G., 0=5140
Bisi,A.,Faini,G.,Gatti,E. and Zappa,L. Positron lifetime in metals, 0=17908
Bisi,A.,Fasana,A. and Zappa,L. Circular polarization of external bremsstrahlung from β-rays in magnetized targets, 0=7325
Bisi,A.,Fasana,A. and Zappa,L. Circular polarization of external bremsstrahlung from beta emitters, 0=15543
Bisi,A. and Zappa,L. Statistical spread in pulse size of the scintillation spectrometer, 0=17144
Bisi,F. and De Michelis,B. Radio-frequency discharges in magnetic fields, 0=19648
Bist,H.D. See Pant,D.D., 0=3539
Bist,H.D. See Pant,D.D., 0=18138
Biswas,A.B. See Skribljak,M., 0=3237
Biswas,N.N. Interference phenomena in nuclear scattering of neutral K mesons, 0=9435
Biswas,S.,Lavakare,P.J.,Neelakantan,K.A. and Shukla,P.G. Evidence for a Forbush type of decrease in the intensity of heavy nuclei of the primary cosmic radiation, 0=9489
Biswas,S.,Lavakare,P.J.,Neelakantan,K.A. and Shukla,P.G. The energy spectrum of nuclei with charge $Z \geq 6$ in the primary cosmic radiation, 0=15468
Biswas,S.G. X-ray analysis of frozen pyridine and its solution at -180°C, 0=6370
Biswas,S.G. Space group of 1, 3, 5-trichlorobenzene, 0=18370
Biswas,S.N. General solution of the Bethe—Saltpeter equation in instantaneous interaction approximation, 0=12863
Biswas,S.N. and Pandit,L.K. K^-—K^0 relative parity determination from nucleon—antinucleon annihilation, 0=5603
Biswas,S.N. See Ammiraju,P., 0=20505
Biswas,S.N. See Green,H.S., 0=9266
Biswas,S.N. See Gupta,V., 0=17383
Biswas,S.N. See Saxena,S.S., 0=20233
Bither,T.A. See Swoboda,T.J., 0=11916
Bitó,J. See Szigeti,C., 0=7083
Bitovskii,N.A.,Mashovets,T.V. and Rȳvkin,S.M., The determination of the number of acceptor levels of defects produced in germanium by the action of γ-rays, 0=4339
Bittini,M.,Ercoles,A.M.,Fiorentini,A.,Ronchi,L. and Toraldo di Francia,G. Enhanced contrast of an indifinitely contoured object by movement or intermittent illumination, 0=8449
Bittini,M. and Ronchi,L. Green and blue electroretinograms at low luminances, 0=8443
Bixler,H.J.,Michaels,A.S. and Parker,R.B. Use of McLeod gauges at room temperature for gases with high critical temperatures, 0=19227
Bizette,H.,Terrier,C. and Tsai,B. Principal magnetic susceptibilities of cobalt chloride, bromide and iodide, 0=13845
Bizina,G.E. See Burgov,N.A., 0=13215
Bizot,J.C.,Muller,F. and Bishop,G.R. Reaction Mg^{25} (p,γ) Al^{26}, 0=13225
Bizzetti,P.G. and Della Corte,M. Photometric analysis of tracks in nuclear emulsions from the point of view of discrimination, 0=199
Bizzetti,P.G. and Della Corte,M. The thin-down of the tracks of heavy nuclei in nuclear emulsions, 0=12777
Bjelland,B.,Holt,O.,Landmark,B. and Lied,F. The D region of the ionosphere, 0=4796
Bjerhammar,A. Electro-optical distance measuring, 0=8585
Bjerhammar,A. An electro-optical device for measuring distance, 0=14570
Bjerhammar,A. A general method for an explicit determination of the shape of the earth from gravitmetric data, 0=16556
Bjorken,J.D. Construction of coupled scattering and production amplitudes satisfying analyticity and unitarity, 0=12873
Bjorken,J.D. and Goldberg,A. A test of approximation methods in potential scattering, 0=15283
Bjorklund,R.F. See Pao,Yoh-Han, 0=20700
Bjorkland,S.,Koller,E.L. and Taylor,S. Analysis of the experimental τ' +decay spectrum as a test of the $\Delta T = \frac{1}{2}$ rule, 0=11219
Bjørnholm,S.,Dam,P.,Nordby,H. and Poulsen,N.O.R. A method for the preparation of cyclotron targets of rare-earth oxides by electro-phoresis, 0=19843
Bjørnholm,S.,Nielson,O.B. and Sheline,R.K. Levels in Zr^{90}; experimental, 0=1363
Bjørnholm,S. See Toth,K.S., 0=1379
Bkouche,R. On the asymmetric metric, 0=2095
Blaauw,A.,Gum,C.S.,Pawsey,J.L. and Westerhout,G. The new I.A.U. system of galactic coordinates (1958 revision), 0=18582
Blaauw,A. Optical determinations of the galactic pole, 0=18827
Black,J.W. and Hixson,W.C. Number of axis crossings and the intelligibility of speech, 0=808
Black,P.J. and Forsyth,J.B. Use of scintillation counters in single crystal X-ray diffractometry, 0=4612
Black,R.M. and Lyons,B.J. Radiation-induced changes in the structure of polypropylene, 0=10359
Blackband,W.T. Radio communication with a lunar probe, 0=10544
Blackband,W.T. The determination of ionospheric electron content by observation of Faraday fading, 0=16426
Blackburn,D.H. See Bestul,A.B., 0=19509
Blackler,J.M. Models for main sequence stars, 0=18849

lackman,L.C.F.,Dundas,P.H. and Ubbelohde,A.R. The anisotropic thermoelectric power of graphite, 0=7970
lackman,M. On the lattice theory of expansion, 0=4271
lackman,M.,Haigh,G. and Lisgarten,N.D. Investigation on the domain structure in hematite by means of the electron beam method, 0=8051
lackman,M. and Kaye,G. An electron diffraction study of the effects of heat treatment on α-Fe$_2$O$_3$ (haematite) single crystals, 0=8209
lackman,M. and Lisgarten,N.D. The use of magnetic models in the interpretation of domain effects on an electron beam, 0=287
lackmore,W.R. A thermistor hypsometer, 0=914
lackmore,W.R. Ebulliometry and the determination of the molecular weights of polymers. III. Considerations on thermistor wheatstone bridges, 0=1058
lackmore,W.R. Design problems in ebulliometry of polymers, 0=6995
lackmore,W.R. The source of noise in ebulliometry, 0=10811
Blackwell,D.E.,Dewhirst,D.W. and Dollfus,A. The observation of solar granulation from a manned balloon. I. Observational data and measurement of contrast, 0=16540
Blackwell,D.E.,Dewhirst,D.W.,Ney,E.P. and Kellogg,P.J. Kellogg and Ney's model of the solar corona, 0=8504
Blackwell,D.E.,Ingham,M.F. and Rundle,H.N. The night-sky spectrum λλ5000-6500 A, 0=8411
Blackwell,D.E. and Willstrop,R.V. A study of the monochromatic polarization of Comet Arend-Roland (1956h), 0=18729
Blackwell,H.R. See Kincaid,W.M., 0=2061
Blackwell,L.A.,Kanda,Y. and Sponer,H. Triplet—singlet emission spectra of xylenes in crystalline state at 4.2° and 77°K, and in EPA at 77°K, 0=10067
Bladel,J.Van. See Van Bladel,J.
Blades,J.D. Stress anisotropy in Ni—Fe thin films, 0=3054
Blaedel,W.J. and Olsen,E.D. All-teflon counting cell for flowing radioactive solutions, 0=17515
Blaha,M.,Kopecký,M. and Švestka,Z. Measurement of magnetic fields in chromospheric flares, 0=18759
Blaine,L.R. See Plyler,E.K., 0=6167
Blaine,L.R. See Plyler,E.K., 0=6938
Blaine,L.R. See Plyler,E.K., 0=15735
Blair,A.G. See Hamburger,E.W., 0=13239
Blair,D.T.A.Bruce,F.M.Matthews,J.E. and Tedford,D.J. Pre-breakdown phenomena in uniform fields, 0=10885
Blair,E.J. See Kramer,H.H., 0=8789
Blair,G.W.S. and Burnett,J. On the creep, recovery, relaxation and elastic "memory" of some renneted milk gels, 0=8122
Blair,G.W.S. and Burnett,J. Distribution of relaxation times in a symmetrically stressed renneted milk gel, 0=8123
Blair,G.W.S. and Oosthuizen,J.C. Rolling-sphere viscometer for structured liquids, 0=14575
Blair,I.M. See Astbury,A., 0=2687
Blair,J.M. and Leigh,J.J. Total cross sections of the O^{18}(p,α)N^{15} and O^{18}(p,n)F^{18} reactions, 0=9632
Blair,J.M. See Norbeck,E., 0=4108
Blair,J.S. Inelastic diffraction scattering, 0=432
Blair,J.S.,Farwell,G.W. and McDaniels,D.K. Diffraction analysis of elastic and inelastic scattering by magnesium, 0=17608
Blair,J.S. See McDaniels,D.K., 0=20469
Blair,R.R. See Easley,J.W., 0=18029
Blais,N.C. and Mann,J.B. Thermal conductivity of helium and hydrogen at high temperatures, 0=10797
Blais,N.C. and Mann,J.B. Ionization of Cu, Ag, and Au by electron impact, 0=14967
Blaise,J. A description of the Fabry—Perot spectrometer installed at Bellevue, 0=16840
Blaise,J. and Gluck,G. Isotopic shifts in the arc spectrum of tungsten, 0=15667
Blaise,S.,Gaudin,M.,Joly,R.,Leroy,J. and Vendryes,G. Measurements of the mean number of neutrons emitted during fission of U^{238} by 14.2 MeV neutrons, 0=9708
Blaisse,B.S. See Hoek,W.J., 0=3144
Blaize,S. Some results on the spectra of fast neutrons obtained by means of nuclear emulsions, 0=12792
Blake,C. See McCurley,E.P., 0=7186
Blakemore,J.S. Impurity conduction in indium-doped germanium, 0=20902
Blakemore,J.S.,Heaps,J.D.,Nomura,K.C. and Beardsley,L.P. Recombination and trapping in tellurium, 0=6143
Blakemore,J.S. and Nomura,K.C. Influence of transverse modes on photoconductive decay in filaments, 0=7954
Blamont,J.E.,Donahue,T.M. and Stull,V.R. The sodium twilight airglow 1955-1957. I, 0=4802
Blamont,J.E.,Donahue,T.M. and Weber,W. The sodium twilight airglow 1955-1957. II, 0=4803
Blănariu,D. See Mageru,V., 0=2630
Blanariu,D. See Mageru,V., 0=16496
Blanc,D. and Degeilh,A. Proof of the existence of an optimum pressure in the interior of a high-frequency source with diaphragm giving positive ions of argon, 0=15085
Blanc,D. and Degeilh,A. Functional characteristics of h.f. ion sources with diaphragms inside their extracting channels, 0=19771
Blanc,D.,Fontan,J. and Verdenne,G. A method of continuous dosimetry of radon in the air, 0=15528
Blanc,D.,Fontan,J. and Vedrenne,G. On the simultaneous measurement of the activity due to radon and its decay products in the atmosphere. The possible application to uranium prospecting at a distance, 0=16498
Blanc,D.,Giron,G.,Mathieu,J.,Ponsan,M. and Pujol,T. Characteristics of ionization chambers filled with liquid hexane, 0=5444
Blanc,F. See Berthet,G., 0=681
Blanc,M. Contribution to the determination of the heats of fusion of some metallic halides. Relation between the entropy of fusion and the crystalline structure, 0=14901
Blanc,M.A.R.Le. See Le Blanc,M.A.R.
Blanc-Lapierre,A. and Dumontet,P. Study of a statistical model introduced by the techniques of time of flight or by the study of fluctuations of the time of transit, 0=6544
Blanc-Lapierre,A. and Dumontet,P. On some statistical problems introduced by time of flight techniques and by the study of the fluctuations in times of flight, 0=6691
Blanchard,C.H. On the multiple scattering of neutrons in hydrogen-like substances, 0=12947
Bland,D.R. On the foundations of linear isotropic viscoelasticity, 0=8113
Blandin,A. and Daniel,E. The Knight shift in alloys, 0=4526
Blandin,A.,Daniel,E. and Friedel,J. On the Knight shift of alloys, 0=16186
Blandin,A. and Friedel,J. Magnetic properties of dilute alloys. Magnetic interactions and antiferromagnetism in alloys of the type noble metal—transition metal, 0=13847
Blank,C. and Edwards,M.H. Dielectric breakdown of liquid helium, 0=12550
Blankenbecler,R. A contraction rule for composite particles, 0=5495
Blankenbecler,R. and Cook,L.F.,Jr. Bound states and dispersion relations, 0=15291
Blankenbecler,R. and Gartenhaus,S. Evaluation of dispersion relations, 0=2556
Blankenbecler,R.,Gartenhaus,S.,Huff,R. and Nambu,Y. Electroproduction of π-mesons, 0=20215
Blankenbecler,R.,Goldberger,M.L.,Khuri,N.N. and Treiman,S.B. Mandelstam representation for potential scattering, 0=12849
Blankenbecler,R. See Gartenhaus,S., 0=2584
Blanpain,R. Study of the efficiency of an adiabatic helium liquefier operating with auxiliary cooling by means of liquid nitrogen, 0=14918
Blanpied,W.A. Proton—proton polarization at 16 MeV, 0=2545
Blaquiere,A. Application of the two-parameter diagram to the study of the stability of nuclear reactors, 0=17642
Blaskovitch,L. See Awunor-Renner,E.R.T., 0=15497
Blatt,F.J. and Kropschot,R.H. Thermoelectric power of dilute copper alloys, 0=10007
Blatt,F.J. See Kropschot,R.H., 0=1691
Blatt,J.M. A remark concerning the Bogoliubov theory, 0=16946
Blatt,J.M. and Matsubara,T. Quasi-chemical equilibrium theory. II, 0=12383
Blatt,J.M. and Matsubara,T. The electric and magnetic response of a thermodynamic system, 0=16638
Blatt,J.M. and Matsubara,T. The Meissner—Ochsenfeld effect in the Bogoliubov theory, 0=16945
Blatt,J.M.,Matsubara,T. and May,R.M. Gauge invariance in the theory of superconductivity, 0=16947
Blatt,J.M. See Derrick,G.H., 0=17432
Blau,H.H.,Jr. See Emslie,A.G., 0=2273
Blau,M. The measurement of ionization in photographic emulsions, 0=2469

Blau,M.,Bloch,S.C.,Carter,C.F. and Perlmutter,A. Studies of ionization parameters in nuclear emulsions, 0=7256
Blau,M.,Carter,C.F. and Perlmutter,A. Negative pion interactions at 1.3 GeV/c. 0=2571
Blauer,G. and Linschitz,H. Metastable states of acridine orange in solution, 0=18434
Blaugrund,A.E. Lifetimes of the 118 keV and 139 keV levels of Tm^{169} measured by a new method, 0=407
Blaugrund,A.E. Statistical errors in delayed coincidence measurements, 0=7258
Blaugrund,A.E.,Dar,Y. and Goldring,G. Lifetimes of rotational levels in some odd-A nuclei measured by a microwave method, 0=20397
Blazhevich,A.I.,Zavrazhin,A.G. and Lavrov,A.V. Properties of ZnS:Mn:Ni:Cl excited with electrons, 0=16106
Bleaney,B. Paramagnetism without Kramers degeneracy, 0=8032
Bleaney,B. A new class of materials for Bloembergen-type masers, 0=8095
Bleaney,B. The spin Hamiltonian of a Γ_8 quartet, 0=8096
Bleaney,B. Electron spin resonance intensity in anisotropic substances, 0=13867
Bleaney,B. Measurements by electronic and nuclear double resonance on the hyperfine structure in solids, 0=16173
Blears,J. See Butt,E.P., 0=5837
Bleeker,E.J. See de Vries,C., 0=20404
Bleiberg,M.L. A kinetic study of irradiation induced phase changes in uranium—9 wt% molybdenum alloy, 0=14071
Bleil,C.E. and Snyder,D.D. Some effects of low fields on luminescence of CdS, 0=1746
Bless,R.C.,Gartlein,C.W.,Kimball,D.S. and Sprague,G. Auroras, magnetic bays, and protons, 0=8403
Bless,R.C.,Gartlein,C.W. and Sprague,G. Some spectral studies of the aurora, 0=14278
Blet,G. Internal resistances and capacitance of a selenium photocell at low temperatures, 0=7067
Blet,G. The open circuit electromotive force of a selenium photocell at low temperatures, 0=13637
Blet-Talbot,D. The perfecting of a simple differential microcalorimeter of short time constant, 0=10813
Bleuler,E. See Corelli,J.C., 0=2668
Bleuler,E. See Priest,J.R., 0=15579
Bleuler,E. See Priest,J.R., 0=15582
Blevis,B.C. and Chapman,J.H. Characteristics of 488 megacycles per second radio signals reflected from the moon, 0=12258
Blin-Stoyle,R.J. The structure of the atomic nucleus, 0=2614
Blin-Stoyle,R.J. Parity nonconserving internucleon potentials, 0=12862
Blin-Stoyle,R.J. Parity nonconserving internucleon potentials. II. Effects in electromagnetic transitions, 0=17461
Blin-Stoyle,R.J.,Gupta,V. and Thomson,J.S. On the conserved polar vector current in beta-decay, 0=4047
Blin-Stoyle,R.J. and Kearsley,M.J. A note on the charge dependence of nuclear forces, 0=9497
Blinc,R. On the isotopic effects in the ferroelectric behaviour of crystals with short hydrogen bonds, 0=13651
Blinc,R. and Hadži,D. The infra-red spectra of some ferroelectric compounds with short hydrogen bonds, 0=650
Blinc,R. and Levstek,I. NMR and IR study of (NH$_4$)$_2$SO$_4$ and (NH$_4$)$_2$BeF$_4$, 0=11957
Blinc,R. and Pahor,J. Some thermodynamic functions of gaseous furan, thiophene and pyrrol, calculated from spectroscopic data and molecular structure, 0=13433
Blinc,R. and Pirkmajer,E. Calculated bond lengths, bond orders and π-electron distribution in naphtazarine, 0=13453
Blinc,R. and Prelesnik,A. N.M.R. study in rochelle salt, 0=4537
Blinder,S.M. Generalized perturbation method employing nonorthogonal functions, 0=4178
Blinder,S.M. Dipole moment of HD, 0=4237
Blinder,S.M. Dipole moment function for HD, 0=4238
Blinder,S.M. The hyperfine interaction Hamiltonian, 0=17698
Blinder,S.M. Orientation dependence of magnetic hyperfine structure in free radicals, 0=17775
Blinov,M.V. See Protopopov,A.N., 0=11461
Bliodze,Yu.A. See Selinov,I.P., 0=15532
Blitzer,L. Lunar-solar perturbations of an earth satellite, 0=16
Blitzer,L; King-Hele,D.G. Secular and periodic motions of the node of an artificial earth-satellite, 0=14475
Bloch,C. See Balian,R., 0=10603
Bloch,S.C. See Blau,M., 0=7256
Block,M.M.,Brucker,E.B.,Gessaroli,R.,Kikuchi,T.,Meltzer,C.M., Pevsner,A.,Schlein,P.,Strand,R.,Cohn,H.O.,Harth,E.M., Leitner,J.,Minguzzi-Ranzi,A.,Monari,L. and Puppi,G. Search for evidence of parity nonconversation in K—He interactions, 0=17416
Block,M.M.,Brucker,E.B.,Hughes,I.S.,Kikuchi,T.,Meltzer,C., Anderson,F.,Pevsner,A.,Harth,E.M.,Leitner,J. and Cohn,H.O. Observation of He^4 hyperfragments from K$^-$—He interactions; the K$^-$—Λ relative parity, 0=1372
Block,M.M. See Fairbank,W.M., 0=315
Block,R.C. See Newson,H.W., 0=5786
Block.R.C. See Schmitt.H.W., 0=17626
Block,S. See Bienenstock,A., 0=14027
Blodgett,K.B. and Vanderslice,T.A. Mechanism of inert gas cleanup in a gaseous discharge, 0=10703
Bloem,J.,Haas,C. and Penning,P. Properties of oxygen in germanium, 0=11692
Bloembergen,N. See Rimai,L., 0=14665
Bloembergen,N. See Shapiro,S., 0=3134
Blohinčev,D.I. Fluctuations of space-time metric, 0=18926
Blok,J. See Blok,L., 0=7520
Blok,J. See Born,P., 0=7539
Blok,J. See Klaassen,F.M., 0=7964
Blok,L.,De Boer,T.J. and Blok,J. The transition energy in the decay of ^{202}Tl, 0=7520
Blokhintsev,D. Remark on the optical theorem, 0=20078
Blokhintsev,D.I.,Barashenkov,V.S. and Barbashov,B.M. Electromagnetic structure of the proton and neutron, 0=11155
Blokhintsev,D.I.,Barashenkov,V.S. and Grishin,V.G. Diffraction scattering of fast particles, 0=2582
Blokhintsev,L.D. See Shapiro,I.S., 0=9688
Blomgren,G.E. See Schreurs,J.W.H., 0=15756
Blomqvist,G. See Åsbrink,S., 0=8201
Blomqvist,G. See Westman,S., 0=8200
Blomqvist,J. and Wahlborn,S. Shell model calculations in the lead region with a diffuse nuclear potential, 0=13103
Bloom,A. Optical pumping of alkaline atoms in a foreign gas under high pressure and the determination of spin distribution, 0=17694
Bloom,A.L. Spin relaxation and line width in alkali metal vapors, 0=10701
Bloom,A.L. and Carr,J.B. Pressure shifts in the hyperfine structure constant of potassium, 0=17712
Bloom,M. and Oppenheim,I. The study of quantum statistical mechanical effects in gases using nuclear magnetic resonance techniques, 0=8719
Bloom,M. See Muller,B., 0=19110
Bloom,M. See Oppenheim,I., 0=5033
Bloom,S. See Berghammer,J., 0=19739
Bloom,S.D. and Uretsky,J.L. Inner bremsstrahlung-nuclear recoil angular correlation in K-capture, 0=17538
Bloomer,R.N. A note on the paper "The oxidation of evaporated barium films (Getters)", 0=3572
Bloomer,R.N. and Brooks,W.C. Simple detector for small leaks using a thoriated tungsten emitter with oxygen as probe gas, 0=14701
Blount,E.I. Exclusion factors in transport theory, 0=3470
Blount,E.I. Direct observation of open magnetic orbits, 0=6259
Blount,E.I. See Adams,E.N., 0=9881
Blount,E.I. See Cohen,M.H., 0=16122
Blow,D.M. To fit a plane to a set of points by least squares, 0=8203
Blow,D.M. The structure of haemoglobin. VII. Determination of phase angles in the non-centrosymmetric [100] zone, 0=11547
Bludman,S.A.,Watson,K.M. and Rosenbluth,M.N. Statistical mechanics of relativistic streams. II., 0=17004
Bludman,S.A. and Young,J.A. Radiative pion decay into electrons, 0=9400
Bludman,S.A. See Judd,D.L., 0=19788
Bludman,S.A. See Watson,K.M., 0=17003
Blue,M.D. Hall coefficients of dilute copper alloys, 0=4319
Blue,M.D. Thermoelectric effects in copper—gold alloys, 0=4373
Blum,A.I. Thermoelectric properties of gallium antimonide (GaSb), 0=623
Blum,A.I. and Ryabtsova,G.P. Investigation of the thermoelectric properties of InSb and GaSb in the melting region and in the liquid state, 0=624
Blum,É.J. Spectral measurements in radio-astronomy, 0=12252

Blum,E.J. Sensitivity of radiotelescopes and correlation receivers, 0=18686

Blum,E.J. and Malinge,A.M. Study of the relative positions of sources of solar radio storms and of associated centres of optical activity, 0=18645

Blum,E.J. See Malinge,A., 0=827

Blum,H. See Holton,W.C., 0=18217

Blumberg,L. and Leachman,R.B. Angular distributions of fragments from neutron-induced fission of U^{233} and Pu^{239}, 0=1456

Blumberg,R.H. See Behrndt,M.E., 0=10855

Blumberg,W.E. Nuclear spin—lattice relaxation caused by paramagnetic impurities, 0=11953

Blumberg,W.E. Spin relaxation of F-center electrons, 0=16160

Blumberg,W.E.,Eisinger,J.,Jaccarino,V. and Matthias,B.T. Nuclear magnetic resonance in scandium and lanthanum metal, 0=18228

Blumberg,W.E.,Eisinger,J.,Jaccarino,V. and Matthias,B.T. Correlations between superconductivity and nuclear magnetic resonance properties, 0=19561

Blumberg,W.E. See Teaney,D.T., 0=16161

Blumberg,W.E. See Wikner,E.G., 0=10253

Blume,H. Measurement of luminescence decay in the region 10^{-8}-10^{-4} sec for optical excitation, 0=18134

Blumenthal,B. The transformation temperatures of high-purity uranium, 0=18377

Blythe,A.R.,Lambert,J.D.,Petter,P.J. and Spoel,H. The pressure dependence of refractivity of polar gases. 0=6839

Blythe,J.H. Results of a survey of galactic radiation at 38 Mc/s, 0=18677

Boaga,G. Observations on Somigliana's formula for the gravitational field, 0=3425

Boakes,D.,Garton,G.,Ryan,D. and Wolf,W.P. Paramagnetic resonance of Yb^{3+} in yttrium gallium garnet, 0=4516

Boardman,G. and Whitmore,R.L. Yield stress exerted on a body immersed in a Bingham fluid, 0=16391

Boardman,J. and Bergmann,P.G. Spherical gravitational waves, 0=881

Boas,M.L. The clock paradox, 0=2113

Boato,G.,Casanova,G. and Vallauri,M.E. Vapour pressure of isotopic liquids. II. Ne and A above boiling-point, 0=14683

Boato,G.,Scoles,G. and Vallauri,M.E. Vapour pressure of isotropic liquids. I. A, N_2, O_2 below boiling-point, 0=2168

Boato,G.,Scoles,G. and Vallauri,M.E. Vapour pressure of isotopic liquids, 0=8654

Bobeck,A.H. and Fischer,R.F. Reversible, diodeless, twistor shift register, 0=2420

Böbel,G. and Passatore,G. On the polarization of photons elastically scattered by mercury atoms, 0=17692

Bobovich,Ya.S. See Pivovarov,V.M., 0=3619

Bobrov,M.S. Some remarks on optical properties of Saturn's rings, 0=16534

Bobrov,M.S. The absolute brightness of the B-ring of Saturn, 0=18701

Bocchieri,P. See Albertoni,S., 0=16615

Bocciolini,M.,Di Caporiacco,G.,Foà,L. and Mandò,M. Evidence for a new 191 min half-period activity in Nb. 0=17563

Bocciolini,M. See Ademollo,M., 0=17521

Boček,M. and Kratochvíl,P. Dislocation[s] in zinc crystals with elongated cell substructure, 0=11620

Bochagov,B.A.,Komar,A.P. and Solvakin,G.E. Kinetic energy of the fragments of U^{238} photofission, 0=20510

Bocharov,E.I. Weakening of infra-red radiation by water vapour, 0=1967

Bocharov,E.I. and Krutikov,A.S. Absorption of radiation in liquid water, 0=82

Bochníček,Z.V. Profile of upper-atmosphere air density at the height 180-212 km derived from the orbit of Sputnik III, 0=12149

Bochvar,D.A. and Gambaryan,N.P. Measure of delocalization of an electron in atomic and molecular systems, 0=20538

Bockelman,C.K. Slow neutron capture and the (d,p) reaction, 0=5781

Bockemuehl,R.R. and Sargeant,W.E. Practical hysteresigraph, 0=9134

Bockhoff,F.J.,Petrella,R.V. and Pace,E.L. Thermodynamic properties of sulfuryl fluoride from 12°K to its boiling point. Entropy from molecular and spectroscopic data, 0=5016

Bockris,J.O'M. See Conway,B.E., 0=4721

Bockris,J.O'M. See Conway,B.E., 0=8312

Bockris,J.O'M. See Despic,A.R., 0=4713

Bockris,J.O'M. See Lovreček,B., 0=14124

Bode,K.H. See Fritz,W., 0=6964

Bodenstedt,E.,Körner,H.J.,Frisius,F.,Hovestadt,D. and Gerdau,E. The g-factor of the 92 keV level and other angular correlation measurements on Pm^{147}, 0=17481

Bodenstedt,E.,Matthias,E.,Körner,H.J.,Gerdau,E.,Frisius,F. and Hovestadt,D. The nuclear g-factor of the 111 keV rotational level and other angular correlation measurements on W^{184}, 0=7540

Bodmann,H.W. and Voit,E. Colour and colour rendering of light having a continuous spectrum with super-posed spectral lines, 0=14356

Bodmer,A.R. Neutron and proton densities in nuclei and the semi-empirical mass formula, 0=17474

Bodó,Z. On the distribution of carriers in a [semi-infinite] semiconductor, 0=6087

Bodó,Z. The solution of the Boltzmann equation by assuming a constant relaxation time, 0=13573

Bodó,Z. and Weiszburg,J. Light patterns of electroluminescent panels, 0=10085

Bodó,Z. See Weiszburg,J., 0=21017

Boehm,B.W. See Wright,F.W., 0=12270

Boehm,F. and Gallagher,C.J., Jr. Measurement of the circular polarization of resonance-scattered gamma rays following the electron capture of Se^{75}, 0=13214

Boehm,F. and Hauser,U. A search for parity mixtures in nuclear states, 0=4030

Boekelheide,I.F. Two uses of probability paper in scintillation gamma-ray spectroscopy, 0=19972

Boenkova,N.M. Ionospheric investigations by the method of vertical sounding at the time of the I.G.Y, 0=14225

Böer,K.W. Non-homogeneous field distribution in CdS single crystals in the range of higher field intensities, 0=1665

Böer,K.W. and Gutjahr,H. Optical absorption of CdS single crystals at the lattice absorption edge, 0=1724

Böer,K.W.,Gutjahr,H. and Hornung,H. The effect of annealing in vacuum and sulphur vapour on the structure of CdS single crystals, 0=18068

Böer,K.W.,Hänsch,H.J. and Kümmel,U. Application of electro-optical effects to the analysis of the electrical conduction process in CdS single crystals, 0=1664

Böer,K.W. and Kümmel,U. Processes prior to electrical breakdown in single crystals of CdS, 0=13662

Böer,K.W. and Kümmel,U. On the kinetics of pre-breakdown processes in solid insulation, 0=18109

Böer,K.W.,Kümmel,U. and Ksoll,G. Dependence of the breakdown field of CdS single crystals on their internal structure, 0=2355

Böer,K.W.,Kümmel,U. and Lange,H. On the influence of infrared irradiation in the quenching region on the thermally and electrically excited glow curves of single crystals of CdS, 0=1768

Böer,K.W. and Lubitz,K. Temperature-resistant barrier-free contacts on CdS single crystals, 0=6117

Böer,K.W. and Rompe,R. Space charge oscillations in semiconductors at higher field intensities, 0=6086

Böer,K.W. See Berger,H., 0=9992

Boer,T.J.de. See de Boer,T.J.

Boerboom,A.J.H. Numerical calculation of the potential distribution in ion slit lens systems. I., 0=280

Boerboom,A.J.H. Numerical calculation of the potential distribution in ion slit lens systems. II; 0=10985

Boerboom,A.J.H. A modified ion slit lens for virtual variation of slit widths, 0=9103

Boerboom,A.J.H. The potential distribution in a toroidal condenser, 0=10986

Boerboom,A.J.H. Numerical calculation of the potential distribution in ion slit lens systems. III, 0=12648

Boerboom,A.J.H.,Tasman,H.A. and Wachsmuth,H. Shape of the magnetic field between conical pole faces, 0=285

Boerboom,A.J.H. See Tasman,H.A., 0=282

Boerboom,A.J.H. See Tasman,H.A., 0=5360

Boerboom,A.J.H. See Tasman,H.A., 0=19787

Boerboom,A.J.H. See Wachsmuth,H., 0=281

Boerdijk,A.H. Diagrams representing states of operation of a general thermocouple, 0=12575

Boersch,H.,Geiger,J. and Raith,H. Determination of the phase in Fraunhofer diffraction patterns from undimensional objects, 0=19438

Boersch,H.,Geiger,J. and Reich,H.J. Loss of energy of 25 keV electrons in atomic and molecular hydrogen, 0=2400

Boersch,H.,Hamisch,H. and Löffler,K.H. Electron optical preparation of self-supporting microgrids, 0=5355

Boersch,H. and Lambeck,M. Microscopic observation of the straight and curved magnetization structures by means of the Faraday effect, 0=13794

Boersch,H.,Lambeck,M. and Raith,W. On the investigation of thin iron films with the help of the Faraday effect, 0=4494

Boersch,H. and Raith,H. Electron microscope observation of Weiss domains in thin ferromagnetic films, 0=4490

Boersma,H.J. See Dubbeldam,P.S., 0=7606

Boeschoten,F. and Groenewolt,K.J. Hall effect of thorium, 0=7948

Boffi,V.C. On the slowing down of neutrons in an homogeneous infinite medium, 0=11178

Bogachev,N.P.,Bunyatov,S.A.,Gramenitskii,I.M.,Lyubimov,V.B., Merekov,Yu.P.,Podgoretskii,M.I.,Sidorov,V.M. and Tuvdendorzh,D. Interaction of 9 BeV protons with free and quasi-free nucleons in photographic emulsions, 0=9354

Bogachev,N.P.,Bunyatov,S.A.,Merekov,Yu.P.,Sidorov,V.M. and Yarba,V.A. Inelastic interactions of 9 BeV protons with free and bound nucleons in an emulsion, 0=13233

Bogachev,N.P.,Bunyatov,S.A.,Vishki,T.,Merekov,Yu.P., Sidorov,V.M. and Yarba,V.A. Charged π-meson production in the interaction between 9 BeV protons and photographic emulsion nuclei, 0=9619

Bogachev,N.P.,Van Shufen,Gramenitskii,I.M.,Kirillova,L.F., Lebedev,R.M.,Lubimov,V.B.,Markov,P.K.,Merekov,Iu.P., Podgoretskii,M.I.,Sidorov,V.M.,Tolstov,K.D. and Shafranova,M.G. The interaction of 9 BeV protons with emulsion nuclei, 0=11400

Bogachev,N.P. See Batusov,Yu.A., 0=2586

Bogachev,N.P. See Batusov,Yu.A., 0=20214

Bogachov,B.A.,Vorob'ev,A.A. and Komar,A.P. Pulsed ionization chamber as an instrument for the simultaneous investigation of the energy and angular distributions of charged particles, 0=15186

Bogaert,J. Presentation of a general graph of acoustic values, 0=10739

Bogdan,D. Observations concerning the type E2 γ-radiation of deformed atomic nuclei (Nilsson model), 0=15555

Bogdankevich,L.S. Cherenkov radiation of dipoles moving in a channel in a dielectric, 0=9189

Bogdanoff,J.L. See Goldberg,J.E., 0=12444

Bogdanov,G.F.,Vlasov,N.A.,Kalinin,S.P.,Rybakov,B.V. and Sidorov,V.A. The (p,n) reaction on lithium and the ground state of the ^{6}Be nucleus, 0=7551

Bogdanov,S.V. and Razbash,R.Ya. The nature of a high-temperature phase transition in certain $BaTiO_3$—$BaSnO_3$ solid solutions, 0=12076

Bogdanova,N.B. and Popkov,V.I. The problem of anomalous discharges at high d.c. voltages, 0=5282

Bogdanova,N.I. See Ariya,S.M., 0=6128

Bogdanovskii,G.A. Investigation of electron contacts in the electron microscope, 0=5263

Bogers,A.J. See Burgers,W.G., 0=11992

Boggess,R.L.,Brace,L.H. and Spencer,N.W. Langmuir probe measurements in the ionosphere, 0=14203

Boggs,J.E. and Deam,A.P. Measurement of dipole moments at microwave frequencies, 0=5988

Boggs,J.E. and Deam,A.P. Dielectric dispersion in gases at 400 megacycles, 0=14696

Boggus,J.D. See McGlynn,S.P., 0=4434

Bogle,G.S. and Symmons,H.F. Zero-field masers, 0=5393

Bogolyubov,N.N.,Logunov,A.A. and Shirkov,D.V. The method of dispersion relations and perturbation theory, 0=9258

Bogolyubov,N.N.,Zubarev,D.N. and Tserkovnikov,Yu.A. An asymptotically exact solution for a model Hamiltonian in the theory of superconductivity, 0=19550

Bogomolov,C.S.,Deberdeiev,M.U.,Sirotinskaya,A.A. and Ouvarova,V.M. Photographic materials for beta autoradiography, 0=15216

Bogomolov,C.S.,Razorenova,I.F.,Rouditskaya,I.A., and Sirotinskaya,A.A. Increased sensitivity of nuclear photographic emulsions at low temperatures produced by hypersensitization, 0=12743

Bogomolov,C.S.,Rouditskaya,I.A.,Razorenova,I.F., Sirotinskaya,A.A. and Dobrossierdova,E.P. Hypersensitization of nuclear photographic emulsions, 0=12744

Bogomolov,V.N. A mechanical modulator for magnetic fields and the possibility of the measurement of small Hall mobilities, 0=3708

Bogomolov,Yu.V. The effective fields in crystals, 0=11736

Bogoroditskii,N.P.,Reinov,N.M. and Aleksandrov,L.A. Temperature dependence of the temperature coefficient of permittivity of $CaZrO_3$ at liquid-helium temperature, 0=2918

Bogoroditskii,N.P. See Aleksandrov,L.A., 0=13645

Bogorodskii,A.F. Relativistic effects in the motion of an artificial earth satellite, 0=18880

Bogorodskii,O.V.,Umanskii,Ya.S. and Shil'shtein,S.Sh. Nature of the mosaic structure of Ge and Si monocrystals, 0=21183

Bogorodskii,V.V. See Rudakov,V.N., 0=12130

Bogoyavlenski,I.V.,Grigoriev,V.N. and Rudenko,N.S. Effect of temperature on the variations of the isotopic composition of liquid mercury in the electric field of a constant current, 0=9749

Bohan,W.A.,Maxey,J.D. and Pecoraro,R.P. Some effects of pulse irradiation on semiconductor devices, 0=583

Bohl,L.S.,Stewart,J.C. and Francis,N.C. Variational calculations of lattice self-shielding, 0=13343

Bohlin,T. On the drag on a rigid sphere moving in a viscous liquid inside a cylindrical tube, 0=14585

Bohlmann,M.A. See Kronenberg,K.J., 0=18199

Bohm,D. and Aharonov,Y. Further discussion of possible experimental tests for the paradox of Einstein, Podolsky and Rosen, 0=18950

Bohm,H.V. See Morse,R.W., 0=233

Böhm,K.H. and Böhm-Vitense,E. Interpretation of the intensity decrease in the outermost solar limb, 0=12284

Böhm,K.H. and Richter,E. The effect of radiation exchange on the convection in a polytropic atmosphere, 0=783

Böhm,K.H. and Richter,E. Convection in an atmosphere with a depth-dependent temperature gradient and a large density variation, 0=14467

Bohm-Vitense,E. Spectra of some metal line stars, 0=8515

Böhm-Vitense,E. See Böhm,K.H., 0=12284

Bohn,L. Acoustic pressure variation and the spectrum in oscillatory cavitation, 0=14597

Bohun,A. and Dolejší,J. The exo-electron and thermionic emission of some halides, 0=5335

Bohun,A. Photostimulated electron effects in coloured NaCl crystals, 0=18072

Bohun,A. See Dolejší,J., 0=6192

Bohun,A. See Sujak,B., 0=15050

Boiko,I.I. The role of trapping centres in relaxation of photoconductivity, 0=20925

Boiko,I.I.,Rashba,É.I. and Trofimenko,A.P. Thermally stimulated conductivity in semiconductors, 0=11674

Boillet,P. On the interpretation of Huygens' principle: Acoustic, elastic and electromagnetic waves. III. 0=11048

Boillet,P. Extension of Huygens' principle to a discontinuous medium: a solid considered as an aggregate of atoms, 0=13463

Boischot,A. Study of solar radio emission at 169 Mc/s, using a large grating (multi-aerial) interferometer, 0=4849

Boischot,A. The coronal eclipse of the Crab Nebula observed at 169 Mc/s, 0=18669

Boischot,A.,Lee,R.H. and Warwick,J.W. Low-frequency solar bursts and noise storms, 0=6556

Boischot,A. and Warwick,J.W. Radio emission following the flare of August 22, 1958, 0=8474

Boischot,A. See Avignon,Y., 0=4848

Boischot,A. See Christiansen,W.N., 0=18732

Boischot,A.,Haddock,F.T. and Maxwell,A. Spectrum of 1957 November 4 solar outburst, 0=18643

Boisot,M.H.,Cohen-Solal,G. and Teissier du Gros,F. Thermal stability of carbon electrodes in contact with crystalline layers of cadmium sulphide, 0=1925

Boite,R. Minority carrier injection and extraction phenomena in a nearly intrinsic semiconductor, 0=2870

Boivin,M. See Cauchois,Y., 0=19821

Bojarski,C. Remarks on the theory of concentration depolarization of fluorescing solutions, 0=5031

Bojarski,C. and Kawski,A. On the determination of critical molecular spacing for concentration-depolarization of fluorescence, 0=4423

Bok,J. Study of charge carriers in semiconductors subjected to an intense electric field, 0=13588

Bok,J. and Veilex,R. "Hot" electron experiments in InSb. Application to the realization of an oscillator, 0=610

Böke,K. Capacitance measurements on the silicon—electrolyte boundary layer, 0=13649

Bokhari,M.S. See Al-Jeboori,M.A., 0=5743

Bokhari,M.S. See Al-Jeboori,M.A., 0=15577
Bokhari,M.S. See Strzałkowski,A., 0=11401
Bokhoven,C. and Dijkstra,A. Effect of carrier gas on the sensitivity of thermal conductivity detectors, 0=16402
Bokov,V.A. See Mȳl'nikova,I.E., 0=18091
Bokut',B.V. and Fedorov,F.I. Propagation of light in absorbing magnetic active isotropic media and cubic crystals, 0=19452
Boldt,G. The recombination and "minus" continua of oxygen atoms, 0=1486
Boldt,G. The recombination and "minus" continua of nitrogen atoms, 0=1487
Boldt,W. and Seiwert,R. The temperature dependence of the luminescence of CdS crystals. II. Crystals with Mn, Fe, Co or Ni incorporated, 0=4439
Bolef,D.I. and Menes,M. Measurement of elastic constants of RbBr, RbI, CsBr, and CsI by an ultrasonic c.w. resonance technique, 0=11963
Bolef,D.I. and Menes,M. Elastic constants of single-crystal aluminum antimonide, 0=13897
Bolef,D.I. See Ruby,S.L., 0=17883
Boley,B.A. Upper bounds and Saint-Venant's principle in transient heat conduction, 0=16907
Boley,F.I. See Wilcox,J.M., 0=3843
Boley,F.I. Scattering of radiation by a plasma, 0=19684
Boley,F.I. See Wilcox,J.M., 0=5383
Bölger,B. On the power transfer between paramagnetic spins and crystal lattice, I.A., 0=4518
Bölger,B. On the power transfer between paramagnetic spins and crystal lattice, I.B., 0=4519
Bölger,B. On the power transfer between paramagnetic spins and crystal lattice. II. Experimental methods and techniques, 0=4520
Bölger,B. On the power transfer between paramagnetic spins and crystal lattice. IIIA, 0=11932
Bölger,B. On the power transfer between paramagnetic spins and crystal lattice. IIIB, 0=11933
Bölger,B. On the power transfer between paramagnetic spins and crystal lattice. IIIC, 0=11934
Bölger,B. On the power transfer between paramagnetic spins and crystal lattice. IVA, 0=11935
Bölger,B. On the power transfer between paramagnetic spins and crystal lattice. IVB, 0=11936
Bölger,B.,Robinson,B.J. and Ubbink,J. Some characteristics of a maser at 1420 MHz, 0=17095
Bölger,B.,Ubbink,J. and Robinson,B.J. A maser at 1420 MHz, 0=9193
Bölger,B.,Van Damme,K.J.,Noothoven van Goor,J.M. and Gorter,C.J. Saturation of paramagnetic resonance in $CuK_2(SO_4)_26H_2O$ and $CrK(SO_4)_212H_2O$, 0=10223
Bolgiano,R.,Jr. Turbulent spectra in a stably stratified atmosphere, 0=12173
Boll,R. Eddy-current and spin-relaxation losses in thin metal strips at frequencies up to about 1 Mc/s, 0=13821
Boll,R. Relations between the switching coefficient and the limiting frequency of ferromagnetic materials, 0=16140
Bolle,H.J. A simple prism spectrograph for absolute measurement of infrared atmospheric radiation (4 to 15μ), 0=8419
Bollhagen,H. See Smith,A.G., 0=18638
Bolling,G.F. Some thermal data for Bi_2Te_3, 0=15807
Bolling,G.F. Yield point phenomena in alpha brass and other face-centred cubic metals, 0=21107
Bolling,G.F. and Tiller,W.A. Growth from the melt. I. Influence of surface intersections in pure metals, 0=13947
Bolling,G.F. See Sekerka,R.F., 0=13545
Bollinger,L.M.,Coté,R.E. and Kennett,T.J. Fluctuations in partial radiation widths, 0=2623
Bollinger,L.M.,Thomas,G.E. and Ginther,R.G. Glass scintillators for neutron detection, 0=5573
Bollinger,L.M. See Brown,R.J., 0=13279
Bollinger,L.M. See Leblanc,J.M., 0=5649
Bollini,C.G. On the coupling of the elementary particles with the electromagnetic field, 0=1259
Bollmann,W. Electron-microscopic observations on radiation damage in graphite, 0=17980
Bollmann,W. Electron-microscope observations on the recrystallization of nickel, 0=21258
Bollmann,W. and Spreadborough,J. Action of graphite as a lubricant, 0=10276
Bologa,M.K. See Boyarskaya,Yu.S., 0=13919
Bologna,G.,Diambrini,G. and Murtas,G.P. Electron pair production at high energy in a silicon single crystals, 0=7340
Bologna,G.,Diambrini,G. and Murtas,G.P. High-energy Bremsstrahlung from a silicon single crystal, 0=12899
Bolotina,I.A.,Bazhenov,N.M.,Vol'kenshtein,M.V. and Sogomonyants,Zh.S. Effect of vitrification of polymers on their optical activity, 0=8258
Bolotnikova,T.N. Interpertation of the fluorescence spectrum of naphthalene, 0=4446
Bolotov,I.E. Concerning a form of graphite crystals in platinum—carbon alloy, 0=18407
Bolotovskii,B.M. and Rukhadze,A.A. Field of a charged particle in a moving medium, 0=9155
Bol'shakova,L.G.,Georgievski,Yu.N.,Otto,A.N. and Rodionov,S.F. On the electrophotometric investigation of the illumination of the night sky, 0=788
Bol'shov,V.G.,Dobretsov,L.N.,Zharinov,A.A.,Krachino,T.V. and Repnikova,M.K. Emission characteristics of germanium treated with caesium vapours, 0=7139
Bol'shov,V.G.,Vasil'eva,L.V. and Pautova,G.N. Emission properties of silicon treated in caesium vapour, 0=19716
Bol'shov,V.G. and Zarubin,V.V. The secondary electron emission from indium and lead in solid and liquid state, 0=1149
Bolsterli,M. Green's functions in the theory of many-fermion systems, 0=6697
Bolsterli,M. See Brown,G.E., 0=1429
Boltaks,B.I. and Gutorov,Yu.A. Some results on the diffusion and the effect of impurities on the electrical properties of gallium antimonide, 0=4359
Boltaks,B.I.,Kulikov,G.S. and Malkovich,R.Sh. The effect of gold on the electrical properties of silicon, 0=11699
Bolz,L.H.,Mauer,F.A. and Peiser,H.S. Exploratory study, by low-temperature X-ray diffraction techniques, of diborane and the products of a microwave discharge in diborane, 0=1914
Bolzinger,T. See Bronca,G., 0=19851
Bomal,R.,Koch,L.,Nguyen van Dong and Schneider,C. The use of semiconductors as detectors of nuclear radiations, 0=17156
Bomelburg,H.J. Lithium gun, 0=59
Bomelburg,H.J. Heat loss from very thin heated wires in rarefied gases, 0=1053
Bomelburg,H.J. Handling of extremely thin Wollaston wires, 0=3389
Bomke,H.A.,Ramm,W.J.,Goldblatt,S. and Klemas,V. Global hydromagnetic wave ducts in the exosphere, 0=8369
Bömmel,H.E. and Dransfeld,K. Excitation and attenuation of hypersonic waves in quartz, 0=7867
Bonalumi,R.,Bruschetti,S. and Zorzoli,G.B. Calculation methods for the critical size of a D_2O moderated, wet steam cooled reactor. I. Cluster free element. II. Concentric annuli fuel element, 0=11470
Bonart,R. and Hosemann,R. The analysis of long-period interferences, 0=12089
Bonch-Bruevich,A.M. A direct experimental proof of the second postulate in the special theory of relativity (comment on Dingle's note), 0=18922
Bonch-Bruevich,V.L. The spin mechanism of the recombination of current carriers in ferromagnetic semiconductors, 0=577
Bonch-Bruevich,V.L. Accurate theory of recombination in a plasma, 0=2859
Bonch-Bruevich,V.L. Spectral representations of temperature Green's functions with several time variables, 0=3464
Bonch-Bruevich,V.L. On the theory of impurity bands, 0=6095
Bonch-Bruevich,V.L. Recombination coefficients in the presence of a Coulomb barrier, 0=15907
Bonch-Bruevich,V.L. On the theory of thermal Green functions, 0=18948
Bonch-Bruevich,V.L. and Gulyaev,Yu.V. Theory of impact recombination in semiconductors, 0=11672
Bonch-Bruevich,V.L. and Kogan,Sh.M. On the theory of electron plasmas in semiconductors, 0=2860
Bonch-Bruevich,V.L. and Kogan,Sh.M. On the theory of the temperature Green's functions, 0=3463
Bonch-Bruevich,A.M. and Marenkov,O.S. The polarization phenomena in electroluminescent phosphors, 0=16109
Bonch-Bruevich,V.L. and Miranov,A.G. A contribution to the theory of an electron plasma in a magnetic field, 0=17009
Bond,W. See Collins,R.J., 0=21007
Bond,W.L. See Kaiser,W., 0=652
Bondar',V.D. Some exact solutions of the correlation equations for the components of deformation tensor for simple loadings, 0=6711
Bondar',V.V. See Alekseevskii,N.E., 0=10849
Bondar,V.V. See Gorbunova,K.M., 0=16365

Bondarenko,B.V. On the temperature dependence of work function of semiconductor thermocathodes, 0=19707
Bondarenko,I.I. See Aleksandrov,Yu.A., 0=2503
Bondarenko,I.I. See Kuz'minov,B.D., 0=11457
Bondarenko,I.I. See Smirenkin,G.N., 0=11458
Bondarenko,I.I. See Stavisskii,Yu.Ya., 0=12644
Bondarenko,R.N. See Lashkarev,V.E., 0=15927
Bondarev,V.A. See Sinel'nikov,K.D., 0=10924
Bondarev,Yu.E. Maximum deformation by stress and angle of bending, 0=6303
Bondelid,R.O.,Butler,J.W. and Kennedy,C.A. Abolute determination of the O^{16}(d,n)F^{17} threshold energy, 0=20460
Bondelid,R.O.,Butler,J.W.,Kennedy,C.A. and del Callar,A. Absolute measurement of the T^3(p,n)He^3 reaction threshold energy and the neutron—hydrogen mass difference, 0=20246
Bondelid,R.O. and Kennedy,C.A. Precise determination of nuclear reaction energies and measurements of resonance widths, 0=1406
Bondi,H. and McCrea,W.H. Energy transfer by gravitation in Newtonian theory, 0=16570
Bondi,H. The steady-state universe and the deduction of continual creation of matter, 0=3405
Bondi,H. Gravitational waves in general relativity, 0=14491
Bondi,H. Magneto-hydrostatics of stellar atmospheres. II. The axially symmetric equilibrium configurations, 0=18854
Bondi,H. and Kilmister,C.W. Note on Schiff's paper on relativity, 0=8545
Bondi,H. and Lyttleton,R.A. A comparison of charges of the electron, proton and neutron, 0=5522
Bondi,H.,Pirani,F.A.E. and Robinson,I. Gravitational waves in general relativity. III. Exact plane waves, 0=8547
Bondi,H. See Lyttleton,R.A., 0=3406
Bone,L.P. See Mahan,A.I., 0=10780
Bonera,G.,Chiodi,L.,Giulotto,L. and Lanzi,G. A method for the measurement of the nuclear transversal relaxation time, 0=1226
Bonera,G.,Chiodi,L.,Lanzi,G. and Rigamonti,A. Nuclear magnetic relaxation times T$_1$ and T$_2$ in some liquids, 0=16718
Bonera,G. and Giulotto,L. Adiabatic passages in nuclear magnetic resonance with the rotating co-ordinate method, 0=1182
Bonetti,A. and Cantu,C. An image rotator for measurements in nuclear emulsions, 0=12789
Bonetti,A. and Scarsi,L. Nuclear emulsions under high pressures of hydrogen, 0=12795
Bonetti,A. and Sichirollo,A.E. A thermal enclosure for a microscope, 0=12476
Bonetti,A. See K$^-$-collaboration, 0=1308
Bonetti,A. See K$^-$-Collaboration, 0=15430
Bonfiglioli,G.,Ferro,A. and Mojoni,A. Origin of the "first-order structure" of CP4-etched Ge surfaces, 0=8172
Bonham,R.A.,Bartell,L.S. and Kohl,D.A. The molecular structures of n-pentane, n-hexane and n-heptane, 0=15778
Bonham,R.A. See Bartell,L.S., 0=5989
Bonjour,E. and Verdier,J. Interpretation of the action of electric fields on the transfers of heat in liquid dielectrics, 0=10663
Bońkowski,L. See O'Connor,D., 0=15369
Bonnal,J.F.,Briffod,G. and Manus,C. Oscillations and diffusion in a feebly ionized plasma, 0=12617
Bonnelle,M.C. See Damany-Astoin,N., 0=7781
Bonner,T.W. See Bell,R.J., 0=4122
Bonner,T.W. See Gabbard,F., 0=4120
Bonner,T.W. See Hall,H.E., 0=4116
Bonner,T.W. See Rabson,T.A., 0=20414
Bonnerot,J. Study of electron optics in the electrolytic tank in the presence of space charge by the method of current injection, 0=5349
Bonnet,G. Precision integrator networks for slowly growing processes, 0=19588
Bonnet,G.,Dautreppe,D. and Gariod,R. The "Reptograph" for automatic recording of accommodation phenomena of magnetization, 0=12663
Bonnet,G. and Gariod,R. The electronics of the "reptograph" automatic recorder for the phenomena of magnetization accommodation, 0=19863
Bonnevay,G. S-state meson—nucleon scattering and meson—meson interaction in fixed source theory. I. Scattering by the source, 0=2555
Bonnevie,B. and Lehnert,B. The motion of charged particles in a rotating plasma, 0=5315
Bonnor,W.B. The mechanics of general relativity, 0=8546
Bonnor,W.B. The mass of a static charged sphere, 0=16589
Bonpas,M.,Ertaud,A.,Legrand,J.P. and Meunier,R. Preliminary experiments on radioactivities consequent to the explosion of wires containing deuterium, 0=7496
Bonse,U.,Kappler,E. and Simon,F.J. X-ray measurement of the distortion field of a single dislocation, 0=4291
Bonsignori,F. and Selleri,F. Pion cloud effects in pion production experiments, 0=13037
Bonsignori,F. See Bergia,S., 0=15409
Bontinck,W. and Dekeyser,W. Decoration and etching of silver-doped rocksalt crystals by surface gas reactions, 0=16280
Booker,G.R. and Norbury,J. Single-etch extraction replica method adapted for carbon films, 0=10339
Booker,G.R.,Norbury,J. and Rose,A.M. An electron diffraction method for determining the crystal lattices of small thin lamellar precipitates occurring in steels, 0=4625
Booker,H.G. Turbulence in the ionosphere with applications to meteor trails, radio star scintillation, auroral radar echoes, and other phenomena, 0=2006
Booker,H.G. Radio scattering in the lower ionosphere, 0=14318
Boom,G. See Perdok,W.G., 0=8186
Boom,R.W. and Richardson,J.R. Elastic scattering of 20.35 MeV protons by Zn^{64}, Zn^{66}, and Zn^{68}, 0=1409
Boorse,H.A. and Hirshfeld,A. The superconducting electronic specific heat of niobium at low reduced temperatures, 0=8948
Boorse,H.A.,Hirshfeld,A.T. and Leupold,H. Difference in lattice specific heats in the normal and superconducting phases, 0=19565
Boorse,H.A. See Kaplan,R., 0=1080
Boos,E.G. and Takibayev,J.S. Estimation of the energy (E > 5 × 10^{10} eV) of primary particles by the angular and energy distribution of secondary shower particles, 0=9451
Boos,E.G. and Takibaev,Zh.S. On an estimate of energy characteristics of shower-producing particles, 0=13085
Boos,E.G. and Takibaev,Zh.S. Distribution of the transverse momentum of shower particles in jets, 0=13097
Boos,É.G. See Chasnikov,I.Ya., 0=1260
Boot,A.R. See Eisenschitz,R., 0=5206
Boot,H.A.H. See Self,S.A., 0=2354
Booth,N.E.,Hereford,F.L. and Hutchinson,G.W. Internally reflecting Čerenkov counter for high energy protons, 0=17337
Booth,N.E. and Hutchinson,G.W. Fine time-structure of beams from the Birmingham proton synchrotron, 0=19844
Booth,N.E. and Ledley,B. Efficient detector for high energy neutrons, 0=17358
Booth,N.E. See Abashian,A., 0=20213
Booth,R. See Ball,W.P., 0=17141
Boothroyd,A.R. See Das,M.B., 0=15980
Bopp,F. Remarks on the conformal invariance of electrodynamics and the basic equations of dynamics, 0=1183
Bopp,F. Derivation of the binding energy of many-particle systems from the two body density matrix, 0=2115
Borcherds,P.H. See Haine,M.E., 0=7159
Borchers,H.J. The multiplicity of the interpolating field in a single causal S-matrix, 0=15281
Bordet,P. An objective with inclined optical axis for use with polarizing microscope, 0=3613
Bordoni,P.G. and Nuovo,M. Longitudinal vibration measurements in the megacycle range made by electrostatic drive and frequency-modulation detection, 0=5074
Bordoni,P.G. and Nuovo,M. A tuned capacitive detector for high frequency vibrations, 0=16800
Bordoni,P.G.,Nuovo,M. and Verdini,L. Relaxation of dislocations in copper, 0=1590
Bordoni,P.G.,Nuovo,M. and Verdini,L. Dislocation relaxation in zinc single crystals, 0=17944
Borel,J.P. and Cornaz,P. Synchronous thermal detectors, 0=19493
Borelius,G. Contribution from thermal lattice defects to the energy content of Au, Ag, Cu and Al, 0=6038
Borelius,G. Phenomenological aspects of the λ-transition, 0=8923
Borelius,G. Thermodynamics of the λ-transition in superconductors, 0=8928
Borelius,G. Contributions from thermal lattice defects to the expansion of solid and liquid metals, 0=9893

Borelius,G. On the origin of the internal pressure in metals, 0=13464
Borelius,G. See Giansoldati,A., 0=4483
Borelli,V. See Bergia,S., 0=15402
Boreskov,G.K. The effect of change of the electron chemical potential level on the activity of semiconductive catalysts, 0=3311
Borg,G. A condition for the existence of orbitally stable solutions of dynamical systems, 0=6537
Borg,S.F. Similarity solutions in fluid—gas dynamics, 0=4991
Borg,S.F. A similarity solution for a [spherical] blast in free space, 0=2204
Borg,S.F. Three-dimensional wedge impact on a compressible fluid, 0=6739
Borg,M.F. See Brigham,G.A., 0=14719
Borgardt,A.A. Orientational polarization of dipolar gases, solutions and liquids, taking account of the inner field, 0=946
Borgardt,A.A. A dynamical principle for second-order equations, 0=12815
Borgman,J. See van Albada,T.S., 0=19358
Borgman,V.A.,Zhmÿreva,I.A.,Zelinskii,V.V. and Kolobkov,V.P. Effect of heavy halogens on the probability of the transition into a metastable state and on the probabilities of deactivation of this state, 0=13718
Borgnis,F. Electromagnetic energy density in
Borgnis,F.E. Theory of the acoustic interferometer for plane waves, 0=6874
Borishanskii,V.M. See Kutateladze,S.S., 0=8825
Borisov,A.Yu. A highly-sensitive modulation photometer, 0=19357
Borisov,B.S. See Arkharov,V.I., 0=14064
Borisov,M. The cause of capacitance changes in a condenser containing a crystal phosphor which is being excited, 0=3715
Borisov,S.V. and Golovachev,V.P. The precise determination of the camera radius by X-ray diffraction photographs, 0=13973
Borisov,S.V.,Golovachev,V.P. and Belov,N.V. Arbitrarily assigned signs in the direct methods of determining crystal structures, 0=12030
Borisov,V.T.,Golikov,V.M. and Shcherbedinskii,G.V. The influence of the after-effects of phase transition on diffusion, 0=8268
Borisova,N.I.,Kuznetsova,M.Ya.,Kurchatova,L.N.,Mekhedov,V.N. and Chistyakov,L.V. Recoil nuclei from the disintegration of silver by fast protons, 0=9621
Borisova,T.I. See Yakovleva,A.A., 0=21286
Borman,M. and Neuert,H. The (γ,p) reaction in CsI with the γ-ray from the Li(p,γ) 441 keV resonance, 0=5771
Bormann,M.,Jeremie,H.,Andersson-Lindström,G.,Neuert,H. and Pollehn,H. The cross-sections for some nuclear reactions induced by 14 MeV neutrons in NaI:Tl, KI:Tl, CsI:Tl and Li^{6}I:Eu scintillator crystals, 0=13289
Born,P.,Molenaar,J. and Blok,J. Gamma lines on the decay of ^{202}Tl, 0=7539
Born,W.T. A review of geophysical instrumentation, 0=6429
Borneas,M. The Lagrange function in a general problem, 0=15235
Borneas,M. and Băbuţia,I. The influence of the mechanical working of a liquid upon the rotational kinetic effect of its surface tension, 0=72
Borneas,M. and Băbuţia,I. Does the rotating of a liquid have a special influence on the surface film?, 0=73
Borneas,M. and Băbuţia,I. A new method for observing the rotational kinetic effect of surface tension, 0=8640
Borneas,M. and Băbuţia,I. The rotational kinetic effect and the molecular state of liquids, 0=8648
Borneas,M. and Băbuţia,I. The surface tension of ethyl alcohol, 0=14613
Borneas,M. and Băbuţia,I. In relation with surface tension, 0=19087
Bornkessel,K. See Mannchen,W., 0=4268
Borodinets,G.S. See Pilat,I.M., 0=18401
Boroffka,H. Photoconductivity of anthracene, 0=18065
Boros,J. Some remarks on the Gyulai—Hartly pressure effect, 0=17993
Boroughs,H. An inexpensive castle and sample holder for radioactive counting, 0=9230
Borovik,E.S. and Grishin,S.F. Determination of the composition of residual gases in vacuum obtained by condensation pumps, 0=12441
Borovik,E.S.,Grishin,S.F. and Grishina,E.Ya. Vapour pressure of nitrogen and hydrogen at low pressures, 0=16738
Borovik,E.S. and Mamalui,Yu.A. Dependence of the magnetic susceptibility of Ba ferrite on temperature, 0=18203
Borovik,E.S. and Volotskaya,V.G. Galvanomagnetic phenomena in indium and aluminium, 0=9945
Borovik,E.S. and Volotskaya,V.G. Investigation of galvanomagnetic phenomena in chromium at low temperatures, 0=11661
Borovik-Romanov,A.S. Piezomagnetism in antiferromagnetic cobalt and manganese fluorides, 0=11911
Borovik-Romanov,A.S. Piezomagnetism in the antiferromagnetic fluorides of cobalt and manganese, 0=13815
Borovik-Romanov,A.S. and Kreines,N.M. Transition from the antiferromagnetic into the ferromagnetic state in CoSO$_4$, 0=3103
Borovik-Romanov,A.S. and Ozhogin,V.I. Weak ferromagnetism in the antiferromagnetic crystal CoCO$_3$, 0=21039
Borovinskii,L.A. A new variant of the metallic model of a molecule, 0=15679
Borovitskaya,N.M. Strain amplitude dependence of the dynamical properties of rubbers, 0=8108
Borovskii,I.B. and Gurov,K.P. An investigation of the electron spectrum of dilute solid solutions, 0=1937
Borovskii,I.B. and Gurov,K.P. Effect of impurities on the X-ray emission spectra of transition metals, 0=9764
Borovskii,I.B.,Kabanov,A.N.,Kushnir,Yu.M. and Schmidt,V.V. Effect of temperature on the characteristic energy losses of electrons in iron, 0=20763
Borovskii,I.B. and Ovsyannikova,I.A. Investigation of the X-ray spectra of the superconducting compound CuS, 0=14934
Borovskii,I.B. and Shmidt,V.V. Investigation of the temperature dependence of the fine structure of the fundamental X-ray K absorption edge of Fe, 0=1738
Borowczak,C. See Benisz,J., 0=17163
Borowitz,S. See Walsh,P., 0=1468
Borowitz,S. See Walsh,P., 0=15645
Borrmann,G. and Hildebrandt,G. Absorption and path of interfering X-ray beams in a weakly deformed crystal lattice, 0=3208
Borshchevskii,A.S. and Tret'yakov,D.N. The synthesis of semiconducting materials using vibrational mixing, 0=7953
Borst,L.B. Low-temperature neutron moderation, 0=6795
Bortner,M.H.,Povard,V.D. and Myerson,A.L. Actinometric determination of the dissociation of carbon dioxide by a single flash, 0=1961
Borwein,D. and Mitchell,A.R. The effect of boundary conditions and mesh size on the accuracy of finite difference solutions of two-point boundary problems, 0=18572
Bory,C. and Fauré,J. Experimental determination of the influence of the eccentricity of an annular space on the local coefficient of convection, 0=5207
Borzunov,N.A.,Orlinskii,D.V. and Osovets,M. Investigation of high current pulse discharges in conical chambers, 0=5306
Borzunov,N.A.,Orlinsky,D.V. and Osovets,S.M. Investigation of pulsed high current gas discharges by high speed photography, 0=9041
Borzunov,V.A. and Mirinskii,D.S. A gland for the rod of a high-pressure [hydraulic] intensifier, 0=3490
Borzyak,P.G. and Fedorovich,R.D. Fundamental optical absorption amorphous and crystalline germanium, 0=16056
Borzyak,P.G.,Marchuk,P.M. and Sarbei,O.G. Volt—ampere characteristics of the photo-electron emission of germanium, 0=11724
Borzyak,P.G.,Miroshnichenko,L.S. and Sarbei,O.G. Photoelectric emission of germanium and silicon in the amorphous and crystalline states, 0=11725
Bosco,B. Analyticity, unitarity and resonances, 0=7292
Bosco,B. Dispersion relations for scattering wave functions in potential theory, 0=17258
Bose,A.,Chakravarty,A.S. and Chatterjee,R. The nature of the crystalline fields in Ti^{3+} alum, 0=8034
Bose,A.,Chakravaty,A.S. and Chatterjee,R. The magnetic behaviours of titanium caesium sulphate alum, 0=16127
Bose,A.,Mitra,S.C. and Datta,S.K. The behaviour of the paramagnetic ions in the single crystals of some similarly constituted salts of the iron group of elements. II. Hydrated Ni^{2+} salts, 0=1778
Bose,A. See Dutta-Roy,S.K., 0=18167
Bose,M. See Labes,M.M., 0=13621
Bose,M. See Labes,M.M., 0=15969
Bose,S.K. Form-factor of the neutron from deuteron electrodisintegration, 0=20146
Bosio,L.,Defrain,A. and Epelboin,I. The electrical resistivity of a phase of gallium unstable at atmospheric pressure, 0=9930
Boskma,P. and de Waard,H. Decay of ^{140}Ba, 0=4054

Bosman,A.J.,Brommer,P.E. and Rathenau,G.W. New measurements on time decrease of permeability, 0=13786

Bösnecker,D. An electron paramagnetic resonance spectrometer employing various methods of detection, 0=15177

Bösnecker,D. and Lutze,E. Paramagnetic electron resonance in solution, 0=16714

Bösnecker,D. and Waidelich,W. Electron resonance in strongly irradiated silver chloride, 0=1547

Bösnecker,D. and Waidelich,W. Paramagnetic resonance in light irradiated silver bromide, 0=6415

Bösnecker,D. See Lutze,E., 0=3544

Bossy,L. and De Vuyst,A. The relations between the electric and magnetic fields induced in a medium of variable conductivity by a wave with a very long period, 0=15153

Bostick,H.A. See Adelson,H.E., 0=2466

Bostock,W.H. See Dickinson,H., 0=12618

Bostrom,C.O. See Draper,J.E., 0=4080

Bostrom,N.A. See Smith,D.M., 0=4118

Boswell,F.W.C. The effect of deformation on the internal friction of iron measured at the carbon peak positron, 0=1845

Boswell,F.W.C. See Fourie,J.T., 0=12090

Bosworth,R.C.L. Attempts to measure the inductive element associated with the natural convection of heat, 0=12522

Bosworth,R.C.L. and Groden,C.M., Thermal transients associated with natural convection, 0=12521

Botham,J.H. Some notes on visual and telescopic meteors, 0=18708

Bothe,H.K. Energy transport in luminescent solutions. I, 0=6806

Bothner-By,A.A. Medium effects in the nuclear magnetic resonance spectra of liquids. IV. Nature of the effects, 0=16712

Bothorel,P. Apparatus for the measurement of the Hall effect in powdered solids, 0=9946

Bothorel,P. Measurement of the hall effect in powdered materials, 0=17990

Bots,G.J.C. The mechano-caloric effect of liquid helium below 1°K, 0=8908

Böttcher,H. and Schubert,M. Nonperiodic grating errors in echelette and plane gratings, 0=19443

Botterill,J.S.M. See Nutt,C.W., 0=2758

Bottet,G. See Berger,J., 0=15806

Bottomley,G.A.,Reeves,C.G. and Whytlaw-Gray,R. The isothermals of benzene vapour between 22 and 70°C, 0=8698

Bottomley,G.A.,Remmington,T.A. and Whytlaw-Gray,R. The second virial coefficient of benzene at low pressures, 0=8699

Bottreau,M.M.,Gerbier,J. and Gray,E. Attempt at interpretation of the influence of a non-polar solvent on the vibrational frequency of the carbonyl group, 0=9804

Bouchard,G.H.,Jr and Fairhall,A.W. Production of Be^7 in 30-42 MeV He-ion bombardment of oxygen, aluminum, and copper, 0=1420

Bouche,L. Approximate field equations in an Einstein–Schrödinger type unified theory, 0=870

Bouche,L. Conservation identities in an Einstein–Schrödinger type theory, 0=16592

Bouche,L. See Tonnelat,M.A., 0=16571

Boucher,G. and Doehler,O. On the alignment of gaseous discharges in crossed electrical and magnetic fields, 0=16980

Boucher,R. See Lichtenstein,M., 0=8453

Boucher,R.R. See Michaud,G.G., 0=7379

Boucherie,A. and Mey,J. A distributed [parameters] pulse-height analyser, 0=9248

Bouchiat,C.C. Theory of the vector interaction with a conserved current and the beta decay of Na^{24}–Al^{24} nuclei, 0=2637

Bouchiat,C.C. Deviations from the $\Delta T = 0$ isotopic spin selection rule in Fermi transitions, 0=9576

Boucique,R. Method of computing the mass distribution in a stellar system with spherical symmetry, composed of stars of different masses, 0=18817

Boudart,M. See Koros,R.M., 0=14609

Bougon,M. See Prugne,P., 0=2412

Bouigue,R. On the photoelectric measurement of galactic and extragalactic distances, 0=18835

Bouillon,F. and Stevens,J. Influence of small quantities of nickel on the oxidation of copper, 0=16375

Bouix,M. The distributions of one variable: relations between two definitions, differentation, integration, 0=3844

Bouligand,C. On the axiom of incompressibility, 0=6726

Boulloud,A. The effect of temperature on pre-breakdown currents in compressed gases, 0=3743

Bouman,M.A. See Walraven,P.L., 0=14353

Bourdeau,R.E.,Whipple,E.C.Jr and Clark,J.F. Analytic and experimental electrical conductivity between the stratosphere and the ionosphere, 0=10409

Bourlange,C. Relations between the entropy of fusion and the crystalline structure, 0=4577

Bourlet,G., See Tsai-Chü, 0=17362

Bourot,J.M.,Brun,R. and Morillon,B. Action of a uniform electrostatic field upon the orientation of aluminium flakes which are suspended in a gas, 0=10360

Bourret,R. Autocorrelation of quantum-mechanical wave functions, 0=893

Bourret,R. An hypothesis concerning turbulent diffusion, 0=8625

Bourret,R.C. Velocity autocorrelations of charged particles in a magnetoionic medium with applications to turbulent diffusion, 0=16975

Bouten,M. Theoretical approach to the low-energy spectrum of Mo^{93}, 0=17498

Bouwmeester,E. See Warmoltz,N., 0=12437

Bouyer,P.,Cassignol,C. and Lazeyras,P. An all metal leak valve, 0=19234

Bovenkerk,H.P. See Strong,H.M., 0=1051

Bovey,F.A. Spin–lattice relaxation and molecular structure. I. The major importance of intermolecular contributions, 0=17779

Bovin,V.V. and Mosharov,A.I. The use of a gamma-ray pocket dosimeter for fast-neutron dosimetry, 0=9385

Bowcock,J.,Cottingham,W.N. and Lurié,D. Effect of a pion–pion scattering resonance on low energy pion–nucleon scattering, 0=15408

Bowcock,J. and Martin,A. A Mendelstam representation in potential scattering, 0=884

Bowden,F.P. and Freitag,E.H. The friction of solids at very high speeds. I. Metal on metal. II. Metal on diamond, 0=8138

Bowden,F.P. and Scott,H.G. The polishing, surface flow and wear of diamond and glass, 0=8140

Bowe,J.C. Drift velocity of electrons in nitrogen, helium, neon, argon, krypton, and xenon, 0=7074

Bowe,J.C. Transport collision cross sections from electron drift-velocity data, 0=7075

Bowen,D.H. and Jones,G.O. Superconductivity of tin, lead and thallium up to 10 000 atmospheres, 0=8939

Bowen,E.G. Freezing nucleus measurements in January 1957, 0=6437

Bowen,J.I. See Meijer,P.H.E., 0=16617

Bowen,L.O. Direct measurement of long spin-lattice relaxation times, 0=9223

Bowen,P.J. See Stebbings,R.F., 0=16420

Bowen,T.,Hardy,J.,Jr,Reynolds,G.T.,Sun,C.R.,Tagliaferri,G., Werbrouk,A.E. and Moore,W.H. Production of strange particles by 1.5-BeV π^- mesons in C, Fe, and Pb, 0=17426

Bowen,T.,Hardy,J.,Jr, Reynolds,G.T.,Tagliaferri,G., Werbrouk,A.E. and Moore,W.H. Production of strange particles by 2.8-BeV protons in C, Fe, and Pb, 0=17427

Bowers,D.L. and Salpeter,E.E. Correction to the Debye–Hückel theory, 0=14535

Bowers,K.D.,Kamper,R.A. and Lustig,C.D. Paramagnetic resonance absorption in molecular oxygen, 0=9821

Bowers,K.D. See Hempstead,C.F., 0=10221

Bowers,K.D. See Mims,W.B., 0=10234

Bowers,R. and Yafet,Y. Magnetic susceptibility of InsB, 0=1771

Bowers,R. and Yafet,Y. Magnetic susceptibility of p-type Ge, 0=18168

Bowers,V.A. See Foner,S.N., 0=7889

Bowers,W.A. See Singh,D.N., 0=1552

Bowey,E.M. See Rae,E.R., 0=5789

Bowhill,S.A. The Faraday-rotation rate of a satellite radio signal, 0=850

Bowkett,N.F. See Treacy,P.B., 0=17586

Bowlden,H.J. See Wallis,R.F., 0=9883

Bowles,K.L.,Cohen,R.,Ochs,G.R. and Balsley,B.B. Radio echoes from field-aligned ionization above the magnetic equator and their resemblance to auroral echoes, 0=18490

Bowley,A.E. See Goldsmid,H.J., 0=19482

Bowman,A.L. See Duke,F.R., 0=6412

Bowman,G.G. Sunrise and eclipse effects on the ionosphere at Brisbane, 0=14202

Bowman,G.G. A relationship between spread-F and the height of the F_2 ionospheric layer, 0=14249
Bowman,H.A. and Macurdy,L.B. A photoelectric followup and recording system, and its application to remote observations of the beam in high-precision balances, 0=3486
Bowser,M.L. See Gibson,F.C., 0=3312
Bowsher,H.F. See Hausman,H.J., 0=11410
Bowyer,C.S. See McKinney,J.E., 0=1714
Boxall,G. See Granville,R.A., 0=16914
Boyarskaya,Yu.S.,Keloglu,Yu.P.,Bologa,M.F. and Mednets,V.V. The relation of microhardness to load for NaCl monocrystals, 0=13919
Boyce,I.S. See Cameron,J.F., 0=4766
Boyd,D.R. See Sihvonen,Y.T., 0=16364
Boyd,E.L. Magnetic anisotropy in single-crystal thin films, 0=10115
Boyd,E.L. See Pugh,E.W., 0=10127
Boyd,E.L. See Pugh,E.W., 0=11868
Boyd,F.R. and England,J.L. Apparatus for phase-equilibrium measurements at pressures up to 50 kilobars and temperatures up to 1750°C, 0=14041
Boyd,R.L.F. Some techniques of physical measurement [in space research], 0=10542
Boyd,R.L.F. Space Science, 0=12332
Boyd,R.L.F. and Thompson,J.B. The operation of Langmuir probes in electronegative plasmas, 0=9039
Boyd,R.L.F. and Twiddy,N.D. Electron energy distributions in plasmas. I, 0=7117
Boyd,R.L.F. See Stebbings,R.F., 0=16420
Boyer,K.,Elmore,W.C.,Little,E.M.,Quinn,W.E. and Tuck,J.L. Studies of plasma heated in a fast-rising axial magnetic field (Scylla), 0=13385
Boyer,K. See Northrop,J.A., 0=1415
Boyer,R.H. Photoelectric effect in Pb at high energies, 0=5891
Boyle,W.S.,Hsu,F.S.L. and Kunzler,J.E. Spin splitting of the Landau levels in bismuth observed by magnetothermal experiments, 0=16123
Boynton,E.P. Chemical equilibrium in multicomponent polyphase systems, 0=16369
Boynton,R.M. Theory of color vision, 0=18554
Boys,S.F. Construction of some molecular orbitals to be approximately invariant for changes from one molecule to another, 0=17823
Boys,S.F. The integral formulae for the variational solution of the molecular many-electron wave equation in terms of Gaussian functions with direct electronic correlation, 0=20653
Boys,S.F. and Cook,G.B. Mathematical problems in the complete quantum predictions of chemical phenomena, 0=17822
Boys,S.F. and Shavitt,I. Intermolecular forces and properties of fluids. I. The automatic calculation of higher virial coefficients and some values of the fourth coefficient for the Lennard-Jones potential, 0=8691
Boys,S.F. and Shavitt,I. Intermolecular forces and properties of fluids. II. A general functional representation of intermolecular potentials, and some values of the second, third and fourth virial coefficients for systematically differing potentials, 0=8692
Boys,S.F. See Foster,J.M., 0=17824
Boys,S.F. See Foster,J.M., 0=17825
Boys,S.F. See Foster,J.M., 0=17826
Bozhokina,I.A. See Davidenkov,N.N., 0=16240
Bozoki,G.,Domokos,G.,Fenyves,E.,Frenkel,A.,Gombosi,E., Bebel,D.,Lanius,K. and Meier,H.W. Further investigation of a high energy jet, 0=2603
Bozóki,G.,Fenyves,E. and Jánossy,L. Measurement of the absorption length and collision mean free path of penetrating shower producing cosmic ray particles in lead, 0=11240
Bozóki,G. See Betev,B., 0=20273
Bozorth,R.M. and Davis,D.D. Magnetic properties of ferromagnetic superconductors, 0=11844
Bozorth,R.M.,Davis,D.D. and Williams,A.J. Properties of some magnetic superconductors, 0=16956
Bozorth,R.M. and Geller,S. Interactions and distributions of magnetic ions in some garnet systems, 0=11893
Bozorth,R.M. and Kramer,V. Some ferrimagnetic and antiferromagnetic materials at low temperatures, 0=13839
Bozorth,R.M.,Kramer,V. and Remeika,J.P. Magnetic properties of single crystals of rare-earth orthoferrites at low temperatures, 0=10176
Bozorth,R.M.,Matthais,B.T.,Suhl,H.,Corenzwit,E. and Davis,D.D. Magnetization of compounds of rare earths with platinum metals, 0=1776
Bozorth,R.M. and Van Vleck,J.H. Magnetic susceptibility of metallic europium, 0=11808
Bozorth,R.M.,Williams,A.J. and Davis,D.D. Critical field for superconductivity in niobium—tin, 0=19564
Bozorth,R.M. See Davis,D.D., 0=11811
Bozorth,R.M. See Geller,S., 0=6359
Bozorth,R.M. See Geller,S., 0=11895
Braams,C.M.,Schrader,W.J. and Terlouw,J.C. Confinement of plasma by radio-frequency electro-magnetic fields, 0=19666
Braams,C.M. See Rietjens,L.H.T., 0=17639
Brabbs,T.A.,Zlatarich,S.A. and Belles,F.E. Limitations of the reflected-shock technique for studying fast chemical reactions, 0=16377
Braccesi,A.,Ceccarelli,M.,Mannino,G.,Setti,G. and Sinigaglia,G. Operation at the "Medicina Station" of a 327 MHz radiotelescope, 0=18687
Braccesi,A.,Ceccarelli,M. and Salandin,G. Search for γ radiation from the Cygnus A radiosource, 0=18819
Brace,L.H. See Boggess,R.L., 0=14203
Bracewell,R.N. [Ed]. Paris symposium on radio astronomy, 0=10477
Bracewell,R.N. Communications from superior galactic communities, 0=12247
Bracken,R.C. See Muller,N., 0=13437
Brackenridge,J.B. Transverse oscillations of a liquid jet. I, 0=16681
Brackett,F.S. and Charney,E. Apparatus for measuring the spectral dependence of light scattering from large particles, 0=14848
Brackmann,R.T. See Fite,W.L., 0=1467
Brackmann,R.T. See Fite,W.L., 0=1475
Brackmann,R.T. See Fite,W.L., 0=13408
Brackmann,R.T. See Stebbings,R.F., 0=17689
Bradbury,T.C. Relativistic theory of the behavior of clocks, 0=6670
Braden,C.H. See Dulaney,H.,Jr, 0=5705
Bradfield,G. Dynamic measurement of elasticity using resonance methods, 0=21102
Bradford,E. See Barker,F.C., 0=20348
Bradford,H.M.,Fraser,D.M.,Langstroth,G.F.O. and MacDonald,A.D. Electrical breakdown in xenon and krypton at ultrahigh frequencies, 0=253
Bradley,A. Determination of dose rates from beta transmission currents, 0=20366
Bradley,A. See Gross,B., 0=10868
Bradley,D.E. High-resolution shadow-casting technique for the electron microscope using the simultaneous evaporation of platinum and carbon, 0=8293
Bradley,D.E. Study of background structure in platinum/carbon shadowing deposits, 0=18421
Bradley,D.E. Direct observation of surface contamination formed in demountable vacuum systems, 0=19239
Bradley,E.F. and Porter,N.A., Observations on extensive air showers. VIII. The distribution in declination and curvature of the shower front, 0=20266
Bradley,E.M. and Prutton,M. Magnetization reversal in uniaxial films near to the preferred direction, 0=11859
Bradley,E.M. See Prutton,M., 0=11838
Bradley,G.E. Demonstration beta spectrometer, 0=1161
Bradley,G.E. Simple parallel plate ionization chamber for the undergraduate nuclear physics laboratory, 0=1229
Bradley,G.E. Self-contained preamplifier for proportional counters, 0=3905
Bradley,J.N. Luminosity of shock waves in xenon, 0=15728
Bradley,R.B. See Becker,E.D., 0=4222
Bradley,R.C. Diffusion and desorption of metal impurities in platinum, 0=6061
Bradley,R.C.,Arking,A. and Beers,D.S. Secondary positive ion-emission from platinum, 0=17043
Bradrinathan,C. See Kondaiah,E., 0=7456
Bradshaw,J.A. Electron beams in axially-symmetric crossed fields, 0=3800
Brady,G.W. Cluster formation in perfluoroheptane—i—octane systems near the consolute temperature, 0=3519
Brady,G.W. Structure in ionic solutions. IV, 0=19117
Brady,G.W. and Romanow,W.J. Structure of water, 0=5983
Brady,J.J.,Brick,R.O. and Pearson,M.D. Penetration of microwaves into the rarer medium in total reflection, 0=17101
Brady,L.E. See Hamilton,J.F., 0=1616

Brady,L.E. See Hamilton,J.F., 0=1617
Brady,L.E. See Hamilton,J.F., 0=8814
Bragg,R.H.,Corvin,I. and Buttrey,J.W. Small angle scattering investigation of ludox mixtures, 0=12053
Bragg,S.L. Effect of compressibility on the discharge coefficient of orifices and convergent nozzles, 0=6757
Bragg,W.L. British achievements in X-ray crystallography, 0=13970
Bragiński,A. On the rectangularity of the hysteresis loop of manganese ferrite, 0=3077
Bragiński,A. Properties of manganese ferrites prepared at various oxygen pressures, 0=11889
Braginskii,S.I. Magnetohydrodynamics of weakly conducting liquids, 0=9158
Braid,T.H. See Allen,J.S., 0=1385
Brailovskaya,R.V. See Mazurin,O.V., 0=15882
Brailsford,A.D. and Overhauser,A.W. Theory of the resistance minimum in dilute paramagnetic alloys, 0=2844
Brainin,É.I. The question of strength anisotropy of constructional materials, 0=21140
Brainin,E.I. See Davidenkov,N.N., 0=6305
Brainin,É.I. See Davidenkov,N.N., 0=21128
Brajović,V.M.,Mirić,P.D. and Popić,R.V. Total neutron cross-section of magnesium, 0=20493
Braley,J.E. and Cook,C.W. Elastic scattering of 5.6-MeV neutrons from carbon, 0=9670
Bramhall,A.D. and Hutton,J.F. Wall effect in the flow of lubricating greases in plunger viscometers, 0=14577
Brand,F.A.,Baker,A.N. and Mette,H. Spectral distribution of the photomagnetoelectric effect in Ge: experiment, 0=13635
Brandmüller,J. and Glatzer,G. Raman spectrographic investigation of pyridine in different solvents, 0=942
Brandmüller,J. See Behringer,J., 0=4209
Brandon,D.G. and Nutting,J. Technique for preparing thin films of α-iron, 0=4690
Brandon,D.G. and Nutting,J. Dislocations in α-iron, 0=17943
Brandon,D.G. See Baker,R.G., 0=20825
Brandt,B. See Weizel,W., 0=7087
Brandt,B. See Weizel,W., 0=9014
Brandt,H. Factors affecting compressional wave velocity in unconsolidated marine sand sediments, 0=2200
Brandt,J.C. Resonance scattering by atmospheric sodium. VI. The analytic solution for the twilight intensity, 0=2031
Brandt,J.C. and Chamberlain,J.W. Resonance scattering by atmospheric sodium. V. Theory of the day airglow, 0=2030
Brandt,J.C. and Chamberlain,J.W. Density of neutral gas in a planetary exosphere, 0=14398
Brandt,N.B. The hole part of the Fermi surface in bismuth, 0=13519
Brandt,N.B.,Dubrovskaya,A.E. and Kytin,G.A. An investigation of the quantized oscillations in the magnetic susceptibility of bismuth at extremely temperatures, 0=11804
Brandt,N.B. and Ryabenko,G.A. Effect of uniaxial compression on the quantum oscillations of the magnetic susceptibility of bismuth, 0=10090
Brandt,O. Calibration of infrasonic hydrophones, 0=14754
Brandt,W.,Berko,S. and Walker,W.W. Positronium decay in molecular substances, 0=20115
Brandt,W. See Greenewalt,C.H., 0=16870
Brănduş,I. Variational principle in the optical model for nuclear reactions due to neutrons, 0=4114
Brănduş,I. and Săndulescu,A. The generalized Racah coefficient, 0=17697
Braner,A.A. See Halperin,A., 0=4465
Braner,A.A. See Halperin,A., 0=4466
Brannen,E.,Froelich,H. and Stewart,T.W.W. Generation of millimeter waves by the electron beam of a microtron, 0=19917
Brannen,E. and Wehlau,W. Polarization and resolving time effects in photon correlation, 0=10745
Brannen,E. See Greenwood,R.C., 0=20390
Brannen,E. See Olde,G.L., 0=2463
Branscomb,L.M. See Hummer,D.G., 0=13409
Branscomb,L.M. See Smith,S.J., 0=12577
Bransden,B. and Moorhouse,G. Strong interactions and baryon mass levels, 0=20043
Bransden,B.H.,Hamilton,R.A.H. and Robertson,H.H. The elastic scattering of nucleons by tritons and ^3He, 0=9352
Bransden,B. and Moorhouse,G. Coupling constants and the mass levels of baryons, 0=17230
Brasefield,C.J. Electrification of carbon black by contact with a metal surface, 0=19591
Brash,M.P. and Phaneuf,J.P. Controlled atmosphere excitation chamber for d.c. arc analysis, 0=14834
Brassel,J.,Geschwind,S. and Schawlow,A.L. Optical detection of paramagnetic resonance in crystals at low temperatures, 0=4509
Bratenahl,A. See Peterson,J.M., 0=17623
Bratina,W.J.,Martius,U.M. and Mills,D. Magnetic contribution to the ultrasonic attenuation in annealed and deformed steel (SAE 1020), 0=10165
Bratoż,S. and Bessis,G. Study of the structure of the FHF^- ion by the configuration interaction method, 0=2750
Bratoz,S.,Daudel,R.,Roux,M. and Allavena,M. Some recent results concerning the electronic density and the force constants of small molecules, 0=17836
Bratt,L.C. See Douglas,J.E., 0=4729
Braude,S.Ya. See Men',A.V., 0=300
Brauer,P. The two modifications of the mixed systems $TlBr-NH_4Br$ and the problem of Tl-centres in alkali halide—thallium phosphors, 0=13714
Braun,H. Discrimination between particles at high γ-intensities by means of a potassium ferro-oxalate developer, 0=202
Braun,H. The discrimination between radiations by post-exposure to infrared light and the critical, quantitatively controllable, development with inorganic reagents, 0=15215
Braun,M.A. Determination of the potential in quantum field theory, 0=9265
Braunbeck,J. Emission spectroscopy with infrared double-beam spectrophotometers, 0=8794
Braunbeck,J. The radioactivity of optical instruments with components of potassium bromide, 0=19409
Braunbeck,W. and Sauter,E. Beating of weakly-coupled non-linear systems, 0=19242
Braunisch,H. See van Calker,J., 0=1488
Braunstein,R. See Abrahams,M.S., 0=2897
Branum,D.R. See Cummins,W.F., 0=20006
Brautti,G. See Bergia,S., 0=15402
Brawn,R.H. Weber ratio for visual discrimination of velocity, 0=14348
Bray,A.R.,Jacobs,P.W.M. and Young,L. Photo-induced growth of anodic tantalum pentoxide films, 0=10336
Bray,P.J. See Hon,J.F., 0=3137
Bray,P.J. See Hooper,H.O., 0=15761
Bray,P.J. See Kim,Y.W., 0=4511
Bray,P.J. See Negita,H., 0=6283
Bray,P.J. See Silver,A.H., 0=3138
Bray,R. See Many,A., 0=20894
Bray,R.J. and Loughhead,R.E. High resolution observations of the granular structure of sunspot umbrae, 0=4891
Bray,R.J. and Loughhead,R.E. Observations of changes in the photospheric granules, 0=6586
Bray,R.J. See Loughhead,R.E., 0=6587
Bray,R.J. See Loughhead,R.E., 0=18739
Brazhnik,M.I. See Al'tshuler,L.V., 0=11974
Breakwell,J.V. See Petty,C.M., 0=18879
Brebrick,R.F. Minimum molar Gibbs free energy and small deviations from stoichiometry in crystalline binary compounds, 0=4259
Brebrick,R.F. and Allgaier,R.S. Composition limits of stability of PbTe, 0=13617
Breck,D.W. and Smith,J.V. Molecular sieves, 0=14059
Bredel,V. See Alexander,K.F., 0=17523
Brederlow,G. Mass spectrometer investigations of the charge carriers diffused and extracted from the positive column of oxygen glow discharges, 0=9005
Bredin,D.J.,Burcham,W.E.,Evans,D.,Gibson,W.M.,McKee,J.S.C.,Prowse,D.J.,Rotblat,J. and Snyder,J.N. The scattering of alpha particles by helium, 0=9447
Bredin,D.J.,England,J.B.A.,Evans,D.,McKee,J.S.C.,March,P.V.,Mosinger,E.M. and Toner,W.T. The scattering of 29 MeV ^3He-particles by ^1H, ^2H, ^3He and ^4He nuclei, 0=20250
Bredov,M.M. Multistage electrostatic energy analyser with two-dimensional focusing, 0=9101
Breene,R.G.,Jr. Analytic wave functions. III. The spin-orbit, spin-other orbit, and spin-spin interactions, 0=15637
Breene,R.G.,Jr and Nardone,M.C. Free-free continuum of oxygen, 0=20587
Breger,A.Kh. Absorption of gamma-radiation in macro-systems from a point source, 0=15318
Breger,A.K.,Belynsky,V.A. and Prokudin,S.D. An apparatus for radiation-chemical investigations using a Co^{60} gamma-ray source equivalent to 280 g of radium, 0=5678
Brehler,B. α- and β-$ZnCl_2$, 0=1908

Brehme,R.W. See DeWitt,B.S., 0=8538
Brehovskikh,L.M. Propagation of the Rayleigh surface waves along a rough boundary of an elastic body, 0=8731
Breido,I.Ya.,Tsirlin,Yu.A. and Shishova,L.N. Determination of the luminescence energy yield of plastic scintillators subjected to γ-ray radiation, 0=4430
Breit,G. The nucleon—nucleon spin—orbit potential, 0=11284
Breit,G. Nucleon—nucleon spin—orbit interaction and the repulsive core, 0=17320
Breit,G. and Hull,M.H., Jr. Note on one pion exchange potential, 0=7342
Breit,G.,Hull,M.H., Jr,Lassila,K. and Pyatt,K.D., Jr. Tests of charge independence of nucleon—nucleon interactions, 0=11157
Breitenberger,E. Theory of multiple scattering, 0=9292
Breitenberger,E. Diverging electrostatic lenses in accelerators, 0=19819
Breitman,V.M. Method of approximate calculation of ion optical systems, taking space charge into account, by means of modelling in a three-dimensional electrolytic tank, 0=1163
Brekhovskikh,L. Propagation of sonic and subsonic waves in natural waveguides to great distances, 0=12450
Bremer,J.W. and Newhouse,V.L. Current transitions in superconductivity tin films, 0=1081
Bremermann,H.J.,Oehme,R. and Taylor,J.C. A possible proof of dispersion relations, 0=7267
Brenden,B.B. and Newkirk,H.W. Method for determining the thermal conductivity of incandescent solids, 0=8821
Brendle,M. See Perny,G., 0=9951
Brennan,M.H. See Ames,O., 0=13171
Brenner,S.S. Some further observations on the growth of copper whiskers from cuprous iodide, 0=18318
Brenner,S.S. Further observations on the growth of silver whiskers from silver chloride, 0=18320
Brenet,J. See Chevillot,J.P., 0=4364
Brenet,J.P. See Traore,K., 0=723
Brenig,W. Bound pairs in Fermi fluids, 0=222
Brenig,W. Two particle approximations of the many body problem. II, 0=3925
Brennan,D. and Fletcher,P.C. The atomization of hydrogen on tungsten, 0=9779
Brennan,J.N. See Nisbet,J.S., 0=2146
Brennan,M.H. and Bernstein,A.M. jj coupling model in odd—odd nuclei, 0=20325
Brennemann,A.E. See Kahan,G.J., 0=10854
Brenner,A. See Couch,D.E., 0=8716
Brenner,J.L. and Latta,G.E. The theory of satellite orbits, based on a new coordinate system, 0=18876
Brenner,R. Bloch wall separations in thin Si—Fe specimens with cube texture, 0=6231
Breny,H. See Beets,C., 0=7257
Breny,H. See Beets,C., 0=12794
Bresesti,M. and Roy,J.C. Half-lives of the nuclides Au^{196}, Pt^{195} , and Pt^{197}, 0=5723
Bresesti,M. See Roy,J.C., 0=20438
Breslav,V.I. See Berlovich,É.E., 0=11303
Bresler,M.S. See Airepetyants,S.V., 0=572
Bresler,P.I. Regularities in the absorption of infrared radiation in thin layers of certain gases. I. The absorption coefficient in vibration—rotational bands, 0=9793
Bresler,P.I. Regularities in the absorption of infrared radiation in thin layers of certain gases. II. Absorption of radiation in vibration—rotational bands of certain gases, 0=9794
Bresler,P.I. and Ruzin,B.N. The optico-acoustic effect in mercury vapour, 0=19214
Bresler,P.I. and Ruzin,B.N. The optico-acoustic effect in the visible and ultraviolet regions, and its relationship with photochemical reactions in gases, 0=19215
Breton,J. Improvement of a photoelectric polarimeter of great sensitivity intended for measurement of the Faraday effect, 0=1047
Bretscher,E. Low-energy nuclear physics, 0=9227
Brewer,D.F. Generation of temperatures below 1°K, 0=7037
Brewer,D.F. and Daunt,J.G. Expansion coefficient and entropy of liquid He^3 under pressure below 1°K, 0=224
Brewer,D.F.,Daunt,J.G. and Sreedhar,A.K. Low-temperature specific heat of liquid He^3 near the saturated vapor pressure and at higher pressures, 0=223
Brewer,D.F. and Edwards,D.O. The heat conductivity and viscosity of liquid helium II, 0=8864
Brewer,D.F.,Sreedhar,A.K.,Kramers,H.C. and Daunt,J.F. Specific heat of ^{3}He below 1°K, 0=8879
Brewer,L. Dissociation energy of S_2, 0=2735
Brewer,R.G. Spontaneous nuclear reaction in molecular hydrogen, 0=1459
Brewster,D.B.,Grosberg,P. and Nissan,A.H. The stability of viscous flow between horizontal concentric cylinders, 0=8627
Brězina,B, and Janovec,V. On surface layers of BaTiO$_3$, 0=11744
Březina,B. See Fousek,J., 0=4382
Briant,R.C. and Weinberg,A.M. The aircraft reactor experiment — molten fluorides as power reactor fuels, 0=13311
Bricard,J. and Deloncle,M. Microscopic observation of small drops of water under lateral illumination, 0=19453
Bricard,J.,Deloncle,M. and Israël,G. A photoelectric study of individual fog drops, 0=21295
Brice,B.A. Glass color standards and a uniform chromaticity scale for sugar products, 0=181
Brice,N.M. Variations in ionospheric F-region characteristics, 0=6460
Brick,R.O. See Brady,J.J., 0=17101
Brickwedde,F.G. The "1958 He^4 scale of temperatures". I. Introduction, 0=7036
Brickwedde,F.G. The "1958 He^4 scale of temperatures", 0=8876
Brickwedde,F.G. The temperature scale 10°K to 90°K, 0=19513
Bridge,N.K. Transient species in the flash photolysis of halogens in solution, 0=6414
Bridgman,P.W. Sir Francis Simon, 0=12346
Briegleb,G. See Czekalla,J., 0=662
Briegleb,G. See Czekalla,J., 0=3262
Briffod,G. See Bonnal,J.F., 0=12617
Briggs,B.H. The diurnal and seasonal variations of spread-F ionospheric echoes and the scintillations of a radio star, 0=2018
Briggs,B.H. Roughness of the moon as a radar reflector, 0=18652
Briggs,L.J. Effect of spin and speed on the lateral deflection (curve) of a baseball; and the Magnus effect for smooth spheres, 0=58
Briggs,M.H. The colouring matter and radio emissions of Jupiter, 0=18640
Briggs,M.H. Origin of the solar system, 0=18689
Brigham,G.A. and Borg,M.F. An approximate solution to the acoustic radiation of a finite cylinder, 0=14719
Brigoli,B. and Villani,S. A preliminary approach to the calculation of a water-hydrogen sulphide dual temperature deuterium separating plant, 0=2721
Brikker,S.I. See Alekseeva,K.I., 0=9494
Bril',M.N. Investigation of the temperature dependence of fine structure of the fundamental edge of X-ray absorption spectra of titanium in barium titanate near the Curie point for BaTiO$_3$, 0=15809
Bril',M.N. See Vainshtein,E.E., 0=1739
Bril,S. See Stammreich,H., 0=11528
Brill,D.R. See Graves,J.C., 0=18938
Brill,D.R. See Werner,F.G., 0=1203
Brill,D.R. See Werner,F.G., 0=10953
Brill,O.D. and Sumin,L.V. Excitation curves for the reactions B^{11}(d,2n)C^{11}, Be^9(α,2n)C^{11}, B^{10}(d,n)C^{11} and C^{12}(d,n)N^{13}, 0=442
Brill,R. The influence of binding electrons on X-ray intensities, 0=10300
Brill,R. and Barth,H. Intensity of the (111) reflexion for diamond, 0=12020
Brillouin,L. Mirages of superconductivity, 0=10831
Brillouin,L. More about superconductivity, 0=16943
Brim,W.W. See Narahari,Rao K., 0=4198
Brin,A.,Delcroix,J.-L. and Ozias,Y. Effect of a continuous electric field on a plasma: establishment of the equation giving the distribution function, 0=1130
Brini,D.,Fuschini,E.,Grimellini,N.T. and Murty,D.S.R. Compton effect on the bound electrons, 0=15313
Brink,D.M. See Barton,G., 0=4021
Brink,G.O. and Nierenberg,W.A. Observation of a double resonance in an atomic beam, 0=17682
Brinkley,S.R., Jr. See Richardson,J.M., 0=19097
Brinkley,T.A. See Titterton,E.W., 0=20517
Brinkman,H. See Weber,W.M., 0=20733

Brinkman,H.C. The vortex equations of magnetohydrodynamics, 0=15126
Brinkman,H.C. On the motion of a charged particle in an inhomogeneous magnetic field, 0=17076
Brinkman,J.A. See Meechan,C.J., 0=17925
Brinkman,J.A. See Sosin,A., 0=15883
Brion,H. A wave mechanical study of nitric oxide, 0=9827
Brion,H. and Moser,C. Electronic structure of carbon monoxide, 0=7778
Briscoe,C.V. and Norwood,M.H. Propagation of the three independent elastic waves in the [1,1,0] direction in LiF and KI single crystals, 0=6855
Briscoe,C.V. See Squire,C.F., 0=9842
Briscoe,H.W. See Pineo,V.C., 0=16432
Briscoe,W.L. Improved bridge for low temperature measurements, 0=19519
Brish,A.A.,Tarasov,M.S. and Tsukerman,V.A. Electrical conductivity of dielectrics in strong shock waves, 0=6073
Brish,A.A.,Tarasov,M.S. and Tsukerman,V.A. Electrical conductivity of the explosion products of condensed explosives, 0=7061
Brisi,C. Research on the system $UO_2 - ThO_2 - ZrO_2$, 0=8229
Briskman,V.,Mikel'son,A.,Penyaz'kova,V. and Rezin,M. Electromagnetic stirring of liquid metals, 0=6531
Brisson,J.C.,Detoeuf,J.F.,Falk-Vairant,P.,Thevenet,B., Valladas,G. and Van Rossum,L. The proton synchrotron "Saturne". Equipment of the electronics group of the high-energy-particles division of the Nuclear Research Centre, Saclay, 0=2412
Brisson,J.C.,Detoef,J.,Falk-Vairant,P.,van Rossum,L., Valladas,G. and Yuan,L.C.L. Measurements of the $\pi\pm-p$ total scattering cross sections in the energy range 0.4 to 1.5 BeV, 0=3989
Brisson,J.C.,Valladas,G. and Van Zurk,R. A coincidence circuit with a short resolution time and a high counting rate, 0=17202
Brissonneau,P. The magnetic after-effect, 0=13755
Brissonneau,P. The amplitude of the diffusion after-effect
Bristow,J.R. Microcracks, and the static and dynamic elastic constants of annealed and heavily cold-worked metals, 0=6298
Britsӯn,K.I. and Vavilov,V.S. The process of photo-ionization in silicon, 0=15993
Britsӯn,K.I. See Vavilov,V.S., 0=13638
Britt,H.C. See Quinton,A.R., 0=17636
Britton,D. See Lipscomb,W.N., 0=13515
Brix,P. See Dosch,H.G., 0=20475
Brixner,B. High-speed turbine-driven rotating mirrors: notes on design, construction, and performance, 0=2235
Bro,K. See Maga,M., 0=19140
Broadbent,D.E. and Ladefoged,P. Auditory preception of temporal order, 0=4823
Broadbent,T.E. New high-voltage multi-stage impulse generator circuit, 0=12571
Broadbent,T.E. and Fernandez,A. Surge diverters using trigatrons, 0=3744
Broadhurst,M.G. Theoretical dielectric behavior of an ethyl stearate—heneicosane mixture, 0=13648
Broadhurst,M.G. and Fitzgerald,E.R. Dielectric behavior and crystal structure of ethyl and vinyl stearate, 0=13647
Broadley,H.R.,Jr. See Yamartino,E.J., 0=3038
Broberg,K.B. A problem on stress waves in an [infinite isotropic] elastic plate, 0=118
Brochard,J.,Chabbal,R.,Chantrel,H. and Jacquinot,P. Research on the levels of He by optical spectroscopy at low temperature, 0=7694
Brochard,J.,Chantrel,H. and Jacquinot,P., Study of the levels of He^3 by optical spectroscopy at very low temperature, 0=9766
Brock,G.E. See Cole,H., 0=1904
Brock,G.E. See Dew-Hughes,D., 0=2856
Brock,G.E. See Dew-Hughes,D., 0=2876
Brockhouse,B.N. Diffusive motions in liquids and neutron scattering, 0=79
Brockhouse,B.N. and Pope,N.K. Time-dependent pair correlations in liquid lead, 0=937
Brockhouse,B.N. See Woods,A.D.B., 0=13479
Brocklebank,R.W. See Wilson,M.H., 0=14355
Brockway,L.O. See Bartell,L.S., 0=4241
Broder,D.L.,Kutuzov,A.A.,Levin,V.V.,Orlov,V.V. and Turusova,A.V. The passage of fast neutrons through lead and iron, 0=3971
Broder,D.L. See Androsenko,A.L., 0=2682
Broderick,E. See Sandler,S.R., 0=19969
Brodhun,D. An electrodynamic structural vibration detector for the audio frequency range, 0=19318
Brodie,I. See Berenbaum,R., 0=4546
Brodin,M.S. and Lubchenko,A.F. The effect of temperature on propagation of electromagnetic waves in crystals in which excitons are formed, 0=4263
Brodin,M.S. and Pekar,S.I. An experimental proof of the existence of additional anomalous light waves in crystals in the exciton absorption region, 0=6176
Brodin,M.S. and Pekar,S.I. Additional anomalous light waves in anthracene in the region of exciton absorption, 0=13678
Brodin,M.S. and Prikhot'ko,A.F. The effect of thickness of anthracene crystals on their absorption curves at 20°K, 0=4409
Brodin,M.S.,Prikhot'ko,A.F. and Soskin,M.S. Certain dispersion anomalies of strongly absorbing crystals, 0=4403
Brodskaya,S.Yu. See Grabovskii,M.A., 0=1973
Brodski,A.M. and Ivanenko,D. On the influence of weak interactions on electromagnetic properties of fermions, 0=15247
Brodskii,A.M. and Ivanenko,D.D. Anomalous spinors and bosons, 0=11090
Brodskii,A.M. and Ivanenko,D.D. The connection of isotopic spin and strangeness with the behaviour of spinors under inversion, 0=11099
Brodsky,A.M. and Ivanenko,D.D. On a possible connection between isobaric spin and strangeness and inverseness properties of spinors, 0=7283
Brody,H.M.,Wetherell,A.M. and Walker,R.L. Photo-production of K^+ mesons in hydrogen, 0=15439
Brody,S.B. Sophomore laboratory course in modern physics, 0=17129
Bróly,T.A. Transformation brackets for harmonic oscillator functions, 0=7445
Brody,T.A. Background fog and the apparent length of tracks in nuclear emulsions, 0=12773
Brody,T.A.,Jacob,G. and Moshinsky,M. Matrix elements in nuclear shell theory, 0=17469
Broecker,W.S. See Eckelmann,W.R., 0=9553
Broek,H.W. and Anderson,C.E. The stilbene scintillation crystal as a spectrometer for continuous fast-neutron spectra, 0=20161
Broek,J.van den. See van den Broek,J.
Broer,L.J.F.,Peletier,L.A. and van Wijngaarden,L. A mechanical Hall effect, 0=19897
Broer,L.J.F. and van Wijngaarden,L. On the motion of a charged particle in an almost homogeneous magnetic field, 0=12646
Broersma,S. Rotational diffusion constant of a cylindrical particle, 0=14583
Broersma,S. Viscous force constant for a closed cylinder, 0=14584
Brog,K.C. and Milford,F.J. High precision large current regulator, 0=7062
Broglia,P. See Thiessen,G., 0=178
Broglie,L.de. See de Broglie,L.
Broida,H.P. and Nicholls,R.W. Phosphorescence of nitrogen and nitrogen—argon deposited films at 4.2°K, 0=6200
Broida,H.P. and Peyron,M. Luminescence of solid nitrogen (4.2°K) containing free atoms or radicals. Effect of dilution with argon, 0=6195
Broida,H.P. and Peyron,M. Emission spectra of N_2, O_2, and NO molecules trapped in solid matrices, 0=7770
Broida,H.P. and Peyron,M. Luminescence of solid nitrogen (4.2°K) containing atoms or free radicals. The effect of traces of oxygen, hydrogen and water vapour, 0=13711
Broida,H.P. See Beale,G.E.,Jr, 0=1522
Broida,H.P. See Garvin,D., 0=5931
Broida,H.P. See Moore,C.E., 0=6603
Broida,H.P. See Peyron,M., 0=4419
Broida,H.P. See Schoen,L.J., 0=6201
Brokaw,R.S. Thermal conductivity of gas mixtures in chemical equilibrium. II, 0=6982
Brolley,J.E., Jr. See Stewart,L., 0=15461
Brolley,J.E., Jr,Putnam,T.M.,Rosen,L. and Stewart,L. Hydrogen-helium isotope elastic scattering processes at intermediate energies, 0=7423
Brombacher,W.G.,Johnson,D.P. and Cross,J.L. Mercury barometers and manometers, 0=12429
Bromberg,M.I. See Rais,G.B., 0=16286

Brömer,H.H. Investigation of auroral afterglow and its preparatory stages. I. Preparation of the discharge tube and measuring apparatus, 0=2346
Brömer,H.H. Investigation of auroral afterglow and its preparatory stages. II. Decay of the afterglow in the air-glow, NO and Lewis—Rayleigh stage, 0=2347
Brömer,H.H. Investigation of auroral afterglow and its preparatory stages. III. The decay of the auroral afterglow, 0=5293
Bromley,D.A.,Ferguson,A.J.,Gove,H.E.,Kuehner,J.A., Litherland,A.E.,Almqvist,E. and Batchelor,R. Studies of (p,n) reactions in the proton energy range from 20 to 10 MeV, 0=1398
Bromley,D.A.,Kuehner,J.A. and Almqvist,E. Mechanisms for the $O^{16}(He^3,He^4)O^{15}$ reaction, 0=5756
Bromley,D.A.,Kuehner,J.A. and Almqvist,E. Resonant elastic scattering of C^{12} by carbon, 0=9648
Bromley,D.A. See Almqvist,A., 0=13251
Bromley,D.A. See Almqvist,E., 0=20347
Bromley,D.A. See Kuehner,J.A., 0=5753
Bromley,D.A. See McKenzie,J.M., 0=1234
Bromley,D.A. See Nicholls,R.W., 0=5942
Brommer,P.E. See Bosman,A.J., 0=13786
Bron,W.E. Relation between X-ray coloration and optical bleaching of KCl crystals, 0=15861
Bron,W.E. and Heller,W.R. Dependence of the optical bleaching rate of X-irradiated KCl crystals on light intensity, 0=15862
Bron,W.E. and Nowick,A.S. Temperature dependence of optical bleaching of KCl crystals near 0°C, 0=11633
Bronca,G.,Bruck,H.,Gendreau,G.,Hamelin,J.,Neyret,G., Parain,J. and Salvat,M. The proton synchrotron "Saturne". Magnet principles and design, 0=2412
Bronca,G.,Bruck,H.,Gendreau,G. and Salvat,M. The proton synchrotron "Saturne". Principles of injection, 0=2412
Bronca,G.,Bruck,H.,Hamelin,J.,Neyret,G. and Bolzinger,T. The testing of the electromagnet segments of the Saclay synchrotron, 0=19851
Bronca,G.,Bruck,H.,Hamelin,J.,Neyret,G. and Parain,J. The proton synchrotron "Saturne". Magnetic properties of the magnet: design and testing, 0=2412
Bronco,C.J. See St.John,R.M., 0=465
Bronisz,S.E. See Anderson,R.W., 0=18294
Bronshtein,I.M. and Segal',R.B. Investigation of the reflection of electrons from certain metals, 0=5341
Bronshtein,I.M. and Segal',R.B. Inelastic scattering of electrons and secondary electron emission of certain metals. I, 0=7146
Bronshtein,I.M. and Segal',R.B. Inelastic scattering of electrons and secondary electron emission of certain metals. II, 0=7147
Bronshtein,I.M. and Segal',R.B. Secondary electron emission of thin metal layers on an activating under-layer, 0=7148
Bronshtein,I.M. and Segal',R.B. The secondary electron emission of tellurium, 0=10942
Bronstein,E.L. See Woodley,R.G., 0=7250
Bronshtén,V.A. The structure of the outermost corona [supercorona] of June 19, 1936, 0=18753
Brook,M. and Kitagawa,N. Some aspects of lightning activity and related meteorological conditions, 0=14306
Brook,M. and Kitagawa,N. Electric-field changes and the design of lightning-flash counters, 0=16487
Brook,M. and Vonnegut,B. Visual confirmation of the junction process in lightning discharges, 0=14308
Brook,M. See Kitagawa,N., 0=14305
Brook,M. See Workman,E.J., 0=14309
Brooks,E.J. See Achter,M.R., 0=1602
Brooks,F.L.,Jr. See Jones,W.D., 0=4232
Brooks,H. See Cardona,M., 0=18028
Brooks,J.N. See Murcray,D.G., 0=2025
Brooks,R. Determination of the velocity of sound in distilled water, 0=19275
Brooks,W.C. See Bloomer,R.N., 0=14701
Broom,R.F. and Rhoderick,E.H. Time delays in the superconducting transition of lead films, 0=1082
Broom,R.F. and Rhoderick,E.H. Thermal propagation of a normal region in a thin superconducting film and its application to a new type of bistable element, 0=12564
Broom,R.F. and Simpson,O. Relaxation times in lead films, superconductive, storage elements, 0=7035
Broom,T. and Ham,R.K. The hardening of copper single crystals by fatigue, 0=8124
Brophy,J.E. See Kostyshyn,B., 0=8047
Brophy,J.J. Crystalline imperfections and 1/f noise, 0=1595
Brophy,J.J. Trapping and diffusion in the surface region of cadmium sulfide, 0=13631
Brophy,J.J. Fluctuations in solids, 0=20876
Brophy,J.J. and Robinson,R.J. Fluctuations in CdS due to shallow traps, 0=4369
Brophy,J.J. and Robinson,R.J. Frequency factor and energy distribution of shallow traps in cadmium sulfide, 0=9991
Brophy,J.J. and Robinson,R.J. Current noise due to ohmic contacts on cadmium sulfide, 0=13608
Brosi,A.R. See Ketelle,B.H., 0=1378
Bross,H. Definition and properties of the bicubic spherical harmonics, 0=3394
Brossard,J. and Manson,N. Properties of dynamic adiabats in the case of a double discontinuity: shock wave—combustion wave, 0=103
Brot,C. See Bro,K., 0=19140
Broten,N.W. and Medd,W.J. Absolute flux measurements of Cassiopeia A, Taurus A, and Cygnus A, at 3200 Mc/s, 0=18670
Brotzen,F.R. See Folweiler,R.C., 0=16202
Brotzen,F.R. See Von Voss,W.D., 0=1143
Brotzman,J. Punched tape readout for a multichannel pulse-height analyzer, 0=20003
Broude,V.L. and Medvedev,V.S. A new possibility of explaining the dependence of the luminescence quantum yield on the wavelength of the exciting light, 0=4426
Broudy,R.M. and McClure,J.W. Statistics of the occupation of dislocation acceptors (one-dimensional interaction statistics), 0=18005
Broun,Zh.L. The use of a photometric sphere in differential spectrophotometric measurements, 0=8793
Brounshtein,A.M. and Krasil'shchikov,L.B. A radiation thermoelement with direct visual adjustment, 0=6990
Broussaud,G. See Simon,J.C., 0=120
Brout,R. Statistical mechanical theory of a random ferromagnetic system, 0=674
Brout,R. Statistical mechanical theory of ferromagnetism. High density behavior, 0=18172
Brout,R. Collective oscillations and giant density fluctuations, 0=18956
Brout,R. See Buff,F.P., 0=19090
Brout,R. See Englert,F., 0=18988
Brouwer,D. Solution of the problem of artificial satellite theory without drag, 0=6632
Brouwer,D. The use of a very wide angle camera for catalogue work, 0=12245
Brouwer,D. A method of constructing a revised general catalogue, 0=12295
Brouwer,D. Report on the First Inter-American Conference on Astronomy at La Plata and Cordoba, October 30 to November 3, 1959, 0=14376
Brovetto,P. See Bernardini,M,, 0=2640
Brow,N.J. and Osborne,D.V. Heat transfer between copper and liquid helium II, 0=226
Brown,A.C. See Archenhold,W.F., 0=3828
Brown,A.E. and Richardson,E.G. The propagation of sound in a binary liquid mixture, 0=19131
Brown,A.E. See Wilner,L.B., 0=14606
Brown,B.R. Distillation at low temperatures, 0=19576
Brown,C.S. Internal friction in synthetic quartz, 0=10259
Brown,C.S. and Thomas,L.A. The effect of impurities on the growth of synthetic quartz, 0=16261
Brown,D.A. Metal—metal bonding in dicobalt hexacarbonyl diphenylacetylene, 0=20677
Brown,D.C. and Faraday,B.P. A transistorized radiation monitor, 0=17157
Brown,D.L. See Weisz,R.S., 0=11891
Brown,E. and Goedecke,G.H. Effect of atomic interaction potential on defect production in metals, 0=7904
Brown,E.H. Expansion engines for hydrogen liquefiers, 0=7041
Brown,F. and Hall,G.R. The determination of radioactive decay constants, 0=20370
Brown,F, See Baerg,A.P., 0=1451
Brown,F.C. See Burnham,D.C., 0=15994
Brown,F.C. See Hanson,R.C., 0=6955
Brown,F.H.,Furst,M. and Kallman,H. The processes involved in the improvement of plastic scintillators, 0=18146
Brown.G.B. Gravitational and inertial mass, 0=6641
Brown,G.C. See Baily,N.A., 0=352

Brown,G.E. Foundations of the optical model for nuclei and direct interaction, 0=1349

Brown,G.E. and Bolsterli,M. Dipole state in nuclei, 0=1429

Brown,G.E.,Langer,J.S. and Schaefer,G.W. Lamb shift of a tightly bound electron. I. Method, 0=9730

Brown,G.E. and Mayers,D.F. Lamb shift of a tightly bound electron. II. Calculation for the K-electron in mercury, 0=9731

Brown,G.E. See Green,A.M., 0=17581

Brown,G.E. See Mayers,D.F., 0=1471

Brown,G.M. See Beynon,W.J.G., 0=6455

Brown,G.M. See Beynon,W.J.G., 0=8380

Brown,H. The density and mass distribution of meteoritic bodies in the neighborhood of the earth's orbit, 0=14401

Brown,H.A. and Rogers,J.V. Transistorized area monitor uses G-M—ion-chamber probe, 0=5437

Brown,H.D. A Monte Carlo study of neutron thermalization, 0=7372

Brown,H.D. and Loewe,W.E. Analysis of reactor oscillations for coefficients of reactivity, 0=13333

Brown,H.W. See Harvey,K.B., 0=4420

Brown,H.W. See Peyron,M., 0=4419

Brown,I.D. and Dunitz,J.D. The crystal structure of the cuprous chloride azomethane complex, 0=4641

Brown,J. See Goldberg,L., 0=14431

Brown,J.B. See Daniels-Hunt,B., 0=8906

Brown,J.J.,Reed,R.I. and Simpson,W. Magnetically operated mass-marker, 0=12800

Brown,J.L. Induction of Fechner colors in black and white photographs, 0=6527

Brown,J.L.,Bryant,H.C.,Burnstein,R.A.,Glaser,D.A.,Hartung,R.W., Kadyk,J.A.,Sinclair,D.,Trilling,G.H.,Vander Velde,J.C. and van Putten,J.D. Neutral branching ratios of Λ and K^0 particles, 0=4003

Brown,J.L.,Phares,L. and Fletcher,D.E. Spectral energy thresholds for the resolution of acuity targets, 0=18553

Brown,J.L.,Jr and Rowlands,R.O. Design of directional arrays, 0=1006

Brown,K.L. See Alvarez,R.A., 0=9252

Brown,L. See Baumgartner,E., 0=17431

Brown,L.C. See Parker,P.M., 0=2740

Brown,L.M. and Calogero,F. Effects of pion—pion interaction in electro-magnetic processes, 0=9405

Brown,M. Transient analysis of the White cathode follower, 0=7052

Brown,N. The yield point of a super-lattice, 0=21108

Brown,N. See Marcinkowski,M.J., 0=13531

Brown,N.L. and Barfield,R.N. Shielded coaxial leads for low-temperature electrical measurements, 0=8968

Brown,P.J. The structure of the intermetallic phase α'(VAl), 0=3226

Brown,P.J. An X-ray fluorescence method for determination of the transition-metal content in very small specimens of alloys, 0=18456

Brown,P.J. See Hume-Rothery,W., 0=515

Brown,R.D. Evaluation of Coulomb repulsion integrals from spectroscopic data, 0=1465

Brown,R.D.,III. See Koenig,S.H., 0=2877

Brown,R.D.,III. See Koenig,S.H., 0=7930

Brown,R.H. The intensity interferometer and its application to the measurement of the diameter of stars, 0=14442

Brown,R.H. and Hazard,C. The radio emission from nromal galaxies. I. Observations of M31 and M33 at 158 Mc/s and 237 Mc/s, 0=16527

Brown,R.Hanbury and Hazard,C. The non-thermal emission from the disk of the galaxy, 0=18659

Brown,R.H. and Twiss,R.Q. Interferometry of the intensity fluctuations in light. III. Applications to astronomy, 0=823

Brown,R.H. and Twiss,R.Q. Interferometry of the intensity fluctuations in light. IV. A test of an intensity interferometer on Sirius A, 0=824

Brown,R.J. Temperature dependence of quadrupole resonance frequencies under constant pressure, 0=3141

Brown,R.J. and Bollinger,L.M. Total neutron cross sections for structural materials, 0=13279

Brown,R.N.,Mavroides,J.G.,Dresselhaus,M.S. and Lax,B. Interband magnetoreflection in bismuth. II. Low fields, 0=20969

Brown,R.R. and D'Arcy,R.G. Observations of solar flare radiation at high latitude during the period July 10–17, 1959, 0=1339

Brown,S.C. See Bekefi,G., 0=2370

Brown,S.C. See Buchsbaum,S.J., 0=17017

Brown,S.E. See Robertson,D.S., 0=2296

Brown,T.H.,Anderson,D.H. and Gutowsky,H.S. Spin densities in organic free radicals, 0=17778

Brown,W.B. and Rowlinson,J.S. A thermodynamic discriminant for the Lennard-Jones potential, 0=20696

Brown,W.F.,Jr. Micromagnetics, domains, and resonance, 0=3028

Brown,W.F.,Jr. Relaxational behavior of fine magnetic particles, 0=3045

Brown,W.F.,Jr. Micromagnetics: successor to domain theory?, 0=13788

Brown,W.F.Jr. Single-domain particles: new uses of old theorems, 0=16134

Brown,W.F.Jr,Hanton,J.P. and Morrish,A.H. Initial-permeability spectra of microscopic iron-oxide particles, 0=10198

Brown,W.F.,Jr. See Johnson,C.E.,Jr, 0=3000

Brown,W.F.,Jr. See Johnson,C.E.,Jr, 0=3048

Brown,W.L. The electron Van De Graaff in semiconductor research, 0=19832

Browne,C.I. See Diamond,H., 0=17512

Browne,C.P.,Galey.J.A.,Erskine,J.R. and Warsh,K.L. Comparison of Po^{210} alpha-particle energy with the Li^7(p,n)Be^7 reaction threshold energy, 0=20378

Browne,C.P. and Radzyminski,J.T. Energy levels of Si^{29}, Si^{30} and Si^{31} from (d,p) reactions, 0=17503

Brownell,G.L. See Wächter,M.H., 0=11133

Brownell,R.M. See Barker,R.C., 0=10130

Brownlow,J.M.,Shevel,W.L.,Jr and Gutwin,O.A. Ferrite films — new logic and storage devices, 0=9137

Broyles,A.A. Radial distribution functions from the Born—Green integral equation, 0=14622

Brož,J.,Krupička,S. and Závěta,K. The distribution of ions and their valencies in manganese ferrites. II. Mn$_{1+x}$Fe$_{2-x}$O$_{4+\gamma}$ ferrites, 0=11888

Brož,J.,Krupička,S. and Zítka,B. The perminvar effect and magnetic after-effect in magnesium manganese ferrite, 0=3078

Brož,J. and Šternberk,J. The temperature dependence of the rectangularity coefficients of manganese—magnesium ferrites, 0=6240

Brož,J. and Šternberk,J. Relation between hysteresis loop rectangularity and the internal demagnetization coefficient of manganese—magnesium ferrites, 0=6241

Bruce,C.E.R. Cosmic thunderstorms, 0=2072

Bruce,C.E.R. A cosmic gas velocity thermometer, 0=6607

Bruce,C.E.R. The temperature required for nuclear reactions in cosmical electrical discharges, 0=6620

Bruce,C.E.R. Terrestrial and cosmical lightning discharges, 0=14310

Bruce,C.E.R. Temperatures reached in electrical discharges in the solar atmosphere, 0=18748

Bruce,C.F. and Ciddor,P.E. Phase dispersion in multilayer films, 0=3637

Bruce,F.M. See Aked,A., 0=10887

Bruce,F.M. See Blair,D.T.A., 0=10885

Bruce,G. See Almén,O., 0=19795

Bruce,J.W. See Aitchison,T.W., 0=3581

Brüche,E. and Schulze,K.J. Formation, structure and disintegration of gold leaf, 0=1942

Brüchner,H.J. and Kornbichler,H. Contribution to the theory of semi-intermediary—semi-thermal reactors with Pu-enrichment, 0=7658

Bruck,H.,Gendreau,G. and Salvat,M. The proton synchrotron "Saturne". Injection—Optics system, 0=2412

Bruck,H. See Bronca,G., 0=2412

Bruck,H. See Bronca,G., 0=19851

Bruck,H. See Cauchois,Y., 0=19821

Brucker,E.B. See Block,M.M., 0=1372

Brucker,E.B. See Block,M.M., 0=17416

Brucker,E.B. See Lodge,J., 0=20241

Bruckner,R. Non-stationary phenomena at the interface between partially miscible solutions, 0=19085

Brückner,R. Non-stationary phenomena at the interface between miscible liquids, 0=19086

Brueckmann,R.E. See Costrell,L., 0=17181

Brueckner,K.A.,Gammel,J.L. and Kubis,J.T. Binding energy of a neutron gas, 0=9286

Brueckner,K.A.,Gammel,J.L. and Kubis,J.T. Calculation of single-particle energies in the theory of nuclear matter, 0=11123

ueckner,K.A. and Goldman,D.T. Modified Hartree–Fock method for the finite nucleus, 0=1345
ueckner,K.A. and Goldman,D.T. Single particle energies in the theory of nuclear matter, 0=3920
rueckner,K.A.,Soda,T.,Anderson,P.W. and Morel,P. Level structure of nuclear matter and liquid He^3, 0=11124
rueckner,K.A. and Thieberger,R. Nuclear giant dipole resonance, 0=13127
ueckner,K.A. See Amado,R.D., 0=335
ueckner,K.A. See Klein,M.M., 0=15034
rüel,P.V. A modern accelerometer, 0=19040
rüesch,P. An investigation of the partial oxidation of pulverized cuprous oxide to cupric oxide, 0=16371
ruggencate,P.ten. See ten Bruggencate,P.
rugger,K.,Davis,H.L. and Daunt,J.G. Paramagnetic susceptibility of ruby at low temperatures, 0=10098
rugger,R.M.,McClellan,L.W.,Streetman,G.B. and Evans,J.E. Inelastic scattering of cold neutrons from several hydrogeneous liquids, 0=12940
ruijn,P.J. and Van Wijk,W.R. On the theory of a distillation combined with absorption, 0=18450
ruin,F. and van Ladesteyn,D. Frequency stabilization of a reflex klystron oscillator, 0=7217
Bruin,F. and Van Soest,P.C. Transistorized autodyne detector for e.s.r. and n.s.r., 0=17126
Bruins,E.M. Configurations in quantum mechanics, 0=18952
Bruins,P.F. See Cartier,R., 0=4588
Bruk,B.I. Using the C^{14} isotope for finding the solubility of carbon in alpha-iron, 0=4684
Brulin,O. and Hjalmars,S. The gravitational zero mass limit of spin-2 particles, 0=329
Brüllmann,M.,Gerber,H.J.,Meier,D. and Scherrer,P. Scattering and polarization effects of 3.27 MeV neutrons on deuterons, 0=5563
Brümmer,O. See Becherer,G., 0=1798
Brun,P. See Lehmann,R., 0=19331
Brun,R. and Chartier,C. On an electronic method for measurement of the mean velocity of flow of a gas, 0=95
Brun,R. See Bourot,J.M., 0=10360
Brune,J.N.,Nafe,J.E. and Oliver,J.E. A simplified method for the analysis and synthesis of dispersed wave trains, 0=10714
Bruner,L.J. Internal friction in iron at low temperatures, 0=695
Bruner,L.J. Low-temperature internal friction in face-centered cubic and body-centered cubic metals, 0=10258
Bruning,H.A.C.M. See Rieck,G.D., 0=18301
Brunner,G.,Wondratschek,H. and Laves,F. On the infrared absorption of quartz in the 3μ region, 0=4416
Brunner,J. The effective ionization potential of atoms in plasmas and the contribution from the highest atomic states to the continuous emission, 0=19680
Brunnschweiler,A. and Carlson,H.N. Identification of mode in low-frequency sweep ionospheric sounding, and interference patterns between over-lapping echoes, 0=21348
Bruno,E. See Bellomo,A., 0=10377
Brunt,D. The fiftieth Kelvin Lecture "The International Geophysical Year 1957-58", 0=754
Bruschetti,S. See Bonalumi,R., 0=11470
Brush,S.G. Theory of the lambda transition, 0=8893
Brutto,E.,Casagrande,I. and Perona,G. Thermal contact resistance between cylindrical metallic surfaces, 0=6965
Bruynooghe,W.M. See Verhaeghe,J.L., 0=7853
Bruzek,A. Observations on the relation between eruptions and sunspot fields, 0=14411
Bryan,R.A. New semiphenomenological proton–proton potential, 0=15348
Bryan,R.A. See Saylor,D.P., 0=20133
Bryant,C.A. and Keesom,P.H. Specific heat of indium below 1°K, 0=13489
Bryant,F.J.,Chamberlain,A.C.,Morgan,A. and Spicer,G.S. Radiostrontium in soil, grass, milk and bone in U.K.; 1956 results, 0=7502
Bryant,G.W.,Hallett,J. and Mason,B.J. The epitaxial growth of ice on single crystalline substrates, 0=6335
Bryant,H.C. See Brown,J.L., 0=4003
Bryant,P.J.,Daniel,T.B. and Rollins,F.R.,Jr. On graphite whiskers, 0=3181
Bryant,R. See Bailie,A., 0=18883
Bryant,R. See Musen,P., 0=8531
Brymmer,R, and Steckelmacher,W. Demountable vacuum seal for operation at temperatures from −188°C to 800°C, 0=5063
Bryngdahl,O. Diffraction patterns of small phase objects measured in the microwave region, 0=297
Bryrup,E.,Pedersen,A.K.,Christiansen,E.A.,Friis-Møller,K. and Jacobsen,E. The erection of reactors at Risø. 0=9714
Bryrup,E.,Pedersen,A.K.,Christiansen,E.A.,Friss-Møller,K. and Jacobsen,E. The erection of reactors at Risø. The DR2 Plant, 0=9715
Bryrup,E.,Nielsen,O.,Jensen,E.H.,Mütze,B.,Christiansen,E.A., Friis-Møller,K. and Jacobsen,E. The erection of reactors at Risø. The DR3 Plant, 0=9716
Brysk,H. The radar cross section of a semi-infinite body, 0=2443
Bryson-Haynes,D. See Bernard,A., 0=4762
Bryukhanov,V.A. See Delyagin,N.N., 0=20788
Bryukhanova,L.S.,Kochanova,L.A. and Likhtman,V.I. The validity of the brittle fracture of single crystals of zinc, 0=6316
Brzhan,V.S. X-ray studies of crystallization in sorbed water, 0=18354
Bube,R.H. Photoelectronic analysis of high resistivity crystals: (a) GaAs, (b) Sb_2S_3, 0=6139
Bube,R.H. Saturation of photocurrent with light intensity, 0=13630
Bube,R.H. and Barton,L.A. The achievement of maximum photoconductivity performance in cadmium sulfide crystals, 0=2908
Bube,R.H. and Dreeben,A.B. Dependence of the hole ionization energy of imperfections in cadmium sulfide on the impurity concentration, 0=1663
Bube,R.H. and Lind,E.L. Photoconductivity of gallium selenide crystals, 0=1681
Bube,R.H. and Lind,E.L. Photoconductivity in gallium sulfoselenide solid solutions, 0=15989
Bube,R.H. and McCarroll,W.H. Photoconductivity in indium sulfide powders and crystals, 0=7961
Bube,R.H. See Rose,A., 0=3795
Bube,R.H. See Williams,R., 0=9990
Buben,N.Ya. See Nikol'skii,V.G., 0=21018
Bucci,P. See Scrocco,E., 0=1508
Buchanan,J.S. and James,H.J. Measurement of high intensity stress pulses, 0=5086
Buchanan,R.F. See Kittel,J.H., 0=13380
Buchdahl,H.A. Reciprocal static metrics and scalar fields in the general theory of relativity, 0=877
Buchdahl,H.A. General relativistic fluid spheres, 0=2112
Buchdahl,H.A. Approximations to the equation of state of a Fermi–Dirac gas, 0=3556
Buchdahl,H.A. The concepts of classical thermodynamics, 0=3690
Buchdahl,H.A. Optical aberration coefficients. VI. On computations involving coordinates lying partly in the image space, 0=8774
Buchdahl,H.A. Optical aberration coefficients. VII. The primary, secondary, and tertiary deformation and retardation of the wave front, 0=8775
Buchdahl,H.A. Optical aberration coefficients. VIII. Coefficient of spherical aberration of order eleven, 0=10751
Buchdahl,H.A. Non-linear Lagrangians and Palatini's device, 0=16582
Bucher,W.P.,Beverly,W.B.,Cobb,G.C. and Hereford,F.L. Scattering of 2 to 4 MeV polarized neutrons by carbon, 0=455
Bucher,W.P.,Beverly,W.B.,Cobb,G.C. and Hereford,F.L. Polarization of 2 to 4 MeV neutrons scattered by deuterons, 0=5564
Büchler,A. See Klemperer,W., 0=20620
Buchmann,F.,Höfert,M. and Röhler,R. Experiments on inertialess (fast response) measurements of dose rate near commerical X-ray apparatus, 0=20111
Buchmann,R.A. Near infrared spectra of crystalline alkali hydroxides, 0=1736
Buchsbaum,S.J. Resonance in a plasma with two ion species, 0=10926
Buchsbaum,S.J.,Mower,L. and Brown,S.C. Interaction between cold plasmas and guided electromagnetic waves, 0=17017
Buchwald,V.T. Elastic waves in anisotropic media, 0=8733
Buck,B.,Maddison,R.N. and Hodgson,P.E. Optical model analysis of nuclear scattering, 0=20427
Buck,T.M. See Allen,F.G., 0=9967
Bucka,H,Kopfermann,H. and Ney,J. The nuclear quadrupole moment of K^{40}. 0=11304

Buckel,W.,Hilsch,R. and v.Minnigerode,G. Effect of plastic deformation at low temperatures on the superconductivity of gallium, 0=16955

Buckholz,E.E. and McPhail,M.K. Apparatus for applying liquids in small droplets to animals, 0=6489

Buckingham,A.D. Solvent effects in infra-red spectroscopy, 0=1529

Buckingham,A.D.,Schaefer,T. and Schneider,W.G. Solvent effects in nuclear magnetic resonance spectra, 0=7801

Buckingham,M.J. The nature of the λ-transition, 0=8914

Buckle,E.R. Reduced temperatures for nucleation in supercooled liquids. 0=16267

Buckley,R.A. See Anderson,E., 0=20725

Bucur,R.,Mercea,I. and Mercea,V. Investigations on the use of katharometers for isotopic analysis, 0=15668

Budagov,Yu.A.,Viktor,S.,Dzhelepov,V.P.,Ermolov,P.F. and Moskalev,V.I. Electron—positron pairs from the decay $\pi^0 \quad e^- + e^+ + \gamma$, 0=2532

Budagov,Yu.A.,Viktor,S.,Dzhelepov,V.P.,Ermolov,P.F. and Moskalev,V.I. Observations of the $\pi^0 \rightarrow e^- + e^+ + e^- + e^+$ decay, 0=9399

Budal,K.,Höy,E. and Olsen,H. Measurements of acoustic radiation force, 0=141

Budagov,Yu.A.,Viktor,S.,Dzhelepov,V.P.,Ermolov,P.F. and Moskalev,V.I. Internal-conversion pairs in the decay of neutral π-mesons, 0=13017

Budagov,Yu.A.,Viktor,S.,Dzhelepov,V.P.,Ermolov,P.F. and Moskalev,V.I. Elastic scattering of 128 and 162 MeV π^--mesons by protons, 0=13018

Budagov,Yu.A.,Wiktor,S.,Dzhelepov,V.P.,Yermolov,P.F. and Moskalev,V.I. β-decay of negative pions, 0=7402

Budde,R.,Burger,A.,Filthuth,F.,Goldschmidt-Clermont,Y., Mayer,H.M.,Morrison,D.R.O.,Peyrou,C. and Trembley,J. Tract distortion in a liquid hydrogen bubble chamber, 0=2465

Budde,W. Standards of reflectance, 0=3658

Budden,K.G. Effect of small irregularities on the constitutive relations for the ionosphere, 0=3344

Budden,K.G. See Barron,D.W., 0=7233

Budejícký,J. Monochromatic radio-wave radiation of interstellar hydrogen, 0=10485

Budnick,J.I. Some studies of the superconducting transition in purified tantalum, 0=16952

Budnick,J.I.,Ittner,W.B. and Seraphim,D.P. The preparation and purification of tantalum single crystals and measurements of the critical field curve for single and polycrystalline specimens, 0=8955

Budó,A. and Ketskeméty,I. Influence of secondary fluorescence on the emission spectra of fluorescent solutions, 0=10672

Budó,A.,Ketskeméty,I.,Salkovits,E. and Gargya,L. Determination of the true degree of polarization of fluorescence from solutions, 0=14661

Budrikis,Z.L. See Seyler,A.J., 0=4829

Budyanskii,G.M. Polarization of deuterons elastically scattered on zero-spin nuclei, 0=13243

Budÿlin,B.V. and Vorob'ev,A.A. Recovery of mechanical properties of irradiated rocksalt after normalizing annealing, 0=18242

Budÿlin,B.V. See Vorob'ev,A.A., 0=11629

Budzanowski,A.,Grotowski,K.,Janik,J.A.,Kolos,W.,Maniawski,F., Rżany,H.,Szkatula,A. and Wanic,A. Estimation of the height of the potential barrier of [internal] hindered rotation in the CH$_3$SH [methyl mercaptan] molecule by means of thermal neutron scattering, 0=5912

Bueche,A.M. See Flom,D.G., 0=3478

Buechner,W.W. See Piraino,D., 0=13147

Buechner,W.W. See White,R.E., 0=11414

Buehler,E. and Tanenbaum,M. Method for the detection of flaws in yttrium iron garnet crystals, 0=6341

Buerger,M.J. Vector space and its application in crystal structure investigation, 0=8199

Buff,F.P. and Brout,R. Some tests of the superposition approximation in the liquid phase, 0=19090

Buff,E.P. and Wilson,D.J. Some considerations of unimolecular rate theory, 0=6406

Buffler,C.R. Ferromagnetic resonance near the upper limit of the spin wave manifold, 0=3109

Buffler,C.R. Effects of surface irregularities on single crystal resonance parameters, 0=10195

Bufler,H. Determination of Poisson's ratio of a doubly-refracting material by a photoelastic method, 0=16196

Bugai,Yu.P. See Sinel'nikov,K.D., 0=10924

Bugard,P. and Romani,J.D. Action of noises on neuromuscular excitability, 0=6502

Bugard,P. See Romani,J.D., 0=6501

Bugden,A.R.,Hamilton,R.J. and Jones,G.H.S. Application of photoelectric densitometry to the assessment of respirable dust samples, 0=14140

Bugg,W.M. and King,D.T. The emission of charged pions in p—p collisions at 2.7 GeV, 0=13047

Bugg,W.M. and King,D.T. Anelasticity of p—p collisions at 2.7 BeV, 0=15349

Bugnolo,D.S. Transport equation for the spectral density of a multiple-scattered electromagnetic field, 0=12674

Bugnolo,D.S. On the question of multiple scattering in the troposphere, 0=12710

Buhrow,J. See Witzmann,H., 0=2961

Buhrow,J. See Witzmann,H., 0=6190

Buijs,K. Preparation of selenium polarizers for the near infrared region, 0=14853

Buikov,M.V. A generalization of Gor'kov's method for the case of electron—phonon interaction, 0=14922

Builder,G. Resolution of the clock paradox, 0=40

Builder,G. Ether and relativity, 0=4929

Builder,G. The constancy of the velocity of light, 0=4932

Builder,G. The Lorentz transformations, 0=8542

Buimistrov,V.M. and Deigen,M.F. The theory of absorption of light by impurities in homopolar crystals, 0=6175

Buimistrov,V.M. and Piskovoi,U.N. Investigation of the accuracy of the variational method in the problem of impurity absorption of light in silicon, 0=13685

Buishvili,L.L. On the Overhauser effect in saturation of forbidden resonance, 0=13886

Buishvili,L.L. and Khutsishvili,G.R. Forbidden transitions in paramagnetic resonance, 0=18214

Bujdosó,E. and Medveczky,L. A study of the sensitivity of Agfa K 2 nuclear emulsion by means of the isotope I^{131}, 0=7255

Bujdoso,E.,Medveczky,L. and Torok,S. Nomographs for fast neutron spectroscopy, 0=7388

Bujdosó,E. and Medveczky,L. Apparatus for processing nuclear emulsions, 0=17170

Bukat,G.M.,Dolginov,A.Z. and Zhitnikov,R.A. The hyperfine structure of many-electron atoms, 0=15644

Bukhteev,A.M. See Bÿdin,Yu.F., 0=8988

Bukhteev,A.M. See Bÿdin,Yu.F., 0=19611

Bukhvostov,A.P. and Shmushkevich,I.M. Capture of polarized μ^--mesons by deuterons, 0=11196

Bukovszky,F. Equivalent steps and periodicity in crystal growth, 0=18298

Bukovszky,F. See Fáthy,F., 0=11562

Bukovszky,F. See Fáthy,F., 0=11563

Bulaevskii,L.N.,Fain,V.M. and Freidman,G.I. On the instability of uniform precession of magnetization, 0=21033

Bulanin,M.O.,Denisov,G.S. and Shchepkin,D.N. A study of equilibria during formation of the hydrogen bond in solutions, using infrared absorption spectra. The case of inseparable bands, 0=3535

Bulatov,B.P. Albedos of various substances for γ rays from isotropic Co^{60}, Cs^{137} and Cr^{51} sources, 0=3945

Bulatova,R.F.,Kogan,V.S. and Lazarev,V.G. Mutual solubility of hydrogen and deuterium at 4.2°K, 0=12099

Bulatova,R.F. See Kogan,V.S., 0=21187

Buldÿrev,V.S. Investigation of the exact solutions of non-stationary diffraction problems in the neighbourhood of wave fronts, 0=1002

Buldÿrev,V.S. and Molotkov,I.A. Investigation of exact solutions of non-stationary diffraction problems in the neighbourhood of sliding fronts, 0=19300

Bulgakov,B.M.,Shestopalov,V.P.,Shishkin,L.A. and Yakimenko,I.P. Slow waves in a helical guide with plasma, 0=17110

Bulkin,P.S.,Solntsev,G.S. and Ponomarev,V.N. Investigation of self-sustained ultra-high-frequency pulse discharges in air and the mechanism of their initiation, 0=5296

Bullen,G.J. and Mackay,A.L. Summarized proceedings of a conference on X-ray analysis, London, November 1959, 0=16287

Bullen,K.E. See Burke-Gaffney,T.N., 0=4769

Bullen,T.G. Notes on an inexpensive form of Michelson's interferometer, 0=172

Bullinger,G. Dielectric after-effect phenomena in barium titanate ceramics, 0=18104

Bullock,B.W. See Parker,H.M., 0=3080

Bullock,G. Calorimeter with automatic control, 0=3688

ullock,R.E. and Moore,R.G.Jr. Odd—even dependence of nuclear level density parameters, 0=13134
ullough,K.,Davidson,T.W.Kaiser,T.R. and Watkins,C.D. Radio reflections from aurorae. III. The association with geomagnetic phenomena, 0=797
ullough,R. and Newman,R.C. The flow of impurities to an edge dislocation, 0=7896
ullough,R. and Newman,R.C. The spacing of prismatic dislocation loops, 0=20809
ullough,R.,Newman,R.C.,Wakefield,J. and Willis,J.B. Precipitation in silicon crystals containing aluminum, 0=20826
ulyanitsa,D.S. Effect of an external electric field on the profile of the fundamental absorption edge of nonconducting crystals, 0=11757
ulȳginskii,D.G. and Sibir,E.E. The nature of the surface films of L-cathode, 0=1146
Bumble,S. and Honig,J.M. Utilization of order—disorder theory in physical adsorption. I. Fundamental equations, 0=14145
Bump,T.R. See Kuczen,K.D., 0=12409
unch,M.D. See Powell,R.L., 0=1686
Bunch,M.D. See Powell,R.L., 0=7858
undy,F.P. See Strong,H.M., 0=1051
unker,D.L. Mechanics of atomic recombination reactions, 0=8298
Bunker,M.E.,Dropesky,B.J.,Knight,J.D.,Starner,J.W. and Warren,B. Decay of U^{240} and 7.3 min Np^{240}, 0=1380
Bunn,P.B. See Walling,J.C., 0=4267
Bunyatov,S.A.,Vrublevskii,A.,Kopȳlova,D.K.,Korolevich,Yu.B., Petukhova,N.I.,Sidorov,V.M.,Skzhipchak,É. and Filipkovskii,A. Emission of Δ^0-particles upon capture of K-meson bu nuclei in emulsion, 0=2597
Bunyatov,S.A. See Azhgirei,L.S., 0=13233
Bunyatov,S.A. See Bannik,B.P., 0=2626
Bunyatov,S.A. See Batusov,Yu.A., 0=20192
Bunyatov,S.A. See Batusov,Yu.A., 0=20214
Bunyatov,S.A. See Bogachev,N.P., 0=9354
Bunyatov,S.A. See Bogachev,N.P., 0=9619
Burakova,T.N. and Verbitskaya,T.N. Crystal-optical studies of polycrystalline ferroelectrics in the $BaTiO_3-ZrO_2$ system, 1928
Buras,B. and Suwalski,J. In-pile hall coefficient measurements of germanium bombarded by fast neutrons, 0=18016
Buravleva,M.G.,Zakharin,Ya.A. and Startsev,V.I. Entry of thallium into the lattice of sodium iodide, 0=16356
Burcham,W.E. See Aguilar,J., 0=7583
Burbank,R.D. and Heidenreich,R.D. Microtwinning in epitaxial nickel—iron films, 0=21170
Burbidge,G.R. On a revised table of abundances of elements by A.G.W.Cameron, 0=8469
Burbidge,G.R. See Prendergast,K.H., 0=8508
Burch,D.S. See Smith,S.J., 0=2714
Burcham,W.E. See Aguilar,J., 0=20463
Burcham,W.E. See Bredin,D.J., 0=9447
Burck,H. and Ku Dschi-Yü. The radial density and temperature variations in the very high pressure mercury lamps HBO 500, HBO 200 and HBO 107, 0=16993
Burde,J. See Bäckström,G., 0=7523
Burden,H.S. See Bennett,F.D., 0=3542
Burden,J.P. Elimination of a glow discharge in an induction-heated vacuum furnace, 0=19640
Burdet,A. Resolution and collecting power of a spiral orbit β-ray spectrometer, 0=17307
Burdiyan,I.I. Some additional information regarding solid solutions in the AlSb—GaSb system, 0=6381
Burdiyan,I.I. and Kolomiets,B.T. A study of the conductivity and the Hall effect in solid solutions of the AlSb—GaSb system, 0=11706
Bureau,R. and Dauvillier,A. The solar chromospheric outburst of February 23, 1956. Its cosmic and geophysical effects, 0=6595
Burfoot,J.C. Wall velocity in ferroelectrics, 0=10015
Burfoot,J.C. and Peacock,R.V. Growth of ferroelectric hysteresis loops, 0=6150
Burge,E.J. The total proton reaction cross section of carbon from 10=68 MeV by a new method, 0=4093
Burge,R.E. and Munden,H.R. Tilting and rotating specimen stage for electron microscopy and electron diffraction, 0=10340
Burger,A. See Budde,R., 0=2465
Burger,A.J. See Cohen,D., 0=9363
Burger,A.P. The half-plane diffraction problem for harmonic time dependence, 0=3435
Burger,J.F. See Lochner,J.P.A., 0=14330
Burger,J.F. See Lochner,J.P.A., 0=18531
Burger,J.P.,Vogt,E. and Wucher,J. Paramagnetic study of hydrogenated dilute palladium-iron alloys, 0=1775
Burger,J.P.,Wendling,R. and Wucher,J. Antiferromagnetism of the alloy $Pd_3Mn_{,}$, 0=13854
Burger,J.P. See Taylor,M.A., 0=16124
Burgerjon,J.J.,du Toit,S.J. and Kritzinger,C.A.J. The Pretoria cyclotron, 0=19842
Burgers,A. See Kunze,J.F., 0=5589
Burgers,J.M. and Thomas,R.N.[Eds]. Proceedings of the Third Symposium on Cosmical Gas Dynamics, 0=16521
Burgers,W.G.,Rootsaert,W.J.M.,Bogers,A.J. and Cornet,C.F. Preferential orientations formed on thermal decomposition of single crystals of K_2PtCl_6, K_2PtCl_4 and $(NH_4)_2PtCl_6$, 0=11992
Burgers,W.G. See Ottens,E., 0=557
Burgers,W.G. See Ottens,E., 0=558
Burgess,A. A note on the calculation of coronal ionization cross-sections, 0=18751
Burgess,A.,Field,G.B. and Michie,R.W. On the possibility of observing interstellar aluminum, 0=12250
Burgess,A. and Seaton,M.J. Cross sections for photoionization from valence-electron states, 0=10872
Burgess,A. and Seaton,M.J. A general formula for the calculation of atomic photo-ionization cross-sections, 0=17661
Burgess,J.H. Double resonance experiments on the $(SO_3)_2NO^-$ free radical, 0=17777
Burgess,R.E. Negative resistance in semiconductor devices, 0=6098
Burgess,R.E. See Gibson,A.F.[Eds.], 0=20877
Burgess,R.E. See Gibson,A.F.[Eds.], 0=20878
Burgess,R.E.[Ed.]. See Gibson,A.F.[Ed.].. 0=20879
Burget,J. and Šácha,J. Nuclear magnetic resonance of F^{19} in teflon irradiated with neutrons, 0=4529
Burgman,J.O. and Andersson,G. Ion source for radioisotope separation, 0=19780
Burgov,N.A.,Danil'yan,G.V.,Dolbilkin,B.S.,Lazareva,L.E., and Nikolaev,F.A. The fine structure of the giant resonance, 0=11431
Burgov,N.A.,Davȳdov,A.V. and Kartashov,G.R. Lifetimes of the first excited states of Rb^{85} and Pr^{141}, 0=13180
Burgov,N.A. and Terekhov,Yu.V. Resonance scattering of ^{24}Mg γ-rays, 0=7534
Burgov,N.A.,Terekhov,Yu.V. and Bizina,G.E. Resonant scattering of gamma rays by Ni^{60}, 0=13215
Burgreen,D. Vibrations of rods in parallel flow, 0=5072
Burgreen,D. Hydrodynamics of a liquid poison scram system, 0=13372
Burgtorf,W. A sound source for the production of short duration pulses, 0=19286
Burgtorf,W. See Meyer,E., 0=19341
Burgus,W.H. See Regier,R.B., 0=17634
Burhop,E.H.S. See K^--collaboration, 0=1308
Burhorn,F. and Wienecke,R. Calculation of the internal partition functions of diatomic molecules at high temperatures, 0=5894
Burhorn,F. and Wienecke,R. Plasma constitution,plasma density, enthalpy and specific heat of oxygen at 1, 3, 10, 30 atm between 1000 and 30 000°K, 0=7129
Burke,D.G. See Cormack,D.V., 0=12905
Burke,B.F. The radio-frequency spectrum of H_2^+, 0=20617
Burke,E.A. and Pettit,R.M. Absorption analysis of X-ray spectra produced by beryllium window tubes operated at 20 to 50 KVP, 0=20105
Burke,J. The kinetics of the growth of precipitates from solid solutions, 0=16357
Burke,J. The growth of precipitates from solid solutions, 0=21230
Burke,P.G. and Haas,F.A. The elastic scattering of neutrons by deuterons with allowance for polarization 0=12942
Burke,P.G.,Haas,F. and Percival,I.C. On ionic reactions of negative μ-mesons, 0=3981
Burke-Gaffney,T.N. and Bullen,K.E. On the seismological aspects of the 1954 hydrogen bomb explosions, 0=4769
Burkhard,M.D.,Corliss,E.L.R.,Koidan,W. and Biagi,F. Calibration for carrier operated microphones and other reversible transducers, 0=6886
Burkhardt,G.H. and Caine,C.A. Nuclear shell effects in μ^-capture, 0=7629
Burkhardt,H. Elementary-particle physics, 0=3939

Burkhardt,H. See Gomez,R., 0=17363

Burkig,J.W. Proton alpha-particle scattering at 20.1 MeV, 0=2541

Burkin,A.L. and Sheftel',I.T. Cobalt—manganese oxide semiconductor bolometers, 0=8836

Burlage,S.R. See Carome,E.F., 0=6788

Burlakov,A.V. See Oksman,Ya.A., 0=20924

Burlakov,A.V. See Oksman,Ya.A., 0=20953

Burland,J.B. See Jennings,J.E., 0=8590

Burleson,G.R. and Kendall,H.W. An experimental search for dipole structure of the electron, 0=20112

Burley,D.M. A lattice model of a classical hard sphere gas, 0=6831

Burley,D.M. Some magnetic properties of the Ising model, 0=21036

Burmakin,V.A.,Gubanova,V.G. and Chistyakov,P.N. Some results of investigation of high-current corona in hydrogen, 0=14990

Burman,R.L. See Allen,J.S., 0=1385

Burmistrov,V.R. Cascade γ transitions in Cl^{36} accompanying thermal neutron capture, 0=4117

Burnelle,L. MO treatment of acetylene including all electrons, 0=17801

Burnett,J. See Blair,G.W.S., 0=8122

Burnett,J. See Blair,G.W.S., 0=8123

Burnett,R.C. See Bannister,G.H., 0=18284

Burnham,D.C.,Brown,F.C. and Knox,R.S. Electron mobility and scattering processes in AgBr at low temperatures, 0=15994

Burnham,J.,Reppy,J.,Pearson,G.,Spees,A.H. and Reynolds,C.A. Transport properties of helium II in fine channels, 0=16938

Burnham,R.W. and Malach,R.J. Color appearance specification with adaptation to daylight and tungsten illumination,0=18558

Burns,G. Polarizabilities and antishielding factors of 10 and 18 electron closed shell atoms, 0=2705

Burns,G. Nuclear quadrupole coupling in the alums, 0=11959

Burns,J. Angular distribution of secondary electrons from (100) faces of copper and nickel, 0=12633

Burns,J.H.,Osborne,D.W. and Westrum,E.F.,Jr. Heat capacity of uranium tetrafluoride from 1.3° to 20°K and the thermodynamic functions to 300°K. Calorimeter for the range 0.8° to 20°K, 0=15811

Burns,R.P.,DeMaria,G.,Drowart,J. and Grimley,R.T. Mass spectrometric investigation of the sublimation of molybdenum dioxide, 0=10697

Burns,R.P. See DeMaria,G., 0=10699

Burns,R.P. See Drowart,J., 0=2324

Burns,R.P. See Drowart,J., 0=10698

Burns,R.P. See Grimley,R.T., 0=14971

Burnstein,R.A. See Brown,J.L., 0=4003

Burrell,E.J.,Jr. E.P.R. characterization of radicals in irradiated tetra-n-butyl ammonium halides, 0=7797

Burris,L.Jr. See Dillon,I.G., 0=13293

Burrows,G. Some consequences of the behaviour of mobile molecules, 0=19122

Burrows,K. A rocket-borne magnetometer, 0=5372

Burrus,C.A. Stark effect at 0.93, 1.18, and 1.5 millimeters wavelength: DCl, DBr, and DI, 0=2769

Burshtein,A.I. A regenerative scheme of thermoelectric cooling, 0=19602

Burshtein,L.L. See Mikhailov,G.P., 0=7821

Burshtein,L.L. See Birshtein,T.M., 0=9833

Burshtein,R.Kh. and Larin,L.A. The effect of adsorbed oxygen on the work function of germanium, 0=9059

Burshtein,R.Kh.,Larin,L.A. and Voronina,G.F. Chemisorption of oxygen on germanium, 0=10368

Burshtein,R.Kh.,Larin,L.A. and Voronina,G.F. Influence of water vapour on the interaction of germanium and oxygen, 0=16395

Burson,S.B. See Helmer,R.G., 0=13175

Burson,S.B. See Schmid,L.C., 0=17532

Burtin,R. Variation of the optical constant of bismuth in the form of a thin film, as a function of thickness, between 2.5 and 10μ , 0=10026

Burton,B.S. See Williamson,R.M., 0=7585

Burton,L.K., See Anderson,W., 0=11330

Burton,M. and Dreeskamp,H. Energy transfer and decay times in radiation-induced luminescence of benzene solutions, 0=19159

Burton,M. See Kuppermann,A., 0=975

Burton,M. See Lipsky,S., 0=2176

Burton,W.M. and Stewart,N.G. Use of long-lived natural radioactivity as an atmospheric tracer, 0=13164

Burtsev,V.A. See Kanicheva,I.R., 0=7163

Burwell,J.R. See Holm,G.B., 0=11323

Buryak,E.M. See Kikoin,I.K., 0=1620

Busch,G. and Fischer,T. Field emission from semiconductors, 0=3782

Busch,G.,Junod,P.,Mooser,E. and Schade,H. The electrical properties of HgIn$_2$Te$_4$, 0=565

Busch,G. and Junod,P. Relations between the crystal structure and electronic properties of the compounds Ag$_2$S, Ag$_2$Se, Cu$_2$Se, 0=7946

Busch,G. and Junod,P. Brillouin zones, chemical bonds and conduction mechanism in Ag$_2$S and Ag$_2$Se, 0=13605

Busch,G. and Muller,J. Superconductivity of vanadium alloys, 0=8958

Busch,G. and Vogt,O. Electrical conductivity and hall effect of Ge—Si alloys, 0=18022

Busch,K.H. See Altman,F.G., 0=4986

Buschmanow,B.N. Growing large single crystals of Zn with a given orientation, 0=8164

Büser,J. The behaviour of a Townsend discharge in a plane electrode spark gap at constant voltage, 0=1118

Bush,A.M. Problems associated with precise determination of the index of refraction of the earth's atmosphere, 0=16476

Bush,S.H. See Fraser,M.C., 0=14070

Bush,S.H. See Kendall,L.F., 0=12102

Businaro,U.L.,Gallone,S. and Morgan,D. On the dependence upon energy of the fission product poisoning of U^{235}, 0=4148

Businger,J.A. A generalization of the mixing-length concept, 0=6822

Busmann,E. The crystal structure of KGe and isomorphous germanides and silicides, 0=8212

Busse,W.F. and Starr,F.C. Change of a viscoelastic sphere to a torus by random impacts, 0=55

Bussey,H.E. and Estin,A.J. Accurate microwave wavemeters with convenient calibration tables, 0=7216

Bussière de Nercy,A. Study of scattering and resonant absorption of the 10.5 MeV level of magnesium 24, 0=7597

Bussière de Nercy,A.,Langevin,M. and Spighel,M. Resonant absorption of the γ-rays from holmium 166 and osmium 193 without nuclear recoil, 0=7533

Busu,S. See Majumdar,D.K., 0=19162

Butcher,A.C. and McNamee,J.M. The scattering of alpha particles by helium, 0=1422

Butcher,J.C. and Messel,H. Comparison of the electron number distribution in electron—photon showers in air and aluminium absorbers, 0=9461

Butcher,J.C. and Messel,H. Electron number distribution in electron—photon showers in air and aluminium absorbers, 0=20264

Butcher,P.N. An introduction to the theory of solid-state masers, with particular reference to the travelling wave maser, 0=3848

Butcher,P.N. An introduction to the theory of solid-state masers, 0=15138

Butement,F.D.S. and Finkelstein,N.P. Ratiometer for low-current mass spectrometry, 0=15088

Butler,D.K. Fission cross section of plutonium-242, 0=7637

Butler,D.S. The numerical solution of hyperbolic systems of partial differential equations in three independent variables, 0=6539

Butler,J.A.V.,Laurence,D.J.R.,Robins,A.B. and Shooter,K.V. Comparison of the molecular weights of deoxyribonucleic acids is determined from light scattering and from sedimentation and viscosity, 0=7822

Butler,J.W. Energy levels in Ne^{20} from the F^{19}(d,nγ)Ne^{20} reaction, 0=9535

Butler,J.W. and Holmgren,H.D. Radiative proton capture by O^{18}, 0=2661

Butler,J.W. See Bondelid,R.O., 0=20246

Butler,J.W. See Bondelid,R.O., 0=20460

Butler,R. Liénard phase plane integraph, 0=4843

Butrov,M.V. Diffraction of a scalar wave by a slit and by a circular aperture in a screen of arbitrary thickness, 0=19296

Butsko,N.I. Some specific features of photoconductivity of mercuric sulphide, 0=18071

Butslov,M.M. See Zaviosky,E.K., 0=3893

Butt,D.K. The angular correlation between some coincident γ-rays of ^{192}Pt, 0=7536

t,E.P.,Carruthers,R.,Mitchell,J.T.D.,Pease,R.S., Thonemann,P.C.,Bird,M.A.,Blears,J. and Hartill,E.R. The design and performance of Zeta, 0=5837
ton,J.,Eberhard,P.,Kalbfleisch,G.R.,Lannutti,J.E.,Lynch,G.R., Maglić,B.C. and Stevenson,M.L. Evidence for the reaction $\bar{p} + p \rightarrow \Sigma^0 + \Lambda$, 0=13067
ton,J. and Mermod,R. Complete determination of polarization for a high-energy deuteron beam, 0=11237
ton,K.J. See Zwerdling,S., 0=7933
ton,K.J. See Zwerdling,S., 0=11765
trey,J.W. See Bragg,R.H., 0=12053
vet,R. Mechanical and thermal properties of polymers in the solid state. I. Critical account of previous contributions, 0=14049
vet,R. Mechanical and thermal properties of polymers in the solid state. II. Theoretical and experimental study of a method of measuring viscoelastic moduli at ultrasonic frequencies, 0=14050
vet,R. Mechanical and thermal properties of polymers in the solid state. III. Viscoelastic properties of some polymers at ultrasonic frequencies, 0=14051
yers,A.G. and Murbach,E.W. Experimental estimate of the free energy of formation of plutonium trifluoride, 0=12101
yle-Bodin,M. Sensitivity and fidelity of autodyne oscillatorsin radiofrequency spectroscopy, 0=19954
ys,W.L. Some experimental results on the angular intensity distributions of backscattering and transmission from an isotropic $P^{32}\beta$ source on thick and thin plane scattering media, 0=2528
alobzheskii,A.V. and Val'kov,V.D. Effect of the semiconductor properties of oxide films on the electrochemical behaviour of metals in electrolytes irradiated by ultraviolet light, 0=21282
chkov,Yu.A.,Gurevich,L.É. and Nedlin,G.M. Thermoelectric phenomena in strong magnetic fields in metals possessing various Fermi surfaces, 0=10004
chkova,G.N. See Yatsuk,K.P., 0=12422
chkova,V.E. See Frisman,E.V., 0=12499
din,Yu.F. and Bukhteev,A.M. Resonance multiplication of charges on positive potassium ions, 0=8988
din,Yu.F. and Bukhteev,A.M. Ionization of fast Na, K, Rb, and Cs atoms on collision with H_2, D_2, N_2 and O_2 molecules, 0=19611
yers,H.R. See Fitzgerald,D.R., 0=21391
khovskaya,L.N. and Der-Shvarts,G.V. Some electron-optical properties of single electron lens-filter, 0=2394
kov,M.I. See Bazhenov,N.M., 0=5187
kov,V.N.,Golovkin,V.S.,Ageev,N.V.,Levdik,V.A. and Vinogradov,S.I. On the magnetic structure of chromium, 0=3041
kov,V.N. and Vinogradov,S.I. The arrangement of the carbon atoms in the austenite lattice, 0=12049
kov,V.P. and Kostryukov,V.N. An instrument which automatically maintains a constant level of liquid nitrogen in a Dewar, 0=5242
lander,E.G. Ion-chamber response in high-level radiation field, 0=15185
lander,E.G. and Gardner,J.R. Automatic ion chamber correction for temperature and pressure, 0=15187
ylander,E.G.,Hodges,A.J. and Roberts,J.A. Characteristics of a high solar conversion efficiency gallium arsenide p-n junction, 0=16969
yram,E. See Kupperian,J.E., Jr, 0=4805
yram,E.T. See Kupperian,J.E., Jr, 0=14199
yrnes,W.S.,Crawford,R.G. and Hall,R.C. Design of automatic recording instruments for magnetic measurements in a hot cell, 0=2417
yrnes,W.S. See Hall,R.C., 0=2994
yrnes,W.S. See Hall,R.C., 0=3044
yron,E.S. See Prus,L.G., 0=14057
yzova,N.L. and Nesterov,V.S. Thermal attenuation of sound in a highly concentrated suspension, 0=19294

abane,G. Attempts to purify metals by arc zone melting, 0=8169
abane,G. and Donzé,G. Stabilization of the γ phase in the ternary alloys with a uranium-molybdenum base, 0=10333
abannes,F. Method of measurement of the thermal diffusivities of refractory materials up to the neighbourhood of the melting point, 0=16909
Cabannes,F. and Skowronek,M. Emission spectra of the discharge obtained by the reunion of jets emitted from fine points in air, 0=11510
Cabannes,H. Calculation of the thermal conductivity of an ionic current, 0=1127
Cabannes,H. The attachment of shock-fronts in two-dimensional flows [round a wedge], 0=9179
Cabannes,M. [Collab.]. See Ader,M., 0=12770
Cabannes,M.-P. See Ader,M., 0=9542
Cabaret,F. and Guy,J. The adjustment of curvilinear integration of the parameters of a characteristic approximate function for the H_2^+ ion molecule, 0=7785
Cabarat,R. New dynamic method for measurement of the elastic modulus and the capacity for damping, 0=18236
Cabell,M.J.,Eastwood,T.A. and Campion,P.J. The thermal neutron capture cross-section and the resonance-capture integral of ^{236}U, 0=7620
Cabezas,A.,Lipworth,E.,Marrus,R. and Winocur,J. Nuclear spin of samarium-153, 0=9514
Cabezas,A.Y. and Lindgren,I. Atomic beam study of the hyperfine structure of thulium-170, 0=20328
Cabibbo,N. and Gatto,R. Leptonic decay modes of K-mesons and hyperons, 0=376
Cabibbo,N. and Gatto,R. Structure of weak interactions and unwanted processes, 0=5577
Cabibbo,N. and Gatto,R. Pion form factors from possible high-energy electron—positron experiments, 0=9418
Cabibbo,N. and Gatto,R. The non-renormalization hypothesis for the vector β-decay and rare decay models [modes] of hyperons, 0=15448
Cabibbo,N. and Gatto,R. Cross sections of reactions produced by high energy neutrino beams, 0=17300
Cabibbo,N. and Gatto,R. Symmetry between muon and electron, 0=17364
Cabibbo,N.,Gatto,R. and Zemach,C. A theorem on the elimination of contact muon—electron interactions, 0=13011
Cable,J.W.,Wilkinson,M.K. and Wollan,E.O. Neutron diffraction studies of antiferromagnetism in CrF_2 and $CrCl_2$, 0=10184
Cable,J.W. See Koehler,W.C., 0=10188
Cable,J.W. See Koehler,W.C., 0=13849
Cable,J.W. See Wilkinson,M.K., 0=11849
Cabrespine,A. Modification of the time structure of the synchrocyclotron beam, 0=10999
Cacciari,A. The metallurgy of uranium by the National Committee for Nuclear Research, 0=3392
Cachon,P. Studies of specific characteristics of photomultipliers, 0=7140
Cade,R. The equilibrium of a double layer, 0=5255
Caddy,R.S. and Pollard,H.F. Transient sounds in organ pipes, 0=14761
Cadène,M. and Deloupy,C. Low-temperature chamber for infrared studies of crystals, 0=14829
Caggia,L.Della. See Della Caggia,L.
Caglioti,G.,Paoletti,A. and Ricci,F.P. Choice of collimators for a crystal spectrometer for neutron diffraction, 0=18335
Cagnac,B. Optical detection of the nuclear magnetic resonance of Hg^{201}, 0=17660
Cagnac,B. and Barrat,J.P. Calculation of magnetic resonance in the ground state of odd isotopes of mercury in the presence of an orienting radiation, 0=1472
Cagnet,M. and Moreau,J. Remarks on the use of inert markers for the study of diffusion in plastic phases, 0=17968
Cahen,M. Study of the singular electromagnetic field in Minkowski space, 0=17074
Cahen,O. See Arnaud,M., 0=15106
Cahill,L.J., Jr. Investigation of the equatorial electrojet by rocket magnetometer, 0=8424
Cahill,L.J.Jr. Detection of an electrial current in the ionosphere above Greenland, 0=10416
Cahn,J.W. See Sears,G.W., 0=14888
Cahn,R.W. and Davies,R.G. X-ray evidence for segregation of solute to stacking faults in a copper—aluminium alloy, 0=21241
Cahn,R.W. and Feder,R. The electrical resistance of iron—aluminium alloys and its dependence on crystallographic order, 0=20867
Cahn,R.W. See Feder,R., 0=20866
Cahn,R.W. See Otte,H.M., 0=4606
Caianiello,E.R. Regularization and renormalization. II. Necessary and sufficient conditions, 0=1245
Caianiello,E.R. Theory of coupled quantized fields, 0=3912

Caianiello,E.R. Perturbation series. Field equations and their renormalization, 0=7265
Caianiello,E.R. and Okubo,S. An analysis of infrared divergences, 0=18953
Caine,C.A. See Burkhardt,G.H., 0=7629
Caird,R.S. See Fowler,C.M., 0=9144
Cairnie,A.B. and Pullar,J.D. Temperature controller based on measurement of rate-of-change of temperature, 0=5222
Cairns,E.J. and Prausnitz,J.M. Kinetics of the hydrolysis of acetyl chloride, 0=3307
Cairns,J.H. Apparatus for investigating total hemispherical emissivity, 0=8834
Cairó,L. A perturbation method for propagation of electromagnetic waves in a plasma which partially fills a circular waveguide, 0=17005
Cairó,L. See Gabarre,L., 0=303
Čajko,J. See Zaidel',A.N., 0=4159
Calais,D.,Lacombe,P. and Simenel,N. Influence of the deformation mechanism on the recrystallization of cold-worked α-uranium monocrystals, 0=10260
Calame,G.,Cooper,P.F.,Jr,Engelsberg,S.,Gerstein,G.L., Koehler,A.M.,Kuckes,A.,Meadows,J.W.,Strauch,K. and Wilson,R. Some features of regenerative reflection and their application to the Harvard synchrocyclotron, 0=19853
Calaora,A. See Gavreau,V., 0=5108
Calawa,A.R.,Rediker,R.H.,Lax,B. and McWhorter,A.L. Magneto-tunnelling in InSb, 0=18047
Calawa,A.R. See Lockwood,J.A., 0=394
Caldirola,P. On the ergodic methods in statistical mechanics, 0=2118
Caldow,G.L.,Cunliffe-Jones,D. and Thompson,H.W. Intermolecular forces and solvent effects. II. Band intensities, 0=10670
Caldow,G.L. and Thompson,H.W. Intermolecular forces and solvent effects. I. Frequency shifts, 0=10669
Calhoun,B.A. Magnetic annealing of yttrium iron garnet, 0=3091
Cali,J.P. and Lowe,L.F. Direct determination of the half-lives of nine nuclides, 0=5690
Calker,J.van. See van Calker,J.
Callahan,W.R. and Meissner,H. Range of order of superconducting electrons in normal conducting barriers, 0=8962
Callaway,J. Formation of positronium in an electron gas, 0=2533
Callaway,J. Correlation energy in a model semiconductor, 0=2867
Callaway,J. Electron wave functions in metallic potassium, 0=13517
Callaway,J. d bands in cubic lattices. II. 0=17912
Callaway,J. and Edwards,D.M. Cubic field splitting of D levels in metals. 0=9885
Callaway,J. and von Baeyer,H.C. Effect of point imperfections on lattice thermal conductivity, 0=20795
Callebaut,D.K. and Vanwormhoudt,M.C. Field measurements in resonant cavities, 0=17092
Callen,E.R. Anisotropic magnetization, 0=10116
Callen,H.B. and Pittelli,E. Anisotropic ferromagnetic resonance linelinewidth in ferrites, 0=16152
Callen,H.B. See Bernard,W., 0=902
Callen,H.B. See Bernard,W., 0=12565
Callendar,G.S. and Egerton,A. An experimental study of the enthalpy of steam, 0=10695
Callihan,A.D. See Ergen,W.K., 0=13313
Callinan,T.D. Digest of literature on dielectrics. Molecular and ionic interactions in dielectrics, 0=2300
Callinan,T.D. and Parks,A.M. The electrical properties of some natural waxes, 0=18089
Callow,W.J. See Thomas,D.M.C., 0=17281
Calogero,F. See Brown,L.M., 0=9405
Calverley,A. and Rose-Innes,A.C. Trapped flux in superconducting mixed-crystals, 0=7027
Calverley,A. See Birbeck,F.E., 0=4592
Calvert,J.B. and Amme,R.C. Multiple velocity dispersion in halomethane gas mixtures, 0=19206
Calvert,J.M. See Garg,J.B., 0=20465
Calvert,L.D. See Wilkinson,J.D., 0=21181
Calvin,M. See Kearns,D.R., 0=6145
Calvin,M. See Tollin,G., 0=6144
Camagni,P.,Ceresara,S. and Chiarotti,G. Thermal equilibrium of color centers in doped KCl crystals, 0=9912
Cambou,F. and Ambrosino,G. Difference in shape of scintillation pulses due to γ rays and to neutrons, 0=7245
Cambou,F. See Ambrosino,G., 0=19990
Camerini,U.,Fry,W.F.,Baldo-Ceolin,M.Huzita,H. and Natali,S. Nuclear interaction of θ_n mesons in emulsion, 0=381
Camerini,U.,Fry,W.F.,Groves,T. and Huzita,H. A fast hyperfragment produced by a heavy primary cosmic ray, 0=15524
Cameron,A.G.W. A reply to G.R.Burbidge, 0=8469
Cameron,A.G.W. Neutron star models, 0=10526
Cameron,A.G.W. Pycnonuclear reactions and nova explosions, 0=11396
Cameron,A.G.W. Neon and oxygen thermonuclear reactions, 0=11430
Cameron,A.J.W. See Birks,J.B., 0=8014
Cameron,J.F.,Boyce,I.S. and Glaister,R.M. Estimation of trace water content in a halogenated oil by means of tritiated water, 0=4766
Cameron,J.F. and Rhodes,J.R. Beta-excited characteristic X-rays as energy reference sources, 0=3953
Cameron,J.F. and Rhodes,J.R. Measurement of tinplate thickness using fluorescent X-rays excited by a radioactive source, 0=8290
Cameron,J.R. See Hamburger,E.W., 0=5752
Camichel,H. Systematic error in the measurement of the diameters of small celestial bodies with the double-image micrometer, 0=4845
Camichel,H. Photometric measurements of Saturn and of its ring, 0=4880
Camm,J.C. High speed spectrograph shutter, 0=6935
Cammerer,F. On electric currents in liquid mercury, arising from diffusion of conduction electrons, 0=19150
Campbell,A.J. See Mulvey,T., 0=3881
Campbell,A.W. See Davis,W.C., 0=12457
Campbell,E.C. and Fettweis,P.F. Evidence for some new isomeric states, 0=5783
Campbell,F.W. Correlation of accommodation between the two eyes, 0=12229
Campbell,F.W. and Gregory,A.H. The spatial resolving power of the human retina with oblique incidence, 0=18552
Campbell,W.H. Micropulsations in the earth's magnetic field simultaneous with pulsating aurora, 0=6435
Campbell,W.H. Studies of magnetic field micropulsations with periods of 5 to 30 seconds, 0=10395
Campbell,W.H. Natural electromagnetic energy below the e.l.f. range, 0=12213
Campbell,W.H. Concerning the nature of short-period magnetic micropulsations, 0=16408
Campbell,W.H., Magnetic micropulsations accompanying meteor activity, 0=16409
Campbell,W.H. See Westcott,E.M., 0=10448
Campion,P.J. See Bartholomew,G.A., 0=2632
Campion,P.J. See Cabell,M.J., 0=7620
Campos,F.P. See Sidhu,S.S., 0=14015
Camus,J. The accuracy of the dupligram method for testing photographic objectives, 0=5143
Canac,F. Recent studies of open-air theatres, 0=6895
Canac,F. and Merle,M. Oscillations and sound emission of a jet of compressed air studied with an ultra-rapid electronic camera, 0=6866
Canavaggia,R. Effect of interstellar absorption on the heterochromatic magnitudes. Qualitative interpretation, 0=18790
Candes,P.,Joffre,H. and Stirling,A. The proton synchrotron "Saturne". Radiation control, 0=2412
Candler,C. The photographic process as a diatomic reaction, 0=19464
Candy,C.J.N. See Chaplin,G.B.B., 0=17189
Canina,V.G. and Denoncin,J. Optical study of the diffusion of oxygen in the glassy non-stoichiometric germanium oxide, 0=7900
Canina,V.C. and Cohen,S. Thermoluminescence of vitreous germanium oxide containing aluminium impurity, 0=1769
Cann,J.R. Effect of binding of ions and other small molecules on protein structure. VIII. On isomerization of serium albumin in acidic media, 0=21275
Cannon,C.G. and Chappel,F.P. Effect of temperature and moisture content on the orientation produced by the drawing of nylon 66, 0=8116
Cannon,M.R.,Manning,R.E. and Bell,J.D. Viscosity measurement. The kinetic energy correction and a new viscometer, 0=6729
Cannon,P. See Phillips,V.A., 0=15843
Cantu,C. See Bonetti,A., 0=12789
Cao Xuan Chuan. Study of the reaction Be(n,2n)2α, 0=20489
Cap,F. and Hofinger,E. On some classes of stationary two-dimensional solutions of magnetogasdynamics, 0=15117

pe,J. and Jacobs,G. Low-temperature properties of H, V, and F centers in KCl and KBr, 0=9910

e,J.A. and Coomes,E.A. Kinetics of strontium oxide on tungsten, 0=3308

ella,A. On the quantization of the unified field in the Jordan—Thiry theory in the linear approximation, 0=10586

ella,A. On the quantization of the free electromagnetic field in special relativity, 0=18920

plan,P.J. See Theissing,H.H., 0=1829

poriacco,G.D. See Ademollo,M., 0=17521

ppeller,U. and Ganssauge,E. Investigation of direction correlation in the γ-radiation of Cd^{110}, 0=1391

pps,R.H. Dispersion relations for pion—hyperon production and a possible pion—hyperon resonance, 0=15456

pps,R.H. K^- absorption and $\Pi-\Sigma$ phase shifts, 0=9432

pps,R.H. and Nauenberg,M. Relativistic pion—hyperon dispersion relations, 0=9406

pps,R.H. See Schult,R.L., 0=12891

pron,P.C. See Crabs,L., 0=9921

pron,P.C. See Crevecoeur,E.G., 0=9543

racciolo,A. and Fabri,E. The criteria of logical design of the electronic calculator of the centre of studies on electronic calculators at Pisa, 0=3398

rd,C.S. See Rabatin,J.G., 0=61

rdarelli,J.A. See Hine,G.J., 0=19968

rder,D.S. and Cloud,W.K. Surface motion from large underground explosions, 0=10384

ardona,M.,Paul,W. and Brooks,H. The temperature dependence of the polarizability of the free carriers in germanium and silicon, 0=18028

ardona,M. and Ruppel,W. Oscillations in germanium with an applied pulsed electric field, 0=18027

ardoso,J.M. See Ghielmetti,H., 0=13093

ardoso,J.M. See Roederer,J.G., 0=20283

ardoso,J.M. See Roederer,J.G., 0=20284

areri,G.,Fasoli,U. and Gaeta,F. Experiments on evaporation of ions in liquid helium II, 0=8901

areri,G.,Fasoli,U. and Gaeta,F.S. Experimental behaviour of ionic structures in liquid helium II, 0=14915

areri,G.,Modena,I. and Santini,M. New measurements of the spin—lattice relaxation time in liquid helium 3, 0=16935

areri,G.,Scaramuzzi,F. and Thomson,J.O. Heat flush and mobility of ions in helium II, 0=8900

aretto,A.A .,Jr and Wiig,E.O. Interaction of yttrium with protons of energy between 60 and 240 MeV, 0=1405

aretto,A.A.,Jr. See Gray,J.H.,III, 0=20395

arey,R. See Bates,L.F., 0=16135

arey,S.W. North-South asymmetry of the earth's figure, 0=4907

Carey,W.E. See Kimel,W.R., 0=15630

Carini,G. Energy considerations in magnetohydrodynamics, 0=5381

Caris,J.C. See Perkins,W.A., 0=9426

Caris,J.C. See Perkins,W.A.,III, 0=11213

Carlin,R.L. See Piper,T.S., 0=16067

Carlin,R.L. See Piper,T.S., 0=17870

Carlson,A.I. See Francis,A.B., 0=2236

Carlson,B.C. Fields of an accelerated point charge, 0=3836

Carlson,F.F. See King,G.J., 0=8083

Carlson,H.N. See Brunnschweiler,A., 0=21348

Carlson,R.O. Anisotropic diffusion of copper into bismuth telluride, 0=11643

Carlson,R.F. See Meyer,V., 0=7552

Carlson,T.A. Dissociation of C_6H_5T following beta decay, 0=8322

Carmichael,A.J. and Douglas,A.G. Gelatin solution as a model and photoelastic material, 0=16194

Carmichael,H. and Steltes,J.F. Unusual cosmic-ray fluctuations on July 17 and 18, 1959, 0=1340

Carmichael,H. See Bercovitch,M., 0=13098

Carnine,R. See Martinek,J., 0=4375

Carome,E.F. and Burlage,S.R. Ultrasonic absorption in ethyl acetate, 0=6788

Carpenter,D.K. See Krigbaum,W.R., 0=16694

Carpenter,F.G. See Rieger,C.J., 0=6951

Carpenter,G.B. Density of the bonding electrons in diamond, 0=4626

Carpenter,G.B. Density of bonding electrons in diamond, 0=16308

Carpenter,L.H. and Keulegan,G.H. Disturbances due to the motion of a cylinder in a two-layer liquid system, 0=19079

Carpenter,R.T. See Shafroth,S.M., 0=17355

Carr,E.F. Microwave dielectric measurements in a liquid crystal that shown polymesomorphism, 0=5018

Carr,H. See Kinzer,E.T., 0=5361

Carr,H.Y. and Sells,R.L. Electromagnetic waves in an introductory physics course, 0=17093

Carr,J.B. See Bloom,A.L., 0=17712

Carr,P.H. and Foner,S. Magnetic transitions in Ti_2O_3 and V_2O_3, 0=11799

Carr,P.H.,Stewart,R.M.,Jr and Senne,J.H. Flash period of 1958 Delta I, 0=17

Carr,R.J. See Lindsay,R.H., 0-11425

Carr,T.D. See Smith,A.G., 0=18638

Carr,W.J.,Jr. Explanation for the low-temperature behavior of the anisotropy of iron, 0=1784

Carr,W.J.,Jr. Energy loss resulting from domain wall motion, 0=3030

Carrassi,M. and Passatore,G. Some remarks on the calculation of the polarization effects. I., 0=327

Carrassi,M. and Passatore,G. On the double Compton process and some calculations of polarization effects. II, 0=15248

Carrea,A.J.,West.D.R.F. and Ball,J.G. A review paper on the constitution of uranium—molybdenum alloys, 0=8275

Carrelli,A. On Mach's principle, 0=33

Carrelli,A. and Della Caggia,L. On the dielectric constant of some aqueous solutions, 0=945

Carrier,G.F. Useful approximations in Wiener—Hopf problems, 0=864

Carrington,A.,Ingram,D.J.E.,Lott,K.A.K.,Schonland,D.S. and Symons,M.C.R. Electron resonance studies of transition metal oxyions. I. Experimental results for the manganate, hypomanganate and ferrate ions, 0=21069

Carrington,T. Line shape and f value in the $OH^2\Sigma^+-{}^2\Pi$ transition, 0=2741

Carrington,T. Rotational transfer in the fluorescence spectrum of $OH(^2\Sigma^+)$, 0=4191

Carroll,E.E.,Jr and Stephens,W.E. Total gamma absorption in C^{12}, N^{14}, O^{16}, and Al^{27} at 20 MeV, 0=11433

Carroll,J.A. An absolute scale of time, 0=8532

Carroll,J.C. See McGrath,J.W., 0=4536

Carroll,J.G. See Billington,D.S., 0=20849

Carroll,K.G. See Ohh,S., 0=3279

Carroll,P.K. and Rubalcava,H.E. Near infra-red system of nitrogen, 0=1530

Carruthers,J.A. See Clifford,C.E., 0=9599

Carruthers,P. Possible new resonance in the π^+-p system, 0=9404

Carruthers,P. and Bethe,H.A. Role of the $\pi-\pi$ interaction in high-energy π—nucleon interactions, 0=15397

Carruthers,R. See Butt,E.P., 0=5837

Carson,A.W.,Flanagan,T.B. and Lewis,F.A. Electrical resistance in acidic solution of palladium and palladium alloys containing hydrogen, 0=236

Carson,J.W.,Holcomb,D.F. and Rüchardt,H. Microwave studies of color centers in barium oxide, 0=11630

Carson,J.W. and White,R.L. Paramagnetic resonance of Yb^{+++} in aluminum and gallium garnets, 0=10239

Carstoiu,J. Hydromagnetic waves in a compressible fluid conductor, 0=5385

Carstoiu,J. Analogies and differences between vorticity and the magnetic field, 0=19904

Carswell,D.J. and Milsted,J. A new method for the preparation of thin films of radioactive material, 0=3281

Carter,A.W.L. See Twiss,R.Q., 0=18663

Carter,C.F. See Blau,M., 0=2571

Carter,C.F. See Blau,M., 0=7256

Carter,D.L. and Okaya,A. Electron paramagnetic resonance of Fe^{3+} in TiO_2 (rutile), 0=11951

Carter,D.S. See Allred,J.C., 0=13322

Carter,G. and Leck,J.H. Bistable behaviour of the Bayard—Alpert ionization gauge, 0=5061

Carter,J.C.,Pinkston,W.T. and True,W.W. Shell model and Pb^{208}, 0=17500

Carter,J.R.,Jr and Swalin,R.A. On the kinetics and mechanism of the precipitation of lithium from germanium, 0=12078

Carter,R.E. See Bethe,H.A., 0=7624

Carter,R.E. See Bethe,H.A., 0=7625

Carter,R.E. See Bethe,H.A., 0=7626

Carter,R.E. See Bethe,H.A., 0=7627

Carter,R.E. See Meiklejohn,W.H., 0=8041

Carter,R.E. See Meiklejohn,W.H., 0=10388

Carter,R.L. See Horton,K.E., 0=11988

Carter,W.S. Apparatus for the measurement of tensor permeability and dielectric properties of ferrites at X-band frequencies, 0=2419
Cartier,R.,Pindzola,D. and Bruins,P.F. Particle integration rate in crystal growth, 0=4588
Carver,J.H. and Jones,G.A. Radiative proton capture in Ni^{58}, 0=20445
Cartwright,D.G. See Ellis,G.R.A., 0=4790
Cartwright,D.G. See Ellis,G.R.A., 0=4793
Cartwright,J. and Bishop,A.E. Integrating exposure meter for electron microscopy, 0=4702
Carver,J.H. and Jones,G.A. Distribution of total radiation widths of Cu^{59}, 0=437
Carver,J.H. and Jones,G.A. Distribution of partial radiative widths in Cu^{59} following proton capture in Ni^{58}, 0=4031
Carver,T.R. The use of optical orientation for atomic clocks and frequency standards, 0=17695
Casabella,P.A. See Negita,H., 0=6283
Casanova,G. See Boato,G., 0=14683
Casanova,J. See Catala,J., 0=5808
Casanova,J. See Catala,J., 0=12757
Casas,J. and Barcala,J. Some problems in the geometrical optics of toroidal surfaces, 0=14796
Casas,J. and Barcala,J. Some problems of the geometrical optics of toroidal surfaces, 0=16815
Casavant,D. See Skapski,A., 0=3505
Case,K.M. Elementary solutions of the transport equation and their applications, 0=3471
Case,K.M. Stability of inviscid plane Couette flow, 0=8608
Case,K.M. Stability of an idealized atmosphere. I. Discussion of results, 0=8679
Case,K.M. Edge effects and the stability of plane couette flow, 0=10638
Case,K.M. Taylor instability of an inverted atmosphere, 0=10683
Casegrande,I. See Brutto,E., 0=6965
Casella,R.C. and Keller,S.P. Polarized light transmission of BaTiO$_3$ single crystals, 0=2932
Cashman,R.J. Film-type infrared photoconductors, 0=7962
Casimir,H.B.G.,Smit,J.,Enz,U.,Fast,J.F.,Wijn,H.P.J.,Gorter,E.W.,Duyvesteyn,A.J.W.,Fast,J.D. and de Jong,J.J. Report of some research in the field of magnetism at the Philips Laboratories, 0=13742
Casini,G.,Passarini,C. and Prosdocimi,A. Nuclear composition of natural uranium fuel under long term irradiation in a thermal reactor, 0=15623
Caspari,M.E.,Frankel,S. and Gilleo,M.A. Hyperfine interactions in magnetic materials by γ—γ angular correlation measurements, 0=11883
Caspers,W.J. The ratio of the isolated and the adiabatic susceptibility of paramagnetic crystals, 0=6216
Caspers,W.J. The isolated and adiabatic susceptibilities of large systems, 0=13724
Cassayre,C.,Dautreppe,D. and Paulevé,J. Resistivity of pure iron irradiated by neutrons, 0=20864
Cassedy,E.S. and Fainberg,J. Total electromagnetic cross section of imperfectly conducting cylinders, 0=12698
Casselman,T.N. and Keffer,F. Right-angled super-exchange, 0=11903
Cassels,J.M. Weak interactions of fermions, 0=5526
Cassels,J.M. Low energy pion physics, 0=7401
Cassels,J.M. Pion and muon decay, 0=9313
Cassels,J.M.,Jones,D.P.,Murphy,P.G. and O'Neill,P.L. Neutral pions, 0=5583
Cassignol,C.,Lazeyras,P. and Ranc,G. The stability of ion beams in electro-magnetic isotope separators, 0=19782
Cassignol,C.,Ranc,G. and Salvaudon,R. A semi-stigmatic electrostatic analyser for isotope separation, 0=20574
Cassignol,C. See Bouyer,P., 0=19234
Cassity,C.R. Stress waves in solids, 0=14729
Castagnoli,C.,Ferro-Luzzi,M.,Lepri,F. and Pizzella,G. Automatization of photometric measurements in nuclear emulsions, 0=17164
Castagnoli,C. and Manfredini,A. The effect of distortion in measurements of angular distributions in nuclear emulsions, 0=12775
Castagnoli,C.,Muchnik,M.,Ghigo,G. and Rinzivillo,R. Photostar production between 500 and 1100 MeV, 0=15591
Castagnoli,C. See Amaldi,E., 0=5561
Castagnoli,C. See Baroni,G., 0=12924
Castagnoli,C. See Baroni,G., 0=15357
Castagnoli,G.C. and Ricci,F.P. On diffusion in simple liquids, 0=16653
Castellan,G.W. See Singer,J.M., 0=16379
Castelli,J.P. See Aarons,J., 0=6554
Castelliz,L. and Clarke,W.W.H. Ferromagnetic after-effect in mumetal, 0=8042
Castillejo,L.,Percival,I.C. and Seaton,M.J. On the theory of elastic collisions between electrons and hydrogen atoms, 0=7715
Castillo-Bahena,R. See Rabson,T.A., 0=20414
Castle,J.G. See Chester,P.F., 0=5434
Castle,J.G.,Jr,Chester,P.F. and Wagner,P.E. Electron spin—lattice relaxation in dilute potassium chromicyanide at helium temperatures, 0=13878
Castle,J.G.,Jr. See Wagner,P.E., 0=18222
Castleman,L.S. An analytical approach to the diffusion bonding problem, 0=13478
Castleman,L.S. Effect of pressure on intermetallic layer growth, 0=18302
Castner,T.,Jr,Newell,G.S.,Holton,W.C. and Slichter,C.P. Note on the paramagnetic resonance of iron in glass, 0=6373
Castner,T.G.,Jr. Saturation of the paramagnetic resonance of a V center, 0=1827
Castro,P.L. See Hollander,L.E.,Jr, 0=15966
Castro,P.S. and Happ,W.W. Performance of a thermoelectric converter under constant heat flux operation, 0=14956
Caswell,H.L. Liquid helium trap for high pumping speed at low pressures, 0=3579
Caswell,H.L. Analysis of the residual gases in several types of high-vacuum evaporators, 0=10704
Caswell,R.S. Neutron-insensitive proportional counter for gamma-ray dosimetry, 0=15321
Caswell,R.S.,Gabbard,R.F.,Padgett,D.W. and Doering,W.P. Attenuation of 14.1 MeV neutrons in water, 0=12972
Caswell,R.S. See Spiegel,V.Jr, 0=12986
Catala,J. and Casanova,J. Swelling of nuclear emulsions by a treatment with colophane resin, 0=12757
Catala,J.,Casanova,J. and Domingo,V. Two cases of triple fission of uranium-235, 0=5808
Catalá,J.,Miralles,L. and Aguilar,J. Scattering of 38 MeV alpha-particles by C^{12}, 0=20468
Catala,J.,Senent,F. and Font,R. The separation of short-range deuterons and protons in nuclear emulsions, 0=12766
Catalá,J. See Aguilar,J., 0=7583
Cater,E.D.,Plante,E.R. and Gilles,P.W. Closed crucible — a new technique in high temperature chemistry. Its application to tantalum and molybdenum oxides, 0=12095
Caticha Ellis,S. X-ray fluorescence spectroscopy, 0=14154
Catillon,P. See Beurtey,R., 0=4092
Catino,A.,Ceruti,A.,Colombino,P. and Levi,A.C. Possible uses for a new type of micro-spectrophotometer, 0=6929
Cattaneo,C. Motion of a free photon in a gravitational field, 0=6668
Cattani,D. and Galli,M. On the cosmic ray storms of July 1959, 0=17450
Catterall,J.A. and Trotter,J. Soft X-ray emission spectra from lithium and lithium—magnesium alloys, 0=20731
Cattermole,P.J. See Moore,P., 0=8491
Cauchois,Y.,Bernas,A. and Gazai,A. X-ray dosimetry of an electron accelerator used below 0.2 A and 1 MV, 0=19822
Cauchois,Y.,Bruck,H.,Ehinger,P.,Gazai,A. and Boivin,M. 1 MeV electron accelerator as a source of electrons and X-rays for physicochemical studies, 0=19821
Caudle,G.F. See Thun,R.E., 0=7005
Caughey,T.K. Hula-hoop: an example of heteroparametric excitation, 0=910
Caughey,T.K. Comments on "On the stability of random systems", 0=18580
Cavailles,P. Geometric introduction of the notion of the Clifford algebra in the theory of spinors, 0=18946
Cavailles,P.,Jancel,R. and Kahan,T. Statistical mechanics of plasma of several components, 0=12603
Cavaillés,P.,Jancel,R. and Kahan,T. Magnetohydrodynamics of a ternary plasma and associated types of wave, 0=15038
Cavalca,L. and Nardelli,M. A graphical aid for calculating structure factors, 0=3218
Cavalca,L.,Nardelli,M. and Fava,G. The crystal structure of bis-ethylenethiourea-cadmium thiocyanate, 0=6367
Cavallaro,M. and Salvadori,P. Cherenkov counters for heavy charged particles, 0=15194
Cavallin,K. See Persson,R., 0=4140
Cavanagh,P.E. Measurement of electron polarization, 0=9314

ve,E.F. and Holroyd,L.V. Thermal expansion coefficients of bismuth, 0=13493
viglia,C. and Fidone,I. Analytic 3d wave-functions for atoms of the iron group for small and large distances from the nuclei, 0=2710
wsey,G.F.,Farrands,J.L. and Thomas,S. Observations of detonation in solid explosives by microwave interferometry, 0=8307
yless,M.A. Excitation and ionization rates of mercury in discharge plasmas, 0=7069
yless,M.A. Production of resonance radiation in discharge tubes of non-circular cross-section, 0=19629
yless,M.A. See Forster-Brown,A.D., 0=5334
yrel,R. and Traving,G. Pressure broadening of the solar Balmer lines. 0=16546
yrel,R. Some questions on the theory of stellar atmospheres. I. Gravity determination, 0=18850
yrel,R. Some questions on the theory of stellar atmosphere. II. New approximation formulae for the calculation of radiation and flux intensities, 0=18851
yrel de Strobel,G. Utilization of the central intensities of the Balmer lines for determining the surface and brilliance temperatures, and apparent diameter of 33 stars, 0=18845
azier,G.A. See McMurry,H.L., 0=13368
eccarelli,M. See Braccesi,A., 0=18687
eccarelli,M. See Braccesi,A., 0=18819
ecernikov,V.I.,Hoffmann,U.,Kondorskij,E.I.,Krincik,G.S., Mirjasov,N.Z.,Parsanov,A.P.,Rode,V.E. and Volkov,D.I. Results of studies on certain magnetic and magneto-optical properties of ferromagnetic materials, 0=13757
ech,R.E. The nucleation of nickel whiskers, 0=16274
edarholm,J.P. and Townes,C.H. A new experimental test of special relativity, 0=6656
erček,B. Determination of radon in thermal springs, 0=13160
erenkov [Cherenkov],P.A. Radiation from particles exceeding the velocity of light and several applications of it in experimental physics, 0=17292
eresara,S. See Camagni,P., 0=9912
erf,R. The variation of the coefficient of diffusion by translation with the viscosity of the solvent: correction term to Einstein's law, 0=14633
erf,R. Statistical mechanics of macromolecules in chains in velocity field, 0=15793
ermák,V.,Hanuš,V. and Pacák,M. Mass spectrograph of the Physical Chemistry Institute of the Czechoslovak Academy of Sciences, 0=2404
ernigoi,C.,Pauli,G. and Poiani,C. On the pulse shape in a cylindrical ionization chamber, 0=17137
errai,E. and Gazzarrini,F. Spectrophotometry of thorium, with thoron, in the presence of zirconium, 0=12123
erulus,F. Consequences of a strong $\pi-\pi$ interaction in the statistical theory of p—p annihilation, 0=2572
Cerulus,F. Statistical weights of many-particle systems in spin or isospin space, 0=9305
Cerulus,F. and von Behr,J. Prong analysis of multiple production of pions at bevatron energy according to a statistical theory, 0=15416
Cerulus,F. and von Behr,J. Prong analysis of multiple production of pions at bevatron energy according to a statistical theory, 0=20216
Ceruti,A. See Catino,A., 0=6929
Červený,V. On shock waves which originate on "weak" interfaces, 0=5084
César,H.L. and Delfosse,J.M. Use of a quadrupole lens in mass-spectrography, 0=9104
Cess,R.D. and Shaffer,E.C. Laminar heat transfer between paralle plates with an unsymmetrically prescribed heat flux at the walls, 0=6972
Cevolani,M.,Petralia,S.,Righini,B.,Valdrè,U. and Venturini,G. The $Al^{27}(n,\alpha)Na^{24}$ reaction induced by 15.2 MeV neutrons, 0=15596
Chaban,A.A. Collective excitation of nonaxial even—even nuclei, 0=20334
Chaban,A.A. See Davy̆dov,A.S., 0=13119
Chaban,A.A. See Davydov,A.S., 0=17476
Chabbal,R. Spectrometer incorporating Fabry—Perot [etalons], 0=16849
Chabbal,R. Experimental and theoretical researches on the general use of the Fabry—Perot spectrometer for various spectroscopic applications, 0=16855
Chabbal,R. The sharpness limit of a Fabry—Perot made from imperfect flats, 0=16879
Chabbal,R. and Noorman,P. Spectrometer incorporating [Fabry—Perot] etalons for the infrared, 0=16850
Chabbal,R. and Soulet,M. A device permitting the mechanical displacement of a Fabry—Perot flat, 0=16851
Chabbal,R. See Brochard,J., 0=7694
Chabrier,A. See Raoult,G., 0=667
Chace,W.G. and Levine,M.A. Classification of wire explosions, 0=12530
Chadan,K. and Oneda,S. Leptonic decay modes of the K meson, 0=377
Chadan,K. and Oneda,S. Final-state interactions and $|\Delta I| = \frac{1}{2}$ selection rule, 0=13053
Chadeau,C. The influence of the abundance of helium on the continuous spectra of B stars, 0=10527
Chadwick,G.B.,Collins,G.B.,Swartz,C.E.,Roberts,A., DeBenedetti,S.,Hien,N.C. and Duke,P.J. Production of nucleon isobars in proton—proton collisions, 0=15350
Chadwick,G.B. and Jones,P.B. Interactions of antiprotons in nuclear emulsion, 0=362
Chaffee,W.B. See Kelly,W.H., 0=20410
Chagnon,P.R. See Davies,G.R., 0=3823
Chaika,M.P. and Fradkin,É.E. A method of transforming spectral line profiles and its use in measurement of temperature and other parameters of a light source, 0=12483
Chaika,M.P. See Kaliteevskii,N.I., 0=3634
Chaika,M.P. See Kaliteevskii,N.I., 0=13123
Chaika,M.P. See Kaliteevskii,N.I., 0=13420
Chaika,M.P. See Maly̆shev,G.M., 0=10774
Chaika,M.P. See Semenov,R.I., 0=10775
Chaiken,R.F. Comments on hypervelocity wave phenomena in condensed explosives, 0=16378
Chaiken,R.F.,Andersen,W.H.,Barsh,M.K.,Mishuck,E.,Moe,G. and Schultz,R.D. Kinetics of the surface degradation of polymethylmethacrylate, 0=3309
Chaikovskii,É.F. See Pines,B.Ya., 0=15855
Chaikovskii,V.G. See Dmitriev,A.B., 0=3891
Chaikovskii,V.G. See Dmitriev,A.B., 0=5451
Chait,H.N. and Curry,T.R. Y circulator, 0=3832
Chakrabarti,N.B. and Dikshit,K.D. Some possible arrangements of parametric amplifiers employing lower frequency pumping, 0=17097
Chakraborty,A.S. On the magnetic susceptibility and anisotropy of V^{3+} under a crystalline electric field having predominantly cubic symmetry with a small trigonal component, 0=8033
Chakraborty,B.B. and Ramamoorthy,P. On the pulsations of an infinite cylinder with a force-free magnetic field, 0=7209
Chakraborty,S.K. On disturbances generated by a pulse of pressure on the surface of a spherical cavity in an elastic medium, 0=16759
Chakraborty,S.K. On compressional waves in the direction of the axis of a cylindrical hole in an anisotropic medium having hexagonal symmetry, 0=19259
Chakraborty,S.K. Disturbances in an elastic medium by impulsive forces in a cylindrical hole, 0=19261
Chakravarty,A.S. On the magnetic susceptibility and anisotropy of trivalent vanadium alum under the crystalline electric field having predominantly cubic symmetry with a small trigonal symmetry, 0=6214
Chakravarty,A.S. and Chatterjee,R. A short note on the crystalline electric field in hydrated Co^{2+} salts, 0=18162
Chakravarty,A.S. See Bose,A., 0=8034
Chakravarty,A.S. See Bose,A., 0=16127
Chakravarty,A.S. See Dutta-Roy,S.K., 0=18167
Chakravorti,A. Note on the torsion of curved rods composed of anisotropic material with oval sections, 0=19009
Chakravorty,A. and Basu,S. Crystal spectra of chromium tris-acetyl acetone, 0=20980
Chalikyan,G.A. See Garibyan,G.M., 0=2505
Chalkin,L.P. and Fremlin,J.H. The ionization of fast neutral deuterium atoms by hydrogen and by deuterium, 0=14966
Challande,R. and David,B. New method for the study of solid particles in the stratosphere, 0=8365
Challis,L.J. and Wilks,J. Heat transfer between solids and liquid helium II, 0=8917
Challoner,A.R. See Powell,R.W., 0=19121
Chalmers,B. How water freezes, 0=10802
Chalmers,B. See Wagner,R.S., 0=7898
Chalmers,J.A. The vertical electric current during continuous rain and snow, 0=802
Chalmers,J.A. See Kirkman,J.R., 0=1117
Chalmers,J.A. See Smiddy,M., 0=2044
Chalmers,R.A. See Shafroth,S.M., 0=9361

Chaloupka,P. See Hladký,J., 0=5636
Chaloupka,P. See Krivsky,L., 0=20275
Chamberlain,A.C. See Bryant,F.J., 0=7502
Chamberlain,J.W. Interplanetary gas. II. Expansion of a model solar corona, 0=6591
Chamberlain,J.W. Recombination in the F2-layer and the oxygen red lines in the airglow, 0=21377
Chamberlain,J.W. and Smith,C.A. On the excitation rates and intensities of OH in the airglow, 0=8414
Chamberlain,J.W. and Thorson,H.M. The nightly variation of auroras at a subauroral station, 0=10436
Chamberlain,J.W.,Hunten,D.M. and Mack,J.E. Resonance scattering by atmospheric sodium. IV. Abundance of sodium in twilight, 0=2029
Chamberlain,J.W. See Brandt,J.C., 0=2030
Chamberlain,J.W. See Brandt,J.C., 0=14398
Chamberlain,J.W. See Roesler,F.L., 0=1494
Chamberlain,J.W. See Rundle,H.N., 0=14287
Chamberlain,O. See Elioff,T., 0=361
Chamberlain,O. See Foote,J.H., 0=5590
Chambers,Ll.G. The Hund gravitational equations and the expanding universe, 0=18600
Chambers,Ll.G. The geometrical interpretation of Rayleigh's principle and Schwinger's variational principle, 0=18945
Chambers,R.G. Shift of an electron interference pattern by enclosed magnetic flux, 0=19760
Chambers,R.H. and Smoluchowski,R. Time-dependent internal friction in aluminium and magnesium single crystals, 0=4558
Chambré,P.L. Nonlinear heat transfer problem, 0=1052
Chambré,P.L. On chemical reactions in free molecule flow, 0=3302
Chambré,P.L. On chemical reactions in internal flow systems, 0=8297
Chaminade,R. See Beurtey,R., 0=4092
Champeau,R.J. and Gerstenkorn,S. Hyperfine structure and nuclear magnetic moment of plutonium 239, 0=20589
Champier,G. Study of the scattering of X-rays by a lithium single crystal. I. Theory, 0=13983
Champier,G. Study of the scattering of X-rays by a lithium single crystal. II. Results, 0=13984
Champion,F.C. Diamond physics, 0=20714
Champion,F.C. See Dean,P.J., 0=7918
Champion,J.A. The grid emitting properties of titanium, 0=7134
Champion,J.A. Thermionic properties of thorium deposits on control grid materials, 0=7136
Champion,J.A. See Woods,J., 0=4356
Champion,J.V. The measurement of flow anisotropy in pure liquids, 0=8811
Champion,J.V. and Suddaby,A. Flow anisotropy and the boundary conditions in the molecular theory of liquids, 0=14618
Champlin,K.S. Hall field relaxation in semiconductors at high frequency, 0=18007
Champney,D.C. and Miller,C.A. Measurements of atomic velocity distributions in Hg and HgO by the nuclear resonant scattering of gamma rays, 0=6794
Chan,S.I.,Zinn,J. and Gwinn,W.D. Double minimum vibration in trimethylene oxide, 0=17756
Chance,B. Electron transfer in biological systems, 0=6490
Chandler,K.N. On the effects of small errors in the angles of corner-cube reflectors, 0=3602
Chandra,G. Studies with scintillation coincidence spectrometer: Se^{75} and Sb^{125}, 0=2653
Chandra,G. Studies with scintillation coincidence spectrometer: Cs^{134}, 0=2657
Chandra,G. See Klimentovskaya,M.V., 0=11377
Chandra,S.,Gibbons,J.J. and Schmerling,E.R. Vertical transport of electrons in the F region of the ionosphere, 0=14236
Chandrasekaran,K.S. Perfect polarisation of X-rays by crystal reflection, 0=3190
Chandrasekaran,K.S. Study of perfection of crystals using polarized X-rays, 0=4615
Chandrasekhar,B.S. The Seebeck coefficient of bismuth single crystals, 0=11734
Chandrasekhar,S. The optical rotatory dispersion of quartz, 0=2257
Chandrasekhar,S. The hydrodynamic stability of inviscid flow between coaxial cylinders, 0=4995
Chandrasekhar,S. The hydrodynamic stability of viscid flow between coaxial cylinders, 0=4996
Chandrasekhar,S. The stability of non-dissipative Couette flow in hydromagnetics, 0=7025
Chandrasekhar,S. Magnetohydrodynamics, 0=17078
Chandrashekhar Aiya,S.V. Measurement and description of the characteristics of atmospheric radio noise, 0=21399
Chandrashekhar Aiya,S.V. and Khot,C.G. Atmospheric noise interference in the standard broadcast band at Poona, 0=21397
Chandrashekhar Aiya,S.V.,Phadke,K.R.,Padmanabhan,S.C. and Sane,C.K. Atmospheric radio noise levels at Poona in the 2.5-20 Mc/s band, 0=21398
Chang Chih-ming. See Chzhan Dzhi-min.
Chang Ching-Ying. See Tseng Chin-Yuen, 0=13117
Chang,C.C. and Lundgren,T.S. Flow of an incompressible fluid in a hydromagnetic capacitor, 0=1199
Chang,C.C. and Lundgren,T.S. Airfoil in a sonic shear flow jet: a mixed boundary value problem for the generalized Tricomi equation, 0=3552
Chang,C.T. Dynamic instability of accelerated fluids, 0=920
Chang,F.S.C. Theory of cohesive peeling of adhesive joints, 0=3163
Chang,H. See Shevel,W.L.Jr, 0=10169
Chang,K.K.N. Theory of a negative-resistance transmission line amplifier with distributed noise generators, 0=9200
Chang,R. Creep of Al_2O_3 single crystals, 0=8120
Chang,T.S. Configurational partition function of solid solutions, 0=4689
Chang,T.S. A simplified proof of dispersive relations, 0=11112
Chang,T.S. Remarks on Chew—Low equations, 0=11114
Chang,T.S. Regular solid solutions with molecules occupying several sites, 0=12082
Chang,W.S.C.,Cromack,J. and Siegman,A.E. Cavity maser experiments using ruby at S-band, 0=2434
Chang,W.S.C. See Angulo,C.M., 0=5411
Chang Yuan-Lung. The growth of NaCl crystals from the sublimed vapour, 0=711
Chang Yuan-Lung. A combination of X-ray precession camera with two-circle goniometer, 0=3197
Chang Yuan-Lung. On the growth of NaCl from the sublimed vapor, 0=4596
Chang Yuan-Lung. Universal gnomonic protractors for transmission back-reflection Laue photographs, 0=4605
Chang Yuan-Lung. Extension of the reciprocal lattice record by the composite precession photograph, 0=10297
Chantrel,H. Research on the hyperfine structure of atomic spectra and on the fine structure of helium, using a Fabry—Perot spectrometer with one or two etalons, 0=5879
Chantrel,H. A double etalon with pressure scanning, 0=16843
Chantrel,H. See Brochard,J., 0=7694
Chantrel,H. See Brochard,J., 0=9766
Chantry,G.W. Temperature dependence of Raman intensities, 0=4206
Chantry,G.W. and Plane,R.A. Raman intensities of the A_1 lines of oxyanions, 0=4208
Chantry,G.W. and Plane,R.A. CN stretching bands in the Raman spectra of some group Ib and group IIb complex cyanides, 0=16706
Chantry,G.W.and Plane,R.A. Bond polarizability components, 0=17789
Chanu,J. and Parra,F. Principle of a method of studying the Soret effect by photoelectric recording of the variation of the refractive index of electrolytic solutions, 0=8664
Chao,G.Y. See McCullough,J.D., 0=3245
Chao,S.K. Logarithmic characteristic of triode electrometer circuits, 0=2388
Chao-Ortega,F. and Laforgue-Kantzer,D. Formation of mercury drops at the bottom end of a capillary. Case of very small pressures, 0=14612
Chapdelaine,M. See Cornille,H., 0=15314
Chapdelaine,M. See Goldzahl,L., 0=344
Chapelle,J. and Taurel,L. Dielectric properties of a single crystal of partially deuterated glycocol [glycine] sulphate, 0=4378
Chapin,E.K. Two contrasting theories of capillary action, 0=69
Chaplin,G.B.B. and Candy,C.J.N. A transistor circuit for fast coincidence measurements, 0=17189
Chapman,J.A. and Whelan,M.J. Summarized proceedings of a conference on electron microscopy — Exeter, July, 1959, 0=8292
Chapman,J.H. The polar radio black-out of the ionosphere of 7 July, 1958, 0=16430
Chapman,J.H. See Blevis,B.C., 0=12258
Chapman,S. The outermost ionosphere, 0=8397
Chapman,S. Disturbance in the lower auroral ionosphere, 0=8405

pman,S. Interplanetary space and the earth's outermost atmosphere, 0=8484
pman,S. Geomagnetic storms and the space around the earth, 0=18460
pman,S. Cosmic examples of heat conduction in very rare rotating or expanding gases, 0=18609
pman,S. See Aller,L.H., 0=18766
pman,S. Misconception concerning the dynamics of the impact ball apparatus, 0=19031
pman,S. and Davies,K. On the approximate daytime constancy of the absorption of radio waves in the lower ionosphere, 0=2009
apman,S. and Little,C.G. The nondeviative absorption of high-frequency radio waves in auroral latitudes, 0=309
apman,S. See Abbott,W.N., 0=6469
appel,F.P. See Cannon,C.G., 0=8116
appelear,J.E. A class of three-dimensional shallow-water waves, 0=8635
appell,D.G. Permissible voids in photon shields, 0=12893
appell,D.W.G. A relationship between the life of M-regions and the rate of change of solar activity, 0=14420
arakhch'yan,A.N.,Tulinov,V.F. and Charakhch'yan,T.N. Large cosmic-ray intensity fluctuations in the stratosphere, 0=13094
arakhch'yan,A.N.,Tulinov,V.F. and Charakhch'yan,T.N. Cosmic rays from the sun, 0=20277
arakhch'yan,T.N. See Charakhch'yan,A.N., 0=20277
arakhch'yan,A.N. See Rȳmko,N.P., 0=11279
arakhchyan,A.N. See Samosudov,B.E., 0=11247
harakhch'yan,T.N. See Charakhch'yan,A.N., 0=13094
arakhchyan,T.N. See Samosudov,B.E., 0=11247
haran Ray,B. See Kumar Mahapatra,P., 0=6793
harap,J.M. and Fubini,S.P. The field theoretic definition of the nuclear potential. I, 0=1252
harap,J.M. and Fubini,S.P. The field-theoretical definition of nuclear potential. II, 0=12858
arap,S.H. Anisotropy of the intrinsic domain magnetization of a ferromagnet, 0=16133
harap,S.H. and Weiss,P.R. Pseudodipolar anisotropy in cubic ferromagnets at low temperatures, 0=3001
haratis,G. and Wilkerson,T.D. Excitation temperature of chromium in the shock tube, 0=484
harbonnier,F.M. See Barbour,J.P., 0=7839
arbonnier,F.M. See Bettler,P.C., 0=11646
harbonnier,F.M. See Dyke,W.P., 0=9068
harbonnier,R.,Debraine,P.,Rastoix,G. and Segalas,R. The proton synchrotron "Saturne". Timing system, 0=2412
hari,M.S.R. and De Nobel,J. Thermal conductivity of some dilute silver alloys at low temperatures and in magnetic fields, 0=6021
hari,M.S.R. and De Nobel,J. Thermal conductivity of some steels at low temperatures, 0=6022
hari,M.S.R. and De Nobel,J. Thermal conductivity of some non-superconducting alloys at low temperatures, 0=6023
harles,D. Tomograph for industrial radiography, 0=14088
harles,D. Theory of the 90° deflectron mass spectrometer. III. Ideal magnetic field and trajectories outside the plane of symmetry. Peak form and resolving power, 0=19790
harles,G.E. and Mason,S.G. The mechanism of partial coalescence of liquid drops at liquid—liquid interfaces, 0=8645
arles,G.E. and Mason,S.G. The coalescence of liquid drops with flat liquid/liquid interfaces, 0=14610
harlesby,A. Analysis of the solubility behaviour of irradiated polyethylene and other polymers, 0=7820
harlesby,A. and Lloyd,D.G. Competitive reactions in the irradiation of anthracene + cyclohexane solutions, 0=3322
harlson,R.J.,Harrison,H. and Hardwick,R. Efficient flash photolysis system, 0=3317
harnes,A.,Lemke,C.E. and Zienkiewicz,O.C. Virtual work, linear programming and plastic limit analysis, 0=8575
harney,E. See Brackett,F.S., 0=14848
harpak,G. The principle of, and preliminary experiments with a new detector permitting the photography of trajectories of ionizing particles in a gas, 0=7248
harpak,G.,Lederman,L.M.,Sens,J.C. and Zichichi,A. A method for trapping muons in magnetic fields, and its application to a redetermination of the e.d.m. of the muon, 0=17366
harpak,G. and Suzor,F. Nuclear spectrometry using proportional counters in coincidence, 0=17131
harpak,G. See Bertrand,F., 0=15652
harpak,G. See Suzor,F., 0=15651
Charpak,G. See Suzor,F., 0=20386
Charsley,P. and Thompson,N. The orientation dependence of cyclic work-hardening in aluminium crystals, 0=701
Charters,M.L. See Sawaguchi,E., 0=4583
Charters,P.E. and Polanyi,J.C. An improved technique for the observation of infrared chemiluminescence: resolved infrared emission of OH arising from the system $H + O_2$, 0=19221
Chartier,C. See Brun,R., 0=95
Charwat,A.F. Possible aerodynamic lift and moment at the perigees of low altitude satellites, 0=18886
Chasan,B.M.,Cocconi,G.,Cocconi,V.T.,Schectman,R.M. and White,D.H. Multiple meson production by photons in hydrogen, 0=13039
Chasan,B.M. See White,D.H., 0=17399
Chasanov,M.G. Heating in liquid helium resulting from neutron and gamma bombardment by a fission source, 0=8871
Chase,A.B. See Lefever,R.A., 0=13836
Chase,C.E. Evidence for the quantization of circulation in liquid helium II, 0=7023
Chase,C.E. Thermal conduction in rotating liquid helium II, 0=19538
Chase,C.E.Fineman,J. and Millett,W.E. The effect of a heat current or rotation on sound propagation in liquid helium, 0=10819
Chase,C.E. See Maxwell,E., 0=8899
Chase,L.F.,Jr and Igo,G. Evidence for the polarization of B^{12} nuclei produced in a (d,p) reaction, 0=1360
Chase,R.L. Multiple coincidence circuit, 0=16960
Chasman,R.R. and Rasmussen,J.O. Theoretical studies of the alpha decay of U^{233}, 0=1384
Chasmar,R.P. and Stratton,R. The thermoelectric figure of merit and its relation to thermoelectric generators, 0=4375
Chasnikov,I.Ya.,Takibaev,Zh.S. and Boos,É.G. Determination of energies of relativistic particles by measurement of multiple Coulomb scattering, 0=1260
Chasnikov,I.Ya. See Granovskii,Ya.I., 0=9468
Chasnikov,I.Ya. See Vinitsky,A.Kh., 0=9450
Chasson,R.L. See French,W.R.,Jr, 0=7438
Chastel,R. See Xuan,C., 0=12791
Chattarji,P.P. On the stresses in twisted composite spherically isotropic [elastic] spheres, 0=6707
Chattarji.P.P. On the stresses in twisted composite [elastic] paraboloids, 0=6709
Chattarji,P.P. Stresses in a spherically isotropic truncated cone fitted with two rigid spherical caps due to frictional forces acting on the curved surface, 0=19015
Chattarji,P.P. Stress concentrations around a small inclusion on the axis of a circular cylinder under torsion, 0=19018
Chattarji,P.P. Stress concentrations around a small spherical inclusion on the axis of a transversely isotropic circular cylinder under torsion, 0=19020
Chattarji,P.P. and Dutt,S.B. On the stresses due to a nucleus in the form of a centre of rotation in an infinite elastic solid with spherical inclusion, 0=19007
Chatterjee,B. A note on fourth reflection condition in the ionosphere, 0=18485
Chatterjee,B.B. Note on the bending of a thin uniformly loaded plate bounded by two equal confocal parabolas, 0=19017
Chatterjee,P.K. The role played by modulus of rigidity in the process of fusion, 0=16920
Chatterjee,R. See Bose,A., 0=8034
Chatterjee,R. See Bose,A., 0=16127
Chatterjee,R. See Chakravarty,A.S., 0=18162
Chatterjee,S. See Allen,J.S., 0=15096
Chatterjee,S.K. See Dhanalakshmi,C., 0=5407
Chatterjee,S.N. An electron diffraction camera of simplified design, 0=6344
Chatterton,N. See Smith,A.G., 0=18638
Chaturvedi,K.C. Dependence of resolving power of Lummer Gehrcke plate and transmission echelon on background intensity and stage of resolution desired [when natural line-width is negligible], 0=8804
Chaturvedi,K.C. Resolution of spectral lines of unequal intensity in grating, reflecting echelon and prism, 0=12490
Chaudhury,M.L. Nonlocal potential and alpha-decay barrier penetrability, 0=20375
Chaudhury,N.K. See Ganguly,S.C., 0=1572
Chaudhury,P.K.Sen. See Sen Chaudhury,P.K.
Chaulet,R.,Guinier,A. and Sebilleau,F. Measurements of slight variations of parameters or of line-width by achromatic diagrams, 0=8188

Chavasse,P. and Lehmann,R. Contribution to the study of the absolute zero [threshold] of audiometers, 0=6885
Chavchanidze,V.V. and Perel'man,M.E. A contribution to neutrino theory, 0=2525
Cheishvili,O.D. See Vashakidze,I.Sh., 0=2662
Chekirda,A.T. See Barabashov,N.P., 0=18696
Chekmarev,I.B. Non-stationary flow of a conducting fluid in a plane tube in the presence of a transverse magnetic field, 0=15120
Chekmarev,I.B. Some questions of stationary flow of a conducting fluid in an infinitely long annular tube in the presence of a radial magnetic field, 0=17081
Chekmarev,I.B. Nonstationary flow of incompressible, viscous and conducting fluid in the presence of transverse magnetic field, 0=17083
Chekmarev,I.B. See Uflyand, Ya.S., 0=15121
Chekmarev,I.V. See Uflyand,Ya.S., 0=19892
Chelam,E.V. See Bhagavantam,S., 0=16208
Chelkowski,A. See Bigorgne,M., 0=19218
Chelton,D.B.,Dean,J.W. and Birmingham,B.W. Closed circuit liquid hydrogen refrigeration system, 0=12540
Chemel,B. On the interaction of 300 MeV negative π-mesons with the nuclei of nuclear emulsion, 0=1295
Chemel,B. and Tsai-Chü. The angular spread of a beam of particles passing through nuclear emulsion, 0=3900
Chen,C.L. See Leiby,C.C.,Jr, 0=5051
Chén' Chun'-Syan' and Chzhou Si-Shin'. The basic compensation equation in superconductivity theory when the Coulomb interaction is taken into account, 0=10837
Chen,C.W. and Wiener,G.W. Brittleness of cobalt—iron alloys, 0=3271
Chen,H.S.C. Note on a new design for the centripetal force apparatus, 0=6725
Chen,H.Y. See Young,O.B., 0=1337
Chen,J.M.,Ho,T.H.,Sen,D.C. and Tzo,H.Y. The angular distribution of the decay products of hyperons, 0=5614
Chen,J.M. See Lee,W.T., 0=5602
Chen,P. The large solar flares of July 10 and 14, 1959, 0=10506
Chen,S.W. See McDaniels,D.K., 0=20469
Ch'en Shang-Yi and Bennett,R.B. Pressure broadening of the violet triplet of manganese in the presence of argon and helium, 0=13416
Ch'en Shang-Yi,Smith,A. and Takeo,M. Pressure effects of helium and argon on the first sharp series doublet of indium, 0=5881
Chen To Tai. Evanescent modes in a partially filled gyromagnetic rectangular waveguide, 0=2446
Chen To Tai. Wave propagation in an inhomogeneous transversely magnetized rectangular waveguide, 0=7229
Chen To Tai. An integration of the unified equation of the electromagnetic field by means of the dyadic green function, 0=17073
Chen Tun. See Furduev,V.V., 0=19347
Chen,W.K.,Koch,F.B. and Siversten,J.M. Transducer-operated balance for making magnetic susceptibility measurements, 0=19870
Cheney,J.E. See Ward,W.H., 0=8583
Cheng,C.H.,Wei,C.T. and Beck,P.A. Low-temperature specific heat of body-centered cubic alloys of 3d transition elements, 0=17896
Cheng,D.K. Relations concerning refracting surfaces, wavefronts, and phase errors, 0=7221
Cheng,J.S. H—He cycle in the evolution of massive stars, 0=6609
Cheng,J.S. Quick method of determining the central temperatures of stars, 0=6625
Cheng,J.S. The rate of strongly endoergic thermonuclear reactions, 0=7651
Cheng P'u-Ying. See Chzhen Pu-In.
Ch'êng T'ung. See Chen Tun, 0=19347
Cheng Wu-chieh. See Eberhardt,W.H., 0=5932
Chentsova,L.G. See Tsinober,L.I., 0=18314
Cherednichenko,V.I. The dissociation and ionization of cometary molecules in the solar radiation field, 0=1491
Cheremushkina,A.V. The influence of the breakup of supersaturated solid solutions on the Hall effect, 0=6069
Cherenkov,P.A. Radiation from high-speed particles, 0=5537
Cherenkov,P.A. See Belousov,A.S., 0=7311
Cherenkov,P.A. See Cerenkov,P.A., 0=17292
Cherenkov,P.A. See Denisov,F.P., 0=1403
Cherenkov,P.A. See Gorbunov,A.N., 0=5519
Cherepanov,V.I. A theory of optical properties of electron semiconductors in the infrared spectral region, 0=6163
Cherkasov,A.S. Manifestation of intermolecular reactions in the fluorescence spectra of the solutions of acetylanthracenes in solvent mixtures, 0=10675
Cherkasov,A.S.,Tishchenko,G.A. and Voldaykina,K.G. Photoluminescent characteristics and relative scintillation intensities of plastic scintillators containing anthracene derivatives, 0=9235
Cherkesov,L.V. Development of surface waves generated by travelling variations of pressure, 0=924
Chernavskii,D.S. See Dremin,I.M., 0=5556
Chernavskii,D.S. See Emel'yanov,A.A., 0=11129
Chernavskii,D.S. See Romanov,Yu.A., 0=12922
Chernaya,N.S. See Lyashenko,V.I., 0=6094
Chernaya,N.S. See Lyashenko,V.I., 0=15926
Chernick,J. High flux reactors, 0=13308
Chernick,J. and Vernon,R. Some refinements in the calculation of resonance integrals, 0=13280
Chernikov,N.A. The relativistic kinetic equation and the equilibrium state of a gas in a static spherically-symmetric gravitational field, 0=14496
Chernikov,N.A. Bringing the relativistic collision integral into the Boltzmann form, 0=19192
Chernikov,N.A. See Tavkhelidze,A.N., 0=3928
Chernikova,L.A. See Kondorskii,E.I., 0=11662
Chernikova,L.A. See Galkina,O.S., 0=6074
Chernov,A.A. Theory of non-equilibrium pick-up of impurities during crystal growth, 0=16258
Chernov,A.A. Velocity of layer-spiral growth of crystals from solution and from the melt, 0=21158
Chernov,N.N. See Komar,A.P., 0=17061
Chernov,N.N. See Mikheev,G.F., 0=19859
Chernov,Yu.P. Stationary rotation of a cosmic gaseous mass in the general theory of relativity, 0=3444
Chernyak,Ya.N. The expansion of gas bubbles in liquids of high viscosity, 0=10645
Chernyakov,É.I. See Shestopalov,V.P., 0=15149
Chernyavskaya,S.G. See Kirvalidze,I.D., 0=15973
Chernȳi,B.M. See Fedorchenko,V.D., 0=9154
Chernȳi,B.M. See Sinel'nikov,K.D., 0=10955
Cheroff,G.,Enck,R.C. and Keller,S.P. Effects of polarized light on photocurrents and photovoltages in ZnS, 0=2907
Cherpak,V.A. See Rivin,A.N., 0=6889
Cherry,A.R. See Cummerow,R.L., 0=1591
Cherry,R.D. Mirror nuclei radii utilizing self-energy term and nonuniform charge distributions, 0=1359
Chersovani,L. See Bergia,S., 0=15402
Chery,R. Contribution to the measurement of the interval of time of between 10^{-9} and 10^{-7} seconds: on a differential coincidence selector by time-amplitude conversion adapted to slow scintillators, 0=19991
Chery,R. and Perrin,A. Contribution to the study of photomultiplier characteristics, 0=17031
Chery,R. See Perrin,A., 0=19967
Chesnut,D.B. Cl^{35} n.m.r. contact shifts in aqueous cobaltous chloride solutions. 0=19168
Chesnut,D.B. and Sloan,G.J. Paramagnetic resonance absorption of triphenylmethyl, 0=17773
Chessin,H. and Whitmore,R.W. Extension of the M function tables for a hindered rotator of Lipscomb and King, 0=10303
Chester,M. Evidence for a configurational e.m.f. in a conducting medium, 0=17983
Chester,P.F.,Wagner,P.E.,Castle,J.G. and Conn,G. Plastic microwave cavities for e.p.r., 0=5434
Chester,P.F. See Castle,J.G.,Jr, 0=13878
Chester,P.F. See Wagner,P.E., 0=18222
Chesterman,W.D. and Gibson,M.J. An instrument for recording changes of sound velocity in the sea, 0=14756
Chetaev,D.N. See Zernyatko,V.G., 0=9152
Chetkin,M.V. See Krinchik,G.S., 0=13677
Chetkin,M.V. See Krinchik,G.S., 0=14946
Chevallier,P. The determination of the multipole order of nuclear electromagnetic transitions (by measuring the angular correlation of internal conversion pairs), 0=4027
Chevallier,P. See Gorodetzky,S., 0=7560
Chevallier,P. See Gorodetzky,S., 0=11321
Chevallier,P. See Gorodetzky,S., 0=13150
Chevillot,J.P. and Brenet,J. Semiconducting behaviour of dioxides of manganese with foreign ion additives, as a function of the measuring frequency, 0=4364

evy̌chelov,A.D. The current—voltage characteristic of an n—p junction calculated with allowance for the generation and recombination of current carriers in the space-charge layer, 0=11675

evy̌chelov,A.D. See Gubanov,A.I., 0=15833

ew,G.F. Three pion resonance or bound state, 0=7405

ew,G.F. and Mandelstam,S. Theory of the low-energy pion—pion interaction, 0=13019

ew,G.F.,Mandelstam,S. and Noyes,H.P. S-wave dominant solutions of the pion—pion integral equations, 0=13020

ew,H. Subtractions in forward scattering dispersion relations, 0=17257

hiarotti,G. See Camagni,P., 0=9912

hiba,T. Nuclear quadrupole spectra of boron trichloride and tribromide, 0=685

hiba,T.,Toyama,M. and Morino,Y. Nuclear quadrupole resonance spectra of N^{14} in urea crystal, 0=6271

hicherin,A.G. Use of the scattering amplitude to reconstruct the potential near its boundary, 0=11107

hick,B.,Anderson,G. and Truell,R. An ultrasonic attenuation unit and its use in measuring attenuation in alkali halides, 0=2206

hick,B.B. See Dobbs,E.R., 0=11573

hick,D.R.,Hunt,S.E.,Jones,W.M. and Petrie,D.P.R. A Van de Graaff accelerator tube of very low retrograde electron current, 0=19831

Chick,D.R. See Allibone,T.E., 0=5836

hidambaram,R. Signal to noise ratio in nuclear magnetic resonance, 0=11068

Chidambaram,R. Proton magnetic resonance study of hydrates by spinning crystals, 0=16191

Chidambaram,R. A magnetic recorder double Fourier series synthesizer using one-dimensional summation, 0=18341

Chidley,B.,Goldstein,P.,Hinman,G.,Summers,R. and Adler,R. Scattering of μ mesons from lead nuclei, 0=2686

Chidley,B.G. See Reiter,R.A., 0=17370

Chihara,H. See Beaumont,R.H., 0=17893

Chikawa,J. See Tanaka,K., 0=20109

Chikazumi,S. Roll magnetic anisotropy of iron—aluminum crystals, 0=10123

Chikhladze,B.Ya. See Shvangiradze,R.R., 0=15713

Chikhladze,V.L.,Khulelidze,D.E. and Selinov,I.P. Beta- and gamma-spectra of the isotopes Sb^{113} and Sb^{115}, 0=13201

Chikhladze,V.L. See Selinov,I.P., 0=15534

Chilashvili,G.A. See Vashakidze,I.Sh., 0=9661

Chilashvili,G.A. See Vashakidze,I.Sh., 0=13112

Chilashvili,G.A. See Vashakidze,I.Sh., 0=20492

Child,H.R. See Wilkinson,M.K., 0=11849

Childs,B.G.,Gardner,W.E. and Penfold,J. The magnetic susceptibility of vanadium between 20 and 293°K, 0=21029

Childs,C. and Slifkin,L. Annealing of silver chloride crystals containing internal print-out, 0=6343

Childs,J.C. See Dewes,R.A., 0=11473

Childs,W.J. and Goodman,L.S. Nuclear spin and hyperfine interaction of In^{113m}, 0=15511

Chilikin,V.V. Equipment for measuring the one-dimensional differential and integral distribution laws of chance quantities, 0=3399

Chilosi,G. See Ricci,R.A., 0=17560

Chilton,H. A theoretical study of stability in water flow through heated passages, 0=6749

Chin Chen-Zhui [Ch'ing Ch'eng-Jui] and Janouch,F. The internal Bremsstrahlung in β-decay of polarized nuclei, 0=12900

Chin,D. See Giguére,P.A., 0=12098

Chin,J.H. and Churchill,S.W. Incorporation of error function absorption coefficient in transport equation, 0=14549

Chinburg,D.L. Great magnetic storm of March 31-April 3, 1960, 0=18463

Ch'ing Ch'eng-Jui . See Chin Chen-Zhui, 0=12900

Ching Ling Qang. See Kumabe,I., 0=20435

Chiodi,L. See Bonera,G., 0=1226

Chiodi,L. See Bonera,G., 0=16718

Chiplonkar,M.W. and Athavale,V.N. Simultaneous recording of atmospherics on four different frequency bands in the low-frequency region, 0=1987

Chiplonkar,M.W. and Kulkarni,P.V. Contamination of the intensities of the oxygen lines by the neighboring OH emission bands in the night airglow, 0=14289

Chiplonkar,V.T. and Varadrajan,B.N. A note on the dependence of the sputtering produced by bombardment by canal rays on their angle of impact, 0=15089

Chipman,D.R. Temperature dependence of the Debye temperatures of aluminium, lead, and beta brass by an X-ray method, 0=20747

Chipman,D.R. and Paskin,A. Temperature diffuse scattering [TDS] of X-rays in cubic powders. I. Comparison of theory with experiment, 0=1920

Chipman,D.R. and Paskin,A. Temperature diffuse scattering TDS of X-rays in cubic powders. II. Corrections of integrated intensity measurements, 0=1921

Chipman,D.R. and Paskin,A. Comments on "determination of atomic scattering factors", 0=12026

Chipurenko,N.I. See Dmitriev,A.B., 0=5443

Chirikov,B.V. Passage of a nonlinear oscillatory system through the resonance, 0=114

Chirikov,B.V. See Volosov,V.I., 0=13576

Chirkin,L.K. See Pasy̌nkov,V.V., 0=15886

Chirkin,V.S. Systems of heat removal from nuclear reactors, 0=5831

Chirko,V.I. See Val'ter,A.K., 0=20450

Chiron,B. and Schoen,R. The proton synchrotron "Saturne". Master-oscillator, 0=2412

Chisholm,J.S.R. and Squires,E.J. On the inclusion of hole—hole scattering in the Brueckner t-matrix, 0=5504

Chisholm,M. and Jacob,L. Current fluctuations in the oxide cathode, 0=5332

Chisler,É.V. The effect of the monochromator slit widths on the accuracy of photoelectric measurements of the Raman line intensities, 0=16864

Chistovich,L.A. Discrimination of the time interval between two short acoustic pulses, 0=21407

Chistyakov,L.V. See Borisova,N.I., 0=9621

Chistyakov,P.N. Concerning the right branch of the function $U_f = F(pd)$ for inert gases, 0=9002

Chistyakov,P.N. See Burmakin,V.A., 0=14990

Chistyakov,P.N. See Tatarinova,N.V., 0=19711

Chistyakova,N.M. See Solntsev,G.S., 0=5298

Chitnis,E.V.,Sarabhai,V.A. and Clark,G. Arrival directions of cosmic-ray air showers from the equatorial sky, 0=13083

Chivers,H.J.A. The simultaneous observation of radio star scintillations on different radio-frequencies, 0=14385

Chivers,H.J.A. Observed variations in the amplitude scintillations of the Cassiopeia (23N5A) radio source, 0=18674

Chivers,H.J.A. and Greenhow,J.S. Auroral ionization and the absorption and scintillation of radio stars, 0=14275

Chivers,H.J.A. and Wells,H.W. Observations of unusual radiofrequency noise emission and absorption at 80 Mc/s, 0=14316

Chizhikov,D.M. and Édel'shtein,V.M. The coefficient of distribution of tin in selenium, 0=13942

Chizhikov,D.M. and Schastlivy̌i,V.P. State diagram and magnetic susceptibility of ferro-calcium silicates, 0=18163

Chizhikova,Z.A. Luminescence and Vavilov—Cherenkov radiation in solutions acted upon by γ-rays, 0=3540

Chizhikova,Z.A. Energy yield of luminescence in γ-scintillations in a stilbene crystal, 0=4451

Chizhov,V.P. High-energy photonuclear deuterons and tritons, 0=13264

Chkheidze,I.M. See Tsakadze,D.S., 0=12552

Chleck,D.J. and Ziegler,C.A. Krypton in a cage—clathrate beta sources, 0=4051

Chobanu,G. See Kroitoru,N., 0=17992

Chocholle,R. Auditory differential intensity sensitivity [to a sound] in the presence of a contralateral sound of the same frequency, 0=12219

Chodorow,M. and Zitelli,L.T. The radio-frequency current distribution in Brillouin flow, 0=5347

Choi,S.-I. and Ross,J. Quantum corrections for transport coefficients, 0=18969

Cholet,P.H. See Lucovsky,G., 0=16830

Chonez,A.,Gabet,A.,Labois,E.,Lerond,P.,Rastoix,G. and Taillet,J. The proton synchrotron "Saturne". Magnetic measuring equipment, 0=2412

Chong,P.,Yamanaka,C. and Suita,T. Space charge phenomena in nitrobenzene under high electric field, 0=1106

Chopin,G. See Chopin,M., 0=6728

Chopin,M. and Chopin,G. Measurement of the density of granular solids and liquids, 0=6728

Chopinet,M. and Duflot,R. Some nebular spectra obtained with the aid of the electronic camera, 0=6619

Chopra,K.L. and Hutchison,T.S. Ultrasonic attenuation in superconducting and normal mercury, 0=232
Chopra,K.L. See Daniels-Hunt,B., 0=8906
Chopra,K.P. On the radial adiabatic pulsations of an infinite cylinder in the presence of magnetic field parallel to its axis. II, 0=3839
Chopra,K.P. Induction drag, 0=5391
Chopra,K.P. and Talwar,S.P. On the radial pulsations of an infinite cylinder with a magnetic field parallel to its axis, 0=3838
Choquet,C. See Berthelot,A., 0=4090
Chordash,L. and Mentsel',D. Determination of the unit cell dimensions and space group of the $\frac{1}{3}$ hydrate of potasium thiosulphate $K_2S_2O_3\cdot\frac{1}{3}H_2O$, 0=16331
Chou Hsiao-tsien. See Yü Min, 0=1350
Chou Kuang-Chao. See Chzou Guan-Chazhao, 0=2504
Chou Kuang-Chao. See Chzhou Guan-Chzhao, 0=20190
Chou Pei-Yuan. Similarity structure of vorticity fluctuation and the theory of turbulence, 0=5001
Chou,Y.T. See Keh,A.S., 0=17932
Choudhury,P. On the effect of prescribed shearing stress on the plane surface of an elastic slab with varying modulus of rigidity, 0=4966
Choudhury,P. On bending of a circular plate of aeolotropic material under certain non-uniform distribution of load, 0=19016
Chour,L.I. See Jdanov,A.P., 0=12738
Chow,L.Y. See White,J.A., 0=2712
Chow,S.T. See Hsiao,C.C., 0=18273
Chowdhury,M. and Basu,S. Some notes on molecular complexes between iodine and polynuclear aromatic hydrocarbons, 0=11545
Chowdhury,P. Thermal stresses due to uniform temperature distributed over a band of the cylindrical hole in an infinite body, 0=6706
Choyke,W.J.,Hamilton,D.R. and Patrick,L. Polarized edge emission if SiC, 0=8012
Chrenko,R.M. See Newman,R., 0=653
Chrenko,R.M. See Newman,R., 0=1732
Chrétian,M. Phenomenological for π—p scattering in the 1 GeV region, 0=15403
Chrien,R.E. and Benade,A.H. Photoproton and photoneutron production in aluminum and copper, 0=13262
Chrien,R.E. See Mann,D.P., 0=4126
Christ,C.L. See Lindberg,M.L., 0=3230
Christenson,E.L. See Domenicali,C.A., 0=17996
Christian,J.W. See Gaunt,P., 0=16311
Christian,J.W. See Gaunt,P., 0=16312
Christian,J.W. See Spreadborough,J., 0=1909
Christian,J.W. See Spreadborough,J., 0=4608
Christian,R.H. See Alder,B.J., 0=15767
Christiansen,E.A. See Bryrup,E., 0=9714
Christiansen,E.A. See Bryrup,E., 0=9715
Christiansen,E.A. See Bryrup,E., 0=9716
Christiansen,J. An electronic coincidence unit of high resolution, 0=17188
Christensen,R.W. See Hadley,C.P., 0=3617
Christiansen,W.N. and Mathewson,D.S. The origin of the slowly varying component, 0=18633
Christiansen,W.N.,Mathewson,D.S.,Pawsey,J.L.,Smerd,S.F., Boischot,A.,Denisse,J.F.,Simon,P.,Kakinuma,T., Dodson-Prince,H. and Firor,J. A study of a solar active region using combined optical and radio techniques, 0=18732
Christofferson,S. See Lundén,A., 0=1959
Christofilos,N.C. The Argus experiment, 0=10427
Christopherson,D.G. and Dowson,D. An example of minimum energy dissipation in viscous flow, 0=8606
Christov,C. On the migration of molecules in a gas mixture, 0=8560
Christov,C. On the random motions of the molecules in a gas. II, 0=8688
Christov,S.G. Quantum mechanical basis for the Tafel equation, 0=8313
Christy,R.W. Electrical conductivity and thermoelectric power in ionic crystals, 0=7878
Christy,R.W. Formation of thin polymer films by electron bombardment, 0=16360
Christy,R.W. and Fukushima,E. Electrical conductivity of X-irradiated KCl, 0=11658
Christy,R.W. See Dewdney,J.W., 0=4922
Chromey,F.C. Evaluation of Mie equations for colored spheres, 0=10785
Chtranikh,I.V. See Belovitsky,G.E., 0=12786
Chu,E.L. The Lagrangian and the energy—momentum tensors in the perturbation theory of classical electrodynamics, 0=3453
Chu,E.L. Two alternative definitions of small signal r.f. power of electron beams, 0=3798
Chu,E.L. Comments of Klüver's paper entitled "Small signal power conservation theorem for irrotational electron beams", 0=3799
Chu,E.L. On the concept of fictitious surface charges of an electron beam, 0=5344
Chu,W.W.L.,Wolfe,J.E. and Wagner,B.C. Some observations on evaporated permalloy films, 0=3277
Chubarina,E.V. See Imyanitov,I.M., 0=14304
Chubb,T.A.,Friedman,H. and Kreplin,R.W. Measurements made of high-energy X-rays accompanying three class 2^+ solar flares, 0=16539
Chubb,T.A. See Kupperian,J.E.,Jr, 0=4805
Chuburkov,Yu.T. See Polikanov,S.M., 0=9711
Chudáček,I. See Drška,L., 0=3976
Chudakov,A.E. See Vernov,S.N., 0=395
Chudakov,A.E. See Vernov,S.N., 0=10397
Chudars,Ya.,Taure,I.,Mednis,I. and Veveris,O. Determination of boron concentration in gaseous mixtures using a neutron beam, 0=14153
Chuenkov,V.A. On the deduction of the disturbance criterion of dielectric strength in ionic crystals from the kinetic equation, 0=1706
Chuenkov,V.A. A theory of the electrical breakdown of semiconductors. I, 0=15910
Chuenkov,V.A. A theory of the electrical breakdown of semiconductors (p—n junctions), 0=15911
Chuenkov,V.A. Electrical conduction in valence semiconductors at low temperatures in strong electric fields, 0=15913
Chuev,V.I. See Vlasov,N.A., 0=9638
Chuev,V.I. See Vlasov,N.A., 0=9639
Chueva,S.A. See Varfolomeev,A.A., 0=355
Chuikov,B.A. See Morgulis,N.D., 0=18448
Chuistov,K.V. See Nesterenko,E.G., 0=16353
Chukreev,F.E. See Baldin,S.A., 0=8668
Chulanovskii,V.M.,Peisakhson,I.V. and Shchepkin,D.N. Determination of the absolute values of the intensity parameters in an infrared absorption spectrum when secular distortions are absent, 0=12481
Chulanovskii,V.M.,Peisakhson,I.V. and Shchepkin,D.N. Determination of the absolute values of the intensity parameters in an infrared absorption spectrum when secular distortions are absent. II, 0=12482
Chulli,I. See Batusov,Yu.A., 0=2586
Chultem,D. See Egorov,L.B., 0=7704
Chumakov,A.A. and Koptsik,V.A. Experiments on the crystallization of new piezoelectric substances, 0=641
Chumakov,A.A.,Sil'vestrova,I.M. and Aleksandrov,K.S. Growing crystals of l-rhamnose monohydrate and the study of their dielectric, piezoelectric, and elastic properties [by dynamic methods], 0=13650
Chumakov,A.A. See Sil'vestrova,I.M., 0=13952
Chupka,W.A. and Berkowitz,J. Kinetics of unimolecular decomposition of excited alkylamine ions, 0=10350
Chupka,W.A. See Berkowitz,J., 0=14100
Chupka,W.A. See Meschi,D.J., 0=14099
Chupp,E.L. See Hess,W.N., 0=1326
Churchill,S.W. See Chin,J.H., 0=14549
Churchill,S.W. See Scott,P.H., 0=3612
Churchman,A.T.,Barnes.R.S. and Cottrell,A.H. Effects of heat and pressure on the swelling of irradiated uranium, 0=8265
Chuvilo,I.V. Possibility of setting up a system of "elementary" particles, 0=9278
Chuvilo,I.V. Possible properties of D^0-mesons, 0=13048
Chuvilo,I.V. See Ivanskaya,I.A., 0=20222
Chuvilo,I.V. See Viryasov,N.M., 0=9364
Chuyeva,S.A. See Varfolomeev,A.A., 0=7324
Chylinski,Z. See Benisz,J., 0=15323
Chyliński,Z. See Koba,Z., 0=17322
Chyliński,Z. See Koba,Z., 0=17323
Chynoweth,A.G. Pyroelectricity, internal domains, and interface charges in triglycine sulfate, 0=6160
Chynoweth,A.G. Uniform silicon p—n junctions. II. Ionization rates for electrons, 0=11704
Chynoweth,A.G. and Abel,J.L. Built-in nucleation sites in triglycine sufate, 0=640

noweth,A.G.,Fieldmann,W.L.,Lee,C.A.,Logan,R.A. and Pearson,G.L. Internal field emission at narrow silicon and germanium p—n junctions, 0=9961
noweth,A.G. and Logan,R.A. Internal field emission at narrow p—n junctions in indium antimonide, 0=11715
noweth,A.G. and McKay,K.G. Light emission and noise studies of individual microplasmas in silicon p—n junctions, 0=1648
noweth,A.G.,Wannier,G.H.,Logan,R.A. and Thomas,D.E. Observation of stark splitting of energy bands by means of tunnelling transitions, 0=18048
noweth,A.G. See Batdorf,R.L., 0=11703
zhan Dzhi-Min [Chang Chih-Ming]. The relations for constant current in multi-beam one-dimensional electron streams. 0=7154
zhan Dzhi-min. [Chang Chih-ming]. Propagation of perturbations in a one-dimensional two-beam electron flow, 0=9085
zhen Pu-In [Cheng P'u-Ying]. See Dzhanelidze,L.P., 0=15445
zhen Pu-In [Cheng P'u-Ying]. See Lyubimov,V.B., 0=11167
zhen Pu-In. See Zhdanov,G.B., 0=9617
zhou Guan-Chzhao [Chou Kuang-Chao]. Selection rules in reactions involving polarized particles, 0=2507
zhou Guan-Chzhao [Chou Kuang-Chao]. Some symmetry properties of antihyperon production processes which are connected with antinucleon annihilation. 0=5618
zhou Guan-chzhao [Chou Kuang-Chao] and Ogievetskii,V.I. Electromagnetic mass of the K meson, 0=11221
zhou Guan-Chzhao [Chou Kuang-Chao]. Decay of Σ-hyperons, 0=15443
zhou Guan-Chzhao [Chou Kuang-Chao]. A possible symmetry property of the π—K system, 0=20190
zhou Guan-chzhao. See Badalyan,A.M., 0=12913
zhou Guan-Chzhao [Chou Kuang-chao]. See Lapidus,L.I., 0=5533
zhou Guan-Chzhao [Chou Kuang-Chao]. See Lapidus,L.I., 0=7319
zhou Guan-Chzhao. See Lapidus,L.I., 0=9394
zhou Guan-Chzhao [Chou Kuang-Chao]. See Lapidus,L.I., 0=20077
zhou Guan-Chzhao [Chou Kuang-chao]. See Zastavenko,L.G., 0=7288
zhou Si-Shin'. See Chen' Chun'-Syan', 0=10837
iais,A. A simple classical model of the organic exciton, 0=7999
iais,A. and Pesteil,P. Absorption spectra of C_6H_6, C_6D_6 and of mixed crystals ($C_6H_6 + C_6D_6$) at 20°K, 0=8000
iais,A. See Pesteil,P., 0=6811
iampelli,F. See Morero,D., 0=4676
iccarello,I.S.,Garofano,T. and Santangelo,M. Nuclear hyperfine
iccarello,I.S.,Palma-Vittorelli,M.B. and Palma,M.U. An electron spin resonance investigation of photographic processes in crystals of AgCl containing traces of CuCl, 0=19465
iccarone,P.A.,Thomas,G. and Verly,W.G. Estimation of tritium in a proportional counter. II. Preparation of samples, 0=4757
icchitti,A.,Silvestri,M.,Soldani,G. and Zavattarelli,R. A critical survey of the literature on burnout studies with wet steam, 0=2698
iddor,P.E. See Bruce,C.F., 0=3637
ilenšek,E.,Cvelbar,F. and Ramšak,V. The mass analysis of a high-frequency ion source for a Van de Graaff accelerator, 0=12642
lenšek,E.,Cvelbar,F. and Ramšak,V. Design of the base and results of measurements on the high-frequency ion source for a Van de Graaf accelerator, 0=15084
illiers,W.A. The fading of low-frequency radio waves reflected from the ionosphere, 0=19944
imino,A., Molinari,E. and Volpi,G.G. Comment on the homogeneous exchange reaction between hydrogen and deuterium, 0=16372
imino,A.,Parry,G.S. and Ubbelohde,A.R. X-ray studies of thermal cycles in the transformation of potassium cyanide, 0=21196
indro,N. and Wall,N.S. Elastic scattering of 13.5 and 15 MeV deuterons by nuclei, 0=15575
indro,N. See Klein,P.R., 0=11426
ini,M. Nucleon structure, 0=5552
ini,M. and Fubini,S. Theory of low-energy scattering in field theory, 0=15276
ini,M. and Fubini,S. The coupling constant of the meson—nucleon interaction, 0=20184
Cini-Castagnoli,G. Hyperfine structure in paramagnetic free radicals, 0=13449
Cini-Castagnoli,G. and Ricci,F.P. Self-diffusion in liquid argon, 0=3514
Cini-Castagnoli,G. and Ricci,F.P. Diffusion of ^{37}A, Kr, Ht in liquid argon between (84-90)°K, 0=14635
Ciobanu,G. and Toma,E. A contribution to the theory of light scattering by systems of particles, 0=14850
Ciok,P. See Bartke,J., 0=13082
Ćirilov,S.D. and Jurić,M.K. Polarization of protons from $C^{12}(d,p)C^{13}$ reaction in function of the incident deuteron energy, 0=20459
Círilov,S.D. See Jurić,M.K., 0=17601
Ciuffolotti,L. and Tomasini,G. New results on measurement of ionization in nuclear emulsions, 0=12768
Ciulli,S. and Fischer,J. On the theory of angular operators, 0=883
Claassen,H.H. and Weinstock,B. Search for a Jahn—Teller effect in IrF_6, 0=15723
Claassen,H.H. See Weinstock,B., 0=4202
Claes,P. See Huyskens,P., 0=3676
Claria,J. See Escande,L., 0=6763
Clark,A.E. and Litovitz,T.A. Ultrasonic measurement of vibrational, rotational isomeric, structural and shear relaxation in isobutyl bromide, 0=17736
Clark,C.A. and Whittle,J.E. Method of reducing the effects of vibration in a magnetic ring balance, 0=5371
Clark,C.D.,Kemmey,P.,Mitchell,E.W.J. and Henvis,B.W. The infrared absorption of hot semiconducting diamonds, 0=16068
Clark,D.E. and Assenheim,J.G. Sensitive method for measurement of magneto-resistance effect with direct currents and with microwaves, 0=6068
Clark,G. See Chitnis,E.V., 0=13083
Clark,G.L. and Uznanski,R.M. X-ray dosimetry and contact microradiography with color film, 0=349
Clark,J.F. See Bourdeau,R.E., 0=10409
Clark,J.J. and Fritz,J.F. Temperature dependence of the magnetic properties of nickel-iron alloys, 0=2990
Clark,J.W. See Billington,D.S., 0=20849
Clark,K.C. and Belon,A.E. Spectroscopic observations of the great aurora of 10 February 1958. I. Abnormal vibration of N_2^+, 0=14281
Clark,K.C. See Belon,A.E., 0=14282
Clark,K.C. See Young,R.A., 0=4189
Clark,K.C. See Young,R.A., 0=4190
Clark,M.A. Transition intensities and conversion coefficients, in Dy^{160}, 0=2650
Clark,M.A. and Robson,J.M. Asymmetries in the beta decay of polarized neutrons, 0=11174
Clark,S.P.,Jr. Effect of pressure on the melting points of eight alkali halides, 0=2774
Clark,W.C. See Latty,J.E., 0=1874
Clarke,F.J.P. and Garton,W.R.S. Grating spectrophotometer for the Schumann ultra-violet range, 0=3632
Clarke,F.J.P. and Sambell,R.A.J. Micro-cracks and their relation to flow and fracture in single crystals of magnesium oxide, 0=21147
Clarke,F.R. Confidence ratings, second-choice responses, and confusion matrices in intelligibility tests, 0=2056
Clarke,G.R. See London,H., 0=8888
Clarke,J.S. See Lambert,J.D., 0=8701
Clarke,J.T. and Gorden,R.,Jr. Thermal conductivity of condensed films: methane, 0=6390
Clarke,L.N. Transformer bridges for use with resistance strain gauges and similar transducers, 0=16959
Clarke,P.B. See Mitchell,J.T.D., 0=5838
Clarke,R.L. New type of angular-distribution chamber, 0=17577
Clarke,R.L.,Almqvist,E. and Paul,E.B. Properties of compound nucleus levels excited in (p,α) reactions on O^{18}, P^{31}, Cl^{35}, Cl^{37}, K^{39} and K^{41}, 0=4098
Clarke,R.L. See Ferguson,A.J., 0=1411
Clarke,W.W.H. See Castelliz,L., 0=8042
Clarricoats,P.J.B. and Waldron,R.A. Non-periodic slow-wave and backward-wave structures, 0=19926
Class,C.M. See Durham,F.E., 0=20398
Class,C.M. See Farmer,B.J., 0=9555
Clastre,J. See Rabaud,H., 0=4657
Clauser,E. Conditions of integrability and the motion of a particle in Einstein's latest unified theory, 0=6674
Clausnitzer,G. The production of H atomic beams with unidirectional nuclear spins. Analysis of the beams, proof of maintenance of polarization, 0=2722

Claussen,W.F. Detection of the $\alpha - \gamma$ iron phase transformation by differential thermal conductivity analysis, 0=14043
Clay,C.S. Propagation of band-limited noise in a layered wave guide, 0=126
Clayton,C.G. Precise tracer measurements of liquid and gas flows, 0=19080
Clayton,E.D. See Lloyd,R.C., 0=12958
Clayton,J.C. See Aronson,S., 0=6382
Claytor,R.N. and Marshall,B.J. Specific heat and elastic constants of sodium iodide at low temperatures, 0=17895
Cleek,G.W. See Spinner,S., 0=13900
Cleiren,A.P. See van Gool,W., 0=13716
Cleiren,A.P. See van Gool,W., 0=13717
Cleland,J.W. See Crawford,J.H.,Jr, 0=20850
Cleland,J.W. See Curtis,O.L.,Jr, 0=6109
Clem,J.D.,Jr. Development of a special thermocouple for measuring transient temperatures within a solid body, 0=7068
Clemence,G.M. Motion of Jupiter and mass of Saturn, 0=12265
Clemence,G.M. Controlled experiments in celestial mechanics, 0=14468
Clement,J.R. See van Dijk,H., 0=7036
Clement,J.R. See van Dijk,H., 0=8878
Clementi,E. and Pitzer,K.S. Low excited states in C_2, 0=5960
Clementi,E. See Pitzer,K.S., 0=509
Clemett,C. and Davies,M. Molecular rotation and dielectric relaxation in a crystal lattice, 0=4385
Clemmow,P.C. and Johnson,M.A. A contribution to the theory of the motion of weak irregularities in the ionosphere, 0=14209
Clendenin,W.W. Resonance escape probability in hydrogeneous lattices, 0=12989
Cleveland,E.L. Double slit interference, 0=174
Cleveland,F.F. See Gilbert,R.L., 0=4207
Cleveland,F.F. See Sundaram,S., 0=4187
Cleveland,F.F. See Sundaram,S., 0=4240
Cleveland,F.F. See Sundaram,S., 0=11524
Cleveland,F.F. See Sundaram,S., 0=17741
Cleveland,F.F. See Thyagarajan,G., 0=19200
Clifford,C.E.,Carruthers,J.A. and Cunningham,J.R. γ-radiation at air—ground interfaces with distributed Cs^{137} sources, 0=9599
Clikeman,F.M. and Stewart,M.G. Influence of l forbiddenness on the 82 keV transition in Cs^{133}, 0=5668
Clinger,A.H. and Straiton,A.W. Adaptation of the radiosonde for direct measurement of radio refractive index, 0=11045
Clinton,W.L. Dynamical Jahn—Teller theorem, 0=7799
Clinton,W.L. Note on the internal rotation problem, 0=17728
Clinton,W.L. and Hamilton,W.C. Force curves for excited electronic states, 0=17838
Clogston,A.M. Interaction of magnetic crystals with radiation in the range 10^4-10^5 cm^{-1}, 0=10036
Clogston,A.M. Transition probabilities for the excited state $d\epsilon^3\ {}^2\Gamma_2$ of Cr^{3+}, 0=11939
Clogston,A.M. Optical Faraday rotation in ferrimagnetic garnets, 0=13675
Clogston,A.M.,Gordon,J.P.,Jaccarino,V.,Peter,M. and Walker,L.R. H.F.S. of F^{19} in the electron paramagnetic resonance of $Mn:ZnF_2$, 0=6272
Clogston,A.M.,Suhl,H. and Walker,L.R. Comments on the above letter by Dr. M.A.Gintsburg, 0=13745
Clogston,A.M. See Schawlow,A.L., 0=660
Closser,W.H. Drift mobility in neutron irradiated n-type germanium, 0=18017
Clotfelter,B.E. See Sakuntala,M., 0=1129
Cloud,W.H. See Swoboda,T.J., 0=11916
Cloud,W.K. See Carder,D.S., 0=10384
Clough,S. Nuclear resonance spectrum of ortho bromoaniline, 0=20669
Clouston,J.G.,Gaydon,A.G. and Glass,I.I. Temperature measurements of shock waves by the spectrum-line reversal method, 0=8744
Clouston,J.G.,Gaydon,A.G. and Hurle,I.R. Temperature measurements of shock waves by spectrum-line reversal. II. A double-beam method, 0=14732
Clow,H. See Bates,L.F., 0=6229
Clow,H. See Bates,L.F., 0=13787
Clowes,M.B. and Ditchburn,R.W. An improved apparatus for producing a stabilized retinal image, 0=18565
Clube,S.V.M. See Nichols,S., 0=19432
Clusius,K.,Flubacher,P.,Piesbergen,U.,Schleich,K. and Sperandio,A. Results of investigations at low temperatures. XXVII. Comparison of the atomic and melting heats and of the entropies of the condensed isotopes Ne^{20} and Ne^{22}, 0=12416
Clusius,K.,Franzosini,P. and Piesbergen,U. Results of investigations at low temperature. XXXII. The atomic and electronic heat of vanadium and niobium between 10° and 273° K, 0=20752
Clusius,K. and Franzosini,P. Results of investigations at low temperatures. XXIII. Atomic and electron heats of molybdenum and tungsten between 10°K and 273°K, 0=1561
Clusius,K. and Piesbergen,U. Results of investigations at low temperatures. XXI. Atomic and electron heat of ruthenium between 10 and 273° K, 0=1560
Clusius,K.,Sperandio,A. and Piesbergen,U. Results of investigations at low temperatures. XXIV. Comparison of the molar-, transition- and melting-heat and of the entropies of the condensed isotopes N_2^{14} and N_2^{15}, 0=1562
Coale,F.S. High-speed ferrite rotating half-wave plate, 0=9204
Cobb,B. See Hefferlin,R., 0=15666
Cobb,G.C. See Bucher,W.P., 0=455
Cobb,G.C. See Bucher,W.P., 0=5564
Cobb,G.C. See Fungsten,H.O., 0=11184
Cobble,J.W. See Gunnink,R., 0=1448
Cocconi,G. and Morrison,P. Searching for interstellar communications, 0=4846
Cocconi,G. and Salpeter,E.E. Upper limit for the anisotropy of inertia from the Mössbauer effect, 0=7470
Cocconi,G. See Chasan,B.M., 0=13039
Cocconi,V.T.,Fazzini,T.,Fidecaro,G.,Legros,M.,Lipman,N.H. and Merrison,A.W. Mass analysis of the secondary particles produced by the 25 GeV proton beam of the cern proton synchrotron, 0=17582
Cocconi,V.T. See Chasan,B.M., 0=13039
Coche,A. and Henck,R. Effects of alternating and continuous electric fields on the luminescence of certain sulphides of zinc excited by α-rays, 0=18148
Cochet,R. Charge of submicronic particles in ionized electric fields. Measurement of the speed of precipitation of these particles in a uniform electric field, 0=10361
Cochran,D.R.F. See Craig,P.P., 0=13128
Cochran,D.R.F. See Dash,J.G., 0=17489
Cochran,E.L. See Foner,S.N., 0=7889
Cochran,J.F. See Lewis,H.R., 0=5232
Cochran,R.G. See Pratt,W.W., 0=4078
Cochran,R.G. See Pratt,W.W., 0=11354
Cochran,W. Crystal stability and the theory of ferroelectricity, 0=1565
Cochran,W. Theory of the lattice vibrations of germanium, 0=9844
Cochran,W. Lattice dynamics of alkali halides, 0=20740
Cochran,W. See Woods,A.D.B., 0=13479
Cocito,G. and Masani,A. The photoelectric photometer of the Turin astronomical observatory, 0=18586
Cockayne,B. See Massalski,T.B., 0=16314
Cocking,S.J. The neutron total cross-section of krypton, 0=7608
Cocking,S.J. Measurement of the ratio of absorption cross-section to fission cross-section for ^{233}U, ^{235}U, ^{239}Pu with 0.0011 eV neutrons, 0=7639
Cockow,F.W. Reconciliation of two-dimensional ("cross-grating") and three-dimensional phenomena in electron diffraction and resolution of other anomalies on the basis of Bragg reflexions from single crystal lamellae suffering radially progressive shear strain, 0=10307
Codd,I. and Petch,N.J. Dislocation-locking by carbon, nitrogen and boron in α-iron, 0=20811
Code,A.D. Stellar astronomy from a space vehicle, 0=14438
Codling,K. See Garton,W.R.S., 0=7724
Cody,G.D. See Abeles,B., 0=16908
Coelho,R. See Pratt,G.W.,Jr, 0=1725
Coen,E. See Beattie,J.R., 0=6988
Coensgen,F.H.,Sherman,A.E.,Nexsen,W.E. and Cummins,W.F. Plasma injection into a magnetic field of cusped geometry, 0=17000
Coensgen,F.H. See Nexsen,W.E., 0=17013
Coester,F. and Haag,R. Representation of states in a field theory with canonical variables, 0=5468
Coester,F. and Kümmel,H. Short-range correlations in nuclear wave functions, 0=17456

Coffin,K.P. Effect of argon and helium on the thermal conductivity of the $N_2O_4 \rightleftharpoons 2NO_2$ system, 0=2185
Cofta,H. Dependence of spin wave dispersion on the magnetic structure of the antiferromagnetic space lattice, 0=11904
Cofta,H. Spin waves in various ferrimagnetic superstructures. I. Translation lattices with two kinds of spins, 0=13837
Cofta,H. See Szczeniowski,S., 0=12669
Coggeshall,N.D. Ionization potentials and electrostatic polarization, 0=7792
Coggeshall,N.D., Quantitative relations in the mass spectra of n-paraffins, 0=20710
Cohen,A. See Strehlow,R.A., 0=8745
Cohen,A.E. Gamma-ray pinhole television camera, 0=2512
Cohen,A.F. Low temperature thermal conductivity of lithium fluoride crystal upon irradiation by thermal neutrons and ^{60}Co γ-rays, 0=1575
Cohen,A.F. See Crawford,J.H.,Jr, 0=2832
Cohen,A.J. Substitutional and interstitial aluminum impurity in quartz, structure and color center inter-relationships, 0=15865
Cohen,A.J. and Hodge,E.S. Zonal specificity and nonspecificity of certain impurities during growth of synthetic α-quartz, 0=1884
Cohen,B.L. Reaction mechanism in direct interaction inelastic scattering, 0=1396
Cohen,B.L. Preformation factor in emission of complex particles from nuclear reactions, 0=20422
Cohen,B.L.,Mead,J.B.,Price,R.E.,Quisenberry,K.S. and Martz,C. Energy spectra of protons from (d,p) reactions in heavy elements, 0=9635
Cohen,B.L. and Price,R.E. Studies of low-lying levels of even—even nuclei with (d, p) and (d, t) reactions, 0=13140
Cohen,B.L. and Price,R.E. Location of the 3s½ single particle neutron level in various nuclei, 0=17493
Cohen,B.L. See Mead,J.B., 0=17596
Cohen,C.J. and Anderle,R.J. Verification of earth's "pear shape" gravitational harmonic, 0=18871
Cohen,C.J. and Hubbard,E.C. An algorithm applicable to numerical integration of orbits in multirevolution steps, 0=18597
Cohen,D. and Burger,A.J. Acceleration of polarised protons with strong-focusing linear accelerators, 0=9363
Cohen,E.G.D. and Rethmeier,B.C. Cell-cluster theory of the liquid state. V. A two dimensional fluid of hard spheres, 0=8647
Cohen,E.R. The thermal neutron flux in a square lattice cell, 0=12949
Cohen,E.R. The neutron velocity spectrum in a heavy moderator, 0=12974
Cohen,E.R. Flux disadvantage factor in plane slab lattices, 0=13341
Cohen,J. Resistance-heated high vacuum furnace for temperatures to 1400°C, 0=8461
Cohen,J. and Ducloz,J. Measurements of the magnetic susceptibilities of rare earth gallates, 0=13735
Cohen,J. and Eaton,W. High temperature high vacuum resistance furnace, 0=8724
Cohen,L. and Tobin,R.A. Lifetime of the 3.56 MeV state of Li^6, 0=4075
Cohen,L. and Willis,J.B. Alpha-particle S-state binding energy, 0=5627
Cohen,M. Relation between inelastic neutron scattering and thermodynamic functions of liquid helium 0=8872
Cohen,M. See Dwight,K., 0=2300
Cohen,M. See Harlin,J.B., 0=21404
Cohen,M. See Hilliard,J.E., 0=16344
Cohen,M. See Houska,C.R., 0=18374
Cohen,M. See Richman,M.H., 0=18393
Cohen,M. See Richman,M.H., 0=21208
Cohen,M.H. Magnetoionic mode coupling at high frequencies, 0=12706
Cohen,M.H. and Blount,E.I. The g-factor and De Haas—Van Alphen effect of electrons in bismuth, 0=16122
Cohen,M.H.,Harrison,M.J. and Harrison,W.A. Magnetic-field dependence of the ultrasonic attenuation in metals, 0=6011
Cohen,M.H.,Känzig,W. and Woodruff,T.O. The hyperfine structures of the V_t-center, 0=4298
Cohen,M.H. and Turnbull,D. Molecular transport in liquids and glasses, 0=2141
Cohen,M.H. See Ehrenreich,H., 0=516
Cohen,M.H. See Känzig,W., 0=3127
Cohen,M.S.,Huber,E.E.,Jr,Weiss,G.P. and Smith,D.O. Investigations into the origin of anisotropy in oblique-incidence films, 0=11867
Cohen,M.S. See Smith,D.O., 0=11869
Cohen,M.S. See Smith,D.O., 0=18183
Cohen,R. See Bowles,K.L., 0=18490
Cohen,S. Relativistic self-consistent solutions for atoms of large atomic number, 0=9741
Cohen,S. Measurement of the density of liquid rubidium, 0=12398
Cohen,S. and Crewe,A.V. Regenerative action in high energy accelerators, 0=19838
Cohen,S.,Hiskes,J.R. and Riddell,R.J.,Jr. Vibrational states of the hydrogen molecular ion, 0=13434
Cohen,S.,Judd,D.L. and Riddell,R.J.,Jr. μ-mesonic molecules. I. Three-body problem, 0=13458
Cohen,S.,Judd,D.L. and Riddell,R.J.,Jr. μ-mesonic molecules. II. Molecular-ion formation and nuclear catalysis, 0=13459
Cohen,S. See Canina,V.C., 0=1769
Cohen,S.G. The elastic and inelastic scattering of 6 and 7 MeV γ-rays from lead, 0=5776
Cohen,S.G.,Fisher,P.S. and Warburton,E.K. Capture gamma rays from O^{15} and O^{16} in the region of the giant resonance, 0=1434
Cohen,S.G. and Weinreb,A. The dependence of solvent—solute energy transfer in liquid organic solutions on excitation wavelength, 0=14662
Cohen,S.G. and Wiener,R. Search for pseudoscalar interaction in beta-decay, 0=5695
Cohen,S.G. See Ofer,S., 0=17920
Cohen-Solal,G. See Boisot,M.H., 0=1925
Cohn,C.E. Simplified logarithmic radiation meter using noise, 0=2267
Cohn,C.E. Errors in reactivity measurements due to photoneutron effects, 0=15632
Cohn,H.O. See Bair,J.K., 0=17499
Cohn,H.O. See Block,M.M., 0=1372
Cohn,H.O. See Block,M.M., 0=17416
Coiley,J.H. See Smallmann,R.E., 0=20791
Coing-Boyat,J. Unit cell and space group of anhydrous ferrous sulphate, $FeSO_4$, 0=3233
Cojan,J.L. and Giacomo,P. Hyperfine structure of the mercury time 6123 A ($5d^9\ 6s^2\ 6p\ ^1D_2^0 \rightarrow 6s\ 7s\ ^3S_1$), 0=5880
Cojan,J.L. and Thibeau,M. Lifetime of the excited state 6^3P_1 of mercury vapour for isotopes with even and odd mass numbers, 0=5856
Coldwell-Horsfall,R.A. and Maradudin,A.A. Zero-point energy of an electron lattice, 0=17904
Coldwell-Horsfall,R.A. and ter Haar,D. Influence of collective effects on the magnetoresistance of metals, 0=568
Cole,A. Automatic constant signal plotter, 0=9242
Cole,G.H.A. Structure of nonuniform liquids, 0=74
Cole,G.H.A. Pair distribution of simple non-spherical liquids, 0=6773
Cole,G.H.A. Classical theory of the equilibrium liquid pair distribution, 0=8650
Cole,G.H.A. Liquid partition function and the free energy, 0=10649
Cole,G.H.A. The liquid friction constant, 0=10652
Cole,H. and Brock,G.E. Self-adjustment of internal radiation field to compensate for linearly varying d spacing in X-ray diffraction, 0=1904
Cole,J.D. and Huth,J.H. Some interior problems of hydromagnetics, 0=1198
Cole,K.D. Solar terrestrial relationships, 0=14395
Cole,R.H. See Johnston,D.R., 0=19204
Cole,R.H. See Koyl,R.Kh., 0=19139
Cole,R.W. and Honeycutt,C.R. Flux instrument for rapid comparison of crystal anisotropies, 0=2416
Cole,T.,Pritchard,H.O.,Davidson,N.R. and McConnell,H.M. Structure of the methyl radical, 0=503
Cole,T. See McConnell,H.M., 0=13571
Colegrove,F.D. and Franken,P.A. Optical pumping of helium in the $^3S_1$ metastable state, 0=13415
Colegrove,F.D.,Franken,P.A.,Lewis,R.R. and Sands,R.H. Novel method of spectroscopy with applications to precision fine structure measurements, 0=2723
Coleman,B.D. and Truesdell,C. On the reciprocal relations of Onsager, 0=14906

Coleman,P.D. and Enderby,C. Megavolt electronics Cerenkov coupler for the production of millimeter and submillimeter waves, 0=17098
Coleman,P.D. See Steier,W.H., 0=9188
Coleman,P.J.,Jr,Sonett,C.P.,Judge,D.L. and Smith,E.J. Some preliminary results of the Pioneer V magnetometer experiment, 0=21317
Coleman,P.J.,Jr. See Rosen,A., 0=9490
Coleman,P.J.,Jr. See Smith,E.J., 0=21318
Coleman,P.J.,Jr, See Sonett,C.P., 0=10394
Coleman,R.F. See Barry,J.F., 0=1446
Coles,B.A.,Orton,J.W. and Owen,J. Antiferromagnetic exchange interactions between Mn^{2+} ions in MgO, 0=6274
Coles,R.R.A. See Knight,J.J., 0=14336
Colgate,S.A. and Johnson,M.H. Hydrodynamic origin of cosmic rays, 0=17437
Colgate,S.A. See Killeen,J., 0=10897
Colin,L. and Peretti,J. The pair distribution function of a system of Bose hard spheres calculated up to the first order in a/λ, 0=2135
Colin,L. See Weisbrod,S., 0=1223
Coll,H. See Debye,P., 0=6805
Colle,P. and Demers,P. The calculation of the range—energy relationships for several ions in nuclear emulsions, 0=12771
Colle,P. See Ahmad,I., 0=12782
Colli,L.,Cvelbar,F.,Micheletti,S. and Pignanelli,M. Structures in the proton spectra from n,p reactions, 0=1439
Colli,L.,Cvelbar,F.,Micheletti,S. and Pignanelli,M. (n,d) reactions with 14 MeV neutron energy, 0=1442
Colli,L.,Cvelbar,F.,Micheletti,S. and Pignanelli,M. (n,d) reactions with 14 MeV neutrons on ^{27}Al, ^{40}Ca, ^{55}Mn, ^{63}Cu, ^{103}Rh, 0=5792
Colli,L.,Iori,I.,Marcazzan,G.,Merzari,F.,Sona,A.M. and Sona,P.G. Angular distributions of protons emitted in ^{24}Mg(n,p) and ^{32}S(n,p) reactions at 14 MeV, 0=20494
Colli,L.,Marcazzan,M.G.,Merzari,F.,Sona,P.G. and Tonolini,F. Measurements on pick-up reactions in ^{31}P and ^{32}S, 0=15602
Collin,J. The ionization and dissociation of molecules by mon-energetic electrons. I. Construction and operation of the ion source used, 0=12580
Collin,J. The ionization and dissociation of molecules by mono-energetic electrons. II. Excited states of the molecular ion of CO$_2$ and CS$_2$, 0=12581
Collins,C. and Forsyth,P.A. A bistatic radio investigation of auroral ionization, 0=6480
Collins,C. See Reid,G.C., 0=5422
Collins,D. On the stress distributions due to force nuclei in an elastic solid bounded internally by a spherical hollow and in an elastic sphere, 0=19022
Collins,D.A. See Wieder,H.H., 0=18099
Collins,F. Plane compressional Voigt waves, 0=8730
Collins,F.C. See Mandel,G., 0=14619
Collins,G.B. See Chadwick,G.B., 0=15350
Collins,M.A. Intensity variations of the cosmic ray nucleonic component, 0=1341
Collins,R.E. and Cooke,C.E.,Jr. Fundamental basis for the contact angle and capillary pressure, 0=2157
Collins,R.J. and Hopfield,J.J. Polarization of the edge emission in CdS, 0=20999
Collins,R.J. and Kleinman,D.A. Infrared reflectivity of zinc oxide, 0=11767
Collins,R.J.,Nelson,D.F.,Schawlow,A.L.,Bond,W.,Garrett,C.G.B. and Kaiser,W. Coherence, narrowing, directionality, and relaxation oscillations in the light emission from ruby, 0=21007
Collins,R.J. See Geschwind,S., 0=4508
Collins,W.D. Note on the electrified spherical cap, 0=5251
Collins,W.R.Jr. See Welford,G.A., 0=13161
Collinson,A.J.L.,Demetsopoullos,I.C.,Dennis,J.A. and Zarzycki,J.M. Self-quenching Geiger counter containing mixtures of permanent gases, 0=7238
Collinson,A.J.L.,Demetsopoullos,I.C.,Dennis,J.A. and Zarzycki,J.M Self-quenching Geiger counters containing mixtures of permanent gases, 0=15180
Collinson,E.,Dainton,F.S. and Kroh,J. Effects of linear energy transfer on the radiolysis of water and heavy water, 0=18438
Colombani,A. and Goureaux,G. Formation of very thin nickel films. Action of an electric field, 0=8283
Colombani,A.,Goureaux,G. and Huet,P. Magnetic properties of thin nickel films deduced from studies of the electrical conductivity and Hall effect, 0=13813
Colombani,A.,Laniepce,B. and Huet,P. Variation of resistance of a thin metal layer deposited on a deformable substrate, 0=21253
Colombani,A. See Goureaux,G., 0=15889
Colombino,P.,Degregori,I.,Mayrone,L.,Trossi,L. and DeBenedetti,S. Angular correlation of annihilation radiation in sulfur and its compounds, 0=15336
Colombino,P. See Catino,A., 0=6929
Colombo,S. The hydromagnetic theory, 0=11025
Colombo,S. Cosmical magnetic fields and the hydromagnetic theory of the dynamo effect, 0=19890
Colonnetti,G. Interpretation of elasto-plastic phenomena by means of a linear hereditary theory, 0=8112
Colpa,J.P. and Ketelaar,J.A.A. The pressure-induced rotational absorption spectrum of hydrogen. II, 0=493
Colpa,J.P. and Ketelaar,J.A.A. The absorption intensity of simultaneous vibrational transitions in gas mixtures, 0=7749
Colvin,R.V.,Legvold,S. and Spedding,F.H. Electrical resistivity of the heavy rare-earth metals, 0=18002
Comaniciu,N. See Agarbiceanu,I.I., 0=5656
Combe,R. and Feix,M. Theoretical and experimental results concerning loaded waveguides and partially coaxial cavities, 0=15147
Combrisson,J. The increase of nuclear resonance signals by dynamic polarization. II, 0=16184
Combrisson,J. and Solomon,I. Dynamic polarization of Si^{29} at low temperature, 0=21081
Combs,C.M. See Berry,C.R., 0=11914
Comes,F.J. See Schlag,E.W., 0=14835
Comolet,R. and Sapaly,J. Application of a property of supersonic flow to the design of a pneumatic pivot, 0=16729
Companion,A. and Winslow,G.H. Diffuse reflectance measurements on bulk uranium dioxide, 0=18112
Companion,A.L. and Ellison,F.O. Calculation of the dissociation energy of NH by a semiempirical interpolative method, 0=7812
Comper,W. Observation of an eruptive [solar] prominence on two successive days with a polarizing interference filter, 0=6598
Compton,D.M.J. See Baker,W.E., 0=17966
Compton,D.M.J. See Baker,W.E., 0=17967
Compton,V.B. See Matthias,B., 0=1079
Compton,W.D. and Arnold,G.W. Lattice displacements by fast electrons, 0=7903
Compton,W.D. See Arnold,G.W., 0=2834
Compton,W.D. See Arnold,G.W., 0=6045
Comşa,G. On the temperature dependence of the work function of nickel, 0=9063
Comşa,G. Considerations on the significance of the temperature coefficient of the work function determined on polycrystalline surfaces, 0=19708
Comşa,G. Variation with temperature of the work function of nickel, 0=19709
Comte,R. See Gutmann,M., 0=5673
Comyns,A.E. The probable isomorphism of plutonium (IV) and thorium (IV) acetylacetonates, 0=8239
Conda,A.M. See Wait,J.R., 0=1206
Conda,A.M. See Wait,J.R., 0=3858
Condell,W.J. Device for optical filter selection for use with grating spectrometers, 0=1032
Condell,W.J.Jr. Helium level populations in a glow discharge, 0=9767
Condell,W.J.,Jr,Van Gunten,O. and Bennett,H.S. Investigation of population inversion in helium, 0=7212
Conforto,A.M. See Bachelet,F., 0=2609
Conforto,A.M. See Bachelet,F., 0=15490
Conforto,A.M. See Bachelet,F., 0=15491
Conger,R.L. See Archibald,P.C., 0=12666
Conger,R.L. See Hanzel,A.L., 0=1790
Conjeaud,P. See Sella,C., 0=4286
Conkie,W.R. Polynomial approximations in neutron transport theory, 0=15363
Conkie,W.R. An iterative method in neutron transport theory, 0=15364
Conley,J.M. Earth's main magnetic field to 152 kilometers above Fort Churchill, 0=14170
Conn,G. See Chester,P.F., 0=5434
Conn,G.K.T.,Daglish,H.N. and Hogg,A. A three-electrode form of cold cathode ionisation gauge, 0=19230
Connally,R.E. Uranium analysis by gamma absorptiometry, 0=4767

onnell,R.A. See Seraphim,D.P., 0=2292
onnelly,B.T. See Porter,G.B., 0=15683
onnes,J. The field of application of the Fourier transform method, 0=16871
onnes,J. and Gush,H.P. Night-sky spectroscopy in the infrared by means of Fourier transformation. 0=16469
onnes,P. Principle and realization of a new type of interference spectrometer, 0=10760
onnes,P. An interferometric spectrometer for selecting by amplitude modulation. 0=16835
onnes,P. The spherical Fabry—Perot etalon, 0=16873
onnolly,D.E. A new interpretation of the X-ray diffraction pattern of mallinckrodt UO_3, 0=3224
onnolly,J.F. and Kandalic,G.A. Virial coefficient and intermolecular forces of hydrocarbons, 0=11544
onnolly,T.J. See Wray,K.L., 0=1577
onnor,D. Measurement of the nuclear factor g of Li^{8}, 0=1357
onnor,R.D. and Fairweather,I.L. The β-decay of ^{239}Np, 0=5700
onrad,G.P.,II. See Holtzman,A.H., 0=3010
onrad,H. Effect of temperature on yield and flow stress of b.c.c. metals, 0=21109
onradi,J.J. See Parker,D.J., 0=16716
onsoli,T. and Dagai,M. Rotating magnetic polarization in plasmas. Application to the measurement of electron density, 0=7112
onsoli,T. and Dagai,M. Measurement of electron density in an evolving plasma. Experimental arrangements, 0=7113
onsoli,T.,Hubert,P.,Le Quinio,R. and Véron,D. Ion and plasma sources, 0=19769
onsoli,T. and Lepechinski,D. A method of determining the electron density of a plasma by means of the group velocity, 0=10913
Consoli,T. and Lepechinski,D. Method of measuring simultaneously a confining magnetic field and the electron density of a plasma, 0=12616
Consoli,T. See Bineau,M., 0=19662
Consoli,T. See Bineau,M., 0=19663
Constabaris,G.,Singleton,J.H. and Halsey,G.D.,Jr. A precision adsorption apparatus for the study of the interactions between gas atoms and surfaces, 0=14146
Constable,D.N. See Constable,F.H., 0=8336
Constable,D.N. See Constable,F.H., 0=8337
Constable,F.H. and Constable,D.N. The penetration of liquids in absorbent solids, 0=8336
Constable,F.H. and Constable,D.N. The relation between the cube root and logarithmic laws for the penetration of liquids into porous solids, 0=8337
Constans,H. See Mallet,L., 0=314
Conte,R. and Weil,L. A contribution to the study of thin films of iron and of nickel deposited on copper substrates at very low temperatures, 0=13811
Contopoulos,G. A third integral of motion in a galaxy, 0=8512
Conversi,M. The electronic calculators and the centre of studies on electronic calculators at Pisa, 0=3397
Conway,B.E. Electrolytic hydrogen—deuterium separation factor and reaction mechanism, 0=748
Conway,B.E. Anomalous proton conductance and the mechanism of dipole rotation in water and ice, 0=4720
Conway,B.E. and Bockris,J.O'M. On the theory of proton conductance in water and ice, 0=4721
Conway,B.E. and Bockris,J.O'M. The mechanism of electrolytic metal deposition, 0=8312
Conway,D.C. and Johnston,W.H. Determination of the low-energy region in the tritium beta spectrum, 0=4053
Conway,G. See Gruber,J.B., 0=11600
Conway,J.G. Absorption spectrum of UF_4 and the energy levels of uranium V, 0=1731
Conway,J.G. and Gruber,J.B. Luminescence spectrum of $PmCl_3$, 0=11787
Conway,J.G. See Gruber,J.B., 0=6032
Conway,R.G. Observations of discrete radio sources at a frequency of 500 Mc/s. 0=18662
Conway,R.G.,Shakeshaft,J.R. and Whitfield,G.R. On the spectra of radio sources, 0=18654
Conzett,H.E.,Igo,G.,Shaw,H.C. and Slobodrian,R.J. Alpha—alpha scattering in the range 36.8 to 47.3 MeV, 0=5628
Coogan,C.K. See Stalinski,B., 0=18230
Cook,A.H. The external gravity field of a rotating spheriod to the order of e^3, 0=8347
Cook,A.H. and Hitchins,R.G. Differential microdensitometer, 0=3593
Cook,B.D. Determination of finite amplitude distortion by light diffraction, 0=5101
Cook,B.P. See Steward,E.G., 0=8291
Cook,B.P. See Steward,E.G., 0=14001
Cook,C.B.,Mellish,C.E. and Payne,J.A. Measurement of thin metal layers. Fluorescent X-ray production by radioisotope sources, 0=10630
Cook,C.F.,Jr. See Leonhard,F., 0=21262
Cook,C.S.,Mather,R.L.,Johnson,R.F. and Tomnovec,F.M. Fractionation of nuclear weapon debris. 0=20362
Cook,C.W. See Braley,J.E., 0=9670
Cook,G.B. See Boys,S.F., 0=17822
Cook,G.E. and Plimmer,R.N.A. The effect of atmospheric rotation on the orbital plane of a near-earth satellite, 0=18877
Cook,G.S. Calculation of the penetration of gamma rays through the edges of a $\frac{1}{2}$-inch diameter lead collimator, 0=20097
Cook,J.C. R.F. electrical properties of salty ice and frozen earth, 0=16009
Cook,J.C. and Levine,H.S. Calorimeter and accessories for very high thermal radiation flux measurements, 0=19523
Cook,J.L. and Elliott,D. The tabulation of three functions arising in nuclear resonance theory, 0=13216
Cook,K.G. and Isaacs,G.G. Deuterium-filled thyratrons, 0=7153
Cook,L.F.,Jr and Lepore,J.V. Multiple meson production in nucleon—antinucleon annihilations, 0=20217
Cook,L.F.,Jr. See Blankenbecler,R., 0=15291
Cook,M.A.,Keyes,R.T. and Udy,L.L. Propagation characteristics of detonation-generated plasmas, 0=1133
Cook,R.W.E. Light from the corona discharge, 0=5284
Cook,V.,Jr. See Whitehead,M.N., 0=9433
Cook,W.R.,Jr and Jaffe,H. Digest of literature on dielectrics. Ferroelectric and piezoelectric materials, 0=2300
Cooke,A.H.,Edmonds,D.T.,Finn,C.B.P. and Wolf,W.P. Dipolar ferromagnetism in dysprosium ethyl sulphate, 0=8040
Cooke,A.H.,Edmonds,D.T.,McKim,F.R. and Wolf,W.P. Magnetic dipole interactions in dysprosium ethyl sulphate. I. Susceptibility and specific heat between 20 and 1°K, 0=13734
Cooke,A.H.,Edmonds,D.T. and Wolf,W.P. Susceptibility and specific heat of dysprosium ethyl sulphate below 1°K, 0=10094
Cooke,A.H.,Lazenby,R.,McKim,F.R.,Owen,J. and Wolf,W.P. Exchange interactions in antiferromagnetic salts of iridium. II. Magnetic susceptibility measurements, 0=8068
Cooke,C.E.,Jr. See Collins,R.E., 0=2157
Cooke-Yarborough,E.H. and Barnes,R.C.M. Rapid methods for ascertaining whether the activity of a weak radioactive sample exceeds a predetermined level, 0=11328
Cool,R.L. See Cork,B., 0=20236
Coombes,C.A. See Armenteros,R., 0=17338
Coomes,E.A. See Cape,J.A., 0=3308
Coomes,E.A. See Gifford,F.E., 0=6328
Cooper,B.R. Helical spin arrangement in chromium metal, 0=21019
Cooper,B.R. Sublattice magnetization and resonance frequency of antiferromagnets with large uniaxial anisotropy, 0=21060
Cooper,C.B. Rubber model for demonstrations and laboratory experiments, 0=16561
Cooper,E.A. Device for the eastimation of the rate of work on passing air by sine wave flow, 0=3554
Cooper,F.S. See Liberman,A.M., 0=810
Cooper,J.R.A. and Raimes,S. The effects of anisotropic relaxation times on the Hall coefficients of some dilute alloys of silver, 0=15895
Cooper,J.R.A. and Raimes,S. Extension of the theory of the effects of anisotropic relaxation times on the Hall coefficients of some dilute alloys of silver, 0=20726
Cooper,J.W. See Berger,M.J., 0=7366
Cooper,L.N. Theory of superconductivity, 0=1073
Cooper,L.N.,Mills,R.L. and Sessler,A.M. On the possible superfluidity of liquid ^{3}He, 0=8924
Cooper,M.J. The structure of the intermetallic phase θ (Cr-Al), 0=8208
Cooper,P.F.,Jr and Wilson,R. Cross section and asymmetry in the deuteron pickup reaction $C^{12}(p, d)C^{11}$ at 145 MeV, 0=7553
Cooper,P.F.,Jr. See Calame,G., 0=19853

Cooper,W.A. Summarized proceedings of a conference on nuclear fuel cycles — London, January 1959, 0=5813
Cooper,W.M. See Stephens,K.G., 0=15367
Cooperman,P. Reply to the letters of Szasz, and Bailey and Larkin, 0=14107
Copley,G.J. See Feltham,P., 0=21105
Coppen,P.J. See Iles,P.A., 0=7919
Coppola,P.P. Techniques of cathode temperature measurements as applied to commercial cathode-ray tubes, 0=3684
Corbé,G. and Yuasa,T. Illumination system for a Wilson cloud chamber allowing visual observation of tracks of small contrast, 0=11071
Corbett,J.W. and Walker,R.M. Threshold measurements and the production of radiation damage in the noble metals, 0=6066
Corbridge,D.E.C. The crystal structure of sodium triphosphate, $Na_5P_3O_{10}$, Phase I, 0=8223
Corbridge,D.E.C. See Davies,D.R., 0=8222
Corciovei,A. Magnetic susceptibility of an antiferromagnetic whose magnetic ions form a f.c.c. lattice, 0=4501
Corciovei,A. Influence of order on the electrical resistance of binary alloys, 0=17986
Corciovei,A. Effect of order on the electrical resistance of binary alloys, 0=17987
Cordey-Hayes,M.,Dyson,N.A. and Moon,P.B. Width and intensity of the Mössbauer line in iron-57, 0=15518
Cordier,H. and Houseaux,O. Experimental study of the influence of the entry of air on the local coefficient of convection in an annular space, 0=14871
Cordier,H. and Maimi,R. Experimental study of the effect of pressure on contact thermal resistances, 0=10794
Corelli,J.C.,Bleuler,E. and Tendam,D.J. Scattering of 18 MeV alpha particles by C^{12}, O^{16} and S^{32}, 0=2668
Coremans,J.M.J.,Beenakker,J.J.M.,van Itterbeek,A. and Knaap,H.F.P. The quantummechanical modification of the law of corresponding states for the viscosity of simple gases at low temperatures, 0=8705
Coremans,J.M.J.,Beenakker,J.J.M.,van Itterbeek,A. and Zandbergen,P. Viscosity measurements of gases between 20 and 80°K, 0=92
Coremans,J.M.J.,van Itterbeek,A.,Beenakker,J.J.M.,Knaap,H.F.P. and Zandbergen,P. The viscosity of gaseous HD below 80°K, 0=8703
Corenzwit,E. See Bozorth,R.M., 0=1776
Corenzwit,E. See Matthias,B.T., 0=12557
Corenzwit,E. See Matthias,B., 0=1079
Corenzwit,E. See Suhl,H., 0=13753
Corfield,W.,McCullough,H. and Lipson,J. Emission regulator designed for mass spectrometer using a chopper amplifier, 0=19793
Coriell,S.R. See Wagner,P., 0=2923
Corinaldesi,E. An introduction to dispersion relations, 0=7295
Cork,B.,Kerth,L.,Wenzel,W.A.,Cronin,J.W. and Cool,R.L. Decay asymmetry of Σ^+ and Λ^0 hyperons, 0=20236
Cork,B. See Armenteros,R., 0=17338
Corliss,C.H. See Kiess,C.C., 0=14397
Corliss,E.L.R. See Burkhard,M.D., 0=6886
Corliss,L.M.,Elliott,N. and Hastings,J.M. Antiferromagnetic structure of CrN, 0=6248
Corliss,L.M. and Hastings,J.M. Symmetry of magnetic structures, 0=3101
Corliss,L.M.,Hastings,J.M. and Weiss,R.J. Antiphase antiferromagnetic structure of chromium, 0=1816
Corliss,W.R. Nuclear power in outer space, 0=20525
Cormack,D.V. and Burke,D.G. Spectral distributions of primary and scattered 140-Kvp X-rays, 0=12905
Cormack,D.V. See Mak,S., 0=12904
Cormack,D.V. See Schneider,D.O., 0=3956
Cormia,R.L. See Turnbull,D., 0=8690
Cornaz,P. See Borel,J.P., 0=19493
Corneliussen,R.D. See Lawson,A.W., 0=4304
Corner,W.D. and Hutchinson,F. The temperature dependence of magnetostriction in polycrystalline gadolinium, 0=11877
Cornet,C.F. See Burgers,W.G., 0=11992
Corngold,N. Resonance escape probability in slab lattice, 0=4152
Cornides,I.,Roósz,J. and Siegler,A. Two lithium ion sources for accelerators, 0=19779
Cornille,H. and Chapdelaine,M. Coherent scattering of photons of 2.62 MeV by the K-level electrons of mercury, 0=15314
Cornille,H. See Goldzahl,L., 0=344
Corno,S.E. The heterogeneous theory of cylindrical neutron multiplying structures, 0=17644
Cornsweet,T.N. See Krauskopf,J., 0=8448
Cornwall,J.B. Method of amplitude control of a.c. signals, 0=3726
Cornwall,J.B. and Davison,R.M. Rapid counter for small particles in suspension, 0=18447
Cornwell,J.F. and Wohlfarth,E.P. An energy band interpolation scheme, with application to body-centred cubic lithium, 0=9882
Cornwall,J.M. See Arroe,H., 0=5884
Coroniti,S.C. See Obayashi,T., 0=3343
Corradini,P. Structure of tetracobaltdodecarbonyl, 0=4640
Corradini,P. and Ganis,P. Crystal structure of poly-ortho-methylstyrene, 0=4673
Corradini,P. and Ganis,P. Crystal structure of poly-alpha-vinylnaphtalene, 0=4674
Corradini,P. See Natta,G., 0=4668
Corradini,P. See Natta,G., 0=4669
Corradini,P. See Natta,G., 0=4670
Corradini,P. See Natta,G., 0=4671
Corradini,P. See Natta,G., 0=4672
Corradini,P. See Natta,G., 0=4675
Correll,M. Projections of dipole flux patterns, 0=286
Corrsin,S. Outline of some topics in homogeneous turbulent flow, 0=12168
Corruccini,R.J. Interpolation of platinum resistance thermometers, 20° to 273.15°K, 0=12538
Corruccini,R.J. Gaseous heat conduction at low pressures and temperatures, 0=19483
Corruccini,R.J. See Gniewek,J.J., 0=19518
Corte,M.Della. See Della Corte,M.
Cortellessa,G. Protection against stray radiation generated by electron accelerators with maximum energies up to 1 GeV, 0=19817
Cortellessa,G. See McDaniel,B.D., 0=382
Cortini,G.,Milone,C.,Papa,T. and Rinzivillo,R. Photoneutrons from Al, 0=1430
Corvin,I. See Bragg,R.H., 0=12053
Coryell,C.D. See Pierson,W.R., 0=13174
Cosslett,V.E. (Conf. rep.). X-ray microscopy and X-ray microanalysis, 0=1944
Cosslett,V.E. Co-ordination of light and electron microscopy, 0=12478
Cossutta,D. and Steckelmacher,W. Lens mass-spectrometer leak detector, 0=19237
Costa,G. and Feld,B.T. Mesons and the structure of nucleons. III. Pion—nucleon scattering, 0=11208
Costa,P. Determination of the thermoelectric powers of uranium and plutonium, 0=18082
Costa,S. Application of the statistical model to multiple photonuclear processes, 0=20481
Costa de Beauregard,O. The use of de Broglie's electromagnetic energy—momentum tensor in classical electromagnetism, 0=3834
Costa de Beauregard,O. Asymmetric metric and representation of changes in local axes. Application to the theory of the gravitational effect of spin, 0=6648
Costa de Beauregard,O. On the gravitational interaction on the quantum level, 0=10556
Costa de Beauregard,O. The hypothesis of the gravitational effect of spin, 0=10564
Costa de Beauregard,O. The hypothesis of the inertial effect of spin, 0=11091
Costa de Beauregard,O. The hypothesis of the gravitational effect of spin, 0=12351
Costa de Beauregard,O. Development of the consequences of D.W.Sciama and D.Park's theory of inertia, 0=14485
Costain,C.C. and Dowling,J.M. Microwave spectrum and molecular structure of formamide, 0=4239
Costain,C.C. See Swalen,J.D., 0=4212
Costain,C.H. The spectrum of the galactic radio emission, 0=18678
Coste,J. and Dagens,L. Statistical equilibrium of an electron space-charge with cylindrical symmetry in a magnetron valve, 0=12635
Costrell,L. and Brueckmann,R.E. Charge-storage pulse-height analyzers for use with pulsed acclerators, 0=17181
Cote,J.A. See Wall,F.T., 0=4181
Coté,R.E. See Bollinger,L.M., 0=2623
Coté,R.E. See Leblanc,J.M., 0=5649
Cotter,L. See Meister,R., 0=8651

Cotti,P. The production of high, pulsed magnetic fields, 0=19877
Cottin,M. Study of the ions produced by electron impact in water vapour, 0=8987
Cottingham,W.N. See Bowcock,J., 0=15408
Cottini,C.,Fabri,G.,Gatti,E. and Germagnoli,E. On positron lifetime in anthracene, 0=5549
Cottini,C.,Gatti,E. and Vaghi,F. A nanosecond Vernier analyzer, 0=17195
Cottini,C.,Gatti,E. and Zaglio,E. A non overload linear amplifier for scintillation and proportional counter, 0=2473
Cotton,E. See Barloutaud,R., 0=5661
Cotton,E. See Bianchi,L., 0=2403
Cotton,E. See Bianchi,L., 0=9251
Cotton,F.A. See Holm,R.H., 0=6213
Cotton,F.A. See Monchamp,R.R., 0=3550
Cotton,F.A. See Waugh,J.S., 0=5911
Cotton,L. See Déjardin,G., 0=9993
Cottrell,A.H. Effect of nuclear radiation on engineering materials, 0=7674
Cottrell,A.H. See Churchman,A.T., 0=8265
Cottrell,W.B. See Bettis,E.S., 0=13314
Couch,D.E. and Brenner,A. Glow discharge spectra of copper and indium above aqueous solutions, 0=8716
Couderc,J.J.,Garigue,J.,Lafourcade,L. and Nguyen Quat Ti. On the formation of hexagonal gold and copper by condensation from the vapour on the cleavage face (0001) of a zinc single crystal, 0=4595
Couderc,J.J.,Garigue,J.,Lafourcade,L. and Nguyen Quat Ti. Dynamic effects in reflection patterns of layers of copper containing several twins, 0=8157
Couderc,P. Observation of galaxies and cosmological models, 0=18833
Coufová,P. The absorption spectrum of KCl:Ca coloured by X- and γ-radiation, 0=2938
Coufová,P. See Arend,H.T., 0=4297
Coulomb,J. Pulsations of the earth's magnetic field and earth currents, 0=10389
Coulomb,P. The blocking of dislocations by cavities and small precipitate particles, 0=15842
Coulomb,P.,Leymonie,C. and Lacombe,P. Relation between the segregation of impurities and intergranular self-diffusion in iron, 0=17970
Coulon,R. Experimental study of the infrared absorption spectra of some compressed gases and gaseous mixtures, 0=972
Coulson,C.A. Present state of molecular structure calculations, 0=17805
Coulson,C.A. and Stocker,D. Steric forces in halogen-substituted benzenes, 0=20683
Coulter,J.R.M. Negative sections of moving striations, 0=19637
Coumat,F.J. and Martinuzzi,S. Utilization of concentrated solar u.v., 0=21285
Coumes,A. Ferromagnetic resonance and the theory of phases, 0=8075
Coumes,A. Study of the magnetization in a single crystal of silicon—iron by ferromagnetic resonance, 0=11840
Courant,E.D. and Marshall,L. Mass separation of high energy particles in quadrupole lens focusing systems, 0=5350
Courant,H. See Birge,R.W., 0=17159
Courant,H. See Hannum,W.H., 0=9402
Courpron,C.,Lochet,R.,Meyer,Y. and Rousset,A. Molecular luminescence of benzene in dilute solution in cyclohexane at the temperature of liquid nitrogen, 0=11774
Courrier,G. and Marfaing,Y. Study of photovoltaic effects (lateral and transverse) in p—n junctions of indium antimonide, 0=18069
Court,A. Vertical air flow over North America, 0=14188
Courtès,G. A study of interstellar emission with the aid of a Fabry—Perot etalon, 0=16552
Courtès,G. Methods for the observation and study of interstellar hydrogen in emission, 0=18610
Courtès,G. and Cruvellier,P. Study of the monochromatic emission in the regions of strong stellar concentration, 0=18838
Courty,C. The calculation of diamagnetic susceptibilities of free cations, 0=13389
Courty,C. The calculation of diamagnetic susceptibilities of molecules, 0=17719
Courty,C. On the calculation of the diamagnetic susceptibilities of molecules with multiple bonds, 0=20644
Courval,C.de. See de Courval,C.
Cousins,J.E. and Nash,W.F. Some aspects of the design of large permanent magnets, 0=5377
Cousteau,J.Y. See Edgerton,H.E., 0=6900
Couteur,K.J.Le. See Le Couteur,K.J.
Covington,A.E. A compound interferometer, 0=4878
Covington,A.E. A compound interferometer, 0=12262
Covington,A.E. and Harvey,G.A. Resolving power of three antenna patterns derived from the same aperture, 0=828
Covington,A.E. and Harvey,G.A. The visibility of the 10-cm radio-emissive region and its application in finding the 10-cm quiet sun, 0=18642
Cowan,C.L.,Jr. See Reines,F., 0=3955
Cowan,E.W. Dust-track model of cloud chamber and nuclear emulsion events, 0=5458
Cowan,M. See Gordy,W., 0=11042
Cowen,J.A.,Schafer,W.R. and Spence,R.D. Polarization of the Al^{27} nuclei in ruby, 0=1838
Cowen,J.A. See Gravlin,E.S., 0=310
Cowen,J.A. See Spence,R.D., 0=6277
Cowen-Solomons,H.B. See Wolf,E., 0=18560
Cowles,L.E.J. See Green,A., 0=19468
Cownie,A.R. Measurement of low absorption in semireflecting films, 0=3636
Cox,A.D. and Morland,L.W. Dynamic plastic deformations of simply-supported square plates, 0=12391
Cox,B. See Adam,J., 0=2822
Cox,B. See Adam,J., 0=21211
Cox,C.D. Bulk photoeffects in inhomogeneous semiconductors, 0=18059
Cox,H.L.,Jr and Williams,D. Zeeman splitting of nuclear quadrupole levels in cuprite, 0=6284
Cox,J.R.,Jr and Bilger,R.C. Suggestion relative to the standardization of loudness-balance data for the telephonics TDH-39 earphone, 0=14752
Cox,M. and Bayley,F.J. Effect of flow pulsations on the drag of baffles in pipes, 0=6825
Cox,S.A. See Smith,A.B., 0=1454
Cox,W.F. Test setup for microphone calibration, 0=10737
Coxell,H. and Wolfendale,A.W. High pressure neon flash tubes, 0=9239
Coyle,T.D. and Stone,F.G.A. N.M.R. studies on mixed boron halides. Detection of the new halide BBrClF, 0=17780
Crabs,L.,Debaisieux,J.,Apers,D. and Capron,P.C. Radiation damage in crystals, 0=9921
Cragg,T. The eruptive prominence of June 15, 1958, 0=4901
Cragg,T. See Howard,R., 0=9
Cragg,T.A. Solar activity in 1958, 0=3421
Craggs,J.D. and Tozer,B.A. The attachment of slow electrons in carbon monoxide, 0=242
Craggs,J.D. and Tozer,B.A. The attachment of slow electrons in carbon dioxide, 0=8996
Craggs,J.D. See Prasad,A.N., 0=14961
Craggs,J.D. See Tozer,B.A., 0=16972
Craig,D.N.,Hoffman,J.I.,Law,C.A. and Hamer,W.J. Determination of the value of the faraday with a silver—perchloric acid coulometer, 0=19582
Craig,D.R. See Thun,R., 0=3287
Craig,K.J. See Yaplee,B.S., 0=18618
Craig,P.P.,Dash,J.G.,McGuire,A.D.,Nagle,D. and Reiswig,R.D. Nuclear resonance absorption of gamma rays in Ir^{191}, 0=411
Craig,P.P.,Nagle,D.E. and Cochran,D.R.F. Zeeman effect in the recoilless γ-ray resonance of Zn^{67}, 0=13128
Craig,P.P. See Dash,J.G., 0=17489
Craig,P.P. See Nagle,D., 0=11312
Craig,P.P. See Nagle,D.E., 0=13126
Craig,R.D. Surface ionization source for mass spectrometry, 0=5359
Craig,R.T. See Saltzer,C., 0=12335
Craik,D.J. See Bates,L.F., 0=10151
Cramer,E.M. See Ellinger,F.H., 0=8276
Cramer,W.H. and Marcus,A.B. Elastic and inelastic scattering of low velocity D$^+$ and D$_2^+$ in deuterium, 0=4168
Crampin,J. and Hoyle,F. Problem concerning Pleione, 0=18868
Crampin,J.,McCrea,W.H. and McNally,D. A class of transformation in special relativity, 0=14497
Cranberg,L. See Seagrave,J.D., 0=17435
Crane,H.R. Creative thinking and experimenting, 0=6639
Crane,L.J. Thermal convection from a horizontal wire, 0=19486
Crane,R.A. See Voeks,J.F., 0=207
Crangle,J. Some magnetic properties of platinum-rich Pt—Fe alloys, 0=13766
Crangle,J. Ferromagnetism in Pd-rich palladium—iron alloys, 0=21038

AUTHOR INDEX

Crangle,J. and Martin,M.J.C. Magnetic moments and electron transfer in nickel-rich binary alloys, 0=21037
Cranshaw,T.E. and Schiffer,J.P. Experiments to test Einstein's principle of equivalence, 0=7467
Cranshaw,T.E.,Schiffer,J.P. and Whitehead,A.B. Measurement of the gravitational red shift using the Mössbauer effect in Fe^{57}, 0=7468
Cranshaw,T.E. See Hay,H.J., 0=7469
Cranshaw,T.E. See Hillas,A.M., 0=5521
Cranshaw,T.E. See Hillas,A.M., 0=9310
Crapo,W.A. Time decrease of initial permeability in $Mn_xFe_{3-x}O_{4+y}$, 0=11887
Crausse,E. and Poirier,Y. Dynamic pressure on an obstacle exerted by a moving conducting liquid in the presence of a magnetic field, 0=11031
Crawford,B.H. Measurement of color rendering tolerances, 0=186
Crawford,D.L. Early-type stars used as standards in photoelectric $H\beta$ photometry, 0=14458
Crawford,F.S., Jr. Linearly biased track counting in cross-section determinations, 0=2475
Crawford,F.S., Jr. Pion-electron scattering cross section at 1.12 BeV/c, 0=5586
Crawford,F.S., Jr,Cresti,M.,Douglass,R.L.,Good,M.L., Kalbfleisch,G.R.,Stevenson,M.L. and Ticho,H.K. Evidence for the $\Delta I = 1/2$ rule, 0=1317
Crawford,F.S., Jr,Douglass,R.L.,Good,M.L.,Kalbfleisch,G.R., Stevenson,M.L. and Ticho,H.K. Charge independence in hyperon production, 0=1316
Crawford,G.W. See Birdwell,B.F., 0=16387
Crawford,J.A. Fermi acceleration of electrons in the outer Van Allen Belt, 0=3352
Crawford,J.H., Jr. and Cleland,J.W. Radiation effects in semiconductors, 0=20850
Crawford,J.H., Jr and Cohen,A.F. The effect of fast neutron bombardment on the thermal conductivity of silica glass at low temperature, 0=2832
Crawford,J.H.,Jr and Young,F.W.,Jr. Mechanism for the production of F-centers in NaCl by irradiation with gamma rays, 0=17962
Crawford,J.H., Jr. See Nelson,C.M., 0=16060
Crawford,J.M.,Doty,W.E.N. and Lee,M.R. Continuous signal seismograph, 0=8351
Crawford,R.C. See Hilton,W.A., 0=4912
Crawford,R.G. See Byrnes,W.S., 0=2417
Crawford,R.G. See Hall,R.C., 0=2994
Crawford,R.G. See Hall,R.C., 0=3044
Crawshaw,J.K. and Davidson,F.G. Electrolytic hygrometers for measurements in gases down to a few parts per million, 0=5041
Creager,C.B.,Kocher,C.W. and Mitchell,A.C.G. The disintegration of La^{131}, 0=4057
Creager,C.B. See Kocher,C.W., 0=20389
Creek,G.E. See Smith,E.C., 0=1444
Creelman,S.D. Detection of signals of uncertain frequency, 0=14340
Cremer,L. Mechanical model for the demonstration of the movement of basilar membrane, 0=16504
Cremer,L. Calculation of structure-borne sound processes, 0=19334
Cremer,L.,Keidel,L. and Müller,H. The acoustic properties of the large and the medium sized halls of the new "liederhalle" in Stuttgart, 0=19344
Cremer,L. and Schwantke,G. The problem of radiation from bending waves, 0=19283
Cressell,I.G. and Powell,J.A. The production of high-quality germanium single crystals, 0=21166
Cresti,M. See Crawford,F.S., Jr, 0=1317
Crettez,J.P. See Ambrosino,G., 0=19990
Crevecoeur,E.G.,Vander Stricht,A. and Capron,P.C. Precision of the dating method. Standardization of the calculation of the errors and of the maximum age in the C^{14} method, 0=9543
Crewe,A.V.,Garwin,E.,Ledley,B.,Lillethun,E.,March,R. and Marcowitz,S. Charge independence in the reactions $p + d \rightarrow \pi^0 + He^3$ and $p + d \rightarrow \pi^+ + H^3$ at 450 MeV, 0=1277
Crewe,A.V.,Ledley,B.,Lillethun,E.,Marcowitz,S.M. and Rey,C. Charge independence in the reactions $p + d \rightarrow \pi^0 + He^3$ and $p + d \rightarrow \pi^+ + H^3$ at 450 MeV, 0=9355
Crewe,A.V. See Cohen,S., 0=19838
Cribier,D. Diffuse scattering of X-rays by thermal agitation and the Compton effect in fluorite (CaF_2), 0=8195
Cribier,D. A method of increasing the transmission of a time-of-flight spectrometer for slow neutrons, 0=17351
Cribier,D. and Jacrot,B. Neutron scattering and Stark effect in crystalline rare earth oxides, 0=20776
Crichlow,W.Q.,Roubique,C.J.,Spaulding,A.D. and Beery,W.M. Determination of the amplitude-probability distribution of atmospheric radio noise from statistical moments, 0=8429
Criegee,L. Investigation of direct pair production by electrons, 0=7339
Crisp,R.S. The soft X-ray L_{23} emission spectrum of magnesium from solid and evaporated targets, 0=7726
Crisp,R.S. Soft X-ray emission from potassium metal in the 40-1000 A range, 0=20594
Crisp,R.S. and Williams,S.E. The K emission spectrum of metallic lithium, 0=20732
Crissman,B.G. Photographic determinations of the parallaxes of fifty-five stars with the thaw refractor, 0=12309
Cristescu,G. See Grigorovici,R., 0=5299
Cristy,G.A. See Bettis,E.S., 0=13312
Critchlow,A. See Hodkinson,J.R., 0=10362
Critoph,E. and Pearce,R.M. The reactivity effect due to neutron streaming in an empty tube, 0=5829
Crocker,A.J. See Richards,J.L., 0=11623
Crocker,G.H. See Kuethe,A.M., 0=16728
Croft,W.J. See Greifer,A.P., 0=1805
Croft,W.J. See Greifer,A.P., 0=3081
Croissiaux,M. A study of the excited levels in B^{11} by angular distribution and correlation measurements in stripping processes, 0=13146
Croissiaux,M. See Gorodetzky,S., 0=9631
Croissiaux,M. See Gorodetzky,S., 0=11321
Croissiaux,M. See Gorodetzky,S., 0=11322
Croissiaux,M. See Gorodetzky,S., 0=17597
Croitoru,N.,Dévényi,A. and Giobanu,G. Temperature dependence of the granulation phenomena of thin films of gold, 0=16362
Croitoru,N. See Grigorovici,R., 0=16368
Croitoru,Z. Space charges in liquid dielectrics, 0=19148
Cromack,J. See Chang,W.S.C., 0=2434
Crombie,D.D. On the mode theory of very-low-frequency propagation in the presence of a transverse magnetic field, 0=17114
Crombie,D.D. See Allan,A.H., 0=304
Crombie,D.D. See Barber,N.F., 0=15164
Cromer,D.T. and Larson,A.C. The crystal structure of Ce_2Ni_7, 0=4638
Cromer,D.T. and Roof,R.B., Jr. The crystal structure of PuNi, 0=3222
Crompton,R.W. and Elford,M.T. The mobility of potassium ions in nitrogen and neon at 294^0K, 0=1103
Crompton,R.W. See Huxley,L.G.H., 0=8995
Crone,W.R. See Kraus,J.D., 0=4896
Crone,W.R. See Kraus,J.D., 0=10540
Crone,W.R. See Kraus,J.D., 0=12338
Cronin,D. See Guerriero,L., 0=19980
Cronin,J.W. Numerical evaluation of the pion—nucleon forward scattering amplitude, 0=9408
Cronin,J.W. See Cork,B., 0=20236
Crooks,R.N. See Peirson,D.H., 0=11331
Croom,S.,Robbins,A. and Thomas,J.O. Two anomalies in the behaviour of the F2 layer of the ionosphere, 0=6465
Croom,S.,Robbins,A. and Thomas,J.O. Variation of electron density in the ionosphere with magnetic dip, 0=16425
Crosby,G.A. and Whan,R.E. Extreme variations of the emission spectra of dysprosium chelates, 0=6194
Crosby,G.A. and Whan,R.E. Fluorescence spectra of coordinated holmium and thulium ions, 0=16084
Crosby,P. Measurement of visual range, 0=8420
Cross,J.L. See Brombacher,W.G., 0=12429
Cross,L.G. See Makhov,G., 0=9197
Cross,L.G. See Terhune,R.W., 0=8092
Cross,W.G. and Jarvis,R.G. Scattering of 14.6 MeV neutrons by Mg, Ca, Cd, Ta and Bi, 0=7609
Crouch,M.F. Experimental measurement of the slowing-down time distribution for neutrons in water, 0=12977
Crouch,M.F. See Haynam,G.E., 0=12976
Crowder,L.H. See Radd,F.J., 0=3158
Crowe,A. Transport of energy and momentum by phonons in fluids, 0=12379
Crowe,K.M. See Abashian,A., 0=20213
Crowe,K.M. See Haddock,R.P., 0=2569
Crowe,R.W. and Devins,J.C. Sparking potential and molecular structure of unsaturated hydrocarbon gases, 0=14999

Crowe,R.W. See Devins,J.C., 0=19634
Crowell,A.D. Chemisorption of CO on Ni using a radioactive tracer, 0=14152
Crowley,P.R. See Reed,S.A., 0=12112
Crowther,R.L. and Weil,J.W. The effective cross section of Pu^{240} in long-term reactivity calculations, 0=13354
Cruickshank,D.W.J. A refinement of the structure of allokainic acid, 0=3253
Cruickshank,F.D. The design of photographic objectives of the triplet family. II. The initial design of compound triplet systems, 0=12470
Cruickshank,F.D. and Hills,G.A. Use of optical aberration coefficients in optical design, 0=5145
Crut,M.,Sweetman,D.R. and Wall,N.S. The anomalous inelastic scattering of alpha particles, 0=17606
Crut,M. and Wall,N.S. Measurement of the spin and parity of the anomalous inelastic states in Ni^{58} and Ni^{60}, 0=2620
Crutchfield,P.W., Jr. See Merzbacher,E., 0=5785
Cruvellier,P. See Courtès,G., 0=18838
Cruz,J.E. See Megill,L.R., 0=18517
Cruzan,O.R. Radiation properties of a thin wire loop antenna embedded in a spherical medium, 0=5417
Crystal,E. See Wakelin,J.H., 0=1918
Csaki,A. and Béné,G. A method of measuring T_1 by spin echos, 0=19955
Csavinszky,P. Low-temperature impurity conduction and magnetoresistivity in n-type germanium, 0=15934
Csoma,Z. The width and intensity distribution of the Compton line, 0=7717
Cubicciotti,D. Lattice energies of the alkali halides and the electron effinities of the halogens, 0=2783
Cubicciotti,D. Erratum: lattice energies of the alkali halides and the electron affinities of the halogens, 0=20741
Cuckow,F.W. Progressive lattice distortion in stressed crystal lamellae, 0=10306
Cudaback.D.D. Preliminary observations with the Stanford microwave interferometer, 0=6552
Cuelenaere,A.J. See de Vroomen,A.R., 0=18078
Cüer,P. See Magnac-Valette,D., 0=9113
Cüer,P. See Samman,A., 0=9508
Cuevas,J. See Allison,S.K., 0=19625
Cuevas,J. See Allison,S.K., 0=19626
Cuevas,M. See Fritzsche,H., 0=13595
Čujec-Dobovišek,B. The mechanism of the reaction $^{16}O(\gamma, 4\alpha)$, 0=13258
Culick,F.E.C. Comments on a ruptured soap film, 0=14608
Culligan,G. and Lipman,N.H. Fast ransistorized time-to-pulse-height converter, 0=19993
Cullity,B.D. Aligned crystals in metals, 0=11993
Cullity,B.D. See Kuczynski,G.C., 0=18395
Culpin,M.F. and Jones,D.M. Measurement of the temperature of a running thread-line, 0=3683
Culshaw,W. High resolution millimeter wave Fabry—Perot interferometer, 0=11044
Culver,R.,Pritchard,J. and Tompkins,F.C. The dipole moment and nature of the chemisorption bond, 0=18452
Culwick,B.B. See Batson,A.P., 0=1279
Culwick,B.B. See Batson,A.P., 0=9356
Cummack,C.H. "Chapman behaviour" in the lower ionosphere, 0=6447
Cummack,C.H. and King,G.A.M. Disturbance in the ionospheric F-region following the Johnston Island nuclear explosion, 0=4798
Cummerow,R.L. and Cherry,A.R. Dislocation pinning in n-type germanium, 0=1591
Cummins,W.F. and Branum,D.R. Stretcher for short counter pulses, 0=20006
Cummins,W.F. See Coensgen,F.H., 0=17000
Cummins,W.F. See Nexsen,W.E., Jr. 0=17013
Cundy,D.C.,Evans,W.H.,Hadley,D.W.,Mason,P.,Newport,R.W., Smith,J.R. and Williams,P.R. Systematic track distortion in a 10 in. diameter liquid hydrogen bubble chamber, 0=15201
Cundy,D.C. See Alston,M.H., 0=15200
Cunliffe-Jones,D. See Caldow,G.L., 0=10670
Cunnell,F.A. and Saker,E.W. Properties of the III-V compound semiconductors, 0=20923
Cunnell,F.A. and Wickham,R. Apparatus for the floating-zone refining of gallium arsenide, 0=18317
Cunningham,D.E. and Olsen,L.O. Collision processes in mixtures of mercury vapor and foreign gases, 0=13400
Cunningham,D.E. and Olsen,L.O. Collision processes in mixtures of mercury vapor and foreign gases, 0=17691
Cunningham,J. and Tompkins,F.C. Spectra of sodium and potassium azide crystals coloured by ultra-violet and X-ray radiation, 0=8008
Cunningham,J.R. See Clifford,C.E., 0=9599
Cunningham,J.R., Jr and Anderson,E.E. Samarium substitutions in yttrium iron garnet, 0=10136
Cunningham,J.R., Jr. See Anderson,E.E., 0=3089
Cunningham,J.R., Jr. See Anderson,E.E., 0=21056
Cunningham,J.R.Jr, See McDuffie,G.E.Jr, 0=10137
Cunningham,R.L.,Haymann,P.,Lecomite,C.,Moore,W.J. and Trillat,J.J. Etching of surfaces with 8-keV argon ions, 0=8173
Cuny,Y. The influence of temperature inhomogeneities on the central intensity of Fraunhofer lines, 0=12288
Cuperman,S. Search for pseudoscalar interaction in $\frac{1}{2}+ \rightarrow \frac{1}{2}-$ β-decay transition, 0=4049
Curie,D. Calculation of emission spectra by use of multi-coordinate configurational diagrams, 0=4424
Curie,D. Calculation of emission spectra in the configuration coordinate model. A simple interpretation of the results, 0=4425
Curie,D. Crystal luminescence, 0=6187
Curie,D. Theories of electroluminescence, 0=21013
Curie,G. Contribution to the study of the stimulation of phosphorescence by infrared [radiation], 0=11786
Curl,R.F., Jr and Kilpatrick,J.E. Atomic term symbols by group theory, 0=5841
Curl,R.F., Jr. See Kwei,G.H., 0=13439
Curle,N. The steady compressible laminar boundary layer, with arbitrary pressure gradient and uniform wall temperature, 0=2181
Curlee,N.J. See Henry,A.F., 0=13349
Curran,R. and Donahue,T.M. Electron capture and loss by hydrogen atoms in molecular hydrogen, 0=11502
Curran,S.C. See Drever,R.W.P., 0=17132
Current,J.H.Raper,O.F.Kramer,H.H. and Bair,E.J. Stroboscopic flash source for kinetic spectroscopy, 0=10778
Current,J.H. See Rabinovitch,B.S., 0=4711
Currie,B.W. See Kim,J.A., 0=18507
Currie,D.R. and Kreielsheimer,K.S. A double field mill for the measurement of potential gradients in the atmosphere, 0=21320
Curry,E.T.,Fay,T.H., Jr and Hutton,C.L. Experimental study of the relative intelligibility of alphabet letters, 0=16507
Currie,J.A. Gaseous diffusion in porous media. I. A non-steady state method, 0=14692
Currie,J.A. Gaseous diffusion in porous media. II. Dry granular materials, 0=14693
Currie,M.R. See Mueller,W.M., 0=1156
Currin,C.G. Effects of gamma radiation at 25°C on silicone dielectrics, 0=2173
Curry,M.A.,Legvold,S. and Spedding,F.H. Electrical resistivity of europium and ytterbium, 0=6080
Curry,N.A. See Bacon,G.E., 0=4660
Curry,T.R. See Chait,H.N., 0=3832
Curtain,C.C. Photoelectric comparator for Rayleigh fringe electrophoresis patterns, 0=10748
Curti,R. and Riganti,V. Crystallographic data for 5-oxiphenazine, 0=4662
Curtis,C.D. See Harrison,G.R., 0=5749
Curtis,E.C. See Frost,A.A., 0=17829
Curtis,G.W. See Newkirk,G.A., 0=4897
Curtis,O.L., Jr and Cleland,J.W. Monoenergetic neutron irradiation of germanium, 0=6109
Curtiss,C.F. See Hollinger,H.B., 0=19194
Curtiss,C.F. See Livingston,P.M., 0=3558
Curzon,F.L.,Folkierski,A.,Latham,R. and Nation,J.A. Experiments on the growth rate of surface instabilities in a linear pinched discharge, 0=19655
Curzon,F.L. See Latham,R., 0=15012
Cusack,N. and Enderby,J.E. A note on the resistivity of liquid alkali and noble metals, 0=7909
Cusack,N. and Kendall,P. A note on the viscosity and resistivity of liquid gallium, 0=12419
Cusack,N.E. and Enderby,J.E. Some properties and problems of the liquid state, 0=933
Cushner,S.H. Combined optical—microwave system considerations, 0=14812
Cushing,R.L. See Davies,J.A., 0=19804
Cutkosky,R.E. Interaction of static nucleons, 0=2536

Cutkosky,R.E. Some applications of the generalised unitarity relation, 0=15254
Cutkosky,R.E. Singularities and discontinuities of Feynman amplitudes, 0=17216
Cutkosky,R.E. See Young,H.D., 0=5620
Cutler,D. See Powles,J.G., 0=8672
Cuzzocrea,P.,Pappalardo,G. and Ricamo,R. Cross section for $^{31}P(n,p)^{31}Si$ reaction up to 5 MeV, 0=15601
Cvelbar,F. See Cilenšek,E., 0=12642
Cvelbar,F. See Cilenšek,E., 0=15084
Cvelbar,F. See Colli,L., 0=1439
Cvelbar,F. See Colli,L., 0=1442
Cvelbar,F. See Colli,L., 0=5792
Cvetanović,R.J. Temperature dependence of the rates of addition of oxygen atoms to olefins, 0=21273
Cybulska,E.W. and Marquez,L. The decay of ^{44}Ti, 0=1388
Cybulska,E.W. and Marquez,L. Gamma rays in the decay of ^{141}Nd, 0=5727
Cyvin,S.J. Mean amplitudes of vibration of the benzene ring, 0=5909
Cyvin,S.J. Vibrational mean-square amplitude matrices. VII. Treatment of tetrahedral XY_4 molecules, 0=17729
Czajkowski,M. See Bączyński,A., 0=3537
Czanderna,A.W. and Honig,J.M. The composition, resistivity, and thermoelectric power of cerium oxides below 500°C, 0=606
Czarnecki,S. Spectral analysis of acoustic waves in the transistory region in a closed chamber, 0=14773
Czekalla,J.,Briegleb,G. and Herre,W. Fluorescence and absorption spectra of molecular compounds in glassy solutions at low temperatures, 0=3262
Czekalla,J.,Briegleb,G.,Herre,W. and Vahlensieck,H.J. Phosphorescence spectra and decay times of aromatic hydrocarbons and their donor acceptor complexes, 0=662
Czerwonko,J. Asymptotic behaviour of higher factorial moments of electron—photon cascades at large depths, 0=5545
Czerwonko,J. Equations for multi-component lattice gas (one parameter theory), 0=6009
Cziffra,P. and Moravcsik,M.J. Determination of the pion—nucleon coupling constant from n—p scattering angular distribution, 0=1297
Czirr,J.B. See Haddock,R.P., 0=2569
Czyz,W.,Ericson,T. and Glashow,S.L. A new model for multiple meson production at high energies, 0=3979
Czyzak,S.J. See Reynolds,D.C., 0=1584

Dabbs,J.W.T.,Roberts,L.D. and Parker,G.W. Alpha-particle and fission anisotropies from oriented actinide nuclei, 0=11341
Dabbs,J.W.T. See Walter,F.J., 0=12725
Dabrowski,J. and Sawicki,J. The medium and high energy optical model and the correlations in the nuclear wave function, 0=4086
Dacey,G.C. See Batdorf,R.L., 0=11703
Dacey,G.C. See Batdorf,R.L., 0=11714
Dachille,F. and Glasser,L.S.D. High pressure forms of BPO_4 and $BAsO_4$; quartz analogues, 0=3231
Dachselt,W.D. and Pfefferkorn,G. Growth of cupric oxide needles and the determination of their rate of growth, 0=16277
Dadda,L. Circuits to increase the speed of carry propagation in parallel adders, 0=16512
Daehnick,W.W. Neutron polarization in the reaction $D(d,n)He^3$ at E_d = 8.2 MeV, 0=443
Dael,W.van. See van Dael,W.
Dagai,M.,Lecomte,J. and Rastoix,G. The proton synchrotron "Saturne". Magnetic triggering of the integrator, 0=2412
Dagai,M. See Consoli,T., 0=7112
Dagai,M. See Consoli,T., 0=7113
Dagens,L. See Coste,J., 0=12635
Dagg,I.R. See Embleton,T.F.W., 0=5106
Dagg,M. The origin of the ionospheric irregularities responsible for radio-star scintillations and spread-F—I. Review of existing theories, 0=769
Dagg,M. The origin of the ionospheric irregularities responsible for radio-star scintillations and spread-F—II. Turbulent motion in the dynamo region, 0=770
Dagley,P.,Grace,M.A.,Gregory,J.M. and Hill,J.S. Nuclear alignment of manganese-56, 0=9515
Daglish,H.N. Passage of current through the glass envelope of a receiving-type valve, 0=17036
Daglish,H.N. See Conn,G.K.T., 0=19230
Dahl,O.,Horwitz,N.,Miller,D. and Murray,J. Production of Σ^0 and Λ hyperons by Σ^- capture in deuterium, 0=5617
Dahl,O,Horwitz,N,Miller,D. and Murray,J. Upper limit for production of Σ^-n hyper-fragments by K^- capture in deuterium, 0=11327
Dahlborg,U. See Larsson,K.E., 0=7387
Dahler,J.S. and Hirschfelder,J.O. "Improved" free-volume theory of liquids. II, 0=3508
Dahler,J.S. See O'Toole,J.T., 0=6698
Dahler,J.S. See O'Toole,J.T., 0=18977
Dahler,J.S. See O'Toole,J.T., 0=19195
Dahl-Jensen,E. See Hooper,J.E., 0=15211
Dahmouch,E.S. See Lamble,J.H., 0=4398
Dai,Y.B.,Ho,T.H. and Tzu,H.Y. The effect of the structure of the nucleon on the capture of μ-meson by proton, 0=356
Daich,A.R.,Tsirlin,Yu.A. and Pargamanik,L.É. Passage of light through optical waveguides, 0=14807
Dainton,F.S. See Collinson,E., 0=18438
Daion,M.I. and Volynskii,V.Kh. Measurement of the momenta of fast charged particles and investigation of nuclear interactions in the 10^{10}-10^{12} eV energy range, 0=12805
Daion. See Dayon,M.I.
Dakin,T.W. and Berg,D. Luminous spots on electrodes in insulating oil gaps, 0=3541
Dalby,E.W. See Bennett,R.G., 0=7777
Dalby,F.W. See Bennett,R.G., 0=15698
Dalby,F.W. See Dayton,I.E., 0=15754
Dalgarno,A. The altitudes and excitation mechanisms of the night airglow, 0=4806
Dalgarno,A. Perturbation theory for atomic systems, 0=9729
Dalgarno,A. The correlation energies of the helium sequence, 0=9739
Dalgarno,A. Low energy stopping power of atomic hydrogen, 0=9755
Dalgarno,A. See Arthurs,A.M., 0=19620
Dalgarno,A.,Davison,W.D. and Stewart,A.L. The quadrupole polarizabilities and nuclear shielding factors of the helium sequence, 0=20545
Dalgarno,A. and Griffing,G.W. Energy per ion pair for electron and proton beams in atomic hydrogen, 0=8984
Dalgarno,A. and Parkinson,D. The polarizabilities of atoms from boron to neon, 0=9736
Dalgarno,A.,Patterson,T.N.L. and Somerville,W.B. The hyperfine structure of the hydrogen molecular ion, 0=20647
Dalgarno,A. and Stewart,A.L. A perturbation calculation of oscillator strengths of HeH^{2+}, 0=7740
Dalgarno,A. and Stewart,A.L. The relativistic and radiative corrections to the eigenvalues of the helium sequence, 0=9740
Dalgarno,A. and Stewart,A.L. The screening approximation for the helium sequence, 0=20546
Dalgarno,A. See Arthurs,A.M., 0=20609
Dalitz,R.H. Strange particle decay processes and the Fermi interaction, 0=386
Dalitz,R.H. and Liu,L. Pionic decay modes of light Λ hypernuclei, 0=2629
Dalitz,R.H. and Tuan,S.F. The energy dependence of low energy K^-—proton processes, 0=379
Dalitz,R.H. and Tuan,S.F. The phenomenological representation of $\bar{K}$—nucleon scattering and reaction amplitudes, 0=15435
Dalkhazhav,N. See Barachenkov,V.S., 0=4088
Dallaporta,N. Some aspects of the problem of the heavy unstable particles, 0=7420
Dallaporta,N. and De Santis,V. Hyperchange independence of K interactions, 0=5605
Dallaporta,N. and Pandit,L.K. Baryon mass-differences and symmetries of strong interactions, 0=17226
Dallaporta,N. and Toyoda,T. On the transformation properties of strong interactions, 0=1244
Dalton,A.W.,Kirk,A.,Parry,G. and Scott,H.D. The $^{51}V(d,p)^{52}V$ reaction, 0=7577
Dalven,R. Absorption edge in β-silicon carbide, 0=16062
Daly,N.R. Scintillation type mass spectrometer ion detector, 0=7260
Daly,N.R. High sensitivity mass spectrometer leak detector, 0=12439
Dam,P. See Bjørnholm,S., 0=19843
Damany,H. Electrical conductivity of thin films of gold deposited on a substrate of silicon, 0=7911
Damany,S. See Robin-Kandare,S., 0=19423

amany-Astoin,N.,Sanson,L. and Bonnelle,M.C. On the absorption spectra of carbon dioxide in the extreme ultraviolet, 0=7781
amask,A.C. and Dienes,G.J. The production of vacancy clusters during cold work, 0=17953
amask,A.C. and Dienes,G.J. Theory of vacancy annealing in impure metals, 0=17957
amašková,S. Course of electroluminescence of ZnS:Cu,
amburg,R. and Kravchenko,V. Strong-coupling estimate of the effective cross-section for electrons scattered by alkali elements, 0=13254
amburg,R. See Veldre,V., 0=4164
amburg,R. See Veldre,V. 0=4165
amburg,R.Ya. and Kravchenko,V.Ya. Excitation of hydromagnetic waves in a plasma by a moving charge, 0=5325
amburg,R.Ya. Flow of a viscous conducting liquid round an infinite cylinder in the presence of a magnetic field, 0=5387
D'Amico,C. See Hagstrum,H.D., 0=8726
amle,R.V. See Bhide,V.G., 0=11740
amle,R.V. See Bhide,V.G., 0=18092
amle,R.V. See Bhide,V.G., 0=18093
ämmig,P. Measurement of the diffusivity of sound fields by means of correlation, 0=14771
Dämmig,P. See Naake,H.J., 0=16682
Dämmig,P. See Naake,H.J., 0=16683
Dämmig,P. See Venzke,G., 0=19346
Damon,K.R. See Hinteregger,H.E., 0=10451
Damon,R.W. and Eshbach,J.R. Magnetostatic modes of a ferromagnetic slab, 0=10193
Damon,R.W. See Eshbach,J.R., 0=11817
Dana,L.I. and Zenner,G.H. Phase equilibria compositions of mixtures of carbon dioxide, oxygen, and nitrogen, 0=8709
Danan,H. The interpretation of magnetization measurements for pure iron and nickel polycrystals in the neighbourhood of saturation, 0=13807
Dancy,W.H.,Jr. See Parker,H.M., 0=3080
Dandy,D. See Deuchars,W.M., 0=15598
Danelyan,L.S. See Erozolimsky,B.G., 0=4135
Danelyan,L.S. See Pevzner,M.I., 0=4123
Danford,M.D. See Levy,H.A., 0=3193
Danford,M.D. See Levy,H.A., 0=4247
Danforth,W.E. and Goldwater,D.L. Density of a thorium monolayer for maximum thermionic emission, 0=17026
D'Angelo,N. Excited levels in Mn^{56}, 0=4024
Dani,R.H. See Bhide,V.G., 0=11740
Daniel,A.F. Solar batteries, 0=14950
Daniel,E. On the use of the positron for studying the electronic structure of metals, 0=2776
Daniel,E. The Knight shift of impurities in metals, 0=4525
Daniel,E. Effect of impurities on the electronic density in metals. I, 0=13511
Daniel,E. Effect of impurities on the electronic density in metals. II, 0=13512
Daniel,E. On the resistivity and Knight shift of liquid alloys of sodium, 0=16693
Daniel,E. See Blandin,A., 0=4526
Daniel,E. See Blandin,A., 0=16186
Daniel,E.D. and Levine,I. Experimental and theoretical investigation of the magnetic properties of iron oxide recording tape, 0=2222
Daniel,E.D. and Levine,L. Determination of the recording performance of a tape from its magnetic properties, 0=3592
Daniel,H. Theory of a high-resolution beta-ray spectrometer with high luminosity, 0=7162
Daniel,H. The decay of Ta^{182}, 0=9565
Daniel,H. and Eakins,G.W. Beta-gamma directional correlation in the decay of Co^{60} and Na^{22}, 0=7515
Daniel,H. and Laslett,L.J. Theory of a high dispersion double focusing beta-ray spectrometer, 0=19759
Daniel,H.,Schupp,G. and Jensen,E.N. Continuous electron spectrum accompanying K capture, 0=5710
Daniel,H. See Schupp,G., 0=17546
Daniel,R.R.,Kameswara Rao,N.,Malhotra,P.K. and Tsuzuki,Y. Some characteristics of inelastic proton—nucleon collisions produced by protons of energy 6.2 GeV in nuclear emulsions, 0=12923
Daniel,R.R.,Lavakare,P.J. and Aditya,P.K. A method for detecting the possible existence of high energy deuterons in the primary cosmic radiation, 0=20258
Daniel,T.B. and Stump,R. Positron annihilation in helium, 0=1274
Daniel,T.B. See Bryant,P.J., 0=3181
Daniel-Szabó,J. See Hajko,V., 0=3021
Daniels,F.B. Radar determination of the scattering properties of the moon, 0=18651
Daniels,F.B.,Bauer,S.J. and Harris,A.K. Vertically traveling shock waves in the ionosphere, 0=16773
Daniels,F.B. See Bauer,S.J., 0=10415
Daniels,J.M. and Farach,H.A. "Spin-flip narrowing" of paramagnetic resonance lines, 0=4510
Daniels,J.M. and LeBlanc,M.A.R. Some observations on nuclear alignment in cobalt metal, 0=4285
Daniels,J.M. and Rieckhoff,K.E. Spin lattice relaxation in neodymium ethylsulphate at liquid helium temperatures, 0=10232
Daniels,J.M. and Wesemeyer,H. The influence of paramagnetic resonance saturation on the Faraday effect, 0=10216
Daniels,W.B. Pressure variation of the elastic constants of sodium, 0=13904
Daniels-Hunt,B.,Chopra,K.L. and Brown,J.B. Acoustic streaming in liquid helium, 0=8906
Danielson,G.C. See Wallace,D.C., 0=1558
Danielson,R.E. An attempt to detect energetic gamma radiation from the sun, 0=16460
Danikin,I.S. and Rabinovich,M.S. Resonant perturbations of synchrotron oscillations in heavy-particle accelerators, 0=9126
Danilov,V.I. and Savchenko,O.V. Method of focusing charged particles from an accelerator, 0=1166
Danil'yan,G.V. See Burgov,N.A., 0=11431
Danjon,A. Problems of dividing accurately the circules of meridan instruments, 0=12242
Danjon,A. Observation on the astrolabe of fundamental stars of both hemispheres, 0=12294
Dannberg,W. On the rotational choice of rays to be traced through an optical system, 0=5146
Dannecker,A.,Kiefer,H. and Maushart,R. The measurement of low α and β activity in water, 0=5691
Dannenberg,H.,Forbes,J.W. and Jones,A.C. Infrared spectroscopy of surface coatings in reflected light, 0=6925
Dannhauser,W. Temperature dependence of dielectric constant, 0=6797
Danno,A. See Yahagi,K., 0=9949
Danti,A.,Lafferty,W.J. and Lord,R.C. Far infrared spectrum of trimethylene oxide, 0=17755
Danti,A. See Plyer,E.K., 0=6938
Danysh,M.Ya. See Bannik,B.P., 0=7546
Danysh,M.Ya. See Gramenitskii,I.M., 0=1401
Dar,Y. See Blaugrund,A.E., 0=20397
D'Arcy,R.G. See Brown,R.R., 0=1339
Darden,S.E.,Kelsey,C.A. and Donoghue,T.R. Polarization of 1.0 MeV neutrons scattered from deuterium, 0=11180
Darevskii,V.M. and Kshnyakin,R.I. Stability of a cantilever cylindrical shell with strengthened edges, under external pressure, 0=12387
Darevskii,V.M. and Kshnyakin,R.I. Stability of a cylindrical shell, strengthened with rings, under action of external pressure, 0=19013
Darevskii,V.M. and Kukudzhanov,S.N. Stability of an anisotropic cylindrical shell under torsion, with an internal pressure, 0=700
Darling,W.R. See Washer,F.E., 0=3610
Darling,W.R. See Washer,F.E., 0=3611
Darovkikh,V.F. See Perfilov,N.A., 0=12736
Darovskikh,V.F.,Kocherov,N.P. and Perfilov,N.A. Fragmentation of bismuth nuclei, 0=9623
Darovskikh,V.F. See Perfilov,N.A., 0=13297
Darrieus,G. Langevin's paradox of the traveller and special relativity, 0=18916
Darwin,C. The gravity field of a particle, 0=2101
Das,A. On the geometization of electromagnetism, 0=2430
Das,A. On the p—p scattering at high energies, 0=5558
Das,A. The artificial satellite and the relativistic red shift, 0=14505
Das,A.K. and Narayana,J.V. Momentary bursts of cosmic radiation, 0=20268
Das,J.N. Study of rectifying characteristics of FeS_2 and germanium point contact rectifiers, 0=612
Das,J.N. On variation of magnetic susceptibility with temperature of pyrolusite (polycrystalline ore of MnO_2), 0=10186
Das,M.B. and Boothroyd,A.R. On the determination of the minority carrier lifetime in the base region of transistors, 0=15980
Das,S.C. Comparison of flow lines in various types of rheological bodies, 0=3161

Das,T.P. and Bersohn,R. Electric and magnetic properties of the hydrogen molecule, 0=508
Das,T.P. See Pomerantz,M., 0=11960
Das,Y.C. See Hsiao,C.C., 0=11980
Das Gupta,K. Smekal—Raman type modified X-ray scattering, 0=347
Das Gupta,S.R. On the solution of transport equation for neutron diffusion in the Milne—Eddington model, 0=16633
Das Sarma,J.M. Band spectrum of manganese oxide (MnO), 0=2768
Dascola,G.,Lamborizio,C.,Mora,S. and Ortalli,I. Emission of hyperfragments in capture stars of negative hyperons at rest, 0=15525
Dascola,G. See Quareni,G., 0=7417
Dasgupta,D.R. and Mackay,A.L. β-ferric oxyhydroxide and green rust, 0=21198
Dasgupta,P. and Vij,K.K. Statistical analysis of fading of a single down-coming wave, 0=17121
Dasgupta,S. See Skribljak,M., 0=3237
Das Gupta,S.R. On the exact solution of transfer equation in the Milne—Eddington model: scattering according to Rayleigh phase function, 0=16634
Das Gupta,S.R. On the exact solution of transfer equation in the Milne—Eddington model: Conservative grey isotropic scattering, 0=19001
Dash,J.G. Viscosity of liquid helium II near the lambda point, 0=8904
Dash,J.G.,Taylor,R.D.,Craig,P.P.,Nagle,D.E.,Cochran,D.R.F. and Keller,W.E. Mössbauer effect in Fe^{57} at very low temperatures, 0=17489
Dash,J.G. See Craig,P.P., 0=411
Dash,J.G. See Nagle,D., 0=11312
Dash,W.C. Improvements on the pedestal method of growing silicon and germanium crystals, 0=12006
Da Silva,A.G. See De Carvalho,H.G., 0=12755
Da Silva,A.G. See De Carvalho,H.G., 0=12759
Da Silva,A.G. See De Carvalho,H.G., 0=12762
DaSilva,E.M. Evaporation source with controlled characteristics, 0=16361
Dassault,P. On the ballistic waves generated by supersonic aeroplanes in level flight, 0=992
Date,M. See Haseda,T., 0=21028
Datta,R.N. See Datta,S., 0=16431
Datta,R.N. See Datta,S., 0=16448
Datta,S. A note on the motion of viscous fluid subjected to uniform or periodic body force acting for a finite time, 0=6744
Datta,S. A note on stress waves in visco-elastic rod, 0=14714
Datta,S.,Bandyopadhyay,P. and Datta,R.N. Ionospheric observations on the F-region during the solar eclipse of 19 April, 1958, 0=16448
Datta,S. and Datta,R.N. Gyro-frequency in the ionospheric regions, 0=16431
Datta,S.K. Note on forced torsional vibration of a visco-elastic circular cylinder, 0=19250
Datta,S.K. See Bose,A., 0=1778
Datta,S.K. See Kamb,W.B., 0=16319
Datz,S.,Minturn,R.E. and Taylor,E.H. Thermal positive ion emission and the anomalous flicker effect, 0=9094
Datz,S. See Minturn,R.E., 0=9093
Datzeff,A. The interpretation of quantum mechanics. Case of the presence of an electromagnetic field, 0=5471
Datzeff,A. On the interpretation of quantum mechanics. Case of relativistic velocity of a spinless particle, 0=7268
Datzeff,A. On the physical meaning of the special theory of relativity, 0=16575
Datzeff,A.B. An interpretation of quantum mechanics. I. A new hypothesis. Qualitative effects, 0=17212
Datzeff,A.B. A case of gas dynamics, 0=19190
Daub,G.H. See Birkeland,S.P., 0=16710
Dauben,C.H. See Templeton,D.H., 0=10312
Daudel,R. The calculations of molecular wave-functions, 0=9777
Daudel,R. A simple presentation of some general results in quantum chemistry, 0=9778
Daudel,R. See Bratoz,S, 0=17836
Daudin,A. See Berthelot,A., 0=4090
Daune,M. See Klenine,S., 0=12111
Däunert,U. See Eder,F.X., 0=8097
Daunt,J.F. See Brewer,D.F., 0=8879
Daunt,J.G. Liquid helium-3, 0=8859
Daunt,J.G. See Brewer,D.F., 0=223
Daunt,J.G. See Brewer,D.F., 0=224
Daunt,J.G. See Brugger,K., 0=10098
Daunt,J.G. See Sreedhar,A.K., 0=5321
Dauphinee,T.M.,Kirby,C.G.M. and Preston-Thomas,H. Direct reading resistance thermometer bridge. II, 0=7004
Dauphinee,T.M. and Preston-Thomas,H. Direct reading resistance thermometer bridge. I, 0=7003
Dauphinee,T.M. See Preston-Thomas,H., 0=10628
Dauscher,R.,Fischer,E.W. and Stuart,H.A. Light scattering in crystalline high polymers; studies on spherulites with ring-structure, 0=14053
Dautcourt,G. On the solution of the Einstein equation $g_{\mu\nu};\ \rho = o$, 0=876
Dautov,R.A. See Korepanov,V.D., 0=12428
Dautova,L.I. See Presnyakov,A.A., 0=13496
Dautreppe,D. See Bonnet,G., 0=12663
Dautreppe,D. See Cassayre,C., 0=20864
Dautreppe,D. See Paulevé,J., 0=13769
Dauvillier,A. Cathodic sputtering and cometary nuclei, 0=12276
Dauvillier,A. See Bureau,R., 0=6595
Dave,J.V. On the intensity and polarisation of the light from the sky during twilight, 0=4804
Davern,W. See Dubout,P., 0=16787
Davey,J.E. See Ostriker,J.P., 0=14900
David,B. See Challande,R., 0=8365
David,E.E.,Jr. See Guttman,N., 0=18538
David,E.E.,Jr. See Schodder,G.R., 0=21406
David,H.G. and Ewald,A.H. Photographic observations on shock waves in liquids, 0=19127
David,J.P. Attempts to explain theoretically the variations of certain optical properties of very thin metallic layers as a function of various parameters, 0=8801
David,J.P. and Tortosa,J. Description of an experimental arrangement allowing the study, under vacuum, of the optical properties of thin metallic films, 0=19422
David,J.P. See Dumontet,P., 0=6392
David,R. See Guptill,E.W., 0=8870
Davidenko,V.A.,Pogrebov,I.S. and Saukov,A.I. The shape of the excitation curve for the T(d,n)^{4}He reaction, 0=7576
Davidenkov,N.N. and Bozhokina,I.A. A mechanical criterion of cold-brittleness, 0=16240
Davidenkov,N.N. and Brainin,E.I. The nature of "flow areas" in metals, 0=6305
Davidenkov,N.N. and Brainin,É.I. The nature of shear formation in the flow area of metals, 0=21128
Davidenkov,N.N. and Efimova,I.S. Effect of the surface condition (finish) on cold brittleness, 0=6317
Davidge,P.C. and Lock,C.J.L. Neutron poison by gaseous fission products, 0=7665
Davidson,D.F. See Bentley,P.G., 0=3812
Davidson,F.G. See Crawshaw,J.K., 0=5041
Davidson,G.,Ozaki,S. and Weinstein,R. Use of oxide-coated cathodes in high current electron accelerators, 0=2378
Davidson,N. See Duff,R.E., 0=1957
Davidson,N.R. See Cole,T. 0=503
Davidson,P.M. Theory of the temporal growth of ionization in gases, involving the action of metastable atoms and trapped radiation, 0=2315
Davidson,T.W. See Bullough,K., 0=797
Davidson,W. Steady-state cosmology treated according to general relativity, 0=16523
Davidson,W. Number count relations in observational cosmology, 0=18604
Davidson,W. Angular measurements in observational cosmology, 0=18605
Davidson,W. and McCrea,W.H. Interpretation of cosmology, 0=18606
Davies,D.A. Two thermocouples suitable for measurement of temperatures up to 2800°C, 0=7006
Davies,D.E. and Fitch,R.K. Influence of the cathode work function on the sparking potential in hydrogen, 0=5329
Davies,D.E. and Hopkins,B.J. Cathode work function, sparking potentials and secondary ionization coefficients for oxide-coated cathodes in hydrogen, 0=5328
Davies,D.E. and Milne,J.G.C. First ionization coefficients in hydrogen, neon and argon, 0=5271
Davies,D.R. and Corbridge,D.E.C. The crystal structure of sodium triphosphate, $Na_5P_3O_{10}$, phase II, 0=8222
Davies,D.W. Separation theorem for degenerate eigenvalues, 0=16603

Davies,E.A. The interphase surface energy in some pure and impure superconductors, 0=7028
Davies,F.J. and Reinhardt,P.W. Instrumentation in aircraft for radiation measurements, 0=12723
Davies,G. See Sitte,K., 0=11241
Davies,G.R. and Chagnon,P.R. High energy, high current synchrotron injector, 0=3823
Davies,H. On the convergence of the Born approximation, 0=3932
Davies,J.A.,McIntyre,J.D.,Cushing,R.L. and Lounsbury,M. The range of alkali metal ions of kiloelectron volt energies in aluminum, 0=19804
Davies,J.G.,Evans,J.V.,Evans,S.,Greenhow,J.S.,Hall,J.E., Neufeld,E.L. and Thomson,J.H. Radar observations of the second Russian earth satellite (Sputnik II 1957β), 0=8528
Davies,J.G. and Lovell,A.C.B. Observations of the Russian moon rocket Lunik II, 0=3428
Davies,J.T. and Wiggill,J.B. Diffusion across the oil/water interface, 0=8656
Davies,K. A study of 2 Mc/s ionospheric absorption measurements at high latitudes, 0=16429
Davies,K. The effect of the earth's magnetic field on m.u.f. calculations, 0=17119
Davies,K. See Agy,V., 0=3345
Davies,K. See Chapman,S., 0=2009
Davies,L.W. Recombination radiation from hot electrons in silicon, 0=2887
Davies,M.,Williams,G. and Loveluck,G.D. The relaxation times of polyethylene glycols, 0=14656
Davies,M. See Clemett,C., 0=4385
Davies,R.D. Twenty-one-cm studies of some interstellar clouds, 0=8478
Davies,R.D. On the nature of the Cygnus-X radio source as derived from observations in the continuum and at the hydrogen-line frequency, 0=18666
Davies,R.D. A study of neutral hydrogen in the solar neighbourhood of the Milky Way, 0=18828
Davies,R.D. and Jennison,R.C. Red-shift absorption spectrum of the Cygnus-A radio source, 0=4868
Davies,R.G. See Cahn,R.W., 0=21241
Davies,R.O. Some theorems on the perturbation of Brownian motion, 0=8563
Davies,R.O. and Parke,S. A generalization of Grüneisen's theory of solids and its application to solid argon, 0=15798
Davies,R.O. See Dévis,R.,
Davies,W. Thermal transients in graphite—copper contacts, 0=7066
Davies,W. Thermal transients in graphite—copper contacts, 0=16966
Davis,C.F. See Strandberg,M.W.P., 0=10215
Davis,C.M., Jr and Ferebee,S.F. Effect of composition and processing on the activity of some magnetostrictive materials, 0=3064
Davis,D.D. and Bozorth,R.M. Magnetic properties of thulium metal, 0=11811
Davis,D.D. See Bozorth,R.M., 0=1776
Davis,D.D. See Bozorth,R.M., 0=11844
Davis,D.D. See Bozorth,R.M., 0=16956
Davis,D.D. See Bozorth,R.M., 0=19564
Davis,D.D. See Geller,S., 0=11895
Davis,D.F.,Kwak,N. and Kaplon,M.F. K^+ scattering in the energy range 100-250 MeV, 0=5607
Davis,D.F.,Kwak,N. and Kaplon,M.F. K^--meson elastic scattering by emulsion nuclei, 0=5608
Davis,D.G.,Hanna,R.C.,Heymann,F.F. and Whitehead,C. An experimental test of parity conservation in π^0-meson production by neutrons, 0=15411
Davis,D.H. Monte Carlo calculation of molecular flow rates through a cylindrical elbow and pipes of other shapes, 0=12431
Davis,D.H.,Jones,B.D. and Zakrzewski,J. The inelastic scattering of Σ^+ hyperons with emulsion nuclei, 0=2595
Davis,D.H. See K^--collaboration, 0=1308
Davis,D.H. See K^--Collaboration, 0=15430
Davis,D.S. Estimation of Prandtl numbers, 0=6740
Davis,H.L. New method for treating the antiferromagnetic ground state, 0=18208
Davis,H.L. See Beam,J.E., 0=20603
Davis,H.L. See Brugger,K., 0=10098
Davis,H.M. and Lockwood,W.H. A photoelectric device for setting a measuring microscope, 0=10753
Davis,H.M. See Garton,E.W.J. (Conf. rep.), 0=8342
Davis,J.,Greenhow,J.S. and Hall,J.E. Combined photographic and radio echo observations of meteors, 0=8480
Davis,J.,Greenhow,J.S. and Hall,J.E. The effect of attachment on radio echo observations of meteors, 0=8481
Davis,J. See Walker,W.D., 0=13022
Davis,J.I. See Schmidt,L.W., 0=14951
Davis,J.L.,Devlin,G.E.,Jaccarino,V. and Schawlow,A.L. Structure-sensitivity of the high-frequency N.M.R. [F^{19}] in powdered antiferromagnetic MnF_2, 0=3107
Davis,L.,Jr. The origin of cosmic rays, 0=4008
Davis,M.V. The Doppler coefficient of U^{235} fuel elements, 0=15625
Davis,P.F. Thermomagnetic behavior of ferromagnetic domain nuclei, 0=11846
Davis,P.F. See Bates,L.F., 0=4488
Davis,P.W. and Shilliday,T.S. Some optical properties of cadmium telluride, 0=10028
Davis,R.H. Nuclear band structure in Sc^{44}, 0=1365
Davis,R.H. Grazing collisions of complex nuclei, 0=13253
Davis,R.J. See Whipple,F.L., 0=14439
Davis,S.P. Hyperfine structure, Zeeman effects, and separation of lines in terbium spectra, 0=17714
Davis,T.P. See DeMott,D.W., 0=8454
Davis,W.C. and Campbell,A.W. Ultra-high-speed photographs refuting "Cohesion in plasma", 0=12457
Davis,W.P.,Jr. Rate meter construction project, 0=17174
Davison,B. Multilayer problems in the multigroup spherical harmonics method, 0=1284
Davison,B. Effective thermal diffusion length in a sandwich reactor, 0=7662
Davison,B. On the rate of convergence of the spherical harmonics method. (For the plane case, isotropic scattering), 0=20148
Davison,R.M. See Cornwall,J.B., 0=18447
Davison,W.D. See Dalgarno,A., 0=20545
Davisson,R.J. See Pine,J., 0=13088
Davitashvili,T.Sh. Automatic recording of a thermoluminescence curve, 0=4467
Davoine,F. See Bernard,R., 0=1763
Davȳdov,A.S. Intensity rules for beta transitions to different rotational states of even—even daughter nuclei, 0=9578
Davȳdov,A.S. Rotational states of odd nuclei without axial symmetry, 0=11317
Davydov,A.S. Coupling of nuclear rotation and motion of the outer nucleon, 0=11319
Davȳdov,A.S. and Filippov,G.F. The shape of even—even nuclei, 0=9503
Davȳdov,A.S. and Filippov,G.F. Collective excitations of [axially-symmetric] even—even atomic nuclei, 0=15521
Davȳdov,A.S.,Rabotnov,N.S. and Chaban,A.A. Rotational energy and moments of inertia of nonaxial nuclei, 0=13119
Davydov,A.S.,Rabotnov,N.S. and Chaban,A.A. Rotational energies and moments of inertia of non-axial nuclei, 0=17476
Davȳdov,A.S. and Rostovskii,V.S. Transition probabilities between the levels of the rotational band of non-axial nuclei, 0=11318
Davȳdov,A.V. See Burgov,N.A., 0=13180
Davȳdov,B.I. Phenomenological equations of statistical dynamics of an incompressible turbulent liquid, 0=68
Davȳdov,B.I. Statistical dynamics of turbulent [flow of an] incompressible liquid, 0=926
Davȳdov,B.I. Contribution to the statistical theory of turbulence, 0=927
Day,T.B.,Snow,G.A. and Sucher,J. K^-—deuteron scattering and the K^-—nucleon scattering lengths, 0=13051
Daw,A.N. See Deb,S., 0=19919
Dawson,E.F. and Young,N.O. Helical Kerr cell, 0=2256
Dawson,I.M. and Follett,E.A.C. An electron microscope study of synthetic graphite, 0=10343
Dawson,J.B. Test-tube adaptor for use in optical density measurements, 0=14783
Dawson,J.B. See Ewles,J. 0=11627
Dawson,J.M. Plasma oscillations of a large number of electron beams, 0=9050
Dawson,W.K. See Neilson,G.C., 0=2552
Day,E.A. See Kerst,D.W., 0=19837
Day,J.W.B. See James,J.C., 0=8408
Day,M.C.,Hulett,L.D. and Willis,D.E. Counter torque quartz fiber adaptation of the Curie—Chéneveau type magnetic balance, 0=19872

Day,R.B. and Walt,M. Gamma rays from neutron inelastic scattering in B^{10}, F^{19}, and Fe^{56}, 0=7605
Day,S.M. and Squire,C.F. Nuclear relaxation in KI at liquid helium temperatures, 0=4533
Day,T.B.,Rodberg,L.S.,Snow,G.A. and Sucher,J. Determination of K^+–n, P-wave phase shifts from K^+–d reactions, 0=17418
Day,T.B. and Snow,G.A. Capture of K^- mesons from high S orbitals in helium, 0=17671
Day,T.B.,Snow,G.A. and Sucher,J. K^-—nucleon scattering lengths and the K^-—d scattering reactions, 0=1311
Day,T.B.,Snow,G.A. and Sucher,J. High-orbital S-state capture of π^- mesons by protons, 0=9417
Day,T.B. See Sucher,J., 0=342
Dayal,B. and Mathur,S.C. Structure of morellin, 0=8241
Daybell,M. See Gomez,R., 0=17363
Dayhoff,E.S. Will photoelectrons from magnetic metals be polarized 0=2379
Dayhoff,E.S. See Kerns,D.M., 0=7224
Dayon,M.I. [Daion] and Potapov,L.I. μ-meson spectrum at a depth of ~40 m water equivalent. Measurement of the mass of cosmic radiation particles below the surface of the earth. 0=9457
Dayton,I.E.,Dalby,F.W. and Bennett,R.G. Radiative lifetime of the $B^2\Sigma^+$ state in N_2O^+, 0=15754
Dayton,I.E. and Pettus,W.G. The effective resonance integral of thorium and thorium oxide, 0=13274
De,A.C. On the determination of the structure and refractive index of the lower troposphere (lowest 1000 ft) over Dum Dum Airport, 0=16417
De,A.C. Some experiments on the determination of the structure and refractive index of the lower troposphere (lowest 200 ft) over Dum Dum Airport, Calcutta, 0=16418
De,A.C. Reflection of micro-waves from earth's surface, 0=17100
De,M. On thick lenses. I. Spherical aberration, 0=19375
Deahl,J. See Derrick,M., 0=20187
Deal,R.M. and Koski,W.S. Inequality of the coupling constants of the hydrazyl nitrogens in DPPH, 0=4221
De Alfaro,V. and Predazzi,E. Charge distribution of the nucleon, 0=2535
Deam,A.P. See Boggs,J.E., 0=5988
Deam,A.P. See Boggs,J.E., 0=14696
Dean,C. See Baer,R., 0=4539
Dean,C. See Rehn,V., 0=5429
Dean,C. Recording r.f. spectrometer for nuclear quadrupole Zeeman spectra, 0=17123
Dean,G. See Poole,M.J., 0=19825
Dean,G.J. Microscope hot stages, 0=19386
Dean,J.W. See Chelton,D.B., 0=12540
Dean,P. Vibrational spectra of diatomic chains, 0=7845
Dean,P. and Martin,J.L., Functional equations for the vibrational spectra of diatomic chains, 0=9843
Dean,P.J.,Royce,B.S.H. and Champion,F.C. Bombardment conductivity and photoconductivity in rhombic sulphur, 0=7918
Dean,P.J. See Kennedy,P.J., 0=5245
Dean,T.J.,Jones,G.O.,Martin,D.H.,Mawer,P.A. and Perry,C.H. A superconducting bolometer and spectrometer for the far infra-red, 0=8837
Dean,T.J.,Jones,G.O.,Martin,D.H.,Mawer,P.A. and Perry,C.H. Superconducting bolometers and spectrometry in the far infra-red, 0=19495
de Andrés,M.P. See Jellinghaus,W., 0=6081
Dearman,H.H. See Lefebvre,R., 0=4233
Dearman,H.H. See McLachlan,A.D., 0=15680
Dearnaley,G. Preparation of this self-supporting carbon films, 0=4692
Dearnaley,G.,Lawrence,L.G. and Tresise,H.C. Large storage binary-to-decimal converter, 0=12235
Deb,S. and Daw,A.N. Molecular and allied devices for generation and amplification of microwaves, 0=19919
Debaisieux,J. See Crabs,L., 0=9921
Débarbat,S. and Pecker,J.C. Radio radiation from the sun at different phases of the solar cycle, 0=6555
de Beauregard,O.Costa. See Costa de Beauregard,O.
Debeauvais-Wack,M. The latent image in nuclear emulsions due to light and particles, at low temperatures, 0=12764
Debel,D. The calculation and calibration of a "constant sagitta" scheme for Agfa K2 nuclear emulsion, 0=5461
de Belatini,P.C.M. Inadequacy of scattering mechanisms in tropospheric radio propagation, 0=4792
DeBenedetti,S. See Chadwick,G.B., 0=15350
DeBenedetti,S. See Colombino,P., 0=15336
Deberdeiev,M.U. See Bogomolov,C.S., 0=15216
de Bergevin,F. See Averbuch,P., 0=4527
Debevec,L.,Kramer,V.,Marsel,J. and Vrščaj,V. Mass spectrometric measurements of UF_6, 0=12124
Debever,R. The super-energy tensor, 0=867
Debever,R. The super-energy tensor and the Riemann tensor: singular case, 0=2110
Debever,R. Super-energy tensor and irreducible components of the Riemann tensor, 0=6646
DeBitetto,D.J.Fisher,L.H. and Ward,A.L. Negative current—voltage characteristics in hydrogen at high pressure using plane parallel electrodes, 0=10886
DeBlois,R.W. and Bean,C.P. Nucleation of ferromagnetic domains in iron whiskers, 0=3031
DeBlois,R.W. See Bean,C.P., 0=1088
Deblois,R.W. See Fontanella,E.L., 0=3185
De Boer,J. The equation of state of gases at low temperatures, 0=8704
De Boer,J. See Bernstein,E.M., 0=17482
de Boer,J. See van Leeuwen,J.M.J., 0=14647
De Boer,T.J. See Blok,L., 0=7520
DeBortoli,R.A.,Grimble,R.E. and Zerbe,J.E. Average and local heat transfer for cross flow through a tube bank, 0=12523
Debraine,P.,Segalas,R. and Locque,R. The proton synchrotron "Saturne". Monitoring and control system, 0=2412
Debraine,P. See Belna,R., 0=2412
Debraine,P. See Charbonnier,R., 0=2412
de Broglie,L. Two remarks in relation to the problem of the rotating disk in the theory of relativity, 0=872
de Broglie,L. The interpretation of wave mechanics, 0=16597
de Broglie,L.,Hillion,P. and Vigier,J.P. Classical properties bilocal representation of the rotator of Nakano, 0=3442
Debrunner,H.,Houterman,S.F.G. and Lindt,W. The diurnal solar periodicity of the cosmic rays, 0=17445
Debrunner,P. and Kündig,W. γ –γ correlation measurements on Sm^{152}, Gd^{152} and Gd^{154}: spin sequence, mixing ratio and g-factor, 0=17554
Debrunner,P. See Sunier,J.W., 0=20411
de Bruyn Outboter,R.,Beenakker,J.J.M. and Taconis,K.W. A calculation of the thermodynamic properties of ^3He—^4He solutions, 0=14919
de Bruyn Ouboter,R.,Taconis,K.W. and le Pair,C. Heat capacity of ^3He-^4He solutions, 0=19543
De Bruyn Ouboter,R. See Staas,F.A., 0=8912
De Bruyn Ouboter,R. See Van den Maydenberg,C.J.N., 0=8909
Debye,P. X-ray scattering in solids with irregular structure, 0=718
Debye,P.,Coll,H. and Woermann,D. Critical opalescence of polystyrene solutions, 0=6805
Debye,P. and van Beek,L.K.H. Effect of adsorbed water on the optical transmission properties of isotropic powders, 0=3650
Décamps,E. and Hadni,A. Study of substances of transparent in the far-infrared (50-2500μ), 0=10035
Decamps,E. See Hadni,A., 0=1224
Decamps,E. See Hadni,A., 0=6927
Décamps,E. See Hadni,A., 0=8810
Decamps,E. See Hadni,A., 0=19442
de Carli,P.S. and Jamieson,J.C. Formation of an amorphous form of quartz under shock conditions, 0=6324
De Carvalho,H.G. and Da Silva,A.G. The development of nuclear emulsions loaded with a metallo-organic complex of ethylenedinitrilo-tetra-acetic acid (development at the "Isoelectric" point), 0=12755
De Carvalho,H.G. and Da Silva,A.G. The kinetics of the development of minimum ionizing tracks in nuclear emulsions, 0=12759
De Carvalho,H.G. and Da Silva,A.G. The grain diameter and the sensitivity of nuclear emulsions, 0=12762
Decaux,B. Frequency standards, 0=855
Decaux,B. High frequency chronometry, 0=10545
De Celles,P. and Feldman,G. Dispersion relations in the Lee model, 0=5494
Dechand,C.O. Strange particle production by bevatron neutrons in propane, 0=1319
Decker,L. See Pollack,I., 0=6509
Deckers,J. See Koros,R.M., 0=14609
Deconninck,G.,Demortier,G. and Martegani,A. Method of measurement of the differential cross-section for elastic scattering of 14 MeV neutrons, 0=15594

Deconninck,G. and Martegani,A. Total cross-section measurements for neutrons between 2.1 and 3.1 MeV, 0=1438
Deconninck,G. and Martegani,A. Excited states of Mg^{25} and Ca^{41}, 0=9532
de Courval,C. See van Zeggeren,F., 0=2163
de Croës,M. and Bäckström,G. Transitions following the decay of Se^{75}, 0=13204
De Dominicis,C. See Balian,R., 0=10603
De Dominicis,C. See Balian,R., 0=12371
De Dominicis,C. See Balian,R., 0=18980
De Dominicis,C.T. Direct interaction in nuclear reactions, 0=9609
Dë Dÿk Man. See Nesmeyanov,A.N., 0=13473
eeg,E. and Hertweck-Crone,I. The calculation of non-stationary temperature distributions in stratified media with electronic analogue computers, 0=14864
Deem,T.E. See Igel,E.A., 0=6916
Deeming,T.J. The magnesium b lines in late-type stars, 0=18841
Deev,Yu.S. See Krongauz,A.N., 0=15988
Deézsi,I. β-bands of the upper vibration state No.7 in the spectrum of the NO molecule, 0=7790
Deézsi,I. A recent rotational analysis of the γ bands of the NO molecule (including the unpublished data of R.Schmid and L.Gerö), 0=15704
Deézsi,I. and Mátrai,T. Further bands in the γ,ϵ and β band systems of the molecular spectrum of nitric oxide, 0=5943
Defay,R. and Hommelen,J.R. Measurement of dynamic surface tensions of aqueous solutions by the falling meniscus method, 0=3503
d'Espagnat,B. and Prentki,J. Incompatibility between the hypothesis of restricted symmetry and certain experimental results, 0=15391
de Feiter,L.D.,Fokker,A.D. and Roosen,J. Association of radio outbursts with solar flares, 0=4898
Defrain,A. The latent heat of fusion of a phase of gallium unstable at atmospheric pressure, 0=5225
Defrain,A. See Bosio,L., 0=9930
e Gaudemaris,G. See Prévé,J., 0=15196
egeilh,A. See Blanc,D., 0=15085
Degeilh,A. See Blanc,D., 0=19771
Degeilh,R. and Marsh,R.E. A refinement of the crystal structure of diketopiperazine (2,5-Piperazinedione), 0=3251
e Gennes,P.G. Liquid dynamics and inelastic scattering of neutrons, 0=14651
de Gennes,P.G. Canted spin arrangements, 0=1779
de Gennes,P.G. Effects of double exchange in magnetic crystals, 0=10182
De Gennes,P.G.,Kittel,C. and Portis,A.M. Theory of ferromagnetic resonance in rare earth garnets. II. Line widths, 0=1821
de Gennes,P.G.,Lafore,P. and Millot,J.P. Random clusters in disordered solid solutions, 0=3268
De Gennes,P.G.,Lafore,P. and Millot,J.P. On an example of propagation in a disordered medium, 0=18404
de Gennes,P.G. and Villain,J. Magnetization fluctuations and critical opalescence, 0=11802
Degerman,G. and von Sydow,E. The thermal expansion of the crystalline B- and C-forms of stearic acid, 0=18368
Degerman,G. and von Sydow,E. An X-ray investigation of the binary system stearic acid—palmitic acid, 0=18369
de Graaff,W. See Michels,A., 0=6838
e Graaff,W. See Michels,A., 0=14909
de Graaf,W.P. See Wanmaker,W.L., 0=13710
Degras,D.A. Evapor-ion pump [with liquid helium trap], 0=3571
DeGrasse,R.W. Low-loss gyromagnetic coupling through single crystal garnets, 0=3118
De Grasse,R.W.,Hogg,D.C.,Ohm,E.A. and Scovil,H.E.D. Ultra-low-noise measurements using a horn reflector antenna and a traveling wave maser, 0=3855
DeGrasse,R.W. and Scovil,H.E.D. Noise temperature measurement on a traveling-wave maser preamplifier, 0=9198
Degregori,I. See Colombino,P., 0=15336
de Groot,M.S. See van der Waals,J.H., 0=21080
De Groot,S.R. Non-equilibrium thermodynamics, 0=16643
de Groot,S.R. See Vlieger,J., 0=8553
Degtyarev,I.F. See Kirenskii,L.V., 0=1795
Degtyarev,I.F. See Kirenskii,L.V., 0=10145
Deguchi,Y. Proton hyperfine spectra of diphenyl picryl hydrazyl, 0=10680
deHaas,N. See Walker,R.E., 0=10688
deHaas,N. See Walker,R.E., 0=12519
Dehmelt,H.G. Spin resonance of free electrons, 0=16162
Dehnen,H. See Hönl,H., 0=2074
Dehnert,H. The vibrating membrane, its relation and application to molecular physics, 0=5901
De Hoop,A.T. A reciprocity theorem for the electromagnetic field scattered by an obstacle, 0=7223
de Hulst,H.C.van. See van de Hulst,H.C.
Deich,A.N. The determination of the photographic position of an artificial earth satellite, using two reference stars, 0=8525
Deichsel,H. and Reichert,E. Energy distribution of secondary electrons from insulators, 0=17033
Deigen,M.F. and Roitsin,A.B. The shape and temperature dependence of electron spin resonance lines of local electron centres in crystals, 0=8087
Deigen,M.F. See Buimistrov,V.M., 0=6175
Deigen,M.F. See Vinetskii,V.L., 0=2944
Deineko,A.S. Multiwire counter for charged particles, 0=3890
Deirmendjian,D. Theory of the solar aureole. II. Applications to atmospheric models, 0=18519
Deissler,R.G. A theory of decaying homogeneous turbulence, 0=8626
De Jager,C. Optical and radiophenomena associated with a solar activity centre, 0=3417
De Jager,C. Dynamical features of the chromosphere, 0=3418
de Jager,C. The structure of the chromosphere and the low corona, 0=18629
de Jager,C. and Neven,L. Saturation effects in very faint Fraunhofer lines, 0=847
Déjardin,G.,Janin,J. and Cotton,L. Photoconductivity of the halophosphates of calcium, 0=9993
de Jong,J.J. See Casimir,H.B.G., 0=13742
DeJuren,J. See Klein,D., 0=13339
DeJuren,J.A. and Stooksberry,R.W. Measurement of the $O^{16}(n,p)N^{16}$ cross section at 14.7 MeV, 0=20496
Deka,G.C. Mesonic decays of hyperfragments, 0=13151
Dekabrun,L.L. A method of measuring and recording extremely small currents, 0=14939
Dekany,S. Parallelism tolerances for binocular telescopes, 0=6921
de Kazinczy,F. On the pressure of hydrogen in cavities of steel, 0=18391
Dekeyser,W. See Bontinck,W., 0=16280
Dekeyser,W. See Strumane,R., 0=18255
Dekeyser,W. See Vermout,P., 0=21171
Dekhtyar,M.V. Antiferromagnetic properties of the Ni_3Fe alloy in relation to its ordered state, 0=21062
Dekhtyar,M.V. and Kazantseva,N.M. Anomalous temperature dependence of the magnetic properties of alloyed Permalloy and the influence of ordering on its magnetic transition, 0=8074
de Kienlin,A.,Kornetzki,M. and Rabl,H. Ferrites having hysteresis loops annealed by heat treatment in a weak magnetic field, 0=13822
Dekker,A.J. Variation of secondary electron emission of single crystals with angle of incidence, 0=7149
Dekker,L. See Altes,J.P.K., 0=10467
De Kluiver,H. See Michels,A., 0=7727
De Kowalewski,D.G.,Kökeritz,P. and Selen,H. On the microwave spectrum and electric dipole moment of fluorobenzene, 0=4210
de Kowalewski,D.G. See Kowalewski,V.J., 0=11538
de Laet,C. Properties of the ground state of deformed nuclei, 0=9506
De Laet,C. and Demeur,M. Note on the theory of atomic Coulomb excitation, 0=5850
de Laet,L. See Van Gerven,L., 0=10227
de la Garanderie,H.P. See Nikolitch,K., 0=16088
de La Harpe,A. See Perroud,P. 0=6978
de La Harpe,G. See O'Brien,B.J., 0=8416
De Lamotte,M. See Vinard,R., 0=2412
de Lang,H. A precision mounting for bending the analyzing crystal in X-ray and γ-spectrometers, 0=17297
De Lange,P.W.,Schneider,H. and De Villiers,J.W.L. The β-decay of ^{234}Pa (UZ), 0=2638
De Lange,P.W. See Du Plessis,I.D., 0=20007
De Lange,P.W. See Schneider,H. 0=1386
DeLano,R.B. Jr. See Kahan,G.J., 0=10854
Delany,M.E. The optic-acoustic effect in gases, 0=967
De La Rue,R.E. and Halden,F.A. Arc-image furnace for growth of single crystals, 0=3178
De La Rue,R.E. and Tobias,C.W. On the conductivity of dispersions, 0=3330

Delattre,P. Two atomic piles considered as physics instruments, 0=20523
Delattre,P. See Liberman,A.M., 0=810
de Launay,J.,Dolecek,R.L. and Webber,R.T. Magnetoresistance of copper, 0=4317
de Launay,J.,Dolecek,R.L. and Webber,R.T. Magnetoresistance of copper, 0=9940
Delavignette,P. and Amelinckx,S. Dislocation ribbons and stacking faults in graphite, 0=17941
Delavignette,P. and Amelinckx,S. Dislocation nets in bismuth and antimony tellurides, 0=20815
Delavignette,P. See Amelinckx,S., 0=7886
Delavignette,P. See Amilinckx,S., 0=17946
del Callar,A. See Bondelid,R.O., 0=20246
Delcroix,J.L. and Quemada,D. A study of the relative importance of anisotropic disturbances in a weakly perturbed plasma, 0=2372
Delcroix,J.L. and Quemada,D. On the possibility of amplifying the electron density in a magnetic bottle, 0=3761
Delcroix,J.L. and Salmon,J. Some special properties of the Boltzmann elastic collision operator, 0=18979
Delcroix,J.L. See Brin,A., 0=1130
Delesalle,J. A semi-circular magnetic β spectrograph with photographic detection and post-acceleration, 0=13158
Delève,N. Pseudo-Hermitian space, 0=10464
Delfosse,J.M. See César,H.L., 0=9104
Dell,G.F. See Hausman,H.J., 0=11410
Della Caggia,L. See Carrelli,A., 0=945
Della Corte,M. See Bizzeti,P.G., 0=199
Della Corte,M. See Bizzetti,P.G., 0=12777
DellaTorre,E. See Woodward,J.G., 0=1792
Della Torre,E. See Woodward,J.G., 0=11870
Delloue,J. The magnetic flash of the nuclear test of 13th February 1960 at Reggane, 0=9203
Delmas,G. See Beydon,J., 0=17678
Delmas,R. See Bel,A., 0=8464
Deloff,A. Relativistic Coulomb wave function with definite asymptotic momentum and polarization, 0=5515
Deloncle,M. Photoelectric mist droplet measurer, 0=12110
Deloncle,M. See Bricard,J., 0=19453
Deloncle,M. See Bricard,J., 0=21295
Delong,A.,Drahoš,V.,Speciálný,J. and Zobač,L. Experimental electron microscope having a high resolving power, 0=10965
Delong,A. See Drahoš,V., 0=10341
Deloupy,C. See Cadène,M., 0=14829
Del Re,G. On the non-orthogonality problem in the semi-empirical MO-LCAO method, 0=20676
Delsemme,D. See Delsemme,A., 0=4807
Delves,L.M. Low-energy photodisintegration of H^3 and He^3 and neutron—deuteron scattering, 0=11239
Delves,L.M. See Barton,G., 0=4021
Delyagin,N.N. Electric quadrupole γ transitions in even—even nuclei, 0=9582
Delyagin,N.N. Resonance scattering of gamma-quanta on Cd^{114} nuclei, 0=9597
Delyagin,N.N. Resonance scattering of γ-quanta on Se^{76} nuclei, 0=13143
Delyagin,N.N.,Shpinel',V.S.,Bryukhanov,V.A. and Zvenglinskii,B. The hyperfine structure of γ-rays, due to the quadrupole interaction in a crystal lattice, 0=20788
Delyagin,N.N. and Preisa,M. M1-transition in V^{51} and the seniority quantum number, 0=11389
Delyagin,N.N. and Sorokin,A.A. Investigation of the decay scheme of As^{76} by the $\gamma\gamma$-coincidence method, 0=13213
Delyon,G.,Gomez,G.,Lescroel,Y. and Pierrot,A. The proton synchrotron "Saturne". Ferrites and the magnetic circuit of the accelerating cavity, 0=2412
de Maeyer,L. See Eigen,M., 0=4722
De Maeyer,L. See Eigen,M., 0=7738
DeMaria,G.,Burns,R.P.,Drowart,J. and Inghram,M.G. Mass spectrometric study of gaseous molybdenum, tungsten, and uranium oxides, 0=10699
DeMaria,G.,Drowart,J. and Inghram,M.G. Thermodynamic study of InSb with a mass spectrometer, 0=965
DeMaria,G. See Burns,R.P., 0=10697
DeMaria,G. See Drowart,J., 0=2324
DeMaria,G. See Drowart,J., 0=10698
Demarque,P. Interior models for subdwarf stars, 0=18784
Demarque,P. The structure of population II stars, 0=18866
de Mars,G.A. See Rimai,L., 0=6269
DeMastus,H. and Wood,M. Short-wave fadeouts without reported flares, 0=12285
De Matteis,A. and Giacobbe,P. Some Montecarlo experiments for the study of a neutron detector, 0=11183
Demay,P. See Bishop,G.R., 0=9637
Demer,L.J. Westwood,A.R.C., 0=11626
Demers,J. and Demers,P. Ultra-fine grain chloro-bromide and polyvinyl alcohol emulsions, 0=12739
Demers,J. and Demers,P. Automatic development at one temperature, 0=12754
Demers,J. See Ahmad,I., 0=5188
Demers,J. See Ahmad,I., 0=12782
Demers,J. See Fujii,E., 0=3899
Demers,J. See Grant,J.J., 0=12767
Demers,P. [Ed.]. Particle photography, 0=2261
Demers,P. The theory of diffusion in the development of thick emulsion pellicles, 0=12760
Demers,P.[Ed.] Particle photography [photographie corpusculaire]. II, 0=17169
Demers,P. and Ahmad,I. An optical model of the grain structure of tracks, 0=12783
Demers,P. See also Ahmad,I., 0=197
Demers,P. See Ahmad,I., 0=12782
Demers,P. See Colle,P., 0=12771
Demers,P. See Demers,J., 0=12739
Demers,P. See Demers,J., 0=12754
Demers,P. See Grant,J.J., 0=12767
Demers,P. See Fujii,E., 0=3899
Demeter,I. See Berkes,I., 0=7714
Demetsopoullos,I.C. See Collinson,A.J.L., 0=7238
Demetsopoullos,I.C. See Collinson,A.J.L., 0=15180
Demeur,M. and Gribaumont,A. Transfer nuclear reactions. II, 0=5735
Demeur,M.,Janssens,P. and Lardinois,J. Individual states at the fission threshold, 0=17630
Demeur,M. and Joachain,C. Nuclear polarization in a mesic deuterium atom, 0=17485
Demeur,M. and Joachain,C. Remarks on a method of summation in perturbation theory, 0=18944
Demeur,M. See De Laet,C., 0=5850
De Michelis,B. See Bisi,F., 0=19648
De Michelis,F. Nuclear scintillation spectroscopy and the RIDL 100-channel analyser, 0=7259
Demichelis,F. and Lovera,G. γ-ray spectroscopy of artificial radioactive samples from atmospheric air, 0=17513
Demichelis,F. See Aliverti,G., 0=429
Demichelis,F. See Bishop,G.R., 0=9637
Demidov,A.M. See Groshev,L.V., 0=2704
Demidov,A.M. See Groshev,L.V., 0=4115
Demidov,A.M. See Groshev,L.V., 0=7483
Demidov,A.M. See Groshev,L.V., 0=7628
Demidov,A.M. See Groshev,L.V., 0=9592
Demidov,A.M. See Groshev,L.V., 0=9674
Demidov,A.M. See Groshev,L.V., 0=13285
Deming,L.S. Selected bibliography of statistical literature, 1930 to 1957. I. Correlation and regression theory, 0=6546
Deming,L.S. Selected bibliography of statistical literature, 1930 to 1957. II. Time series, 0=6547
Deming,L.S. Selected bibliography of statistical literature, 1930 to 1957. III. limit theorems, 0=18579
de Minvielle-Devaux,I.B. See Awunor-Renner,E.R.T., 0=15497
Demirchyan,K.S. See Neiman,L.R., 0=19590
Demirkhanov,R.A.,Gevorkov,A.K.,Popov,A.F. and Zverev,G.I. High frequency oscillations in bounded plasma, 0=15043
Demirkhanov,R.A.,Gutkin,T.N. and Dorokhov,V.V. The
Demirkhanov,R.A.,Gutkin,T.I. and Dorokhov,V.V. The mass of ^{3}He, 0=7708
Demirkhanov,R.A.,Gutkin,T.I. and Dorokhov,V.V. Atomic masses and binding energies of nuclei with masses between 186 and 196, 0=9510
Demirkhanov,R.A.,Gutkin,T.I. and Dorokhov,V.V. Mass of the nuclide Pu^{239}, 0=15669
Demny,J. Evidence from Moiré twisting for lattice imperfections, 0=11617
Demny,J. See Rang,O., 0=10966
Demortier,G. See Deconninck,G., 0=15594
DeMott,D.W. and Davis.T.P. Entoptic scatter as a function of wavelength, 0=8454
Dempsey,D.F. Focusing trajectories for projectiles in an inverse square field, 0=3479
Dempsey,E. Continuous reading balance for oxidation studies, 0=4984
Dempsey,E. and Benson,G.C. Tables of the modified Bessel functions of the second kind for particular types of argument, 0=6541

emuynck,J. See Segaert,O.J., 0=11358
emuynck,J.L. See Segaert,O.J., 0=11359
en Berg,G.J.van. See van den Berg,G.J.
en Broek,J.van. See van den Broek,J.
enda,S.I. Pits on germanium surface formed by molten indium, 0=1900
eneke,K. See Juza,R., 0=671
e Nercy,A.Bussière. See Bussiere de Nercy,A.
enes,P. and Mathews,M.V. Spoken digit recognition using time-frequency pattern matching, 0=21405
eNeui,R.J. See Bartell,L.S., 0=20693
enissenko,G.F. See Perfilov,N.A., 0=12736
enisse,J.F. See Christiansen,W.N., 0=18732
enisenko,G.F. See Perfilov,N.A., 0=13297
enison,W.C. See Albrecht,H.O., 0=2177
enisov,F.P. and Cherenkov,P.A. Ranges of Na^{24} recoil nuclei and the mechanism of certain photonuclear reactions, 0=1403
enisov,F.P. See Gorbunov,A.A., 0=13265
enisov,F.P. See Volkova,L.V., 0=1402
enisov,G.S. See Bulanin,M.O., 0=3535
enisov,S.G.,Ivanov,D.P.,Komar,A.P. and Korobochko,Yu.S. Investigation of the electron distribution in the vacuum chamber of a betatron, 0=19860
enisov,Yu.N. and Troshin,Ya.K. [Wave] structure of gaseous detonation in pipes, 0=12104
enisov,Yu.N. See Vasilev'skaya,D.P., 0=5373
enisse,J.F. The sources of radio emission on the sun [introductory lecture to Part II—the Sun], 0=18628
eniz,V.C.,Iyengar,S.B.D. and Ramanna,R. On a time of flight method of studying the velocity distribution of neutrons from diffusing media, 0=9369
enman,H.H. Amplitude-dependence of frequency in a linear approximation to the simple pendulum equation, 0=56
enman,H.H. See Kikuchi,R., 0=16934
enney,J.M. See Friedland,S.S., 0=5630
ennis,J.A. See Collinson,A.J.L., 0=7238
ennis,J.A. See Collinson,A.J.L., 0=15180
ennis,S.C.R.,Mercer,A.McD. and Poots,G. Forced heat convection in laminar flow through rectangular ducts, 0=6984
e Nobel,D. Phase equilibria and semiconducting properties of cadmium telluride, 0=2893
De Nobel,J. and Du Chatenier,F. Heat capacities of some diluted alloys of manganese in silver and copper, 0=9859
e Nobel,J. and du Chatenier,F.J. Specific heats of dilute alloys of manganese in silver and copper at low temperatures and in magnetic fields, 0=18408
e Nobel,J. See Chari,M.S.R., 0=6021
e Nobel,J. See Chari,M.S.R., 0=6022
e Nobel,J. See Chari,M.S.R., 0=6023
Denoncin,J. See Canina,V.G., 0=7900
Dentan,J.P. The influence of the pH and the development temperature on the distortion of nuclear photographic emulsions, 0=12774
DePackh,D.C. See Godlove,T.F., 0=19737
e Pagter,J. and Sard,R.D. Interactions of fast μ mesons in lead with small-energy transfer, 0=11194
e Pangher,J. Double moderator neutron dosimeter, 0=17359
DePasquali,G.,Frauenfelder,H.,Margulies,S. and Peacock,R.N. Nuclear resonance absorption and nuclear Zeeman effect in Fe^{57}, 0=7465
Dépaux,B.,Desprez-Rebaud,S. and Tsai-Chü. Determination of cell noise from crossed product terms in the second differences of the Saggitta method, 0=15204
e Pinho Filho,A.G. Effects of photon polarization on the azimuthal angular distribution in (γ, N) reactions, 0=17615
Depireux,J.,Duchesne,J. and Van de Vorst,A. On the nuclear quadrupole resonance line-width in solids subjected to high-energy irradiation, 0=6282
Depraz,J. Some investigations and improvements on high current, h.f. [ion] sources, 0=9097
De Pretis,M. and Poiani,G. Some results concerning heavy unstable nuclear fragments ejected from interaction of 4.5 GeV $^-$ in emulsion, 0=9691
Derado,I. Experimental evidence for the pion-pion interaction at 1 GeV, 0=17382
Derado,I. and Schmitz,N. Results on the π^-—proton scattering at 1 BeV and a comparison with the Lindenbaum—Sternheimer model, 0=9410
Derblom,H. See Stoffregen,W., 0=7728
Derblom,H. See Stoffregen,W., 0=14227
Derbyshire,A.J. See Norkus,F.J., 0=16509

Dereń,J.,Haber,J. and Wilkowa,T. Investigation of the electrical conductivity of zinc oxide, 0=2849
Deresiewicz,H. Effect of boundaries on waves in a thermo-elastic solid: reflexion of plane waves from a plane boundary, 0=19295
der Linde,L.van. See van der Linde,L.
der Lugt,W.van. See van der Lugt,W.
der Marel,L.C.van. See van der Marel,L.C.
Dermendzhiev,E.G. See Protopopov,A.N., 0=9702
Derner,P. and Kappler,E. The relationship between poly-crystalline and single crystal strain curves for aluminium, 0=4556
Derner,P. and Kappler,E. The work-softening effect in poly-crystalline aluminium, 0=4562
De Rosset,A.J. Diffusion of hydrogen through palladium membranes, 0=14061
der Pauw,L.J.van. See van der Pauw,L.J.
Derrick,G.H. Kinetic and potential energy matrix elements for the triton, 0=11238
Derrick,G.H. On the choice of D-state wave functions in triton calculations, 0=17434
Derrick,G.H. and Blatt,J.M. Tensor and $L \cdot S$ forces in the triton, 0=17432
Derrick,M.,Fetkovich,J.G.,Fields,T.H. and Deahl,J. Internal pairs following π^- capture in hydrogen, 0=20187
Derrick,M. See Fetkovich,J.G., 0=13460
Derr,V.E. Irreversibility of systems perturbed by random forces, 0=6690
Derr,V.E.,Gallagher,J.J.,Johnson,R.E. and Sheppard,A.P. Microwave emission from an optically pumped atomic system, 0=19918
Derrick,M. See Fields,T.H., 0=20207
Der-Shvarts,G.V. See Bykhovskaya,L.N., 0=2394
der Vlugt,N.J.van. See van der vlugt,N.J.
Deryabina,V.I. See Goryunova,N.A., 0=1939
Deryagin,B.V. and Metsik,M.S. The role of electrical forces in the process of cleaving of mica, 0=8174
Derzhanski,A. See Stainov,G., 0=18575
De Sabata,V. The photonuclear reactions and the giant resonance. II. Energy and angular distributions of photo-neutrons and photoprotons and fine structure of the giant resonance, 0=4111
De Sabbata,V. and Tomasini,A. On the surface effect in nuclear photoreactions, 0=2675
de Sabbata,V. and Tomasini,A. Surface effects in (γ,n) and (γ,p) reactions, 15587
Desai,B.R. Proton—antiproton annihilation in protonium, 0=15355
Desai,B.R. Pion multiplicity in nucleon—antinucleon annihilation, 0=15356
Desai,D.D. See Tawde,N.R., 0=7769
Desai,H.S. See Gogate,D.V., 0=8826
Desai,H.S. See Gogate,D.V., 0=19475
De Santis,V. See Dallaporta,N., 0=5605
Desaussure,G. and Silver,E.G. Comparison of the average number of prompt neutrons emitted in the fission of U^{233}, U^{235}, Pu^{239} and Pu^{241}, 0=13303
deSaussure,G. and Silver,E.G. Measurements of the transport mean free path of thermal neutrons in beryllium as a function of temperature, 0=15361
de S.Barros,F. See Muto,J., 0=20462
Deschamps,A. See Bertaut,E.F., 0=13829
Deschamps,R. Conditions for obtaining germanium transistors by double diffusion, 0=11686
Deschamps,R. Conditions for the application of double-diffusion to produce germanium transistors, 0=13622
Deschamps,R. Properties of germanium transistors made by double diffusion, 0=15978
des Cloizeaux,J. Transition between metallic and insulating states for an electron gas. Application to impurity bands and antiferromagnetics. I. 0=17909
des Cloizeaux,J. Study of the transitions between metallic and insulating states. Application to impurity bands and anti-ferromagnetics. II, 0=20775
Deser,S.,Gilbert,W. and Sudarshan,E.C.G. Structure of the forward scattering amplitude, 0=3934
Deser,S.,Gilbert,W. and Sudarshan,E.C.G. Integral representations of two-point functions, 0=3935
Deser,S. See Arnowitt,R., 0=2106
Deser,S. See Arnowitt,R., 0=6660
Deser,S. See Arnowitt,R., 0=10579
Deser,S. See Arnowitt,R., 0=10583
Deser,S. See Arnowitt,R., 0=16586
Deser,S. See Arnowitt,R., 0=18910

Deser,S. See Arnowitt,R., 0=18935
Deser,S. See Arnowitt,R., 0=18936
de-Shalit,A. See Katz,A., 0=14924
Deshotels,W.J. Ultraviolet transmission of dihydrogen arsenate and phosphate crystals, 0=13686
DeSilva,A.W. See Wilcox,J.M., 0=3843
Desemme,A. and Delsemme,D. Unexpected behaviour of the red line in the night sky near to the equator, 0=4807
Desjardins,J.S. See Rainwater,J., 0=9381
Desjardins,J.S. See Rosen,J.L., 0=9685
Desloge,E.A. and Matthysse,S.W. Collision term in the Boltzmann transport equation, 0=51
de Sobrino,L. See Gyftopoulos,E.P., 0=13379
de Socio,M. An electromagnet wave-front in an ionized gas subjected to a magnetic field, 0=11049
DeSorbo,W. Calorimetric studies on annealing quenched-in defects in gold, 0=4288
DeSorbo,W. Study of the intermediate state in superconductors using cerium phosphate glass, 0=10848
Despic,A.R. and Bockris,J.O'M. Kinetics of the deposition and dissolution of silver, 0=4713
Desportes,H. See Tsai,B., 0=2412
Desprez,R. and Pollet,J. The production of a test chart with sinusoidal density by filtering of spatial frequencies, 0=19396
Desprez-Rebaud,S. See Dépaux,B., 0=15204
Desprez-Rebaud,S. See Morand,M., 0=2716
Despujols,J. Stacking faults in gold films obtained by evaporation in vacuum, 0=8282
Dessler,A.J. Upper atmosphere density variations due to hydromagnetic heating, 0=8371
Dessler,A.J. Ionospheric heating by hydromagnetic waves, 0=9181
Dessler,A.J. Effect of magnetic anomaly on particle radiation trapped in geomagnetic field, 0=10425
Dessler,A.J. and Karplus,R. Some properties of the Van Allen radiation, 0=8400
Dessler,A.J. and Parker,E.N. Hydromagnetic theory of geomagnetic storms, 0=12138
Dessler,A.J. See Francis,W.E., 0=21312
Destouches,J.L. Gravitation in a nonlinear microphysical theory, 0=6653
Destouches,J.L. The graviton in the functional theory of particles, 0=14489
Destouches,J.L. Properties of equations of the gravitation in functional theory, 0=14490
Destouches,J.L. Fusion in functional theory, 0=15258
Destouches,J.L. See Aeschlimann,F., 0=3914
Destouches-Aeschlimann,F. Fusion of particles in functional theory, 0=15257
De Sutter,W. See Beels,R., 0=21167
Desvignes,F. See Besse,A., 0=180
Desvignes,F. See Grandjean,C., 0=7996
de Swart,J.J. Theory of the photodisintegration of the deuteron and n−p capture, 0=7424
de Swart,J.J. and Marshak,R.E. Photodisintegration of the deuteron in the medium energy range, 0=17429
Detert,K. Investigations on a new kind of secondary recrystallization in Fe−3% Si alloys, 0=16264
Detkov,S.P. The problem of radiation exchange between grey surfaces, 0=12525
Detoef,J. See Brisson,J.C., 0=3989
Detoeuf,J.F. See Brisson,J.C., 0=2412
De Tollis,B. On μ-meson electron scattering, 0=2562
de Tollis,B. Anomalous moment of the μ-meson for different models of breakdown of quantum electrodynamics, 0=15382
de Torné,B.C. Measurement of spin lattice relaxation times of Cu^{63} as a function of temperature, 0=6275
de Turville,C. A note on continuous creation, 0=14380
Deubner,A. and Schulz,F. Conductivity variations of cuprous oxide layers with an electrostatic charge, 0=7939
Deuchars,W.M. and Dandy,D. γ-radiation from interaction of 14 MeV neutrons, 0=15598
Deutch,B.I. and Goldberg,N. Nuclear structure effects in Tl^{203}, 0=5713
Deutch,B.I.,Metzger,F.E. and Wilhelm,F.J. Nuclear resonance fluorescence with the 105 keV E1 transition of Gd^{155} using an ultracentrifuge, 0=11380
Deutsch,C. and Lefort,M. Cross-sections for production of Po^{206}, Po^{208} and Po^{210} by bombardment of Bi^{209} by protons of 155 MeV, 0=15570
Deutsch,E.R. Optical scanning of liquid concentration in flow studies with porous models, 0=10635
Deutsch,J.P. and Lipnik,P. Conical polarimeter for γ-rays: $\beta-\gamma$ circular polarization correlation measurements of Au^{198}, 0=2655
Deutsch,M. See Bauer,R.W., 0=4076
Deutsch,M. See Bauer,R.W., 0=11307
Deutsch,M. See Bauer,R.W., 0=20326
Deutsch,R.W. Temperature dependence of the thermal diffusion length in water, 0=12948
Deutsch,S. Effect of heat on the coloration of the pleochroic haloes in biotite, 0=13666
Devare,H.G. See Jha,S., 0=1376
Devare,H.G. See Jha,S., 0=15562
de Vaucouleurs,G. Rotation and mass of the large magellanic cloud, 0=6614
de Vaucouleurs,G. Large-scale structure and direction of rotation in galaxies, 0=8511
de Vaucouleurs,G. Remarks on Mars and Venus, 0=10493
de Vaucouleurs,G. See de Vokuler,Zh., 0=18823
DeVaux,L.H. See Rieke,F.F., 0=8840
Devenyi,A. See Croitoru,N., 0=16362
Devenyi,A. See Grigorovici,R., 0=16368
Deverall,LaM.I. Solution of the time-dependent thermal neutron diffusion equation, 0=12956
de Veubeke,B.F. The method of eigenfunctions in the problems of transmission of heat in a transient regime, 0=19471
De Villiers,J.A.M. See Meyer,M.A., 0=20253
De Villiers,J.A.M. See Meyer,M.A., 0=20254
De Villiers,J.W.L. See De Lange,P.W., 0=2638
de Villiers,J.W.L. See Schneider,H., 0=1386
Devin,C.,Jr. Survey of thermal, radiation, and viscous damping of pulsating air bubbles in water, 0=119
Devins,J.C. and Crowe,R.W. Electric strength of methane and deuteromethane, 0=19634
Devins,J.C. and Reynolds,S.I. Digest of literature on dielectrics. The breakdown of dielectrics, 0=2300
Devins,J.C. See Crowe,R.W., 0=14999
Dévis,R. and Gudman,F. [Davies,R.O. and Goodman,F.O.] On Popov's relation between the symmetry of transport coefficients and thermodynamics, 0=14544
Devlin,G.E. See Davis,J.L., 0=3107
Devlin,G.E. See Schawlow,A.L., 0=2293
Devlin,J.P. See Hisatsune,I.C., 0=2751
Devlin,J.P. See Hisatsune,I.C., 0=17750
Devlin,T.J.Barish,B.C.Hess,W.N.Perez-Mendez,V. and Solomon,J. $\pi^{\pm}-p$ total cross-sections in the range, 0=11206
de Vokuler,Zh. [de Vaucouleurs,G.]. The local supercluster of galaxies, 0=18823
Devor,D.P. and Pastor,R.C. Crystal constituent effects. IV. Magnetic resonance and partition studies on Cr^{3+} in $Zn_3La_2(NO_3)_{12}.24H_2O$, 0=4507
de Vorst,A.Van. See Van de Vorst,A.
de Vos,K.J. See Koch,A.J.J., 0=10135
De Vries,A.E. Fractionation of lithium isotopes by crystallisation, 0=1474
de Vries,A.E. and Laranjeira,M.F. Thermal diffusion of ternary mixtures, 0=14690
de Vries,C. Determination of absolute $B\rho$-values of conversion lines, 0=20402
de Vries,C.,Bleeker,E.J. and Salomons-Grobben,N. Absolute and relative conversion determinations of pure E2 transitions occurring in Hg^{198}, Hg^{199}, Pt^{194} and Pt^{196}, 0=20404
de Vries,C. and Dijkstra,J.H. Precision measurements of energies of gamma-rays following the decay of some gold isotopes, 0=20403
de Vries,D.A. and Peck,A.J. On the cylindrical probe method of measuring thermal conductivity with special reference to soils. II. Analysis of moisture effects, 0=5203
de Vries,G. The influence of interstitially dissolved carbon and nitrogen on the magnetic anisotropy of iron and on the mobility of Bloch walls, 0=13773
De Vries,G. The transition in chromium and in some alloys of chromium with small amounts of other transition elements, 0=13844
de Vries,G.,van Geest,D.W.,Gersdorf,R. and Rathenau,G.W. Determination of the magnetic anisotropy energy, caused by interstitial carbon or nitrogen in iron, 0=13772
De Vries,H.,Stuiver,M. and Olsson I. A proportional counter fo low level counting with high efficiency, 0=17134
de Vries,H.L. See Kippenhahn,R., 0=15011
DeVries,R.C. and Sears,G.W. Growth of aluminum oxide whiskers by vapor deposition, 0=3183
DeVries,R.C. See Sears,G.W., 0=3176

e Vroomen,A.R. A practical interpolation procedure for carbon thermometry between 1.5°K and 30°K, 0=215

e Vroomen,A.R. and Van Baarle,C. The thermal and electrical behaviour of some metals in the impurity-scattering region, 0=9861

e Vroomen,A.R.,van Baarle,C. and Cuelenaere,A.J. The contribution due to phonon drag to the thermopower of aluminium, 0=18078

e Vuyst,A. See Bossy,L., 0=15153

evyatkova,E.D.Petrov,A.V.Smirnov,I.A. and Moizhes,B.Ya. Fused quartz as the standard material in heat conductivity measurements, 0=10795

evyatkova,E.D. and Smirnov,I.A. Thermal conductivity of p- and n-type germanium samples with various carrier densities at 80-440° K, 0=15930

evyatkova,E.D. and Smirnov,I.A. Thermal conductivity and variation of the Lorentz number of PbSe with temperature and with the degree of electron-gas degeneracy, 0=20946

evyatov,A.M. See Volkova,L.M., 0=9759

e Waard,H. See Boskma,P., 0=4054

e Waard,H. See Gerholm,T.R., 0=17142

e Waard,R. and Wormser,E.M. Thermal radiation detectors, 0=8839

ewald,J.F. The charge and potential distributions at the zinc oxide electrode, 0=13618

eware,H.G. See Nainan,T.D., 0=2395

ewasnes,P. See Robin,J., 0=14684

ewdney,J.W. Improvement to the Franck-Hertz experiment, 0=238

ewdney,J.W. Energy loss from the filament of an incandescent lamp, 0=1093

ewdney,J.W. Graphical method for comparing galvanometer sensitivities, 0=7043

ewdney,J.W. Undergraduate mass spectrometer, 0=7172

ewdney,J.W. and Christy,R.W. Nonsecret laboratory examinations, 0=4922

ewes,R.A. and Childs,J.C. Delayed neutron detection methods applied to the detection and location of reactor fuel element failures, 0=11473

e Wette,F.W. On the capacity of a sphere inside a cube, 0=5252

ewhirst,D.W. See Blackwell,D.E., 0=8504

ew-Hughes,D. and Brock,G.E. On the delayed yield in germanium and indium antimonide, 0=2876

ew-Hughes,D.,Jones,A.H. and Brock,G.E. Improved automatic four-point resistivity probe, 0=2856

ew-Hughes,D. and Robertson,W.D. Dispersed particle hardening of aluminum—copper alloy single crystals, 0=18264

ew-Hughes,D. and Robertson,W.D. The mechanism of hardening in aged aluminum—copper alloys, 0=18265

e Wette,F.W. and Nijboer,B.R.A. The electrostatic potential in multipole lattices, 0=7837

ewhirst,D.W. See Blackwell,D.E., 0=16540

e Wijn,H.W. and Heineken,F.W. The Lorentz—Lorenz functions of argon, nigrogen and carbon dioxide up to 50 atmospheres at a wavelength of 12 mm, 0=8713

e Wijn,H.W. See Heineken,F.W., 0=14697

e Wind,G. See Penning,P., 0=13913

eWire,J.W. See Jackson,H.E., 0=15415

eWit,G. and Koehler,J.S. Interaction of dislocations with an applied stress in anisotropic crystals, 0=3153

eWit,G. See Koehler,J.S., 0=3154

eWit,M.,Fischer,C.R. and Zickendraht,W. Compensations in electron excitation effects in p-p and p-n scattering, 0=1278

e Wit,R. Self-energy of a helical dislocation, 0=2819

eWitt,B.S. Invariant commutators for the quantized gravitational field, 0=10566

eWitt,B.S. and Brehme,R.W. Radiation damping in a gravitational field, 0=8538

eWitt,R.N. See Basler,R.P., 0=14477

e Witte,A.J. A kinetic theory of liquid displacement, 0=8604

exter,D.L. Varley mechanism for defect formation in alkali halides. 0=9894

Dexter,D.L. See Rimmer,M.P., 0=7990

ey,K.K. and Kulshreshtha,A.P. The received power patterns due to micro-wave paraboloidal reflector, 0=19938

e Zafra,R.L. Optical pumping, 0=17693

e Zarauz,Y. X-ray study of the action of heat on the structural state of a polythene irradiated under vacuum by γ-rays, 0=4681

Dezlodzh,E. See Margenau,N., 0=3730

Dhaliwal,R.S. Bending [for small deflections] of isotropic thin square plates by concentrated edge couples and forces, 0=14557

Dhaliwal,R.S. Stresses in certain thin plates rotating about an axis lying in their middle plane, 0=19032

Dhanalakshmi,C. and Chatterjee,S.K. Phase change on transmission of microwaves through metal disc delay dielectrics, 0=5407

Dharmatti,S.S. and Kanekar,C.R. Chemical shifts in the nuclear magnetic resonance of Co^{59} and the ligand field theory, 0=4229

Dhuicq,D. and Septier,A. An optical system of rotational symmetry formed by combining two doublets of strong convergence, 0=3806

Diambrini,G.,Figuera,A.S.,Serra,A. and Rispoli,B. Preliminary results of the determination of the Bremsstrahlung spectrum of the Frascati electron synchrotron, 0=15099

Diambrini,G. See Bologna,G., 0=7340

Diambrini,G. See Bologna,G., 0=12899

Diament,A.Ya. See Galanina,N.D., 0=20355

Diamond,H.,Fields,P.R.,Stevens,C.S.,Studier,M.H.,Fried,S.M., Inghram,M.G.,Hess,D.C.,Pyle,G.L.,Mech,J.F.,Manning,W.M., Ghiorso,A.,Thompson,S.G.,Higgins,G.H.,Seaborg,G.T., Browne,C.I.,Smith,H.L. and Spence,R.W. Heavy isotope abundances in Mike thermonuclear device, 0=17512

Diamond,R.M. See Stephens,F.S., Jr, 0=448

Diana,E.,Kind,A. and Pierpaoli,V. A Monte Carlo calculation of the N^{16} production in a latina type reactor, 0=11471

Dianov,D.B. Emission of ultrasonic waves through plane-parallel layers, 0=125

Dibeler,V.H. See Herron,J.T., 0=3291

Dibeler,V.H. See Herron,J.T., 0=16973

Dibeler,V.H. See Krauss,M., 0=7070

Dibeler,V.H. See Wacks,M.E., 0=3738

Di Caporiacco,G. See Bocciolini,M., 0=17563

Dick,L. See Foucher,R., 0=5675

Dicke,R.H. Eötvös experiment and the gravitational red shift, 0=4935

Dickens,P.G. and Linnett,J.W. Efficiencies of third bodies in the reaction $H + O_2 + M = HO_2 + M$, 0=21272

Dickerman,P.J. and Price,C.F. Flow of a partially ionized gas in an axial magnetic field, 0=7119

Dickerson,R.E. A general method for determining film-to-film scaling constants, 0=3200

Dickerson,R.F. See Rough,F.A., 0=20524

Dickey,D.E. and McEwen,J.E. Slide rule simplifies Xenon computations, 0=9723

Dickey,F.E. See Hudson,J.B., 0=2297

Dickey,F.P. See Gailar,N.M., 0=5929

Dickey,F.P. See Rogge,W.H., 0=15730

Dickinson,H.,Bostock,W.H.,Dimarco,J.N. and Koslov,S. Observation of apparent flute-type plasma instability, 0=12618

Dickinson,H. See Azam,M.N., 0=8979

Dickinson,M.B. See Yagoda,H., 0=12747

Dickinson,N. See Kellermann,E.W., 0=1332

Dickinson,N.B. See Padfield,D.G., 0=6710

Dickinson,R.W. Coolant block damages SRE fuel, 0=5828

Dickson,E.W. The observation of sharp internal friction peaks in beryllium, 0=21099

Dickson,E.W. and Strauch,H. Apparatus for the measurement of internal friction and dynamic Young's modulus at kilocycle frequencies, 0=4549

Dichworth,H.E. See Isenor,N.R., 0=11494

Di Corato,M. See Amerighi,M.C., 0=12776

Diddens,A.N. See Allaby,J.V., 0=7347

Diddens,A.N. See Ashmore,A., 0=5559

Didenko,A.N. Influence of the quantum character of radiation on radial-phase oscillations in electron cyclic accelerators at high energies, 0=10996

Didenko,A.A.,Nemilov,Yu.A. and Fomina,V.I. Investigation of the conductivity induced [by electron bombardment] in thin layers of zinc sulphide, 0=15968

Dieckvoss,W. The Bergedorf 32" conventional Schmidt telescope as an astrometric instrument, 0=12241

Dieckvoss,W. Progress of the AGK3, 0=12291

Diehl,P. See Gränacher,I., 0=91

Dieke,G.H. and Heath,D.F. Structure of the infrared Y bands of N$_2$, 0=15724

Dieke,G.H. See Varsanyi,F., 0=1747

Diemer,G.,van Gurp,G.J. and Hoogenstraaten,W. Analysis of mixed ambipolar and exciton diffusion in CdS crystals, 0=13525

Diemer,G. and Zalm,P. The role of exhaustion barriers in electroluminescent powders, 0=8026

Dieminger,W. Transient fine structure of the E-layer, 0=18493

Dieminger,W.E. Clouds in the sporadic E-layer, 0=21354

Dienes,G.J. Introduction — defects in silicas, 0=13530

Dienes,G.J. See Damask,A.C., 0=17953

Dienes,G.J. See Damask,A.C., 0=17957

Diesel,T.J. See Hollander,L.E., 0=6097

Diesel,T.J. See Hollander,L.E., 0=7943

Diesel,T.J. See Hollander,L.E.,Jr, 0=7949

Diesen,R.W. See Harrington,R.E., 0=8301

Diestel,H.G.von. See von Diestel,H.G.

Dieter,F.A. See Theissing,H.H., 0=1829

Dietrich,F.S. Subcritical reactor as a college facility, 0=5814

Dietrich,I. and Honrath-Barkhausen,M. On the formation of resistive layers of organic origin on electric contacts, 0=2304

Dietrich,W. and Proebster,W.E. Millimicrosecond magnetization reversal in thin magnetic films, 0=11857

Dietrich,W.,Proebster,W.E. and Wolf,P. Nanosecond switching in thin magnetic films, 0=10157

Dietrich,W. and Seiler,H. The energy distribution of electrons released by ions and electrons in traversing thin foils, 0=5342

Dietz,K. and Höhler,G. The compatibility of a dispersion relation for pion—nucleon scattering with experimental data, 0=2577

Dietz,K. and Höhler,G. The prediction of the photoproduction of π^+ by the dispersion method, 0=5596

Dietz,K.,Höhler,G. and Müllensiefen,A. Comparison of the photoproduction of a π^0-meson on a proton with the prediction of the dispersion theory, 0=9424

Dietz,L.A. Transmission optics of focused ion beams used in mass spectrometry, 0=19794

Dietz,R.E. and Selwood,P.W. Effect of chemisorbed hydrogen on the magnetization of nickel at low temperatures, 0=3070

Dietzsch,O.,Kuchnir,M.,Phillips,W.R. and Sala,O. The lifetime of the 3.85 MeV level in ^{13}C, 0=15535

di Francia,G.Toraldo. See Toraldo di Francia,G.

Di Giacomo,A. On some phenomena related to the saturation of rotational resonances, 0=5919

DiGiorgio,V.E. and Robinson,G.W. Rotational fine structure in the $^3A_2 \leftarrow {}^1A_1, \pi^* \leftarrow n$ transition of formaldehyde, 0=5922

Dijk,H.van. See van Dijk,H.

Dijkerman,H.A. See Dymanus,A., 0=5428

Dijkstra,A. See Bokhoven,C., 0=16402

Dijkstra,J.H. See de Vries,C., 0=20403

Dikshit,K.D. See Chakrabarti,N.B., 0=17097

Dilla,M.A.Van. See Van Dilla,M.A.

Dillinger,J.R. See Anderson,O.T., 0=3697

Dillon,I.G. and Burris,L.,Jr. Estimation of fission product spectra in discharged fuel from fast reactors, 0=13293

Dillon,J.A.,Jr and Oman,R.M. Ion-bombardment etching of silicon and germanium, 0=1898

Dillon,J.F.,Jr. Optical absorptions and rotations in the ferrimagnetic garnets, 0=13676

Dillon,J.F.,Jr. Magnetostatic modes in disks and rods, 0=16154

Dillon,J.F.Jr, and Nielsen,J.W. Ferrimagnetic resonance in impurity doped yttrium iron garnet (YIG), 0=10211

Dillon,J.F.,Jr and Nielsen,J.W. Ferrimagnetic resonance in rare-earth doped yttrium iron garnet. I. Field for resonance, 0=18211

Dills,D.H. See Rabinovitch,B.S., 0=4711

Dilworth,C. See K^--collaboration, 0=1308

Dilworth,C. See K^--Collaboration, 0=15430

Dimarco,J.N. See Dickinson,H., 0=12618

DiMeglio,A.F. See Jablonski,F.E., 0=12996

Dimitrov,O. and Albert,P. Study of the influence of very small quantities of impurities on the change at low temperatures of the electrical resistance of cold-worked aluminium, 0=2839

Dimitrova,M. See Stainov,G., 0=18575

Dimmock,J.O. See Wheeler,R.G., 0=533

Dimock,D.L. Temperature compensation of sine-drive monochromators, 0=14830

Dimov,G.I. Modelling methods for electric and magnetic fields, 0=10863

Din Da-Tsao. See Van Gan-Chan, 0=9415

Din Da-Tsao [Ting Ta-Ts'ao]. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358

Din Da-Tsao [Ting Ta-Ts'ao]. See Van Gan-Chan [Pang Kang-Chang], 0=15455

Dinger,H.E. A four-year summary of whistler activity at Washington, D.C, 0=14317

Dingle,H. The origin and present status of the special relativity theory, 0=12354

Dinichert,P. See Jan,J.P., 0=12044

Dinichert,P. See Jan,J.P., 0=14008

Dininny,R.E. and Pace,E.L. Infrared spectrum and the fundamental frequency assignments for trifluoromethanethiol (CF_3SH), 0=4205

Dininny,R.E. and Pace,E.L. Thermodynamic properties of trifluoromethanethiol from 12°K to its boiling point. Entropy from molecular and spectroscopic data, 0=5017

Dionisio,J.S. The spectra of low energy electrons from thoron and radon active deposits. I. Energies and intensities of Auger L electron lines, 0=5711

Diorio,A.F. See Posner,A.S., 0=8251

Di Paolo,F.S. See Long,H.M., 0=8845

Dirac,P.A.M. A reformulation of the Born—Infeld electrodynamics, 0=19883

Dirac,P.A.M. The vacuum in quantum electrodynamics, 0=20024

Diringer,M. Isotopic displacements in the spectrum of uranium, 0=5890

Dishington,R.H. Rate of strain invariants in the kinematics of continua, 0=14582

Dismant,J.H. Reviving the classical theory of friction by a modern dislocation theory of deformation revision, 0=3166

Distéfano,J.N. On stability in the visco-elastic region where a linear law is followed. I, 0=8576

Distéfano,J.N. On stability in the visco-elastic region where a linear law is followed. II, 0=8577

Ditchburn,R.W. The absorption spectrum of neon, 0=9770

Ditchburn,R.W. and Hudson,R.D. The absorption of light by calcium vapour (2100 to 1080 A), 0=19220

Ditchburn,R.W. See Clowes,M.B., 0=18565

Dittmar,W. and Neumann,K. Growth and evaporation rate of needle-like potassium crystals, 0=13961

Dittmar,W. and Neumann,K. Observations on the effect of surface diffusion on the growth of potassium crystals in supersaturated vapour, 0=18309

Divan,L. and Pecker,C. A study of the spectra taken by Bernard Lyot at the Khartoum Eclipse on 28th February 1952. I. Experimental results, 0=14433

Divari,N.B. and Asaad,A.S. Photoelectric observations of the zodiacal light in Egypt, 0=18722

Diven,B.C.,Terrell,J. and Hemmendinger,A. Radiative capture cross sections for fast neutrons, 0=17624

Dixit,K.R. Epitaxial growth of thin films, 0=6391

Dixon,F.A. The influence of aberration and detector response on optical images, 0=10750

Dixon,P.A. See Maradudin,A.A., 0=11835

Dixon,R.N. The 0-0 and 1-0 bands of the $A(^3\Pi_i)-X(^3\Sigma^-)$ system of NH, 0=495

Dixon,R.N. A $^2\Pi$-$^2\Pi$ electronic band system of the free NCO radical, 0=2765

Dixon-Lewis,G. and Jackson,E.G. High intensity, high speed, multiflash apparatus, 0=3616

Djurle,E. Precision phase contrast refractometry and its application to heavy—light water, 0=12471

Dmitrenko,I.M. See Verkin,B.I., 0=1773

Dmitriev,A.B.,Peskov,D.I.,Kheifets,A.B. and Chaikovskii,V.G. Dose characteristics of low-voltage halogen counters, 0=3891

Dmitriev,A.B.,Tolchenov,Yu.M.,Filatov,A.I. and Chaikovskii,V.G. Corona counters for heavily ionizing particles, 0=5451

Dmitriev,A.B.,Vorob'ev,M.G.,Kosmarskaya,L.G. and Chipurenko,N.I. Construction of boron ionization chambers, 0=5443

Dmitriev,M.T. A convection manometer, 0=3549

Dmitriev,V.A. Transition effect for electrons in walls of an ionization chamber, 0=1230

Dmitriev,V.A.Kulikov,G.V. and Khristiansen,G.B. Investigation of high-energy nuclear-active particles at sea level, 0=11270

Dmitriev,V.A.,Kulikov,G.V.,Massal'skii,E.I. and Khristiansen,G.B. Lateral distribution of the energy flux of the electron—proton component of extensive air showers, 0=9467

Dmitriev,V.A. See Vernov,S.N., 0=13084

Dmitriev,V.A. See Vernov,S.N., 0=15478

Dmitriev,V.I. The effect of a non-homogeneous earth on the field of a straight infinitely long cable, 0=1974 mitriev,V.M.,Drapchinskii,L.V.,Petrzhak,K.A. and Romanov,Yu.F. Comparison of probabilities of the triple fission of U^{233}, U^{235} and Pu^{239}, 0=20515

mitrievskii,O.D. and Nikitin,V.A. Scanning distortions with single-beam spectrometers, 0=10776

mitrievskii,O.D. and Nikitin,V.A. Measurements of the "Instrument function" of an IKS-11 spectrometer, 0=12487

nestrovskii,Yu.N. and Kostomarov,D.P. Radiation from a modulated beam of charged particles in flight through a round opening in a plane screen, 0=278

Dnestrovskii,Yu.N. and Kostomarov,D.P. Study of ultra-relativistic charge particles during the passage through a circular hole in a screen, 0=279

Doak,P.E. Acoustic radiation from a turbulent fluid containing foreign bodies, 0=8684

Doak,P.E. Fluctuations of the sound pressure level in rooms when the receiver position is varied, 0=16810

Dobbertin,R. The quantization of the energy—momentum tensor in a dielectric medium, 0=14514

Dobbs,E.R. Is there an ideal crystal? 0=4251

Dobbs,E.R. and Betjemann,A.G. The velocities of sound in solid argon, 0=9848

Dobbs,E.R.,Chick,B.B. and Truell,R. Attenuation of sound in a germanium crystal at ultra-high frequencies and low temperatures, 0=11573

Dobbs,E.R. and Finegold,L. Measurement of the velocity of sound in liquid argon and liquid nitrogen at high pressures, 0=19132

Dobbs,F.W. See Waugh,J.S., 0=7802

Dobelli,A.C. Piezoelectric transducers, 0=5090

Dobranskii,G.F. See Belyaev,L.M., 0=16270

Dobretsov,L.N. Thermionic thermal—electrical energy converters, 0=14935

Dobretsov.L.N. See Bol'shov.V.G.. 0=7139

Dobretsov,Yu.P. See Ali-Zade,S.A., 0=15378

Dobrokhotov,E.I. See Artsimovich,L.A., 0=5317

Dobrossierdova,E.P. See Bogomolov,C.S., 0=12744

Dobrovol'skii,V.N. Diffusion and recombination in the measurement of the drift mobility, 0=541

Dobrovol'skii,V.N. See Lashkarev,V.E., 0=15927

Dobrowolski,T. and Walker,J. Time analyser using a crystal-controlled trochotron tube, 0=14481

Dobrynin,Y.P. See Dorofeev,G.A., 0=7643

Dobrynin,Y.P. See Erozolimsky,B.G., 0=4135

Dobrynin,Y.P. See Spivak,P.E., 0=4133

Dobrynin,Y.P. See Spivak,P.E., 0=4134

Dobrȳnin,Yu.P. See Apalin,V.F., 0=4137

Dobrȳnin,Yu.P. See Sosnovskii,A.N., 0=2546

Dobrynin,Yu.P. See Sosnovskii,A.N., 0=12937

Dodd,D.M. See King,J.C., 0=11764

Dodd,J.N.,Fox,W.N.,Series,G.W. and Taylor,M.J. Light beats as indicators of structure in atomic energy levels, 0=9743

Dodd,J.N. and Kinnear,R.W.N. The hyperfine structure of the $3^2P_{3/2}$ state of sodium and the quadrupole moment of ^{23}Na, 0=7701

Dodin,L. See Asher,H., 0=14859

Dodson,H.W. See McMath,R.R., 0=8496

Dodson,H.W. and Hedeman,E.R. Survey of number of solar flares observed during the International Geophysical Year, 0=10505

Dodson-Prince,H. See Christiansen,W.N., 0=18732

Doehler,O. See Boucher,G., 0=16980

Doehring,A.,Jahr,R. and Schmidt-Rohr,U. Elastic and inelastic scattering of deuterons on Al at 11.8 MeV, 0=13244

Doering,W.P. See Caswell,R.S., 0=12972

Dogadkina,N.P. See Semenchenko,V.K., 0=18260

Dogonadze,R.R. See Levich,V.G., 0=19171

Dohán,I.,Gémesy,T.,Sándor,T. and Somogyi,A. The determination of the photon—electron ratio in extensive cosmic ray air showers, using a cloud chamber, 0=17441

Doherty,R.H. See Hefley,G., 0=16902

Dohi,S. Tensile deformation of single crystal of pure iron at high temperature, 0=3147

Dohi,S. and Yamashita,T. Tensile deformation of single crystal of pure iron, 0=4561

Doi,K. The structure analysis of a Guinier—Preston zone by means of a Fourier method, 0=4630

Doidge,P.R. A cyclic superconducting refrigerator, 0=8952

Dokoupil,Z. See Versteegen,W.A.J., 0=8710

Dokuchaev,V.P. The electric discharge during the flight of meteors in the earth's atmosphere, 0=6577

Dokuchaev,V.P. Formation of an ionized meteor trail, 0=18712

Dokuchaev,V.P. Build-up of magnetohydrodynamic waves in a plasma moving through an ionized gas, 0=19910

Dokuchaeva,O.D. See Manova,G.A., 0=18727

Dolan,W.W. See Barbour,J.P., 0=7839

Dolapchiev,B. and Sendov,B. Symmetric flow about a circular cylinder with two vortices in the rear. Trajectories of the vortices and drag of the cylinder, 0=919

Dolbilkin,B.S. See Burgov,N.A., 0=11431

Dolby,R.M. Absolute intensity measurements of the carbon and aluminium X-ray K-lines with a proportional counter, 0=5876

Dolecek,R.L. Effect of oxygen on the magnetoresistance of copper, 0=15894

Dolecek,R.L. See de Launay,J., 0=4317

Dolecek.R.L. See de Launay.J.. 0=9940

Doleiden,F.H. See Fuller,C.S., 0=15941

Dolejší,J. See Bohun,A., 0=5335

Dolekší,J.,Kantůrek,J.,Bohun,A. and Trnka,J. The luminescence, coloration and exo-electron emission of CaF_2 crystals coloured by different methods, 0=6192

Dolginov,A.Z. and Kharitonov,E.V. Angular distribition and polarization of β-particles in second forbidden transitions, 0=9579

Dolginov,A.Z. and Moskalev,A.N. Relativistic spherical functions. III, 0=7289

Dolginov,A.Z. and Toptȳgin,I.N. Relativistic spherical functions. II, 0=9281

Dolginov,A.Z. and Toptȳgin,I.N. Clebsch—Gordan expansion for infinite-dimensional representations of the Lorentz group, 0=2479

Dolginov,A.Z. See Bukat,G.M., 0=15644

Dolginov,K.Z. and Popov,N.P. Polarization of β-electrons from oriented RaE, 0=20387

Dolginov,S.Sh. and Pushkov,N.V. Results of the measurement of the magnetic field of the earth by a space rocket, 0=3340

Dolgov,G.G. Polarization of radiation of helium atoms excited by electron collisions, 0=4173

Dolgov,G.G. See Vainshtein,L.A., 0=4163

Dolgov-Savel'ev,G.G.,Mukhovatov,V.S.,Strelkov,V.S., Shepelev,M.N. and Yavlinskii,N.A. Investigation of a toroidal discharge in a strong magnetic field, 0=9029

Dolinskii,É.I. On a method for determining the parity of strange particles, 0=2599

Dolinskii,E.I. Absorption of [unpolarized] μ-mesons by polarized nuclei. Angular distribution of the neutrons, 0=9687

Dolique,J.M. Study of a plasma column continuously fed and subjected to an electromagnetic field: condition for the existence of non-central Maxwellian solutions: equations for the densities, 0=15020

Dolique,J.M. and Bernard,M.Y. Study of a plasma column continuously supplied and subjected to a magnetic field: first-order approximation for the diffusion velocities; manifestation of a frontier zone, 0=15021

Dolkhazhav,N. See Barashenkov,V.S., 0=3966

Doll,R. Measurements of the gyromagnetic effect on superconducting lead-spheres of macroscopic and microscopic dimensions, 0=8949

Doll,R. See Meissner,W., 0=2287

Dollfus,A. Some properties of solar coronal jets observed in white light, 0=4895

Dollfus,A. See Blackwell,D.E., 0=16540

Dollfus,A. and Leroy,J.L. Polarization of light at the edge of the solar disk, 0=4894

Dolmatova,K.A. and Kelman,V.M. A longitudinal β-spectrometer with compensated spherical aberration, 0=19758

Dolmatova,K.A. See Kel'man,V.M., 0=10959

Dolphin,L.T. See Dyce,R.B., 0=10443

Dolphin,L.T. See Scholbohm,J.C., 0=10441

Domanic,F. and Sailor,V.L. Dependence of the In^{116} activation ratio on neutron energy, 0=13287

Domb,C. On the theory of cooperative phenomena in crystals, 0=18178

Domb,C. (Conf. rep.). Fluctuation phenomena and stochastic processes, 0=4957

Domenicali,C.A. Thermoelectricity and resistivity in metal alloys at low temperatures, 0=6146

Domenicali,C.A. and Christenson,E.L. Effects of internal oxidation and heat treatment on the electrical resistivity of dilute CuMn, CuFe, and CuCo alloys, 0=17996

Domer,F.R. and Hayes,F.N. Background vs. efficiency in liquid scintillators, 0=5447

Domingo,V. See Catala,J., 0=5808
Domokos,G. Simple non-localizable systems, 0=5512
Domokos,G. Multiple of heavy unstable particles in extremely energetic nucleon—nucleon collisions, 0=15338
Domokos,G. Antihyperon production in antinucleon–nucleon collisions near threshold, 0=17425
Domokos,G. and Malicskó,L. Investigation of concentration distribution around crystals in aqueous solutions, 0=4586
Domokos,G. See Bozoki,G., 0=2603
Domoryad,I.A. See Starodubtsev,S.E., 0=16203
Donahue,D.J.,Lanning,D.D.,Bennett,R.A. and Heineman,R.E. Determination of k_∞ from critical experiments with the PCTR, 0=13326
Donahue,T.M. The Rayleigh scattering correction in measurements on the sodium twilight flash, 0=786
Donahue,T.M. and Hunten,D.M. The correction of sodium twilight glow observations, 0=2033
Donahue,T.M. and Hushfar,F. Formation of negative ions in CO by electron capture from fast hydrogen atoms, 0=1102
Donahue,T.M. and Hushfar,F. Detection of negative ions formed by charge transfer, 0=19622
Donahue,T.M. and Stull,V.R. Excitation of the sodium twilight glow, 0=21382
Donahue,T.M. See Blamont,J.E., 0=4802
Donahue,T.M. See Blamont,J.E., 0=4803
Donahue,T.M. See Curran,R., 0=11502
Donald,H.J. See Polansky,T.S., 0=14058
Donaldson,I.G. Temperature errors introduced by temperature-measuring probes, 0=5218
Dondes,S. See Harteck,P., 0=498
Donets,E.D. See Perelȳgin,V.P., 0=7592
Dong Nguyen Van. See Nguyen Van Dong.
Doniach,S. Lattice screening in polar semiconductors, 0=2868
Doniach,S. and Yamada,E. Pion–nucleon attraction at short distances, 0=17377
Donn,B. Validity of the cloud model of the interstellar medium, 0=10476
Donnally,B. and Sanders,T.M.,Jr. Simple transistor marginal oscillator for magnetic resonance. 0=17127
Donnay,G. See Donnei,G., 0=16251
Donnei,G.[Donnay] ,Belov,N.V.,Neronova,N.N. and Smirnova,T.S. The Shubnikov groups, 0=16251
Donnelly,R.J. Experiments on the hydrodynamic stability of helium II between rotating cylinders, 0=1070
Donnelly,R.J. and Fultz,D. Experiments on the stability of spiral flow between rotating cylinders, 0=19062
Donnelly,R.J. and Fultz,D. Experiments on the stability of viscous flow between rotating cylinders. II. Visual observations, 0=19052
Donnelly,R.J. and Ozima,M. Hydromagnetic stability of flow between rotating cylinders, 0=12686
Donoghue,T.R. See Darden,S.E., 0=11180
Donohue,J. On the crystal structure of protactinium metal, 0=1876
Donovan,B.,Kanazawa,H. and March,N.H. Effect of long-range correlations on free electron diamagnetism, 0=15111
Donovan,B. and March,N.H. Screening of point singularities in metals with particular reference to positron annihilation, 0=4296
Donovan,B. and Reichenbaum,G. Electrical properties of chalcopyrite, 0=7938
Donovan,B. See Anderson,J.C., 0=10199
Donovan,P.F.,Harvey,B.G. and Wade,W.H. Recoil studies of heavy element nuclear reactions. I, 0=13219
Donovan,P.F. See Harvey,B.G., 0=13220
Donovan,R. See A[illegible]ns,K.R., 0=9968
Donovan,R.E. and [illegible]ylsleke,A.A. On the possibility of maser action in nuclear quadrupole systems, 0=11041
Dontsov,Yu.P. The isotopic shift in the spectrum of molybdenum, 0=15661
Dontsov,Yu.P.,Morozov,V.A. and Striganov,A.R. Isotopic shift in the spectrum of neodymium, 0=15662
Donzé,G. See Cabane,G., 0=10333
Doo,V.Y. Polygonization of 31% alpha-brass, 0=17950
Dooley,J.A. See Easley,J.W., 0=11678
Doolittle,R.D.III. and Hasen,W.E. Small air showers at sea level, 0=11242
Dorain,P.B. Electron paramagnetic resonance of europium (II) in single crystals of cadmium sulfide, 0=21071
Dore,U. See Quaranta,A.A., 0=1290
Dorel,F. See Abeles,F., 0=4394
Doremus,R.H. The diffusion of carbon during precipitation in α-iron, 0=15866
Dorfman,L.M. and Sauer,M.C.,Jr. Correlation of molecular yields in hydrocarbon radiolyses with mass spectral data, 0=16385
Dorfman,L.M. See Matheson,M.S., 0=16383
Dorfman,Ya.G. Diamagnetism and interatomic bonds in molecules and non-metallic crystals, 0=1774
Dorin,V.A. and Filaretova,G.M. Investigation of the growth of a lead sulphide layer at the interface of lead with liquid sulphur, 0=16259
Dorin,V.A.,Kuznetsov,B.I. and Nasledov,D.N. Studies of the growth of an electronic semiconductor layer at the contact of cadmium with selenium, 0=602
Döring,W. and Simon,G. The direction dependence of magnetostriction, 0=10161
Döring,W. and Vial,H. Influence of heterogeneities on the ferromagnetic resonance in metals, 0=13857
Dorman,F.H.,Morrison,J.D. and Nicholson,A.J.C. Probability of multiple ionization by electron impact, 0=2318
Dorman,F.H.,Morrison,J.D. and Nicholson,A.J.C. Threshold law for the probability of excitation by electron impact, 0=3736
Dorman,L.I. On coupling coefficients between the primary and secondary variations of cosmic radiation in the high-energy range, 0=9463
Dorman,L.I. On the structure of solar corpuscular streams and the interplanetary medium, 0=10507
Dorman,L.I. On the problem of the nature of soft radiation in the upper atmosphere, 0=11245
Dormont,H. Particle optics of ray systems with curved axes, 0=3811
Dormont,H. and Saget,P. Secondary emission by transmission, 0=15062
Dorn,W.S. Variational principles for chemical equilibrium, 0=10690
Dörnenburg,E. and Hintenberger,H. The appearance of polyatomic carbon molecules in the high frequency spark between graphite electrodes, 0=2351
Dorofeev,G.A. and Dobrynin,Y.P. Effective fission cross-sections of ^{233}U, ^{235}U, ^{239}Pu, and ^{240}Pu in the neutron energy range 30 keV-5 MeV, 0=7643
Dorofeev,G.A. See Spivak,P.E., 0=4133
Dorofeev,G.A. See Spivak,P.E., 0=4134
Dorokhov,V.V. See Demirkhanov,R.A., 0=7708
Dorokhov,V.V. See Demirkhanov,R.A., 0=7707
Dorokhov,V.V. See Demirkhanov,R.A., 0=9510
Dorokhov,V.V. See Demirkhanov,R.A., 0=15669
Dorosheski,G. See Keywell,F., 0=15898
Dörr,F. See Maier,W., 0=7765
Dörr,F. See Müller,R., 0=5949
Dosch,H.G.,Lindenberger,K.H. and Brix,P. Integrated cross sections for the reactions $A^{40}(\gamma,p)$ and $A^{40}(\gamma,np)$, 0=20475
Dosso,H.W. See Singh,P.P., 0=4082
Dostrovsky,I.,Fraenkel,Z. and Friedlander,G. Monte Carlo calculations of nuclear evaporation processes. III. Applications to low-energy reactions, 0=1397
Dostrovsky,I.,Fraenkel,Z. and Rabinowitz,P. Monte Carlo calculations of nuclear evaporation processes. V. Emission of particles heavier than He^4, 0=13218
Dostrovsky,I.,Fraenkel,Z. and Winsberg,I. Monte Carlo calculations of nuclear evaporation processes. IV. Spectra of neutrons and charged particles from nuclear reactions, 0=13217
Dotsenko,B.B. Pion and electromagnetic structure of nucleons, 0=11153
Doty,W.E.N. See Crawford,J.M., 0=8351
Doucet,H. The role of field emission in the maintenance of the electrical discharge at the cathode in a gas at low pressure, 0=5331
Doucet,Y. and Ravoux,J.P. Realisation and utilisation of the thermoelectric fixed points, 0=3685
Dougal,A.A. See Takeda,S., 0=5294
Dougherty,J.P. Magnetohydrodynamics of the small-scale structure of the F region, 0=12185
Dougherty,J.P. A statistical theory of ionospheric drifts, 0=21345
Dougherty,J.P. and Farley,D.T. A theory of incoherent scattering of radio waves by a plasma, 0=19931
Doughty,D.D. See Wachtel,M.M., 0=10757
Douglas,A.C. and Macdonald,N. Compound nucleus processes in medium mass nuclei, 0=4084

uglas,A.E. and Morton,J.R. An extension of the $^1\pi-^1\Sigma$ system of CH^+ and the identification of the $\lambda 3579$ interstellar line, 0=6551
uglas,A.G. See Carmichael,A.J., 0=16194
uglas,D.L. and Liebhafsky,H.A. Fuel cells, 0=14126
uglas,J.E.,Bratt,L.C. and Kinderman,E.M. Peculiarities of ozone formation in electron irradiation of nitrogen—oxygen mixtures, 0=4729
uglas,J.N. See Smith,H.J., 0=18622
uglas,R.W. See Bates,T., 0=10041
uglas,R.W. See Kurkjian,C.R., 0=8255
uglas,R.W. See Mohyuddin,I., 0=18246
uglass,D.C. Quadrupole resonance spectrum of chloranil and its hexamethylbenzene complex, 0=16193
uglass,D.C. See McCall,D.W., 0=3513
uglass,D.C. See McCall,D.W., 0=14632
uglass,D.C. See McCall,D.W., 0=16192
uglass,R.L. See Crawford,F.S.,Jr, 0=1316
uglass,R.L. See Crawford,F.S.,Jr, 0=1317
ulat,J.,Goodman,B.B.,Renard,M. and Weil,L. The effect of neutron irradiation on the superconducting properties of rhenium, 0=3706
uthett,D. See Friedberg,S.A., 0=9866
uzou,P. and Thuillier,J.M. The semiconducting properties of serum albumin, 0=15970
ve,D.B. Simple electrical analogue for the solution of linear simultaneous equations, 0=4841
ve,D.B. See Jaswon,M.A., 0=8155
vzhenko,O.I.,Nikolskii,S.I. and Rakobol'skaya,I.V. Energy spectra of the electron—photon component in extensive air showers near the shower axis, 0=20265
w,D.G. and Knechtli,R.C. Plasma containment by r.f. and d.c. field combinations, 0=5322
wden,R.L. Low-frequency (100 kc/s) radio noise from the aurora, 0=4815
owden,R.L. Ionospheric thermal radiation at radiofrequencies in the auroral zone, 0=14277
owden,R.L. Geomagnetic noise at 230 kc/s, 0=21396
owell,J.D.,Fowler,E.C.,Hill,J.G.,Martelli,G.,Musgrave,B. and Riddiford,L. Further study of proton—proton interactions at 970 MeV, 0=1280
owell,J.D.,Frisken,W.R.,Martelli,G. and Musgrave,B. Proton—proton elastic interactions at 930 MeV, 0=1281
owell,J.D.,Frisken,W.R.,Martelli,G. and Musgrave,B. Momentum distribution of protons in carbon, 0=7443
owell,T.M. and Mackinnon,J.A. Measurement of cyclic strain, 0=8101
owell,T.M. and Mackinnon,J.A. Measurement of cyclic strain, 0=16197
owling,J.M. See Costain,C.C., 0=4239
owling,J.M. See Gilbert,R.L., 0=4207
wnes,J.G. See Algie,J.E., 0=11655
owns,R. See Traite,M., 0=16501
ows,D.A. Infrared spectrum of crystalline boron trifluoride, 0=2940
ws,D.A. Intermolecular coupling of vibrations in molecular crystals, 0=11566
ows,D.A. and Hollenberg,J.L. Study of infrared reflection spectrum of liquid C_6H_6, 0=12426
ows,D.A. See Swenson,C.A., 0=2939
owson,D. See Christopherson,D.G., 0=8606
oyama,M. and Koehler,J.S. Quenching of lattice vacancies in pure silver, 0=13549
oyama,M. See Suzuki,T., 0=3156
oyle,G.J. See Ford,H.W., 0=8315
oyle,H.A.,Everingham,I.B. and Hogan,T.K. Seismic recordings of large explosions in south-eastern Australia, 0=4768
oyle,W.P. and Lonergan,G.A. Optical absorption in the divalent oxides of cobalt and nickel, 0=20977
oyle,W.T. The selective photoelectric effect, 0=5339
oyle,W.T. Coagulation, optical absorption, and photoconductivity of colloid centres in alkali halides, 0=11634
oyle,W.T.,Ingram,D.J.E. and Smith,M.J.A. Electron spin resonance of colloid centres in lithium hydride, 0=1598
rabble,J.R. and Groves,R.D. Strain-induced changes in the Seebeck coefficient of n-type germanium, 0=1643
rabble,J.R. and Groves,R.D. The effect of strain on the Seebeck coefficient of n-type germanium, 0=11735
rabkin,G.M. and Zhitnikov,R.A. The production of "supercold" polarized neutrons, 0=20154
racass,J. See Anderson,D.G., 0=15192
răganesco,V. See Agarbiceanu,I.I., 0=5656

Drăganu,M. On the Fokker—Planck equation of a plasma, 0=9024
Drăganu,M. On the solution of the Fokker—Planck equation for a plasma, 0=19657
Drăghicescu,P. Calculation of the signal to noise ratio for certain equipment used for recording nuclear resonance, 0=19953
Dragica,Z.N. See Mira,J.K., 0=17600
Dragomiresku,D.,Apostolesku,S.,Mateichuk,V. and Beshliu,M. Total effective neutron cross-section of arsenic in the energy range from 0.01 to 0.1 eV, 0=17625
Dragsdorf,R.D. Elastic moduli of face-centred cubic cobalt, 0=6291
Drahoš,V. and Delong,A. A simple method for obtaining perforated supporting membranes for electron microscopy, 0=10341
Drahoš,V. See Delong,A., 0=10965
Drain,L.E. Nuclear magnetic resonance in silver—cadmium, 0=21084
Drake,C. See White,J.A., 0=2712
Drake,C.W. See Lurio,A., 0=17669
Draley,J.E. See Greenberg,S., 0=14068
Draley,J.E. See Kittel,J.H., 0=12084
Dransfeld,K. See Bömmel,H.E., 0=7867
Drapchinskii,L.V. See Dmitriev,V.M., 0=20515
Draper,J.E. Multiple neutron interactions in resonant foils, 0=13269
Draper,J.E. and Bostrom,C.O. Fluctuations of partial radiation widths of U^{239}, Hf^{178} and Pt^{196}, 0=4080
Draper,J.E. and Fleischer,A.A. Fast coincidence circuit for slow pulses, 0=2470
Draper,J.E. and Fleischer,A.A. Soft gamma rays from Eu^{152} and Eu^{154} following resonance neutron capture, 0=5724
Draper,J.E. and Springer,T.E. Multiplicity of resonance neutron capture gamma rays, 0=11439
Drashchev,M. A measuring device for small d.c. voltages by conversion through a photo-resistor, 0=19596
Drašković,R. See Ristić,S., 0=21191
Drawbaugh,D.W. and Noderer,L.C. The double spherical harmonic method for cylinders and spheres, 0=15617
Drawin,H.W. The applicability of a capacity micro-manometer as an absolute pressure measuring instrument, 0=6843
Dražić,V.G. See Stevančević,D.B., 0=20631

Dreeden,A.B. See Bube,R.H., 0=1663
Dreesen,J.A. and Pugh,E.M. Hall effect and resistivity of Ni—Pd alloys, 0=20869
Dreeskamp,H. See Burton,M., 0=19159
Dreicer,H. Electron and ion runaway in a fully ionized gas. II, 0=3775
Dreicer,H. Electron velocity distributions in a partially ionized gas, 0=5274
Dreitlein,J.F. "Nucleon-structural" corrections to first unique beta transitions, 0=4048
Dreizler,H. and Rudolph,H.D. On the Stark effect of the microwave absorption line of methanol at 19967.3 Mc/s, 0=513
Dreizler,H. See Reichenbach,H., 0=5085
Dreizler,H. See Rudolph,H.D., 0=9807
Dreizler,H. See Rudolph,H.D., 0=20627
Drell,S.D. Production of particle beams at very high energies, 0=20095
Drell,S.D. and Zachariasen,F. High-energy limit of form factors, 0=12826
Drell,S.D. and Zachariasen,F. Observation of $\pi-\pi$ resonance in pion production, 0=17407
Dremin,A.N. and Adadurov,G.A. Shock adiabatics in marble, 0=3585
Dremin,I.M. and Chernavskii,D.S. Peripheral nucleon interactions at energies of 9 BeV, 0=5556
Dremlin,I.M. Peripheral π-meson—nucleon [inelastic] interaction at high energies, 0=20201
Dresner,L. Comparison theorems for the estimation of average collision probabilities, 0=12959
Dresner,L. Effect of geometry on resonance neutron absorption in uranium, 0=13268
Dresner,L. See Kuhn,E., 0=7376
Dresselhaus,G. and Dresselhaus,M.S. Surface impedance of a superconductor in a magnetic field, 0=8926
Dresselhaus,G. See Dresselhaus,M.S., 0=10850
Dresselhaus,M.S. and Dresselhaus,G. High-frequency studies on superconducting tin, 0=10850
Dresselhaus,M.S. See Brown,R.N., 0=20969

Dresselhaus,M.S. See Dresselhaus,G., 0=8926
Dressler,K. and Ramsay,D.A. The electronic absorption spectra of NH$_2$ and ND$_2$, 0=4214
Dressler,K. and Schnepp,O. Absorption spectra of solid methane, ammonia, and ice in the vacuum ultraviolet, 0=13696
Dressler,K. See Schnepp,O., 0=13699
Dressler,K. See Schnepp,O., 0=14128
Drever,R.W.P.,Moljk,A. and Curran,S.C. A proportional counter system with small wall effect, 0=17132
Drew,C.M. and Gordon,A.S. Reaction of acetylene with methyl radicals, 0=4710
Dreyfus,B.,Ayant,Y. and Peretti,J. Exact calculation of the specific heat for a particular model of a solid, 0=11585
Dreyfus,B. See Paulevé,J., 0=13862
Dreyfus,M.G.,Bishop,R.E. and Moorhead,J.E. Aplanatic cemented doublet design, 0=5140
Driatski,V.M. and Besprozvannaya,A.S. Ionospheric conditions in the circumpolar region (according to observations, made at the drifting station SP-3 during 1954-1955), 0=18487
Drichko,N.M. See Ioffe,S.B., 0=2081
Drickamer,H.G. See Balchan,A.S., 0=8798
Drickamer,H.G. See Edwards,A.L., 0=4408
Drickamer,H.G. See Eppler,R.A., 0=9906
Drickamer,H.G. See Eppler,R.A., 0=13555
Drickamer,H.G. See Gregg,D.W., 0=8020
Drickamer,H.G. See Minomura,S., 0=13556
Drickamer,H.G. See Suchan,H.L., 0=4405
Drickamer,H.G. See Suchan,H.L., 0=4407
Drickamer,H.G. See Wiederhorn,S., 0=16037
Drickamer,H.G. See Zahner,J.C., 0=4406
Driescher,H. and Hiller,W. Recording colorimeter for determining reflection curves of coloured bodies such as flower petals, 0=3657
Drigo,A. On the possibility of modifying the magnetic properties of ferromagnetic bodies by neutron irradiation, 0=8058
Dronov,A.P.,Sviridov,A.G. and Sobolev,N.N. Measurement of flame temperatures by the method of relative intensities of spectral lines, 0=217
Dropesky,B.J.,Schardt,A.W. and Shull,T.T. Note on the decay of the new nucleide Cr^{56}, 0=11351
Dropesky,B.J. See Bunker,M.E., 0=1380
Drott,J. Growth of silver sulphide whiskers. 0=16275
Drott,J. See Fischmeister,H., 0=16257
Drougard,M.E. Detailed study of switching current in barium titanate, 0=6157
Drougard,M.E. and Landauer,R. On the dependence of the switching time of barium titanate crystals on their thickness, 0=1699
Droulers,Y.,Lacour,J. and Raievski,V. Measurement of the mean free path of neutrons in graphite, 0=7364
Drowart,J.,Burns,R.P.,DeMaria,G. and Inghram,M.G. Mass spectrometric study of carbon vapor, 0=2324
Drowart,J.,DeMaria,G.,Burns,R.P. and Inghram,M.G. Thermodynamic study of Al$_2$O$_3$ using a mass spectrometer, 0=10698
Drowart,J. See Burns,R.P., 0=10697
Drowart,J. See DeMaria,G., 0=965
Drowart,J. See DeMaria,G., 0=10699
Droz-Vincent,P. Generalization of the Einstein equations corresponding to a non-zero mass for the graviton, 0=3437
Droz-Vincent,P. General covariance and conservation laws, 0=16565
Drozdov,S.I. The scattering of neutrons by para- and orthohydrogen, 0=2548
Drozdov,S.I. Scattering of fast protons by non-spherical nuclei, 0=7545
Drozdov,S.I. Excitation of nuclear collective states in charged particle scattering, 0=9616
Drozdov,S.I. The excitation of collective states in nuclei by scattering of charged particles, 0=11310
Drozdov,S.I. See Grin',Yu.T., 0=5641
Drozdov,S.I. See Grin',Yu.T., 0=13118
Drška,L.,Chudáček,I. and Stěrba,F. Measurement of some neutron spectra by the nuclear emulsion method, 0=3976
Druaux,J. See Beydon,J., 0=17678
Druin,V.A.,Lobanov,Yu.V. and Polikanov,S.M. Angular distribution of fission fragments in fission induced by heavy ions, 0=9712
Druin,V.A. See Flevov,G.N., 0=7497
Druin,V.A. See Mikheev,V.L., 0=11465
Drukarev,G.F. The Massey parameter in the theory of atomic collisions, 0=11500
Drummond,A.J. See Ångström,A.K., 0=16825
Drummond,A.J. See Ångström,A.K., 0=19387
Drummond,A.J. See Karoli,A.R., 0=14880
Drummond,J.E. The connection between ionospheric patterns and field strengths reflected on the ground, 0=759
Drummond,W.E. Nucleon correlation effects in high-energy electron scattering, 0=1426
Drummond,W.E. and Rosenbluth,M.N. Cycltron radiation from a hot plasma, 0=3773
Drury,J.S. See Palko,A.A., 0=17676
Dubb,H.E. See Whitman,D.R., 0=4227
Dubbeldam,P.S.,Jonker,C.C. and Boersma,H.J. Energy and angular dependence of the left—right asymmetry of D—D neutrons scattered by carbon, 0=7606
Dubbeldam,P.S.,Jonker,C.C. and Heemskerk,F.J. Measurement of the polarization of D-D neutrons by a solenoid, 0=17346
Dubey,D.Prasad. See Prasad Dubey,D.
Dubinin,V.G. See Antonov-Romanovskii,V.V., 0=13713
Dubner,H. Optical design for infrared missile-seekers. 0=16831
DuBois,D.F. Electron interactions. II. Properties of a dense electron gas, 0=526
Dubois,F. See Duvaux,Y., 0=2412
Dubois,J.T. Primary processes in the gaseous photolysis of polyatomic molecules. I. Biacetyl, 0=14129
Duboshin,G.N. On the stability of regular motions of artificial celestial bodies, 0=18885
Dubout,P. and Davern,W. Calculation of the statistical absorption coefficient from acoustic impedance tube measurements, 0=16787
Dubovskii,B.G. A procedure for safely starting up a reactor, 0=11474
Dubovsky,B.G. See Gromova,Z.I., 0=7667
DuBridge,L.A. Fun in space, 0=18872
Dubrovin,K.P. See Konobeevskii,S.T., 0=10332
Dubrovskii,G.B. The quantum yield of p—n junction CdTe photocells in the ultraviolet region, 0=15987
Dubrovskii,G.B. and Subashiev,V.K. Determination of the recombination parameters from the spectral response of a photocell with a p—n junction. II, 0=15909
Dubrovskii,G.B. See Subashiev,V.K., 0=13634
Dubrovskii,G.B. See Subashiev,V.K., 0=18062
Dubrovskaya,A.E. See Brandt,N.B., 0=11804
Ducat,A. and Thomas,R.H. The half life of In^{116}. 0=9550
Du Chatenier,F.J. See De Nobel,J., 0=9859
du Chatenier,F.J. See de Nobel,J., 0=18408
Duchene,J.,Lavergne,J. and Weill,J. Compensated ionization chamber suitable for thermal neutron reactor control, 0=3882
Duchesne,J. See Depireux,J., 0=6282
Duchesne,J. See Ven de Vorst,A., 0=7743
Duchesne,M. See Lallemand,A., 0=18591
Duckworth,H.E. Masses of atoms of $a > 40$, 0=20568
Duclaux,J. Theory of gases, XXIII. Calculation of the condensation coefficients. Laws of isocondensation, 0=6834
Duclaux,J. Theory of gases. XXV. Calculation of the coefficients of the law of mass action, 0=14681
Duclaux,J.P.E. On the possible existence, for fluids at all temperatures, of two states, one expanded, the other contracted, 0=10647
Duclos,J. Construction of a chronotron for a fast neutron spectrometer, 0=17353
Ducloz,J. See Cohen,J., 0=13735
Ducros,P. See Averbuch,P., 0=4535
Dudek,G.O. H^1—P^{31} spin coupling in phosphate esters. 0=17782
Dudkin,L.D. On the question of the formation of semiconducting phases in systems containing transition metals, 0=1625
Dudkin,L.D. Peculiarities of the crystal chemistry of transition metal semiconducting compounds, 0=13932
Dudkin,L.D. and Abrikosov,N.Kh. Doping of the semiconducting compound cobalt antimonide, 0=607
Dudkin,L.D. and Vaidanich,V.I. The nature of the electrical conduction in some transition-metal compounds with the CuAl$_2$-type lattice, 0=13577
Dudkin,L.D. See Zobnina,B.N., 0=10006
Dudley,J.D. and Hall,H.T. Experimental fusion curves of indium and tin to 105 000 atmospheres. 0=9840
Dueprovskii,I.S.,Német,L. and Peker,L.K. Decay of Er^{161}, 0=20383
Dufay,J. The central condensation of the galaxy, 0=18836
Dufay,J. and Swings,P. Spectrum of the comet Mrkos (1957d) in the near infrared, 0=4886

fay,M. The emission of the H and K lines of ionized calcium in the spectrum of the twilight sky, 0=6482
fay,M. A photoelectric study of night sky spectra in the near infrared, 0=18512
ff,R.E. and Davidson,N. Calculation of reaction profiles behind steady state shock waves. II. The dissociation of air, 0=1957
ffieux,P.M. See Aebischer-Neoschil. 0=19370
ffy,W.,Jr. Magnetic moment of the triton in units of the magnetic moment of the proton, 0=387
flot,R. See Chopinet,M., 0=6619
ga,J.J.,Willardson,R.K. and Beer,A.C. Plastic deformation of InSb by uniaxial compression, 0=1858
ga,J.J. See Willardson,R.K., 0=6121
gas,J. See Barthére,J., 0=12639
gan,A.F. Contribution of anode emission to space charge in thermionic power converters, 0=15064
gdale,J.S. and Gugan,D. The electrical resistivity of the two phases of sodium at low temperatures. 0=7914
gdale,J.S. See Basinski,Z.S., 0=20870
ggal,V.P. Thermal neutron inelastic scattering effects in a single crystal neutron spectrometer, 0=15366
ggal,V.P. and Puri,S.M. Slowing down age of neutrons from a Ra-α-Be source to indium resonance in aluminium light water mixtures, 0=5569
Gros ,F.Teissier. See Teissier du Gros,F.
gstad,I. A generalization of Richardson's criterion of turbulence, 0=2022
hmke,M. A parallel testing interferometer for slip gauges up to four metres long, 0=4981
hmke,M. Determination of parallelism of work pieces up to several metres in length with the help of optical interference, 0=5177
k Hyun Whang. See Weizel,W., 0=9015
ke,F.R. and Bowman,A.L. Transport numbers in pure fused salts. The alkali metal chlorides, 0=6412
ke,J.F. See Lambert,J.D., 0=8701
ke,P.J. The variation withttime of the flux and energy spectrum of primary cosmic-ray alpha-particles. 0=20293
ke,P.J. See Chadwick,G.B., 0=15350
kel'skii,V.M. and Sokolov,V.M. Negative ions of iron, cobalt, and nickel, 0=2320
kel'skii,V.M. See Khvostenko,V.I., 0=2319
kel'skii,V.M. See Khvostenko,V.I., 0=8985
ker,H. Emission microscopy with ion-released electrons, 0=15080
khin,S.S. The anomalous specific heat of, and nuclear resonance in, crystalline hydrogen in connection with new data concerning its structure, 0=11586
kova,E.D. The role played by liquid-phase drops in crystal growth and evaporation, 0=13956
laney,H.,Jr,Braden,C.H. and Wyly,L.D. Beta—gamma directional correlation in the decay of Eu^{152}, 0=5705
lar,J.,Kernel,G.,Kregar,M.,Mihailović,M.V.,Pregl,G., Rosina,M. and Zupančič,Č. Nuclear absorption of gamma rays in Al, Si, P, S and Ca, 0=5767
ller,N.M. See Smith,J.A., 0=11276
llien,F. Contributions to the theory of the volume radiator with particular reference to microtechniques [in Raman spectroscopy], 0=10765
llien,F.A.L. and Shemilt,L.W. Equations for determining diffusion coefficients in liquid systems by the diaphragm cell technique, 0=19106
mitresku,R. See Martalogu,N., 0=19995
mitrescu,S. See Savin,G., 0=21043
mke,W.P. Two-phonon indirect transitions and lattice scattering in Si, 0=9871
u Mond,J.W.M. Present status of precise information on the universal physical constants. Has the time arrived for their adoption to replace our present arbitrary conventional standards? 0=859
mont,S. and Pecker,J.C. Depth of formation in the solar spectrum. I. The application of inversion to the Laplace relation, 0=14432
montet,P. and David,J.P. Study of a theoretical structural model to represent a very thin metallic film, 0=6392
montet,P. See Blanc-Lapierre,A., 0=6544
montet,P. See Blanc-Lapierre,A., 0=6691
moulin,E. See Michels,A., 0=14639
naitsev,A.F. and Prokoshkin,Yu.D. The reaction $p + p \rightarrow p + p + \pi^0$ in the energy range from threshold to 665 MeV, 0=11163

Dunaitsev,A.F. and Prokoshkin,Yu.D. The $pn \rightarrow pn\pi^0$ reaction in the energy range from the threshold up to 665 MeV, 0=12934
Dunayeva,T.N. See Voitenko,R.M., 0=8284
Duncan,A.B.F. See Goodfriend,P.L., 0=17827
Duncan,G.I.,Fraser,J.C. and Valachovic,B. The effects of nuclear radiation on the electrical strength of air. 0=14987
Duncan,R.A. Photometric observations of subvisual red auroral arcs at middle latitudes, 0=6470
Duncan,R.A. The equatorial F-region of the ionosphere, 0=16451
Duncumb,P. The X-ray scanning microanalyser, 0=4761
Duncumb,P. Electron probe methods of X-ray microanalysis, 0=8345
Dundas,P.H. See Blackman,L.C.F., 0=7970
Duneer,A.G.,Jr. Angular correlation of Cd^{114} gamma rays in single crystals of indium, 0=2656
Dungey,J.W. Convective diffusion in the equatorial F region, 0=768
Dungey,J.W. Effect of a magnetic field on turbulence in an ionized gas, 0=12169
Dungey,J.W. Strong hydromagnetic disturbances in a collision-free plasma, 0=19679
Dunitz,J.D. See Brown,I.D., 0=4641
Dunjić,B.V. See Ševarac,I.F., 0=19797
Dunkle,R.V. See Bevans,J.T., 0=2184
Dunlap,W.C.,Jr. Impurities in germanium, 0=20830
Dunlap,W.C.,Jr. See Ruth,R.P., 0=11693
Dunlop,P.J. See Kirkwood,J.G., 0=19105
Dunn,C.G. and McHargue,C.J. On a complex recrystallization texture in 3% silicon iron, 0=18291
Dunn,C.G. and Walter,J.L. Synthesis of a (110) [001] type torque curve in silicon iron, 0=3020
Dunn,C.G. and Walter,J.L. Orientation density and its use in quantitative texture studies, 0=8146
Dunn,C.G. and Walter,J.L. On the thermal etching of silicon iron, 0=18329
Dunn,C.G. and Walter,J.L. Discussion of "experimental evidence of boundary migration", 0=20829
Dunn,D.A.,Luebke,W.R. and Wada,G. A low potential collector employing an asymmetrical electrode in an axially-symmetric magnetic field, 0=3801
Dunn,R.B. Solar limb darkening near λ6563 from 0.9 to 1.00R, 0=10509
Dunning,K.L. See Ajzenberg-Selove,F., 0=15581
Dunstan,W. Electrolytic coloration of potassium bromide, 0=6054
Dupeyrat,R. Recent determinations of the velocity of light in vacuum, 0=8762
Dupeyrat,R. The speed of light in air and in vacuum, 0=10746
Dupeyrat,R. The use of a recording interferometer complete with a prism-monochromator for the study of the structures of Raman lines, 0=16842
Dupeyrat,R. A study of electrical scanning methods for recording interferometers, 0=16877
Dupeyrat,R. An interferometer whose mirrors are transparent interference filters for one and the same radiation σ_0, 0=16884
Du Plessis,I.D.,De Lange,P.W. and Weidemann,W. Multirange delay line for application in beta-gamma coincidence studies, 0=20007
Dupouy,G.,Perrier,F. and Verdier,P. Microscopy with X-rays, 0=11138
Dupré,A. Measurements of the coercive force of thin films of the ferromagnetic metals, 0=8054
Dupré,A. and van Itterbeek,A. The coercive force of cold-rolled nickel-, iron- and cobalt strips, 0=1786
Dupré,A. See Van Itterbeek,A., 0=16139
Dupré,A. See Van Itterbeek,A., 0=19568
Dupre,M.F. See Lallemand,A., 0=18591
Dupuis,M.,Mazo,R. and Onsager,L. Surface specific heat of an isotropic solid at low temperatures, 0=20748
Dupuis,M. See Onsager,L., 0=16652
Dupuy,M.G. The cyclotron of the "Ecole Supérieure de Physique et de Chimie", Paris, 0=19840
Dupuy,O. Study of the precision of longitudinal focal setting, 0=6914
Dupuy,O. A new method of longitudinal positioning of great precision, 0=6915
Durand,H. Some aspects of nuclear particle detection by scintillation, 0=9233

Durand,H. and Habert,P. Enriched boron scintillators for slow neutrons, 0=17360

Durand,J. Making spheres of crystals with anisotropy of hardness, 0=703

Durand,J.L. See Geller,S., 0=8219

Durand,L., III. Inelastic electron—deuteron scattering cross sections at high energies, 0=350

Durand,L., III,Landovitz,L.F. and Marr,R.B. Electromagnetic corrections to the decays of the muon, O^{14}, and the neutron, 0=15379

Durand,P. Series expansion of a cylindrical potential in the vicinity of the boundary of a surface distribution of charges; development of series and its determination by means of finite differences, 0=5253

Durand,P. Series expansion of a cylindrical potential in the vicinity of a boundary containing volume distribution of charges and derivation of the finite difference equation, 0=8971

Durand,P. Development in series of the potential in the vicinity of a rectangular corner of a dielectric, and application to the setting up of a finite-difference equation, 0=8972

Durandeau,P. A study of magnetic electron lenses, 0=10956

Durandeau,P.,Fagot,B.,Barthere,J. and Laudet,M. Determination of induction and its derivatives on the axis of magnetic electron lenses, 0=19745

Durandeau,P. See Barthére,J., 0=12639

Durant,J.,Klüber,O. and Wulff,H. An arrangement for producing pulsed, steady and strong magnetic fields, 0=19876

Durante,C. and Lailheugue,J. Contribution to the study of the reversal of a ferromagnetic core under the action of a constant current source, 0=7189

Durga Prasad,N.,Menon,M.G.K. and Sharma,O.P. An experiment to investigate the existence of charged particles of mass 550 m , 0=13004

Durham,F.E.,Rester,D.H. and Class,C.M. Electric-monopole-enhanced $2^{+\prime}-2^{+}$ transitions in Th^{232} and U^{238}, 0=20398

Durie,R.A. and Herzberg,G. Forbidden transitions in diatomic molecules. V. The rotation-vibration spectrum of the hydrogen-deuteride (HD) molecule, 0=11523

Durie,R.A.,Legay,F. and Ramsay,D.A. An emission system of the IO molecule, 0=5947

Durieux,M. and van Dijk,H. Recent results from measurements of magnetic temperatures between 1 and 24°K, 0=10103

Durieux,M. See van Dijk,H., 0=7036

Durieux,M. See van Dijk,H., 0=8878

Durif,S. See Alexanian,C., 0=21222

Durlach,N.I. Note on the equalization and cancellation theory of binaural masking level differences, 0=14338

Durif-Varambon,A. Study of the substitution of silicon in several types of orthosilicates, 0=1905

Durovic,S. See Kupcik,V., 0=3257

Dušek,H. and Oldekop,W. On reactor physics perturbation theory of higher order and the range of validity of the perturbation theory of first order in the case of the treatment of cavities, 0=13347

Dušek,J. Measurement of the Hall coefficient and electrical conductivity in semi-conductors by the method of an alternating magnetic field and alternating current, 0=2854

Dutchak,Ya.I. On the problem of the structure of liquid antimony, 0=19111

Duthie,J.G.M. See Aly,H.H., 0=20186

du Toit,S.J. See Burgerjon,J.J., 0=19842

Dutt,I. and Mukherjee,P. Equilibrium deformation of Ra^{226}, 0=20320

Dutt,P.K. Heavy-water electrolysis unit for generation of deuterium gas provided with automatic switch-off and safety devices, 0=16380

Dutt,P.K. and Mukherjee,S.K. Investigations on the working of a palladium Pirani gauge, 0=5062

Dutt,S.B. Stress concentrations around a small inclusion (formed by the revolution of a cardioid about its axis) on the axis of a circular cylinder under torsion, 0=4968

Dutt,S.B. Note on the torsion of a curved rod of circular cross-section with transverse isotropy, 0=16655

Dutt,S.B. Stresses in an aeolotropic paraboloid of revolution due to frictional force acting on its surface, 0=19014

Dutt,S.B. Torsional stresses in a large thick plate with rigidity varying exponentially with depth, 0=19021

Dutt,S.B. See Chattarji,P.P., 0=19007

Dutta,A.K. An analysis of the soft X-ray emission spectroscopy of graphite and an appropriate electronic picture of it, 0=1545

Dutta,A.K.,Subudhi,M. and Samal,K. Propagation of ultrasonic waves in liquids, 0=3525

Dutta,A.K. Soft X-ray emission spectroscopy of graphite and the suggestion of a suitable Brillouin zone for it, 0=6007

Dutta,B.C. and Ghosh,A.K. Thermoluminescence and phosphorescence spectra of some pure and impurity activated alkali halides, 0=6208

Dutta,B.C. See Ghosh,A.K., 0=8028

Dutta,C. On the verification of the extended Kar formula for minimum bowing pressure, 0=19244

Dutta,C. See Kar,K.C., 0=16750

Dutta,C. See Kar,K.C., 0=19035

Dutta,M. An essentially statistical approach to thermodynamic problem—II, 0=2279

Dutta,S.N. See Mitra,M.N., 0=18238

Dutta-Roy,S.K.,Chakravarty,A.S. and Bose,A. Studies on the magnetic susceptibility of some V^{3+} alums and Ti^{3+} caesium alum in the range 300°K to 100°K, 0=18167

Dutton,D.B. See Eby,J.E., 0=2937

Dutton,J.,Harcombe,D. and Jones,E. (Conf. Rep.). Ionization phenomena in gases, 0=2314

Dutton,W.L. and Hirt,R.C. Time-lapse emission spectra using a rotating slotted disc and stationary emulsion, 0=2239

Duval,C. and Lecomte,J. Observations on the infrared absorption spectra and structure of metallic selenates, 0=20625

Duvaux,Y.,Dubois,F.,Stickel,P. and Penet,F. The proton synchrotron "Saturne". Shielding walls, 0=2412

Duverney,R. Polarization study of thin selenium films, 0=2097

Duverney,R. and Vergnoux,A.M. Infrared polarimetry, 0=6952

Duwez,P.,Willens,R.H. and Klement,W., Jr. Continuous series of metastable solid solutions in silver-copper alloys, 0=14077

Duwez,P.,Willens,R.H. and Klement,W., Jr. Metastable electron compound in Ag—Ge alloys, 0=14078

Duwez,P.,Willens,R.H. and Klement,W., Jr. Metastable solid solutions in the gallium antimonide-germanium pseudobinary system, 0=18402

Duyvesteyn,A.J.W. See Casimir,H.B.G., 0=13742

Dvir,M. and Low,W. Paramagnetic resonance spectra of impurities in calcium fluoride, 0=11937

Dvir,M. and Low,W. Paramagnetic resonance and optical spectrum of iron in beryl, 0=16169

Dvořák,V. On surface layers on $BaTiO_3$ single crystals, 0=4293

Dvoretzky,A.,Erdös,P. and Kakutani,S. Points of multiplicity c of plane Brownian paths, 0=10611

Dvoretzky,A.,Erdös,P. and Kakutani,S. Points of multiplicity c of plane Brownian paths, 0=12370

Dvoryankin,V.F. The low temperature method in electron diffraction analysis, 0=18337

Dvoryankin,V.F. and Vainshtein,B.K. Low-temperature crystal holder for the EG electron-diffraction camera, 0=16293

Dvoryankina,G.G. and Pinsker,Z.G. An investigation of the structure of Fe_4N, 0=14014

Dvoryankina,G.G. and Pinsker,Z.G. An investigation of Fe_3O_4 by electron diffraction, 0=18344

Dwight,A.E. The uranium—molybdenum equilibrium diagram below 900°C, 0=18378

Dwight,K. and Menyuk,N. Magnetic properties of Mn_3O_4 and the canted spin problem, 0=16146

Dwight,K.,Menyuk,N.,Arnott,R.,Cohen,M.,Goodenough,J.B., Huber,E.E., Jr,Smith,D.O.,Soohoo,R.F.,Weiss,G.P.,Wold,A. and Wickham,D.G. Digest of literature on dielectrics. Ferromagnetic materials, 0=2300

Dwight,K. See Menyuk,N., 0=3082

Dwight,K. See Menyuk,N., 0=6246

D'yachenko,M.N. The effect of high-temperature annealing on luminescence and coloration of X-ray irradiated quartz crystals, 0=16089

D'yachenko,N.G. High-speed photoelectric spectrometer for the 0.4-0.9 region, 0=14820

D'yakonova,T.S. See Likhter,A.I., 0=584

D'yakov,G.P. A new method for determining single-crystal magnetostriction constants, 0=1802

Dyal,P. and Hummel,J.P. Excitation function for the $V^{51}(\gamma,\alpha)Sc$ reaction, 0=1437

Dyal,P. See O'Connell,J., 0=1432

Dyatlov,I.T. Expansion of the amplitude of a reaction involving formation of three low-energy particles in powers of threshold momentum. 0=9612

Dyce,R.B. Some radio reflection and transmission properties of the aurora, 0=8409

Dyce,R.B.,Dolphin,L.T.,Leadabrand,R.L. and Long,R.A. Aurora-like radar echoes observed from 17° latitude, 0=10443

Dyce,R.B. and Nakada,M.P. On the possibility of detecting synchrotron radiation from electrons in the Van Allen belts, 0=10426

Dyce,R.B. See Fredriksen,A., 0=14207

Dyce,R.B. See Hill,R.A., 0=11060

Dyce,R.B. See Leadabrand,R.L., 0=10442

Dyce,R.B. See Leadabrand,R.L., 0=16526

Dyce,R.B. See Presnell,R.I., 0=10440

Dyce,R.B. See Schlobohm,J.C., 0=10441

Dyer,A.J. Heat transport anemometer of high stability, 0=8685

Dyer,D.O. See Westcott,E.M., 0=10448

Dyer,I. Moment impedance of plates, 0=19245

Dyer,J.,Heckmann,H.H.,Smith,F.M.,Eisenberg,Y.,Koch,W., Nikolic,M.,Schneeberger,M. and Winzeler,H. Interactions of antiprotons in nuclear emulsion, 0=5562

Dyer,R.F. See Bacon,G.E., 0=3199

Dyett,M.J. See Barson,F., 0=15933

Dyke,W.P.,Charbonnier,F.M.,Strayer,R.W.,Floyd,R.L., Barbour,J.P. and Trolan,J.K. Electrical stability and life of the heated field emission cathode, 0=9068

Dyke,W.P. See Barbour,J.P., 0=7839

Dyke,W.P. See Martin,E.E., 0=9067

Dykhne,A.M. Quantum transitions in the adiabatic approximation, 0=8557

Dykman,I.M. and Pekar,S.I. Light waves in crystals in the exciton absorption region and the impurity photo-effect, 0=9988

Dymanus,A. Power saturation of the J = 1 → 2 rotational transition of OCS, 0=1500

Dymanus,A. Intensity measurements in microwave spectroscopy the "antimodulation" method, 0=15176

Dymanus,A.,Dijkerman,H.A. and Zijderveld,G.R.D. New method for the measurement of microwave integrated line intensities and line widths, 0=5428

Dyring,E. See Sandström,A.E., 0=20289

Dyson,A.E. Follow-through plate holder for nuclear track microscopes, 0=3903

Dyson,F.J. Search for artificial stellar sources of infrared radiation, 0=12330

Dyson,F.J. Stability of an idealized atmosphere. II. Zeros of the confluent hypergeometric function, 0=8680

Dyson,J. Circular and spiral diffraction gratings, 0=2250

Dyson,J. Optical diffusing screens of high efficiency, 0=8782

Dyson,J. An image-splitting microscope for accurate measurement, 0=5148

Dyson,J. Precise measurement by image-splitting, 0=14806

Dyson,N.A. The continuous X-ray spectrum from electron-opaque targets, 0=3951

Dyson,N.A. Efficiency of characteristic K_α X-ray production in copper between 9 and 15 kV, 0=5878

Dyson,N.A. See Cordey-Hayes,M., 0=15518

Dyson,P.M.,Kennedy,J.M. and Vogt,E. The angular distribution of photofission fragments. Appendix: Calculation of angular resolution corrections, 0=1451

Dzeganovskii,V.P. See Samsonov,G.V., 0=14012

Dzendolet,E. Standing potentials of the frog's eye. 0=8456

Dzhan Eĕ-Tsin. See Sandulova,A.V., 0=11640

Dzhanelidze,L.P.,Mandritskaya,K.V.,Shakhulashvili,O.A., Kopȳlova,D.K.,Korolevich,Yu.B.,Petukhova,N.I., Tuvdendorzh,D.,Chzhen Pu-In [Cheng P'u-Ying] and Kostanashvili,N.I. The angular distribution of the decay products of the $\Sigma^{\pm}$-hyperons formed by protons in a nuclear emulsion, 0=15445

Dzhasȳbekova,É.K.,Kazachevskii,V.M. and Kharitonov,A.V. Determination of the earth's albedo, 0-21390

Dzhelepov,B.S.,Emel'yanov,B.A.,Kupriyanova,K.P. and Podkopaev,Yu.N. γ-spectrum of La^{140} in the energy range 2300-3900 keV, 0=9602

Dzhelepov,B.S.,Uchevatkin,I.F. and Shestopalova,S.A. $0^+ - 0^+$ transition in the $Pr^{140} - Ce^{140}$ decay, 0=11355

Dzhelepov,B.S. See Antonieva,N.M., 0=4060

Dzhelepov,V.P. and Pontecorvo,B.M. High energy particle research with the synchrocyclotron of the Laboratory of Nuclear Problems at the Joint Institute of Nuclear Studies, 0=15305

Dzhelepov,V.P. See Budagov,Yu.A., 0=2532

Dzhelepov,V.P. See Budagov,Yu.A., 0=7402

Dzhelepov,V.P. See Budagov,Yu.A., 0=9399

Dzhelepov,V.P. See Budagov,Yu.A., 0=13017

Dzhelepov,V.P. See Budagov,Yu.A., 0=13018

Dzendolet,E. Effect of preparation and electrode placement on the frog E.R.G, 0=14357

Dzherpetov,Kh.A. The effect of the temperature of an auxiliary electrode on the ignition of a high-frequency discharge in helium, 0=2353

Dzhorbenadze,N.P. and Sharikadze,D.V. The flow of a conducting, viscous liquid between two porous plates, 0=19899

Dzhrbashyan,V.A. Angular correlation of circularly polarized gamma-quanta from a μ-mesic atom, 0=2718

Dzhrbashyan,V.A. Angular distribution and angular correlation of the radiations from nuclei with oriented electron shells, 0=9544

Dzhrbashyan,V.A. A possible method for the determination of the direction of polarization of μ^--mesons, 0=11197

Dzhurdzhya,M.,Kharadzhya,S. and Tsopa,V. Investigations of the dispersion of light in mono-dispersing suspensions of mastic, 0=16900

Dzuiba,A. See Giriat,W., 0=16272

Dzyaloshinskii,I.E. Magneto-electrical effect in antiferromagnets, 0=11907

Dzyaloshinskii,I.E.,Lifshitz,E.M. and Pitaevskii,L.P. Van Der Waals forces in liquid films, 0=8641

Dzyaloshinskii,I.E. and Pitaevskii,L.P. Van der Waals forces in an inhomogeneous dielectric, 0=10861

Dzyub,I.P. Application of the Green's function method in solid state theory, 0=9836

Eades,J. See Allaby,J.V., 0=7347

Eakins,G.W. See Daniel,H., 0=7515

Eakins,G.W. See Schupp,G., 0=17546

Earnshaw,A.W. and Sproson,J.C. Rheological properties of Barytes suspensions, 0=8596

Easley,J.W. and Blair,R.R. Fast neutron bombardment of germanium and silicon esaki diodes, 0=18029

Easley,J.W. and Dooley,J.A. On the neutron bombardment reduction of transistor current gain, 0=11678

Eason,G. and Sneddon,I.N. The dynamic stresses produced in elastic bodies by uneven heating, 0=4970

East,L.V. and Parker,W.E. Simple logarithmic d.c. amplifier, 0=19584

Eastman,D.P. See Rank,D.H., 0=155

Eastman,D.P. See Rank,D.H., 0=5926

Eastman,D.P. See Rank,D.H., 0=5928

Eastman,D.P. See Rank,D.H., 0=7756

Eastman,D.P. See Rank,D.H., 0=14819

Eastman,D.P. See Rank,D.H., 0=15726

Eastman,D.P. See Rank,D.H., 0=15727

Eastman,D.P. See Rank,D.H., 0=17710

Eastman,D.P. See Rank,D.H., 0=17745

Eastman,D.P. See Rank,D.H., 0=17751

Eastman,P.C. See Sodha,M.S., 0=13584

Eastman,P.C. See Sodha,M.S., 0=20884

Eastwood,T.A. and Werner,R.D. The thermal neutron capture cross section and resonance capture integral of protactinium-233, 0=11447

Eastwood,T.A. See Cabell,M.J., 0=7620

Eastwood,T.A. See Millar,C.H., 0=426

Eastwood,W.S. The design of caesium sources for teletherapy. 0=8436

Eaton,D.R. Infrared temperature and line strength measurements on carbon monoxide excited in a radio-frequency discharge, 0=5923

Eaton,D.R. Line strength measurements in vibration bands of deuterium cyanide, 0=9797

Eaton,D.R. and Thompson,H.W. Pressure broadening studies in vibration—rotation bands. I. The determination of line widths, 0=9795

Eaton,D.R. and Thompson,H.W. Pressure broadening studies on vibration—rotation bands. II. The effective collision diameters. 0=9796

Eaton,W. See Cohen,J., 0=8724

Ebel,M.E. and Ernst,F.J. On the role of the intermediate boson in $\mu \rightarrow e + \gamma$ decay, 0=13008

Eberhagen,A.,Jaeckel,R. and Strier,F. Measurement of contact potential variations during gas adsorption at metal surfaces with constant capacity of the measuring condenser, 0=2303

Eberhard,P. and Good.M.L. Method for determining the K^0 spin, 0=20226

Eberhard,P.,Good,M.L. and Ticho,H.K. Separated 1.17-BeV/c K^- meson beam, 0=20234

Eberhard,P. See Banaigs,J., 0=9656

Eberhard,P. See Button,J., 0=13067

Eberhard,P. See Goldzahl,L., 0=344

Eberhardt,P. and Geiss,J. Comment on the age of the elements, 0=14405

Eberhardt,P. and Hess,D.C. Helium in stone meteorites, 0=6580

Eberhardt,W.H.,Cheng Wu-chieh and Renner,H. The magnetic rotation spectrum of ICl and IBr, 0=5932

Eberle,E.,Nagasaki,M. and Sertorio,L. Independent particle model and photonuclear giant resonance, 0=15586

Ebert,I. Electron paramagnetic resonance in silver halides containing bivalent anions, 0=11949

Ebhardt,R. See Groschwitz,E., 0=2883

Ebisuzaki,R. See Jarmain,W.R., 0=7776

Eby,J.E.,Teegarden,K.J. and Dutton,D.B. Ultraviolet absorption of alkali halides, 0=2937

Eby,R.K.,Williams,A.O.,Jr,Ryan,R.P. and Tamarkin,P. Study of acoustic propagation in a two-layered model, 0=2196

Eccleshall,D. See Allen,K.W., 0=5669

Eckardt,A. and Heinecke,V. Change of the spectral yield curve of counter-tube cathodes during operation, 0=9229

Eckart,C. Variation principles of hydrodynamics, 0=10636

Eckart,D.W. See Kohn,J.A., 0=6356

Eckelmann,W.R.,Broecker,W.S. and Kulp,J.L. Half-life of Pb^{210}, 0=9553

Eckels,A. See O'Keefe,J.A., 0=6627

Ecker,G. and Müller,K.G. Electron emission from the arc cathode under the influence of the individual field component, 0=262

Eckert,E.R.G.,Hartnett,J.P.,Irvine,T.F.Jr. and Sparrow,E.M. Heat transfer, 0=12507

Eckert,E.R.G.,Hartnett,J.P.,Irvine,T.F.,Jr. and Sparrow,E.M. A review of heat transfer literature 1959, 0=16906

Eckertová,L. and Mašek,K. Time dependence of the field-emission current from a tungsten point, 0=3783

Eckertová,L. See Partlová,M., 0=5338

Eckertová,L. See Schürer,P., 0=5059

Eckhardt,W. Spectral investigations in the region near 1 mm wavelengths. V. A comparative measure for optico-spectroscopic systems, 0=19420

Eckhardt,W. Spectral investigations in the region 1 mm wavelength. VI. The construction of a pulse mass radiator and its properties as a spectroscopic radiation source, 0=19421

Eckstein,S.G. and Pratt,R.H. Radiative muon decay, 0=5576

Eckstein,Y.,Lawson,A.W. and Reneker,D. Elastic constants of bismuth, 0=16199

Ecollan,J.,Hieblot,J. and Rocard,Y. Contribution to the study of silent zones and to the distant focusing of sound, 0=14303

Edakova,V.A.,Neudachin,V.G. and Romanovskii,E.A. The possibility of appearance of second-order processes in inelastic scattering of deuterons by nuclei, 0=13242

Edeleanu,C. See Bassett,G.A., 0=21173

Edeleanu,C. and Forty,A.J. Sone observations on the stress-corrosion cracking of α-brass and similar alloys, 0=21148

Edelman,F.H. See Kriessman,C.J., 0=3055

Edels,H. and Gambling,W.A. Excitation temperature measurements in glow and arc discharges in hydrogen, 0=2348

Edels,H. See Ettinger,Y., 0=3727

Edel'shtein,V.M. See Chizhikov,D.M., 0=13942

Eden,M. See Noble,F.W., 0=4839

Eden,R.J. Analytic structure of collision amplitudes in perturbation theory, 0=15295

Eden,R.J.,Emery,V.J. and Sampanthar,S. The binding energies of atomic nuclei. II. Self-consistency and the definition of the t-matrix, 0=9511

Eden,R.J.,Emery,V.J. and Sampanthar,S. The binding energies of atomic nuclei. III. Nuclear forces and the ground state of oxygen 16, 0=9512

Eden,R.J. Nuclear models, 0=20316

Eden,R.J. and Emery,V.J. The binding energies of atomic nuclei. I. Introduction and general method, 0=1351

Eder,F.X. and Däunert,U. Electro-dynamic extensometer with electrical registration, 0=8097

Eder,F.X. and Haefner,H. An electromagnetic torsion apparatus for the measurement of internal attenuation in metals, 0=11970

Eder,F.X. and Meyer,V. Tensile properties of Cu whiskers, 0=18254

Eder,G. The sigma—neutron interaction, 0=15452

Edeskuty,F.J. See Hammel,E.F., 0=8873

Edeskuty,F.J. See Sherman,R.H., 0=10821

Edge,D.O.,Shakeshaft,J.R.,McAdam,W.B.,Baldwin,J.E. and Archer,S. A survey of radio sources at a frequency of 159 Mc/s, 0=829

Edge,J. and Oldfield,L.F. The effects of leaching and silicones on the surface conductivities of sealing glasses, 0=11651

Edge,R.D. Cross section for the reaction C^{13} (γ,n) at 6.4 MeV, 0=15590

Edge,R.D. See Bair,J.K., 0=17583

Edgecombe,F.H.C. and Norrish,R.G.W. A study of the mechanism of photochemical electron transfer processes in solution, 0=10357

Edgerton,H.E. and Cousteau,J.Y. Underwater camera positioning by sonar, 0=6900

Edlén,B. Isoelectronic extrapolation of electron affinities, 0=15636

Edmond,J.T. Heat treatment of gallium arsenide, 0=13611

Edmond,J.T. and Hilsum,C. Heat treatment effects in InAs, 0=13613

Edmonds,D. See Arp,V., 0=517

Edmonds,D.T. See Cooke,A.H., 0=8040

Edmonds,D.T. See Cooke,A.H., 0=10094

Edmonds,D.T. See Cooke,A.H., 0=13734

Edmonds,F.N.,Jr. On solar granulation, 0=6585

Edmonds,P.D. and Sittig,E. Experimental investigation of the natural elastic vibrations of isotropic circular cylinders, 0=14708

Edvarson,K.,Löw,K. and Sisefsky,J. Fractionation phenomena in nuclear weapons debris, 0=7650

Edwards,A.L.,Slykhouse,T.E. and Drickamer,H.G. The effect of pressure on zinc blende and wurtzite structures, 0=4408

Edwards,D.F. and Lazazzera,V.J. Exciton and magneto-optical effect in strained and unstrained germanium, 0=18119

Edwards,D.H. and Jones,T.G. Vibration phenomena in detonation waves in hydrogen—oxygen mixtures, 0=6862

Edwards,D.K. Absorption by infrared bands of carbon dioxide gas at elevated pressures and temperatures, 0=8717

Edwards,D.K. See Bevans,J.T., 0=2184

Edwards,D.M. and Wohlfarth,E.P. Electron interactions and ferromagnetism in metals, 0=13754

Edwards,D.M. See Callaway,J., 0=9885

Edwards,D.N.,Frank,S.G.F. and Holt,J.R. The elastic scattering of 98 MeV negative pions by hydrogen, 0=3991

Edwards,D.N. See Bird,L., 0=11166

Edwards,D.N. See Noyes,H.P., 0=11207

Edwards,D.O. See Brewer,D.F., 0=8864

Edwards,K.L. See Martin,A.J., 0=4765

Edwards,M.H. Refractive index of ^4He, 0=8898

Edwards,M.H. and Woodbury,W.C. Condensation of supersaturated He^4 vapor in a cloud chamber, 0=7018

Edwards,M.H. See Blank,C., 0=12550

Edwards,P.L. Magnetic properties of the manganese chromite-aluminates, 0=1777

Edwards,S.F. The statistical thermodynamics of a gas with long and short-range forces, 0=18965

Edwards,S.F. and Parrent,G.B.,Jr. The form of the general unimodular analytic signal, 0=19359

Edwards,W.B. See Sakuntala,M., 0=1129

Edwards,W.D. Liquid—solid interface shape observed in silicon crystals grown by the Czochralski method, 0=6326

Edwards,W.F. See Gallagher,C.J.,Jr, 0=20388

Ee,H.van. See van Ee,H.

Eeles,W.T. Small-angle X-ray scattering by pile-irradiated graphite, 0=20857

Efendiev,K.I. See Zaitsev,A.A., 0=2350

Efimov,A.A. and Otryashenkov,Yu.M. Photoelectric method for recording circle readings of meridian instruments, 0=18583

Efimov,B.V. and Mityaev,Y.I. The activation cross-section of U^{236}, 0=5803

Efimov,E.A. and Erusalimchik,I.G. On peculiarities of the electro-oxidizing reaction at the germanium anode, 0=6411

Efimov,E.A. and Erusalimchik,I.G. On the characteristics of electrochemical solution of N-type silicon, 0=10353

Efimov,G.V. See Barbashov,B.M., 0=5505

Efimov,G.V. See Barbashov,B.M., 0=20015

Efimova,B.A.,Stavitskaya,T.S.,Stil'bans,L.S. and Sysoeva,L.M. The mechanism of the scattering of carriers in certain solid solutions based on the tellurides of lead and bismuth, 0=2890
Efimova,B.A. See Vinogradova,M.N., 0=6089
Efimova,I.S. See Davidenkov,N.N., 0=6317
Efremov,A.V.,Meshcheryakov,V.A. and Shirkov,D.V. Pion—nucleon scattering at low energies. I, 0=20202
Efremov,D.V. See Veksler,V.I., 0=5369
Efremov,Yu.P. and Kanevskii,Yu.P. A correction for the dimensions of the exit diaphragm in photoelectric recording of equal-inclination interference bands, 0=16895
Efremova,K.A. See Skornyakov,G.P., 0=7998
Efros,A.L. Potential distribution under a cylindrical probe. 0=19594
Efros,D.A. Permeability of porous media during filtration of aerated liquids, 0=14060
Efros,D.A. and Kuranov,I.F. The calculation of flow of a gasified liquid with two-parameter permeability characteristics, 0=14587
fros,I.A. See Ziv,D.M., 0=12100
Efrussi,M.M. See Naumkina,N.I., 0=1013
Eftimiu,C. The forward elastic scattering of photons by bound electrons, 0=9325
Eftimiu,C. and Klarsfeld,S. On the integral representation of the double commutator, 0=20014
Eftimiu,K. and Vrezhoiu,K.[Vrehoiu,C.] On the elastic scattering of photons by the Coulomb field of the nucleus, 0=20096
gan,J.J. Thermodynamics of liquid Mg—Bi alloys, 0=14644
Egan,R.D. Anisotropic field-aligned ionization irregularities in the ionosphere near the magnetic equator, 0=16434
Egardt,L. and Lundqvist,S.O. Inelastic scattering of protons by ^{16}O, 0=7564
Egeland,A.,Hultqvist,B. and Ortner,J. A daytime maximum of oblique auroral reflexions observed in the auroral zone, 0=10444
Egeland,A. See Aarons,J., 0=10437
Egelkraut,K. and Leutz,H. β-spectrum of Tl^{204}, 0=17534
Egelstaff,P.A. The slow-neutron cross-section of graphite, 0=7363
Egelstaff,P.A. On the correlation of the nuclear energy levels of uranium-236 and plutonium-240, 0=7480
Egelstaff,P.A. Solid and liquid state research with cold neutrons, 0=7840
Egelstaff,P.A. The absorption cross-section of the Harwell boron standard for neutrons of 2200 m/sec, 0=5794
Egelstaff,P.A. Glass scintillators for prompt detection of intermediate energy neutrons, 0=17145
Egelstaff,P.A.,Gayther,D.B. and Nicholson,K.P. The slow-neutron resonance behaviour of plutonium isotopes, 0=7615
Egelstaff,P.A. See Hay,H.J., 0=7469
Egerton,A. See Callendar,G.S., 0=10695
Eggen,J.B. See French,R.L., 0=9719
Eggen,O.J. Space motions of the subdwarfs, 0=18783
Eggenberger,J.S. Influence of nearby conductors on thin film switching, 0=11860
Eggers,D.F.,Jr and Emerson,M.T. Automatic slit drive for infrared spectrometers, 0=156
Eggers,F. Measurement of amplitude and phase distribution on conical loudspeaker diaphragms, 0=5107
Eggler,C.,Huddleston,C.M.,Krohn,V.E. and Ringo,G.R. Measurement of neutron spectra of the Experimental Breeder Reactor, 0=12999
Egiyan,K.Sh. See Alikhanov,A.I., 0=9454
Egorov,A.M. See Zagorodnov,O.G., 0=5410
Egorov,G.A. and Yablokov,Yu.V. Paramagnetic resonance in the quasi single crystal CrCl$_3$, 0=21072
Egorov,K.E. Contact problem for an elastic layer under the action of an eccentric vertical force on a circular rigid punch, 0=19011
Egorov,L.B.,Ignatenko,A.E. and Chultem,D. Investigation of the effect of the hyperfine structure on polarization of μ^--mesons in mesic atoms, 0=7704
Egorov,M.M. See Ganichenko,L.G., 0=12114
Egorov,V.D. The recombination of charge carriers in semiconductors for a large trap concentration, 0=574
Egorov,V.S. See Shukhtin,A.M., 0=16865
Eguchi,T. and Nagata,S. Isotopic spin selection rule in Σ-decays, 0=13062
Egupova,L.M. See Shimanskaya,N.P., 0=10073
Egyed,L. Dirac's cosmology and the origin of the solar system, 0=14392

Ehinger,P. See Cauchois,Y., 0=19821
Ehlers,F.E. Method for measuring bulk modulus of a liquid using a Helmholtz resonator, 0=8593
Ehlers,H. and Moll,J. A metal apparatus for experiments in ultra-high vacuum. 0=16739
Ehlers,V.J. See Petersen,F.R., 0=1353
Ehmert,A. On the modulation of the primary cosmic ray spectrum by solar activity, 0=11252
Ehmert,A. and Erbe,H. Balloon measurements on time variations of primary cosmic radiation, 0=11250
Ehrenberg,H. and Mürtz,H.J. Mass spectrometric investigations on lead minerals, 0=12144
Ehrenreich,H. Electron mobility of indium arsenide phosphide [In(As$_y$P$_{1-y}$)], 0=11716
Ehrenreich,H. and Cohen,M.H. Self-consistent field approach to the many-electron problem, 0=516
Ehrenreich,H. See Hall,R.N., 0=13628
Ehrenstein,D.von. See von Ehrenstein,D.
Ehrenstein,G.,Townes,C.H. and Stevenson,M.J. Ground state Λ-doubling transitions of OH radical, 0=1534
Ehrett,W.E.,Weber,J.H. and Hoffman,D.S. Method for predicting vapour—liquid equilibrium relationship in multicomponent systems, 0=1064
Ehrhardt,H. and Osberghaus,O. Temperature dependence of the mass spectra of hydrocarbon molecules and its significance for the statistical theory, 0=20711
Ehrlich,G. Molecular dissociation and reconstitution on solids, 0=1968
Ehrlich,G. and Hudda,F.G. Surface migration of nitrogen on tungsten, 0=7838
Ehrlich,M.P. See Wetstone,D.M., 0=15032
Ehrman,J.B. Boltzmann equation for an electron guide field accelerator. I. Quasi-stationary solutions for an electron beam, 0=3817
Ehrman,J.B. Boltzmann equation for an electron guide field accelerator. II. Stability analysis for an electron beam, 0=9111
Eichbaum,B.R. Evaluation of new high-speed magnetic ferrite system for use in computer components, 0=3085
Eichbaum,B.R. The dielectric behavior of solids embedded in a homogeneous medium, 0=3723
Eichbaum,B.R. Development of high-speed coincident current memory cores, 0=9136
Eichenauer,W. and Schulze,M. The atomic heat of gallium between 6 and 21°K, 0=4269
Eichhorn,E.L. and MacGillavry,C.H. The crystal structure of the trans isomer of β-ionylidene crotonic acid, 0=4654
Eichhorn,H. and Alden,H.L. Parallax, proper motion, and mass ratio of Σ2398(ADS 11632), 0=12316
Eichler,E.G. and Lambert,R.F. Acoustic (0, 1) wave transmission through thin rectangular plates, 0=14720
Eichler,J. Double conversion, 0=17550
Eichler,J. and Jacob,G. Two-quantum transitions in isomeric nuclei, 0=1366
Eick,H.A. The crystal structure and lattice parameters of some rare earth mono-seleno oxides, 0=8221
Eidman,V.Ya. See Ginzburg,V.L., 0=11017
Eidmana,Ya.V. Correction to the paper by V.Ya.Eidmana "Radiation of an electron moving in a magnetoactive plasma", 0=10919
Eido,R. See Grandmontagne,R., 0=489
Eiffert,R.C. See Harp,W.R.,Jr, 0=18453
Eigen,M. and de Maeyer,L. Comment on the letter of B.E.Conway and J.O'M.Bockris, 0=4722
Eigen,M. and De Maeyer,L. Self-dissociation and protonic charge transport in water and ice, 0=7738
Eijkman,E. and Vendrik,A.J.H. Dynamics of the vibration sense at low frequency. 0=16499
Einbinder,H. See Fleishman,H., 0=5030
Einfeld,K. The delayed light emission of scintillator materials in the microsecond region, 0=4429
Einspruch,N.G. Anisotropy in ultrasonic attenuation in single crystal aluminum, 0=17885
Einspruch,N.G. and Truell,R. Scattering of a plane longitudinal wave by a spherical fluid obstacle in an elastic medium, 0=2211
Einspruch,N.G.,Witterholt,E.J. and Truell,R. Scattering of a plane transverse wave by a spherical obstacle in an elastic medium, 0=8754
Einspruch,N.G. See Stein,F., 0=1843
Einspruch,N.G. See West,F.G., 0=18243
Einstein,P.A. See Haine,M.E., 0=7159

Eisberg,R.M.,Yennie,D.R. and Wilkinson,D.H. A bremsstrahlung experiment to measure the time delay in nuclear reactions, 0=17576
Eisberg,R.M. See Meyer,V., 0=7552
Eisenberg,A. Sound damping measurements in glass sheets as a function of angle of incidence, 0=1019
Eisenberg,A. Measurement under load of structure-Borne sound damping by isolating materials, 0=19315
Eisenberg,L. and Ratliff,F. Gating system for photographic printout of counts in neurophysiological research, 0=12216
Eisenberg,Y.,Friedmann,M.,Alexander,G. and Kessler,D. Search for S = −2 negative heavy meson in nuclear emulsions, 0=20219
Eisenberg,Y. See Alexander,G., 0=15438
Eisenberg,Y. See Dyer,J., 0=5562
Eisenberg,Y. See Koch,W., 0=17414
Eisenberg,Y. See Nikolić,M., 0=17413
Eisenhart,L.P. The paths of rays of light in general relativity, 0=18924
Eisenmenger,W. Theoretical and experimental investigation of the frequency dependence of the electrokinetic effect (streaming current) in porous glass filter-plates with ultrasound, 0=5267
Eisenschitz,R. and Boot,A.R. The thermal conductivity of monatomic dielectric liquids, 0=5206
Eisenschitz,R. See Sah,P., 0=10648
Eisenstein,J.C. Spectrum of K_2ReCl_6, 0=17761
Eisenstein,J.C. Spectrum of ReF_6, 0=20624
Eisenstein,J.C. and Pryce,M.H. Theory of the magnetic and spectroscopic properties of neptunium hexafluoride, 0=7768
Eisinger,J. See Bederson,B., 0=15672
Eisinger,J. See Blumberg,W.E., 0=18228
Eisinger,J. See Blumberg,W.E., 0=19561
Eismont,V.P. See Protopopov,A.N., 0=11454
Eismont,V.P. See Protopopov,A.N., 0=11460
Eismont,V.P. See Protopopov,A.N., 0=13304
Eismont,V.P. See Protopopov,A.N., 0=15606
Eisner,M. See Mitchell,R.W., 0=14664
Eisner,R.L. Apparatus for accurate measurement of thermoelectric power, 0=8982
Eizner,Yu.E. See Ptitsy̆n,O.B., 0=12405
Ejima,T. See Straumanis,M.E., 0=6355
Ekhlakov,A.D. Variation of the state of stress in a solid under hydrostatic pressure, 0=16228
Ekman,C.,Hoh,F.C. and Lehnert,B. Behavior of the positive column in a magnetic field, 0=19668
Ekserova,D. See Sheludko,A., 0=12420
Ekspong,A.G. On the scattering of antiprotons in nuclear matter, 0=5748
Ekstein,H. Equivalent Hamiltonians in scattering theory, 0=7299
Eland,A.J. See Ottens,E., 0=557
Eland,A.J. See Ottens,E., 0=558
Elbaum,C. Dislocations in metal crystals grown from the melt, 0=13540
Elbaum,C. Temperature gradient grain boundary migration, 0=17948
Elbaum,C. On dislocations formed by the collapse of vacancy discs, 0=20814
Elbek,B. See Olesen,M.C., 0=7559
Elberg,S. Measurement of the velocity of sound in water as a function of the temperature up to 300°C and pressure up to 150 kg/cm^2, 0=19274
Elbinger,G. Preparation of ferrite single crystals by the Verneuil process, 0=6327
Elder,E. See McGlynn,S.P., 0=4434
Elder,F.A. See Hall,K.L., 0=4731
Eleonskii,V.M. and Zy̆ryanov,P.S. Possible effect of electromagnetic radiation on the electrical conductivity of electronic conductors, 0=3729
Eley,D.D. and Wilkinson,P.R. Adsorption and oxide formation on aluminium films, 0=8335
Elfner,L.F. See Thurlow,W.R., 0=2053
Elford,M.T. See Crompton,R.W., 0=1103
Elford,M.T. See White,G.K., 0=20754
Elford,W.G. Winds in the upper atmosphere, 0=8367
Elgarøy,O. Observations of the fine structure of enhanced solar radio radiation with a narrow-band spectrum analyser, 0=4859
Elias,C.,Françon,M. and Lostis,P. Adaptation of the Jobin—Yvon [electronic] spectrophotometer to microscopy, 0=14824
Elias,L.,Ogryzlo,E.A. and Schiff,H.I. The study of electrically discharged O_2 by means of an isothermal calorimetric detector, 0=2332
Elias,L. See Morgan,J.E., 0=18429
Eliashberg,G.M. Interaction between electrons and lattice vibrations in a superconductor, 0=12558
Elioff,T.,Agnew,L.,Chamberlain,O.,Steiner,H.,Wiegand,C. and Ypsilantis,T. $\bar{p}$—p cross-sections from 534 to 1068 MeV, 0=361
Elioff,T. See Agnew,L.E.,Jr., 0=11172
Eliseev,G.P. See Alikahnov,A.I., 0=2644
Eliseev,G.P. See Alikhanov,A.I., 0=20176
Eliseev,P.G. See Alekseeva,V.G., 0=1583
Eliseyev,G.P. See Alikhanov,A.I., 0=4050
Elistratov,A.M. and Kamadzhiev,P.R. The X-ray investigation of the decomposition of supersaturated solid solutions of small solubility, 0=21192
Elistratov.N.P. See Gusev.V.M.. 0=19807
Ellett,W.H. See Wächter,M.H., 0=11133
Ellinger,F.H.,Elliott,R.O. and Cramer,E.M. The plutonium—uranium system, 0=8276
Ellingham,B. See Onions,W.J., 0=4978
Ellington,J.P. Temperatures, thermal stresses and displacements in solid uranium dioxide rods, 0=6962
Elliott,B.J.,Schaug-Pettersen,T. and Shaw,H.J. Pulsed ferrimagnetic microwave generator, 0=12693
Elliott,D. See Cook,J.L., 0=13216
Elliott,D. See Robertson,D.S., 0=19878
Elliott,D.N.,Stein,L. and Harrison,M.J. Determination of absolute-intensity thresholds and frequency-difference thresholds in cats, 0=6505
Elliot,H. Cosmic-ray intensity variations and the interplanetary magnetic field, 0=17452
Elliot,J.O. and Young,F.C. Half lives of N^{16}, Mg^{27}, Al^{28}, S^{37}, and Rh^{104m2}, 0=13179
Elliott,J.F. Thermomagnetic generator, 0=1793
Elliott,J.F.Hysell,R.E. and Meikleham,V. Laboratory sun, 0=10759
Elliott,K.W.T.,Wilson,D.C.,Mason,F.C.P. and Bigg,P.H. Primary standard barometer of range 0 to 1200 mb, 0=8677
Elliott,L.A. Similarity methods in radiation hydrodynamics, 0=19049
Elliott,M.J. Extraction of tritium present in helium-3, 0=20575
Elliott,N. Interatomic distances in FeS_2, CoS_2, and NiS_2. 0=16322
Elliott,N. See Corliss,L.M., 0=6248
Elliott,R.O. See Ellinger,F.H., 0=8276
Elliott,R.O. See Kempter,C.P., 0=15817
Elliott,S.D.,Jr. See Fairbank,H.A., 0=8885
Elliott,W.G. See Pritchard,B.S., 0=4783
Ellis,G.R. Measurement of the gyro-frequency in the F region, 0=772
Ellis,G.R. Low-frequency radio emission from aurorae, 0=796
Ellis,G.R. The trapping of cosmic radio waves beneath the ionosphere, 0=2015
Ellis,G.R.A. Observations of atmospheric radio noise, 0=12206
Ellis,G.R.A. Geomagnetic disturbances and 5 kilocycles per second electromagnetic radiation, 0=14174
Ellis,G.R.A. Gyro splitting of ionospheric echoes, 0=14220
Ellis,G.R.A. Directional observations of 5 kc/s radiation from the earth's outer atmosphere, 0=14315
Ellis,G.R.A. and Cartwright,D.G. Directional observations of radio noise from the outer atmosphere, 0=4790
Ellis,G.R.A.,Cartwright,D.G. and Groves,J.R.V. Spaced observations of radio noise from the outer atmosphere, 0=4793
Ellis,J.W. Wavelength of plane waves in a dissipative medium, and of spherical waves in a nondissipative and in a dissipative medium, 0=5077
Ellis,R.A.,Goldberg,L.P. and Gorman,J.G. Loss of charged particles in a stellerator during ohmic heating, 0=11475
Ellis,R.A.,Jr, Goldberg,L.P. and Gorman,J.G. Possibility of an electrostatic instability in a stellarator, 0=17001
Ellis,R.E. See Post,R.F., 0=7122
Ellison,F.O. See Companion,A.L., 0=7812
Ellison,J.McK. and Peetz,C.V. The forward scattering of light by spheres according to geometrical optics, 0=5135
Ellison,M.A.,McKenna,S.M.P. and Reid,J.H. The solar flare of June 1, 1960, 0=18764
Ellison,M.A.,McKenna,S.M.P. and Reid,J.H. The solar flare of 1960 April 1, 0=18765

llison,R.D. See Levy,H.A., 0=10298
llyett,C. and Watts,J.M. Stratification in the lower ionosphere, 0=3351
lmore,W.C. See Boyer,K., 0=13385
l Nadi. and Farag,N. Thermal diffusion in gaseous mixtures, 0=959
l-Nadi,A. and Aly,F.M. Characteristics of spark counters, 0=3885
l Nadi,M. Two-nucleon stripping process, 0=13221
l Nadi,M. Single and multiple stripping of α particles, 0=20464
l Nadi,M. and Salam,E. The variations of thermal conductivity of gases and vapours with both temperature and pressure, 0=19202
l'piner,I.E. Ultrasonic luminescence: a survey, 0=19164
l'piner,I.E. See Sokol'skaya,A.V., 0=1964
lrod,H.G. A derivation of the basic equations for hydrodynamic lubrication with a fluid having constant properties, 0=3499
lsässer,H. The scintillation of the stars, 0=4903
lsässer,H. Theory of astronomical scintillation. II, 0=16548
lsässer,H. and Siedentopf,H. Theory of astronomical scintillation. I, 0=2085
l-Sherbini,M. See Nassef.A., 0=20297
lsmore,B. Radio observations of the lunar atmosphere, 0=18620
lsmore,B.,Ryle,M. and Leslie,P.R.R. The positions, flux densities and angular diameters of 64 radio sources observed at a frequency of 178 Mc/s, 0=830
lsmore,B. See Long,R.J., 0=18639
lste,G. See ten Bruggencate,P., 0=6597
lston,J. See Sicard,L., 0=548
l'tekov,V.A. On the influence of the Pauli principle and of short-range nuclear forces on the absorption of photons by nuclei in the oscillator model, 0=15588
ltekov,V.A. See Balashov,V.V., 0=11283
lvey,C.T. See Romick,G.J., 0=2038
lving,P.J. See Bauer,H.H., 0=14119
lving,P.J. See Bauer,H.H., 0=14120
lvius,A. and Herlofson,N. On the dynamics of galaxies with large-scale magnetic fields, 0=6615
lvius,A. and Lindblad,P.O. Numerical computations on the ejection of stars into spiral arms from gas rings containing magnetic fields, 0=10473
l-Wahab,M.A. See Meligy,A.S., 0=11507
lwert,G. The distribution of X-rays emitted by the solar corona and the residual intensity during solar eclipses, 0=836
lwyn,A.,Kane,J.V.,Ofer,S. and Wilkinson,D.H. Reaction $C^{12}(d,n)N^{13}$, 0=4100
ly,R.P. and Frisch,D.H. Search for $\pi_{10}^{\circ}\rightarrow 3\gamma$, 0=3983
lyard,C.A.,Baynton,P.L. and Rawson,H. The properties of binary phosphate glasses, 0=21216
l'yashevich,A.M. See Vol'kenshtein,M.V., 0=15794
l'yashevich,A.M., See Vol'kenshtein,M.V., 0=21276
mberson,D.L. See Wilcock,W.L., 0=7142
mbleton,T.F.W. and Dagg,I.R. Accurate coupler pressure calibration of condenser microphones at middle frequencies, 0=5106
mch,G. and Lacroix,R. Paramagnetic resonance of the $Cr(H_2O)_6^{3+}$ complex in a single crystal of $Al(H_2O)_6Cl_3$,0=13869
mel'yanenko,O.V. and Kesamanlÿ,F.P. A method for rapid precision measurements of the thermoelectric power of semiconductors, 0=18075
mel'yanenko,O.V.,Lagunova,T.S. and Nasledov,D.N. The scattering of current carriers in gallium arsenide with strong degeneracy, 0=13612
mel'yanenko,O.V. and Nasledov,D.N. The Nernst—Ettingshausen effect in gallium arsenide, 0=608
mel'yanenko,O.V.,Zotova,N.V. and Nasledov,D.N. Thermomagnetic Nernst—Ettingshausen effects in indium arsenide, 0=6124
mel'yanov,A.A. Viscosity in the hydrodynamic theory of multiple particle production, 0=9322
mel'yanov,A.A. and Chernavskii,D.S. Effect of viscosity in multiple production on the energy distribution of secondary particles, 0=11129
mel'yanov,A.A. and Rozenthal',I.L. Two-centre model and hydrodynamic theory of multiple particle production, 0=5528
mel'yanov,B.A. See Dzhelepov,B.S., 0=9602
melyanov,V.S.,Godin,Yu.G. and Evstyukhin,A.I. An investigation of the zirconium-tantalum system, 0=6384
mersleben,O. The electrostatic energy of some space charges, 0=14947
Emerson,M.T.,Grunwald,E. and Kromhout,R.A. Proton-transfer studies by nuclear magnetic resonance. I. Diffusion control in the reaction of ammonium ion in aqueous acid, 0=14117
Emerson,M.T. See Eggers,D.F., Jr, 0=156
Emery,G.T. and Kane,W.R. Gamma-ray intensities in the thorium active deposit, 0=9607
Emery,G.T. See Kane,W.R., 0=17564
Emery,V.J. Reaction matrix singularities and the energy gap in an infinite system of fermions, 0=17270
Emery,V.J. and Sessler,A.M. Possible phase transition in liquid He^3, 0=12548
Emery,V.J. and Sessler,A.M. Energy gap in nuclear matter, 0=13101
Emery,V.J. See Eden,R.J., 0=1351
Emery,V.J. See Eden,R.J., 0=9511
Emery,V.J. See Eden,R.J., 0=9512
Emma,V.,Milone,C. and Rinzivillo,R. Photoneutrons from K and Ca, 5774
Emma,V.,Milone,C.,Rinzivillo,R. and Rubbino,A. Charged photoparticles from argon, 0=1431
Emma,V.,Milone,C. and Rubbino,A. Energy spectra and angular distribution of photoneutrons from carbon, 0=11435
Emma,V.,Milone,C.,Rubbino,A. and Malvano,R. Photoneutrons from bismuth, 0=17616
Emmerson,G.S. Heat transmission with boiling, 0=20527
Emshwiller,M.,Hahn,E.L. and Kaplan,D. Pulsed nuclear resonance spectroscopy, 0=9226
Emslie,A.G. and Blau,H.H., Jr. On the measurement of the temperatures of unenclosed objects by radiation methods, 0=2273
Emslie,A.G. See Klemperer,W., 0=20620
Enander,B. See Westermark,T., 0=15527
Enck,F.D. Behavior of the principal elastic moduli and specific heat at constant volume of KCl at elevated temperatures, 0=16207
Enck,R.C. See Cheroff,G., 0=2907
Enderby,C. See Coleman,P.D., 0=17098
Enderby,J.E. See Cusack,N., 0=7909
Enderby,J.E. See Cusack,N.E., 0=933
Endō,S. See Susuki,Y., 0=20949
Endow,N. See Ford,H.W., 0=8315
Endt,P.M. and Heyligers,A. Energy levels in ^{28}Si from the ^{27}Al(p,γ) ^{28}Si reaction, 0=17505
Endt,P.M. See Kuperus,J., 0=9627
Endt,P.M. See Suffert,M., 0=15574
Endt,P.M. See van der Leun,C., 0=7565
Enflo,B. Construction of wave equations by Eriksson's spinor formalism, 0=12841
Enge,H.A.,Irwin,E.J., Jr and Weaner,D.H. Results of stripping analysis of the reaction $K^{39}(d,p)K^{40}$, 0=441
Enge,H.A.,Jarrell,D.L. and Angleman,C.C. Results of stripping analysis of the $Co^{59}(d, p)Co^{60}$ reaction, 0=13238
Engel,O.G. Pits in metals caused by collision with liquid drops and rigid steel spheres, 0=8142
Engelke,B.A. The pressure variation of the electron temperature in the plasma of a positive column in molecular gas glow discharges, 0=9018
Engelke,B.A. On the effect of the ionization of molecules on the pressure variation of electron temperature in the plasma of a glow discharge positive column, 0=19685
Engelkemeir,D.W. See Gindler,J.E., 0=15541
Engell,H.J. See Wever,F., 0=17969
Engelmann,F. Possible spins for elementary particles, 0=12888
Engelmann,J.J. A graphite 4π gamma ionization chamber, 0=2455
Engelsberg,S. See Calame,G., 0=19853
Engelsman,J.J. See Koelmans,H., 0=8011
England,J.B.A.,McKeague,R. and Hodgson,P.E. The elastic scattering of 19 MeV deuterons by krypton and xenon, 0=11419
England,J.B.A. See Aguilar,J., 0=7583
England,J.B.A. See Aguilar,J., 0=20463
England,J.B.A. See Bredin,D.J., 0=20250
England,J.L. See Boyd,F.R., 0=14041
Englander,M. See Laniesse,J., 0=6394
Englander,M. See Laniesse,J., 0=18416
Englefield,M.J. Use of Racah albegra in evaluating commutators, 0=2069
Engler,A.,Jones,P.B. and Mulvey,J.H. Interactions of antiprotons with nuclei, 0=7348

Engler,H.D. Individual detection of β-particles with germanium and silicon junction diodes, 0=7493
Englert,F. Behaviour of a small quantized system in a weakly dissipative medium: some applications to Coulomb interactions, 0=3459
Englert,F. Renormalization of the mass of an electron in a black body, 0=9335
Englert,F. Theory of a Heisenberg ferromagnet in the random phase approximation, 0=18173
Englert,F. and Brout,R. Dielectric formulation of quantum statistics of interacting particles, 0=18988
English,A.C. Directions of growth striations in germanium crystals, 0=16260
Englman,R. On the escape of impurities from solids, 0=555
Englman,R. Mechanism for the optical absorption in some paramagnetic salts, 0=5939
Englman,R. A method for the determination of the impurity distribution in a semi-infinite solid, 0=9914
Englman,R. Some temperature dependent effects on the optical absorption line shape of paramagnetic ions, 0=20637
Englman,R. Charge transfer states and optical absorption in octahedrally hydrated paramagnetic salts, 0=20638
Englman,R. Localized modes in crystals and sharp details of the optical absorption spectra, 0=20976
Engstrom,R.W. Absolute spectral response characteristics of photosensitive devices, 0=15054
Enikeev,E.Kh.,Margolis,L.Ya. and Roginskii,S.Z. Variation of the work function of oxide semiconductors by alloying additions, 0=11710
Enikiev,E.Kh. See Vladimirova,V.I., 0=11718
Ennos,A.E. Preparation of phase diffraction gratings by vacuum evaporation, 0=176
Enoch,J. Equivalence of the Landau and Fokker—Planck collision terms, 0=10869
Enoch,J.M. Response of a model retinal receptor as a function of wavelength, 0=6525
Enoch,J.M. Waveguide modes: are they present, and what is their possible role in the visual mechanism? 0=18557
Enomoto,S. See Narita,S., 0=2764
Ensminger,D. Solid cone in longitudinal half-wave resonance, 0=2194
Entwistle,K.M. See Sumner,G., 0=6852
Enz,C.P. Theory of the magnetic susceptibility of crystals, 0=18156
Enz,C.P. Temperature dependence of magnetic susceptibility, 0=18157
Enz,U. See Casimir,H.B.G., 0=13742
Enz,U. See Kooy,C., 0=8049
Enz,U. See Smit,J., 0=10179
Epelboin,I. See Bosio,L., 0=9930
Epifanov,G.I. The role of adhesion in the establishment of frictional forces on pure surfaces, 0=16245
Eppler,R.A. and Drickamer,H.G. Effect of pressure on the spectra of color centers, 0=9906
Eppler,R.A. and Drickamer,H.G. Effect of pressure on color centres in Ag$^+$-doped alkali halides, 0=13555
Eppling,F.J. See Michael,I., 0=2405
Epshtein,I.A. See Rozenberg,V.M., 0=13912
Epstein,A. and Wildi,B.S. Electrical properties of poly-copper phthalocyanine, 0=4358
Epstein,D.J. and Frackiewicz,B. Temperature-dependent lag in polycrystalline yttrium-iron garnet, 0=3092
Epstein,E.E. Anomalous continuum radiation from Jupiter, 0=832
Epstein,E.M. See Guliev,N.A., 0=20132
Epstein,E.S. See Adel,A., 0=12145
Epstein,L.M. See Ruby,S.L., 0=9524
Epstein,M.,Sachs,H.M. and Greenstein,L.J. Multiple-element Hall-effect sensor, 0=7184
Epstein,S. An electrical spectrographic calculator, 0=6933
Epstein,S.T. Application of the Rayleigh—Schrödinger perturbation theory to the delta function potential, 0=7302
Epstein,S.T. Time-dependent impulse approximation, 0=12868
Epstein,S.T. On the origin of super-selection rules, 0=15227
Epstein,S.T. On the anisotropy of inertia, 0=16611
Érastov,L.N. Inversion of the thermoelectric power in the region of welded contacts between metals, 0=16000
Érastov,L.N. Detection of the formation of chemical compounds in binary alloys using the resistance-welding method, 0=16354
Erb,E. See Uebersfeld,J., 0=16717
Erbe,H. See Ehmert,A., 0=11250
Erber,T. The photoelectric effect at high energies, 0=4177
Ercoles,A.M. See Bittini,M., 0=8449
Erdélyi,A. Asymptotic solutions of differential equations with transition points or singularities, 0=4838
Erdélyi,I. Chapters on the mechanical theory of heat, 0=7012
Erdmann,J. The symmetry of wave-functions in hexagonal close-packed crystals, 0=17873
Erdös,P. See Dvoretzky,A., 0=10611
Erdös,P. See Dvoretzky,A., 0=12370
Eremenko,V.V. Luminescence of cadmium sulphide crystals, 0=11776
Eremina,I.V. See Gen,M.Ya., 0=14144
Erez,G. and Rosen,N. The gravitational field of a particle possessing a multipole moment, 0=3439
Ergakov,V.A. See Trebukhovskii,Yu.V., 0=11175
Ergen,W.K.,Callihan,A.D.,Mills,C.B. and Scott,D. The aircraft reactor experiment — physics, 0=13313
Erginsoy,C. The resonance absorption integral of ^{238}U, 0=7623
Ergun,S.,McCartney,J.T. and Walline,R.E. Absorption of ultra-violet and visible light by ultra-thin sections of vitrinite from a high-volatile bituminous coal, 0=20992
Ergun,S. and Tiensuu,V.H. Tetrahedral structures in amorphous carbons, 0=6371
Erickson,G.F. See Pidd,R.W., 0=1139
Erickson,W.C. Radio emission in the outer corona, 0=4
Erickson,W.C. and Helfer,H.L. H-line profiles at high galactic latitudes, 0=12261
Ericson,L.G. and Tomlin,S.G. Further studies of low-angle X-ray diffraction patterns of collagen, 0=14038
Ericson,M. and Jacrot,B. A neutron scattering study of the kinetics of magnetic moments in iron in the region of the Curie point, 0=13804
Ericson,M. and Jacrot,B. Experimental study of the critical scattering of neutrons in iron, 0=16137
Ericson,T. Classical theory of compound nucleus reactions, 0=17572
Ericson,T. See Czyz,W., 0=3979
Ericson,W.B. and Bazer,J. On certain properties of hydromagnetic shocks, 0=15133
Ericsson,J. and Sjöfall (Johansson),L.P. Spectral line broadening measured by shearing interferometric methods, 0=19414
Eriksen,W.T. See Zallen,R., 0=11793
Erikson,T.A. and Tykodi,R.J. Thermodynamics, stationary states, and steady-rate processes. VI. Forced vaporization of selected liquids, 0=14908
Erikson,T.A. See Tykodi,R.J., 0=3692
Erikson,T.A. See Tykodi,R.J., 0=3694
Eriksson,K.E. Statistical time moments and an asymptotic formula for the time—energy distribution of slowed-down neutrons, 0=363
Eringen,A.C. Irreversible thermodynamics and continuum mechanics, 0=6689
Erkovich,S.P. Coefficient of continuous absorption of radiation by quasi-molecules of hydrogen, 0=15741
Erkovich,S.P. and Pisarevskii,Yu.V. The transition probability in the γ- and β-systems of NO bands, 0=15753
Erlandsson,G. Computer program for centrifugal distortion in asymmetric top rotational spectra, 0=7747
Erlbach,E.Garwin,R.L. and Sarachik,M.P. Measurement of magnetic-field attenuation by thin superconducting films, 0=10853
Erlbach,E. See Sarachik,M.P., 0=7034
Erler,W. Determination of secondary paths for airborne sound [in buildings] by the method of structure sound measurement and structure sound excitation, 0=1018
Ermakov,B.A. and Mak,A.A. Application of the method of storage in the photoelectric recording of the time-resolved spectra of light flashes, 0=3631
Ermakova,L.A. See Koptsik,V.A., 0=11739
Erman,P. and Parker,W. Vacuum deposition of uranium on thin organic backings for nuclear spectroscopic use, 0=17288
Ermatov,S.E. See Starodubtsev,S.V., 0=4745
Ermisch,W. See Seiwert,R., 0=5871
Ermisch,W. See Seiwert,R., 0=5872
Ermolaev,V.L. Dependence of the probability of energy transfer in sensitized phosphorescence on the oscillator strength of a triplet-singlet transition in the molecule of an energy acceptor, 0=944
Ermolaev,V.L. and Svitashev,K.K. Quantum yields of phosphorescence and fluorescence of certain monoderivatives of naphthalene in solutions at -196°C, 0=10070

molov,I.N. Scalar acoustic field theory application to the analysis of the acoustic path of an ultrasonic flaw detector, 0=1009
molov,P.F. See Budagov,Yu.A., 0=2532
molov,P.F. See Budagov,Yu.A., 0=9399
molov,P.F. See Budagov,Yu.A., 0=13017
molov,P.F. See Budagov,Yu.A., 0=13018
est,L.E. See Allen,J.S., 0=15096
nsberger,F.M. Structural effects in the chemical reactivity of silica and silicates. 0=16376
nst,B.M. See Lomsadze,Yu.M., 0=9349
nst,F.J.,Sachs,R.G. and Wali,K.C. Electromagnetic form factors of the nucleon, 0=12915
nst,F.J. See Ebel,M.E., 0=13008
nst,L. Long time-constant decay effect of oxide-coated cathodes, 0=9070
nst,R. See Primas,H., 0=7236
ö,J. Radiofrequency modulation in the Thoneman ion source, 0=19774
ofeichev,V.G. and Kurbatov,L.N. The electrical conductivity and permittivity of lead sulphide layers at 10^{10} c/s, 0=18050
okhina,K.I. See Alkhazov,D.G., 0=2567
okhina,K.I. See Alkhazov,D.G., 0=2622
okhina,K.I. See Alkhazov,D.G., 0=7587
okhina,N.A. See Galavanov,V.V., 0=11726
ozolimsky,B.G.,Kutikov,I.E.,Dobrynin,Y.P.,Pevzner,M.I., Danelyan,L.S. and Moskalev,S.S. Measurements of η for Pu^{239} specimens containing some Pu^{240}, and of the effective resonance-absorption integral for Pu^{240}, 0=4135
ozolimsky,B.G. and Spivak,P.E. The standardization of neutron sources using the graphite stack of a reactor, 0=7383
ozolimsky,B.G. See Spivak,P.E., 0=4133
ozolimsky,B.G. See Spivak,P.E., 0=4134
shin,S.A. and Sakipov,Z.B. A study of the initial section of a turbulent jet of compressed air, 0=8682
shler,B.V. See Myasishcheva,G.G., 0=7616
shler,B.V. See Anikina,M.P., 0=11363
shler,B.V. See Ivanov,R.N., 0=11455
shler,V. and Lapteva,F.S. The evaporation of metals by fission fragments, 0=5812
shova,A.D. See Zolina,Z.K., 0=14037
skine,J.R. See Browne,C.P., 0=20378
tas,I. The determination of the constants of the relaxation mechanism of $MnSO_4$ solutions at various temperatures and concentrations, 0=6792
taud,A. See Bonpas,M., 0=7496
usalimchik,I.G. See Efimov,E.A., 0=6411
usalimchik,I.G. See Efimov,E.A., 0=10353
cande,L.,Claria,J. and Longerinas,C. Amplitude of maintained oscillations in equilibrium chimneys with throttling at the section lower than the limiting section of Thoma, 0=6763
chbach,H.L. and Jaeckel,R. Layered walls for ultra high vacuum containers, 0=8725
chke,W. An integrating u.v. radiation meter employing a photoelectric principal, 0=12472
cobar,I.,Maldonado,E.,Nerurkar,N.W. and Romero,R. Cosmic-ray characteristics registered in Chacaltaya during unusually high solar activity, 0=15485
cobar,V.,I.,Nerurkar,N. and Weil,R. Sidereal anisotropy of high energy cosmic rays, 0=11258
el'son,B.N. and Shvets,A.D. The use of a superconducting ring for registering the phase transition in liquid
enwein,A. and Preis,H. Application of the counter-tube goniometer to X-ray fine-structure determination, 0=4610
enwein,A. See Preis,H., 0=4763
hbach,J.R. and Damon,R.W. Surface magnetostatic modes and surface spin waves, 0=11817
hbach,J.R. See Damon,R.W., 0=10193
helby,J.D. The elastic field outside an ellipsoidal inclusion, 0=10625
helby,J.D. Appendix . Stress induced ordering and strain-ageing in low carbon steels, 0=16220
hleman,V.R.,Barthle,R.C. and Gallagher,P.B. Radar echoes from the sun, 0=4871
helman,V.R. See Gallagher,P.B., 0=18711
in,V.O. and Kralina,A.A. The effect of the initial purity of tin on the preferred direction of crystal growth, 0=18304
in,V.O. and Kralina,A.A. The lamellar character of crystallization and sub-structure of tin of various degrees of purity, 0=18305
ipov.V.F. See Shklovskii.I.S.. 0=18889

Esipov,V.F. See Volkov,I.V., 0=6957
Essen,L. Accurate measurement of time, 0=14480
Essen,L. The international coordination of time signals and standard frequency transmissions, 0=18894
Essen,L. and Parry,J.V.L. An improved caesium frequency and time standard, 0=6635
Essen,L.,Parry,J.V.L. and Steele,J.McA. Frequency variations of quartz oscillators and the earth's rotation in terms of the N.P.L. caesium standard, 0=21
Essen,L.,Parry,J.V.L. and Steele,J.McA. Frequency variations of quartz oscillators and the earth's rotation in terms of the N.P.L. caesium standard, 0=10547
Estermann,I. See McFee,J.H., 0=19521
Estin,A. See Maryott,A.A., 0=10700
Estin,A.J. See Bussey,H.E., 0=7216
Estrup,P.J. See Preiss,I.L., 0=20394
Estulin,I.V.,Melioransky,A.S. and Kalinkin,L.F. Low-lying energy levels of Cs^{134}, 0=11325
Estulin,I.V. See Kalinkin,L.F., 0=11381
Estulin,I.V. See Melioranskii,A.S., 0=13149
Ettinger,Y. and Edels,H. Time-controlled unit-function, constant-voltage generator, 0=3727
Etzel,H.W. Colloids in additively colored sodium chloride, 0=9911
Etzel,H.W. and Allard,J.G. Optical detection of vacancies created by high-energy radiation in sodium chloride, 0=1594
Eubank,H.P. See Peck,R.A., Jr, 0=1443
Eugène-Praderie,F. and Pecker,J.C. Charts of the balance and abundances in the stellar and solar photospheres.
Euler,J. Characteristics curves for the electrical resistance of galvanic cells, 0=10352
Evans,B.A. and Richards,R.E. Temperature-controlled permanent magnet for high-resolution nuclear magnetic resonance, 0=15108
Evans,D. See K^--collaboration, 0=1308
Evans,D. See K^--Collaboration, 0=15430
Evans,D.,Hassan,F.,Nagpaul,K.K. and Shafi,N. On the interaction of (200-300) MeV K^+-mesons in emulsion, 0=15431
Evans,D.,Jones,B.D. and Zakrzewski,J. A non-mesonic decay of a ${}^{11}_{\Lambda}B$ hyperfragment, 0=20359
Evans,D. See Bredin,D.J., 0=9447
Evans,D. See Bredin,D.J., 0=20250
Evans,D.M. The temperature dependence of the low-level lifetime and conductivity mobility of carriers in silicon, 0=2885
Evans,D.S. and Raynor,G.V. The lattice spacing of thorium, with reference to contamination, 0=10311
Evans,E.J. and Parkin,P.H. Sound absorption of a stone wall, 0=14775
Evans,H.C. and Bellamy,E.H. The response of plastic scintillators to protons, 0=6204
Evans,J. The design of transistors to operate at high frequencies, 0=20888
Evans,J.A. See Woolley,J.C., 0=6120
Evans,J.C. Absorption spectrum of formamide vapor in the 2700-3700 cm^{-1} region, 0=4195
Evans,J.C. The Raman spectrum of antimony tribromide, 0=13688
Evans,J.C. See Scherer,J.R., 0=17753
Evans,J.E. and Grace,M.A. Polarization in C^{12}(pp) scattering, 0=7554
Evans,J.E. See Brugger,R.M., 0=12940
Evans,J.P. and Mardon,P.G. Some physical properties of neptunium metal. I. A determination of the specific heat of α-neptunium, 0=2789
Evans,J.P. See Lee,J.A., 0=11657
Evans,J.V. The electron content of the ionosphere, 0=760
Evans,J.V.,Evans,S. and Thomson,J.H. The rapid fading of moon echoes at 100 Mc/s, 0=18616
Evans,J.V. and Taylor,G.N. Radio echo observations of Venus, 0=4872
Evans,J.V. See Davies,J.G., 0=8528
Evans,L.E. High energy theorem in quantum electrodynamics, 0=17218
Evans,M.H. and Pierson,G. Some modifications to an oscilloscope camera, and the construction of a control unit, 0=16903
Evans,P.B.F. See Bentley,P.G., 0=3812
Evans,P.R. The decay of neodymium-147, 0=427
Evans,S. and Thomas,G.M. The southern auroral zone in geomagnetic longitude section 20°E, 0=10433
Evans,S. See Davies,J.G., 0=8528

Evans,S. See Evans,J.V., 0=18616

Evans,T. and Schwarzenberger,D.R. The effect of surface films on the slip of substrates, 0=21113

Evans,W. See Tuxworth,R.H., 0=8150

Evans,W.H.,Hadley,D.W.,Morgan,T.D.N.,Williams,P.R. and Kirk,A. Measurement of systematic track distortion in a propane bubble chamber, 0=3897

Evans,W.H. See Alston,M.H., 0=15200

Evans,W.H. See Cundy,D.C., 0=15201

Evans,W.W. See Hunt,S.E., 0=7557

Evdokimov,N.A. See Verevkin,V.M., 0=8760

Evdokimov,V.D.,Radchik,V.S. and Radchik,A.S. Frictional forces and surface deformation, 0=4571

Evdokimov,V.D. See Radchik,A.S., 0=21111

Evdokimova,V.V. and Vereshchagin,L.F. Determination of interatomic separation in solids subjected to pressure. I. Compressibility of barium and strontium, 0=20721

Eve,J. A theoretical study of the fluorine molecule, 0=7782

Eve,J. See Rushbrooke,G.S., 0=2771

Everett,D.H. Entropy production in a spontaneous, adiabatic (non-isothermal) chemical reaction, 0=744

Everhart,E. and Kantorski,J.W. Diffraction patterns produced by obstructions in reflecting telescopes of modest size, 0=10471

Everhart,E. See Lane,G.H., 0=5865

Everhart,E. See Ziemba,F.P., 0=13407

Everhart,T.E. Simple theory concerning the reflection of electrons from solids, 0=15081

Everhart,T.E. and Thornley,R.F.M. Wide-band detector for micro-microampere low-energy electron currents, 0=12567

Everingham,I.B. See Doyle,H.A., 0=4768

Everitt,C.W.F. and Belshé,J.C. Palaeomagnetism of the British carboniferous system, 0=21307

Everling,F. Linear relationships connecting some nucleon separation energies and the mass number, 0=4017

Everling,F. On the appearance of definite excitation energies in different nuclei, 0=7471

Everling,F.,König,L.A.,Mattauch,J.H.E. and Wapstra,A.H. Atomic masses of nuclides for A = 70, 0=9509

Everling,F.,König,L.A.,Mattauch,J.H.E. and Wapstra,A.H. Relative nuclidic masses, 0=20570

Everling,F. See Mattauch,J., 0=20569

Evers,E.C. On the structure of dilute solutions of metals, 0=16690

Eveson,G.F.,Hall,E.W. and Ward,S.G. Interaction between two equal-sized equal-settling spheres moving through a viscous liquid, 0=6731

Eveson,G.F. See Matthews,H.W., 0=8592

Evett,A.A. Comparison of exact and approximate energy levels for a hindered rotator, 0=4183

Evett,A.A. Second-order perturbation calculation of the hindered rotator model for adsorbed hydrogen, 0=16392

Evett,A.A. and Fried,D.C. Speed of light in flowing dispersive liquids, 0=19356

Evett,A.A. and Wangsness,R.K. Note on the separation of relativistically moving rockets, 0=16580

Evseev,A.M. The radial distribution function of the atoms in a liquid, 0=12413

Evseev,A.M. See Alekseev,N.V., 0=16691

Evseev,A.M. See Guérassimov,J.I., 0=1956

Evseev,Z.Ya. The band structure of the polaron energy spectrum, 0=15836

Evstyukhin,A.I. See Emelyanov,V.S., 0=6384

Ewald,A.H. See David,H.G., 0=19127

Ewald,A.W. See Wolfson,R.G., 0=18307

Ewald,H. Photographic and electronic methods of measurement in high-precision mass spectrographs, 0=12806

Ewald,H. See Liebl,H., 0=1167

Ewald,H. See Wachsmuth,H., 0=1169

Ewald,H. See Wollnik,H., 0=9105

Ewan,G.T.,Geiger,J.S.,Graham,R.L. and MacKenzie,D.R. Conversion electron spectrum of Np^{239} and level scheme of Pu^{239}, 0=2647

Ewan,G.T.,Graham,R.L. and Geiger,J.S. M1/E2 mixing ratio in the Fe^{57} 14.41 keV γ-transition, 0=17555

Ewan,G.T.,Graham,R.L. and Grodzins,L. The K-LL Auger spectrum of ${}_{62}Sm^{152}$, 0=2642

Ewan,G.T. and Merritt,J.S. Relative intensities of K-LL Auger lines in ${}_{64}Gd^{156}$, 0=5709

Ewan,G.T. See Geiger,J.S., 0=11368

Ewbank,W.B.,Marino,L.L.,Nierenberg,W.A.,Shugart,H.A. and Silsbee,H.B. Nuclear spins of six neutron-deficient gold isotopes, 0=20327

Ewbank,W.B. See Petersen,F.R., 0=1353

Ewing,G.E.,Thompson,W.E. and Pimentel,G.C. Infrared detection of the formyl radical HCO, 0=5930

Ewing,M. See Oliver,J., 0=14158

Ewing,M. See Talwani,M., 0=6715

Ewles,J. and Dawson,J.B. Micromosaic patterns in single crystals of potassium chloride containing barium chloride, 0=11627

Ewles,J. and Joshi,R.V. The luminescence of thallium-activated potassium chloride phosphors, 0=8016

Eyer,J.A. A limit on the accuracy of photographic radiometry, 0=6931

Eyfrig,R. A critical discussion about special ionospheric characteristics, 0=762

Eyges,L. Quantum-mechanical three-body problem, 0=886

Eyraud,L. See Sicard,L., 0=548

Eyring,E.M. See Kropf,A., 0=3741

Eyring,H. See Fueno,T., 0=19617

Eyring,H. See Gabrysh,A.F., 0=17979

Eyring,H. See Kim,W.K., 0=4988

Eyring,H. See Kropf,A., 0=3741

Ezawa,H. and Umezawa,H. Green's functions for elementary particles, 0=1249

Ezawa,H. See Mito,I., 0=11148

Ezerskii,V.I. See Barabashov,N.P., 0=18695

Ezhkova,Z.I.,Zhdanov,G.S. and Umanskii,M.M. An X-ray method of determining the tensor of thermal expansion in low-symmetry crystals, 0=13492

Fabelinskii,I.L. See Ablekov,V.K., 0=19360

Fabelinskii,I.L. See Pesin,M.S., 0=127

Fabelinskii,I.L. See Pesin,M.S., 0=5011

Faber,M. and Zweifel,P.F. The age of U^{233} fission neutrons in water, 0=15628

Faber,T.E. The intermediate state in superconducting plates, 0=10840

Fabre,D. and Romand,J. Absorption index [k] of evaporated films of magnesium fluoride in the far ultraviolet, 0=7994

Fabre de la Ripelle,M. A relationship between the parameters of the singlet even potential of Gammel and Thaler, 0=15502

Fabri,E. The logical foundations of invariance principles in physics. I, 0=4927

Fabri,E. See Abate,E., 0=1464

Fabri,E. See Caracciolo,A., 0=3398

Fabri,G. See Cottini,C., 0=5549

Facchini,U. The ionization detectors, 0=17135

Facchini,U.,Gatti,E. and Pellegrini,F. A new method for track angle measurement in a gridded ionization chamber, 0=19966

Facchini,U.,Iori,I. and Menichella,E. Statistical emission of nucleons in reactions produced by 14 MeV neutrons, 0=15593

Fadeev,V.M. See Korepanov,V.D., 0=12428

Faessler,A. and Krämer,H. On the existence of the oxidation products Si_2O, SiO, and Si_2O_3 of silicon, 0=1970

Faget,J.,Ferre,J. and Fert,C. Phase contrast in electron microscopy, 0=19752

Faget,J. See Marchand,N., 0=14842

Fagot,B. See Durandeau,P., 0=19745

Fagot,M. and Fert,C. Defocusing contrast in coherent illumination, in the case of a periodic object in the electron microscope, 0=7160

Fahmy,F. See Sedra,R.N., 0=18469

Fahrenfort,J. See van Panthaleon van Eck,C.L., 0=8666

Fahy,E.F. The clock paradox in relativity, 0=8541

Fain,V.M. Spontaneous radiation of a paramagnetic in a magnetic field, 0=2435

Fain,V.M. Contribution to the theory of coherent spontaneous radiation, 0=5531

Fain,V.M. See Bulaevskii,L.N., 0=21033

Fain,V.M. See Fajn,V.M.,

Fain,V.M. See Ginzburg,V.L., 0=2519

Fain,V.M. See Ginzburg,V.L., 0=20703

Fainberg,J. See Cassedy,E.S., 0=12698

Fainberg,V.Ya. Analytic properties of causal commutators, 0=9253

Fainberg,V.Ya. Application of the dispersion-relations method in quantum electrodynamics, 0=9257

Fainberg,V.Ya. See Kirzhnits,D.A., 0=5529

ainberg,Ya.B. Variable-phase focusing in linear accelerators, 0=9115
ainberg,Ya.B. and Gorbatenko,M.F. Electromagnetic waves in a plasma situated in a magnetic field, 0=9055
ainberg,Ya.B. and Kurilko,V.I. Electromagnetic pressure on a charge moving in a magnetic field, 0=11022
ainberg,Ya.B. and Tkalich,V.S. The reflection of an electromagnetic wave from a plasma moving through a dielectric in a constant magnetic field, 0=9057
ainberg,Ya.B. See Kharchenko,I.F., 0=12619
ainberg,Ya.B. See Zagorodnov,O.G., 0=5410
aini,G. See Bisi,A., 0=17908
ainshtein,S.M. See Trekhtenberg,A.D., 0=1580
airbairn,W.M. The inelastic scattering of deuterons from ^{12}C, 0=7572
airbank,H.A. and Elliott,S.D., Jr. The velocity of second sound in liquid ^3He—^4He mixtures under pressure, 0=8885
airbank,H.A. See Lee,D.M., 0=225
airbank,H.A. See Lee,D.M., 0=3701
airbank,H.A. See Walker,E.J., 0=12549
airbank,H.A. See Walker,E.J., 0=19545
airbank,W.M. and Adams,E.D. Nuclear alignment in solid ^3He, 0=8883
airbank,W.M.,Leitner,J.,Block,M.M. and Harth,E.M. A liquid helium bubble chamber, 0=315
airbank,W.M. See Goodkind,J.M., 0=12554
airhall,A.W. See Bouchard,G.H., Jr, 0=1420
airhall,A.W. See Jensen,R.C., 0=9710
airlie,D.B. The Fredholm solution as the limit for a sum of separable potentials, 0=7301
airlie,D.B. and Polkinghorne,J.C. Unstable states and the separable potential model, 0=5643
airweather,I.L. See Connor,R.D., 0=5700
aizi,N.Kh. See Levshin,V.L., 0=16077
aizullov,F.S.,Sobolev,N.N. and Kudryavtsev,E.M. Temperature of nitrogen and air behind a shock wave, 0=102
aizullov,F.S.,Sobolev,N.N. and Kudryavtsev,E.M. A spectroscopic investigation of the state of gas behind a shock wave. II. 0=19212
aizullov,F.S.,Sobolev,N.N. and Kudryavtsev,E.M. A spectroscopic investigation of the state of gas behind a shock wave. III, 0=19213
aizullov,F.S. See Sobolev,N.N., 0=973
aizullov,F.S. See Sobolev,N.N., 0=8852
aizullov,F.S. See Sobolev,N.N., 0=8853
ajans,J. Diffraction of thermal waves in liquid helium II by a spherical mirror, 0=2282
ajn [Fain],V.M. Quantum phenomena in the radio wave region, 0=293
akidov,I.G. and Afanas'ev,A.Ya. Electrical conductivity of the antiferromagnetic compound CrSb, 0=1612
akidov,I.G. and Krasovskii,V.P. The galvanomagnetic properties of the phosphides of manganese, 0=1674
akidov,I.G. and Krasovskii,V.P. The magnetization and magnetocaloric effect of manganese phosphide, 0=10106
akidov,I.G. and Zavadskii,É.A. Oscillation of the electrical resistance of n-type germanium in strong pulsed magnetic fields, 0=2881
akidov,I.G. and Zavadskii,É.A. An induction method of measuring the Hall effect in strong pulsed magnetic fields, 0=7044
akidov,I.G. See Gaidukov,L.G., 0=14065
akidov,I.G. See Krasovskii,V.P., 0=10008
akidov,I.G. See Samokhvalov,A.A., 0=6148
akidov,I.G. See Samokhvalov,A.A., 0=15890
akidov,I.G. See Vasil'eva,I.N., 0=566
akidov,N.G. and Tsiovkin,Yu.N. Magnetic properties of the compound $Mn_3Ge_{,,}$, 0=6220
alconer,T.W. See Hatcher,C.R., 0=3959
aler,K.T. and Rasmussen,J.O. New neutron-deficient isotopes of tantalum, 0=9605
alge,R.L.Jr. See Hein,R.A., 0=9931
alicov,L.M. The theory of photon packets and the Lennuier effect, 0=14780
alk,D.S. Green's function approximation method. I. The nucleon, 0=331
alk,D.S. Green's function approximation method. II. The polaron, 0=332
alk,D.S. Effect of the lattice on dielectric properties of an electron gas, 0=10009
alk,D.S. and Ruijgrok,T.W. On the energy gap of the dilute Fermi gas for negative two body scattering length, 0=17269
Falk,G. The role of axiomatics in physics, illustrated by the example of thermodynamics, 0=863
Falk,R.B.,Hooper,G.D. and Studders,R.J. Recent developments in the field of elongated single-domain iron and iron-cobalt permanent magnets, 0=3036
Falk-Vairant,P. See Brisson,J.C., 0=2412
Falk-Vairant,P. See Brisson,J.C., 0=3989
Fal'k,T.K. See Berkovich,S.L., 0=3633
Falkoff,D.L. See Mathews,P.M., 0=18982
Falla,D. See K^--collaboration, 0=1308
Fallieros,S. and Ferrell,R.A. Collective enhancement of E2 matrix elements in light nuclei, 0=2617
Fallieros,S.,Ferrell,R.A. and Pal,M.K. Excitation of the nuclear giant-dipole resonance by inelastic electron scattering, 0=7593
Fallon,R.J.,Mason,E.A. and Vanderslice,J.T. Energies of various interactions between hydrogen and helium atoms and ions, 0=7716
Fallon,R.J.,Vanderslice,J.T. and Mason,E.A. Potential energy curves of hydrogen fluoride, 0=5982
Fallon,R.J.,Vanderslice,J.T. and Mason,E.A. Potential energy curves for lithium hydride, 0=11525
Fallon,R.J.,Vanderslice,J,T. and Mason,E.A. Erratum: Potential curves for HF and LiH, 0=17733
Fan,C.Y.,Meyer,P. and Simpson,J.A. Preliminary results from the space probe Pioneer V, 0=17453
Fan,C.Y.,Meyer,P. and Simpson,J.A. Rapid reduction of cosmic-radiation intensity measured in interplanetary space, 0=20295
Fan,C.Y.,Meyer,P. and Simpson,J.A. Experiments on the eleven-year changes of cosmic-ray intensity using a space probe, 0=20296
Fan,C.Y. See Roesler,F.L., 0=1494
Fan,G.J.Y. Analysis of a practical perpendicular head for digital purposes, 0=12665
Fan,H.V. See Gobeli,G.W., 0=13684
Fan,H.Y. See Fisher,P., 0=18124
Fand,R.M. and Kaye,J. Acoustic streaming near a heated cylinder, 0=8755
Fane,R.W. Some electrical and surface properties of sintered nickel matrix cathodes, 0=19715
Fang,P.H. A dispersion function of paramagnetic relaxation, 0=8031
Fang,P.H. and Roth,R.S. Ferroelectrin and ferrimagnetic properties of $(Ba_{6-2x}R_{2x})(Nb_{9-x}Fe_{1+x})O_{30}$, 0=11190
Fanguin,R. See Raoult,G., 0=667
Fankuchen,I. See Williamson,R.S., 0=3194
Fano,G. Canonical transformation and perturbation expansion in the theory of Fermi gas, 0=14536
Fano,R.M. The statistical theory of information, 0=2120
Fano,U. High-frequency limit of bremsstrahlung in the Sauter approximation, 0=2514
Fano,U. Normal modes of a lattice of oscillators with many resonance and dipolar coupling, 0=9841
Fano,U. Real representations of coordinate rotations, 0=16610
Fano,U.,McVoy,K.W. and Albers,J.R. Sauter theory of the photoelectric effect, 0=2513
Fano,U.,McVoy,K.W. and Albers,J.R. Interference of orbital and spin currents in bremsstrahlung and photoelectric effect, 0=2515
Fano,U. See McVoy,K.W., 0=2516
Farach,H.A. See Daniels,J.M., 0=4510
Faraday,B.P. See Brown,D.C., 0=17157
Farag,M.S. On the X-ray diffuse scattering by 1-3-5-triphenylbenzene, 0=21206
Farag,N. See El Nadi, 0=959
Faraggi,H. and Garin,A. Hypersensitization of Ilford nuclear emulsions by triethanolamine, 0=19984
Faraggi,H. See Beurtey,R., 0=4092
Faraggi,H. See Garin,A., 0=9446
Farber,A.S. Sampling oscilloscope for millimicrosecond pulses at a 30 Mc repetition rate, 0=3710
Farber,E.A. See Kronsbein,J., 0=42
Faria,S. See Goldberg,P., 0=11790
Farinelli,U.,Ferrero,F. and Malvano,R. Measurement and automatic control of the energy of a 31 MeV betatron, 0=19862
Farley,D.T. See Dougherty,J.P., 0=19931
Farley,D.T.Jr. A theory of electrostatic fields in a horizontally stratified ionosphere subject to a vertical magnetic field, 0=10412
Farley,D.T.,Jr. A theory of electrostatic fields in the ionosphere at nonpolar geomagnetic latitudes, 0=14204

Farley,E.J.M. Excited nucleon interpretation of high energy nuclear interactions, 0=9456
Farley,F.J.M. Excited nucleon interpretation of high energy nuclear interactions, 0=15339
Farley,F.J.M. A fast trigger circuit, 0=17196
Farley,T.A. Half-period of Th^{232}, 0=17526
Farmer,B.J. and Class,C.M. Alpha spectra from the decays of Li^8 and B^8, 0=9555
Farnsworth,H.E. Comments on the paper by Scheibner, Germer and Hartman: "Apparatus for direct observation of low energy electron diffraction patterns", 0=16295
Farquharson,J. Precise automatic inexpensive buret reader, 0=14361
Farrand,W.B. and Gagnon,G.E. Monitor-synchronizer for rotating mirror cameras, 0=3665
Farrands,J.L. See Cawsey,G.F., 0=8307
Farrow,G. and Preston,D. Measurement of crystallinity in drawn polyethylene terephthalate fibres by X-ray diffraction, 0=14052
Farrow,G. and Preston,D. Simple continuous chart and integrating device for a Joyce—Loebl microdensitometer Mk I, 0=14782
Farrow,G. and Preston,D. Simple high temperature X-ray camera, 0=16289
Farwell,G.W. See Blair,J.S., 0=17608
Farwell,G.W. See McDaniels,D.K., 0=20469
Fasana,A. Technique for measuring β radiation longitudinal polarization and γ radiation circular polarization, 0=5677
Fasana,A. See Bisi,A., 0=7325
Fasana,A. See Bisi,A., 0=15543
Fasold,W. See Kraak,W., 0=14744
Fasoli,U. See Careri,G., 0=8901
Fasoli,U. See Careri,G., 0=14915
Fast,J.D. See Casimir,H.B.G., 0=13742
Fast,J.F. See Casimir,H.B.G., 0=13742
Fast,R.W.,Flournoy,P.A.,Tickle,R.S. and Whitehead,W.D. Photoneutron cross sections of Li, N, and A, 0=9660
Fastie,W.G. The possibility of using absorption lines as a primary length standard, 0=16660
Fastov,N.S. Features of the thermodynamics of solid solutions, 0=731
Fastov,N.S. The thermodynamics of irreversible processes of plastic deformation, 0=6301
Fastov,N.S. Relaxation of stress and creep as processes of viscous flow, 0=6309
Fastov,N.S. and Finkel'shtein,B.N. Relaxation theory of electric polarization, 0=1091
Fateev,A.P. and Yablokov,B.N. A ring cyclotron with a vertically increasing magnetic field, 0=17057
Fateev,A.P. See Kanunnikov,V.N., 0=9117
Fáthy,F. and Bukovszky,F. Elementary method for the calculation of the lattice energies of the NaCl crystal. I, 0=11562
Fáthy,F. and Bukovszky,F. Elementary method for the calculation of the lattice energies of the NaCl crystal. II, 0=11563
Fatuzzo,E. The mechanism of the reversal of the spontaneous polarization in LiH$_3$(SeO$_3$)$_2$ single crystals, 0=7975
Fatuzzo,E. Bias in ferroelectric colemanite, 0=11743
Fatuzzo,E. The reversal of the spontaneous polarization in guanidine aluminium sulfate hexahydrate [gash], 0=18097
Fatuzzo,E. and Merz,W.J. Switching mechanism in triglycine sulfate and other ferroelectrics, 0=1694
Fatuzzo,E. and Nitsche,R. Ferroelectric properties of mixed crystals of triclycine sulfate/selenate, 0=4380
Fatuzzo,E. and Nitsche,R. Ferroelectricity in tetramethyl-ammonium-trichloro-mercurate, 0=6155
Faucher,G.A. A study of air flow in a large-ion chamber, 0=949
Faulkner,C.R. Effect of upper atmosphere wind on the rotation of satellite 1958δ1, 0=18483
Faulkner,E.A. Quadrupole anti-shielding factor in copper, 0=3143
Faulkner,E.A. Calculation of stored energy from broadening of X-ray diffraction lines, 0=20799
Faulkner,E.A. Strain-broadening of nuclear magnetic resonance lines in copper, 0=21083
Faulkner,E.A. See Anderson,J.S., 0=6130
Faulring,G.M. See McKinsey,C.R., 0=3221
Fauré,J. and Leroux,J.P. The experimental choice of specific parameters for a fluid in heat exchange by convection, 0=14870
Fauré,J. See Bory,C., 0=5207
Faust,J.W.,Jr and John,H.F. A comparison of etching and fracturing techniques for studying twin structures in Ge, Si and III-V intermetallic compounds, 0=13965
Faust,J.W.,Jr and Sagar,A. Effect of the polarity of the III—V intermetallic compounds on etching, 0=6339
Faust,J.W.,Jr. See Armstrong,R.W., 0=21202
Faust,W.,McDermott,M. and Lichten,W. Hyperfine structure of the metastable $^3P_2$ state of Cd^{111} and Cd^{113}, 0=17664
Faust,W.R. See Beach,L.A., 0=12960
Fava,G. See Cavalca,L., 0=6367
Favaro,G. See Foffani,A., 0=15740
Favero,P. and Baker,J.G. Anomalous Stark effects in the millimetre wave spectrum of formyl fluoride, 0=20628
Favero,P.,Mirri,A.M. and Baker,J.G. Centrifugal effects in millimetre wave spectra: formyl fluoride, 0=20629
Favorin,V.N.,Kozina,G.S. and Tikhonova,L.K. Spectral characteristics of electroluminescence of certain phosphor under the conditions of simultaneous action of direct and alternating fields, 0=10081
Favorin,V.N. and Poskacheeva,L.P. Dependence of the electroluminescence spectra of certain phosphors on the alternating-field intensity, 0=10082
Favorin,V.N. See Kozina,G.S., 0=16112
Favre,H. Theoretical study of the influence of interior reflections on the path of a light ray passing through a thin transparent plate subject to forces in its mean plane, 0=51
Favre,H.,Schumann,W. and Stromer,E. A photoelectric interferometric technique for the determination of plane states of strain, 0=19435
Favre,R.L. Electronic pulse scalers I. Rationalization of counting circuits, 0=17172
Favre,R.L. Electronic pulse scalers. II. High frequency scalers, 0=17173
Favro,L.D. Theory of the rotational Brownian motion of a free rigid body, 0=12377
Favstov,Yu.K. The effect of heat treatment and plastic deformation on internal friction in metals, 0=1849
Fáy,G.,Fényes,I. and Törös,R. On the quantum-mechanically possible physical states, 0=8552
Fáy,G. and Tábori,G. Discussion of the timewise progress of thermodynamic processes, 0=7011
Fay,J.W.J. and Ashford,J.R. Size distribution of airborne dust samples from British coalmines, 0=6422
Fay,J.W.J. and Ashford,J.R. Inter-observer checks on standards of performance in evaluating thermal precipitato slides, 0=8327
Fay,T.H.Jr. See Curry,E.T., 0=16507
Fay,W.J. See Heritage,J.L., 0=10413
Fayers,F.J. See Rymer,T.B., 0=272
Fazio,G.G. and Ritson,D.M. Search for anomalous lifetime values in sea-level cosmic radiation, 0=2613
Fazio,G.G. and Widgoff,M. Sea-level cosmic-ray mass spectrum in the interval $30m_e-2000m_e$. 0=2612
Fazzini,T.,Fidecaro,G. and Paul,H. A synchro-cyclotron pulse simulator for testing electronic circuits, 0=19858
Fazzini,T. See Ashkin,J., 0=367
Fazzini,T. See Ashkin,J., 0=13005
Fazzini,T. See Ashkin,J., 0=15389
Fazzini,T. See Cocconi,V.T., 0=17582
Feather,N. A history of neutrons and nuclei. I, 0=20144
Feather,N. A history of neutrons and nuclei. II, 0=20145
Feder,R. and Cahn,R.W. Kinetics of ordering in Fe$_3$Al, 0=20866
Feder,R. See Cahn,R.W., 0=20867
Federbush,P. Haag's theorem in a finite volume, 0=15226
Federbush,P. A note on quasi-elastic photon—deuteron scattering, 0=15315
Federighi,T. A possible determination of the activation energy for self-diffusion in aluminium, 0=20843
Federighi,T. and Passari,L. Anomalous increase of resistivity during ageing of aluminium–silver alloys, 0=17994
Fedin,É.I. See Kitaigorodskii,A.I., 0=21088
Fedorchenko,V.D.,Rutkevich,B.N. and Chernÿi,B.M. Motion of an electron in a spatially periodic magnetic field, 0=9154
Fedorchenko,V.D. See Sinel'nikov,K.D., 0=10954
Fedorchenko,V.D. See Sinel'nikov,K.D., 0=10955
Fedorenko,N.V. and Belyaev,V.A. On the maximum non-resonance charge-transfer cross-section, 0=12589
Fedorenko,N.V.,Filippenko,L.G. and Flax,I.P. Scattering of multiply-charged ions, linked with electron capture, 0=12590

lorenko,N.V.,Flaks,I.P. and Filippenko,L.G. Ionization of inert gases by multicharged ions, 0=12578
lorenko,A.I. See Strel'nikov,P.I., 0=10958
lorets,V.A. See Barabashov,N.P., 0=18695
orov,A.A. See Sokolov,M.M., 0=12121
lorov,A.I. See Sobolev,N.N., 0=8853
lorov,E.K. The influence of atomic explosions on meteorological processes, 0=4820
lorov,F.I. Optics of absorbing crystals. III. Crystals of lower symmetry. The optic axes, 0=179
lorov,F.I. Optics of absorbing crystals. IV. Classification, 0=2936
lorov,F.I. Certain general rules regarding the reflection of light from crystals, 0=12497
lorov,F.I. See Bokut',B.V., 0=19452
lorov,F.I. See Goncharenko,A.M., 0=13673
lorov,F.I. See Moroz,L.G., 0=20074
lorov,F.I. See Sotskii,B.A., 0=8765
lorov,F.I. See Tomil'chik,L.M., 0=3651
lorov,F.I. See Tomil'chik,L.M., 0=3652
lorov,F.I. See Tomil'chik,L.M., 0=13727
lorov,G.C. See Volkenshtein,N.V., 0=18398
lorov,G.V. See Komar,A.P., 0=1619
lorov,G.V. See Volkenshtein,N.V., 0=6075
lorov,N.D. Phase relationships in the cyclotron, 0=7177
lorov,N.D. See Zavenyagin,Yu.A., 0=9119
lorova,M.F. See Lazarev,B.G., 0=8721
lorova,M.F. See Lazarev,B.G., 0=16741
lorova,N.I. See Krassovsky,V.I., 0=4808
lorova,N.N. See Goryunova,N.A., 0=729
lorovich,R.D. See Borzyak,P.G., 0=16056
lorus,A.G. See Kucherenko,E.T., 0=1164
lorus,G.A. See Trofimenko,A.P., 0=18037
orus,Z.P. See Gabovich,M.D., 0=14985
loseev,L.I. See Zelinskaya,M.R., 0=18650
lotov,I.D. See Pavlov,V.A., 0=1847
otov,P.I. Application of the potential barrier criterion to a study of disintegrations in nuclear emulsions, 0=11399
lotov,P.I. See Jdanov,A.P., 0=12738
lotov,P.I. See Zhdanov,A.P., 0=5463
lotov,P.I. See Zhdanov,A.P., 0=9624
lotov,S.G. and Mikheev,V.S. A mutual connection between impression hardness and normal elasticity modulus of titanium alloys on increase of temperature, 0=4552
lotova,A.Z. See Paleolog,E.N., 0=8310
righini,A. See Amerighi,M.C., 0=12776
yaevskii,K.K. and Ginevskii,A.S. Nonstationary turbulent boundary layer on a wing profile and on a figure of rotation, 0=10685
ly,H.W. Strontium-90 content of the stratosphere, 0=8432
nberg,E. Orbit to the sun, 0=6634
enberg,E. Inertia of energy, 0=16563
er,G. Electron nuclear double resonance (ENDOR) experiments, 0=10242
er,G. Applications of the technique of electronic and nuclear double resonance (ENDOR) to donors in silicon, 0=16174
er,G. See Hensel,J.C., 0=20785
er,K. Measurements of the velocity distribution on plates and membranes, 0=19313
renbach,C. Some research into the gradual development of electronic photography, 0=18592
elman,W.A. Note on auroral motion, 0=12192
elman,W.A. Aurora of May 4-5, 1959 (No. 24), 0=12193
belman,W.A. Apparent solar prominences caused by jet planes crossing the solar limb, 0=18757
gin,L.A. Lattice distortion of graphite during mechanical dispersion, 0=1911
n,A.E. Simple nomogram for radiactive interchange factors, 0=19491
n,H. Transistor switch stimulus isolator, 0=21400
nberg,E.L. Theory of multiple production of particles at high energy interaction, 0=9264
nberg,G. Invariance under antiunitary operators, 0=17235
nberg,G. and Goldhaber,M. Microscopic tests of symmetry principles, 0=5518
nberg,G.,Kabir,P. and Weinberg,S. Transformation of muons into electrons, 0=2561
nberg,G. and Weinberg,S. On the phase factors in inversions, 0=1238
nberg,G. See Bander,M., 0=15377
nberg,R. Rise and decay of intensity of luminescence of short-persistence phosphors, 0=659
ner,F. See Wright,W.B., 0=15629

Feitknecht,W. See Bernal,J.D., 0=6337
Feix,M. See Combe,R., 0=15147
Fejer,J.A. Electrodynamic stability of a vertically drifting ionospheric layer, 0=12155
Fejer,J.A. Hydromagnetic wave propagation in the ionosphere, 0=16438
Fejer,J.A. Scattering of radio waves by an ionized gas in thermal equilibrium, 0=17108
Fejer,J.A. and Vice,R.W. An investigation of the ionospheric D-region, 0=14228
Fejer,J.A. and Vice,R.W. The use of full-wave solutions in the interpretation of ionospheric absorption measurements, 0=15168
Felbinger,K.,Häufglöckner,H.,Niemann,J. and Scheer,M. Angular dependence of the X-ray bremsstrahlung spectrum from thick targets at 29 MeV, 0=7327
Felcher,G.P.,Germagnoli,E. and Musci,M. Absolute calibration of a Ra-Be neutron source, 0=5570
Feld,B.T. See Costa,G., 0=11208
Feldman,C. Range of 1—10 KeV electrons in solids, 0=5547
Feldman,C. Apparent loss of efficiency in multilayer cathodoluminescent films, 0=11789
Feldman,C.L. See Rona,T.P., 0=2262
Feldman,D. See Okubo,S., 0=3922
Feldman,D. See Okubo,S., 0=3923
Feldman,D. See Saperstein,A.M., 0=1400
Feldman,D.W. Nuclear resonance oscillator stabilized by a magnetic field, 0=5432
Feldman,G.,Matthews,P.T. and Salam,A. The inelastic scattering of elementary particles. II, 0=15284
Feldman,G. See De Celles,P., 0=5494
Feldman,S. On hypersonic wakes in the atmosphere, 0=14679
Feldtkeller,E. Structure and resistance of very strongly disordered Cu films at low temperatures, 0=3283
Feldtkeller,E. An illustrative account of coherent magnetization rotations in thin ferromagnetic films, 0=11856
Feldtkeller,R. and Oetinger,R. The audibility thresholds of pulses of different durations, 0=18533
Félici,N. Obtaining liquids of high dielectric permittivity and of high resistivity, 0=2172
Félici,N. Possibility of liquids with high dielectric constant and low conductivity, 0=5023
Felici,N. Influence of water on the conductivity of dielectric liquids, 0=19136
Félici,N.J. Simple method of calculation for electrostatic lenses, 0=19747
Fellgett,P. A contribution to the theory of the multiplex interferometric spectrometer, 0=16832
Fellgett,P. A multiplex interferometric spectrometer for infrared measurements on stars, 0=16839
Fellgett,P. On the interpretation of solar granulation, 0=18740
Fellgett,P.,Jones,R.C. and Twiss,R.Q. Fluctuations on photon streams, 0=5123
Felsen,L.B. Comments on a paper "The scattering of electromagnetic waves by a corrugated sheet" by T.B.A.Senior, 0=5405
Feltham,P. and Copley,G.J. Creep in face-centred metals and solid solutions with special reference to α-brasses, 0=21105
Feltham,P. and Meakin,J.D. Creep in face-centred cubic metals with special reference to copper, 0=18256
Feltin'sh,I. Investigations of the Hall effect and thermoelectric properties of gallium arsenoselenide, 0=11712
Feltin'sh,I.A. See Nasledov,D.N., 0=15955
Feltynowski,A. and Górski,L. Electron microscopical investigation of cleavage faces of indium antimonide single crystals, 0=3285
Feltynowski,A. and Górski,L. Electron microscopical investigation of cleavage faces of InSb single crystals, 0=11997
Fender,D.H. and Mayne,S. Visibility of a fine line in intermittent illumination, 0=18548
Feneberg,W. See Haug,A., 0=16944
Fen'esh,I. Analogy between the mechanical and thermodynamical equations of motion and the Onsager reciprocity relation, 0=3465
Fényes,I. The axiomatic foundation of thermodynamics. II, 0=16928
Fényes,I. See Fáy,G., 0=8552
Fényes,T. Measurement of the energy of the weak group in the α-spectrum of Po^{210}, 0=11342
Fenyves,E. Investigation of a high energy electron-photon cascade in emulsion, 0=9462

Fenyves,E.,Frenkel,A.,Telbisz,F.,Perneger,J.,Petržílka,V., Sedlák,J. and Vrána,J. Investigation of a high energy electron—photon cascade in emulsion, 0=13096
Fenyves,E. See Betev,B., 0=20273
Fenyves,E. See Bozoki,G., 0=2603
Fenyves,E. See Bozóki,G., 0=11240
Feofilov,P.P. The orientation of centres of luminescence lines in X-ray irradiated LiF crystals, 0=1749
Feofilov,P.P. Orientation of luminescence centres in uranium-activated lithium fluoride crystals, 0=10060
Feofilov,P.P. The nature of elementary oscillators of the uranium ion, 0=18137
Feofilov,P.P. See Galkin,L.N., 0=10066
Fer,F. Decoupling of the oscillations about a central trajectory in an electromagnetic field. Application to circular accelerators, 0=9116
Fer,F. Stability and isochronism in cyclotrons with star-shaped magnetic fields, 0=15095
Ferchmin,A.R. Influence of quadrupolar moments on the dielectric constant of a polar liquid, 0=16698
Ferebee,S.F. See Davis,C.M.,Jr, 0=3064
Ferguson,A.F. and Moiseiwitsch,B.L. Double charge transfer and the mobility of He^{2+} ions in helium, 0=5279
Ferguson,A.J. Phase-shift analysis of proton scattering by nitrogen, 0=1410
Ferguson,A.J.,Clarke,R.L. and Gove,H.E. Elastic scattering of protons by nitrogen, 0=1411
Ferguson,A.J. See Batchelor,R., 0=11383
Ferguson,A.J. See Bromley,D.A., 0=1398
Ferguson,A.T.G.,Grace,M.A. and Newton,J.O. Lifetime measurements on the first excited states of Mg^{25} and Al^{25}, 0=17553
Ferguson,A.T.G.,Grace,M.A. and Newton,J.O. The decay of the 136 keV level in Fe^{57}, 0=17561
Ferguson,A.T.G. See McCallum,G.J., 0=11440
Ferguson,A.T.G. See McCallum,G.J., 0=17504
Ferguson,A.T.G. See Phillips,G.C., 0=19773
Ferguson,E.T. Orientation superstructures of Fe—Co alloys, 0=13767
Ferguson,G. and Sim,G.A. X-ray studies of molecular over-crowding. I. Some crystallographic data, 0=3249
Ferguson,J. Crystal spectra of metal coordination compounds. I. Tetrahedral Cobalt(II), 0=4413
Ferguson,J. Crystal spectra of metal coordination compounds. II. Violet form of $CoPy_2Cl_2$ and $CoCl_2.6H_2O$, 0=4414
Ferguson,J.M. and Thompson,W.E. Cross sections for the (n,2n) reaction in N^{14}, P^{31}, Cu^{63} and Pr^{141}, 0=9680
Fernandez,A. See Broadbent,T.E., 0=3744
Ferrari,E. Considerations on the cross section for pion production in proton—proton collisions, 0=2587
Ferrari,E. Simple models for associated production in proton—proton collisions, 0=15454
Ferrari,E. Associated production in proton—proton collisions, 0=20131
Ferrari,E. and Jona-Lasinio,G. Remarks on the appearance of ghost states in relativistic field theories, 0=15249
Ferrari,F.,Frye,G. and Pusterla,M. Effect of the pion—pion resonance on K^-—p scattering, 0=15437
Ferrari,I. A uniqueness theorem for the field of an alternating current in a wire in the neighbourhood of a conducting medium, 0=5379
Ferraro,A.J. and Gibbons,J.J. Polarization computations by means of the multislab approximation, 0=15165
Ferraro,V. General theory of plasma, 0=2357
Ferraro,V.C.A. and Özdoğan,I. The effect of diffusion on the vertical distribution of ionization in a quiet F-region, 0=2020
Ferrarese,G. On the finite deformation of a tubular solid of curved axis, 0=8578
Ferre,J. See Faget,J., 0=19752
Ferreira,E.M. K^+—deuteron scattering in the impulse approximation, 0=1309
Ferreira,E.P. See Allen,J.E., 0=20185
Ferreira,E.P. See Alles-Borelli,V., 0=1303
Ferrell,R.A. Knight shift in superconductors, 0=1075
Ferrell,R.A. Electron—nucleus hyperfine interaction in atoms, 0=7711
Ferrell,R.A. Auger effect in mesonic atoms, 0=11489
Ferrell,R.A. See Fallieros,S., 0=7593
Ferrell,R.A. See Stern,E.A., 0=17906
Ferrell,R.A.,Lee,Y.C. and Pal,M.K. Magnetic quenching of hyperfine depolarization of positive muons, 0=9396
Ferrell,R.A. See Fallieros,S., 0=2617
Ferrell,R.A. See Warren,J.L., 0=6070
Ferrero,F.,Ferroni,S.,Malvano,R.,Menardi,S. and Silva,E. $(\gamma,\underset{d}{np})$ reactions in S^{32}, Ca^{40}, Ge^{70}, 0=7599
Ferrero,F. See Farinelli,U., 0=19862
Ferrero,M.A. and Sacerdote,G.G. Measurement of acoustic impedance in a resonant spherical enclosure, 0=16786
Ferrero,M.A. and Sacerdote,G.G. Resonant absorbing metallic structures, 0=16805
Ferrier,R.P. and Iball,J. The structure of methyl 1 : 2-benzanthraquinones. I. Crystal data, 0=10318
Ferrier,R.P.,Iball,J. and MacKay,K.J.H. The unit cells and space groups of the cis- and trans-isomers of dimethyl-9:10 dihydroanthracene-9:10-dicarboxylate, 0=8243
Ferris,F.L.,Jr. Testing for physics achievement, 0=4917
Ferriso,C.C. and Hornig,D.F. Absolute infrared intensities of the ammonium ion in crystals, 0=6181
Ferro,A.,Sari,C. and Venturello,G. Experimental evidence of boundary migration, 0=20828
Ferro,A. See Biorci,G., 0=1803
Ferro,A. See Biorci,G., 0=18189
Ferro,A. See Biorci,G., 0=13781
Ferro,A. See Biorci,G., 0=13820
Ferro,A. See Bonfiglioli,G., 0=8172
Ferro-Luzzi,M. See Amaldi,E., 0=5561
Ferro-Luzzi,M. See Baroni,G., 0=12924
Ferro-Luzzi,M. See Castagnoli,C., 0=17164
Ferroni,S. See Barnardini,M., 0=2640
Ferroni,S. See Ferrero,F., 0=7599
Ferry,J.D. See Morton,S.D., 0=76
Fert,C. See Faget,J., 0=19752
Fert,C. See Fagot,M., 0=7160
Fert,C. See Marchand,N., 0=14842
Fesenko,A.I. See Ivanov,Yu.M., 0=2565
Fesenko,E.G. See Novosil'tsev,N.S., 0=708
Fesenkov,V.G. The optical state of the earth's atmosphere under twilight illumination, 0=3360
Fesenkov,V.G. A two-channel polarimeter and its applications in atmospheric optics and astrophysics, 0=18590
Fessenden,R.W. and Schuler,R.H. E.P.R. conservation of steady-state ethyl radical concentration in radiolysis of liquid ethane, 0=18439
Fessenden,R.W. and Waugh,J.S. Strong coupling in nuclear resonance spectra. II. Field dependence of some unsymmetrical three-spin spectra, 0=1507
Fessenden,R.W. See McConnell,H.M., 0=5968
Fessenden,R.W. See McConnell,H.M., 0=13571
Fessenkov,V.G. Star chains and dark filaments in galactic nebulae, 0=10516
Fessenkov,V.G. On the nature of zodiacal light and its probable connection with asteroids and periodic comets, 0=18721
Fessler,H. and Lewin,B.H. A study of large strains and the effect of different values of Poisson's ratio, 0=12385
Fetheroff,C.W. See Saltzer,C., 0=12335
Fetisov,E.P. See Van Si-fu, 0=19424
Fetisov,I.K. Wall probe in a magnetic field, 0=15036
Fetisov,I.K. and Firsov,O.B. Resonance charge exchange of doubly-charged ions in slow collisions, 0=8999
Fetisov,N.I. Energy spectra of neutrons inelastically scattered by U^{238}, 0=7621
Fetkovich,J.G.,Fields,T.H. and McIlwain,R.L. Absorption of negative muons in C^{12} leading to production of bound B^{12}, 0=9695
Fetkovich,J.G.,Fields,T.H.,Yodh,G.B. and Derrick,M. Formation of μ-mesonic molecules in H—D mixtures, 0=13460
Fetkovich,J.G. See Derrick,M., 0=20187
Fetkovich,J.G. See Fields,T.H., 0=20207
Fettwelis,P.F. See Campbell,E.C., 0=5783
Fetz,H. and Oechsner,H. The investigation of high frequency plasmas with a d.c. probe, 0=14980
Fetz,H. See Bemerl,W., 0=1123
Fetz,H. See Bemerl,W., 0=1124
Feuillade,G. Study of the preparation of n—p junctions by the diffusion of boron and phosphorous into silicon, 0=597
Feuvrais,L. The odd A and odd Z nuclei in the region of A = 190, 0=13142
Feuvrais,L. See Yuasa,T., 0=7527
Feuvrais,L. See Yuasa,T., 0=7528
Feyerabend,P.K. Professor Landé on the reduction of the wave packet, 0=8550
Feynman,R.P. Excitations in liquid helium, 0=8875
Fialko,E.I. Distribution of meteor radio echoes by duration. I. Reflection from stable trails, 0=18679

ko,E.I. A method for studying the mass distribution of meteoric bodies, 0=18706
ko,E.I. An approximate estimation of the probability of meteoric ionization, 0=18716
ko,E.I. Mean hourly rate of meteors recorded by radar. I. Meteor stream, 0=18717
a,W.T. and Hilliard,J.K. High-intensity sound reverberation chamber and loudspeaker noise generator, 0=10738
,E. Quantum statistics of a gas with different orbit and spin temperatures, 0=2139
ett,W. and Wood,W.W. Shock Hugoniots for liquid argon, 0=8653
caro,G. The high frequency properties of a coaxial cable and the distortion of fast pulses, 0=15217
ecaro,G. See Ashkin,J., 0=367
ecaro,G. See Ashkin,J., 0=13005
ecaro,G. See Ashkin,J., 0=15389
ecaro,G. See Cocconi,V.T., 0=17582
ecaro,G. See Fazzini,T., 0=19858
eris,V. and Whitmore,R.L. Measurement of the falling velocity of particles in opaque fluids, 0=3491
one,I. See Caviglia,C., 0=2710
eldey,H. and Fourie,D. Efficiency of field ionization at a metal surface, 0=7071
dler,H.C. and Pry,R.H. Effect of magnetic annealing on the properties of (100) [001] oriented $3\frac{1}{4}$% silicon-iron strip, 0=3024
ld,G.B. The source of radiation from Jupiter at decimeter wavelengths, 0=8471
ld,G.B. The source of radiation from Jupiter at decimeter wavelengths. II. Cyclotron radiation by trapped electrons, 0=14383
ld,G.B. See Burgess,A., 0=12250
lder,G. Observations related to the impact of Lunik II, 0=4914
ldmann,W.L. See Chynoweth,A.G., 0=9961
lds,P.R. See Diamond,H., 0=17512
lds,P.R.,Friedman,A.M.,Milsted,J.,Atteling,H.,Forsling,W., Holm,L.W. and Åström,B. On the production of element 102, 0=7498
lds,P.R.,Pyle,G.L. and Bentley,W.C. The neutron fissionability of U-239 and Th-233, 0=13300
lds,T.H.,Yodh,G.B.,Derrick,M. and Fetkovich,J.G. Cascade time of π^- in liquid hydrogen. 0=20207
lds,T.H. See Derrick,M., 0=20187
lds,T.H. See Fetkovich,J.G., 0=9695
lds,T.H. See Fetkovich,J.G., 0=13460
rz,M. See Amati,D., 0=5502
schi,R. Onsager's relations for vectorial phenomena, 0=16644
gins,B.F.,Huzan,E. and Jones,G.O. Thermal expansion of solids at low temperatures, 0=8844
gins,B.F. and Smith,B.L. Density and expansivity of solid krypton, 0=9839
gis,B.N.,Lewis,J.,Nyholm,R.S. and Peacock,R.D. The magnetic properties of some d^3_ε, d^4_ε and d^5_ε configurations, 0=21022
uera,A.S. See Diambrini,G., 0=15099
ueras,H. Differential geometry of the trajectories of charged particles, 0=10977
uwara,T. See Izui,K., 0=4703
htengol'ts,I.G. Geodesics in Friedman—Lobachevsky space, 0=12349
s,V.B. The entrainment of ions by electrons in semiconductors, 0=6090
s,V.B. and Pikus,G.E. Electrokinetic effects and electronic viscosity in liquid metals. II, 0=4997
s,V.B. and Pikus,G.E. Analysis for trace impurities with the aid of the magnetic resonance mass spectrometer. 0=14157
s,V.B. See Pikus,G.E., 0=5268
s,V.B. and Pikus,G.E. Electrokinetic effects in liquid semiconductors, 0=6096
aretova,G.M. See Dorin,V.A., 0=16259
latov,A.I. See Dmitruev,A.B., 0=5451
latova,L.I. See Baradzei,L.T., 0=11271
lby,J.D. See Aldred,A.T., 0=13472
limonov,A.I. See Peshkov,V.P., 0=10856
limonov,S.S.,Khrustalev,B.A. and Adrianov,V.N. Theoretical foundations of the method of two radiometers, 0=19497
limonov,Yu.I. See Golenetskii,S.V., 0=2633
limonov,Yu.I. See Golenetskii,S.V., 0=11339
Filimonov,V.A. On the depth of the potential well for Λ-particles in heavy hypernuclei, 0=13156
Filimonov,V.A. Saturation in a hyperon system, 0=15526
Filimonov,V.A. See Lyul'ka,V.A., 0=9538
Filimonov,V.N. Changes in the infrared absorption of certain semiconducting adsorbates on illumination with ultraviolet light, 0=18118
Filipkovskii,A. See Bunyatov,S.A., 0=2597
Filipovich,V.N. Theory of X-ray scattering by distorted crystals. I. Theory without atomic factors, 0=12022
Filipovich,V.N. Theory of X-ray scattering by distorted crystals. II. Theory with atomic factors, 0=12023
Filippenko,L.G. Analysis of systematic errors in investigations of small-angle scattering, 0=15311
Filippenko,L.G. See Fedorenko,N.V., 0=12578
Filippenko,L.G. See Fedorenko,N.V., 0=12590
Filippenko,L.G. See Flaks,I.P., 0=8998
Filippov,A.I. See Kozodaev,M.S., 0=9697
Filippov,A.I. See Kozodaev,M.S., 0=12933
Filippov,G.F. The equilibrium shape of atomic nuclei, 0=13124
Filippov,G.F. See Davýdov,A.S., 0=9503
Filippov,G.F. See Davȳdov,A.S., 0=15521
Filippov,M.V. See Kirko,I.M., 0=21047
Filippov,N.V. See Artsimovich,L.A., 0=5317
Filippov,N.V. See Artsimovich,L.A., 0=5320
Filippova,K.V. Investigation of the electric and optical properties of polymers forming electrets, 0=1705
Filippova,K.V. See Guseva,L.I., 0=11429
Filippova,K.V. See Volkov,V.V., 0=9649
Filler,W.S. Measurements on the blast wave in a conical tube, 0=10725
Fillmore,F.L. Evaluation of ln E_1/E_2 for resonance neutrons in uranium lattices, 0=12950
Filov,R.A. See Ostroumov,V.I., 0=9620
Filov,R.A. See Ostroumov,V.I., 0=20433
Filson,D.H. Low-temperature ultrasonic attenuation in tin and aluminum, 0=1568
Filthuth,F. See Budde,R., 0=2465
Finagin,B.A. Investigation of the spectra forms of vibration of the surface of piezo-plates, 0=19255
Fine,M.E. Temperature dependence of the strength of zone hardened aluminium—silver alloys, 0=21139
Fine,M.E. See Wolfson,R.G., 0=18307
Fineman,J. See Chase,C.E., 0=10819
Finegold,L. See Dobbs,E.R., 0=19132
Finfgeld,C. and Machlup,S. Well-informed heat engine: efficiency and maximum power, 0=5227
Fink,H.J. A new absolute noise thermometer at low temperatures, 0=1086
Fink,R.W. See Kumabe,I., 0=7610
Fink,R.W. See Kumabe,I., 0=9682
Fink,R.W. See Poularikas,A., 0=456
Fink,R.W. See Preiss,I.L., 0=7612
Fink,R.W. See Robinson,B.L., 0=5707
Fink,R.W. See Scobie,J., 0=2641
Fink,R.W. See Wille,R.G., 0=9672
Finkel',V.A. See Amonenko,V.M., 0=3677
Finkel',V.A. See Palatnik,L.S., 0=14025
Finkel'shtein,B.N. See Fastov,N.S., 0=1091
Finkel'shtein,B.N. See Suris,R.A., 0=20951
Finkel'shtein,L.D. See Nemnonov,S.A., 0=18399
Finkelstein,D. See Wetstone,D.M., 0=15032
Finkelstein,N.P. See Butement,F.D.S., 0=15088
Finkelstein,R. Spacetime of the elementary particles, 0=17236
Finkenrath,H. On the relation between the optical absorption and dispersion and the conduction mechanism of thin cadmium oxide layers, 0=11752
Finkenrath,H. The effect of free electrons on the optical self-absorption of cadmium oxide, 0=11758
Finlay,G.C. Secondary school physics: The Physical Science Study Committee, 0=6636
Finlay-Freundlich,E. The empirical foundation of the general theory of relativity, 0=31
Finlay-Freundlich,E. The determination of the gravitational deflection of light, 0=8544
Finlay-Freundlich,E. and Forbes,E.G. On the red shift of the solar lines. III, 0=18778
Finlayson,D.M.,Llewellyn,J.P. and Smith,T. The magentic susceptibility of iron ditelluride II, 0=4482
Finlayson,D.M. and Smith,T. The effect of added titanium on the magnetic behaviour of haematite, 0=21061
Finn,A.C. Application of dispersion relations to meson-nucleon scattering, 0=17386

Finn,C.B.P. See Cooke,A.H., 0=8040
Finnemore,D.K.,Mapother,D.E. and Shaw,R.W. Critical field curve of superconducting mercury, 0=8935
Finney,J.W. See Bateman,R., 0=9222
Finney,J.W. See Smith,E.K.,Jr, 0=14229
Finocchiaro,G.,Finzi,R. and Mezzetti,L. How much do wave length shifters used for Cerenkov counters scintillate, 0=12724
Finocchiaro,G. See Beneventano,M., 0=17398
Finston,M. Free convection past a vertical plate, 0=19484
Fintz,P. See Gorodetzky,S., 0=11321
Fintz,P. See Gorodetzky,S., 0=11322
Fintz,P. See Gorodetzky,S., 0=17597
Finzi,R. See Beneventano,M., 0=17398
Finzi,R. See Finocchiaro,G., 0=12724
Fiorentini,A. See Bittini,M., 0=8449
Fiorini,F. and Ratti,S. Some data on the interactions of high-energy protons in light nuclei (C,O), 0=11171
Fiorini,E. and Ratti,S. An optical-mechanical method for stereoscopic reconstruction, 0=15198
Fireman,E.L. See Whipple,F.L., 0=10496
Firk,F.W.K.,Reid,G.W. and Gallagher,J.F. High resolution neutron time-of-flight experiments using the Harwell 15 MeV linear electron accelerator, 0=17350
Firk,F.W.K. See Bird,J.R., 0=4074
Firk,F.W.K. See Rae,E.R., 0=17352
Firkowski,R. and Zawadzki,A. Analysis of methods of measuring the γ coefficient of extensive cosmic-ray showers, 0=15470
Firor,J. The quiet sun at 88 cm wavelengths, 0=18632
Firor,J. See Christiansen,W.N., 0=18732
Firsoff,V.A. A note on the "effective greysphere temperature" and "effective bolometric albedo" of planetary bodies, 0=8489
Firsov,F.G. A powerful γ-source with automatic control, 0=7494
Firsov,O.B. A qualitative interpretation of the mean electron excitation energy in atomic collisions, 0=9750
Firsov,O.B. See Fetisov,I.K., 0=8999
Firsov,Yu.A. Cyclotron resonance in semiconductors with complex equipotential surfaces, 0=537
Firsov,Yu.A. A comment on "Cyclotron resonance in semiconductors with complex equipotential surfaces", 0=6093
Firsova,M.M. See Zhdanov,G.S., 0=11967
Firth,D.R. Exchange reaction of 90 MeV protons on deuterons, 0=3967
Fischbach,D.B. High-temperature creep of graphite, 0=16218
Fischell,R.E. and Meehan,S.J. Magnetic recording head with d.c. response, 0=2424
Fischer,A.G. Preparation and properties of ZnS-type crystals from the melt, 0=8163
Fischer,C.R. See de Wit,M., 0=1278
Fischer,D.L. See Wolfe,B., 0=13375
Fischer,D.L. See Wolfe,B., 0=13376
Fischer,E. See Hadley,C.P., 0=2913
Fischer,E. See Paul,W., 0=9106
Fischer,E.W. Thermodynamic interpretation of the long period in crystalline high polymers, 0=520
Fischer,E.W. See Dauscher,R., 0=14053
Fischer,E.W. See Peterlin,A., 0=14054
Fischer,F. Exciton spectrum of alkali halides, 0=17916
Fischer,F. and Hilsch,R. The structure of exciton bands in alkali halides, 0=6036
Fischer,F. and Hilsch,R. Exciton spectra of LiI and its hydrates, 0=7874
Fischer,F.A. Ideal forms of electro-acoustic transducers and the properties of circuits constructed from them, 0=5087
Fischer,G. Galvanomagnetic effects in three-band semiconductors - experiments with p-type InSb, 0=18044
Fischer,G. See Barron,T.H.K., 0=20717
Fischer,G.E. and Jenkins,E.W. Scattering of 3.7-25 MeV positive pions by hydrogen, 0=2578
Fischer,H. See Kuhl,W., 0=1031
Fischer,H. See Zeil,W., 0=5021
Fischer,H.J. See Mühleisen,R., 0=4785
Fischer,J.,Leontic,B.,Lundby,A.,Meunier,R. and Stroot,J.P. Measurement of μ^+ lifetime, 0=1291
Fischer,J. and Lundby,A. Time-to-pulse height converter to wide range, 0=2471
Fischer,J. See Ciulli,S., 0=883
Fischer,K. The temperature dependence of the structure of point defects in cubic crystal, 0=9895
Fischer,R. See Kleint,C., 0=1145
Fischer,R.B. See Vratny,F., 0=13687
Fischer,R.F. See Bobeck,A.H., 0=2420
Fischer,T. See Busch,G., 0=3782
Fischer,W. and Klemm,A. Isotope separation in molecular pumps, 0=4161
Fischmeister,H. Electrical conductivity of some palladium sulfides and of silver palladium sulfide, 0=18001
Fischmeister,H. and Drott,J. Reaction rate and growth forms of reaction product in the system Ag—H$_2$S, 0=16257
Fischmeister,H.F. and Rönnquist,A. X-ray measurements of the thermal expansion of KLiSO$_4$ and K$_3$Na(SO$_4$)$_2$ (low and high temperature modifications), 0=18361
Fish,I.P.S. Method for rapid determination of vacuum outgassing rates, 0=2192
Fish,R.A. See Johnson,F.S., 0=8413
Fisher,C.M. See Aly,H.H., 0=15390
Fisher,C.M. See Aly,H.H., 0=20186
Fisher,E.M.R. See Peirson,D.H., 0=11331
Fisher,E.S. See McSkimin,H.J., 0=16204
Fisher,I.Z. The extrinsic conductivity in liquid and amorphous semiconductors, 0=578
Fisher,I.Z. Temperature dependence of the velocity of sound in dense gases, 0=19205
Fisher,I.Z. and Kopeliovich,B.L. A more precise form of the superposition approximation in the theory of liquids, 0=19091
Fisher,I.Z. and Smolik,Ch.K. The temperature dependence of the energy of ionization of impurity centres in a covalent crystal, 0=15864
Fisher,I.Z. See Prokhorenko,V.K., 0=12543
Fisher,J.C. Alternative superconducting ground states, 0=19551
Fisher,L.,Milford,S.N. and Pomilla,F.R. Born cross sections for inelastic scattering of electrons by hydrogen atoms. II. 4s, 4p, 4d, 4f states, 0=13404
Fisher,L.H. See DeBitetto,D.J., 0=10886
Fisher,M.E. Lattice statistics in a magnetic field. I. A two-dimensional super-exchange antiferromagnet, 0=10183
Fisher,M.E. The susceptibility of the plane Ising model, 0=11816
Fisher,P. and Fan,H.Y. Absorption spectra and Zeeman effect of copper and zinc impurities in germanium, 0=18124
Fisher,P.S. See Cohen,S.G., 0=1434
Fisher,R.M. Specimen holder for controlled deformation in the Elmiskop, 0=3288
Fisher,R.M. See Leslie,W.C., 0=16325
Fisher,R.M. See Marcinkowski,M.J., 0=13531
Fisher,R.M. See Marcinkowski,M.J., 0=18403
Fisher,T.A. See Jerrard,H.G., 0=12421
Fishkova,T.Ya. See Kel'man,V.M., 0=10983
Fiskin,J.M. See Roberts,C.A., 0=16775
Fistul'V.I. and Andrianov,D.G. Change of the surface conductivity of germanium due to adsorption, 0=9959
Fistul',V.I. and Orzhevskii,O.B. Conductivity in electron—hole junctions in reverse direction, 0=20880
Fisun,A.N. See Grishaev,I.A., 0=11146
Fisun,A.N. See Grizhko,V.M., 0=20472
Fitch,R.A. Rapid heating for controlled fusion research, 0=4155
Fitch,R.K. See Davies,D.E., 0=5329
Fite,W.L.,Brackmann,R.T.,Hummer,D.G. and Stebbings,R.F. Lifetime of the 2S state of atomic hydrogen, 0=1467
Fite,W.L.,Stebbings,R.F. and Brackmann,R.T. Collisions of electrons with hydrogen atoms. IV. Excitation of Lyman—Alpha radiation near threshold, 0=1475
Fite,W.L.,Stebbings,R.F.,Hummer,D.G. and Brackmann,R.T. Ionization and charge transfer in proton—hydrogen atom collisions, 0=13408
Fite,W.L. See Hummer,D.G., 0=13409
Fite,W.L. See Stebbings,R.F., 0=17689
Fite,W.L. See Stebbings,R.F., 0=20579
Fitts,D.D. See Kirkwood,J.G., 0=18964
Fitzgerald,D.R. and Byers,H.R. Aircraft observations of convective cloud electrification, 0=21391
Fitzgerald,E.R. Crystalline transitions and mechanical resonance dispersion in vinyl and ethyl stearate, 0=6299
Fitzgerald,E.R. Mechanical resonance dispersion and plastic flow in crystalline solids, 0=18252
Fitzgerald,E.R. and Watson,M.T. Dynamic mechanical properties of polyethylene from 25° to 150°C, 0=8110
Fitzgerald,E.R. See Broadhurst,M.G., 0=13647

el,D.I. and Klein,A. On the analytic properties of partial wave amplitudes in Yukawa potential scattering, 0=17253
eiskii,Yu.D. See Nemirovskii,P.E., 0=20430
nan,M. Osmotic pressure of moderately concentrated polymer solutions, 0=14641
man,M. Density correlations, critical opalescence, and the free energy of nonuniform fluids, 0=19093
man,M. Ultrasonic attenuation in the critical region, 0=19135
ks,I.P. and Filippenko,L.G. Electron capture by triply charged Ne^{3+} and Kr^{3+} ions in neon and krypton, 0=8998
ks,I.P. See Fedorenko,N.V., 0=12578
mand,G. and Ford,K.W. Muon capture by C^{12} and beta decay of B^{12}, 0=4130
mbard,A. and Reyssat,M. Electromagnetic waves and satellites. High-frequency echoes from ionized trails of satellites, 0=15
mm,D. The electronic decay of Λ^0 derived indirectly by K-meson couplings, 0=15449
mmersfeld,A. See Gubernator,K., 0=2399
mmersfeld,A. See Gubernator,K., 0=8023
mmersfeld,A. See Hennies,H.H., 0=7510
mmersfeld,A. See Hoffmann,K.W., 0=414
mmersfeld,A. See Hoffmann,K.W., 0=17524
mmersfeld,A. See Krause,I.Y., 0=2658
mmersfeld,A. See Schmidt-Ott,W.D., 0=5716
nagan,J.L. and Guttman,N. Pitch of periodic pulses without fundamental component, 0=18535
nagan,J.L. and Guttman,N. On the pitch of periodic pulses. 0=18543
nagan,T.B. See Carson,A.W., 0=236
agan,T.P. See Anderson,D.G., 0=15192
nagan,T.P. See Bennett,J.A., 0=8288
nders,P.J. See Berkowitz,A.E., 0=2993
schen,S.S.,Pearson,A.D. and Kalnins,I.L. Improvement of semiconductor surfaces by low melting glasses, possibly functioning as ion getters, 0=6105
schen,S.S.,Pearson,A.D. and Northover,W.R. Low melting sulfide-halogen inorganic glasses, 0=1923
x,I.P. See Fedorenko,N.V., 0=12590
ischer,A.A. See Draper,J.E., 0=2470
ischer,A.A. See Draper,J.E., 0=5724
ischer,R.L. Solution hardening by interaction of impurity gradients and dislocations, 0=15851
ischer,R.L. Absolute grain boundary energies in copper, 0=17949
ischer,R.L. See Hosford,W.F., 0=17933
ischer,R.L. See Hosford,W.F.,Jr, 0=18253
isher,V.G. See Berlovich,É.E., 0=9586

ishman,D.G. See Kolenko,E.A., 0=3731
ishman,H.,Einbinder,H. and Wu,C.S. Scintillations from liquid helium, 0=5030
ischmann,H.,Folberth,O.G. and Pfister,H. Semiconducting mixed crystals of the type $(A^{I}_{x/2}B^{IV}_{(1-x)}C^{V}_{x/2})D^{VI}$, 0=4646
ischmann,R. and Lohmann,A. Variable phase-contrast arrangement for the measurement of absolute light phase, 0=14814
ischmann,R. and Witt,R. Study of the state of polarization of a disturbance in the rarer medium in total internal reflection, using scattering particles, 0=14856
isher,A. See Saltzman,B., 0=14189
isher,V.G. See Berlovich,É.E., 0=11303
ror,N.N. and Tamanov,E.A. The production of intense ion pulses of less than 5×10^{-10} sec duration, 0=9100
rov,G.N.,Polikanov,S.N.,Karamyan,A.S.,Pasyuk,A.S., Parfanovich,D.M.,Tarantin,N.I.,Karnaukhov,V.A.,Druin,V.A., Volkov,V.V.,Semchinova,A.M.,Oganesyan,Yu.Ts., Khalizev,V.I.,Khlebnikov,G.I.,Myasoedov,B.F. and Gavrilov,K.A. Experiments on production of the 102-nd element, 0=7497
rov,G.N. See Karnaukhov,V.A., 0=9552
rov,G.N. See Korneev,E.I., 0=9701
rov,G.N. See Mikheev,V.L., 0=11465
rov,G.N. See Perelÿgin,V.P., 0=7592
rov,N.N. and Talyzin,V.M. Inelastic collision cross-sections of various elements for 14.5 MeV neutrons, 0=7603
etcher.D.E. See Brown.J.L.. 0=18553
etcher,G.C. The thermal expansion of solids, 0=4270
etcher,J.G. Local conservation laws in generally covariant theories, 0=8556

Fletcher,J.L. and Riopelle,A.J. Protective effect of the acoustic reflex for impulsive noises, 0=6507
Fletcher,P.C. and Solt,I.H.,Jr. Coupling of the magnetostatic modes, 0=3121
Fletcher,P.C. See Brennan,D., 0=9779
Fletcher,P.C. See Solt,I.H.Jr, 0=10203
Fletcher,R.C.,LeCraw,R.C. and Spencer,E.G. Electron spin relaxation in ferromagnetic insulators, 0=6258
Fletcher,R.C. and Seidel,H. Limitations of elementary mode considerations in ferrite loaded wave guide, 0=2449
Fletcher,R.C. See LeCraw,R.C., 0=10220
Fletcher,W.H. See Begun,G.M., 0=13436
Fletcher,W.H. See Begun,G.M., 0=20712
Flicker,H. See Atkins,K.R., 0=2281
Flinta,J. Pulsed high-intensity ion source. I, 0=19775
Flinta,J. See Pauli,R., 0=19776
Flippen,R.B. and Friedberg,S.A. Magnetic susceptibilities of single crystals $NiCl_2.6H_2O$ and $CoCl_2.6H_2O$ at low temperatures, 0=11921
Flodmark,S. Notes on a besk programme for molecular one-electron two-center integrals and some diagrams showing the dependence of these integrals on the orbital exponents, 0=17787
Flom,D.G. Rolling friction of polymeric materials. I. Elastomers, 0=4572
Flom,D.G. and Bueche,A.M. Theory of rolling friction for spheres, 0=3478
Flood,E.A. See Kuroda,H., 0=18056
Flood,W.A. Simultaneous V.H.F. auroral backscatter measurements, 0=16467
Florent,R. See Maillet,R., 0=2412
Florescu,N.A. Design of glass oil—vapour vacuum pumps, 0=976
Florescu,N.A. The adhesion of aluminium films on glass after ionic bombardment, 0=18413
Florescu,N.A. On the conductance of systems for molecular
Florescu,N.A. Standard unit of pressure in vacuum physics, 0=19222
Flournoy,J.M.,Baum,L.H. and Siegel,S. Temperature control method for use between 4.2° and 77°K, 0=19522
Flournoy,J.M. See Siegel,S., 0=7796
Flournoy,P.A.,Tickle,R.S. and Whitehead,W.D. Photoneutron cross sections of cobalt and manganese, 0=20478
Flournoy,P.A. See Fast,R.W., 0=9660
Flower,M.,March,N.H. and Murray,A.M. Metallic transitions in ionic crystals: some group theoretical results, 0=15802
Floyd,R.L. See Dyke,W.P., 0=9068
Flubacher,P.,Leadbetter,A.J. and Morrison,J.A. The heat capacity of pure silicon and germanium and properties of their vibrational frequency spectra, 0=15812
Flubacher,P.,Leadbeater,A.J. and Morrison,J.A. The limiting low-temperature behaviour of the heat capacity of graphite, 0=17892
Flubacher,P.,Leadbetter,A.J.,Morrison,J.A. and Stoicheff,B.P. The low-temperature heat capacity and the Raman and Brillouin spectra of vitreous silica, 0=11581
Flubacher,P. See Clusius,K., 0=12416
Flunkert,H. On the mechanism of optical imaging of the ferro-electric domains in Rochelle salt crystals. 0=16010
Flyagin,V.B. See Kiselev,V.S., 0=2550
Flynn,C.P. and Seymour,E.F.W. Nuclear magnetic resonance in bismuth, 0=5038
Flynn,C.P. and Seymour,E.F.W. The correction of spectral line shapes for instrumental and other broadening, 0=8796
Flynn,K.F. and Glendenin,L.E. Half-life and beta spectrum of Rb^{87}, 0=1387
Foà,L. See Bocciolini,M., 0=17563
Fochs,P.D. An improved method of growing CdS crystals from the vapor phase, 0=18313
Fock,V.A. See Fok,V.A., 0=6649
Fodiman,N.M. See Slonim,I.Ya., 0=19446
Foex,M. Comments on the determination of the [physical] properties of substances heated to high temperatures by means of solar furnaces, 0=14896
Foffani,A.,Pecile,C. and Pietra,F. Solvent effect on the intensity of CN stretching vibration for some nitriles, 0=490
Foffani,A.,Zanon,I.,Giacometti,G.,Mazzucato,U.,Favaro,G. and Semerano,G. On the electronic spectrum of formyl fluoride, 0=15740
Fogarassy,B. Interaction between electrons and coherent [electromagnetic] fields, 0=5544

Fogarassy,B. and Németh,G. A new [empirical] potential function for diatomic molecules, 0=15688

Fogel',Ya.M.,Ankudinov,V.A. and Pilipenko,D.V. Electron capture and loss in collisons of fast helium, boron and fluorine atoms with gas molecules, 0=7079

Fogel',Ya.M.,Koval',A.G. and Levchenko,Yu.Z. Ionization of gases by negative ions, 0=12579

Fogel',Ya.M.,Koval',A.G. and Tomofeev,A.D. A negative ion source, 0=12640

Fogel',Ya.M.Kozlov,V.F. and Kalmȳkov,A.A. The existence of the negative nitrogen ion, 0=10877

Fogel',Ya.M.,Kozlov,V.F.,Kalmȳkov,A.A. and Muratov,V.I. Direct proof of the applicability of the Massey adiabatic criterion to processes of double charge exchange, 0=14978

Fogel',Ya.M.,Slabospitskii,R.P. and Karnaukhov,I.M. Mass spectrometer investigation of secondary positive and negative ionic emission, excited by the bombardment of a molybdenum surface by positive ions, 0=17044

Fogel',Ya.M.,Slabospitskii,R.P. and Rastrepin,A.B. The emission of charged particles from the surfaces of metals bombarded with positive ions, 0=9078

Fogel'son,R.L. The diffusion equation, 0=13557

Fok,M.V. See Antonov-Romanovskii,V.V., 0=13713

Fok,M.V. See Vinokurov,L.A., 0=4428

Fok,V.A. [Fock]. Comparison of different coordinate conditions in Einstein's gravitation theory, 0=6649

Fok,V.A. and Kuni,F.M. Introduction of "damping" functions into [the theory of] scattering correlations, 0=9319

Fok,V.A. See Kapitsa,P.L., 0=8975

Fok,V.A. See Kapitsa,P.L., 0=9206

Fokker,A.D. The clock paradox in so-called relativity theory, 0=14499

Fokker,A.D. See de Feiter,L.D., 0=4898

Foland,W.D. Contribution to the electrostatic self-energy of a charged liquid drop, 0=5646

Folberth,O.G. and Pfister,H. The crystal structure of $ZnSnAs_2$, 0=8224

Folberth,O.G. See Fleischmann,H., 0=4646

Folen,V.J. Influence of ionic order on the magneto-crystalline anisotropy and crystalline field parameters in lithium ferrite monocrystals, 0=10124

Folen,V.J. See Rado,G.T., 0=1809

Folen,V.J. See Schnitzler,A.D., 0=11927

Foley,H.M. See Traub,J., 0=2713

Folkierski,A. Report on high-speed photography, 0=19463

Folkierski,A. See Curzon,F.L., 0=19655

Folkierski,A. See Latham,R., 0=15012

Follett,E.A.C. See Dawson,I.M., 0=10343

Folweiler,R.C. and Brotzen,F.R. The effect of quenched-in vacancies on the elastic modulus of aluminum, 0=16202

Fomichev,V.A. See Karamyan,A.S., 0=11335

Fomin,L.P. See Zeitlenok,G.A., 0=9114

Fomin,N.V. Absorption of infrared radiation by semiconductors in an electric field, 0=13682

Fomin,P.I. See Guzenko,S.Ya., 0=9346

Fomin,V.V.,Kartushova,R.E. and Rudenko,T.I. Decomposition of the oxalites of plutonium under the action of its own α-radiation, 0=4735

Fomina,I.A. See Biberman,L.M., 0=12732

Fomina,V.I. See Didenko,A.A., 0=15968

Fominenko,V.P. See Komar,A.P., 0=17061

Fomushkin,E.F. See Vasilev,Yu.A., 0=11181

Fomushkin,Ė.F. See Vasil'ev,Yu.A., 0=13305

Fonda,L. and Newton,R.G. K—hyperon production threshold phenomena, 0=5610

Fonda,L. and Newton,R.G. Threshold effects in three-body channels, 0=15287

Fonda,L. and Newton,R.G. Theory of resonance reactions, 0=17567

Fonda,L. See Newton,R.G., 0=11117

Foner,S. High field antiferro-, ferri- and paramagnetic resonance at millimeter wavelengths, 0=13863

Foner,S. and Momo,L.R. CW millimeter wave maser using Fe^{3+} in TiO_2, 0=9194

Foner,S. and Thompson,E.D. Test of spin-wave theory with precision magnetization measurements, 0=2985

Foner,S. See Artman,J.O., 0=13795

Foner,S. See Carr,P.H., 0=11799

Foner,S. See Momo,L.R., 0=9195

Foner,S.N.,Cochran,E.L.,Bowers,V.A. and Jen,C.K. Multiple trapping sites for hydrogen atoms in rare gas matrices, 0=7889

Foner-Cohen,A. The thermal conductivity of monoisotopic ionic crystals (sodium fluoride and cesium iodide) at low temperatures, 0=9867

Fong,P. Possibility of a fission chain reaction in supernova type I, 0=12331

Fong,P. Creation of the heavy elements by neutron capture on a fast time scale, 0=20485

Font,R. See Catala,J., 0=12766

Fontan,J. See Blanc,D., 0=15528

Fontan,J. See Blanc,D., 0=16498

Fontanella,E.L. and Deblois,R.W. Techniques for handling metallic whiskers, 0=3185

Foote,J.H.,Chamberlain,O.,Rogers,E.H.,Steiner,H.M.,Wiegand,C. and Ypsilantis,T. π^+—p scattering and phase-shift analysis at 310 MeV, 0=5590

Forbes,E.G. See Finlay-Freundlich,E., 0=18778

Forbes,J.W. See Dannenberg,H., 0=6925

Forbes,V.M. See McPherson,A.I., 0=13090

Forbush,S.E. and Venkatesan,D. Diurnal variation in cosmic-ray intensity, 1937-1959, at Cheltenham (Fredericksburg), Huancayo, and Christchurch, 0=17446

Ford,A. See White,C.T., 0=14346

Ford,F. The calculation of the electromagnetic field in an alvarez type linear, 0=15090

Ford,F.C. See Post,R.F., 0=7122

Ford,G.P. Analysis of the two-mode-of-fission hypothesis, 0=11453

Ford,H.W.,Doyle,G.J. and Endow,N. Rate constants at low concentrations. V. Mechanism of reaction of ozone with photolyzing nitrogen dioxide in presence of excess oxygen, 0=8315

Ford,K.W. See Baker,G.A., Jr, 0=911

Ford,K.W. See Flamand,G., 0=4130

Ford,K.W. See Meyer-Berkhout,U., 0=404

Ford,N.C.,Jr. Domain wall velocities in thin iron—nickel films, 0=11864

Ford,N.C., Jr and Pugh,E.W. Barkhausen effect in nickel-iron films, 0=3026

Ford,P.W. New ray tracing scheme, 0=8768

Foreman,A.J.E. See Greenwood,G.W., 0=9903

Foreman,B.M., Jr,Gibson,W.M.,Glass,R.A. and Seaborg,G.T. Spallation—fission competition in heavy-element reactions: Th^{232} + He^4 and U^{233} + d, 0=1450

Foreman,H. See Ott,D.G., 0=3889

Foreman,W.T. Streaming birefringence and optical relaxation time of vanadium pentoxide sols, 0=3333

Forestieri,A.F. and Girifalco,L.A. The effect of plastic [compressive] deformation of self-diffusion in silver, 0=2828

Forgie,C.D. See Forgie,J.W., 0=809

Forgie,J.W. and Forgie,C.D. Results obtained from a vowel recognition computer program, 0=809

Forkner,J. See Berg,S., 0=6524

Forman,A.,Murrell,J.N. and Orgel,L.E. Sign of the electron spin density of methyl protons in aromatic molecules, 0=2743

Forman,A. and Orgel,L.E. The Jahn—Teller effect in manganic acetylacetonate, 0=20636

Forman,R. Properties of cleaned germanium surfaces, 0=4344

Forrez,G. See van Itterbeek,A., 0=216

Forshkov,V.K. See Ivanov,R.N., 0=11455

Forsling,W. See Atterling,H., 0=7589

Forsling,W. See Atterling,H., 0=7591

Forsling,W. See Fields,P.R., 0=7498

Forst,G. On the energy distribution of ions from a high-frequency ion source, 0=12641

Forstat,H. A length effect in the heat transport in helium II, 0=8911

Forstat,H.,Taylor,G. and King,B.R. Low-temperature heat capacity of azurite, 0=1559

Forstat,H.,Taylor,G. and Spence,R.D. Evidence for antiferromagnetism in $CoBr_2.6H_2O$, 0=3099

Forster,H.H. and Sanders,N.L. The circular polarization of the gamma ray following the β decay of Fe-59, 0=7532

Forster-Brown,A.D. and Cayless,M.A. Cathode emission measurements in low pressure discharges, 0=5334

Forsyth,D.M. Use of a Fourier model is describing the fusion of complex visual stimuli, 0=6519

Forsyth,J.B. See Black,P.J., 0=4612

Forsyth,J.B. See Hume-Rothery,W., 0=515

Forsyth,P.A. On the geometry of radio reflections from aurora, 0=10439

Forsyth,P.A.,Green,F.D. and Mah,W. The distribution of radio-aurora in central Canada, 0=12199

rsyth,P.A. See Collins,C., 0=6480
rsyth,P.D.,Barros,F.de S.,Jaffe,A.A.,Taylor,I.J. and Ramavataram,S. An investigation of some $(^3He,d)$ reactions in light nuclei at 5.2 meV, 0=5754
rsyth,P.D. See Jaffe,A.A., 0=17495
rsyth,P.D. See Taylor,I.J., 0=11422
rsyth,P.J.E.,Partridge,P.G. and Ryder,D.A. Surface growths and whiskers on an aluminium—magnesium alloy, 0=21168
rtescue,P.,Nicholl,D.,Rickard,C. and Rose,D. HTGR — Underlying principles and design, 0=5820
rtunatova,N.N. See Glinchuk,K.D., 0=6107
rty,A.J. Observations of the decomposition of crystals of lead iodide in the electron microscope, 0=21175
orty,A.J. See Edeleanu,C., 0=21148
osdick,L.D. Calculation of order parameters in a binary alloy by the Monte Carlo method, 0=3217
osque,H.S. and Miller,G. Electromagnetic support arrangement with three-dimensional control. II. Experimental, 0=2426
oss,R.P. See Moore,W.M., 0=14130
oster,J.M. and Boys,S.F. Canonical configurational interaction procedure, 0=17824
oster,J.M. and Boys,S.F. A quantum variational calculation for HCHO, 0=17825
oster,J.M. and Boys,S.F. Quantum variational calculations for a range of CH_2 configurations, 0=17826
oster,J.S. Notes on a photograph of the Stark effect, 0=5875
oster,K. and Kramer,J.J., Effect of directional orientation on the magnetic properties of cube-oriented magnetic sheets, 0=10104
Foster,K. See Pavlovic,D., 0=10131
Foster,W.W. Attenuation of light by wood smoke, 0=5131
Foster,W.W. Deposition of unipolar charged aerosol particles by mutual repulsion, 0=8324
Fotchenkov,A.A. See Zheludev,I.S., 0=11750
Foti,M. Transmission of impact noises by floating floors, 0=5120
Fotino,M. Low-energy π mesons in the cosmic radiation, 0=4009
Fotland,R.A. Some electrical properties of amorphous selenium films, 0=15991
Fotland,R.A. Photoconductivity and photolysis in cadmium iodide, 0=18066
Foucher,R. Relative intensities of some γ-transitions of Ac^{227}, 0=7529
Foucher,R. Internal conversion coefficient of the 92 keV radiation from Pa^{234}, 0=15552
Foucher,R. Nuclear transitions of radon nuclei, 0=20356
Foucher,R.,Dick,L.,Perrin,N. and Vartapetian,H. Scintillation spectrometer for coincidence work on α β and γ rays, 0=5675
Fourdeux,A.,Berghezan,A. and Webb,W.W. Stacking faults in zinc, 0=7887
Fourdeux,A. See Berghezan,A., 0=1859
Fourès-Bruhat,Y. Mechanics of relativistic fluids, 0=14504
Fourie,D. See Fiedeldey,H., 0=7071
Fourie,D.J. and van der Walt,C.M. Contribution to the crystallization process of Se, 0=10282
Fourie,J.T. The life history of individual slip lines during the plastic deformation of α-brass single crystals, 0=16219
Fourie,J.T.,Weinberg,F. and Boswell,F.W.C. Preparation of tin single crystals for transmission electron microscopy, 0=12090
Fournaux,J. See Beets,C., 0=12794
Fournet,G. Curie temperature prediction for several lattice species, 0=2988
Fournet,G. Thermodynamic behaviour of nuclear reactors, 0=20529
Fournet,G. See Taupin,D., 0=13763
Fousek,J. A method of measuring the complex permittivity and non-linear properties of dielectrics in the decimetre wave band, 0=2302
Fousek,J. On the problem of the permittivity dispersion of barium titanate, 0=2922
Fousek,J. and Březina,B. Irreversible motions of a 90° domain in $BaTiO_3$, 0=4382
Fousse,H. and Grange,J. Contribution to the experimental study of refractivities, 0=8777
Fousse,H. See Grange,J., 0=10788
Fowler,C.M.,Garn,W.B. and Caird,R.S. Production of very high magnetic fields by implosion, 0=9144
Fowler,E.C. See Dowell,J.D., 0=1280
Fowler,E.C. See Hannum,W.H., 0=9402
Fowler,J.F. The fundamental limits of information content in solid state image intensifying panels compared with other intensifying systems, 0=19407
Fowler,J.F. See Moses,V., 0=12721
Fowler,M.,Landshoff,P.V. and Lardner,R.W. Some properties of single loop diagrams in perturbation theory, 0=20080
Fowler,P.H. Decay of lithium-7 hypernucleus, 0=417
Fowler,P.H.,Perkins,D.H. and Pinkau,K. Observation of the suppression effect on bremsstrahlung, 0=20101
Fowler,R.G. See St John,R.M., 0=465
Fowler,R.G. See Sakuntala,M., 0=1129
Fowler,R.G. See Sakuntala,M., 0=12586
Fowler,T.K. and Watson,K.M. The quasi-elastic scattering of fast particles by atomic nuclei, 0=4085
Fowler,W.A. Completion of the proton—proton reaction chain and the possibility of energetic neutrino emission by hot stars, 0=848
Fowler,W.A. and Hoyle,F. Nuclear cosmochronology, 0=14394
Fowler,W.A. See Becker,R.A., 0=844
Fowler,W.A. See Wasserburg,G.J., 0=5684
Fowler,W.B. See Agnew,L.E.,Jr., 0=11172
Fowler,W.B. See Birge,R.W., 0=17330
Fowler,W.B. See Muller,F., 0=11220
Fowles,G.R. Attenuation of the shock wave produced in a solid by a flying plate, 0=8742
Fox,A.G. Principles of ferrite reactance amplification, 0=3854
Fox,J.K.,Gilley,L.W. and Marable,J.H. Critical parameters of a proton-moderated and proton-reflected slab of U^{235}, 0=13323
Fox,J.W. and Smith,A.C.H. Viscosity of mixtures of hydrogen and water vapor at 295°K, 0=16721
Fox,M.D. and Weinberg,F.J. Optical methods for the study of flames in turbulent pre-mixed gas streams, 0=12536
Fox,R. Gamma and neutron heating in and about a homogeneous reactor, 0=13361
Fox,R.E. Threshold ionization of HCl by electron impact, 0=3737
Fox,R.E. Negative ion formation in NO_2 by electron attachment, 0=3739
Fox,R.E. Multiple ionization in argon and krypton by electron impact, 0=14965
Fox,W.N. See Dodd,J.N., 0=9743
Fox,W.N. See Series,G.W., 0=17656
Foy,J.E. and Parker,R.J. Permanent magnet leakage permeance evaluation based on polar radiation analogy, 0=9143
Foy,P.W. See Batdorf,R.L., 0=11703
Foz,R. Improved gamma detector using gamma moeration, 0=11136
Fozard,J.L.,Bacon,W.E. and Small,A.M.,Jr. Masked thresholds for octave band noise, 0=3365
Fracastoro,M.G. On an eleven-year variation of the mean height of the chromosphere, 0=8505
Frackiewicz,B. See Epstein,D.J., 0=3092
Frackowiak,M. and Heldt,J. Investigation of an organophosphor in the preexcited state, 0=13719
Fradkin,É.E. See Chaika,M.P., 0=12483
Fradkin,E.E. See Kaliteevskii,N.I., 0=13123
Fradkin,E.E. See Kaliteevskii,N.I., 0=13420
Fradkin,É.E. See Maly̌shev,G.M., 0=10774
Fradkin,É.E. See Semenov,R.I., 0=10775
Fradkin,E.S. Some general relationships in statistical quantum electrodynamics, 0=5473
Fradkin,E.S. A refinement of the Thomas—Fermi model ar small distances from the nucleus , 0=9725
Fradkin,E.S. The Green's functions method in quantum statistics, 0=10606
Fradkin,E.S. See Kirzhnits,D.A., 0=5529
Fradkov,A.B. A helium cryostat without liquid nitrogen cooling, 0=19571
Fradlin,B.N. and Shakhnovskii,S.M. Derivation of Green's tensor for the equilibrium problem of a shell with small double curvatures, 0=12388
Fraenkel,G.K. See Schreurs,J.W.H., 0=15756
Fraenkel,G.K. See Stephen,M.J., 0=11534
Fraenkel,Z. See Dostrovsky,I., 0=1397
Fraenkel,Z. See Dostrovsky,I., 0=13217
Fraenkel,Z. See Dostrovsky,I., 0=13218
Fraga,S. and Mulliken,R.S. Role of coulomb energy in the valence-bond theory, 0=17818
Frahn,W.E. See Lemmer,R.H., 0=9295
Frait,Z. On the origin of the width of the ferromagnetic resonance curve, 0=6250

Frait,Z. The use of high frequency modulation in studying ferromagnetic resonance, 0=11063

Fraitová,D. On the theory of the ferromagnetic resonance of thin films, 0=16150

Frame,J.P.,Rhodes,E. and Ubbelohde,A.R. Melting and crystal structure. Tests of the association complex theory for some low-melting salts, 0=13466

Frâna,J. and Janáček,F. Some of the luminescent properties of AgBr with an admixture of Ag_2S, 0=4449

Franchetti,S. Considerations on the helium film in non-static conditions, 0=8896

Franchetti,S. Some remarks on the theory of the liquid helium film, 0=16936

Francia,G.Toraldo di. See Toraldo di Francia,G.

Francis,A.B. and Carlson,A.I. Cadmium sulfide infrared optical material, 0=2236

Francis,N.C.,Storm,M.L. and Zweifel,P.F. Neutron age in diphenyl, 0=12979

Francis,N.C. See Bohl,L.S., 0=13343

Francis,W.E.,Green,M.I. and Dessler,A.J. Hydromagnetic propagation of sudden commencements of magnetic storms, 0=21312

François,B. See Bel,A., 0=8464

Francombe,M.H. Structure-cell data and expansion coefficients of bismuth telluride, 0=4632

Francombe,M.H. The relation between structure and ferroelectricity in lead barium and barium strontium niobates, 0=8217

Françon,M. See Elias,C., 0=14824

Francon,M. See Neves e Castro,M., 0=14805

Franeau,J.,Grard,F. and Libert,R. The plateau slope of geiger counters with argon and ethyl alcohol, 0=11070

Frank,F.C. and Ives,M.B. Orientation-dependent dissolution of germanium, 0=21174

Frank,F.C.,Keller,A. and O'Connor,A. Observations on single crystals of an isotactic polyolefin: morphology and chain packing in poly-4-methyl-pentene-1, 0=16333

Frank,F.C. and King,A.R. Observation by X-ray diffraction of dislocations in a diamond, 0=17929

Frank,F.C. See Agar,A.W., 0=16340

Frank,F.C. See Bassett,D.C., 0=4667

Frank,F.C. See Hirth,J.P., 0=551

Frank,H. On the multiple scattering and back diffusion of fast electrons on passing through thick films, 0=275

Frank,H. A four-electrode probe with mercury contacts for determining the resistivity of silicon [plates], 0=3707

Frank,H.S. Covalency in the hydrogen bond and the properties of water and ice, 0=8662

Frank,H.S. and Thompson,P.T. Fluctuations and the limit of validity of the Debye—Hückel theory, 0=938

Frank,I.M. On the role of group velocity of light emitted in a refractive medium, 0=5125

Frank,I.M. Optics of light sources moving in refractive media, 0=7326

Frank,L.A. See Van Allen,J.A., 0=12189

Frank,M. Automatic γ-ray spectrometer, 0=1264

Frank,P.J. See Anderson,D.H., 0=4218

Frank,R.C. Some observations regarding the present status of measurements of the diffusion coefficients of hydrogen in iron and mild steel, 0=11641

Frank,R.C. and Thomas,J.E.,Jr. Germanium crystals grown from hollow cylindrical seeds, 0=18311

Frank,S.G.F. See Edwards,D.N., 0=3991

Frank,W. and Trigg,G.L. Momentum and conservation laws in Newtonian and canonical formalisms, 0=4923

Frank,W.M.,Goldberg,I. and Rockmore,R.M. Determination of (,K) relative parity, 0=7418

Frank-Kamenetskii,D.A. Magnetic sound in a three-component plasma, 0=19694

Frank-Kamenetskii,D.A. Magneto-acoustic resonance in a plasma, 0=19695

Frank-Kamenetskii,V.A. See Afanas'eva,N.A., 0=14021

Frank-Kamenetskii,V.A. See Komkov,A.I., 0=13998

Franke,G. Contrast transmission function and image quality, 0=19365

Franke,W. The time dependence of the light emission from a gas discharge, 0=2330

Frankel,S.,Hagopian,V.,Halpern,J. and Whetstone,A.L. Further search for the decay $\mu^+ \rightarrow e^+ + \gamma$. 0=9389

Frankel,S. See Caspari,M.E., 0=11883

Franken,B. See van den Berg,G.J., 0=1611

Franken,P. See Liebes,S.,Jr, 0=2537

Franken,P.A. Input impedances of simple cylindrical structures, 0=6851

Franken,P.A. See Colegrove,F.D., 0=2732

Franken,P.A. See Colegrove,F.D., 0=13415

Frankl,D.R. Surface space-charge calculations for semiconductors, 0=18006

Frankl,D.R. See Greene,R.F., 0=9955

Frankl,D.R. See Levinger,B., 0=17917

Frankl',F.I. Potential steady relativistic gas flows, 0=94

Frankl',F.I. A possible set of [simultaneous] equations in the relativistic dynamics of gases, taking into account emission and absorption of light, 0=953

Franklin,C.A. See Tyas,J.P.I., 0=4847

Franklin,R.G. and Birx,D.L. A study of natural electromagnetic phenomena for space navigation, 0=12690

Franks,A. Analysis of the lighter elements by total reflexion of their characteristic X-ray lengths, 0=8344

Franks,A. and Revell,R.S.M. (Conf. rep.). Summarized proceedings of a conference on precipitation in alloys and on metal structures — London, November 1958, 0=4678

Frantsevich,I.N.,Kalinovich,D.F.,Kovensky,I.I. and Smolin,M.D. Some quantitative relationships of the process of donor—acceptor interaction in metallic alloys, 0=732

Frantz,F.S. See Volpe,J.J., 0=13344

Frantz,L.M. and Mills,R.L. Many-body basis for the optical model, 0=5645

Franz,A. Concentration of electron beams of low potential and high current density using an electric field in helium, 0=270

Fränz,K. and Mann,P.A. The conductance of dipoles of arbitrary size and shape, 0=5416

Franz,W. Integral equations for the determination of the mobility in semiconductors, 0=11671

Franzen,W. Spin relaxation of optically aligned rubidium vapor, 0=482

Franzini,P. See Bertanza,L., 0=11214

Franzosini,P. See Clusius,K., 0=1561

Franzosini,P. See Clusius,K., 0=20752

Frantz,F.S.,Jr and Wyckoff,H.O. Attenuation of scattered cesium-137 gamma rays, 0=3946

Fraser,D.M. See Bradford,H.M., 0=253

Fraser,J.C. See Duncan,G.I., 0=14987

Fraser,J.S. and Milton,J.C.D. Automatic-recording apparatus for fission-fragment time-of-flight measurements, 0=17629

Fraser,M.C.,Last,G.A. and Bush,S.H. Dimensional stability of uranium—chromium alloys, 0=14070

Fraser,P.A. See McEachran,R.P., 0=7335

Fraser,P.A. See Nicholls,R.W., 0=11518

Frassetto,R. See Lomask,M., 0=14755

Frasson,E.,Panattoni,C. and Zannetti,R. X-ray studies on the metal complexes with the glyoximes. II. Structure of the Pt-dimethyl-glyoxime, 0=3252

Fraunberger,F. On a proposal for the measurement of phase changes at high pressures, 0=1926

Frauenfelder,H. See Backenstoss,G.K., 0=15337

Frauenfelder,H. See DePasquali,G., 0=7465

Frauenfelder,H. See Lewis,H.R., 0=5232

Frauenfelder,H. See Sherwin,C.W., 0=10569

Frautschi,S.C. Some feasible tests of quantum electrodynamics at small distances, 0=11077

Frautschi,S.C. Nucleon—antinucleon annihilation products, 0=17327

Frautschi,S.C. Sensitivity of low-energy pion—nucleon scattering to a pion—pion resonance, 0=17387

Frautschi,S.C. Inconsistency among the properties of renormalizability, analyticity, and regularity at zero charge, 0=20027

Frautschi,S.C. A lower limit on the π^0 lifetime, 0=20182

Frautschi,S.C. and Walecka,J.D. Pion—nucleon scattering in the Mandelstam representation, 0=20198

Frazer,B.C. See Langdon,F., 0=3196

Frazer,B.C. See Takei,W.J., 0=11850

Frazer,W.R. Proposal for determining the electromagnetic form factor of the pion, 0=1293

Frazer,W.R. and Fulco,J.R. Effect of a pion—pion scattering resonance on nucleon structure. II, 0=7341

Frazer,W.R. and Fulco,J.R. Partial-wave dispersion relations for the process $\pi + \pi \rightarrow N + \bar{N}$, 0=7404

Frazer,W.R. and Fulco,J.R. Partial-wave dispersion relations for pion—nucleon scattering, 0=15404

Fred,M. See Tomkins,F.S., 0=16853

Freden,S.C.,Gilbert,F.C. and White,R.S. High-energy K^--meson interactions and decays, 0=9434

Freden,S.C.,Kornblum,H.N. and White,R.S. Lifetimes, branching ratios, and asymmetries in Σ-hyperon decays, 0=15446

Freden,S.C. and White,R.S. Particle fluxes in the inner radiation belt, 0=14268

Frederikse,H.P.R. See Mielczarek,E.V., 0=547

Frederking,T. and Grassmann,P. Film boiling of liquefied gases especially of liquid helium I, 0=3696

Fredrick,L.W. Observations of ϵ Aurigae, 0=12329

Fredrick,L.W. Parallax and mass-ratio of the visual binary Ho 581 from photographs taken with the Sproul 24-inch refractor, 0=18801

Fredriksen,A. and Dyce,R.B. Ionospheric absorption investigations at Hawaii and Johnston Island, 0=14207

Fredriksen,A. See Leadabrand,R.L., 0=16526

Freedman,A. Sound field of a rectangular piston, 0=2205

Freedman,J.F. See Pugh,E.W., 0=10127

Freeman,A.J. X-ray incoherent scattering functions for non-spherical charge distribution: N, N^-, O^-, O, O^+, O^{+2}, O^{+3}, F, F^-, Si^{+4}, Si^{+3}, Si, and Ge, 0=4620

Freeman,A.J. A study of the Compton scattering of X-rays. II. Li, Li^+, Be, Na,Na^+, Al^+, Al^{+3}, K^+, Cl^-, Ca, Ca^+ and Ca^{+2}, 0=8196

Freeman,A.J. On the role of the equivalence restriction in molecular calculations, 0=17809

Freeman,A.J. and Watson,R.E. Effect of crystalline fields on charge densities and magnetic form factors, 0=9886

Freeman,A.J. and Watson,R.E. Effect of crystalline fields on magnetic-form factors, 0=11801

Freeman,A.J. and Watson,R.E. Calculation of the crystalline field strength: chrome alum, 0=20720

Freeman,A.J. See Watson,R.E., 0=20769

Freeman,A.J. See Watson,R.E., 0=20770

Freeman,A.J. See Weiss,R.J., 0=12028

Freeman,G.R. Radiolysis of cyclohexane. I. Pure liquid cyclohexane and cyclohexane—benzene solutions, 0=14134

Freeman,G.R. Energy transfer in liquid hydrocarbons excited by γ rays, 0=18442

Freeman,J.J. A systematic error in underwater acoustic direction-finding, 0=14779

Freeman,J.M. Energy levels of Ne^{21} and Ne^{23}, 0=20351

Freeman,M.P. The quantum mechanical corrections for the high temperature Van der Waals interaction of light gases and surfaces. A new method of determining surface area, 0=14147

Freeman,M.P. and Katz,S. Determination of the radial distribution of brightness in a cylindrical luminous medium with self-absorption, 0=14786

Freeman,M.W.,Arrott,A. and Watson,J.H.L. Magnetism in medicine, 0=12214

Freeman,N.J. The decay of ^{144}Ce, 0=5698

Freeman,R. and Pound,R.V. High-resolution N.M.R. spectrometer with the radio-frequency controlled by the magnetic field, 0=5431

Freeman,R. See Pound,R.V., 0=3868

Freethey,F.E. See Thompson,M.C.,Jr, 0=14568

Frei,E.H.,Schieber,M. and Shtrikman,S. Hexagonal ferrimagnetic compound containing fluorine, 0=10181

Frei,E.H.,Shtrikman,S. and Treves,D. The bistable behaviour of the magnetic transducer, 0=3853

Frei,E.H. See Aharoni,A., 0=1785

Frei,E.H. See Aharoni,A., 0=3004

Freidman,G.I. See Bulaevskii,L.N., 0=21033

Freier,P.S.,Ney,E.P. and Winckler,J.R. Balloon observation of solar cosmic rays on March 26, 1958, 0=9482

Freitag,E.H. See Bowden,F.P., 0=8138

Freitag,W. and Martin,H.J. Results from the construction of an electronic ultrasonic image convertor, 0=19322

Freitas,L.G. See Mascarenhas,S., 0=16005

Fremderman,L.O. See Luzhinskaya,M.G., 0=18187

Fremlin,Dzh[J]. See Lozhkin,O.V., 0=20434

Fremlin,Dzh.G. [J.H.] and Lille,Dzh.S. [Lilley,J.S.]. Nuclear reactions induced by heavy ions, 0=13248

Fremlin,J.H.,Hardy,W. and Shaylor,H.R. Use of electric-current shims in the cyclotron, 0=3820

Fremlin,J.H. See Chalkin,L.P., 0=14966

French,B.R. See Awunor-Renner,E.R.T., 0=15497

French,H. Some notes on the origin of the colour of the Martian deserts, 0=8493

French,J.B. Symplectic symmetrey in the nuclear shell model, 0=7450

French,J.B. See Bilaniuk,O.M., 0=17492

French,J.B. See Macfarlane,M.H., 0=20454

French,P.R.J. A vector diagram for reactor channel temperatures, 0=5830

French,R.J. Foam viscometer, 0=14576

French,R.L. Calculating gamma spectra from reactors, 0=9718

French,R.L. and Eggen,J.B. Fast-neutron and gamma spectra for B.S.R., 0=9719

French,W.R.,Jr and Chasson,R.L. Atmospheric effects on the hard component of cosmic radiation near sea level, 0=7438

Frenkel,A. See Bozoki,G., 0=2603

Frenkel,A. See Fenyves,E., 0=13096

Frenkel',V.Ya. Thermal calculations for anodes of electron tubes cooled by radiation in a vacuum, 0=10944

Frenkiel,J. Thin walls in acoustic insulation, 0=1014

Frenkiel,P. See Salmona,A., 0=15673

Frenkin,A.R. See Kukin,V.D., 0=15277

Fréon,A.,Legrand,J.P. and Trellis,M. Relations between the variations in the intensity of cosmic rays and the structure of solar activity, 0=9481

Frerichs,R. and Liberman,I. Electroluminescence at point contacts in cuprous oxide and the mobility of Cu^+ ions at room temperature, 0=1766

Fretter,W.B. See Hansen,L.F., 0=9491

Freudenthal,A.M. Thermal stress analysis and Grueneisen's relation, 0=8574

Freund,P.G.O. About the concept of particle in quantum field theory, 0=2490

Freund,P.G.O. and Hegedüs,I. The group-theoretical foundations of quantum mechanics. I, 0=18942

Freund,P.G.O. and Hegedüs,I. The group theoretical foundations of quantum mechanics. II, 0=18943

Frey,H.M. See Harrington,R.E., 0=21274

Freymann,M. See Freymann,R., 0=505

Freymann,R.,Freymann,M.,Koechlin,M.,Martin,M. and Mavel,G. Nuclear magnetic resonance study of intra and inter-molecular interactions: hydrogen bonds - the π effect, 0=505

Friauf,R.J. Vacuum-tight sample holder for high temperature conductivity measurements, 0=19585

Fric,C. The realization of a self-oscillator of the maser type in a strong field, 0=294

Fric,C. Study of the frequency shift and amplitude of oscillations of a [N.M.R.] self-oscillator of the flowing liquid maser type, 0=11065

Fric,C. and Hahn,H. A transistor[nuclear magnetic resonance] spectrometer with frequency modulation, 0=11064

Fricke,G.,Kopfermann,H. and Penselin,S. Measurement of the hyperfine structure splittings of the two yttrium ground states $^2D_{3/2}$ and $^2D_{5/2}$ with the atomic beam resonance method, 0=1485

Fricke,G.,Kopfermann,H.,Penselin,S. and Schlüpmann,K. Determination of the hyperfine structure splittings of the Sc ground states $^2D_{3/2}$ and $^2D_{5/2}$ and of the quadrupole moment of Sc^{45}, 0=401

Fricke,G.,Penselin,S. and Recknagel,E. The hyperfine splitting of the $^2S_{1/2}$ ground state, and the nuclear magnetic dipole moment of Au^{197}, 0=9517

Fricke,G. See von Ehrenstein,D., 0=288

Fricke,G. See v.Ehrenstein,D., 0=15671

Fricke,H. and Phillips,D.L. Application of a high-speed electronic computer in diffusion kinetics. II. Depletion effect in the spherical one-radical one-solute model. 0=6421

Fricke,W. The system of fundamental stars in the southern hemisphere, 0=12293

Fridberg,I.D. See Aleksandrov,L.A., 0=13645

Fridkin,V.M. See Beliaev,L.M., 0=13660

Fridge,D.L. Aberration synthesizer, 0=1029

Fridkin,V.M. On the theory of formation of latent electrophotographic images on photoelectrets, 0=10021

Fridkin,V.M. The photoelectret state and the luminescent afterglow in ZnS, 0=10023

Fridkin,V.M. Some effects observed in an investigation of the luminescence of electrets made of ZnS, 0=16092

Fridkin,V.M. See Golobin,B.M., 0=2924

Fridkin,V.M. See Golovin,B.M., 0=10001

Fridkin,V.M. See Golovin,B.M., 0=13661

Fridkin,V.M. See Zheludev,I.S., 0=11747

Fridman,S.A. See Vavilov,V.S., 0=10867

Fridrikhov,S.A. On secondary electron emission and elastic reflection of slow electrons from monocrystalline NaCl, 0=9077

Fridrikhov,S.A. and Schul'man,A.R. Investigation of the secondary electron emission of alkali halide monocrystals for low-energy primary electrons, 0=2382
Fridrikhov,S.A. and Shul'man,A.R. Investigation of the secondary electron emission from some dielectrics in the region of low primary energies, 0=7145
Fridrikhov,S.A. See Kapitsa,M.L., 0=10941
Fried,B.D. Elementary dynamics of the nonadiabatic transverse pinch, 0=1104
Fried,D.C. See Evett,A.A., 0=19356
Fried,H.M. Structure theorem for the photon propagator, 0=323
Fried,H.M. Example of a soluble field theory with finite charge renormalization, 0=11080
Fried,H.M. Formal paradox in quantum electrodynamics, 0=12820
Fried,H.M. and Yennie,D.R. Higher order terms in the Lamb shift calculation, 0=15648
Fried,S.M. See Diamond,H., 0=17512
Friedberg,S.A. Heat conduction in some ferrimagnetic crystals at low temperatures, 0=2798
Friedberg,S.A. and Douthett,D. The influence of a magnetic field on the low temperature thermal conductivity of ferrimagnetic crystals, 0=9866
Friedberg,S.A. See Flippen,R.B., 0=11921
Friedberg,S.A. See Robinson,W.K. 0=4266
Friedel,J. See Asdente,M., 0=4318
Friedel,J. See Blandin,A., 0=13847
Friedel,J. See Blandin,A., 0=16186
Friederich,A.,Hellwege,K.H. and Lämmermann,H. Further analysis of the spectrum of trivalent samarium in single crystals of different symmetry, 0=10047
Friedl,W. Krypton—Xenon bands, 0=4182
Friedl,W. The excitation and radiation mechanism of rare gases and rare gas mixtures under bombardment with slow electrons, 0=15657
Friedland,S.S.,Mayer,J.W.,Denney,J.M. and Keywell,F. Room temperature operated p—n junctions as charged particle detectors, 0=5630
Friedland,S.S.,Mayer,J.W. and Wiggins,J.S. Tiny semiconductor is fast, linear detector, 0=9237
Friedländer,E. See Balea,E., 0=20270
Friedländer,E. See Balea,E., 0=20307
Friedländer,E.M. Multiple meson production by 9 GeV protons on emulsion nuclei, 0=2558
Friedländer,E.M. Possible evidence for the radiative decay of the $\Sigma +$ hyperon, 0=13064
Friedländer,E.M., Pion cloud effects and the two-center model of cosmic ray jets, 0=20269
Friedlander,F.G. Sound pulses in a conducting medium, 0=5392
Friedlander,G. and Yaffe,L. Cross sections for the production of Cl, K, Ca, and Sc isotopes in the bombardment of Pb and U with 3.0 BeV protons, 0=5747
Friedlander,G. See Dostrovsky,I., 0=1397
Friedlander,S.K. On the particle size spectrum of a condensing vapor, 0=16736
Friedlander,S.K. and Litt,M. Rapid chemical reaction in a laminar boundary layer, 0=6397
Friedman,A.H. See Schoonmaker,R.C., 0=3566
Friedman,A.M. See Fields,P.R., 0=7498
Friedman,A.N. and Koenig,S.H. Size effects for conduction in thin bismuth crystals, 0=9927
Friedman,E. and Low,W. Paramagnetic resonance spectrum of Mn^{2+} in $ZnSiF_6:6H_2O$, $\Delta m = \pm 1$ transition, 0=18220
Friedman,H. Rocket astronomy, 0=10531
Friedman,H. Rocket astronomy, 0=10532
Friedman,H. Recent experiments from rockets and satellites, 0=14469
Friedman,H. Electromagnetic radiation from extraterrestrial sources, 0=16538
Friedman,H. See Chubb,T.A., 0=16539
Friedman,H. See Kupperian,J.E.,Jr, 0=4805
Friedman,H. See Kupperian,J.E.,Jr, 0=14199
Friedman,H.L. Mayer's ionic solution theory applied to electrolyte mixtures, 0=6783
Friedman,H.L. Thermodynamic excess functions for electrolyte solutions, 0=10656
Friedman,I. See Begemann,F., 0=2040
Friedman,J.I. Application of sum rules to electron—deuteron scattering, 0=2530
Friedman,J.I.,Kendall,H.W. and Gram,P.A.M. Experimental study of the magnetic structure of the neutron, 0=20147
Friedmann,H. A movable universal detector for atomic beams, 0=5859
Friedmann,M. See Eisenberg,Y., 0=20219
Friedrich,J.,Schirmer,H. and Stober,I. The transport phenomena in cylindrical discharges in the presence of magnetic fields, 0=2368
Friedrichs,K.O. Remarks on the interpretation of functionals in Hilbert space, 0=7267
Friel,D.D. See Greenewalt,C.H., 0=16870
Friel,E. New pigment-mixture diagram and color system, 0=188
Friel,E. New pigment-mixture data, 0=14857
Frieman,E.A. See Bernstein,I.B., 0=7118
Fries,R.J. See Kempter,C.P., 0=10315
Friesen,W.J. See Leonard,B.R.Jr, 0=13282
Frieser,H. Some recent results concerning the theory of development, 0=12505
Frieser,H. The total photographic effect of electrons. Granulation after exposure to electrons, 0=12730
Friis-Møller,K. See Bryrup,E., 0=9714
Friis-Møller,K. See Bryrup,E., 0=9715
Friis-Møller,K. See Bryrup,E., 0=9716
Friml,M. Experimental investigation on the angular distribution of electrons from μ-meson decay, 0=3980
Frind,G. The decay of arc discharges. I. Theoretical consideration, 0=10893
Frinken,H. and Kappler,E. I. The elastic behaviour of metals
Frisch,D.H. Some predictions from a composite model of baryons, 0=15306
Frisch,D.H. See Ely,R.P., 0=3983
Frisch,H.L. and Helfand,E. Conditions imposed by gross properties on the intermolecular potential, 0=4243
Frisch,H.L. and Lloyd,S.P. Electron levels in a one-dimensional random lattice, 0=20773
Frisch,H.L. See Helfand,E., 0=19095
Frisch,H.L. See Lebowitz,J.L., 0=10650
Frisch,H.L. See Morrison,J.A., 0=15871
Frisch,H.L. See Reiss,H., 0=3507
Frisch,H.L. See Rice,S.A., 0=7862
Frisch,O.R. Notes on coherent bremsstrahlung, 0=345
Frisch,O.R. Molecular beams, 0=2757
Frisch,O.R. Are the laws of nature symmetrical? 0=17209
Frisch,O.R. Parity nonconservation in weak interactions. I, 0=20032
Frisch,O.R.[Ed.]. Progress in nuclear physics. Vol. 6, 0=19958
Frisch,S.E. Works on atomic spectroscopy in the U.S.S.R., 0=9757
Frisch-Fay,R. Non-linear bending of a cantilever under several concentrated loads, 0=14555
Frischmuth-Hoffmann,G.,Görlich,P.,Hora,H.,Heimann,W. and Marseille,H. Measurements on mixed alkali [metal] photocathodes, 0=19721
Frisco,L.J. See Soderman,R.A. (Eds.), 0=2300
Frish,S.É. and Yakhontova,V.E. New data on excitation functions of helium lines, 0=5854
Frish,S.É. See Sobolev,N.N., 0=8854
Frisman,E.V. and Arkhipova,É.N. Determination of the optical anisotropy of macromolecules in a system exhibiting the shape effect, 0=12498
Frisman,É.V.,Garmonova,G.I. and Bÿchkova,V.E. Dynamic double refraction of solutions of low molecular weight fractions of polystyrene in butanone. II, 0=12499
Frisman,É.V. and Tsvetkov,V.N. Dynamic double refraction due to the shape of macromolecules in a solution under conditions of different concentrations and shear stresses. III, 0=12500
Frishman,I.G. Recording of auroral spectra using a photoelectric spectrometer, 0=8791
Frisius,F. See Bodenstedt,E., 0=7540
Frisius,F. See Bodenstedt,E., 0=17481
Frisken,W.R. See Dowell,J.D., 0=1281
Frisken,W.R. See Dowell,J.D., 0=7443
Fritsch,A.R. and Levy,B. Distribution and elution of fission products upon $ThO_2—UO_3$ slurry at simulated reactor conditions, 0=13373
Fritzsche,H. Valley—orbit splitting of antimony in germanium, 0=20903
Fritschen,L.J. Construction and calibration details of the thermal-transducer-type net radiometer, 0=14185
Fritz,J.F. See Clark,J.J., 0=2990
Fritz,J.J. and Taylor,R.G. Magnetic and thermodynamic properties of copper II acetonylacetone, 0=10093

Fritz,W. and Bode,K.H. A simple comparison method for the measurement of the thermal conductivity of small metal samples, 0=6964
Fritzsche,H. Effect of shear on impurity conduction in n-type germanium, 0=15935
Fritzsche,H. and Cuevas,M. Impurity conduction in transmutation-doped p-type germanium, 0=13595
Froese,C. Initial estimates for self-consistent field calculations for atoms with large atomic number, 0=2706
Froese,C. Limiting behaviour of atomic wave functions for large atomic number. III, 0=9732
Fröhlich,F. and Schmuntzsch,M. A method for determining the stray light in prism spectrophotometers, 0=12485
Fröhlich,H. and Sewell,G.L. Electric conduction in semi-conductors, 0=4334
Froelich,H. See Brannen,E., 0=19917
Froese.C. The self-consistent field with exchange for the ground state and first excited state of Fe^{+13}, 0=20542
Frohnsdorff,G.J.C. and Kington,G.L. A note on the thermodynamic properties and infra-red spectra of sorbed water, 0=10376
Froissart,M. Covariant formalism of a field with indefinite metric, 0=3912
Frolov,G.V. Polarization effects in the elastic scattering of [polarized] electrons from [polarized] deuterons, 0=9339
Frolov,G.V. Polarization effects in the scattering of electrons on deuterons, 0=12910
Fröman,A. Relativistic corrections in many-electron systems, 0=17830
Fröman,P.O.,Pettersson,R. and Vänngård,T. Electron spin resonance and thermoluminescence in irradiated fused quartz, 0=10237
Froment,M. and Epelboin,I. On the control of optimum conditions of electrolytic polishing of semiconductors, 0=21177
Froment,M. See Epelboin,I., 0=21177
Fronsdal,C. Completion and embedding of the Schwarzschild solution, 0=2108
Fronsdal,C. and Glashow,S.L. μ-meson decay, 0=2560
Frontas'ev,V.P. and Gusakov,M.Ya. The heat conductivity of certain organic liquids, 0=8660
Frood,D.G.H. A dielectric approach to impurity conduction, 0=6072
Froome,K.D. A new microwave harmonic generator, 0=3845
Froome,K.D. Millimetre waves from mercury arc harmonic generator, 0=15137
Froome,K.D. Submillimetre waves by harmonic generation from cold cathode arcs, 0=19920
Frosch,C.J. See Spitzer,W.G., 0=16055
Frosch,R.P. See Wright,M.R., 0=18141
Frost,A.A.,Kellog,R.E. and Curtis,E.C. Local-energy method in electronic energy calculations, 0=17829
Frost,D.C. and McDowell,C.A. The ionization and dissociation of some halogen molecules by electron impact, 0=7739
Frost,L.S. See Phelps,A.V., 0=5862
Frost,H.B. New methods for the measurements of cathode interface impedance, 0=3787
Frost,V.A. Uniform rapid deformation of [the pattern of] turbulence in gases, 0=19180
Frueh,A.J.,Jr. On the stability of non-stoichiometric compounds, 0=13516
Frye,G.M.,Jr. See Armstrong,A.H., 0=15212
Fry,G.A. Blue end of the spectrum locus on a color mixture diagram, 0=187
Fry,G.A. Response functions, 0=2059
Fry,J.P. See Birss,R.R., 0=7183
Fry,W.F. See Camerini,U., 0=381
Fry,W.F. See Camerini,U., 0=15524
Fryburg,G.C. and Petrus,H.M. Variation with temperature of the recombination of oxygen atoms on a platinum surface, 0=6400
Frye,G. See Ferrari,F., 0=15437
Fubini,S. Meson phenomena, 0=7391
Fubini,S. and Stroffolini,R. Some remarks about the spectral representation of the $K^{\pm}\rightarrow 3\pi$ decay amplitude, 0=17409
Fubini,S. and Walecka,D. Dispersion analysis of possible parity non-conservation in low-energy pion—nucleon scattering, 0=1299
Fubini,S. See Bernstein,J., 0=20179
Fubini,S. See Cini,M., 0=15276
Fubini,S. See Cini,M., 0=20184
Fubini,S.P. See Charap,J.M., 0=1252
Fubini,S.P. See Charap,J.M., 0=12858
Fuchs,E. Domain observation in thin ferromagnetic films by means of the electromagnetic electron microscope, 0=21045
Fuchs,R. and Kaul,W. Mass-sectrometric detection of the $(NeA)^+$ molecular ion, 0=12583
Fuchs,R. See Kaul,W., 0=12584
Fuchs,R. See Kaul,W., 0=16971
Fuchshuber,R.,Guillien,R. and Roizen,S. The dielectric properties of thin films of zinc sulphide. 0=16007
Fueno,T.,Eyring,H. and Ree,T. Three-body recombination of gaseous ions, 0=19617
Fugol',I.Ya. See Prikhot'ko,A.F., 0=4450
Fugol',I.Ya. See Prikhot'ko,A.F., 0=10057
Fuhrman,Z. See Airoldi,G., 0=4343
Fujii,A. Muon capture in He^3, 0=9395
Fujii.A. See Morita.M.. 0=9686
Fujii,A. See Morita,M., 0=15385
Fujii,E.,Fujji,H.,Demers,J. and Demers,P. New polyvinyl alcohol nuclear track emulsions, 0=3899
Fujii,H. See Fujii,E., 0=3899
Fujii,K. and Iwata,K. The utility of the "Individual Γ_5 transformation", 0=12827
Fujii,K. and Iwata,K. The phenomenological model of the interaction of elementary particles, 0=12828
Fujii,K. and Iwata,K. The spirality of the decay product, 0=12829
Fujii,K. and Iwata,K. Phenomenological model on the interactions of elementary particles. II, 0=12830
Fujii,K. and Iwata,K. Q-value dependence of decay probability, 0=15230
Fujii,K. and Tanaka,H. On the relative parity of charged and neutral K mesons, 0=20227
Fujii,S. Nuclear photo-reaction and excitation modes of nuclei, 0=17617
Fujii,S.,Imoto,M. and Tominaga,G. On the time variation in thermonuclear fusion systems, 0=17637
Fujii,S. See Imoto,M., 0=4157
Fujii,S. See Sawada,S., 0=639
Fujii,T. See Anderson,H.L., 0=17374
Fujii,T. See Sawaragi,Y., 0=984
Fujii,Y. On the analogy between strong interaction and electromagnetic interaction, 0=15253
Fujii,Y. See Hara,O., 0=11202
Fujii,Y. See Hara,O., 0=11203
Fujii,Y. See Hara,O., 0=15250
Fujikawa,H. See Tamada,K., 0=66
Fujiki,Y. Study of vacuum deposition of metals. I. On the formation of alloys by successive deposition of constituent metal vapours in vacuum, 0=21234
Fujiki,Y. Study on vacuum deposition of metals. II. On the change with aging time in thickness and resistivity of vacuum deposited gold film, 0=21248
Fujimoto,F. Dynamical theory of electron diffraction in Laue-case. I. General theory, 0=19761
Fujimato,F. See Miyake,S., 0=12019
Fujimoto,M. and Ingram,D.J.E. Electron resonance studies on the kinetics of free radical formation and reaction in the solid phase, 0=20662
Fujimoto,Y. See Aizu,H., 0=1338
Fujino,H. and Osada,J. Investigation of the Chew—Low equation by iteration, 0=11113
Fujino,H. See Osada,J., 0=12866
Fujisawa,S. See Imaeda,K., 0=12741
Fujita,F.E. See Gonser,U., 0=20858
Fujita,H. On the determination of the sedimentation equilibrium second virial coefficient in polymeric solutions, 0=77
Fujita,H. Method for calculating average molecular weights and molecular weight distributions of polymeric materials from sedimentation equilibrium experiments, 0=14141
Fujita,H. and Kato,T. On a theorem for estimating eigenvalues, 0=2066
Fujita,I. See Onaka,R., 0=16064
Fujita,J. Pseudo-cluster expansion, 0=3938
Fujita,J.,Matumoto,Z.,Kuroboshi,E. and Miyazawa,H. Mesic correction to the beta-decay in a nucleus, 0=13189
Fujita,J.,Yamada,M.,Matumoto,Z. and Nakamura,S. Parity nonconservation and the beta-spectrum of RaE, 0=11356
Fujita,J. See Tamagawa,H., 0=19688
Fujita,K. See Hashimoto,H., 0=16367
Fujita,K. See Naiko,T., 0=19147
Fujita,S. Pair distribution function and two-body propagator, 0=898

Fujita,S. and Hirota,R. Quantum statistics of interacting particles; thermodynamic quantities and pair distribution function, 0=8566
Fujita,S. See Mitsuishi,A., 0=6953
Fujiwara,I. See Tsuneto,T., 0=12880
Fujiwara,S. and Shimizu,H. Analysis of the nuclear magnetic resonance spectrum of a six-spin system of monofluorobenzene, 0=15759
Fujiwara,T.,Nakagawa,S. and Izui,K. Cleavage fracture of NaCl crystal, 0=3188
Fujiwara,T. See Izui,K., 0=3152
Fujiwara,T. See Kino,T., 0=3149
Fujiwara,T. See Kino,T., 0=4599
Fukai,A. See Tatsumoto,E., 0=3067
Fukai,A. See Tatsumoto,E., 0=3068
Fukai,Y.,Shimizu,A. and Miyamoto,S. Calculations of flux distributions in a boiling water reactor, 0=15633
Fukano,Y. and Ogawa,S. Study on precipitation phenomena during aging of aluminium—silver alloy in thin evaporated films, 0=21238
Fuks,V.B. On the mechanism of ion mobility in metals, 0=540
Fukuda,H.,Ogita,N. and Ueda,A. A nucleonic cascade theory and an analysis of extensive air showers, 0=15475
Fukuda,H. See Amai,S., 0=7395
Fukuda,N. See Wada,Y., 0=14925
Fukuda,N. See Wada,Y., 0=19548
Fukudu,K.,Uchida,Y. and Yoshimura,H. Paramagnetic resonance spectrum of manganese in single crystals of alkali halide grown from the melt, 0=683
Fukui,K.,Morokuma,K.,Yonezawa,T. and Nagata,C. Charge transfer mechanism of reaction of conjugated molecules, 0=14102
Fukui,S.,Kitamura,T. and Watase,Y. The non-indication of the "Anomalous" scattering of μ-mesons, 0=13012
Fukunaga,K. See Nakamura,T., 0=20479
Fukunaga,Y. See Aoki,I., 0=8216
Fukuroi,T. See Muto,Y., 0=6084
Fukuroi,T. See Shibuya,Y., 0=20868
Fukushima,E. See Christy,R.W., 0=11658
Fukushima,N. Some remarks on the morphology of geomagnetic bays, 0=2001
Fukushima,N. Three-dimensional consideration for current-system of geomagnetic variations. I. Current flow for polar elementary storm within a spherical conducting shell, 0=21341
Fukushima,N. and Abe,S. The initial phase of the magnetic storm of Feb. 11, 1958, 0=18465
Fukushima,S. and Kodama,M. Secular variation of cosmic-ray latitude effect, 0=20301
Fulco,J.R. See Frazer,W.R., 0=7341
Fulco,J.R. See Frazer,W.R., 0=7404
Fulco,J.R. See Frazer,W.R., 0=15404
Fulk,M.M. Evacuated powder insulation for low temperatures, 0=19575
Fuller,C.E. Domain patterns and reversals by wall movements of thin films of iron and nickel iron, 0=13796
Fuller,C.S.,Doleiden,F.H. and Wolfstirn,K. Reactions of Group III acceptors with oxygen in silicon crystals, 0=15941
Fuller,C.S. See Whelan,J.M., 0=18039
Fuller,H.W. and Hale,M.E. Determination of magnetization distribution in thin films using electron microscopy, 0=6236
Fuller,H.W. and Hale,M.E. Static and dynamic studies of magnetization distribution in thin films by electron microscopy, 0=11855
Fuller,H.W. and Hale,M.E. Domains in thin magnetic films observed by electron microscopy, 0=18190
Fuller,H.W. and Rubinstein,H. Observations made on domain walls in thin films, 0=3050
Fuller,H.W. See Rubinstein,H., 0=8053
Fuller,M.D. Anisotropy of susceptibility and the natural remanent magnetisation of some Welsh slates, 0=14162
Fuller,W. Hydrogen bond lengths and angles observed in crystals, 0=14039
Fullwood,R. On the use of 2N504 transistors in the avalanche mode for nuclear instrumentation, 0=20008
Fulmer,C.B. Total reaction and elastic scattering cross sections for 22.8 MeV protons on uranium isotopes, 0=1412
Fulmer,C.B. and Goodman,C.D. (p,α) reactions induced by protons in the energy range of 9.5-23 MeV, 0=7547
Fulton,B.,Sandoz,O. and Warren,E. The lower frequency limits for F-layer radio propagation, 0=11059
Fulton,B.J.,Petrie,L.E. and Ward,W.S.P. Transient modes of high-frequency radio wave propagation across the auroral zone, 0=17118
Fulton,T. and Rohrlich,F. Classical radiation from a uniformly accelerated charge, 0=10552
Fulton,T. and Schwed,P. Elastic nucleon—deuteron scattering in a soluble model as a test of the impulse approximation, 0=360
Fultz,D. See Donnelly,R.J., 0=19052
Fultz,D. See Donnelly,R.J., 0=19062
Fultz,S.C. The time-dependent thermal neutron flux from a pulsed subcritical assembly, 0=15634
Fumi,F.G. and Tosi,M.P. Extension of the Madelung method for the evaluation of lattice sums, 0=7836
Fumi,F.G. and Tosi,M.P. Madelung constants of the cubic perovskite structures, 0=13474
Funatogawa,Z.,Miyata,N. and Usami,S. Ferromagnetic crystalline anisotropy of Fe—Mn—ferrite system, 0=21054
Funck,E. See Beckmann,L., 0=2241
Fünfer,E.,Herold,H.,Lehner,G.,Tuczek,H. and Andelfinger,C. Neutron and X-radiation with the stabilized linear pinch effect, 0=1140
Fünfer,E.,Lehner,G. and Tuczek,H. Phenomena of motion in the linear [stabilized] pinch effect and runaway electrons, 0=16999
Fungsten,H.O. and Cobb,G.C. Organic scintillants for pulse shape discriminating neutron counters, 0=11184
Funk,J.P. Behavior of freely exposed absorbers in radiation fields, 0=16918
Funk,J.P. Improved polythene-shielded net radiometer, 0=4782
Funk,J.P. Sensitive and simple integrator, 0=14952
Funtikov,A.I. See Al'tshuler,L.V., 0=11974
Funke-Klopper,A.G. See Aten,A.H.W.,Jr, 0=20385
Furduev,V.V. and Chen Tun [Ch'êng T'ung]. Measurement of diffuseness of the acoustic field in rooms nu the directional microphone method, 0=19347
Furlan,G. and Peressutti,G. Non-local effects in electron—electron and electron—positron scattering, 0=2527
Furlan,G. and Peressutti,G. Radiative corrections to electron—electron scattering, 0=15330
Furlan,G. and Peressutti,G. Validity of Q.E.D. in μ-pair production, 0=17372
Furman,L. and Vrščaj,V. Magnetic mass spectrometer, 0=12650
Furr,A.K. See Newson,H.W., 0=5786
Furrer,W. The measurement of impact sound insulating materials in the laboratory, 0=19314
Furry,W.H. and Ramsey,N.F. Significance of potentials in quantum theory, 0=10600
Fursenkov,V.A. See Kiseleva,M.S., 0=4789
Furst,M. and Kallmann,H. Transfer of excitation energy and radiationless transitions, 0=6808
Furst,M. See Brown,F.H., 0=18146
Fürstenberg,F. Determination of atmospheric extinction for 20 and 3.2 cm wavelengths, 0=4786
Furth,H.P. High magnetic field research, 0=17063
Fürth,R. and Morris,E. Charge penetration into a conductor in equilibrium, 0=3716
Furui,S. See Kanazawa,A., 0=12916
Furui,S. See Sakuma,T., 0=15394
Furuichi,J. See Sugai,S., 0=2170
Furukawa,K. A structural model for monatomic liquids including metallic liquids, 0=6775
Furukawa,M. See Tanaka,S., 0=20446
Fuschini,E.,Giacomelli,G.,Maroni,C. and Veronesi,P. β—γ angular correlation in ^{59}Fe and parity conservation in strong interactions, 0=15550
Fuschini,E.,Murty,D.S.R. and Veronesi,P. Polarization effects in the elastic scattering of photons, 0=17278
Fuschini,E. See Brini,D., 0=15313
Futch,A.H.F.,Jr. Fast fission effect in lattices of natural uranium and heavy water, 0=13350
Futergendler,S.I. X-ray study of solid inclusions in diamonds, 0=14000
Fyodorov,V.B. See Manenkov,A.A., 0=11941

Gabarre,L. and Cairó,L. A variational method for the propagation of e.m. waves in a plasma, 0=303
Gabathuler,E. See Stewart,D.T., 0=5855
Gabbard,F.,Bichsel,H. and Bonner,T.W. The disintegration of nitrogen by fast neutrons, 0=4120

abbard,F. See Bell,R.J., 0=4122
abbard,R.F. See Caswell,R.S., 0=12972
abe,I. See Mageru,V., 0=2630
abe,I. See Mageru,V., 0=16496
abet,A. and Martin,J. The proton synchrotron "Saturne". Analogue computer controlling the master-oscillator, 0=2412
abet,A. See Chonez,A., 0=2412
abor,D. "Learning" filters, predictors and recognizers, 0=2127
abor,D. Television compression by "contour interpolation", 0=2128
ábos,Z. Contributions to the study of the gravitational interaction of material bodies, 0=16568
abovich,M.D. The role of multiple processes in formation of protons in ion sources, 0=12582
abovich,M.D.,Bartnovskii,O.A. and Fedorus,Z.P. Dipping of potential on the axis of the oscillating electron type of discharge, 0=14985
abovich,M.D. and Pasechnik,L.L. Anomalous electron scattering and the excitation of plasma oscillations, 0=10922
Gabovich,M.D.,Pasechnik,L.L. and Yazeva,V.G. Detection of ion oscillations in a plasma, 0=19697
Gabriel,A.H. Some techniques for recording and measuring time-resolved spectra, 0=6936
Gabriel,A.H. and Heddle,D.W.O. Excitation processes in helium, 0=20562
Gabriel,J.R. See Powell,M.J.D., 0=17913
Gabriel,R.,Garwin,E.L. and York,C.M. A high energy gamma ray spectrometer, 0=17284
Gabrilovskii,V.V. See Baldin,S.A., 0=8668
Gabrysh,A.F.,Eyring,H.,Wadsworth,M.E.,Baker,G.S. and Ree,T. Study of irradiation effects and the H^2 + H^2 buildup in tantalum, 0=17979
Gachechiladze,T.G. See Abelishvili,T.L., 0=11418
Gachechiladze,T.G. See Mdivani,O.M., 0=13245
Gachkovskii,V.F. Effect of molecular weight on the luminescence of polymers, 0=20995
Gadd,G.E. Boundary-layer research in fluids, 0=14672
Gadd,G.E. The possibility of normal shock waves on a body with convex surfaces in inviscid transonic flow, 0=19185
Gade,M. and Luft,K.F. On the infrared spectroscopic determination of quartz in mine dusts, 0=3337
Gadsden,M. Colour photography of the aurora, 0=16462
Gadsden,M. Studies of the upper atmosphere from Invercargill, New Zealand. II. Correlation of the radar echoes and magnetic activity, 0=21327
Gadsden,M. Studies of the upper atmosphere from Invercargill, New Zealand. III. Radar echoes and visual aurorae, 0=21328
Gadsden,M. Studies of the upper atmosphere from Invercargill, New Zealand. V. The frequency of occurrence of aurorae and its dependence on magnetic activity and temporal functions, 0=21330
Gadzhiev,S.A. See Kerimov,B.K., 0=11200
Gadzhiev,S.A. See Mukhtarov,A.I., 0=2566
Gaerttner,E.R.,Jones,M.E.,McMillan,D.E.,Sampson,J.B. and Snyder,T.M. Subcadmium in-pile etas and absorption cross sections of U^{233}, Pu^{239} and Pu^{241}, 0=13302
Gaeta,F. See Careri,G., 0=8901
Gaeta,F.S. See Careri,G., 0=14915
Gafner,G. and Herbstein,F.H. Planarity of 1:2-4:5-tetrabromobenzene molecule, 0=1922
Gagarinskii,Iu.V. See Popov,M.M., 0=13193
Gagnon,G.E. See Farrand,W.B., 0=3665
Gaiduk,V.I. Non-linear oscillations in weak external fields, described by Lagrange's equations, 0=16602
Gaidukov,L.G.,Novogrudskii,V.N. and Fakidov,I.G. Constitution of the chromium-tellurium system, 0=14065
Gaidukov,Yu.P. Topology of the Fermi surface of gold, 0=7913
Gaidukov,Yu.P. See Alekseevskii,N.E., 0=2847
Gaidukov,Yu.P. See Alekseevskii,N.E., 0=9939
Gailar,N.M. and Dickey,F.P. The vibration—rotation band ν_2 of HDO vapor, 0=5929
Gailitis,A. Influence of a magnetic field on the boundary layer in a diffuser, 0=9176
Gailitis,M. See Veldre,V., 0=4165
Gaillard,J.M.,Lehmann,P.,Lévêque,A.,Meyer,J.,Revel,D. and Sacton,J. Elastic scattering of 745 MeV/c negative pions on hydrogen, 0=1298
Gailliez,J.L. See Huyskens,P., 0=3676
Gailloud,M. See Rüfenacht,J., 0=12787
Gaines,A.L. See Hucks,J.S., 0=12509
Gaines,G.L.,Jr. Backscattering of carbon-14 beta radiation, 0=9559
Gair,F.C. Unifying design principle for the resistance network analogue, 0=6542
Gaj,M. A quasi-symmetrical reflecting objective, 0=6906
Gaj,M. A high-power objective with slight astigmatism, 0=19364
Gajewski,R. Magnetohydrodynamic waves in wave guides, 0=1200
Gajewski,R. and Mawardi,O.K. Hydromagnetic resonators. 0=17089
Gál,D. See Guczi,L., 0=3305
Gál,D. See Kende,I., 0=3304
Galaktionov,V.A. See Vereshchagin,L.F., 0=14359
Galanin,A.D.,Grashin,A.F.,Ioffe,B.L. and Pomeranchuk,I.Ya. Collision of nucleons with large angular momenta, 0=17324
Galanina,N.D.,Shvartzman,B.F. and Diament,A.Ya. Determination of the spins of Pt^{196} nuclear levels using γ-rays emitted in the capture of resonance neutrons, 0=20355
Galationov,Yu.V. See Alikhanov,A.I., 0=20176
Galavanov,V.V. Dislocation of atoms in a solid by γ-rays, 0=6065
Galavanov,V.V. On the voltage sensitivity of Hall e.m.f. probes, 0=9135
Galavanov,V.V. and Erokhina,N.A. Preparation of an InSb barrier-layer photovoltaic cell with an alloyed p—n junction, 0=11726
Galavanov,V.V. See Volokobinskaya,N.I., 0=15957
Galanin,A.D. Meson—nucleon scattering at large orbital moments, 0=5587
Galanin,A.D.,Grashin,A.F.,Ioffe,B.L. and Pomeranchuk,I.Ya. Collision of nucleons with large orbital momenta, 0=7343
Galanin,A.D.,Grashin,A.F.,Ioffe,B.L. and Pomeranchuk,I.Ya. Nucleon—nucleon scattering in two-meson approximation at large orbital momenta, 0=9351
Galasiewicz,Z. The problem of the subsidiary condition in the additional variables method for arbitrary central interactions, 0=5513
Galatry,L. Contributions to the interpretation of infrared absorption spectra of liquid mixtures and compressed gases, 0=974
Galavanov,V.V. See Vinogradova,K.I., 0=1669
Galavanov,V.V. See Volokobinskaya,N.I., 0=609
Gale,B. Lattice parameters of solid solutions of phosphorus in iron, 0=18348
Gale,B. and Griffiths,D. Influence of instrumental aberrations on the Schultz technique for the measurement of pole figures, 0=6349
Gale,N.H. See Garg,J.B., 0=15556
Gale,N.H. See Garg,J.B., 0=20465
Galey,J.A. Photodisintegration of the deuteron with 94 MeV bremsstrahlung radiation, 0=5626
Galey,J.A. See Browne,C.P., 0=20378
Galey,J.A. See Morrison,G.C., 0=4023
Galin,G.Ya. Contribution to the theory of shock waves, 0=991
Galishev,V.S. A simple derivation of the Kramers—Kronig relationships, 0=19377
Galitskii,V.M. Sound excitations in Fermi systems, 0=1071
Galkin,A.A.,Kaner,E.A. and Korolyuk,A.P. A new type of oscillation of the absorption coefficient of ultrasound in a magnetic field, 0=20758
Galkin,A.A. and Korolyuk,A.P. Dispersion of sound in metals in a magnetic field, 0=1567
Galkin,A.A. and Korolyuk,A.P. Anisotropy of the absorption of ultrasound in metals in a magnetic field, 0=11576
Galkin,A.A. and Korolyuk,A.P. Oscillations in the absorption coefficient of sound in tin at low temperatures, 0=11577
Galkin,A.A. and Matyash,I.V. The structure of solid hydrogen, 0=12038
Galkin,A.A. and Matyash,V. Observations of nuclear resonance in adsorbed gases. 0=14150
Galkin,A.A. See Bezuglȳi,P.A., 0=13501
Galkin,A.A. See Bezuglȳi,P.A., 0=13528
Galkin,A.A. See Bezuglȳi,P.A., 0=19567
Galkin,G.N. Volume recombination in p-type silicon subjected to heat treatment at high temperatures, 0=7932
Galkin,G.N. See Malovetskaya,V., 0=10031
Galkin,G.N. See Vavilov,V.S., 0=10867
Galkin,L.N. and Feofilov,P.P. Luminescence spectra of trivalent uranium ions, 0=10066
Galkin,O.P. and Grigor'ev,V.S. Instruments for plotting refracted rays, 0=19310

Galkina,O.S. and Chernikova,L.A. Relation of the electrical assistance temperature dependence at low temperatures and the galvanomagnetic effect in strong magnetic fields, 0=6074
Galkina,O.S. See Kondorskii,E.I., 0=11662
Galkina,T.I. Application of the photogalvanomagnetic effect in measuring the surface recombination rate, 0=1627
Gall,R. and Lifshitz,J. Temporary capture of cosmic ray particles and their contribution to the high intensity belts, 0=13078
Gallagher,C.J. Classification of beta- and gamma-ray transitions between intrinsic states in deformed even-mass nuclei, 0=11367
Gallagher,C.J.,Jr,Edwards,W.F. and Manning,G. The W^{187} decay scheme and possible vibrational levels in an odd-mass nucleus, 0=20388
Gallagher,C.J.,Jr and Thomas,T.D. Vibrational states in U[illegible] excited in Nb^{234} decay and evidence for an E0-transition between states with 1 = 0, 0=4063
Gallagher,C.J.,Jr. See Boehm,F., 0=13214
Gallagher,J.F. See Firk,F.W.K., 0=17350
Gallagher,J.J. See Derr,V.E., 0=19918
Gallagher,P.B. and Eshelman,V.R. "Sporadic shower" properties of very small meteors, 0=18711
Gallagher,P.B. See Eshleman,V.R., 0=4871
Gallagher,T.L. Foil depression factors for indium disk detectors, 0=12995
Gallavan,R.C. Bulb breaking correction for heats of wetting determinations, 0=5224
Gallet,R. Propagation and production of electromagnetic waves in a plasma, 0=3766
Gallet,R.M.Richardson,J.M.Weider,B.Ward,G.D. and Harding,G.N. Microwave whistler mode propagation in a dense laboratory plasma, 0=10916
Galli,M. See Cattani,D., 0=17450
Gallissot,F. and Vergne,R. Application of the calculation of directional order in polycrystals, 0=4544
Gallmann,A. See Alburger,D.E., 0=2635
Gallmann,A. See Gorodetzky,S., 0=9631
Gallmann,A. See Gorodetzky,S., 0=11322
Gallmann,A. See Gorodetzky,S., 0=17597
Gallone,S. See Businaro,U.L., 0=4148
Gallup,G.A. Angular momentum in n-dimensional spaces, 0=5903
Galoshina,É.V. See Volkenshtein,N.V., 0=3017
Galperin,G.I. See Krassovzky,V.I., 0=4808
Gal'perin,F.M. Interatomic distances in ferromagnetics, 0=1780
Gal'perin,F.M. Connection between structural and magnetic parameters of the transition metals, 0=10110
Gal'perin,F.M. On the number of 3d-electrons in the transition metals, 0=15828
Gal'perin,M.Ya. See Uzhik,G.V., 0=14563
Gal'perin,Yu.I. See Krasovskii,V.I., 0=1979
Galster,S. and Schopper,H. Circular polarization of internal bremsstrahlung accompanying β decay, 0=11362
Galt,J.A.,Slater,C.H. and Shuter,W.L.H. An attempt to detect the galactic magnetic field using Zeeman splitting of the hydrogen line, 0=18676
Galt,J.K. See Kunzler,J.E., 0=16143
Galt,J.K. See Smith,G.E., 0=16163
Galushka,A.P. See Konozenko,I.D., 0=15983
Galzenati,E.,Marinaro,M. and Okubo,S. Note on possible rare decay modes for elementary particles, 0=15307
Gambaryan,N.P. See Bochvar,D.A., 0=20538
Gambirasio,G. On the electrical behavior of an ideal plasma, 0=9028
Gambling,W.A. See Edels,H., 0=2348
Gammel,J.L.,Hill,B.J. and Thaler,R.M. Elastic scattering of deuterons by He^4, 0=13072
Gammel,J.L. See Brueckner,K.A., 0=9286
Gammel,J.L. See Brueckner,K.A., 0=11123
Gamo,I. Calculation of the fundamental vibrations of the molecules CO$_2$ and CS$_2$ taking into account anharmonicity, 0=17731
Gamtsemlidze,G.A. The Landau correction coefficient in the determination of the viscosity of a liquid, 0=10818
Gamtsemlidze,G.A. The critical region in experiments with an
Gan' Fu-si. See Appen,A.A., 0=6152
Gandel'man,G.M. and Mokhov,V.N. Radiative capture of polarized $^-$ mesons by nuclei, 0=9689
Gandel'man,G.M. and Pavlovskii,E.S. Quantum-mechanical calculation of pressure in solids, 0=11551
Gandel'man,G.M. and Pinaev,V.S. Emission of neutrino pairs by electrons and the role played by it in stars, 0=11141
Gandolfi,E,Heughebaert,J. and Quercigh,E. Concerning the existence of a Σ^-n compound, 0=11326
Ganesan,S. Thermal expansion of triglycine sulphate, 0=7856
Ganesan,S. and Srinivasan,R. Specific heat and thermal expansion of fluorspar, 0=20751
Ganguly,N.K. See Ghosh,A.M., 0=5796
Ganguly,S. Production of mesons in nucleon—nucleon collisions and its dependence on collision cross-sections, 0=7393
Ganguly,S. Mixed nucleon—meson cascades in finite absorbers, 0=7397
Ganguly,S.C. and Chaudhury,N.K. Energy transport in organic phosphors, 0=1572
Ganichenko,L.G.,Egorov,M.M.,Kiselev,V.F.,Krasil'nikov,K.G. and Khodakov,G.S. Surface properties of highly dispersed quartz, 0=12114
Ganichev,D.A. See Shul'man,A.R., 0=12631
Ganis,P. See Corradini,P., 0=4673
Ganis,P. See Corradini,P., 0=4674
Gans,F. Experimental researches on the continuous spectra of the rare gases, 0=5056
Gans,F. Arrangement for study of luminescent substances under the action of cathodic bombardment, 0=8022
Gans,F. On the origin of the underlying continua appearing in the spectra of the light emitted by condensed discharges through rare gases, 0=9758
Gans,P.J. Open first-order stochastic processes, 0=16613
Gans,P.J. See Krieger,I.M., 0=3401
Ganson,A. and Montel,M. Improvements to the Chalonge microphotometer, 0=19390
Ganssauge,E. See Cappeller,U., 0=1391
Gant,P.L. and Yang,K. Tritium—ethane reaction, 0=745
Gant,P.L. and Yang,K. Reactions initiated by the β decay of tritium. III. The tritium—cyclopropane system, 0=14132
Gant,P.L. See Yang,K., 0=3321
Gantmakher,V.F. and Sharvin,Yu.V. The non-monotonic dependence of the surface impedance of tin on magnetic field at a frequency of 1.9 Mc/s, 0=20875
Gantmakher,V.F. See Sharvin,Yu.V., 0=19566
Gantvoort,N.C. and Billings,D.E. Prominence characteristics in regions of bright coronal emission, 0=14423
Ganz,D. See Baer,G., 0=10285
Ganz.J.B. On the configuration fd^2 of thorium II. 0=20555
Gaponov,Yu.V. Second forbidden Coulomb beta transitions, 0=9577
Garabedian,H.L. and Leffert,C.B. A time-dependent analysis of spatial flux distributions, 0=13352
Garber,R.I. Mechanical properties of unit twinned layers, 0=1861
Garber,R.I.,Gindin,I.A.,Lazarev,B.G. and Starodubov,Ya.D. Low temperature recrystallization of copper, 0=13950
Garber,R.I.,Gindin,I.A. and Polyakov,L.M. The dispersion and restoration of contacts between microblocks under plastic deformation, 0=16229
Garber,R.I.,Gindin,I.A. and Starodubov,Ya.D. Thermal hardening of the twin interlayers in iron, 0=11987
Garber,R.I. and Polyakov,L.M. Investigation of the initial stages of plastic deformation of rock salt crystals, 0=11979
Garber,R.I. and Polyakov,L.M. Investigation of ultramicroscopic inhomogeneities of plastically deformed rocksalt. II, 0=13546
Garber,R.I. and Stepina,E.I. Etch figures of deformation twins in calcite, 0=1897
Garber,R.I.,Zalivadnÿi,S.Ya. and Gorokhovatskii,F.S. Determination of the anisotropy of microhardness of beryllium crystals, 0=18267
Garber,R.I.,Zalivadnÿi,S.Ya. and Mikhailovskii,V.M. Variation of the microstructure of uranium during cyclic thermal treatment, 0=16254
García,A. See Aguilar,J., 0=20463
Garcia-Colin,L.S. Pair distribution function of a hard sphere Bose system calculated by the pseudo-potential method, 0=16627
Garcia-Colin,L.S. and Peretti,J. On the pair distribution function of a hard sphere Bose system, 0=16628
Garciá-Moliner,F. A variational calculation of electronic transport in a magnetic field, 0=2813
Garcia-Munoz,M. See Allison,S.K., 0=19625
Garcia-Munoz,M. See Allison,S.K., 0=19626
Gardez,J. Construction of an emission microscope operated by high voltage pulses, 0=5351

Gårding,L. and Lions,J.L. Functional analysis, 0=3912
Gardner,C.C. See Anderson,J.D., 0=458
Gardner,C.C. See Wong,C., 0=1276
Gardner,C.G. and Welton,T.A. Possibility of studying the Λ-hyperon—nucleon force by low-energy scattering, 0=385
Gardner,C.S. Adiabatic invariants of periodic classical systems, 0=50
Gardner,D.G.,Gardner,J.C.,Laush,G. and Meinke,W.W. Method for the analysis of multicomponent exponential decay curves, 0=821
Gardner,D.G. See Kumabe,I., 0=7610
Gardner,F.F. The effect of sudden ionospheric disturbances (S.I.D.'s) on 2.28 Mc/s pulse reflections from the lower ionosphere, 0=4800
Gardner,I.C. and Nefflen,K.F. Interference fringes with mercury-198 and a path difference of 2000 mm, 0=3644
Gardner,J.C. See Gardner,D.G., 0=821
Gardner,J.R. See Bylander,E.G., 0=15187
Gardner,J.W. Cascade theories and the Landau approximation, 0=7431
Gardner,J.W. Markoff cascades with general source terms, 0=15309
Gardner,M.E.,Jungerman,J.A.,Lichtenstein,P.G. and Patten,C.G. Production of a uniform magnetic field by means of an end-corrected solenoid, 0=17066
Gardner,W.E. See Childs,B.G., 0=21029
Garelli,C.M.,Quassiati,B.,Tallone,L. and Vigone,M. Interactions of 1.15 GeV/c K^- mesons in emulsions. Preliminary results, 0=2591
Garelli,C.M.,Quassiati,B. and Vigone,M. On the relative abundances of cosmic ray nuclei of charge $Z \geq 3$, 0=13076
Garelli,C.M.,Quassiati,B. and Vigone,M. Possible interpretation of an unusual hyperon decay, 0=15447
Garelli,C.M.,Quassiati,B. and Vigone,M. Interactions of 1.15 GeV/c K^--mesons in emulsion. I, 0=20228
Garfinkel,B. Formulae for predicting the position of an artificial satellite, 0=6628
Garfinkel,B. The orbit of a satellite of an oblate planet, 0=6629
Garfunkel,M.P. See Biondi,M.A., 0=2288
Garfunkel,M.P. See Biondi,M.A., 0=2289
Garg,J.B. A fast neutron time-of-flight spectrometer, 0=20157
Garg,J.B.,Calvert,J.M. and Gale,N.H. Angular correlation studies of the $Be^9(\alpha,n\gamma)C^{12}$ reaction, 0=20465
Garg,J.B. and Gale,N.H. $^{60}Ni(\gamma—\gamma)$ angular correlation, 0=15556
Gargya,L. See Budó,A., 0=14661
Garibyan,G.M. Transition radiation effects in particle energy losses, 0=9321
Garibyan,G.M. and Chalikyan,G.A. The radiation from a charged particle passing through a plate, 0=2505
Garibyan,G.M. and Pomeranchuk,I.Ya. On the limits of applicability of the theory of transitional radiation, 0=8573
Garif'yanov,N.S. Second relaxation in a spin system in certain compounds of elements of the iron group, 0=1825
Garif'yanov,N.S. Paramagnetic resonance in magnetically dilute systems, 0=8084
Garif'yanov,N.S. Resonance transitions in parallel fields in certain Mn^{++} and Fe^{+++} salts, 0=13875
Garif'yanov,N.S. See Avvakumov,V.I., 0=8085
Garigue,J.,Lafourcade,L.,Nguyen Quat Ti and Sonier,F. Electron diffraction from thin layers of cobalt deposited by evaporation on a (111) face of a copper single crystal, 0=13999
Garigue,J. See Couderc,J.J., 0=4595
Garigue,J. See Couderc,J.J., 0=8157
Garin,A. and Faraggi,H. Ranges of 4.5 MeV α-particles in uranium, gold, zirconium and silicon, 0=9446
Garin,A. See Faraggi,H., 0=19984
Garing,J.S.,Nielsen,H.H. and Narahari Rao,K. The low-frequency vibration rotation bands of the ammonia molecule, 0=5934
Gariod,R. See Bonnet,G., 0=12663
Gariod,R. See Bonnet,G., 0=19863
Garland,C.W. and Silverman,J. Elastic constants of cadmium from 4.2°K to 300°K, 0=13898
Garland,G.D. and Webster,T.F. Studies of natural electric and magnetic fields, 0=12132
Garlick,G.F.J. The electrical properties of phosphors, 0=20887
Garmonova,G.I. See Frisman,E.V., 0=12499
Garn,W.B. Detonation pressure of liquid TNT, 0=6399
Garn,W.B. See Fowler,C.M., 0=9144
Garner,C.S. See Pearson,I.M., 0=8300
Garner,F.H. and Haycock,P.J. Circulation in liquid drops, 0=8643
Garner,F.H. and Mina,P. Surface ageing at liquid—liquid interfaces. I. Calibration of contracting jet method, 0=2158
Garner,F.H. and Mina,P. Surface ageing at liquid—liquid interfaces. II. Effect of chain length and structure of organic compounds in water, 0=2159
Garofalo,A.M. New set of variables for astronomical problems, 0=12246
Garofano,T. See Ciccarello,I.S., 0=20660
Garreta,O. and Grosvalet,J. Photo-magneto-electric effect in semiconductors, 0=20889
Garrett,C.G.B. Quantitative considerations concerning catalysis at a semiconductor surface, 0=21267
Garrett,C.G.B. See Collins,R.J., 0=21007
Garrett,C.G.B. See Pfann,W.G., 0=7952
Garrido,J. See Wittke,O., 0=4575
Garrido,L.M. Recoilless strong coupling charged nucleon's propagator, 0=7284
Garrido,L.M. and Tixaire,A.G. On high energy potential scattering, 0=7300
Garriott,O.K. The determination of ionospheric electron content and distribution from satellite observations. I. Theory of the analysis, 0=14205
Garriott,O.K. The determination of ionospheric electron content and distribution from satellite observations. II. Results of analysis, 0=14206
Garriott,O.K. and Little,C.G. The use of geostationary satellites for the study of ionospheric electron content and ionospheric radio-wave propagation, 0=16427
Garrison,G.R.,Murphy,S.R. and Potter,D.S. Measurements of the backscattering of underwater sound from the sea surface, 0=2209
Garrod,R.I. and Hart,R.K. Transmission specimen holder for electron diffraction, 0=4701
Garstang,R.H. Transition probabilities for forbidden lines of NeIV, 0=17670
Garstang,R.H. Energy levels and transition probabilities of Fe IV, 0=20541
Gartenhaus,S. and Blankenbecler,R. Photoproduction of π mesons, 0=2584
Gartenhaus,S. See Blankenbecler,R., 0=2556
Gartenhaus,S. See Blankenbecler,R., 0=20215
Gartlein,C.W. Visual observation of the aurora, 0=8401
Gartlein,C.W.,Sprague,G. and Waag,R.C. 41 Mc/s I.G.Y. auroral radar at Ithaca. New York. 0=16468
Gartlein,C.W. See Bless,R.C., 0=8403
Gartlein,C.W. See Bless,R.C., 0=14278
Gärtner,W.W. Depletion-layer photoeffects in semiconductors, 0=1682
Gärtner,W.W. See Ahlstrom,E., 0=622
Gärtner,W.W. See Mette,H., 0=7969
Garton,F.W.J. and Davis,H.M. (Conf. rep.). Summarized proceedings of a Colloquium on X-ray Fluorescence Analysis — London, February and April, 1958, 0=8342
Garton,G. See Boakes,D., 0=4516
Garton,W.R.S. Improved Lyman-continuum flash-source of large aperture, 0=3629
Garton,W.R.S. and Codling,K. Ultraviolet extensions of the arc spectra of the alkaline earths: the absorption spectrum of barium vapour, 0=7724
Garton,W.R.S. See Clarke,F.J.P., 0=3632
Garvin,D.,Broida,H.P. and Kostkowski,H.J. Chemically induced vibrational excitation: Hydroxyl radical emission in the 1-3 micron region produced by the H + O_3 Atomic flame, 0=5931
Garvin,H.L.,Green,T.M.,Lipworth,E. and Nierenberg,W.A. Hyperfine structure and nuclear moments of bromine-82, 0=1352
Garvin,H.L. and Lipworth,E. The nuclear spins of I^{126}, I^{132}, I^{133} and I^{135}, 0=17480
Garvin,H.L.,Teutsch,W.B. and Pidd,R.W. Generation of alternating current in the cesium cell, 0=15066
Garvin,H.L. See Lipworth,E., 0=13120
Garvin,H.L. See Lipworth,E., 0=17484
Garwin,E.,Kernan,W.,Kim,C.O. and York,C.M. Charge exchange scattering of 128 MeV negative pions on hydrogen, 0=1296
Garwin,E. See Crewe,A.V., 0=1277
Garwin,E.L. and Penfold,A.S. Instrumentation for medium energy gamma-ray scattering measurements, 0=15320
Garwin,E.L. See Gabriel,R., 0=17284
Garwin,E.L. See Penfold,A.S., 0=1433
Garwin,E.L. See Penfold,A.S., 0=3822
Garwin,E.L. See Sherwin,C.W., 0=10569

Garwin,E.L. See York,C.M., 0=13030
Garwin,R.L. The collection of light from scintillation counters, 0=19971
Garwin,R.L.,Hutchinson,D.P.,Penman,S. and Shapiro,G. Accurate determination of the μ^+ magnetic moment, 0=9392
Garwin,R.L. and Reich,H.A. Self-diffusion and nuclear relaxation in He^3, 0=1069
Garwin,R.L. and Reich,H.A. He^3-He^4 thermal rectifiers, 0=1085
Garwin,R.L. and Reich,H.E. Self diffusion, mutual diffusion and nuclear spin relaxation measurements in ^3He, 0=8882
Garwin,R.L. See Erlbach,E., 0=10853
Garwin,R.L. See Sarachik,M.P., 0=7034
Gasanov,B.G. and Grum-Grzhimailo,S.V. Absorption spectra of crystals and solutions of Fe, Ni and Cu Mono-, di- and tri-ethanolamine complexes, 0=13693
Gascoigne,S.C.B. Note of band transmission in multilayer dielectric filters, 0=6912
Gashev,M.A. See Veksler,V.I., 0=5369
Gashimzade,F.M. See Gubanov,A.I., 0=2891
Gashimzade,F.M. See Gubanov,A.I., 0=15947
Gashka,I.I. and Pozhela,Yu.K. Investigation of the electrical parameters of semiconductors by means of u.h.f. techniques, 0=4331
Gasilevich,E.S. See Slobodskaya,P.V., 0=4186
Gasilevich,E.S. See Slobodskaya,P.V., 0=15692
Gaskell,C.S. and Walsh,D. S-band isolator for use with a linear accelerator, 0=12656
Gáspár,R. A theoretical estimation of the interaction energy of inert gas atoms, 0=5867
Gáspár,R. United atom model of the H_2^+ molecule-ion, 0=5962
Gáspár,R. United atom treatment of the H_2 molecule, 0=5963
Gáspár,R. Electronic structure of semi-conducting selenium and tellurium, 0=6126
Gáspár,R. Theoretical interpretation of the optical and electrical properties of tellurium, selenium and their alloys, 0=6127
Gáspár,R. Plane wave method with a modified potential field, 0=13514
Gáspár,R. Calculation of the energies of the s-states in the H_2^+ molecule-ion, 0=17762
Gáspár,R. and Kotlay-Gyarmati,B. New investigation of the H_2^+ molecule-ion, 0=7784
Gáspár,R. and Molnár,K. Electronic structure of the Po atom, 0=5847
Gáspár,R. and Szabó,É. Comparison of calculations performed with the variational method and the "self-consistent field" method for determining the electron structure of the oxygen atom, 0=7699
Gáspár,R. and Tamássy-Lentei,I. United atom model of the hydrid molecules HO, HO^- and H_2O, 0=5964
Gáspár,R. and Tamássy-Lentei,I. The united atom model of the HF molecule, 0=20671
Gasse,H.J. See Kleint,C., 0=7131
Gasser,C.G. and Kipling,J.J. Adsorption from liquid mixtures at solid surfaces, 0=14149
Gassmann,F. Elastic multiplet waves in a medium consisting of homogeneous, isotropic, plane parallel layers, 0=12127
Gassmann,G.J. Tides in the F-layer, 0=12183
Gåsström,R.V. A very fast pulse-height analyser with independent uptake, sorting and storage of information, 0=17178
Gast,P.W. Limitations on the composition of the upper mantle, 0=14160
Gates,D.C.,Kenney,R.W.,McPherson,D.A. and Swanson,W.P. Operation of hydrogen bubble chambers in high-energy photon beams, 0=9243
Gates,D.M. and Shaw,C.C. Infrared transmission of clouds, 0=14302
Gatha,K.M. See Gokhale,N.R., 0=14184
Gatha,K.M. See Pujara,C.M., 0=15503
Gatha,K.M. See Shah,G.Z., 0=4094
Gatland,I.R. Schwinger's meson and the μ-mesic atom, 0=3977
Gatland,I.R. Theory of K^+—nucleon scattering, 0=7415
Gatos,H.C. and Lavine,M.C. Etching behavior of the $\{110\}$ and $\{100\}$ surfaces of InSb, 0=10291
Gatos,H.C. and Lavine,M.C. Dislocation etch pits on the $\{111\}$ and $\{\bar{1}\bar{1}\bar{1}\}$ surfaces on InSb, 0=11624
Gatos,H.C. and Lavine,M.C. Characteristics of the $\{111\}$ surfaces of the III—V intermetallic compounds, 0=11996
Gatos,H.C.,Moody,P.L. and Lavine,M.C. Growth of InSb crystals in the [111] polar direction, 0=3175
Gatos,H.C. See Moody,P.L., 0=18312
Gatos,H.C. See Warekois,E.P., 0=13941
Gatti,E.,Redaelli,G. and Renzoni,R. Measurement of the effect of a simple passivation process for organic vapour GM counters, 0=5436
Gatti,E. and Svelto,V. Theory of time resolution in scintillation counters, 0=17139
Gatti,E. See Bisi,A., 0=17908
Gatti,E. See Arrechi,F.T., 0=17191
Gatti,E. See Cottini,C., 0=2473
Gatti,E. See Cottini,C., 0=5549
Gatti,E. See Cottini,C., 0=17195
Gatti,E. See Facchini,U., 0=19966
Gatto,R. Present problems in the theory of weak interactions, 0=5527
Gatto,R. Invariants in $K\mu_3$ and K_{e3} decays, 0=11217
Gatto,R. See Cabibbo,N., 0=376
Gatto,R. See Cabibbo,N., 0=5577
Gatto,R. See Cabibbo,N., 0=9418
Gatto,R. See Cabibbo,N., 0=13011
Gatto,R. See Cabibbo,N., 0=15448
Gatto,R. See Cabibbo,N., 0=17300
Gatto,R. See Cabibbo,N., 0=17364
Gaudet,G.,Hedgcock,F.T.,Lamarche,G. and Wallingford,E.W. The electrical resistance maximum in dilute magnesium alloys, 0=17999
Gaudin,M. A simple proof of Wick's theorem in statistical mechanics, 0=6686
Gaudin,M. See Blaise,S., 0=9708
Gaudin,M. See Mehta,M.L., 0=20344
Gaume,F. Monochromators used in polarimetry, 0=16901
Gaumer,R.E. and Heer,C.V. Atomic heat of sodium metal from 0.4 to 2°K, 0=9857
Gaunt,P. Correction to a single domain calculation, 0=13789
Gaunt,P. A magnetic study of precipitation in a gold—cobalt alloy, 0=21242
Gaunt,P. and Christian,J.W. The cubic—hexagonal transformation in single crystals of cobalt and cobalt—nickel alloys, 0=16311
Gaunt,P. and Christian,J.W. The crystallography of the β—α transformation in zirconium and in two titanium—molybdenum alloys, 0=16312
Gauss,E.J. and Gilman,T.S. Improved circuit for the measurement of the dielectric constants of gases, 0=5262
Gaustad,F. and Schwarzchild,M. Note on the brightness fluctuation in the solar granulation, 0=18741
Gautier,M. See Barchewitz,M., 0=14841
Gautier,P. Contribution to the study of the magnetic fields of electron optics, 0=10957
Gautier,T.N. See Wright,J.W., 0=14233
Gauvin,H. and Sebaoun,W. The influence of the pH and the pAg of emulsions on the regression of the latent image produced by charged particles, 0=15213
Gavini,H. Norms of the binaural auditory threshold in a free field, 0=14335
Gavreau,V. Pneumatic generators of intense ultrasound, 0=16779
Gavreau,V. and Calaora,A. Automatic recording of curves of equal phase shift, 0=5108
Gavrila,M. On the relativistic K-shell photoeffect, 0=17718
Gavrila,M. Relativistic photo-effect in the L-shell, 0=9775
Gavrilá,M. Hall's formula for the relativistic photo-effect, 0=20540
Gavrilov,F.F. A method of spectral isotopic analysis of lithium, 0=9748
Gavrilov,F.F. Luminescence of lithium hydride, 0=10061
Gavrilov,K.A. See Flevov,G.N., 0=7497
Gavrilyuk,V.M. See Vedula,Yu.S., 0=9064
Gaydon,A.G.,Spokes,G.N. and van Suchtelen,J. Absorption spectra of low-pressure flames, 0=19219
Gaydon,A.G. and Wolfhard,H.G. Flames: their structure radiation and temperature (2nd ed.), 0=5216
Gaydon,A.G. See Clouston,J.G., 0=8744
Gaydon,A.G. See Clouston,J.G., 0=14732
Gaydon,A.G. See Hurle,I.R., 0=5893
Gaydon,A.G. See Spokes,G.N., 0=5937
Gaydou,F. See Bas,E.B., 0=2393
Gayther,D.B. See Egelstaff,P.A., 0=7615
Gazai,A. See Cauchois,Y., 0=19821
Gazai,A. See Cauchois,Y., 0=19822
Gazdik,M.F. See Alexander,J.M., 0=20512
Gaze,R. See Addingley,C.G., 0=4743
Gazis,D.C. Comments on "vibrations of thick cylindrical shells", 0=10708

Gazis,D.C.,Herman,R. and Wallis,R.F. Surface elastic waves in cubic crystals, 0=13907
Gazza,G.E. See Tarpinian,A., 0=16284
Gazzarrini,F. See Cerrai,E., 0=12123
Geake,J.E.,Ring,J. and Woolf,N.J. The Fabry—Perot monochromator, 0=18584
Geake,J.E. and Wilcock,W.L. A study of stellar spectral lines by inclining a Fabry-Perot interferometer, 0=16553
Gebauer,H. On the dependence of the optimum cathode thickness [t] on the atomic number [Z] of the cathode material and the gamma-energy [E] in a GM-counter tube, 0=3874
Gebauhr,W. See Spang,A., 0=11069
Gebbie,H.A. Atmospheric absorption spectra in the far infrared using two beam interferometry, 0=16837
Gebbie,H.A.,Stone,N.W.B. and Walshaw,C.D. Pure rotational absorption of ozone in the region 125-500 microns, 0=17748
Gedalin,E.V. See Begiashvili,G.A., 0=12677
Gee,G. See Allen,G., 0=3160
Geesner,C.R. See Barnes,C.R., 0=4376
Gegauff,C. and Longchamp,J.P. A quantitative study of the resolution effects of various means of development on the heavy-ion tracks, 0=12778
Gegauff,C. and Lonchamp,J.P. The application of low sensitivity emulsions to the identification of heavy ions, 0=15205
Gegauff,C. See Lonchamp,J.P., 0=200
Gegauff,C. See Pfohl,R., 0=20470
Gegin,R. An instrument with a logarithmic scale for measuring intensity of gamma radiation, 0=4038
Geguzin,Ya.E. and Ovcharenko,N.N. High-temperature self-healing of surface defects in crystalline solids, 0=6047
Geguzin,Ya.E. and Shpunt,A.A. Distortion and rupture in the surface layer of lithium fluoride crystals, 0=10278
Geguzin,Ya.E. and Shpunt,A.A. Healing of macroscopic defects on rocksalt monocrystals at high temperatures, 0=17924
Géhéniau,J. Remarks on the identities relating to a Lagrangian, 0=3447
Gehrels,T. The wavelength dependence of polarization. I. Instrumental polarization, 0=18612
Gehrels,T. The wavelength dependence of polarization. II. Interstellar polarization, 0=18613
Gehrels,T. and Teska,T.M. A Wollaston photometer, 0=16515
Geiderikh,V.A. See Nikol'skaya,A.V., 0=10354
Geiger,J. See Boersch,H., 0=2400
Geiger,J. See Boersch,H., 0=19438
Geiger,J.S.,Graham,R.L. and Ewan,G.T. Conversion electron spectrum from Ce^{144} decay, 0=11368
Geiger,J.S. See Ewan,G.T., 0=2647
Geiger,J.S. See Ewan,G.T., 0=17555
Geiger,K.W. The status of the Canadian neutron standard, 0=9377
Geiger,W. and Kulp,M. Brillouin scattering in artificial quartz glass, 0=11763
Geikhman,D.S.,Romankevich,V.N. and Sidyakin,V.G. Electrical properties of polycrystalline selenium containing [up to 4%] halogen (bromine, chlorine, iodine) impurities, 0=1675
Geil,P.H. See Reneker,D.H., 0=18292
Geilikman,B.T. Critical velocities for flow of He II in capillaries, 0=10824
Geilikman,B.T. Excitation of fission fragments and their mass distribution, 0=13295
Geilikman,B.T. and Kresin,V.Z. Thermomagnetic effects in superconductors, 0=19558
Geiss,J. and Hess,D.C. Argon—potassium ages and the isotopic composition of argon from meteorites, 0=7
Geiss,J. See Eberhardt,P., 0=14405
Geist,D. The magnetic susceptibility of defect electrons in Si and Ge, 0=2979
Geist,D. The magnetic susceptibility of the electrons in silicon germanium and indium arsenide, 0=4469
Geist,D. Magnetic susceptibility of Fe- and Zn-doped Ge, 0=6211
Geist,D. A sensitive magnetic balance for the determination of small susceptibility differences, 0=7187
Geist,D. See Römelt,G., 0=1772
Geiszler,T.D. and Henschke,R.A. Broadband reciprocal ferrite phase shifters, 0=12702
Gel',E.P. See Shul'man,A.R., 0=13550
Gelard,J. Investigation of finite difference equations for points situated on a surface distribution of charges. The case of systems of revolution, 0=12569
Gelberg,A. Electron capture decay of oriented nuclei, 0=422
Gel'berg,A. Decay of oriented nuclei by electron capture, 0=17537
Gel'd,P.V.,Alyamovskii,S.I. and Matveenko,I.I. Structural characteristics of vanadium oxide, 0=18353
Gelernter,H.L. and Rochester,N. Intelligent behavior in problem-solving machines, 0=2129
Gel'fand,I.M. and Yaglom,A.M. Integration in functional spaces and its applications in quantum physics, 0=4939
Gelfreich,G.,Korol'kov,D.,Rishkov,N. and Soboleva,N. On the regions over sunspots as studied by polarization observations at centimeter wavelengths, 0=18636
Geller,I.Kh. and Sharavskii,P.V. The electrical characteristics of some types of selenium rectifiers, 0=18051
Geller,I.Kh. See Abdullaev,G.B., 0=6125
Geller,K.N,Halpern,J. and Muirhead,E.G. Systematics of neutron separation energies, 0=11296
Geller,K.N.,Halpern,J. and Muirhead,E.G. Photoneutron reactions: C^{12}, N^{14}, O^{16}, and F^{19} near threshold, 0=13261
Geller,K.N. and Muirhead,E.G. Control and calibration of the betatron energy scale, 0=7175
Geller,R. Behaviour of a high-frequency plasma in the presence of a magnetic field, 0=3764
Geller,R. The production of stable high frequency plasmoids at the plasma resonant frequency, 0=5324
Geller,S. On the boron—nitrogen donor—acceptor bond, 0=4255
Geller,S. On the relationship between the β-W and garnet structures, 0=6358
Geller,S. Magnetic interactions and distribution of ions in the garnets, 0=10178
Geller,S. Crystal structure of β-Ga_2O_3. 0=16321
Geller,S.,Bozorth,R.M.,Gilleo,M.A. and Miller,C.E. Crystal chemical and magnetic studies of garnet systems $M_3{}^{2+}Fe_2Sn_3O_{12}-Y_3Fe_2Fe_3O_{12}$, 0=6359
Geller,S.,Bozorth,R.M.,Miller,C.E. and Davis,D.D. Crystal chemical and magnetic studies of garnet systems $\{YCa_2\}[M_2^{4+}](Fe_3)O_{12}$-$\{Y_3\}[Fe_2](Fe_3)O_{12}$, M = Zr or Hf, 0=11895
Geller,S. and Durand,J.L. Refinement of the structure of $LiMnPO_4$, 0=8219
Geller,S. and Miller,C.E. New synthetic garnets, 0=8226
Geller,S. and Mitchell,D.W. Rare earth ion radii in the iron garnets, 0=3232
Geller,S. See Bozorth,R.M., 0=11893
Geller,S. See Gilleo,M.A., 0=3095
Geller,S. See Gilleo,M.A., 0=3096
Gelles,I.L. See Smith,W.V., 0=1832
Gelles,I.L. See Sorokin,P.P., 0=10224
Gell-Mann,M. and Lévy,M. The axial vector current in beta decay. 0=15386
Gell-Mann,M. See Bernstein,J., 0=15243
Gell-Mann,M. See Bernstein,J., 0=20179
Gel'man,A.P. Relativistic operators for momentum and angular momentum, 0=9276
Gelman,J.J. and Lieberman,D.S. The atomic mechanisms of fracture, 0=21146
Geltman,S. Electron detachment from the negative hydrogen ion by electron impact, 0=7077
Geltman,S. Variational treatment of electron—hydrogen atom elastic scattering, 0=15674
Geluk,J.J. A subjective method for evaluation of sound insulation, 0=6897
Gemant,A. Electronegative gases in dielectrics containing voids, 0=3725
Gémesy,T.,Sándor,T. and Somogyi,A. Cloud chambers study of extensive air showers, 0=15471
Gémesy,T. See Dohán,I., 0=17441
Gemmell,D.S. Alpha-particles from the reaction $^7Li(p,\gamma)^8Be^*(\alpha)^4He$, 0=20444
Gemperle,R. See Kaczér,J., 0=3032
Gemperle,R. See Kaczér,J., 0=4489
Gemperle,R. See Kaczér,J., 0=10147
Gen,M.Ya.,Eremina,I.V. and Petrov,Yu.I. Crystallization of aluminium aerosols, 0=14144
Genähr,R. Contributions to the interpretation of the sonic velocity in binary liquid mixtures, 0=16695
Gendelev,S.Sh. Application of the interference microscope MII-4 to the study of crystal surfaces, 0=16828
Gendelev,S.Sh. and Shafranovskii,I.I. Edge forms of the cubic system, 0=13927
Gendreau,G. See Bronca,G., 0=2412
Gendreau,G. See Bruck,H., 0=2412
Genensky,S.M. A general theorem concerning the stability of a particular non-Newtonian fluid, 0=19047
Generalov,N.A. See Losev,S.A., 0=10727

Generalov,N.A. See Losev,S.A., 0=19211
Generalov,N.P. The theory of probes, 0=15035
Geneux,E. and Wanders–Vincenz,B. Magnetic dipole resonance of excited levels in free ions of Cd II and Zn II, 0=2715
Geneux,E. and Wanders-Vincenz,B. A study by magnetic resonance in atomic beams of the excited states of cadmium and zinc, and of cadmium II and zinc II ions, 0=17683
Gennes,P.G.de. See de Gennes,P.G.
Gent,A.N. Simple rotary dynamic testing machine, 0=6289
Gent,A.N. Theory of the parallel plate viscometer, 0=6733
Gent,A.N. and Lindley,P.B. Internal rupture of bonded rubber cylinders in tension, 0=3159
Gentil,K. The "Flexatone" and the "Singing-Saw", 0=8761
Gentner,W. and Zähringer,J. Potassium–argon age of tektites, 0=8361
Gentry,R. See Theimer,O., 0=2363
Genzel,L. Aperiodic and periodic interference modulation for spectographic purposes, 0=6924
Genzel,L.,Happ,H. and Weber,R. Dispersion measurements on NaCl, KCl and KBr at wavelengths between 0.3 and 3 mm, 0=628
George,C. Irreversible phenomena due to isotopic substitution in crystals, 0=4264
George,J. Dislocation etch pits in zinc crystals, 0=20819
George,K.A. Plasma heating by current-saturation, 0=9036
George,L.A.,II and Vogt,G.S. Electron microscopy of autoradiographed radioactive particles, 0=7487
George,R.I. See Linner,L.R., 0=12442
George,W.D. See Barber,W.C., 0=4109
George,W.R.,Sharples,R. and Thompson,J.E. The sintering of bismuth telluride, 0=7972
Georgievski,Yu.N. See Bol'shakova,L.G., 0=788
Gerard,V.B. The propagation of world-wide sudden commencements of magnetic storms, 0=8357
Gerard,V.B. See Lawrie,J.A., 0=4770
Gerasimov,F.M. See Rassudova,G.N., 0=3647
Gerasimov,Ya.I. See Nikol'skaya,A.V., 0=10354
Gerasimova,É.A. and Kvitka,S.S. A method of rotating Harker sections, 0=13997
Gerasimova,N.M. and Zatsepin,G.T. Disintegration of cosmic-ray nuclei by solar photons, 0=13079
Gerasimova,R.I. See Varfolomeev,A.A., 0=355
Gerasimova,R.I. See Varfolomeev,A.A., 0=7324
Gerber,H.J. See Brüllmann,M., 0=5563
Gerber,R. A non-linear problem in the determination of the temperature in an electrically heated plate, 0=5195
Gerber,R. A problem with limits presented by the determination of the temperature in an electrically heated body, 0=5196
Gerber,R. See Krupička,S., 0=13826
Gerbier,J. See Bottreau,M.M., 0=9804
Gerbracht,R.J. See Norbeck,E., 0=4108
Gerdau,E. See Bodenstedt,E., 0=7540
Gerdau,E. See Bodenstedt,E., 0=17481
Gerdil,R. A preliminary crystallographic investigation of 1-phenylhydantoin and three derivatives of uracil, 0=6368
Gerdil,R. and Marsh,R.E. On the arrangement of the water molecules in the crystal structure of caffeine, 0=6369
Gergely,G. The cathodoluminescence efficiency of thin microcrystalline layers. II. The intrinsic efficiency, 0=6205
Gergely,G. Some optical properties of single microcrystals, 0=6161
Gergely,G. The calorimetric determination of the efficiency of ZnS-type luminescent materials, 0=16091
Gergely,G., Almássy,G. and Ádám,J. The absolute measurement of light intensity by a direct reading thermistor bolometer, 0=8764
Gergely,G.,Hangos,I.,Tóth,K.,Ádám,J. and Pozsgay,G. The cathodoluminescence efficiency of thin microcrystalline layers, 0=2963
Gergen,J.L. and Huch,W.L. A synoptic study of infra-red radiation over the United States, 0=12203
Gerharz,R. The presentation of spectral intensities with a normal grating, 0=2251
Gerhold,G. See Zeltmann,A.H., 0=1952
Gerholm,T.R.,Lindqvist,T. and de Waard,H. Multi coincidence goniometer for angular correlation measurements, 0=17142
Gerholm,T.R. and Pettersson,B.G. Instrument for electron-gamma directional correlation experiments with magnetic momentum selection, 0=17517
Gerholm,T.R. See Bashandy,E., 0=15539
Gerholm,T.R. See Lindskog,J., 0=11387
Gerjuoy,E. and Krall,N.A. Dispersion relations in atomic scattering problems, 0=13401
Gerjuoy,E. See Bassel,R.H., 0=5869
Gerjuoy,E. See Krall,N.A., 0=17690
Gerjuoy,E. See Stuart,G.W., 0=14962
Gerjuoy,E. See Tuan,T.F., 0=5996
Gërlikh,P.,Kek,Ts.,Krauze,Kh.,Kros,A.,Pol',E.Kh. and Shlott,Kh. On the problem of measuring proton currents, 0=20142
Gërlikh,P. and Khora,Kh. Influence of the polarization of light on the emission of compound photocathodes, 0=19722
Gerling,É.K. and Levskii,L.K. The cosmic age of the Sikhote–Alin' meteorite, 0=6579
Gerlovin,Ya.I. The optico-acoustic effect in the ultraviolet region of the spectrum, 0=8715
Gerlovin,Ya.I. and Slobodskaya,P.V. Increase of the sensitivity of the optico-acoustic method of gas analysis by the use of cells employing multiple passage of radiation, 0=4752
Germagnoli,E. and Granata,S. On the behaviour of lattice vacancies in pure metals, 0=9902
Germagnoli,E. See Airoldi,G., 0=4343
Germagnoli,E. See Cottini,C., 0=5549
Germagnoli,E. See Felcher,G.P., 0=5570
Germain,F.C. The study of some magnetic fields by using analogous systems, 0=290
Germain,P. Introduction to the study of magneto-aerodynamics, 0=9166
Germain,P. and Guiraud,J.P. Shock conditions in a fluid with small but non-zero coefficients of viscosity and thermal
Germer,L.H. and Hartman,C.D. Improved low energy electron diffraction apparatus, 0=19762
Germer,L.H.,Scheibner,E.J. and Hartman,C.D. Study of adsorbed gas films by electron diffraction, 0=21250
Germer,L.H. See Scheibner,E.J., 0=4613
Gerold,V. and Meier,F. The detection of dislocations in germanium with X-rays, 0=1902
Gerrard,J.H. Piezoelectric pressure gauges for use in a shock tube, 0=16665
Gerritsen,A.N. Low temperature resistance and magnetoresistance of dilute alloys of gold with cobalt, 0=7912
Gerritsen,H.J.,Harrison,S.E. and Lewis,H.R. Chromium-doped titania as a maser material, 0=16180
Gerritsen,H.J. and Lewis,H.R. Operation of a chromium doped titania maser, 0=9196
Gerritsen,H.J. and Lewis,H.R. Paramagnetic resonance of V^{4+} in TiO_2, 0=13879
Gersch,H.A. and Smith,V.H. Cluster integrals and the ground state of Bosons with repulsive interactions, 0=14530
Gerschmann,S. Measurement of reflection effects by the correlation method, 0=1024
Gersdorf,R. Form effect in magnetostriction, 0=8055
Gersdorf,R. See de Vries,G., 0=13772
Gershberg,R.E. and Pronik,V.I. The theory of Strömgren's zones, 0=18608
Gershberg,R.E. See Pikel'ner,S.B., 0=18821
Gershenzon,M. See Spitzer,W.G., 0=16055
Gershman,B.N. Non-resonant absorption of electromagnetic waves in a magneto-active plasma, 0=9058
Gershman,B.N. Gyroresonance absorption of electromagnetic waves in a plasma, 0=12707
Gershtein,G.M. Application of a vibrating probe to the modelling of fields by the induced current method, 0=19593
Gershtein,S.S. Depolarization of mu-mesons in hydrogen, 0=1489
Gershtein,S.S. Ranges of μ-mesic atoms in hydrogen chambers, 0=11493
Gershtein,S.S. Probability of meson capture in various mesoatomic levels, 0=20167
Gershtein,S.S. See Belyaev,V.B., 0=7828
Gershtein,S.S. See Zel'dovich,Ya.B., 0=2564
Gershuni,G.É. and Zhukovitskii,E.M. Flow of a conducting fluid round a sphere in strong magnetic field, 0=17084
Gersing,E.,Jaeckel,R. and Pauly,H. The angular distribution in scattering experiments on molecular beams, 0=5866
Gerson,N.C. Periodicities in solar radio noise emission, 0=6557
Gerson,N.C. Annual distribution of sporadic-E, 0=18491
Gerson,N.C. and Gossard,W.H. Noise trains, 0=3356
Gerson,N.C. and Gossard,W.H. Sweepers, 0=16493
Gerson,R. Variation in ferroelectric characteristics of lead zirconate titanate ceramics due to minor chemical modifications, 0=1702

Gerson,R. Dielectric properties of lead titanate zirconate ceramics at very low frequencies. 0=16021
Gerson,R. Dependence of mechanical Q and young's modulus of ferroelectric ceramics on stress amplitude, 0=18248
Gerson,R. and Marshall,T.C. Dielectric breakdown of porous ceramics, 0=3721
Gerstein,G.L. See Calame,G., 0=19853
Gersten,K. The effect of Reynolds number on the flow losses in plane (two-dimensional) cascades, 0=6743
Gerstenkorn,S. Electronic configuration and hyperfine structure of Pu I, 0=7700
Gerstenkorn,S. See Champeau,R.J., 0=20589
Gerthsen,P.,Gilsing,J.A.A. and van Tol,M. An automatic dewpoint hygrometer using Peltier cooling, 0=14668
Gertsenstein,M.E. See Berstein,I.L., 0=6654
Gertsriken,S.D. and Novikov,N.N. Study of quenching and movement of vacancies in silver and platinum by the thermo-e.m.f. method, 0=17955
Gertsriken,S.D. and Tsitsiliano,D.D. Investigation of self-diffusion in Ag by the finite sum method, 0=1600
Geschwind,N. and Segal,J.R. Colors of all hues from binocular mixing of two colors, 0=8444
Geschwind,S. Sign of the ground-state cubic crystal field splitting parameter in Fe^{3+}, 0=1824
Geschwind,S.,Collins,R.J. and Schawlow,A.L. Optical detection of paramagnetic resonance in an excited state of Cr^{3+} in Al$_2$O$_3$, 0=4508
Geschwind,S. and Walker,L.R. Exchange resonances in gadolinium iron garnet near the magnetic compensation temperature, 0=3119
Geschwind,S.,Walker,L.R. and Linn,D.F. Exchange resonances in gadolinium iron garnet at 24 000 MHz, 0=13861
Geschwind,S. See Brassel,J., 0=4509
Geshkenbein,B.V. β-decay of P^{32}, 0=13196
Geshkenbein,B.V.,Nemirovskaya,S.A. and Rudik,A.P. β-decay of RaE, 0=5702
Geske,D.H. See Maki,A.H., 0=17776
Gessaroli,R. See Block,M.M., 0=17416
Getmantsev,G.G. Growth of electromagnetic waves in interpenetrating infinite moving media, 0=9205
Getmantsev,G.G. The determination of the mean dimensions of magnetized clouds of interstellar gas by radioastronomical methods, 0=18614
Getmantsev,G.G.,Ginzburg,V.L. and Shklovskii,I.S. Radio astronomical observations with the aid of artificial satellites, 0=5
Getmantsev,G.G. and Rapoport,V.O. Growth of electromagnetic waves in a plasma moving in a nondispersive dielectric in a constant magnetic field, 0=12708
Gettner,M. See Selove,W., 0=17373
Geusic,J.E. Harmonic spin coupling in ruby, 0=9192
Gevantman,L.H. and Pestaner,J.F. Ferric ion yields in ferrous sulfate solutions irradiated with low-energy X-rays, 0=3324
Gevorkov,A.K. See Demirkhanov,R.A., 0=15043
Gewin,R.,Beil,H.,Joly,R. and Ribrag,M. Determination of the scattering and absorption cross sections of natural neon for thermal neutrons, 0=20504
Geyling,F.T. Satellite perturbations from extra-terrestrial gravitation and radiation pressure, 0=10530
Ghate,V.B. and West,D.R.F. Fractional nucleation in the ageing of an aluminium—4.25 wt% copper alloy, 0=18388
Gheorghiu,O.C. See Ionescu,T.V., 0=4795
Gheorghiu,O.C. See Ionescu,T.V., 0=9806
Gherzi,E. Atmospherics on 20 kc/s at the time of local aurorae, 0=21394
Ghesquiere,C. See Awunor-Renner,E.R.T., 0=15497
Ghielmetti,H.,Anderson,J.C.,Cardoso,J.M.,Manzano,J.R.,Roederer,J.G. and Santochi,O.R. Solar flare effects on cosmic ray intensity, 0=13093
Ghigo,G. and Quercia,I.F. Field stabilization in a d.c.—a.c. excited magnet of a synchrotron, 0=19848
Ghigo,G. See Castagnoli,C., 0=15591
Ghiorso,A. See Diamond,H., 0=17512
Ghormley,J.A. Nucleation of bubbles in superheated aqueous solutions by fast particles, 0=7253
Ghosh,A. Elastic scattering and polarization of 300 MeV protons, 0=15347
Ghose,A. Proton—nucleus scattering at 96 MeV, 0=15568
Ghosh,A. Neutron strength function Γ^0_n/D with complex diffuse boundary potential, 0=17622
Ghosh,A.K. and Dutta,B.C. Thermoluminescence spectra of LiF, 0=8028
Ghosh,A.K. See Dutta,B.C., 0=6208
Ghosh,A.M. and Ganguly,N.K. Measurement of thermal neutron absorption cross section using spherical symmetry method, 0=5796
Ghosh,B.B. A statistical analysis to test the reliability of measuring atmospheric noise subjectively by a small group of people, 0=19328
Ghosh,D.K. and Whiffen,D.H. The electron spin resonance spectrum of a γ-irradiated single crystal of glycine, 0=20665
Ghosh,N.C. and Sen,D. Neutron—proton pairing interaction in transuranic elements, 0=11295
Ghosh,N.L. Potential flow with wake past a spherical obstacle, 0=8629
Ghosh,N.N. On a solution of field equations in Einstein's unified field theory II, 0=6671
Ghosh,N.N. A matrix method of reduction of the general Lorentz transformation [in four-space into a pair of component plane rotations], 0=14367
Ghosh,N.N. On wave solution of field equations in Einstein's unified field theory, 0=14506
Ghosh,P.K. Distribution-theoretic observation on the Born scattering formula (first approximation), 0=20058
Ghosh,S. See Sengupta,S., 0=1362
Ghosh,S. See Sengupta,S., 0=17491
Ghosh Mazumdar,A.S. Electrolytic purification of carrier free tellurium tracer, 0=5680
Ghoshi,A. and Sil,N.C. Neutron energy levels in a diffuse potential, 0=17494
Giachino,G. The measurement of a magnetic field by the use of a caesium frequency standard, 0=15102
Giacobbe,P. See De Matteis,A., 0=11183
Giacomelli,G. $\pi^{\pm}$—p elastic scattering at 30 MeV, 0=3988
Giacomelli,G. See Barnes,S.W., 0=3986
Giacomelli,G. See Fuschini,E., 0=15550
Giacometti,G.,Rigatti,G. and Semerano,G. Semiempirical calculation of the low electronic energy levels of the HFCO molecule, 0=15752
Giacometti,G. See Foffani,A., 0=15740
Giacomo,P. Chromatic properties of reflecting multi-dielectric layers, 0=16869
Giacomo,P. See Cojan,J.L., 0=5880
Giambiagi,J.J. Analogy between Lorentz and Foldy-Wouthuysen transformation, 0=12840
Giannelli,G. and Mandl,V. Transistorized precision ratemeter, 0=12801
Giansoldati,A.,Linde,J.O. and Borelius,G. Magnetic susceptibility and electrical resistivity of Au—Mn alloys, 0=4483
Giardini-Guidoni,A. and Volpi,G.G. Ion—molecules reactions of the fifth group element hydrides, 0=19627
Giauque,W.F. See Bartky,I.R., 0=1066
Giauque,W.F. and Lyon,D.N. Design of a 100-kilogauss 4-inch core solenoid for continuous operation, 0=7192
Giaever,I. Energy gap in superconductors measured by electron tunneling, 0=16949
Gibbons,D.F. Thermal expansion coefficients of manganese fluoride, 0=1564
Gibbons,D.F. On the thermal expansion and Grüneisen factor of vitreous silica, 0=12532
Gibbons,J.J. and Ramachandra Rao,B. Calculation of group indices and group heights at low frequencies, 0=776
Gibbons,J.J. See Chandra,S., 0=14236
Gibbons,J.J. See Ferraro,A.J., 0=15165
Gibbons,H.P. See McClintock,R.M., 0=16206
Gibbons,P.E. See Allen,J.W., 0=18042
Gibbons,T.B. and O'Hara,S. The effect of internal oxidation on the damping capacity of copper—silicon alloys, 0=16211
Gibbs,D.F. See Allsopp,H.L., 0=16028
Gibbs,D.F. See Spitzer,W.G., 0=16055
Gibbs,W.E.K. Portable electrometer voltmeter, 0=14941
Gibbs,W.E.K. See Wilbur-Ham,J., 0=14940
Gibson,A.F.,Burgess,R.E. and Aigrain,P.[Eds.] Progress in semiconductors. Vol. 1, 0=20877
Gibson,A.F.,Burgess,R.E. and Aigrain,P.[Eds]. Progress in semiconductors. Vol. 2, 0=20878
Gibson,A.F.,Burgess,R.E. and Aigrain,P.[Eds]. Progress in semiconductors, Vol. 3, 0=20879
Gibson,A.F. See Bayham,A.C., 0=7976
Gibson,E.F. See Powell,R.L., 0=7858
Gibson,E.F. See Powell,R.L., 0=11588
Gibson,F.C.,Bowser,M.L. and Mason,C.M. Method for the study of deflagration to detonation transition, 0=3312

Gibson,G. and Lauer,E.J. Radiation damping of an electron in a uniform magnetic field, 0=7197
Gibson,G.,Jordan,W.C. and Lauer,E.J. Bumpy torus, 0=7123
Gibson,G.,Jordan,W.C. and Lauer,E.J. Containment of positrons in a mirror machine, 0=19654
Gibson,G. See Killeen,J., 0=10897
Gibson,J. Observations of comet Väisälä, 1939 IV, 1959 i, 0=12275
Gibson,J. See Jeffers,H.M., 0=12274
Gibson,J.B.,Goland,A.N.,Milgram,M. and Vineyard,G.H. Dynamics of radiation damage, 0=20856
Gibson,J.E. and McEwan,R.J. Observations of Venus at 8.6-mm wavelength, 0=18621
Gibson,M.J. See Chesterman,W.D., 0=14756
Gibson,R.E. A linear heat problem with a moving interface, 0=19478
Gibson,W.M. A comparison of automatic scanning systems, 0=12785
Gibson,W.M. and McEwen,J.G. The precision of angular measurements in nuclear emulsions, 0=201
Gibson,W.M. See Bredin,D.J., 0=9447
Gibson,W.M. See Foreman,B.M., 0=1450
Gidal,G. See Berley,D., 0=9393
Giddings,J.C. Nonequilibrium kinetics and chromatography, 0=3334
Giedd,G.R. and Perkins,M.H. Evaporation rate monitor, 0=12533
Giedd,G.R. See Behrndt,M.E., 0=10855
Gienapp,H. The total effective cross-section of the collision process between potassium atoms and chlorine molecules, 0=5995
Gienapp,H. Determination of the electron work-function for macroscopic tungsten crystal faces, 0=15047
Gier,J.T. See Bevans,J.T., 0=2184
Gierula,J.,Mięsowicz,M. and Zieliński,P. Statistical significance of double maximum angular distribution in high-energy jets, 0=20271
Gierula,J.,Mięsowicz,M. and Zieliński,P. Double maximum angular distributions in high energy nuclear collisions, 0=20306
Gierula,J. See Bartke,J., 0=13082
Giese,R.H. Light scattering by spherical metal particles, 0=5183
Giese,R.H. and Siedentopf,H. The importance of grain size in photographic microphotometry, 0=150
Gifford,F.E. and Coomes,E.A. Torsion induced recrystallization of molybdenum and tungsten filaments, 0=6328
Gifford,G. and Muehlhausen,A. Dependence of sound absorption coefficients upon area of acoustical material, 0=10742
Gigli,A. and Sacerdote,G.G. Measurements of mechanical impedances by a resonance method, 0=19248
Giguère,P.A. On the anomalous thermodynamic properties of ice, 0=11579
Giguère,P.A. and Chin,D. Reaction products of atomic hydrogen with solid ozone, 0=12098
Gijsman,H.M.,Poulis,N.J. and Van Den Handel,J. Magnetic susceptibilities and phase transitions of two antiferromagnetic manganese salts, 0=16144
Gijsman,H.M. See Poulis,N.J., 0=10250
Gilardini,A. Microwaves in an ionized gas, 0=2360
Gilbert,C. Gravitation and the principle of stationary action, 0=18909
Gilbert,F. Scattering of impulsive elastic waves by a smooth convex cylinder, 0=14718
Gilbert,F. See Knopoff,L., 0=12126
Gilbert,F.C. See Freden,S.C., 0=9434
Gilbert,F.E. See Strickler,T.D., 0=12944
Gilbert,L.A. Reflectance of coal vitrains in the visible and ultra-violet compared with that of graphite, 0=11760
Gilbert,R.L.,Piotrowski,E.A.,Dowling,J.M. and Cleveland,F.F. Substituted methanes. XXIX. Vibrational spectra, potential constants, and calculated thermodynamic properties for dibromochlorofluoromethane and bromodichlorofluoromethane, 0=4207
Gilbert,W. See Deser,S., 0=3934
Gilbert,W. See Deser,S., 0=3935
Gilboy,W.B. and Tennent,R.M. The interaction rates of stopped negative muons in various elements, 0=20171
Giletti,B.J. and Lambert,R.S.J. Radioisotopes in the dating of geological and archaeological events, 0=3341
Gilfrich,J.V. See Hubbard,W.M., 0=11823
Gilhaus,F.J. Solution-calorimetric determination of the heats of formation of solid lead-tin alloys, 0=5226
Gilinsky,V. and Mathews,J. Decay of bound muons, 0=20565
Gilissen,H.P.J. See Altes,J.P.K., 0=10467
Gill,E.K. and Laidler,K.J. Some aspects of the theory of unimolecular gas reactions, 0=8302
Gill,E.K. and Laidler,K.J. The vibration and decomposition of the hydrogen peroxide molecule, 0=9798
Gill,P.J. See Lawrie,J.A., 0=4770
Gill,P.S.,Vir,L.,Yadav,R.S. and Khera,M.K. Cosmic ray increase associated with a small solar flare, 0=15482
Gill,P.S. See Mathur,R.N., 0=7436
Gill,P.S. See Pal Puri,S., 0=7239
Gill,P.S. See Sain Mittra,I., 0=7434
Gill,P.S. See Singh,B.P., 0=1392
Gillam,E. The penetration of positive ions of low energy into alloys and composition changes produced in them by sputtering, 0=12645
Gilleo,M.A. Superexchange interactionin ferrimagnetic garnets and spinels which contain randomly incomplete linkages, 0=11897
Gilleo,M.A. and Geller,S. Magnetic-ion interaction in $Gd_3Mn_2Ge_2GaO_{12}$ and related garnets, 0=3095
Gilleo,M.A. and Geller,S. The interaction of magnetic ions in $Gd_3Mn_2Ge_2GaO_{12}$ and related garnets, 0=3096
Gilleo,M.A. and Mitchell,D.W. Magnetic properties of substituted manganese-tin spinels, 0=3074
Gilleo,M.A. See Caspari,M.E., 0=11883
Gilleo,M.A. See Geller,S., 0=6359
Gilles,P.W. See Cater,E.D., 0=12095
Gillespie,R.B.,Sparks,R.A. and Trueblood,K.N. The crystal structure of ammonium chlorite at −35°C, 0=4635
Gillespie,R.J. Electron correlation and molecular shape, 0=11532
Gillespie,T. An extension of Goodeve's impulse theory of viscosity to pseudoplastic systems, 0=14581
Gillet,C.,Smeers,R. and Winand,L. A high-definition autoradiographic study of amitotic phenomena and nuclear fragmentation with penetrating β-active tracers and using thin emulsions, 0=14325
Gillet,M. Mutual orientation of single crystal gold lamellae, 0=13934
Gillet,V.P. Angular correlation of two mixed -rays obtained by Coulomb excitation, 0=9606
Gillet,V.P. See Balian,R.L., 0=9669
Gillet,V.P. See Balian,R., 0=17628
Gillett,C.M. See Woolley,J.C., 0=6120
Gilley,L.W. See Fox,J.K., 0=13323
Gillham,E.J. The measurement of optical radiation, 0=2264
Gilliam,O.R. See Shuskus,A.J., 0=17919
Gillis,J. and Weiss,G. Nature of the singularities in the spectrum of a one-dimensional ionic lattice, 0=1551
Gil'man,A.M. See Yablonskii,S.V., 0=16513
Gilman,J.J. Terraces on etchpits, 0=10289
Gilman,J.J. Plastic anisotropy of LiF and other rocksalt-type crystals, 0=18257
Gilman,J.J. and Johnston,W.G. Behavior of individual dislocations in strain-hardened LiF crystals, 0=7885
Gilman,J.J. See Johnson,W.G., 0=7884
Gilman,J.J. See Keith,R.E., 0=16283
Gilman,T.S. See Gauss,E.J., 0=5262
Gilsing,J.A.A. See Gerthsen,P., 0=14668
Gilson,J.G. Vacuum polarization due to charged bosons, 0=7271
Ginat,M. See Malinge,A., 0=827
Gindilis,L.M. See Pariiskii,N.N., 0=18589
Gindin,E.I. See Verbitskaya,T.N., 0=16018
Gindin,I.A. and Starodubov,Ya.D. Low-temperature plastic rupture of coarse-grained iron, 0=8118
Gindin,I.A.,Lazarev,B.G.,Starodubov,Ya.D. and Khotkevich,V.I. Low-temperature polymorphism of metals, 0=3170
Gindin,I.A. See Garber,R.I., 0=11987
Gindin,I.A. See Garber,R.I., 0=13950
Gindin,I.A. See Garber,R.I., 0=16229
Gindler,J.E. and Engelkemeir,D.W. Alpha decay of Np^{235}, 0=15541
Gindler,J.E.,Gray,J., Jr and Huizenga,J.R. Neutron fission cross sections of Pu^{236} and Pu^{237}, 0=1455
Ginevskii,A.S. See Fedyaevskii,K.K., 0=10685
Gingrich,N.S. See Tompson,C.W., 0=3517
Ginsberg,D.M.,Richards,P.L. and Tinkham,M. Apparent structure on the far infrared energy gap in superconducting lead and mercury, 0=1083
Ginsberg,D.M. and Tinkham,M. Far infrared transmission through superconducting films, 0=10852

Ginther,R.J. and Schulman,J.H. New glass dosimeter is less energy-dependent, 0=12726
Ginther,R.G. See Bollinger,L.M., 0=5573
Ginther,R.J. See Schulman,J.H., 0=9241
Gintsburg,M.A. Exchange effects in ferromagnetic resonance, 0=3117
Gintsburg,M.A. The theory of spin waves, 0=13744
Gintsburg,M.A. Theory of spin waves, 0=13746
Ginzberg,V.L. Role of surface energies in superconductivity, 0=8942
Ginzburg,N.I. and Shal'nikov,A.I. Destruction of superconductivity in thin films by field and current, 0=8940
Ginzburg,V.L. Nonlinear interaction of radio-waves propagating in a plasma, 0=2444
Ginzburg,V.L. Comparison of the macroscopic theory of superconductivity with experimental data, 0=14931
Ginzburg,V.L. and Eidman,V.Ya. The radiation reactions in the motion of a charge in a medium, 0=11017
Ginzburg,V.L. and Fain,V.M. Radiation of a multilevel system moving in a medium with a velocity greater than the velocity of light, 0=2519
Ginzburg,V.L. and Fain,V.M. The possibility of anomalous magnetic properties in macromolecules, 0=20703
Ginzburg,V.L. and Levanyuk,A.P. Raman scattering of light near phase transition points of the second kind, 0=20974
Ginzburg,V.L. and Pitayevsky,L.P. On the theory of superfluidity, 0=8892
Ginzburg,V.L. and Zheleznyakov,V.V. Propagation of electromagnetic waves in the solar corona taking into account the influence of the magnetic field, 0=2080
Ginzburg,V.L. See Getmantsev,G.G., 0=5
Giobanu,G. See Croitoru,N., 0=16362
Giordmaine,J.A. Centimeter wavelength radio astronomy including observations using the maser, 0=8473
Giordmaine,J.A. and Wang,T.C. Molecular beam formation by long parallel tubes, 0=7825
Giordmaine,J.A. See Alsop,L.E., 0=18626
Giorgi,T.A. See Baker,F.A., 0=16746
Giovanelli,R.G. Solar disturbances producing Type II radio bursts, 0=3408
Giovanelli,R.G. Flare surges, puffs and Type III bursts, 0=3419
Giovanelli,R.G. Flare-puffs as a cause of Type III radio bursts, 0=4854
Giovanelli,R.G. Radiative transfer in non-uniform media, 0=4961
Giovanelli,R.G. and Roberts,J.A. Optical observations of the solar disturbances causing Type II radio bursts, 0=4900
Gippius,A.A. See Vavilov,V.S., 0=20984
Girard,A. Automatic computation in geometrical optics, 0=14804
Girard,A. New spectroscopic systems giving high luminosity, 0=19417
Girardeau,M. Weak-coupling expansion for the ground-state energy of a many-boson system, 0=900
Girgis,R.K.,Ricci,R.A. and van Lieshout,R. Gamma radiation from ^{77}Br, 0=4068
Girgis,R.K.,Ricci,R.A. and Van Lieshout,R. On the decay of ^{76}As, 0=4065
Girgis,R.K.,Ricci,R.A. and Van Lieshout,R. Levels in ^{200}Hg populated from the decay of ^{200}Au, 0=4072
Girgis,R.K.,Ricci,R.A.,Van Lieshout,R. and Konijn,J. The decay of ^{76}Br, 0=4066
Girgis,R.K. and Van Lieshout,R. Investigations on the decay of ^{103}Ag, ^{104}Ag and ^{104}Rh, 0=4055
Girgis,R.K. and Van Lieshout,R. The level scheme of ^{104}Pd (addendum), 0=4056
Girgis,R.K. and Van Lieshout,R. Gamma radiation following the decay of ^{124}Sb and ^{124}I, 0=7538
Girgis,R.K. and van Lieshout,R. Some aspects of the decay scheme of 54 minute ^{116}In, 0=9601
Girgis,R.K. and van Lieshout,R. On the decay of In^{112}, 0=11382
Girgis,R.K. and van Lieshout,R. The level scheme of ^{112}Cd, 0=15536
Girgis,R.K. and van Lieshout,R. On the decay of ^{74}As, 0=15559
Girgis,R.K. See Gupta,R.K., 0=4071
Girgis,R.K. See van Lieshout,R., 0=15533
Girgis,R.K. See Ythier,C., 0=15545
Giriat,W. and Dziuba,Z. Automatic device for zone refining of metals and semiconductors, 0=18272
Giriat,W. See Wardzyński,W., 0=18113
Girifalco,L.A. and Weizer,V.G. Vacancy relaxation in cubic crystals, 0=11628
Girifalco,L.A. See Forestieri,A.F., 0=2828
Girifalco,L.A. See Weizer,V.G., 0=17958
Girke,H. See Wilde,H., 0=676
Giron,J. See Blanc,D., 0=5444
Giron,V.S. See Néel,L., 0=10128
Girvan,S.B. and McIlhagger,D.S. Strobometric method of measuring the phase angles of very low currents, 0=5244
Gisina,F.A. Relaxation characteristics of semi-conductor photo-resistors and photo-elements, 0=6133
Giterman,M.Sh. and Irkhin,Yu.P. On the theory of the electrical conductivity of antiferromagnetic crystals, 0=7915
Giterman,M.Sh. and Kontorovich,N.P. On the dependence of the parameters of a semiconductor on the dope concentration, 0=4327
Giterman,M.Sh. See Taluts,G.G., 0=534
Giterman,M.Sh. See Vonsovskii,S.V., 0=20761
Gitsu,D.V. and Ivanov,G.A. Electrical properties of monocrystals of bismuth and its alloys. I. Magnetoelectric properties of pure bismuth, 0=15891
Gitsu,D.V. and Ivanov,G.A. Electrical properties of monocrystals of bismuth and its alloys. II. Magnetoelectric properties of bismuth—tellurium alloys (solid solutions), 0=15892
Giuliani,J.F. See Horowitz,R., 0=12196
Giulotto,L. See Bonera,G., 0=1182
Giulotto,L. See Bonera,G., 0=1226
Givens,M.P. See Axelrod,N.N., 0=20981
Gizejowska,E. See Markocki,W., 0=12756
Gjevre,J.A. See Smith,J.F., 0=8104
Gjønnes,J. Quantitative treatment of multiple scattering effect in continuous electron diffraction curves, 0=3207
Gjønnes,J. On the structure of evaporated carbon films, 0=4694
Gjostein,N.A. On the orientation dependence of surface free energy, 0=17865
Gladkova,I.V. See Sinel'nikov,K.D., 0=12492
Gladun,A.D. See Tager,A.S., 0=2437
Glagolev,V.L.,Kovrizhnÿkh,O.M.,Makarov,Yu.V. and Yampol'skii,P.A. Millisecond half-life isomers produced in reactions involving 14 MeV neutrons, 0=11376
Glagolev,V.V. See Barashenkov,V.S., 0=3966
Glagolev,V.V. See Barashenkov,V.S., 0=4088
Glahe,H.C. See Jain,P.L., 0=1283
Glaister,R.M. Measurement of coupling coefficient and Q of low-Q piezoelectric ceramics, 0=16029
Glaister,R.M. See Cameron,J.F., 0=4766
Glansdorff,P. Calculation of the mutual frictional force in a gaseous "two-fluid" model, 0=8689
Glandsdorff,P. The "two-fluid" model in the classical kinetic theory of gases, 0=16731
Glang,R. Location of diffused p—n junctions on germanium by electrodeposition of copper, 0=13593
Glang,R. and Kippenhan,B.W. Impurity introduction during epitaxial growth of silicon, 0=18327
Glanville,D.E. See Green,T.S., 0=5802
Glarum,S.H. Dielectric relaxation of isoamyl bromide, 0=16701
Glarum,S.H. Dielectric relaxation of polar liquids, 0=19143
Glasel,J.A. Near-infrared absorption spectra of ortho- and para-H_2O in solid xenon and argon, 0=15722
Glasel,J.A. Comment on "Interrelationship of physical quantities", 0 18899
Glaser,D.A. See Brown,J.L., 0=4003
Glaser,D.A. See Roollig,L.O., 0=2580
Glaser,H. Heat transfer in loose materials, 0=6971
Glaser,V. See Amati,D., 0=5502
Glasier,L.F.,Jr. See Allen,R.D., 0=14876
Glashow,S.L. Resonant scattering of antineutrinos, 0=9333
Glasner,A. and Reisfeld,R. Absorption spectra of mercury, — bismuth and antimony halides in pressed alkali discs, 0=8001
Glashow,S.L. See Czyz,W., 0=3979
Glashow,S.L. See Fronsdal,C., 0=2560
Glass,C.A.,Bair,L.R. and Melvin,E.H. Slavo recorder for an infrared spectrophotometer, 0=157
Glass,G. See Ozaki,S., 0=13292
Glass,I.I. See Clouston,J.G., 0=8744
Glass,R.A. See Foreman,B.M., 0=1450
Glass,S.J. and Klein,M.J. Sublimation and the third law of thermodynamics, 0=7015
Glassbrenner,C. See Slack,G.A., 0=17903
Glasser,L.S.D. See Dachille,F., 0=3231
Glasser,M.L. Symmetry properties of the wurtzite structure, 0=3241

Glassgold,A.E.,Heckrotte,W. and Watson,K.M. Linked-diagram expansions for quantum statistical mechanics, 0=890
Glassgold,A.E.,Kaufman,A.N. and Watson,K.M. Statistical mechanics for the nonideal Bose gas, 0=18984
Glassgold,A.E. See Greider,K.R., 0=12850
Glatt,L. Procedure for evaluating the small object detecting capability of an electron-scanned image tube, 0=167
Glatzer,G. See Brandmüller,J., 0=942
Glauber,R.,Rarita,W. and Schwed,P. Vacuum polarization effects on energy levels in μ-mesonic atoms, 0=17672
Glauberman,A.E. Theory of systems with a non-central law of particle interaction, 0=895
Glauberman,A.E. and Spitkovskii,I.M. On the ionic polarization in complex ionic crystals, 0=1693
Glauberman,A.E. and Talianskyi,I.I. Neutron flux distributions in media separated by a cylindrical boundary, 0=7350
Glauberman,A.E.,Vladimirov,V.V. and Stasyuk,I.V. The theory of elementary excitations in atomic crystals, 0=11603
Glaude,V.,Levy,B. and Leproux,G. The proton synchrotron "Saturne". High-frequency amplifier used in the accelerating system, 0=2412
Glaume,J. See Barbier,D., 0=21385
Glazer,A.A. See Shur,Ya.S., 0=1941
Glazkov,Yu.V. Infrared reflection spectra of crystallization products of certain glasses of the Na_2O-SiO_2 system, 0=4679
Glazkova,I.N. See Spitsȳn,V.I., 0=14646
Glazunov,P.A. See Smirnov,L.S., 0=1581
Glazunov,P.Ya. See Vavilov,V.S., 0=18030
Gledhill,J.A. The effects of a solar eclipse on a stratified ionosphere, 0=14212
Gledhill,J.A. The behaviour of the ionosphere over Cape Town and Johannesburg during the annular solar eclipse of 25 December 1954, 0=14213
Gledhill,J.A. and Walker,A.D.M. The "valley effect" in the interpretation of ionospheric eclipse records, 0=14248
Gleissberg,W. The character of the next sunspot maximum, 0=2079
Gleissberg,W. Solar activity previous to 1750, 0=12279
Glemser,O. See Hofmeister,H.K., 0=14893
Glemser,O. See V.Koch,C., 0=1162
Glendenin,L.E. See Flynn,K.F., 0=1387
Glendenning,N.K. Theoretical predictions for the spectra of the odd-mass xenon and tellurium isotopes, 0=13113
Glendenning,N.K. and Sawicki,J. Intrinsic quadrupole moments of deformed nuclei and superfluidity in nuclei, 0=20330
Glenn,W.E. Thermoplastic recording, 0=1089
Glew,D.N. See Walkley,J., 0=16705
Gleyzal,A. On the determination of certain thermodynamic and physical quantities, 0=10466
Gliberman,A.Ya.,Zaitseva,A.K. and Landsman,A.P. A photoelectric energy converter made of polycrystalline silicon, 0=20938
Glick,R.E. and Kates,D.F. Quantum-mechanical approximations to chemical systems, 0=17786
Glicksman,M. The magnetoresistivity of germanium and silicon, 0=20907
Glicksman,M. and Steele,M.C. Plasma pinch effects in indium antimonide, 0=1672
Glicksman,M. and Weiser,K. Electrical properties of p-type InP, 0=7942
Glicksman,M. See Herman,F., 0=20891
Glicksman,M. See Steele,M.C., 0=9976
Gliddon,J.E.C. and Kendall,P.C. Theoretical world curves of maximum ion density in a quiet F-region, 0=14243
Gliddon,J.E.C. and Kendall,P.C. The effects of diffusion and of attachment-like recombination on the F_2 region, 0=16450
Glinchuk,K.D.,Miselyuk,E.G. and Fortunatova,N.N. A study of silver and gold local levels in germanium, 0=6107
Glinchuk,K.D. See Lashkarev,V.E., 0=15863
Globe,S. Comments on letter by J.N.Kapur and R.K.Jain, 0=19894
Glocker,R. Dose and dose measurement with ionizing radiation, 0=12727
Glockler,G. Estimated electron affinities of the light elements, 0=5846
Glodeanu,A. and Teodorescu,I. Influence of the substrate temperature on the magnetic and structural properties of evaporated Ni thin films, 0=21046
Glodeanu,A. See Teodorescu,I., 0=10338
Gloersen,P. See Gorowitz,B., 0=3577
Glokova,E.S. 24-hour variation of the hard component of cosmic radiation at minimum of solar activity, 0=9464
Glorig,A. See Ward,W.D., 0=3367
Glossop,A.B. and Pashley,D.W. The direct observation of anti-phase domain boundaries in ordered copper—gold (CuAu) alloy, 0=8278
Glover,R.E.,III and Sherrill,M.D. Changes in superconducting critical temperature produced by electrostatic charging, 0=19559
Glover,R.N. Aluminium proportional counter for the measurement of low fast neutron flux, 0=17357
Glover,R.N. Photofission in fission chambers, 0=17633
Glowacki,J.,Kawski,A. and Polacka,B. Further investigations into the emission anisotropy of photoluminescence of plexiglass luminophors, 0=2948
Gluck,G. See Blaise,J., 0=15667
Gluckstern,R.L. See Greenberg,J.S., 0=20382
Gnedich,A.V.,Kryukova,L.N. and Murav'eva,V.V. The relative γ-transition probabilities in strongly deformed nuclei, 0=13209
Gniewek,J.J. and Corruccini,R.J. Carbon resistance thermometry with mixed d.c. and r.f. currents, 0=19518
Goad,W. and Johnston,R. A Monte Carlo method for criticality problems, 0=13325
Gobeli,G.W. and Fan,H.V. Infrared absorption and valence band in indium antimonide, 0=13684
Gobert,G. and Jacrot,B. A mechanical selector for slow neutrons, 0=20156
Gobert,G. See Jacrot,B., 0=9379
Gobert,J. Electromagnetic sweeping of Fabry—Perot rings, 0=16875
Gobrecht,H. and Bartschat,A. The refractive index of cadmium sulphide, 0=642
Gobrecht,H. and Bartschat,A. The effect of the activator and the storage of radiant energy on the piezoelectric and elastic behaviour of CdS single crystals, 0=1715
Gobrecht,H. and Hamisch,H. Ultrasonic absorption in polycrystalline selenium, 0=5095
Gobrecht,H. and Gumlich,H.E. On the enhancement and quenching of the luminescence of manganese-activated zinc sulphides by electric fields, 0=2970
Gobrecht,H. and Gumlich,H.E. The influence of the excitation wavelength on electrophotoluminescence, 0=8027
Gobrecht,H.,Kuhnkies,R. and Tausend,A. Investigation of the semiconductor-electrolyte phase boundary surface in the system selenium/sulphuric acid, 0=2901
Gobrecht,H.,Nelkowski,H. and Hofmann,D. Studes of cathodoluminescence. II, 0=1762
Godart,J. A study, with experimental tests, of a hot-cathode gas-filled diode for h.f. interruption, 0=12601
Goddard,E.D. See van Zeggeren,F., 0=2163
Goddard,J.,Harker,H.J. and Wilman,H. A theory of the abrasion of solids such as metals, 0=3164
Goddard,K.F. See Wright,P., 0=16342
Godefroy,G. Ionic conductivity of dielectrics, 0=10013
Godefroy,L.R. Field effect in semiconductors, 0=20890
Godin,Yu.G. See Emelyanov,V.S., 0=6384
Godlove,T.F. and DePackh,D.C. Adiabatic collapse of a relativistic electron beam, 0=19737
Godnev,I.N. and Orlova,I.V. The relationship between the kinematic coefficient matrix and the reciprocal matrices of kinetic energy in the problem of molecular vibrations, 0=1498
Godnev,I.N. See Rigina,I.V., 0=15691
Godnev,I.N. See Ushanova,N.I., 0=1496
Godoli,G. and Santoro,M. Voigt functions in the description, correction and interpretation of Fraunhofer line profiles, 0=16547
Goebel,K. and Schmidlin,P. Tritium measurements on stone meteorites, 0=6581
Goebel,K.,Schmidlin,P. and Zähringer,J. The tritium—helium and the potassium—argon age of the "Ramsdorf" meteorite, 0=4885
Goedecke,G.H. See Brown,E., 0=7904
Goedkoop,J.A. and Riste,T. Neutron diffraction study of antiferromagnetic spin waves in α-ferric oxide, 0=8065
Goel,N.S. See Singh,R.P., 0=16532
Goeppert-Mayer,M. See Lawson,R.D., 0=4025
Goering,H.L. See Miller,J.F., 0=12079
Goertzel,G. The method of discrete ordinates, 0=12957
Goetzberger,A. and Shockley,W. Metal precipitates in silicon p-n junctions, 0=18032

Goetze,G. Decay scheme and β-spectrum of MsTHl (Ra^{228}), 0=7511
Goetze,G. See Wachtel,M.M., 0=10757
Goffaux,R. Electrical properties of powders of electroluminescent ZnS, 0=13722
Gofman,I.I.,Protopopov,O.D. and Shuppe,G.N. Investigation of the electrostatic emission of electrons from a tungsten emitter in the impulse regime, 0=15048
Gofren,M.V. See Berkovich,S.L., 0=3633
Gogate,D.V. and Desai,H.S. Heat transfer by forced convection, 0=8826
Gogate,D.V. and Desai,H.S. Heat transfer and Reynolds number, 0=19475
Goggin,P.R. See Reynolds,W.N., 0=20854
Gogichaishvili,Sh.M. See Kucheryaev,A.G., 0=9516
Goh,T. See Hakura,Y., 0=14222
Goin,R.W. See Lewis,W.B., 0=20530
Goin,R.W. See McMurry,H.L., 0=13368
Göing,H. Elastic and inelastic scattering of negative K-mesons by free protons at 90 MeV, 0=15436
Gokhale,B.G.,Nigam,A.N. and Srivastava,K.S. Quadrupole and forbidden lines in the L-emission spectrum of bismuth 83, 0=20584
Gokhale,B.V. See Strandberg,M.W.P., 0=22
Gokhale,N.R. and Gatha,K.M. A new dew-point hygrometer, 0=14184
Gokhberg,B.M.,Otroshchenko,G.A. and Shigin,V.A. Effective cross-sections and anisotropy of the fission of Np^{237} and Th^{230}, 0=1452
Gokhberg,B.M.,Otroshchenko,G.A. and Shigin,V.A. Effective cross-section for fission of Th^{229}, 0=4132
Goland,A.N. See Gibson,J.B., 0=20856
Golant,V.E. The connection between the characteristics of very high-frequency and constant currents in a gas, 0=3765
Golant,V.E. Coefficient of ionization and mobility of electrons in argon, 0=8992
Golant,V.E. Development of the impulse s.h.f. discharge in inert gases, 0=15029
Golant,V.E. Development of the pulse discharge in neon at super-high frequencies, 0=16982
Golant,V.E. Diffusion of charged particles across a magnetic field in a three-component plasma, 0=17016
Golant,V.E. and Zhilinskii,A.P. Propagation of electromagnetic waves through a waveguide filled with plasma, 0=12703
Golant,V.E. and Zhilinskii,A.P. Experimental investigation of the diffusion break-up of a plasma in a magnetic field, 0=17015
Golay,M. Three-colour photometry of the black body, 0=8513
Golay,M. Effects of filter pass-bandwidths on the relations between different photometric systems, 0=8763
Golay,M.J.E. Velocity of light and measurement of interplanetary distances, 0=6574
Gold,A.V. The density of states in lead, 0=20772
Gold,A.V.,MacDonald,D.K.C.,Pearson,W.B. and Templeton,I.M. The thermoelectric power of pure copper, 0=20945
Gold,A.V. and Priestley,M.G. The Fermi surface in white tin, 0=20765
Gold,L. Asymptotic contribution to non-linear theory of plasma oscillations, 0=3770
Gold,L. Terminal zone cropping and ultimate zone purification, 0=8168
Gold,L.P. See Wharton,L., 0=20691
Gold,L.W. The cracking activity in ice during creep, 0=16237
Gold,R.D. See Hilibrand,J., 0=15972
Gold,T. Magnetic field in the solar system, 0=3410
Gold,T. Motions in the magnetosphere of the earth, 0=10405
Gold,T. Plasma and magnetic fields in the solar system, 0=10487
Gold,T. Space research in relation to the moon and the nearer planets, 0=10490
Gold,T. Abundance of lithium and origin of the solar system, 0=16537
Gold,T. and Hoyle,F. On the origin of solar flares, 0=18763
Gol'danskii,V.I. Tunnel transitions between systems described by the Morse potential curves, 0=1503
Gol'danskii,V.I. γ—p reactions with formation of nuclei in the ground state, 0=15589
Gol'danskii,V.I. Concerning very-heavy isotopes of hydrogen and helium, 0=15670
Goldansky,V.I.,Karpukhin,O.A.,Kutsenko,A.V. and Pavlovskaya,V.V. Elastic γ—p scattering at 40 to 70 MeV and polarizability of the proton, 0=20137
Gol'danskii,V.I. and Podgoretskii,M.I. A possible method of identifying new transuranic elements, 0=11332
Gol'danskii,V.I. and Smorodinskii,Ya.A. Singularities of the S-matrix and the ρ^0 meson, 0=13002
Goldansky,V.I. and Kazarnovsky,M.V. Intrashell-interaction levels and their excitation by multicharged ions, 0=5666
Gol'danskii,V.I. See Vasil'kov,R.G., 0=9420
Gol'danskii,V.I. See Vasil'kov,R.G., 0=13044
Goldberg,A. Flux at sea level of heavy charge particles pair-produced in cosmic ray showers, 0=7437
Goldberg,A. See Bjorken,J.D., 0=15283
Goldberg,E. See Reynolds,H.L., 0=17612
Goldberg,E.D. See Lal,D., 0=430
Goldberg,I. and Landovitz,L.F. Strong interactions and a model for hyperons, 0=17420
Goldberg,I. See Frank,W.M., 0=7418
Goldberg,J.E.,Bogdanoff,J.L. and Marcus,L. On the calculation of the axisymmetric modes and frequencies of conical shells, 0=12444
Goldberg,L. On the empirical determination of line-absorption coefficients, 0=14
Goldberg,L. Astronomy from satellites and space vehicles, 0=10533
Goldberg,L. Solar experiments, 0=14434
Goldberg,L.,Mohler,O.C.,Unno,W. and Brown,J. The measurement of the local Doppler shift of Fraunhofer lines, 0=14431
Goldberg,L.P. See Ellis,R.A., 0=11475
Goldberg,L.P. See Ellis,R.A.,Jr, 0=17001
Goldberg,M.D. and Le Blanc,J.M. Angular distributions of the $D(d,n)He^3$ reaction for 5- to 12-MeV deuterons, 0=17428
Goldberg,N. See Deutch,B.I., 0=5713
Goldberg,P. The action of nickel and cobalt in electroluminescent zinc sulfide phosphors, 0=2965
Goldberg,P. and Faria,S. On the physical characteristics and chemical composition of electroluminescent phosphors, 0=11790
Goldberger,M.L. Capture, beta decay, and pi-meson decay, 0=341
Goldberger,M.L. and Oehme,R. Application of dispersion relations to nucleon—nucleon scattering: the two-pion contribution, 0=15293
Goldberger,M.L. See Blankenbecler,R., 0=12849
Goldblatt,S. See Bomke,H.A., 0=8369
Goldemberg,J. See O'Connell,J., 0=1432
Golden,J. and Rowe,G.W. Pick-up of copper and duralumin on bonded tungsten carbide, 0=6322
Golden,J. and Rowe,G.W. Wear of the hard and soft phases in cobalt-bonded tungsten carbide, 0=18285
Golden,R.M. See Macmillan,R.S., 0=2003
Golden,S. Statistical theory of electronic energies, 0=17831
Golden,S. On a quantum mechanical theory of absolute reaction rates, 0=12093
Golden,S. and Longuet-Higgins,H.C. On temporal evolution of isolated dynamical systems, 0=18975
Goldenberg,H. Transient temperature rise due to a line source in a semi-infinite medium, with a radiation boundary condition at the interface, 0=5197
Goldenberg,H. Approximate solution of a non-linear differential equation giving the temperature distribution in the positive column of a static arc, 0=7098
Goldenberg,H.M.,Kleppner,D. and Ramsey,N.F. Atomic hydrogen maser, 0=19921
Goldfarb,A.M. On the education of physicists in three foreign countries, 0=3430
Goldfarb,L.J.B. and Johnson,R.C. Angular distributions and polarization in stripping processes and in direct reactions, 0=20420
Goldfarb,T.D. and Pimentel,G.C. Chemiluminescence of ethylene formed probably from methylene in an inert matrix, 0=13723
Goldhaber,G.,Goldhaber,S.,Lee,W. and Pais,A. Influence of Bose—Einstein statistics on the antiproton—proton annihilation process, 0=17339
Goldhaber,M. See Feinberg,G., 0=5518
Goldhaber,M. See Sunyar,A.W., 0=20392
Goldhammer,P. Theoretical calculation of the binding energy of O^{16}, 0=4016
Goldie,C.H. See Rose,P.H., 0=19830
Gol'din,L.L.,Novikova,G.I.,Pirogova,N.I. and Tret'yakov,E.F. Alpha decay of Th^{229}. Interaction of nuclear levels, 0=13187

Gol'din,L.L. See Myasishcheva,G.G., 0=7616

Gol'din,L.L. See Novikova,G.I., 0=11338

Gol'din,L.L. See Tret'yakov,E.F., 0=11372

Golding,B. See Harding,R.H., 0=6939

Golding,R.M. Ultraviolet absorption spectra of the molecules H_2O, HDO and D_2O, 0=15736

Goldman,A. and Post,G.I. Mercury process for MnBi production, 0=3269

Goldman,D.T. See Brueckner,K.A., 0=1345

Goldman,D.T. See Brueckner,K.A., 0=3920

Gol'dman,A.G. and Kurshev,A.K. Long "memory" effect in photoconductivity, 0=1677

Gol'dman,I.I. Polarization of mu-meson in cosmic rays, 0=1327

Goldring,G.,Birk,M.,Kamil,Z. and Mydansky,D. Method for eliminating the effects of amplitude drifts in measurements of ratios of counting rates, 0=17176

Goldring,G.,Schieber,M. and Vager,Z. On the incorporation of neodymium in mixed yttrium—neodymium—iron garnets, 0=21057

Goldring,G. See Birk,M., 0=1369

Goldring,G. See Blaugrund,A.E., 0=20397

Goldring,H. See Jaffe,J.H., 0=83

Goldsack,S.J. Two target operation of a proton—synchrotron, 0=19845

Goldsborough,J.P. and Mandel,M. Analysis of a magnetic resonance spectrometer, 0=19952

Goldsborough,J.P.,Mandel,M. and Pake,G.E. Influence of exchange interaction on paramagnetic relaxation times, 0=3123

Goldschmidt-Clermont,Y. See Ashkin,J., 0=15389

Goldschmidt-Clermont,Y. See Budde,R., 0=2465

Goldsmid,H.J. Principles of thermoelectric devices, 0=10002

Goldsmid,H.J. and Bowley,A.E. Thermal conduction in mica along the planes of cleavage, 0=19482

Goldsmith,G.J. and White,J.G. Ferroelectric behavior of thiourea, 0=2921

Goldsmith,P. and Jelley,J.V. Optical transition radiation from protons entering metal surfaces, 0=20099

Goldstein,B. Diffusion of cadmium and zinc in gallium arsenide, 0=9918

Goldstein,J.S. The infrared reflectivity of a planetary atmosphere, 0=18705

Goldstein,L. Some thermal properties of liquid helium three, 0=3698

Goldstein,L. On the theory of liquid and solid He^3, 0=3699

Goldstein,L. On thermal excitations in liquid ^{3}He, 0=8883

Goldstein,L. Thermal properties of solid He^4, 0=16941

Goldstein,L. See Marshall,T.C., 0=19693

Goldstein,P. See Chidley,B., 0=2686

Goldstein,S. and Murray,J.D. On the mathematics of exchange processes in fixed columns. III. The solution for general entry conditions, and a method of obtaining asymptotic expressions, 0=3466

Goldstein,S. and Murray,J.D. On the mathematics of exchange processes in fixed columns. IV. Limiting values, and correction terms for the kinetic-theory solution with general entry conditions, 0=3467

Goldstein,S. and Murray,J.D. On the mathematics of exchange processes in fixed columns, V. The equilibrium-theory and perturbation solutions, and their connexion with kinetic-theory solutions, for general entry conditions, 0=3468

Goldstone,J. and Gottfried,K. Collective excitations of Fermi gases, 0=47

Goldstone,L.O. and Oliner,A.A. Leaky-wave antennas. I. Rectangular waveguides, 0=5413

Goldwater,D.L. See Danforth,W.E., 0=17026

Goldsworthy,W.W. Transistorised portable counting-rate meter, 0=5457

Goldzahl,L.,Eberhard,P.,Cornille,H. and Chapdelaine,M. Evidence of the scattering of 2.62 MeV photons by the electric field of nuclei (Delbrück effect), 0=344

Goldzahl,L. See Banaigs,J., 0=9656

Gołębiewski,A. and Zalewski,K. On the interpretation of Slater's approximation of atomic orbitals, 0=17791

Golenetskii,S.V.,Rusinov,L.I. and Filimonov,Yu.I. Alpha-decay of isomeric Bi^{210}, 0=2633

Golenetskii,S.V.,Rusinov,L.I. and Filimonov,Yu.I. The decay scheme of the Bi^{210} isomer, 0=11339

Gol'fand,Yu.A. On gauge transformations in quantum electrodynamics, 0=7274

Gol'fand,Yu.A. The introduction of an "elementary length" in the relativistic theory of elementary particles, 0=9306

Gol'fand,Yu.A. On the mass of the leptons, 0=9308

Golianov,V.M. See Konobeevskii,S.T., 0=10332

Golikov,V.M. See Borisov,V.T., 0=8268

Golikova,O.A. See Vinogradova,M.N., 0=6089

Golikova,O.A. See Vinogradova,M.N., 0=18019

Golitsȳn,G.S. and Stanyukovich,K.P. Some remarks on the structure of shock waves, 0=2203

Golitsȳn,G.S. Some problems of the dynamics and heating of a conducting medium in a magnetic field, 0=11035

Golitsyn,G.S. On the influence of the magnetic field on the character of turbulence in the ionosphere, 0=12172

Golitsȳn,G.S. Fluctuations of the magnetic field and of the current density in turbulent flow of a slightly conducting fluid, 0=15118

Golobin,B.M.,Kashukeev,N.T. and Fridkin,V.M. The role of field in formation of heterocharge of a photoelectret, 0=2924

Golovachev,V.P. See Borisov,S.V., 0=12030

Golovachev,V.P. See Borisov,S.V., 0=13973

Golovashkin,A.I.,Motulevitch,G.P. and Shubin,A.A. Determinations of microscopic parameters of aluminium from its optical constants and electrical conductivity, 0=6077

Golovin,B.M.,Kashukeev,N.T.,Orlov,I.N. and Fridkin,V.M. Photo-electret state in zinc sulphide and two new electrophotographic processes, 0=13661

Golovin,B.M.,Zheludev,I.S.,Kashukeev,N.Y.,Orlov,I.N., Fridkin,V.M.,Mogilevskaya,L.Ya. and Antonov,A.S. A new electrophotographic process employing combined electret layers, 0=10001

Golovin,B.M. See Amaglobeli,N.S., 0=9407

Golovin,I.N. Studies of trapping fast charged particles in a constant magnetic field, 0=5840

Golovin,I.N. See Bezbatchenko,A.L., 0=5312

Golovkin,V.S. See Býkov,V.N., 0=3041

Golovnya,V.Ya. See Rutkevich,I.Ya., 0=7563

Golub,M. See Béné,G.J., 0=15179

Golyak,I.G. See Vinitsky,A.Kh., 0=9450

Gombás,P. A perturbation calculation based on an extended statistical model for atoms, 0=7680

Gombás,P. The statistical theory of compressed atoms, 0=7681

Gombás,P. The pressure dependence of the angular momentum of atoms, 0=9726

Gombás,P. Calculation of polarizabilities. II. Dependence of the polarizability on the atomic volume, 0=9735

Gombás,P. The calculation of the energy of He atoms, 0=11486

Gombás,P. The pressure dependence of the distribution of orbit-angular-momentum of electrons in atoms, 0=13388

Gombás,P. The theory of metallic silver, 0=17874

Gombás,P. and Ladányi,K. On the energy of a statistical atom model in which the electrons are grouped according to their principal quantum numbers, 0=7693

Gombás,P. and Ladányi,K. Calculation of the electron density of the Hg^{2+} ion on the basis of a generalized statistical model, 0=9742

Gombás,P. and Ladányi,K. The dependence of the electron-affinity of free atoms on the atomic number, 0=9745

Gombás,P. and Ladányi,K. Calculation of ionization energies. 0=9747

Gombás,P.,Szépfalusy,P. and Mágori,E. The statistical theory of the nucleus. IV, 0=13100

Gombay,L.,Gyulai,J. and Láng,J. On the determination of concentration and mobility of charge carriers in two-carrier semiconductors, 0=15900

Gombosi,E. See Bozoki,G., 0=2603

Gomer,R. Field emission through dielectric layers, 0=19713

Gomer,R. See Hayward,D.O., 0=751

Gomes,L.C. Imaginary part of the optical potential, 0=2615

Gomez,G. See Delyon,G., 0=2412

Gomez,R.,Burkhardt,H.,Daybell,M.,Ruderman,H.,Sands,M. and Talman,R. Evidence against the existence of the B^0 meson, 0=17363

Gomon,G.O. The luminescence spectra of diamonds, 0=13707

Gomon,G.O. The absorption spectra of diamonds, 0=16053

Gomoyunova,M.V. Secondary electron emission of NaCl films, 0=3792

Gomoyunova,M.V. Reflection of electrons and secondary electron emission of NaCl films, 0=3793

Gomoyunova,M.V. and Ivanov,G.A. The role of electrons inelastically scattered from various substrates in the secondary electron emission of thin layers of NaCl, 0=10940
Gonchar,V.Iu. See Tutakin,P.M., 0=7567
Goncharenko,A.M. Surfaces of refraction and absorption of absorbent monoclinic and triclinic crystals, 0=13672
Goncharenko,A.M. Concerning some peculiarities of the behaviour of the indices of refraction and the coefficients of absorption of absorbing crystals, 0=13674
Goncharenko,A.M. and Fedorov,F.I. Surfaces of refraction and absorption of absorbing crystals, 0=13673
Goncharov,V.V. Graphite in nuclear reactors, 0=13355
Goncharov,Yu.A. See Balashko,Yu.G., 0=13073
Gonikberg,M.G.,Tsiklis,D.S. and Opekunov,A.A. On the strengthening of high pressure vessels, 0=3385
Gonser,J.M. See Kelly,W.H., 0=20410
Gonser,U. Irradiation-induced growth of α-uranium as the result of correlated collision processes, 0=18308
Gonser,U. and Fujita,F.E. Small-angle scattering of X-rays by a deuteron-irradiated germanium crystal, 0=20858
González,L.,Rapaport,J. and van Loef,J.J. Ni^{58}(n,p)Co^{58} cross section for neutrons of energies between 2.2 and 3.6 MeV, 0=20495
Gonzalez-Sanchez,F. See Hidalgo,A., 0=9803
Gonzalez-Vidal,J. and Wade,W.H. Survey of tritium-producing nuclear reactions, 0=20425
Gonze,A. A magnetic analyser for 12 MeV deuterons, 0=5363
Gonze,A.,Keppenne,R. and Macq,P.C. Extraction and analysis of the beam of the Louvain cyclotron, 0=15094
Good,B.J. See Reynolds,J.M., 0=8905
Good,I.J. Randomised and pseudorandomised substantialization of sign sequences, 0=3213
Good,M.L. and Holladay,W.G. $\Delta T = \frac{1}{2}$ selection rule and $K_2^+\pi$ decay, 0=7413
Good,M.L. See Crawford,F.S., Jr, 0=1316
Good,M.L. See Crawford,F.S., Jr, 0=1317
Good,M.L. See Eberhard,P., 0=20226
Good,M.L. See Eberhard,P., 0=20234
Good,R. See Muller,F., 0=11220
Good,R.H. and Piccioni,O. Analog computer for charged particle trajectories, 0=19784
Good,R.H.,Jr. Massless particles, 0=17274
Good,R.H., Jr and Rose,M.E. Transverse polarization in allowed β transitions, 0=2643
Good,R.H., Jr. See Hammer,C.L., 0=5693
Good,R.H., Jr. See Liu,S.H., 0=2981
Good,R.H., Jr. See Rose,M.E., 0=7400
Goodall,M.J. and Young,J.E.R. Bibliography of thermoelectricity, 0=19599
Goodbody,A.M. The influence of coma on the response function of an optical system, 0=10749
Goode,D.H. and Schroeder,P.A. Aggregation of F centers in potassium iodide, 0=1597
Goodenough,J.B. Direct cation—cation interactions in several oxides, 0=7832
Goodenough,J.B. Direct cation—cation interactions in primarily ionic solids. 0=11554
Goodenough,J.B. On the influence of 3d^4 ions on the magnetic and crystallographic porperties of magnetic oxides. 0=13758
Goodenough,J.B. Band structure of transition metals and their alloys, 0=17911
Goodenough,J.B.,Wold,A. and Arnott,R.J. Interpretation of the magnetic and crystallographic properties of several iron, nickel, and iron-nickel nitrides, 0=11830
Goodenough,J.B. See Dwight,K., 0=2300
Goodenough,J.B. See Wickham,D.G., 0=1814
Goodfriend,P.L.,Birss,F.W. and Duncan,A.B.F. Calculations on the electronic structure of the normal state of formaldehyde, 0=17827
Gooding,T.J. and Pugh,H.G. Quasi-elastic scattering of 153 MeV protons by p-state protons in C^{12}. I. Experimental, 0=17584
Gooding,T.J. See Riley,K.F., 0=17585
Goodkind,J.M. and Fairbank,W.M. Nuclear spin relaxation in solid He^3, 0=12554
Goodman,A. See Scharff-Goldhaber,G., 0=5731
Goodman,A.M. Test set for displaying the volt—ampere characteristics of tunnel diodes, 0=7046
Goodman,A.M. and Warfield,G. Dember effect in silver chloride, 0=20941
Goodman,B.B. The probable existence of superconducting elements with extremely low transition temperatures, 0=5236
Goodman,B.B. The specific heat of mercury below 1°K, 0=11584
Goodman,B.B. See Doulat,J., 0=3706
Goodman,C.D. Interpretation of "anomalous inelastic scattering", 0=436
Goodman,C.D. and Ball,J.B. Survey of (p,d) reactions at 22 MeV, 0=9615
Goodman,C.D. See Ball,J.B., 0=17592
Goodman,C.D. See Fulmer,C.B., 0=7547
Goodman,C.H.L. Bonding in cadmium telluride, 0=7833
Goodman,G.H.L. Bonding and semiconductivity relationships in Bi_2Te_3 and CdI_2 type structures, 0=15945
Goodman,J.F. The decomposition of magnesium hydroxide in an electron microscope, 0=7742
Goodman,L. See Hoyland,J.R., 0=17803
Goodman,L. See Krishna,V.G., 0=15742
Goodman,L.S. See Childs,W.J., 0=15511
Goodrich,R.F. See Siegel,K.M., 0=5404
Goodwin,G.L. A discussion of ionospheric demodulation near gyro frequency, 0=3863
Goodwin,J.G. and Lorenz,F.R. A study of some mechanical, physical, and corrosion properties of iodide hafnium, 0=15635
Goodwin,L.K.,Kenney,R.W. and Perez-Mendez,V. Experimental evidence for D waves in π^-—p scattering at 370 and 427 MeV, 0=2581
Goody,R.M. See Saiedy,F., 0=18770
Goorissen,J. Segregation and distribution of impurities in the preparation of germanium and silicon, 0=13944
Goosey,M.H. Kandiah discriminator permits simplified monitor circuit, 0=3910
Gopala Krishna,K.V. Dielectric relaxation — effect of temperature, 0=5022
Gopala Rao M.S.V.,Ramachandra Rao B. and Ramachandra Rao Pant P. Correlation of spread-F activity with F-region height changes. 0=14242
Gorbach,V.I. See Men',A.V., 0=300
Gorbachev,V.M. and Poretskii,L.B. Inelastic neutron scattering cross sections for some light nuclei at 14 MeV, 0=11445
Gorbachev,V.M. and Zamyatnin,Yu.S. Determination of the intensity of short-duration pulses of fast neutrons, 0=7390
Gorban',A.N. and Sokolov,V.A. The physico-chemical nature candoluminescence. 0=8021
Gorban',A.N. and Sokolov,V.A. Candoluminescence and luminescence due to recombination on the phosphor surface in an active-gas atmosphere, 0=10052
Gorban',A.N. and Sokolov,V.A. The semiconducting mechanism of surface-recombination luminescence, 0=10053
Gorban',I.S. and Timofeev,V.B. Absorption of light by cuprous oxide films, 0=20982
Gorbatenko,M.F. See Fainberg,Ya.B., 0=9055
Gorbunov,A.A.,Denisov,F.P. and Kolotukhin,V.A. The Al$^{27} \rightarrow$ Na^{24}, Co$^{59} \rightarrow$ Mn^{56} and P$^{31} \rightarrow$ Na^{24} reactions up to 260 MeV γ-quantum energy range, 0=13265
Gorbunov,A.N.,Spiridonov,V.M. and Cherenkov,P.A. On the existence of particles with masses of $2m_e \leq \mu \leq 25\ m_e$, 0=5519
Gorbunova,K.M.,Bondar,V.V.,Moiseev,V.P.,Popova,O.S., Polukarov,Yu.M. and Sutyagina,A.A. The constitution of electrodeposited metals [as inferred] from data of structural investigations, 0=16365
Gorchakov,E.V. See Vernov,S.N., 0=9469
Gordeev,G.V. The influence of end boundaries upon the rotation of plasma in a magnetic field, 0=9171
Gordeev,G.V. The problem of internal breakdown in non-polar semiconductors, 0=15912
Gordeev,I.V.,Orlov,V.V. and Sedel'nikov,T.Kh. Temperature dependence of the effective resonance absorption integral, 0=7375
Gorden,R., Jr. See Clarke,J.T., 0=6390
Gordon,A.S. and McNesby,J.R. Isomerization of primary n-alkyl free radicals, 0=746
Gordon,C. See Aked,A., 0=10887
Gordon,A.S. See Drew,C.M., 0=4710
Gordon,E.I. Charged-particle orbits in varying magnetic fields, 0=12647
Gordon,G.D. Mechanism and speed of breakup of drops, 0=930
Gordon,G.D. Measurement of ratio of absorptivity of sunlight to thermal emissivity, 0=19354
Gordon,G.E.,Larsh,A.E. and Sikkeland,T. Angular distribution of fragments from fission of Au^{197} with carbon ions, 0=13306

Gordon,G.E.,Larsh,A.E.,Sikkeland,T. and Seaborg,G.T. Fission of gold by carbon ions, 0=20516
Gordon,G.E. See Larsh,A.E., 0=20508
Gordon,I.M. Mechanism for the production of relativistic electrons in the atmospheres of non-stationary stars, 0=12312
Gordon,J.E.,Marsh,D.M. and Parratt,M.E.M.L. On the strength and structure of glass, 0=3261
Gordon,J.P. See Clogston,A.M., 0=6272
Gordon,R.B. Hole model for diffusion in liquids, 0=16689
Gordon,R.B. See Bauer,C.L., 0=11973
Gordy,W. See Miyagawa,I., 0=3128
Gordy,W. and Cowan,M. Proposed molecular amplifier and coherent generator for millimeter and submillimeter waves, 0=11042
Gordy,W. and Shields,H. Structure and orientation of free radicals formed by ionizing radiations in certain native proteins, 0=20705
Gordy,W. See Bhattacharya,B.N., 0=13441
Gordy,W. See Patten,F., 0=20706
Gorelik,L.V. Relation between the force of viscous friction and the streaming potential [of the electric double layer], 0=19604
Gorelova,M.V. See Vitkevich,V.V., 0=18641
Gorgolewski,S. and Hewish,A. The irregular structure of the solar corona during 1959 June, 0=18749
Gorgui,M.A. See Bassali,W.A., 0=6712
Göring,W. Interpretation of the relaxation of surface tension, 0=3504
Göring,W. Dependence of surface tension upon the rates of formation and ageing of the surface, 0=5005
Goring,D.A.I. See Gupta,P.R., 0=16393
Gorjunova,N.A. and Kolomijez,B.T. Glass-like semiconductors, 0=3263
Gor'kov,L.P. Theory of superconducting alloys in a strong magnetic field near the critical temperature, 0=8927
Gor'kov,L.P. The critical supercooling field in superconductivity theory, 0=8941
Gor'kov,L.P. Microscopic derivation of the Ginzburg—Landau equations in the theory of superconductivity, 0=10836
Gor'kov,L.P. See Abrikosov,A.A., 0=8930
Gor'kov,L.P. See Abrikosov,A.A., 0=19552
Gorkun,Yu.I. and Tolpy̆go,K.B. Properties of the motion of fast current carriers in polar crystals, 0=18085
Görlich,P.,Karras,H. and Kühne,K. Some optical measurements on calcium fluoride, 0=11759
Görlich,P.,Krohs,A.,Pohl,H.J.,Reichel,R. and Schmidt,L. Resolving power of scintillation multipliers and its dependence on various parameters, 0=3790
Görlich,P.,Krohs,A.,Pohl,H.J.,Reichel,R. and Schmidt,L. Resolving power of scintillation multipliers and its dependence on various parameters (correction), 0=3791
Görlich,P. See Frischmuth-Hoffmann,G., 0=19721
Gorman,J.G. See Ellis,R.A., 0=11475
Gorman,J.G. See Ellis,R.A.,Jr, 0=17001
Gorny̆i,N.B. Discrete energy losses of electrons in solids and yield of secondary electrons, 0=2374
Gorny̆i,N.B. Discrete electron energy losses and secondary emission from CdO, 0=9076
Gorodetskii,A.F.,Guk,G.N. and Puchkin,B.I. Strain coefficients of thin layers of bismuth, tellurium and germanium, 0=16198
Gorodetsky,A.F.,Mel'nik,V.G. and Mel'nik,I.G. A method of producing ohmic contacts with silicon, 0=595
Gorodetskii,P.G. Parametric excitation of harmonic oscillations in a linear oscillating circuit whose parameters change with time in nonperiodic fashion, 0=9185
Gorodetzky,S.,Croissiaux,M.,Fintz,P.,Samuel,J.,Bassompierre,G., Armbruster,R. and Chevallier,P. Study of the 4.46 and 5.03 MeV states in B^{11} by the $B^{10}(d,p)B^{11}$ reaction at 4.6 MeV deuteron energy, 0=11321
Gorodetzky,S.Croissiaux,M.Gallmann,A.Fintz,P.Samuel,J. and Bassompierre,G. Study of the 6.76 and 7.30 MeV states of B^{11} by the reaction $B^{10}(d,p)B^{11}$, 0=11322
Gorodetzky,S.,Croissiaux,M.,Gallmann,A.,Fintz,P.,Samuel,J. and Bassompierre,G. Study of some excited states of B^{11} by means of the reaction $B^{10}(d,p)B^{11}$, 0=17597
Gorodetzky,S.,Gallmann,A. and Croissiaux,M. (,) angular correlation in the reaction $N^{14}(p, \ )O^{15}$, 0=9631
Gorodetzky,S. and Knipper,A. The delayed coincidence method. The mean lifetime of the first excited state of the B^{10} nucleus, 0=9547
Gorodetsky,S.,Manquenouille,R.,Richert,R. and Knipper,A. Mean life of the 279 keV level of Tl^{203}, 0=15540
Gorodetzky,S.,Muller,T.,Port,M. and Bergdolt,G. A study of some γ-transitions in the Si^{29} nucleus by the reaction $Si^{28}(d,p)Si^{29*}(\gamma)Si^{29}$, 0=9587
Gorodetzky,S.,Muller,T.,Port,M.,Bergdolt,G. and Graff,J. A coincidence circuit using a time-pulse height convertor, 0=19992
Gorodetzky,S.,Richert,R.,Manquenouille,R. and Knipper,A. The half-life of the first excited state of B^{10}, 0=17557
Gorodetzky,S.,Sutter,G.,Chevallier,P.,Scheibling,F. and Armbruster,R. On the excitation function for internal conversion pairs and γ-rays from the reactions $F^{19}(p,\alpha)O^{16}$ and $Cd^{40}(p,p')Ca^{40}$, 0=7560
Gorodetzky,S.,Sutter,G.,Scheibling,F.,Mennrath,P.,Chevallier,P. and Armbruster,R. Angular correlation of internal conversion pairs of the 3.560 MeV transition of Li^6, 0=13150
Gorodkov,Yu.V. See Alikhanov,A.I., 0=9454
Gorodkov,Yu.V. See Alikhanov,A.I., 0=20176
Goroff,I.R. An experiment on heat transfer by overstable and ordinary convection, 0=8828
Gorokhovatskii,F.S. See Garber,R.I., 0=18267
Gorowitz,B.,Moses,K. and Gloersen,P. Magnetically driven fast-acting valve for gas injection into high vacua, 0=3577
Gorshkov,G.V. and Lyatovskaya,N.M. The neutron radiation of mountain rocks, 0=16404
Gorshkov,G.V. and Shimanskaya,N.S. Calorimetric measurements on sources composed of the naturally-occurring radioactive elements, 0=5685
Gorshkov,M.M. See Vavilov,V.S., 0=20984
Gorshkov,V.K.,Ivanov,R.N.,Kukabadze,G.M. and Reformatsky,I.A. ^{235}U fission product yields in the rare earth region, 0=7648
Górski,L. See Feltynowski,A., 0=3285
Górski,L. See Feltynowski,A., 0=11997
Gorter,C.J. See Bölger,B., 0=10223
Gorter,C.J. See Lasheen,M.A., 0=10095
Gorter,C.J. See van den Broek,J., 0=6261
Gorter,C.J. See Van Weir,O.P., 0=6247
Gorter,E.W. See Casimir,H.B.G., 0=13742
Gorton,H.C. Dendritic inclusions in AlSb grown-junction diodes, 0=16276
Gorton,H.C.,Swartz,J.M. and Peet,C.S. Radiative recombination in gallium phosphide point-contact diodes, 0=20916
Gorton,H.C. See Wieber,R.H., 0=9915
Gorum,A.E. See Luhman,W.J., 0=21097
Goryaga,A.N. See Belov,K.P., 0=13830
Goryunov,A.F. The scattering of slow neutrons by water molecules, 0=2547
Goryunov,N.N. Ionization chamber recording device with 128 channels, 0=3883
Goryunov,N.N. See Vernov,S.N., 0=9466
Goryunov,N.N. See Vernov,S.N., 0=15478
Goryunov,Yu.V.,Pertsov,N.V. and Rebinder,P.A. Adsorptive lowering of strength and brittle rupture of zinc and cadmium single crystals, 0=1871
Goryunov,Yu.V.,Pertsov,N.V.,Shchukin,E.D. and Rebinder,P.A. The change in the mechanical properties of tin single crystals under the influence of a strong adsorption active medium, 0=6313
Goryunova,N.A. and Fedorova,N.N. Solid solutions in the zinc selenide—gallium arsenide system, 0=729
Goryunova,N.A.,Kolomiets,B.T. and Shilo,V.P. Vitreous semiconductors. IX. Vitrification in complex chalcogenides based on As_2S_3 and As_2Se_3, 0=13610
Goryunova,N.A. and Prochukhan,V.D. Solid solutions in quaternary systems based on InAs and InsB, 0=10327
Goryunova,N.A.,Radautsan,S.I. and Kiosse,G.A. A new semiconducting compound in the system In—Sb—Te, 0=9978
Goryunova,N.A.,Radautsan,S.I. and Deryabina,V.I. Homogenization of alloys of the indium arsenide—indium selenide system by annealing under pressure, 0=1939
Goryunova,N.A. See Baranov,B.V., 0=10328
Gorzhevskaya,É.G.,Popova,V.M. and Yagudina,F.R. Photoproduction of π^+ mesons on hydrogen near the threshold, 0=15414
Gorzhevskaya,É.G. See Adamovich,M.I., 0=13046
Gösele,K. On the design of sound absorbers according to the reflexion principle, 0=1012
Gösele,K. The radiation behaviour of plates, 0=16809
Gösele,K. A simple structure-Borne sound measuring instrument for architectural acoustic applications, 0=19317
Gosele,K. Impact noise — origin and reduction, 0=19335

Gossard,A.C. See Portis,A.M., 0=10246
Gossard,E.E. Power spectra of temperature, humidity and refractive index from aircraft and tethered balloon measurements, 0=16477
Gossard,W.H. See Gerson,N.C., 0=3356
Gossard,W.H. See Gerson,N.C., 0=16493
Gosselin,C.M. See Grosskreutz,J.C., 0=11976
Gossick,B.R. Dipole mode of minority carrier diffusion with reference to point contact rectification, 0=1633
Gossick,B.R. Correlation between certain extinction bands of solids and plasma resonance, 0=7876
Gossick,B.R. Optical absorption by free carriers in a semiconductor containing a dispersed colloidal phase, 0=7995
Gossick,B.R. Transistor with base containing a dispersed colloidal phase, 0=9979
Gosting,L.J. See Kirkwood,J.G., 0=19105
Goswami,A. See Trehan,Y.N., 0=13959
Goswami,S.N. The effect of a uniform magnetic field on electrodeless discharge in a tube and measurement of electronic mobility. I. Air, 0=7093
Goswami,S.N. The effect of a uniform magnetic field on electrodeless discharge in a tube and measurement of electronic mobility. II. Oxygen, nitrogen, carbon dioxide and hydrogen, 0=7094
Goswami,S.N. Electron temperature in electrodeless discharge subjected to a transverse magnetic field, 0=16979
Goswami,S.N. Increase in breakdown potential of a gas in electrodeless discharge in the presence of a transverse magnetic field and the concept of equivalent pressure, 0=19628
Gotlib,Yu.Ya. Internal rotation in polymer chains and their physical properties. X. The dimensions of polymer chains taking into account the continuous correlation of the internal rotations in the neighbouring monomer groups, 0=9832
Goto,K. Relativistic magnetohydrodynamics, 0=12685
Goto,K. A covariant interpretation of the existence of the parity non-conservation and the new freedoms for elementary particles, 0=12832
Goto,S. and Machida,S. Effects of virtual nucleon pairs to the electromagnetic structure of the nucleon, 0=12917
Gotō,T. On the unstable states in quantum field theory, 0=15273
Gotō,T.,Sato,M. and Uchida,T. On the mechanism of the pinch effect, 0=5301
Goto,T. See Kakudo,Y., 0=13025
Gotō,T. See Ōba,J., 0=15352
Gotow,K. and Heer,E. P—p phase shift solutions and depolarization scattering parameter at 210 MeV, 0=17336
Gottenberg,W.G. Experimental study of vibrations of a circular cylindrical shell, 0=14710
Gottfried,K. Dispersive effects in elastic scattering by complex nuclei, 0=5762
Gottfried,K. See Goldstone,J., 0=47
Gottlieb,I. A direct consequency arising from the relativistic handling of an "uniform" field, 0=6664
Gottlieb,J. Study of the nuclear field with a rigid (protonic) charge distribution by means of the general theory of relativity, 0=17466
Gottlieb,M. Optical properties of lithium fluoride in the infrared, 0=6182
Gottlieb,M. Reflectivity of Li^6F and Li^7F, 0=6183
Gottlieb,P. Double pump degenerate ferrite amplifier, 0=9201
Gottlieb,P. Sound source near a velocity discontinuity, 0=16781
Gottlieb,P. Nonlinear effects of crystalline anisotropy on ferrimagnetic resonance, 0=21065
Gottschalk,B. and Strauch,K. Quasi-elastic proton—proton scattering at 158 MeV, 0=20135
Gouiran,R. See Stickel,P., 0=2412
Goulart,H.S. See Schulman,J.H., 0=9241
Gould,R.K. and Nyborg,W.L. Viscous damping of bubbles, 0=10643
Gould,R.W. See Trivelpiece,A.W., 0=1132
Gourary,B.S. and Maradudin,A.A. Absorption and emission spectra of an electron in a one-dimensional deep trap, 0=11755
Gourceaux,M. A simple mathematical representation of the influence of frequency on the complex refractive index of metals; application to the transparence of alkali metals to ultraviolet radiation, 0=1721
Gourceaux,M. On the transparency of the alkali metals in the ultraviolet, 0=4401
Gourceaux,M. Influence of frequency and structure on the complex refractive index of metals and of thin metallic films, 0=10032
Gourdin,M. A covariant study of high energy nucleon—nucleon scattering, 0=338
Gourdin,M. and Martin,A. K^+—deuterium inelastic and exchange scattering. II, 0=4000
Gourdin,M. and Martin,A. Photoproduction of pions on pions, 0=13043
Gourdin,M. and Martin,A. Pion photon scattering, 0=15400
Gourdin,M. and Tran Thanh Van,J. Relativistic deuteron wave function. I, 0=7421
Gourdon,C. See Prévot,F., 0=3762
Goureaux,G. and Colombani,A. Magnetoresistance of thin films of nickel: perpendicular effect, 0=15889
Goureaux,G. See Colombani,A., 0=8283
Goureaux,G. See Colombani,A., 0=13813
Goursky,V. and Gutmann,P. The proton synchrotron "Saturne". Direct current transistor amplifier for 400 amp, 0=2412
Gouskov,L. Observations on the oxidation of heat treated (111) surfaces of germanium, 0=3189
Gouskov,L. Results concerning the oxidation of germanium surfaces of various orientations, for temperatures varying from 500 to 800°C and oxygen pressures of 10^{-4} to 10^{-3} mm Hg, 0=12097
Gouskov,L. and Nifontoff,N. Contribution to the study of the chemical attack and oxidation of orientated surfaces of single crystals of germanium, 0=1896
Goussu,O. See Berthelot,A., 0=4090
Gouterman,M. A theory for the triplet—triplet absorption spectra of porphyrins, 0=20658
Goutte,R. and Guillaud,C. Use of a gaseous ion gun for the study of secondary emission from a strained metal surface, 0=19731
Goutte,R. See Bernard,R., 0=14096
Goutte,R. See Bernard,R., 0=19800
Govaerts,J. See Pierroux,A., 0=7495
Gove,H.E. See Almqvist,E., 0=20347
Gove,H.E. See Batchelor,R., 0=11383
Gove,H.E. See Bromley,D.A., 0=1398
Gove,H.E. See Ferguson,A.J., 0=1411
Govorkov,B.B. See Baldin,A.M., 0=1300
Govorkov,B.B. See Baldin,A.M., 0=5595
Govorkov,B.B. See Vasil'kov,R.G., 0=9420
Govorkov,B.B. See Vasil'kov,R.G., 0=13044
Govorkov,B.B. See Vasil'kov,R.G., 0=13045
Govorun,N.N. The uniqueness of solution of the integral equations in aerial theory (of the first kind), 0=15150
Gow,J.D. and Pollock,H.C. Development of a compact evacuated pulsed neutron source, 0=7380
Gower,J.C. and Rayner,J.H. Crystallographic programmes for a computer, 0=8202
Gozzini,A. See Battaglia,A., 0=5918
Graff,G. and Jánossy,L. An investigation concerning the classical fluctuation of light, 0=5122
Graaff,W.de. See de Graaff,W.
Grabe,B. A quantum mechanical calculation of the electron distribution in carboxyl-phosphate and some related molecules, 0=7736
Grabe,B. Calculation of energy levels and electron distribution in reduced and oxidized forms of diphosphoridine nucleotide and of flavine, 0=15768
Grabke,H. See Below,F., 0=19400
Grabner,L. Longitudinal Hall effect, 0=4333
Grabovskii,M.A. and Brodskaya,S.Yu. Normal magnetization and thermo-magnetization of anisotropic rocks, 0=1973
Grabovsky,M.A. Magnetic properties of anisotropic rocks, 0=6431
Grabovsky,M.A. The problem of the formation of remanence with an opposite polarity in rocks, 0=6432
Grabowski,Z. and van Nooijen,B. Gamma—gamma directional correlation in ^{200}Hg, 0=13114
Grabowski,Z. See Marklund,I., 0=7477
Grace,M.A. Survey of the experimental situation in β-decay, 0=9312
Grace,M.A.,Johnson,C.E.,Kurti,N.,Scurlock,R.G. and Taylor,R.T. Nuclear orientation and the hyperfine structure coupling in cobalt metal, 0=20786
Grace,M.A. See Dagley,P., 0=9515
Grace,M.A. See Evans,J.E., 0=7554
Grace,M.A. See Ferguson,A.T.G., 0=17553

Grace,M.A. See Ferguson,A.T.G., 0=17561

Grad,H. Plasma trapping in cusped geometries, 0=9026

Grad,H. On molecular chaos and the Kirkwood superposition hypothesis, 0=18971

Graff,H.F. See Koh,P.K., 0=3275

Graff,J. See Gorodetzky,S., 0=19992

Grafov,B.M. See Vdovin,Yu.A., 0=6101

Graftzer,R. See Bernstein,E.M., 0=15551

Graham,C.D.,Jr. Anisotropy constants of iron and iron-silicon alloys at room temperature and below, 0=2992

Graham,C.D.Jr, Temperature dependence of anisotropy and saturation magnetization in iron and iron—silicon alloys, 0=10113

Graham,C.D.,Jr. See Barrett,C.S., 0=21156

Graham,C.D.,Jr. See Kouvel,J.S., 0=2996

Graham,C.D.,Jr. See Kouvel,J.S., 0=11841

Graham,C.D.,Jr. See Kouvel,J.S., 0=13853

Graham,C.H. and Hsia,Y. Luminosity losses in deuteranopes, 0=6528

Graham,D.C. See Agarwal,P.D., 0=10144

Graham,G.M. The thermal conductivity of tin and indium below 1°K, 0=8937

Graham,J. Distortions in metallic structures, 0=7879

Graham,R.A. Depth of indentation on an impacting projectile, 0=10629

Graham,R.L. See Ewan,G.T., 0=2642

Graham,R.L. See Ewan,G.T., 0=2647

Graham,R.L. See Ewan,G.T., 0=17555

Graham,R.L. See Geiger,J.S., 0=11368

Grahl,B.H. 21 cm investigation of the structure and dynamics of the Milky Way between 100° and 120° galactic longitude, 0=8479

Grahn,R. A theoretical investigation of the role of polarization in the formation of hydrogen bonds, 0=5981

Graiff,F. On the relation between congruence conditions and indefinite [equilibrium] equations in continuum mechanics, 0=6704

Gram,P.A.M. See Friedman,J.I., 0=20147

Gramberg,G. Absorption spectrum and Zeeman effect of crystalline dysprosium salts at low temperatures, 0=16054

Gramenitskii,I.M.,Danysh,M.Ya.,Lyubimov,V.B.,Podgoretskii,M.I. and Tuvdéndorzh,D. On the problem of angular correlation of secondary particles produced in high-energy nuclear collisions, 0=1401

Gramenitskii,I.M. See Bogachev,N.P., 0=9354

Gramenitskii,I.M. See Bogachev,N.P., 0=11400

Gränacher,I. and Diehl,P. Solvent effects in the proton magnetic resonance spectra of phenols, 0=91

Granata,S. See Germagnoli,E., 0=9902

Granath,J.A. Instrumentation applications of inverse-Wiedemann effect, 0=11015

Grandjean,C. and Desvignes,F. Measurement of the coefficient of photoelasticity of germanium, 0=7996

Grandjean,D. See Hadni,A., 0=8810

Grandmontagne,R. A table of Hermitian polynomials for the calculation of harmonic wave-functions, 0=14369

Grandmontagne,R. A form of the "Morse" wave function and an extension of M.E.Pillow's method, 0=15686

Grandmontagne,R. and Eido,R. Potential curve of the $B^2\Sigma_u^+$ state of the N_2^+ molecule, 0=489

Grange,J. Experimental researches on magnetic rotary power and the rotativity of fluids, 0=3543

Grange,J. and Fousse,H. Magnetic rotatory power. Experimental determination of covalent rotativities, 0=10788

Grange,J. See Fousse,H., 0=8777

Grangeon,J. See Berthet,G., 0=681

Gränicher,H. Lattice disorder and physical properties connected with the hydrogen arrangement in ice crystals, 0=7881

Gränicher,H. and Schurter,W. A rod method for dielectric constant measurement; application to $(NH_4)_2H_3IO_6$ at 3 cm wavelength, 0=18084

Granovskii,Ya.I. On the question of a ρ°-meson, 0=1285

Granovskii,Ya.I. The electromagnetic interaction in the Heisenberg theory, 0=9260

Granovskii,Ya.I. Calculation of the coupling constant in a nonlinear theory, 0=9285

Granovskii,Ya.I. The mass spectrum of mesons in Heisenberg's theory, 0=9386

Granovskii,Ya.I. Simplification of the formulae for statistical weight calculations, 0=14524

Granovskii,Ya.I. and Chasnikov,I.Ya. The analysis of high-energy showers, 0=9468

Grant,D.M. See Gutowsky,H.S., 0=2742

Grant,E.H. Method for measuring the complex dielectric constant of a high-loss liquid at 8 mm wavelength, 0=6796

Grant,F.A. Properties of rutile (titanium dioxide), 0=519

Grant,F.A. See Senftle,F.E., 0=18165

Grant,H.L.,Moilliet,A. and Stewart,R.W. A spectrum of turbulence at very high Reynolds number, 0=5000

Grant,J.J.,Medicus,H.A.,Demers,J. and Demers,P. The separation of low-energy deuterons from protons in ultra-fine grain emulsions, 0=12767

Grant,P.M. and Ward,R.B. Large scale laboratory freeze-drying apparatus, 0=5066

Granville,J.W. See Bayham,A.C., 0=7976

Granville,R.A. and Boxall,G. Measurement of convective heat transfer by means of the Reynolds' analogy, 0=16914

Grard,F. See Franeau,J., 0=11070

Grashin,A.F. Nucleon—nucleon scattering in high angular momentum states, 0=11160

Grashin,A.F. Angular correlations near multiple production thresholds, 0=11395

Grashin,A.F. and Kobzarev,I.Yu. Peripheral interaction of nucleons in the two-meson approximation, 0=12921

Grashin,A.F. and Kobsarev,I.Yu. On peripheral nucleon—nucleon interaction in the two-meson approximation, 0=17325

Grashin,A.F. See Galanin,A.D., 0=7343

Grashin,A.F. See Galanin,A.D., 0=9351

Grashin,A.F. See Galanin,A.D., 0=17324

Grashin,A.F. See Kirillov-Ugryumov,V.G., 0=9693

Grasse,R.W.De. See De Grasse,R.W.

Grassmann,P. See Frederking,T., 0=3696

Grasyuk,D.S. Scattering of sound waves by the uneven surface of an elastic body, 0=19304

Gratot,I.,Le Pape,M.,Olkowsky,J. and Ranc,G. A study of some promethium and samarium isotopes very deficient in neutrons, 0=5689

Gratton,L. Report on the Cordoba Observatory program, 0=12297

Gratton,L. A note on the color effect on astrometric plates, 0=12301

Gravalos,F.G. The dynamics of turbo-flow, 0=19074

Graven,W.M.,Salomon,R.E. and Adams,G.B.,Jr. Absorption spectra of anodic niobium oxide films, 0=18411

Graven,W.M. See Saloman,R.E., 0=4412

Graves,J.C. and Brill,D.R. Oscillatory character of Reissner—Nordström metric for an ideal charged wormhole, 0=18938

Gravitt,J.C. Frequency response of an acoustic air-jet generator, 0=128

Gravitt,J.C. Sonic absorption in carbon disulfide vapor as a function of temperature, 0=8694

Gravitt,J.C. Thermal relaxation absorption in ethylene, 0=19209

Gravlin,E.S. and Cowen,J.A. Simple microwave resonance spectrometer, 0=310

Grawert,G.,Luders,G. and Rollnik,H. The TCP theorem and its applications, 0=321

Grawert,G. and Petzold,J. Formal multi-channel scattering theory. An alternative formulation, 0=11109

Gray,A.C. and Thomas,S. Photoelectric apparatus for measuring velocity, 0=3488

Gray,A.L. Neutron flux measurement at elevated temperatures, 0=15189

Gray,D.L. Recovery of lattice expansion of irradiated molybdenum, 0=20851

Gray,E. See Bottreau,M.M., 0=9804

Gray,G.A. Single-velocity equivalents for multivelocity electron streams, 0=5343

Gray,J.,Jr. See Gindler,J.E., 0=1455

Gray,J.,Jr. See Hagemann,F., 0=1980

Gray,J.H.,III,Hamester,H.L. and Caretto,A.A.,Jr. New nuclide, krypton-74, 0=20395

Gray,P. and Reeves,L.W. Potential energy barrier to rotation in methyl nitrite measured by P.M.R., 0=17785

Gray,P. See Suddaby,A., 0=6774

Gray,S. and Weimer,P.K. Production of fine patterns by evaporation, 0=3282

Graybeal,J.D. Microwave spectrum and molecular structure of monochloroacetonitrile, 0=7813

Grdenić,D. and Matković,B. Dimorphism and isomorphism of zirconium (IV), cerium (IV), thorium (IV) and uranium (IV) acetylacentonates, 0=3246
Grdenić,D. See Bezjak,A., 0=10319
Greatorex,C.A., See Anderson,W., 0=11330
Greaves,J.C. and Linnett,J.W. Recombination of atoms at surfaces. IV. Theory of method and measurement of atom concentrations, 0=510
Greaves,J.C. and Linnett,J.W. Recombination of atoms at surfaces. V. Oxygen atoms at oxide surfaces, 0=511
Greaves,J.C. and Linnett,J.W. Recombination of atoms at surfaces. VI. Recombination of oxygen atoms on silica from 20°C to 600°C, 0=512
Grebenikov,E.A. Secular perturbations in the theory of motion of an artificial earth satellite, 0=18881
Grebenikov,E.A. See Yarov-Yarovoi,M.S., 0=18884
Grebennik,I.P. See Pines,B.Ya., 0=14013
Grebenshchikov,S.E. See Raizer,M.D., 0=14986
Grebenshchikova,S.E. See Andryukhina,E.D., 0=16978
Grechischeva,I.M. See Lavrukhina,A.K., 0=7569
Grechishkin,V.C. and Skripov,F.I. Application of nuclear quadrupole resonance in determination of the frequency of lattice vibrations in a series of chlorates, 0=1839
Grechukhin,D.P. Circular polarization of γ-quanta accompanying nuclear capture of slow neutrons, 0=9594
Grechukhin,D.P. The nucleon—core model with a vibrational excitation spectrum of the core, 0=11292
Greebe,C.A.A.J. and Knippenberg,W.F. Grown p—n junctions in silicon carbide, 0=15960
Greebler,P.,Harker,W. and Harriman,J. Neutron thermalization calculations for a heterogeneous lattice containing uranium and plutonium fuel in water, 0=12991
Greebler,P.,Hurwitz,H.Jr and Storm,M.L. Statistical evaluation of fission-product absorption cross sections at intermediate and high energies, 0=13270
Green,A. and Cowles,L.E.J. Measurement of thermal diffusivity of semiconductors by Angstrom's method, 0=19468
Green,A.E.S. See Lemmer,R.H., 0=13108
Green,A.E.S. See Meyer-Berkhout,U., 0=404
Green,A.E.S. See Tang,Y.C., 0=1344
Green,A.E.S. See Wyatt,P.K., 0=13107
Green,A.M. and Brown,G.E. Direct interaction in the p—2p reaction, 0=17581
Green,D.M. Auditory detection of a noise signal, 0=2057
Green,D.M. Psychoacoustics and detection theory, 0=18542
Green,D.M.,McKey,M.J. and Licklider,J.C.R. Detection of a pulsed sinusoid in noise as a function of frequency, 0=814
Green,D.R. See Bierlein,T.K., 0=13563
Green,E. See Preston-Thomas,H., 0=10628
Green,F.D. See Forsyth,P.A., 0=12199
Green,F.P. See Robinson,M.T., 0=13363
Green,G.W. and Lew,H. Rotational spectrum of $K^{39}F$ by the molecular beam electric resonance method, 0=5914
Green,H.S. Normalization and interpretation of Feynman amplitudes, 0=12824
Green,H.S. and Biswas,S.N. Covariant solutions of the Bethe—Salpeter equation, 0=9266
Green,H.S. and Leipnik,R. Exact solution of the association problem by a matrix-spinor method with applications to statistical mechanics, 0=8559
Green,H.S. See Hurst,C.A., 0=20739
Green,J.H.S. The size and shape of large molecules in solution, 0=7823
Green,J.J. and Schlömann,E. High power ferromagnetic resonance at X-band in polycrystalline garnets and ferrites, 0=10208
Green,J.J. See Schlömann,E., 0=11925
Green,J.R. Size-spectrum of extensive air showers of the cosmic radiation. I. Response of a single scintillator to extensive air showers, 0=13080
Green,J.R. and Barcus,J.R. Size-spectrum of extensive air showers of the cosmic radiation. II. Experimental results from a single scintillator, 0=13081
Green,J.W.,Poland,D.E. and Margrave,J.L. Thermodynamic properties of unipositive gaseous elemental ions, 0=14972
Green,L.L. See Baart,E.E., 0=9530
Green,M. and Maxwell,K.H. Adsorption on clean germanium surfaces, 0=12115
Green,M. and Maxwell,K.H. The adsorption of oxygen on clean silicon surfaces, 0=12116
Green,M. and Maxwell,K.H. Cut-off for the vacuum manipulation of chlorine, 0=14703
Green,M.H. Gamma-ray shielding. Absorption of monoenergetic X- and γ-rays, 0=5535
Green,M.I. See Francis,W.E., 0=21312
Green,M.S. Comment on a paper of Mori on time-correlation expressions for transport properties, 0=14545
Green,M.S. Topological derivation of the Mayer density series for the pressure of an imperfect gas, 0=16623
Green,M.S. On the theory of the critical point of a simple fluid, 0=19096
Green,M.S. See Kearsley,E.A., 0=14523
Green,P.E.,Jr. Applications of statistical notions to multipath channels, 0=2124
Green,T.A. and Lanford,O.E.,III. Rigorous derivation of the phase shift formula for the Hilbert space scattering operator of a single particle, 0=16605
Green,T.M. See Garvin,H.L., 0=1352
Green,T.M. See Lipworth,E., 0=13120
Green,T.M. See Lipworth,E., 0=17484
Green,T.S.,Small,V.G. and Glanville,D.E. The thermal-neutron absorption cross-section of U^{233}, 0=5802
Green,T.S. See Niblett,G.B.F., 0=7211
Greenberg,D. See Morita,M., 0=13290
Greenberg,J. and Hallgren,L.J. Techniques for measuring the infrared absorption spectra of fused salts, 0=6926
Greenberg,J. and Hallgren,L.J. Infrared absorption spectra of alkali metal nitrates and nitrites above and below the melting point, 0=16069
Greenberg,J.M. Scattering by nonspherical particles, 0=885
Greenberg,J.S.,Malone,D.P.,Gluckstern,R.L. and Hughes,V.W. Mott-scattering analysis of longitudinal polarization of electrons from Co^{60}, 0=20382
Greenberg,O.W.Sen,H.K. and Treve,Y.M. Hydrodynamic model of diffusion effects on shock structure in a plasma, 0=10905
Greenberg,O.W. and Trève,Y.M. Shock wave and solitary wave structure in a plasma, 0=17021
Greenberg,S. Corrosion of irradiated uranium alloys, 0=14069
Greenberg,S. See Kittel,J.H., 0=12084
Greenberg,S. and Draley,J.E. Effects of irradiation on corrosion resistance of some high uranium alloys, 0=14068
Greenberger,D.M. Charge-dependent corrections to pion—nucleon scattering, 0=7407
Greene,E.F.,Roberts,R.W. and Ross,J. Variation of a chemical reaction cross section with energy, 0=6409
Greene,R.F.,Frankl,D.R. and Zemel,J. Surface transport in semiconductors, 0=9955
Greenewalt,C.H.,Brandt,W. and Friel,D.D. Iridescent colors of hummingbird feathers, 0=16870
Greenfield,M.A.,Koontz,R.L. and Jarrett,A.A. Measuring the ratio of thermal to resonance neutron densities using thick indium foils, 0=12994
Greenfield,M.A.,Koontz,R.L. and Jarrett,A.A. Computing absolute thermal neutron flux from measurements made with indium foils, 0=12998
Greenfield,S.M. and Kellogg,W.W. Calculations of atmospheric infrared radiation as seen from a meteorological satellite, 0=14298
Greenhow,J.S. Eddy diffusion and its effect on meteor trails, 0=12164
Greenhow,J.S. and Hall,J.E. Diurnal variations of density and scale height in the upper atmosphere, 0=16421
Greenhow,J.S. and Neufeld,E.L. Large scale irregularities in high altitude, 0=8368
Greenhow,J.S. and Neufeld,E.L. Measurements of turbulence in the 80- to 100-km region from the radio echo observations of meteors, 0=12175
Greenhow,J.S.,Neufeld,E.L. and Watkins,C.D. The scattering of 36 Mc/s radio waves by weak auroral ionization, 0=16466
Greenhow,J.S. and Hall,J.E. The importance of initial trail radius on the apparent height and number distributions of meteor echoes, 0=18682
Greenhow,J.S. and Hall,J.E. The variation of meteor heights with velocity and magnitude, 0=18715
Greenhow,J.S. and Neufeld,E.L. Measurements of turbulence in the upper atmosphere, 0=4788
Greenhow,J.S. and Neufeld,E.L. Turbulence at altitudes of 80-100 km and its effect on long-duration meteor echoes, 0=14313
Greenhow,J.S. See Chivers,H.J.A., 0=14275
Greenhow,J.S. See Davis,J., 0=8480
Greenhow,J.S. See Davis,J., 0=8481
Greenhow,J.S. See Davies,J.G., 0=8528
Greening,J.R. A compact free-air chamber for use in the range 10—50 kV, 0=5441

Greening,J.R. See Procter,N.M., 0=9232
Greenlees,G.W. and Rolph,P.M. The elastic and inelastic scattering of protons by ^{58}Ni, 0=5746
Greenlees,G.W. and Rowe,P.C. The elastic scattering of ^{3}He by medium weight nuclei, 0=9641
Greenlees,G.W. See Robbins,A.B., 0=11411
Greenler,R.G. An interferometric Fabry—Perot spectrometer for the infrared, 0=16844
Greenler,R.G. and Rothwell,W.S. The ductility of NaCl crystals, 0=10262
Greenough,G.K. Wax-atomizer for producing spherical dust particles, 0=8328
Greenspan,H.P. Flat plate drag in magnetohydrodynamic flow, 0=15125
Greenspon,J.E. Vibrations of thick cylindrical shells, 0=2193
Greenspon,J.E. Vibrations of a thick-walled cylindrical shell — comparison of the exact theory with approximate theories, 0=8729
Greenspon,J.E. Vibrations of thick cylindrical shells, 0=10709
Greenspon,J.E. Axially symmetric vibrations of a thick cylindrical shell in an acoustic medium, 0=14711
Greenstein,L.J. See Epstein,M., 0=7184
Greenwood,G.W. Volume increases in fissile materials on neutron irradiation and the effects of thermal fluctuations, 0=9721
Greenwood,G.W.,Foreman,A.J.E. and Rimmer,D.E. The role of vacancies and dislocations in the nucleation and growth of gas bubbles in irradiated fissile material, 0=9903
Greenwood,J.A. and Williamson,J.B.P. Thermal transients in graphite—copper contacts, 0=16965
Greenwood,J.W. See Hughes,E.O., 0=5823
Greenwood,R.C. and Brannen,E. Decay scheme of Dy^{159}, 0=20390
Greer,J.R. See Atkinson,J.R., 0=9653
Greetham,G. and Martin,A.J. Production and tensile testing of strain-free metal specimens, 0=8100
Gregg,D.W. and Drickamer,H.G. Effect of pressure on phosphor decay, 0=8020
Gregg,J.L. and Sparrow,E.M. Low Prandtl-number free convection, 0=19485
Gregg,S.J. and Jepson,W.B. A note on the paper "The oxidation of evaporated barium films (getters)", 0=3572
Gregg,S.J. See Pope,M.I., 0=4323
Gregor,H.P. See Peterson,M.A., 0=4714
Gregory,A.H. See Campbell,F.W., 0=18552
Gregory,J.M. See Dagley,P., 0=9515
Gregory,M. The bending and shortening effect of pure torque, 0=14554
Greguss,P. The effect of high-intensity ultrasounds on very viscous [mineral] oils, 0=14131
Greguss,P. Changes in the surface structure of glasses produced by intense ultrasonic waves, 0=21215
Greguss,P. and Weissburg,J. The electroluminescent panel in an ultrasonic field, 0=18152
Greguss,P.,Jr. See Weiszburg,J., 0=8025
Greider,K.R. An approximation for nucleon—nucleus polarization effects, 0=5737
Greider,K.R. and Glassgold,A.E. Diffraction theory for very-high-energy scattering, 0=12850
Greifer,A.P. and Croft,W.J. Rectangular hysteresis loop ferrites with large Barkhausen steps, 0=1805
Greifer,A.P. and Croft,W.J. Some crystallographic and magnetic properties of square-loop materials in ferrite systems containing copper, 0=3081
Greifinger,C. Effect of a transverse magnetic field on the "escape speed" of a conducting fluid, 0=19906
Greifinger,C. and Birnbaum,G. Super-radiation and super-regeneration, 0=11043
Greig,D. Thermoelectricity and thermal conductivity in the lead sulfide group of semiconductors, 0=18080
Greiner,C. The reversal of spin vectors in magnetically charged 180° domain walls, 0=3027
Greiner,E.S. and Gutowski,J.A. Electrical resistivity of boron-phosphorus alloys, 0=4355
Greiner,J.D. See Smith,J.F., 0=669
Greisen,K. See Pine,J., 0=13088
Grekov,A.P. See Shimanskaya,N.P., 0=10073
Grekov,A.P. See Shvaika,O.P., 0=10676
Gremmelmaier,R. and Henkel,H.J. GaAs tunnel diodes, 0=2896
Grenacs,L. See Meessen,A., 0=20408
Grenat,H. Solar periodicities, 0=18731
Grenier,C.G. See Ali,S.A., 0=9944
Grenier,C.G. See Balain,K.S., 0=13582
Grenier,C.G. See Bergeron,C.J., 0=13581
Gresky,A.T. A simple unified field equation and hypothesis, 0=4926
Gresky,A.T. Universal units of magnetism, mechanics and temperature, 0=2093
Grevendonk,W. See van Itterbeek,A., 0=8695
Grey,D.S.,Mark,P. and Haskell,S. New class of wide-range logarithmic circuit for a light-intensity meter, 0=148
Greyber,H.D. Transient temperature variations during the self-heating of a plasma by thermonuclear reactions, 0=3759
Griazev,V.M. See Klimentov,V.B., 0=9666
Gribaumont,A. See Demeur,M., 0=5735
Gribbon,P.W.F. Notes on the spectra of oxygen, 0=480
Gribkov,V.I. and Zhevandrov,N.D. Polarization of luminescence of ZnS monocrystals, 0=16093
Gribkovskii,V.P. See Stepanov,B.I., 0=16075
Gribkovskii,V.P. and Stepanov,B.I. Polarization of luminiscence of a harmonic oscillator, 0=17758
Gribnikov,Z.S. Boundary conditions at the surface in the problem of bipolar diffusion of carriers in a semiconductor, 0=15904
Gribnikov,Z.S. Avalanche breakdown in a diode with a limited space-charge layer, 0=18058
Gribov,L.A. A modified method for calculating the intensities and polarizations in the infrared absorption spectra of polyatomic molecules, 0=1531
Gribov,L.A. The noise/signal ratio of double-beam infrared spectrometers, 0=10763
Gribov,L.A. Measurements with double-beam spectrophotometers, 0=10777
Gribov,L.A. Calculation of the intensities and polarizations in the infrared spectra of multiatomic molecules. I, 0=15721
Gribov,V.N. A possibility of determining the scattering amplitudes of unstable particles at zero energy, 0=9296
Gribov,V.N. See Ansel'm,A.A., 0=9413
Gribov,V.N. See Ansel'm, A.A., 0=11211
Griboval,P. See Beydon,J., 0=17678
Griem,H.R.,Kolb,A.C. and Shen,K.Y. Stark broadening of hydrogen lines in a plasma, 0=1480
Griem,H.R. See Wiese,W., 0=19689
Griessbach,D. Fluorescence measurements on cyclohexane mixed crystals, 0=11777
Griessbach,D. Spectroscopic polarization measurements on naphthalene crystals, 0=11778
Griffin,J.J. Energy dependence of fission fragment anisotropy, 0=1457
Griffin,J.J. and Rich,M. Moments of inertia of even-even rare earths, 0=1354
Griffin,J.J. and Rich,M. Moments of inertia of even—even rare earth nuclei, 0=9504
Griffin,R.F. and Redman,R.O. Photoelectric measurements of the λ4200 A CN band and the G band in G8-K5 spectra, 0=18846
Griffing,G.W. See Dalgarno,A., 0=8984
Griffith,J.S. Some investigations in the theory of open-shell ions. I. The spin-Hamiltonian, 0=20684
Griffith,T.C. and Power,E.A. (Conf. Rep.). Nuclear forces and the few-nucleon problem, 0=3926
Griffiths,D. See Gale,B., 0=6349
Griffiths,G.M. See Singh,P.P., 0=4082
Griffiths,J.H.E. and Orton,J.W. Some weak lines in the paramagnetic resonance spectrum of impure MgO crystals, 0=6262
Griffiths,J.H.E.,Owen,J.,Park,J.G. and Partridge,M.F. Exchange interactions in antiferromagnetic salts of iridium I. Paramagnetic resonance experiments, 0=8067
Griffiths,J.H.E. See Wertz,J.E., 0=21075
Griffiths,L.B. Effect of hydrogen-ion bombardment on the oxides of aluminium and magnesium, 0=20865
Griffiths,L.B. and Pfeil,P.C.L. Insulating particles on cathode surfaces: their effect upon electrical discharges, 0=9007
Griffiths,L.B. See Pfeil,P.C.L., 0=9012
Griffiths,P.M. See Bates,L.F., 0=10151
Griffiths,V. See Saimoto,S., 0=18323
Griffy,T.A. and Biedenharn,L.C. Beta decay involving the Be^{8*}(2+) state, 0=9556
Grigor,J.A. See Penfold,B.R., 0=4643

Grigoresku,L. and Nakhman,M. Reflective power of Su—Sn alloys, obtained by simultaneous condenation of vapours of the components on a base, 0=1718
Grigoresku,L. and Teodoresku,I. Electron-diffraction investigation of the Cu—Sn alloy prepared by simultaneous condensation of the components on a glass base, 0=18400
Grigor'ev,E.L. and Mitin,N.A. Elastic scattering of 390 MeV π^+-mesons by protons, 0=7409
Grigor'ev,E.L. and Mitin,N.A. Polarization of recoil protons produced in elastic scattering at 307 MeV, 0=9411
Grigor'ev,V.K. See Trebukhovskii,Yu.V., 0=11175
Grigor'ev,V.S. and Kryazhev,F.I. Investigation of the propagation of low-frequency sound in shallow water, 0=19268
Grigor'ev,V.S. See Galkin,O.P., 0=19310
Grigor'eva,L.F. See Kachalov,N.N., 0=8139
Grigoriants,A.N. Some questions concerning the operation of a nuclear power station, 0=7653
Grigoriev,E.P. and Avotina,M.P. Comparison of the theory of non-axial nuclei with experiments, 0=20315
Grigoriev,E.P. and Zolotavin,A.V. On the decay of Se^{75}, 0=4062
Grigoriev,V.N. See Bogoyavlenski,I.V., 0=9749
Grigorov,N.L. and Kondrat'eva,M.A. Investigation of a shower consisting of 200 000 particles and recorded in a nuclear photographic plate, 0=9472
Grigorov,N.L.,Murzin,V.S. and Rapoport,I.D. [Elementary] interaction between 10^{11}-10^{12} eV [cosmic-ray] particles and iron nuclei, 0=9492
Grigorov,N.L. and Shestoperov,V.Ya. On certain singularities in the interaction with light nuclei of particles with energies $E \geqq 2 \times 10^{12}$ eV, 0=15479
Grigorov,N.L. See Alekseeva,K.I., 0=9486
Grigorov,N.L. See Alekseeva,K.I., 0=9494
Grigorovici,R. and Cristescu,G. Contribution to the theory of the high frequency torch discharge, 0=5299
Grigorovici,R.,Croitoru,N. and Dévényi,A. A new method for determining the height of hemispherical particles with the electron microscope, 0=16368
Grigorovici,R. and Manaila,R. The image of thick objects in the phase-contrast microscope, 0=16826
Grigoryan,R.A. See Victorov,I.A., 0=8732
Grigulis,Yu. A high frequency electromagnetic method of checking the properties of the surface layers on details, 0=6530
Griio [Grillot],E. See Bansi-Griio[Bancie-Grillot],M., 0=1744
Griio [Grillot],E. See Gross,E.F., 0=1745
Grilli,M. See K$^-$-collaboration, 0=1308
Grillot,E. See Bancie-Grillot,M., 0=11775
Grillot,E. See Griio,E., 0=1744
Grillot,E. See Griio,E., 0=1745
Grillot,E. See Gross,E., 0=18123
Grilly,E.R. and Mills,R.L. Melting properties of He^3 and He^4 up to 3500 kg/cm^2, 0=228
Grilly,E.R. See Sydoriak,S.G., 0=10820
Grimaldi,L. See Alvial,G., 0=12729
Grimble,R.E. and LeTourneau,B.W. Removal of decay heat from a plate-type fuel subassembly in the atmosphere, 0=13358
Grimble,R.E. See DeBortoli,R.A., 0=12523
Grimellini,N.T. See Brini,D., 0=15313
Grimes,D.M.,Harrington,R.D. and Rasmussen,A.L. Magnetic properties of polycrystalline materials, 0=11852
Grimes,D.M. See Westrum,E.F.,Jr, 0=4498
Grimes,H.H. The effect of plastic deformation on the diffusion of hydrogen in nickel, 0=15869
Grimes,L.G. and Jackson,L.C. The helium film formed from the vapour phase, 0=19534
Grimes,L.G. and Jackson,L.C. The thickness of the saturated helium film above and below the λ-point, 0=19535
Grimes,L.G. See Jackson,L.C., 0=8913
Grimley,R.T.,Burns,R.P. and Inghram,M.G. Mass-spectrometric study of the osmium—oxygen system, 0=14971
Grimley,R.T. See Burns,R.P., 0=10697
Grimmeiss,H.G. and Koelmans,H. Edge and other emission of GaN, 0=1751
Grimmeiss,H.G. and Koelmans,H. p—n luminescence and photovoltaic effects in GaP, 0=13708
Grin',A.V.,Pablov,V.A. and Pereturina,I.A. Effect of the static ["frozen-in"] strains of the crystal lattice on the mechanical properties of Al—Mg alloys. I. Dependence of yield strength and tensile strength on the temperature and on the deformation rate, 0=1931
Grin',A.V.,Pavlov,V.A. and Pereturina,I.A. Effect of the static ["frozen-in"] strains of the crystal lattice on the mechanical properties of Al—Mg alloys. II. Dependence of total and uniform deformation rate on temperature and deformation rate, 0=1932
Grin',Yu.T. The influence of pair correlation of nucleons on the probabilities of electromagnetic transitions in [deformed] nuclei, 0=20400
Grin',Yu.T.,Drozdov,S.I. and Zaretskii,D.F. The Green's function of odd nuclei, 0=5641
Grin',Yu.T.,Drozdov,S.I. and Zaretskii,D.F. Moments of inertia of odd atomic nuclei, 0=13118
Grinand,Y. The possibilities of using an inclined spherical mirror in a spectrograph autocollimator, 0=16861
Grinberg,A.A. Theory of the anisotropic photomagnetic effect in germanium, 0=7926
Grinberg,A.A. The photomagnetic effect in isotropic semiconductors and its use in measuring the lifetime of minority current carriers, 0=15981
Grinberg,A.A. Theory of the photomagnetic effect in anisotropic cubic crystals, 0=15982
Grinberg,A.A.,Paritskii,L.G. and Rȳvkin,S.M. The influence of trapping levels in semiconductors on the stationary photoconductivity and on the lifetime of minority carriers, 0=18060
Grinberg,A.A. See Rȳvkin,S.M., 0=1628
Grinberg,A.A. See Rȳvkin,S.M., 0=15905
Grinberg,A.P. See Alkahazov,D.G., 0=2567
Grinberg,A.P. See Alkhazov,D.G., 0=2622
Grinberg,A.P. See Alkhazov,D.G., 0=7587
Grinberg,G. Experimental verification of the theoretical distribution of the magnetization intensity along a cylinder, 0=9146
Grinberg,G.A. Diffraction of electromagnetic waves from strips of finite width, 0=1205
Grinberg,G.A. and Kolesnikova,E.N. Calculation of the electrostatic field of a system of plane diaphragms with circular apertures, 0=15076
Grinberg,G.A. and Pimenov,Yu.V. Diffraction of [plane] electromagnetic waves by a circular aperture in an ideally conducting plane [for normal incidence], 0=9208
Grinberg,G.A. and Shukeilo,I.A. Method of solving a class of axially symmetric problems in potential theory. Application to the design of electron-optical lenses, 0=10963
Grindlay,J. and ter Haar,D. On the ferroelectric behaviour of potassium dihydrogen phosphate, 0=7981
Gringauz,K.I.,Bezrukikh,V.V.,Ozerov,V.D. and Rȳbchinskii,R.E. A study of the interplanetary ionized gas, energetic electrons and the corpuscular radiation of the sun by means of 3-electrode collectors for charged particles in the second Soviet cosmic rocket, 0=14381
Gringauz,K.I. and Rudakov,V.A. Measurement of electron concentration in the ionosphere by means of the rotation of the plane of polarization of radio waves from rockets, 0=21350
Grishaev,I.A.,Fisun,A.N.,Litvinenko,A.S.,Grizhko,V.M., Shramenko,B.I. and Onishchenko,I.N. Measurement of energy loss of fast electrons by passage through matter, 0=11146
Grishaev,I.A.,Kolosov,V.I.,Myakota,V.I.,Beloglasov,V.I. and Yakimov,B.V. Experimental determination of power in the sub-millimeter range from a magnetic undulator, 0=9202
Grishaev,I.A. See Zeitlenok,G.A., 0=9114
Grishin,S.F. See Borovik,E.S., 0=12441
Grishin,S.F. See Borovik,E.S., 0=16738
Grishin,V.G. and Ogievetski,V.I. On the minimum number of partial waves in two-body reactions, 0=20062
Grishin,V.G. and Ogievetskii,V.I. On an estimate of the minimum particle interaction radius at high energies, 0=20091
Grishin,V.G. and Podgoretskii,M.I. Remarks on the optical model of the nucleus, 0=13109
Grishin,V.G. See Bannik,B.P., 0=7546
Grishin,V.G. See Bannik,B.P., 0=20429
Grishin,V.G. See Blokhintsev,D.I., 0=2582
Grishin,V.K. Design of a strong-focusing accelerator with fixed magnetic field, 0=10995
Grishina,E.Ya. See Borovik,E.S., 0=16738
Grishuk,G.I. See Vishnevsky,M.E., 0=17545
Grishuk,G.I. See Vishnevsky,M.E., 0=20399
Grivet,P. See Benoit,H., 0=17096

Grizhko,V.M.,Sikora,D.I.,Shkoda-Ul'yanov,V.A.,Abramenkov,A.D., Shramenko,B.I. and Fisun,A.N. Determination of the yield of photoneutrons emitted by lead under the action of 10.5-20.5 MeV electrons. (Thick absorber method), 0=20472

Grizhko,V.M. See Grishaev,I.A., 0=11146

Grjebine,T.Moreau,R. and Olkowsky,B. Observations of beam pulsations from H.F. ion sources, 0=10974

Grjebine,T. See Barloutaud,R., 0=13145

Grjebine,T. See Lehmann,P., 0=9502

Grjebine,T. See Phillips,G.C., 0=19773

Groche,D. See Kreiger,H.L., 0=7501

Groden,C.M. See Bosworth,R.C.L., 0=12521

Grodzins,L. See Ewan,G.T., 0=2642

Grodzins,I. See Schwarzschild,A., 0=13173

Groeneveld,J. See van Leeuwen,J.M.J., 0=14647

Groenewolt,K.J. See Boeschoten,F., 0=7948

Grohman,A. and Krylow,J. On the nature of whiskers, 0=18322

Gromova,I.I. and Kulikov,S.A. Effect of the current strength on the intensity of the hydrogen spectrum in the region 2500-1200 Å, 0=3623

Gromova,Z.I.,Dubovsky,B.G.,Kamaev,A.V. and Orlov,V.V. Resonance absorption in the power station reactor, 0=7667

Grønlund,F. and Moore,W.J. Heavy ions from a radio-frequency proton source, 0=3810

Grønlund,F. and Moore,W.J. Sputtering of silver by light ions with energies from 2 to 12 keV, 0=10989

Grønvold,F. See Pedersen,B., 0=4629

Gros,F.Teissier du. See Teissier du Gros,F.

Grosberg,P. See Brewster,D.B., 0=8627

Grosch,C.E.,Ward,L.W. and Lukasik,S.J. Viscous dissipation of shallow water waves, 0=14603

Groschwitz,E. On the question of new possibilities of amplification by the movement of carriers in semiconductors, 0=15919

Groschwitz,E. and Ebhardt,R. The effective contact area of point contact crystal rectifiers, 0=2883

Groshev,L.V. and Demidov,A.M. The γ-ray spectrum from the I.R.T. reactor, 0=2704

Groshev,L.V. and Demidov,A.M. Nuclear multiplets in light odd-odd nuclei and their manifestation in gamma-transitions following thermal neutron capture, 0=7483

Groshev,L.V.,Demidov,A.M.,Lutsenko,V.N. and Pelekhov,V.I. Investigations of γ-rays emitted when thermal neutrons are captured by vanadium, manganese, cobalt and aluminium nuclei, 0=7628

Groshev,L.V.,Demidov,A.M.,Lutsenko,V.N. and Pelekhov,V.I. Neutron-capture gamma-ray spectra from even-even excited nuclei with rotational levels, 0=9674

Groshev,L.V.,Demidov,A.M. and Pelekhov,V.I. Spectra of γ-rays produced in the capture of thermal neutrons by heavy nuclei, 0=9592

Groshev,L.V.,Demidov,A.M. and Pelekhov,V.I. Spectra of γ-rays from neutron capture by heavy nuclei. I, 0=13285

Groshev,L.V.,Lutsenko,V.N.,Demidov,A.M. and Pelekhov,V.I. Atlas of γ-ray spectra from radiative capture of thermal neutrons, 0=4115

Groshev,L.V. See Strutinski,V.M., 0=13286

Grosjean,M. See Legrand,M., 0=6188

Gross,B.Bradley,A. and Pinkerton,P. Beta particle transmission currents in solid dielectrics, 0=10868

Gross,E.,Bancie-Grillot,M.,Grillot,E. and Razbirine,B. Influence of mechanical treatments of pure cadmium sulphide crystals on their optical absorption spectra at low temperatures, 0=18123

Gross,E.F.,Abolin'sh,Ya.Ya. and Shultin,A.A. Optico-acoustic effect in crystals, 0=20972

Gross,E.F.,Griio [Grillot],E.,Zakharchenya,B.P. and Bansi-Griio [Bancie-Grillot],M. The effect of a magnetic field on the blue fluorescence and on the absorption lines of some pure cadmium sulphide crystals at the temperature of 4.2°K, 0=1745

Gross,E.F. and Kaplyanskii,A.A. Quadrupole optical excitation of the fundamental state of excitons in a cuprous oxide crystal, 0=11762

Gross,E.F. and Kaplyanskii,A.A. Optical anisotropy of cubic crystals caused by the phenomenon of space dispersion. Quadrupole exciton absorption of light in cuprous oxide, 0=13680

Gross,E.F. and Novikov,B.V. The fine structure of the photoconductivity spectra of cadmium sulphide crystals, 0=7955

Gross,E.F. and Novikov,B.V. The effect of mechanical surface treatment on the fine structure of the spectral response of the photoconductivity of cadmium sulphide crystals [at 77°K], 0=15984

Gross,E.F. and Pastrnyak,I. Optical spectrum produced by polarons in copper oxide crystals, 0=644

Gross,E.F. and Pastrnyak,I. Fine structure of the spectral characteristic of photosensitivity of cuprous oxide crystals, 0=1678

Gross,E.F. and Pastrnyak,I. The effect of surface treatment on the structure of the photoconductive response spectrum on cuprous oxide crystals, 0=1679

Gross,E.F. and Pastrnyak,I. Formation of polarons on absorption of light in crystals, 0=6162

Gross,E.F.,Razbirin,B.S. and Shekhmamet'ev,R.I. Investigation of the reflection and luminescence spectra of copper halides at low temperatures, 0=16047

Gross,E.F. and Sobolev,V.V. Fine structure of the fundamental absorption edge of single crystals of cadmium selenide, 0=13692

Gross,E.F.,Suslina,L.G. and Komarovskikh,K.F. Investigation of the absorption spectra of zinc sulphide crystals, 0=13700

Gross,E.F. See Bansi-Griio [Bancie-Grillot],M., 0=1744

Gross,E.F. See Bancie-Grillot,M., 0=11775

Gross,E.P. Analytical methods in the theory of electron lattice interactions. I, 0=525

Gross,E.P. Collective rotations of nuclei, 0=4020

Gross,E.P. Quantum theory of interacting bosons, 0=7304

Gross,E.P. Semiclassical theory of liquid helium, 0=8894

Gross,E.P. Periodic ground states and the many-body problem, 0=12885

Gross,E.P. and Ziering,S. Heat flow between parallel plates, 0=958

Gross,G.E. Dependence of the forbidden gap and luminescence ground-state energies of (ZnCd)S:Ag on the concentration of CdS, 0=2959

Gross,H. and Wahl,F. The inverse matrix of non-linear lattice statics for KCl, 0=715

Gross,K.A. See Weaver,C.W., 0=8130

Gross,M.J. Underwater edge tones, 0=16780

Gross,R.A. A study of combustion in supersonic flow, 0=2270

Gross,W.A. The second fundamental problem of elasticity applied to a plane circular ring, 0=19023

Grossetti,E. Effect of the dipolar rotation of liquids. III, 0=19146

Grosskreutz,J.C. and Gosselin,C.M. Surface deformation of aluminum in fatigue, 0=11976

Grossmann,A. Description of the extended tube, 0=16604

Grossmann,A. Algebraic characterization of the T.C.P. operation, 0=17207

Grossmann,G. See Ariya,S.M., 0=18166

Grossman,L.M. See Schrock,V.E., 0=14873

Grossweiner,L.I. and Zwicker,E.F. Primary processes in the photochemistry of eosin, 0=4725

Grossweiner,L.I. and Zwicker,E.F. Free radicals from the flash photolysis of phenol, 0=6413

Grosvalet,J. See Garreta,O., 0=20889

Grote,C.,Hauser,I.,Kundt,U.,Krecker,U.,Lanius,K.,Lewin,K. and Meier,H.W. Absorptions of K^- mesons at rest in light and heavy nuclei of the emulsion, 0=1312

Groth,W. and v.Weyssenhoff,H. Photochemical formation of organic compounds from mixtures of simple gases, 0=3318

Grotowski,K. See Budzanowski,A., 0=5912

Grover,G.M. Los Alamos plasma thermocouple, 0=265

Grover,G.M. See Pidd,R.W., 0=1139

Grover,J.R. Mass assignments and some decay characteristics of Gd^{145}, Eu^{145}, Gd^{146}, and Eu^{146}, 0=1381

Groves,G.V. Velocity of a body falling through the atmosphere and the propagation of its shock wave to earth, 0=57

Groves,G.V. Determination of impact point of a vertically-falling body by acoustical observations, 0=912

Groves,G.V. Air density in the upper atmosphere from satellite orbit observations, 0=1977

Groves,G.V. Motion of a satellite in the earth's gravitational field, 0=8529

Groves,G.V. Determination of upper-atmosphere air density and scale height from satellite observations, 0=10407

Groves,G.V. Determination of upper-atmosphere air-density profile from satellite observations, 0=10408

Groves,G.V. A theory for determining upper-atmosphere winds from radio observations on meteor trails, 0=14390

Groves,G.V. Upper-atmosphere wind studies by "skylark" rocket sodium experiment, 0=21331
Groves,G.V. See Stebbings,R.F., 0=16420
Groves,G.W. See Washburn,J., 0=20823
Groves,J.R.V. See Ellis,G.R.A., 0=4793
Groves,R.D. See Drabble,J.R., 0=1643
Groves,R.D. See Drabble,J.R., 0=11735
Groves,T. See Camerini,U., 0=15524
Gruber,B. Fundamental concepts of the theory of dislocations, 0=4287
Gruber,J.B. and Conway,J.G. Electronic energy levels and crystal quantum states of Tm (IV), 0=6032
Gruber,J.B. and Conway,G. Crystal field splitting of energy levels of thulium ethylsulfate, 0=11600
Gruber,J.B. See Conway,J.G., 0=11787
Grubissich,C. H II regions with outward decreasing density, 0=12324
Gruen,D.M. See Satten,R.A., 0=18130
Gruhle,W. Pulse shaper for fast coincidence stages, 0=17187
Gruhle,W. A new method of pulse timing applied to fast coincidence work, 0=17197
Gruhle,W. See Lauterjung,K.H., 0=20363
Gruich,D.D. See Arifov,U.A., 0=19802
Grum,F. and Scharf,P.T. Ultraviolet wavelength range extension of the general electric spectrophotometer, 0=14823
Grum,F. and Williams,F.C. Measuring spectral transmittances of photographic objectives with the Cary model 11 MS recording spectrophotometer, 0=10790
Grum-Grzhimailo,S.V. Defectoconoscope devices for studying optical anomalies in crystals and determining the orientation of watch jewels, 0=16823
Grum-Grzhimailo,S.V. and Klimusheva,G.V. The temperature dependence of the wide absorption bands in the spectra of crystals with various structures, coloured by isomorphous impurities, 0=16061
Grum-Grzhimailo,S.V. See Gasanov,B.G., 0=13693
Grün,F. and Marzetta,B. Method for the determination of diffusion coefficients in liquids. II, 0=3512
Grün,F. See Batschelet,E., 0=19108
Gründig,H. Ionic conductivity of zone refined alkali halides, 0=7916
Grunwald,E.,Karabatsos,P.J.,Kromhout,R.A. and Purlee,E.L. Proton-transfer studies by nuclear magnetic resonance. II. Rate constants and mechanism for the reaction $CH_3NH_3^+ + OH_2 + NH_2CH_3$ in aqueous acid. 0=14118
Grunwald,E. See Emerson,M.T., 0=14117
Grützmacher,M. The acoustics department of the Physikalisch-Technische Bundesanstalt (P.T.B.), Brunswick. 0=16795
Gruza,G.V. Thermal equilibrium in the atmosphere, 0=784
Gruzdev,P.F., and Startsev,G.P. Criteria of applicability of the theoretical intensities to the spectra of complex atoms in
Gruzdev,V.A. See Novikov,I.I., 0=3526
Gryaznov,I.M. The character of deformation in the region of plasticity, 0=1853
Gryziński,M. Role of fusion chain reactions in the nonstationary evolution of stars — supernova stars, 0=845
Gschneidner,K.A.,Jr. See Kempter,C.P., 0=15817
Gtoshev,L.V. See Strutinskii,V.W., 0=9593
Guastalla,J. See Guastalla,L.P., 0=14614
Guastalla,L. Contribution to the study of the adsorption of acids and alcohols of saturated straight-chain hydrocarbons, 0=14615
Guastalla,L.P. and Guastalla,J. Measurement of interfacial tension between the two phases of a coacervate by the stirrup method, 0=14614
Gubanov,A.I. Approximate wave-functions of the valence electrons of some atoms, 0=469
Gubanov,A.I. Reflection and refraction of shock waves at the boundary of two media. II. Regular reflection for oblique incidence, 0=8743
Gubanov,A.I. The theory of amorphous conductors, 0=15879
Gubanov,A.I. Quasi-classical theory of amorphous ferromagnetics, 0=16130
Gubanov,A.I. and Chevÿchelov,A.D. Calculation of the energy spectrum of strongly anisotropic crystals, 0=15833
Gubanov,A.I. and Gashimzade,F.M. Investigation of the symmetry of the energy bands of electrons in crystals of the type $CdIn_2Se_4$, 0=2891
Gubanov,A.I. and Gashimzade,F.M. Structure of the energy bands in semiconductors of the $CdIn_2Se_4$ type, 0=15947
Gubanov,A.I.,Krivko,N.I. and Reinov,N.M. An experimental determination of the polaron mass in cuprous oxide, 0=7940
Gubanov,A.I. and Lun'kin,Yu.P. Equations of magneto-plasma dynamics, 0=19651
Gubanov,A.I. and Nran'yan,A.A. Application of the equivalent orbital method to the study of band structure in compounds of the type $A^{III}B^{V}$, 0=6030
Gubanova,V.G. See Burmakin,V.A., 0=14990
Gubernator,K.,Heckmann,P.H. and Flammersfeld,A. Scintillation response (light yield) of anthracene to low-energy[< 200 keV] positrons and electrons, 0=8023
Gubernator,K. and Flammersfeld,A. The range of electrons and positrons of small energy in copper, silver and gold, 0=2399
Gubkin,A.N. and Sorokin,V.S. The piezo effect in electrets, 0=18105
Gubler,I.E. See Gurevich,A.G., 0=6243
Gubler,I.E. See Gurevich,A.G., 0=6251
Guccione,R.,Tosi,M.P. and Asdente,M. Migration barriers for cations and anions in alkali halide crystals, 0=4306
Guczi,L.,Kende,I. and Gál,D. Use of the differential isotope method for studying the interaction between vapours of alkyl iodide and surface of red phosphorus, 0=3305
Guczi,L. See Kende,I., 0=3304
Gudden,F.E. See Barber,W.C., 0=449
Gudman,F. See Dévis,R., 0=14544
Guében,G. Pulse generator and mixer for nuclear research, 0=17171
Guében,G. See Pierroux,A., 0=7495
Guenebaut,H. and Pannetier,G. Novel contribution to the analysis of the rotational structure of the (1, 0) band of the $A(^3\Pi_i)-X(^3\Sigma^-)$ transition of NH, 0=15699
Guenther,A.H. $3\nu_3$ band of $C^{12}S^{32}S^{34}$, 0=1526
Guérassimov,J.I.,Nikolskaia,A.V. and Evséev,A.M. The thermodynamic properties of some liquid metallic alloys, 0=1956
Guérassimov,J.I. and Vassiliéva,I.A. The thermodynamic properties of the oxides of tungsten, 0=1955
Guerci,J.C. See Arduino,H.A., 0=4453
Guérin,P. Attainment and possibilities of employment of a compensated photoelectric stellar spectrophotometer, 0=18588
Gueron,M. and Ryter,C. Overhauser effect in metallic lithium, 0=1836
Guerriero,L.,Mark,H.,Pless,I.A.,Rosenson,L.,Shapira,Y., Tuchman,A. and Yamamoto,R.K. Use of bubble chambers for experiments with high energy gamma-ray beams, 0=19981
Guerriero,L.,Pless,I.,Hyman,L. and Cronin,D. Experimental dynamics of bubble chamber window failures, 0=19980
Guerriero,L. See K^--collaboration, 0=1308
Guess,A.W. Density compression ratio across relativistic-strong-shock waves, 0=16771
Gugan,D. See Basinski,Z.S., 0=20870
Gugan,D. See Dugdale,J.S., 0=7914
Guggenheim,E.A. The accurate numerical solution of the Poisson—Boltzmann equation, 0=3315
Guggenheim,E.A. and McGlashan,M.L. Interaction between argon atoms, 0=20580
Guha,B.C. Temperature variation of the principal magnetic moments of Co^{++} ions and the asymmetry of the crystalline electric field in cobalt acetate tetrahydrate, 0=1783
Guibe,L. See Benoit,H., 0=17096
Guidarelli,S. Some advantages of the application of a special type of moving prism compensator to "moviolas", 0=166
Guidarelli,S. A critical examination of the use of resolving power as a test criterion for certain lenses, 0=14801
Guidotti,G. Remarks on the use of fine-grain emulsions for track autoradiography, 0=12799
Guigay,G. The Poynting—Robertson effect, 0=14404
Guile,A.E. See Ryder-Smith,S.C., 0=8980
Guilino,G. and Maier-Leibnitz,H. A new method for the study of the light of the night sky, 0=16470
Guillaud,C. See Bernard,R., 0=14096
Guillaud,C. See Bernard,R., 0=19800
Guillaud,C. See Goutte,R., 0=19731
Guillaume,C.Benoit à la. See Benoit à la Guillaume,C.
Guillemet,C. See Acloque,P., 0=16814
Guillien,R. See Fuchshuber,R., 0=16007
Guillon,H. Recent progress on multichannel time analysers, 0=9250
Guimaraes,W.O.N. See Porto,S.P.S., 0=16859
Guimarães,W.O.N. See Porto,S.P.S., 0=19415
Guinier,A. See Chaulet,R., 0=8188
Guinier,A. See Lambert,M., 0=4728

Guiraud,J.P. See Germain,P., 0=10730
Guiraud,J.P. The statistical interpretation of the idea of thermodynamic equilibrium, 0=6701
Guiraud,J.P. On the statistical interpretation of the phenomenological theory of irreversible processes, 0=16632
Guk,G.N. See Gorodetskii,A.F., 0=16198
Gulbransen,E.A. See Katz,O.M., 0=12069
Guliev,N.A. and Epstein,E.M. Bremsstrahlung from a distributed proton, 0=20132
Gulmanelli,P. and Montaldi,E. Wightman functions and the Jacobi identity, 0=2478
Gul'myayev,P.V. and Petrov,A.V. Specific heat of some semiconductors, 0=1557
Gulyaev,G.V. See Sanadze,V.V., 0=14075
Gulyaev,G.V. See Sanadze,V.V., 0=14076
Gulyaev,Yu.V. Scattering of current carriers on impurity centres, 0=6088
Gulyaev,Yu.V. See Bonch-Bruevich,V.A., 0=11672
Gulyamov,U.G. See Azimov,S.A., 0=13157
Gum,C.S.,Kerr,F.J. and Westerhout,G. A 21-cm determination of the principal plane of the galaxy, 0=18675
Gum,C.S. and Pawsey,J.L. Radio data relevant to the choice of a galactic coordinate system, 0=18657
Gum,C.S. See Blaauw,A., 0=18582
Gum,C.S. See Kerr,F.J., 0=4870
Guman,W.J. On the "escape speed" of a conducting fluid in a transverse magnetic field, 0=1189
Guman,W.J. Partition of energy in a pulsed plasma accelerator, 0=12609
Gumlich,H.E. See Gobrecht,H., 0=2970
Gumlich,H.E. See Gobrecht,H., 0=8027
Gumnick,J.L. and Juenker,D.W. Field dependence of photoelectric emission from tantalum, 0=1148
Gunderson,R. Simple wave flow in ducts, 0=948
Gunn,J.B. High electric field effects in semiconductors,0=20893
Gunn,S.R. and Sanborn,R.H. The heats of formation of BF_2Cl and $BFCl_2$, 0=18435
Gunn,S.R. See Stevenson,P.C., 0=4139
Gunnink,R. and Cobble,J.W. Radiochemical studies of the fission of U^{235} induced by helium ions, 0=1448
Gunson,J. and Taylor,J.G. Unstable particles in a general field theory, 0=12869
Gunson,J. and Taylor,J.G. Single particle singularities in scattering and production amplitudes, 0=15282
Gunten,O.Van. See Van Gunten,O.
Gunthard,H.H. See Meier,R., 0=1045
Günther,N. Theoretical study of spatial vision. I, 0=12230
Günther,N. Theoretical study of spatial vision. II, 0=18545
Günther,N. Theoretical study of spatial vision. III, 0=18546
Günther,N. Theoretical study of spatial vision. IV, 0=18547
Gupta,A. See Mukherjee,S., 0=5644
Gupta,A.S. Steady and transient free convection of an electrically conducting fluid from a vertical plate in the presence of a magnetic field, 0=15123
Gupta,A.S. Flow of an electrically conducting fluid past a porous flat plate in the presence of a transverse magnetic field, 0=19898
Gupta,B.K. The $^4\Sigma_u^+$ state of the negative molecular ion H_2^-, 0=7783
Gupta,K.Das. See Das Gupta,K.
Gupta,K.K. Non-relativistic approximation of Bhabha's equation, 0=3936
Gupta,M.K.Sen. See Sen Gupta,M.K.
Gupta,M.L. The problem of the Σ^-/Σ^+ ratio in K^-—p interaction in relation to the hypothesis of restricted symmetry, 0=15434
Gupta,M.R. Analysis of cascade showers induced by photons, 0=7315
Gupta,P.R. and Goring,D.A.I. Sedimentation of polydisperse macromolecules, 0=16393
Gupta,R.K. On the decay of ^{123}I, 0=4073
Gupta,R.K. Gamma rays from ^{196}Au, 0=17556
Gupta,R.K. The levels in ^{121}Sb studied from the decay of ^{121}Te and ^{121}Te, 0=20416
Gupta,R.K.,Girgis,R.K. and Van Lieshout,R. Levels in ^{200}Hg studied from the decay of ^{200}Tl, 0=4071
Gupta,R.K. See Jha,S., 0=15562
Gupta,S.C. Slow broadside motion of a flat plate in a viscous liquid, 0=19057
Gupta,S.N. Pion theory of nuclear forces with nucleon recoil, 0=5511
Gupta,S.N. Lorentz covariance of quantum electrodynamics with the indefinite metric, 0=17220
Gupta,V. K-meson production in π—p collisions and K-meson parity, 0=4001
Gupta,V. Strong interactions and isobaric gauge invariance, 0=17234
Gupta,V. Recoil in pion—nucleon scattering, 0=17389
Gupta,V. and Biswas,S.N. CP invariance and non-linear pion interactions, 0=17383
Gupta,V. See Blin-Stoyle,R.J., 0=4047
Guptill,E.W.,van Iersel,A.M.R. and David,R. The attenuation of sound in solutions of ^3He and ^4He, 0=8870
Guptill,E.W.,Van Iersel,F. and Van Itterbeek,A.F. The attenuation of sound in a dilute mixture of ^3He and ^4He by a method of fixed distance, 0=8887
Guptill,E.W. See Lawrence,D.J., 0=1576
Gurevich,A.G. and Gubler,I.E. Ferromagnetic resonance in single crystals of yttrium ferrite, 0=6251
Gurevich,A.G.,Gubler,I.E. and Safant'evskii,A.P. Ultra high frequency properties of yttrium and lutetium ferrites with garnet-type structure, 0=6243
Gurevich,A.V. Certain peculiarities of Joule heating of the electron gas in a plasma, 0=7127
Gurevich,A.V. The influence of collisions between electrons on their velocity distribution in gases and in semiconductors in an electric field, 0=10903
Gurevich,A.V. The number of accelerated particles in an ionized gas under various accelerating mechanisms, 0=19621
Gurevich,D.B. See Prokof'ev,V.K., 0=3749
Gurevich,I.I.,Nikol'skii,B.A. and Surkova,L.V. Three-electron decay of the muon, 0=13009
Gurevich,I.I. See Ali-Zade,S.A., 0=15378
Gurevich,I.I. See Varfolomeev,A.A., 0=7324
Gurevich,L.É. and Ipatova,I.P. Faraday effect in semiconductors with free carriers in a strong magnetic field, 0=7923
Gurevich,L.É. and Nedlin,G.M. Thermoelectric coefficients of metals in strong magnetic fields and the effect of drag of electrons by phonons, 0=10005
Gurevich,L.É. and Pavlov,S.T. The scattering of electromagnetic waves on free electrons in a strong magnetic field, 0=11020
Gurevich,L.E. and Uritskii,Z.I. On the theory of longwave absorption in crystals, 0=6174
Gurevich,L.É. and Uritskii,Z.I. The theory of infrared absorption of crystals, 0=16046
Gurevich,L.E. and Vladimirov,V.I. Kinetic theory of strength, 0=21136
Gurevich,L.É. See Bȳchkov,Yu.A., 0=10004
Gurevich,V.L. The theory of the thermal conductivity of dielectrics, 0=6020
Gurevich,V.L. Ultrasonic absorption in metals in a magnetic field. I, 0=7865
Gurevich,V.L. Ultrasonic absorption in metals in a magnetic field. II, 0=7866
Gurevich,V.M. and Rez,I.S. Transient phenomena of conductivity in $BaTiO_3$ ceramic with direct current, 0=13658
Gurevich,V.M.,Zheludev,I.S. and Rez,I.S. Some peculiarities of the electrical conductivity of guanidine aluminum sulphate hexahydrate (GASH), 0=13578
Gurinovich,G.P.,Sarzhevskii,A.M. and Sevchenko,A.N. The maximum polarization of luminescence in complex molecules, 0=10055
Gurinovich,G.P. See Sevchenko,A.N., 0=8018
Gurinovich,G.P. See Sevchenko,A.N., 0=9829
Gurinovich,G.P. See Sevchenko,A.N., 0=10054
Guro,G.M. Characteristic times of the steady-state electronic processes in semiconductors, 0=576
Gurov,K.P. See Borovskii,I.B., 0=1937
Gurov,K.P. See Borovskii,I.B., 0=9764
Gürs,K. Preparation and properties of PbTe photoresistors with controlled stoichiometric composition, 0=9996
Gürsey,F. On the symmetries of strong and weak interactions, 0=15246
Gurskii,M.N. See Starodubtsev,S.V., 0=6416
Gursky,J.C. See Northrop,J.A., 0=17147
Gurvich,A.S. Acoustic microanemometer for investigating the microstructure of turbulence, 0=10396
Gurvich,L.G. See Vapnik,V.H., 0=19801
Gurzadyan,G.A. Synchrotron radiation in cometary nebulae, 0=8510
Gurzadyan,G.A. The electron temperature of a medium subject to synchrotron radiation, 0=9042
Gurzadyan,G.A. New planetary nebulae (P.N.) with two shells, 0=18820

urzhi,R.N. and Azbel,M.Ya. Electron relaxation time in a high-frequency electromagnetic field and the surface impedance of a metal, 0=9947
usa,V.,Krzhizh,I. and Ladnar,I. Zone melting of silicon by electron bombardment, 0=706
usakov,M.Ya. See Frontas'ev,V.P., 0=8660
usakow,M.,Legoux,Y. and Sergolle,H. Spallation reaction (p, pn), (p, p2n) and (p, 3n) in gold. Variations of the cross-section with energy, 0=15571
Guseinov,G.D. See Akundov,G.A., 0=18054
Guseinov,N.G. See Turov,E.A., 0=11926
Gusev,A.A. Theory of the magnetic properties of ferrite single crystals, 0=13824
Gusev,I.V. See Aérov,M.É., 0=12514
Gusev,V.M.,Guseva,M.I.,Vlasenko,V.P. and Elistratov,N.P. Investigation of interaction between fast deuterium ions and metals, 0=19807
Guseva,G.A. and Taluts,G.G. On the theory of collective excitations of the electron system in a solid, 0=6034
Guseva,L.G. Discharge firing in inhomogeneous fields at low gas pressures, 0=1119
Guseva,L.I.,Myasoedov,B.F.,Tarantin,N.I. and Filippova,K.V. Cross-section for production of Cm^{240} by irradiation of Th^{232} with C^{12} and C^{13} ions, 0=11429
Guseva,L.I. See Volkov,V.V., 0=9649
Guseva,L.N. and Babaréko,A.A. Anisotropic broadening of X-ray diffraction maxima of solid solutions of copper after deformation, 0=1910
Guseva,M.I. Investigation of the sputtering action of positive ions with energies up to 25 keV in a small electromagnetic analyser, 0=1172
Guseva,M.I. See Gusev,V.M., 0=19807
Gush,H.P.,Hare,W.F.J.,Allin,E.J. and Welsh,H.L. The infrared fundamental band of liquid and solid hydrogen, 0=4196
Gush,H.P. See Connes,J., 0=16469
Gusinskii,G.M. See Alkhazov,D.G., 0=2567
Gusinskii,G.M. See Alkhazov,D.G., 0=2622
Gusinskii,G.M. See Alkhazov,D.G., 0=7587
Gustafson,W.A. On the Boltzmann equation and the structure of shock waves, 0=16770
Gustafsson,G. See Aarons,J., 0=10437
Gustova,L.V.,Timofeeva,L.P. and Chubinskii,O.V. The hard γ-radiation of Ag^{110*}, 0=2654
Gutan,V.B. See Levshin,V.L., 0=1753
Gutbier,H.B. Mass-spectroscopic investigation of the evaporation processes of indium arsenide, 0=19510
Gutenberg,B. Low-velocity layers in the earth, ocean, and atmosphere, 0=10386
Guth,E. and Inönü,E. Random-walk interpretation and generalization of linear Boltzmann equations, particularly for neutron transport, 0=10618
Güth,W. Origin of shock waves in cavitation, 0=6860
Güth,W. Nonlinear oscillations of air bubbles in water, 0=6865
Güth,W. See Mundry,E., 0=14598
Güthner,K. See Bienlein,H., 0=17306
Guthöhrlein,G.,Kopfermann,H.,Nöldeke,G. and Steudel,A. Nuclear moments of Os^{187}, 0=1356
Guthrie,A.N.,Tolstoy,I. and Shaffer,J. Propagation of low-frequency c.w. sound signals in the deep ocean, 0=10719
Gutjahr,H. See Böer,K.W., 0=18068
Gutkin,J.I. See Demirkhanov,R.A., 0=7708
Gutjahr,H. See Böer,K.W., 0=1724
Gutkin.T.I. See Demirkhanov.R.A., 0=9510
Gutkin,T.I. See Demirkhanov,R.A., 0=15669
Gutkin,T.N. See Demirkhanov,R.A., 0=7707
Gutman,A.M. and Levinson,I.B. Inhomogeneous vector coupling in atomic spectra, 0=20582
Gutman,I.I. General covariant method of successive approximations in the general theory of relativity, 0=6666
Gutman,L.N. See Tsvang,L.R., 0=2043
Gutmann,J.R. and Wolfsberg,M. Equilibrium in the exchange of tritium between ammonia and hydrogen and the zero-point energy difference between NH_3 and NH_2T, 0=21269
Gutmann,M. and Comte,R. Electronic simulator for radio-active phenomena study, 0=5673
Gutmann,M. and Steinberg,J.L. Preliminary results obtained with an 8 element interferometer at 3 cm wavelength, 0=18635
Gutmann,P. See Goursky,V., 0=2412
Gutnikova,E.K. See Zamyatnin,Yu.S., 0=9683
Gutnikova,E.K. See Zamyatnin,Yu.S., 0=11442
Gutorov,Yu.A. See Boltaks,B.I., 0=4359
Gutowsky,H.S. Isotope effects in high resolution N.M.R. spectroscopy, 0=7800
Gutowsky,H.S. See Bernheim,R.A., 0=6285
Gutowsky,H.S. See Brown,T.H., 0=17778
Gutowsky,H.S. See Kusumoto,H., 0=5998
Gutowsky,H.S. See Schug,J.C., 0=17784
Gutowsky,H.S. See Stalinski,B., 0=18230
Gutowski,J.A. See Greiner,E.S., 0=4355
Gutowsky,H.S.,Karplus,M. and Grant,D.M. Angular dependence of electron-coupled proton interactions in CH_2 groups, 0=2742
Gutowsky,H.S. and McCall,D.W. Temperature dependence of the chlorine pure quadrupole resonance frequency in molecular crystals, 0=4540
Gutowsky,H.S. See Anderson,D.H., 0=4218
Gutsunaev,Ts.I., and Terletskii,Ya.P. The theory of the motion of an electron in a linear betatron, 0=15092
Gutt,W. See Aruja,E., 0=4607
Gütter,E. and Mahl,H. Effect of fluctuating object illumination on the electron optical image, 0=19754
Guttman,N.,van Bergeijk,W.A. and David,E.E.,Jr. Monaural temporal masking investigated by binaural interaction, 0=18538
Guttman,N. See Flanagan,J.L., 0=18534
Guttman,N. See Flanagan,J.L., 0=18535
Guttman,A. See Takeyama,H., 0=5946
Guttmann,W.,Becker,H. and Müller-Uri,G. Spectral analysis of solutions with two rotating electrodes, 0=10766
Gutwin,O. See Brownlow,J.M., 0=9137
Guy,J. On a method of determination of electronic eigenvalues by line integration, 0=3454
Guy,J. See Cabaret,F., 0=7785
Guzenko,S.Ya. and Fomin,P.I. Radiative corrections to photoproduction and single-photon annihilation of pairs, 0=9346
Guzhavin,V.V. and Ivanenko,I.P. The dependence of the angle between the direction of motion of shower particles and the axis of the shower on the distance from the axis, 0=11266
Guzhavin,V.V. and Ivanenko,I.P. The dependence of the three-dimensional development of a cascade shower on the energy of the primary particle, 0=13086
Gvaladze,Yu.S. See Kvartskhava,I.F., 0=15039
Gvozdev,A.A. See Skuridin,G.A., 0=986
Gwathmey,A.T. See Bailey,J.M., 0=3172
Gwathmey,A.T. See Young,F.W., 0=6338
Gwinn,W.D. See Chan,S.I., 0=17756
Gwinn,W.D. See LeBlanc,O.H.,Jr, 0=15738
Gyftopoulos,E.P. and de Sobrino,L. Variational calculation of control rod reactivity, 0=13379
Gyftopoulos,E.P. and Smets,H.B. Transfer functions of distributed parameter nuclear reactor systems, 0=13320
Gygax,S. Superconductivity of indium—lead alloys, 0=8960
Gȳn,T. See Solov'ev,V.G., 0=15499
Gyorgy,E.M. Flux reversal in soft ferromagnetics, 0=10129
Gyorgy,E.M. and Hagedorn,F.B. Uniform rotational flux reversal of ferrite toroids, 0=3084
Gyorgy,E.M. and Hagedorn,F.B. Interaction between high-power microwave losses and magnetic flux reversal, 0=18200
Gyorgy,E.M. See Hagedorn,F.B., 0=11881
Györgyi,G. Elementary considerations on the dynamics of light waves, 0=1026
Gyulai,J. See Gombay,L., 0=15900
Gyulai,Z. Crystal nucleus observations in aqueous KBr and NaCl solutions, 0=10279
Gzowski,O. and Terlecki,J. A method for measuring the mobility of ions in dielectric liquids, 0=14654

Haacke,G. and Jaumann,J. Movement of Bloch walls in ultrasonic fields, 0=16136
Haag,R. The framework of quantum field theory, 0=3912
Haag,R. Discussion of the "axioms" and asymptotic properties of a local field theory with composite particles, 0=7266
Haag,R. See Albright,C.H., 0=2483
Haag,R. See Coester,F., 0=5468
Haas,F.A. See Burke,P.G., 0=12942
Haake,C.H. Translucent phosphor coatings in high-pressure mercury-vapor lamps, 0=2972
Haaland,C.M. Metal bakeout valve for ultrahigh vacuum, 0=3576

Haaland,C.M. Confinement of charged particles by plane electromagnetic waves in free space, 0=7121
Haar,D.ter. See ter Haar,D.
Haar,L. See Bird,J.F., 0=10808
Haarhoff,P.C. and Pistorius,C.W.F.T. Potential field and force constants of some trigonal bipyramidal pentahalides, 0=1501
Haarhoff,P.C. See Pistorius,C.W.F.T., 0=4188
Haarhoff,P.C. See Stoker,P.H., 0=3961
Haas,C. and Hornig,D.F. Inter- and intramolecular potentials and the spectrum of ice, 0=13694
Haas,C. See Bloem,J., 0=11692
Haas,F. See Burke,P.G., 0=3981
Haas,F.X. See Hart,J.B., 0=14936
Haas,G.A. and Jensen,J.T.Jr. Thermionic properties of UC, 0=12626
Haas,R.,Leipuner,L.B. and Adair,R.K. Conservation of parity in strong interactions, 0=2684
Haase,G. The sensitivity distribution in photographic emulsions, 0=19466
Haase,G. and Müller,H. Investigations on the diffusion halo in photographic emulsions, 0=8813
Haase,H. See Zeil,W., 0=5021
Haase,O. Structure of evaporated films of iron and their oxides (investigated by electron diffraction), 0=4697
Haasen,P. Metallurgy at low temperatures, 0=6532
Habel,K. See Herrmann,G., 0=4043
Haber,J. See Derén,J., 0=2849
Haberstroh,R.A. See Ames,O., 0=13171
Habert,P. See Durand,H., 0=17360
Habetler,G.J. See Hurwitz,H.Jr, 0=12968
Habfast,K. A thermal ion source for lithium, 0=10975
Habfast,K. Precision measurement of the relative abundance of isotopes with a mass spectrometer, 0=17674
Hachemeister,C.A. The exact solution of Borda's mouthpiece in two dimensions, 0=6758
Hachenberg,O. and Krüger,A. The correlation of bursts of solar radio emission in the centimetre range with flares and sudden ionospheric disturbances, 0=14214
Hachenberg,O. See Appelt,G., 0=12629
Hacke,J. On the effect of X-radiation on the ionic conductivity of NaCl, 0=1622
Hacques,G. Flow of a conducting fluid in the presence of the magnetic field created by a line electric current, and its determination by the method of rheoelectric analogies, 0=5386
Haddad,E. See Bame,S.J.,Jr, 0=20163
Haddle,G.P. See Skudrzyk,E.J., 0=2216
Haddock,F.T. See Boischot,A., 0=18643
Haddock,F.T. See Kundu,M.R., 0=12257
Haddock,R.P.,Abashian,A.,Crowe,K.M. and Czirr,J.B. Pion mass measurements using neutron time-of-flight techniques, 0=2569
Hadley,C.P. and Christensen,R.W. Solid-state image intensifier under dynamic operation, 0=3617
Hadley,C.P. and Fischer,E. Sintered cadmium sulfide photoconductive cells, 0=2913
Hadley,D.W. See Cundy,D.C., 0=15201
Hadley,D.W. See Evans,W.H., 0=3897
Hadni,A. and Decamps,E. A small grating spectrometer for millimetre waves (0.3-1.6 mm), 0=1224
Hadni,A.,Décamps,E.,Grandjean,D. and Janot,C. Experimental study of the polarization of light by echelette gratings in the 1-600μ region, 0=8810
Hadni,A.,Janot,C. and Decamps,E. Spectrometry in the far infrared (50 to 350μ), 0=6927
Hadni,A.,Janot,C. and Decamps,E. Contribution to the study of reflection of the far infrared by the echelette grating, 0=19442
Hadni,A. See Décamps,E., 0=10035
Hadži,D. See Blinc,R., 0=650
Haeberli,W. See Alexeff,I., 0=7346
Haeberli,W. See Verona,J., 0=4032
Haefner,H. See Eder.F.X., 0=11970
Haenisch,E.L. National Science Foundation Institutes, 0=4919
Haenni,H.P. See Rabson,T.A., 0=20414
Haering,R.R. Luminescence and conductivity induced by field ionization of traps, 0=1740
Haering,R.R. and Adams,E.N. Theory and application of thermally stimulated currents in photoconductors, 0=4368
Haeske,H. Vibration investigations on rails in the ultrasonic range, 0=5073
Haffner,H. Adjusting the polar axis of an astronomical telescope, 0=10470
Haga,E. See Susuki,Y., 0=20949
Hage,W. and Nicks,R. The activation of flowing, light substances in a space dependent neutron field, 0=2703
Hagedoorn,H.L. and Wapstra,A.H. Measurements of the fluorescent yield on the K-shell with a proportional counter, 0=5851
Hagedorn,F.B. Partial switching of thin Permalloy films, 0=3051
Hagedorn,F.B. and Gyorgy,E.M. Switching behavior of low remanence ferrite, 0=11881
Hagedorn,F.B. See Gyorgy,E.M., 0=3084
Hagedorn,F.B. See Gyorgy,E.M., 0=18200
Hagedorn,H. Sonic and ultrasonic whistle for the application of acoustic vibrations to liquids and gases, 0=996
Hagedorn,R. Particle production in 6.2 GeV p—p collisions treated by a statistical model, 0=12935
Hagedorn,R. A new derivation of the statistical theory of particles production with numerical results for p—p collisions at 25 GeV, 0=12861
Hagedorn,R. Note on the high-energy tail of the pion and γ-spectra in p—p collisions at 25 GeV, 0=13036
Hagedorn,R. Deuteron production in high-energy collisions, 0=20245
Hagemann,F.,Gray,J.,Jr,Machta,L. and Turkevich,A. Stratospheric carbon-14, carbon dioxide, and tritium, 0=1980
Hager,H. See Pehland,H., 0=5149
Hager,N.E.,Jr. Thin-heater thermal conductivity apparatus, 0=5204
Hagfors,T. Investigation of the scattering of radio waves at metric wavelengths in the lower ionosphere, 0=6453
Hagg,E.L.,Muldrew,D. and Warren,E. Spiral occurrence of sporadic-E, 0=6459
Hagiescu-Mirişte,M. See Bădărău,E., 0=19638
Hagiwara,H. and Tanifuji,M. The indirect (p,d) process, 0=11405
Hagiwara,H. and Tanifuji,M. Preliminary note on the indirect (p, t) process, 0=13230
Hagiwara,S. See Kojima,S., 0=19701
Hagopian,V. See Frankel,S., 0=9389
Hagström,S. See Bergvall,P., 0=13391
Hagström,S. See Nordling,C., 0=7692
Hagstrum,H.D. Detection of metastable atoms and ions, 0=8983
Hagstrum,H.D. Auger electron ejection from germanium and silicon by noble gas ions, 0=13600
Hagstrum,H.D. and D'Amico,C. Production and demonstration of atomically clean metal surfaces, 0=8726
Hahm,H.K. See Shin,H.M., 0=21300
Hahn,B.,Knudsen,A.W. and Hugentobler,E. Controlled sensitivity bubble chamber with stabilized final pressure, 0=15199
Hahn,D. and Lertes,K. Studies of cathodoluminescence. I, 0=1761
Hahn,E. Numerical investigation of a typical electrostatic immersion objective, 0=1160
Hahn,E. Investigations of electron filter lenses, 0=5353
Hahn,E.L. See Emshwiller,M., 0=9226
Hahn,E.L. See Kaplan,D.E., 0=16187
Hahn,E.L. See Weber,M.J., 0=18233
Hahn,E.L. See Wikner,E.G., 0=10253
Hahn,H. Magnetic field stabilization by a nuclear magnetic resonance maser, 0=9191
Hahn,H. See Fric,C., 0=11064
Hahn,J. and Havens,W.W.,Jr. A 2000-channel analyzer for neutron spectroscopy, 0=9382
Hai Vu and Turrell,G.C. Perturbation at low temperature of HBr in solution in argon, nitrogen and oxygen in gas liquid and solid state, 0=7752
Haigh,G. See Blackman,M., 0=8051
Haine,M.E. Absolute measurement of light intensities, 0=6901
Haine,M.E. and Agar,A.W. Differential scattering cross-section of atoms to medium energy electrons at small angles, 0=5864
Haine,M.E.,Einstein,P.A. and Borcherds,P.H. Resistance bias characteristic of the electron microscope gun, 0=7159
Haines,M.G. The inverse skin effect, 0=1092
Hajdu,J. Theory of magnetoresistance. I., 0=17988
Hajko,V. and Daniel-Szabó,J. The influence of an alternating magnetic field [of varying maximum amplitude] on the remanent state of magnetically soft materials, 0=3021
Haken,H. See Nikitine,S., 0=4283
Hakura,Y. and Goh,T. Pre-SC polar cap ionospheric blackout and type IV solar radio outburst, 0=14222

akura,Y.,Takenoshita,Y. and Otsuki,T. Polar blackouts associated with severe geomagnetic storms on Sept. 13th, 1957 and Feb. 11th, 1958, 0=21344
akura,Y. See Obayashi,T., 0=14223
akura,Y. See Obayashi,T., 0=16435
akura,Y. See Sinno,K., 0=18475
akura,Y. See Sinno,K., 0=18474
alaunbrenner,J. On the influence of the anisotropy of the base on the resistance of a rolling cylinder, 0=13920
albach,E.W. See Stair,R., 0=19490
albach,K. Modulation-effect corrections for moments of magnetic resonance line shapes, 0=13866
albert,M.L.,Hunting,C.E. and Zucker,A. Elastic scattering of nitrogen by carbon, 0=7590
albert,M.L. and Zucker,A. Elastic scattering of N^{14} by Be^9, 0=1423
albert,M.L. and Zucker,A. Nitrogen—aluminium elastic scattering, 0=11427
albwachs,F. The classical motion of the relativistic rotator, 0=3443
albwachs,F. Integration of the equations of motion of the Nakano rotator, 0=6647
albwachs,F. General Lagrangian and canonical formalism describing the relativistic motion of a free rotating particle, 0=18925
Halbwachs,F.,Hillion,P. and Vigier,J.P. Hamiltonian formalism associated with the Nakano rotator, 0=6684
Halbwachs,F.,Hillion,P. and Vigier,J.P. Mathematical theory of Euler's angles in space—time, 0=10551
Halbwachs,F.,Hillion,P. and Vigier,J.P. Internal motions of relativistic fluid masses, 0=12355
Halbwachs,F. and Vigier,J.P. Lie relations associated with relativistic rotators and bilocal theory, 0=16578
Haldane,J.B.S. "Dex" or "order of magnitude", 0=18898
Halden,F.A. See De La Rue,R.E., 0=3178
Hale,D.P. Characteristics of the visual aurorae at Byrd Station, Antarctica, during 1957, 0=14276
Hale,D.R. See Augustine,F., 0=16285
Hale,K.F. See McLean,D., 0=18389
Hale,M.E. See Fuller,H.W., 0=18190
Hale,M.E. See Fuller,H.W., 0=6236
Hale,M.E. See Fuller,H.W., 0=11855
Hale,M.E. See Rubinstein,H., 0=8053
Hales,J.L. Double-beam infra-red grating spectrometer, 0=5166
Halevi,E.A. The secondary hydrogen isotope effect, 0=4250
Hall,D. See Hefferlin,R., 0=15666
Hall,E.O. The silver-based heusler alloys, 0=21053
Hall,E.O. and Royan,J. The structure of Au_2Mn, 0=720
Hall,E.W. See Eveson,G.F., 0=6731
Hall,F.F.,Jr. See Merritt,T.P., 0=8829
Hall,G.G. See Shull,H., 0=7237
Hall,G.G. Improved atomic wave functions using a functional transformation, 0=11480
Hall,G.L. Nordheim's theory of the resistivity of alloys, 0=1614
Hall,G.R. See Brown,F., 0=20370
Hall,H.E. Waves on quantized vortex lines, 0=8907
Hall,H.E. The rotation of liquid helium II, 0=14916
Hall,H.E. and Bonner,T.W. Gamma radiations from inelastic scattering of fast neutrons in C^{12}, N^{14}, and O^{16}, 0=4116
Hall,H.T. Ultra-high-pressure, high-temperature apparatus: the "belt", 0=4832
Hall,H.T. See Dudley,J.D., 0=9840
Hall,H.P. and Sanderson,A.E. Digest of literature on dielectrics. Instrumentation and measurements, 0=2300
Hall,J.A. and Leaver,V.M. The design of mercury thermometers for calorimetry, 0=5220
Hall,J.E. See Davies,J.G., 0=8528
Hall,J.E. See Davis,J., 0=8480
Hall,J.E. See Davis,J., 0=8481
Hall,J.E. See Greenhow,J.S., 0=16421
Hall,J.E. See Greenhow,J.S., 0=18682
Hall,J.E. See Greenhow,J.S., 0=18715
Hall,J.F.,Jr. Optical properties of a highly boron-doped silicon surface, 0=11751
Hall,K.L. and Elder,F.A. Some ovservations on biphenyl radiolysis, 0=4731
Hallam,K.L. See Sinton,W.M., 0=3402
Hall,L.A. See Hinteregger,H.E., 0=10451
Hall,P.M.,Legvold,S. and Spedding,F.H. Electrical resistivity of yttrium single crystals, 0=2843
Hall,P.M.,Legvold,S. and Spedding,F.H. Electrical resistivity of dysprosium single crystals, 0=6079
Hall,R.C. Magnetic anisotropy and magnetostriction of ordered and disordered cobalt-iron alloys, 0=10118
Hall,R.C. Single-crystal magnetic anisotropy and magnetostriction studies in iron-base alloys, 0=10126
Hall,R.C.,Byrnes,W.S. and Crawford,R.G. Radiation effects on the anisotropy and magnetostriction of single crystals of several soft magnetic materials including Ni, Fe, Fe_3O_4, and alloys of Ni-Fe, Si-Fe, Al-Fe, Co-Fe and Mo-Ni-Fe, 0=2994
Hall,R.C.,Byrnes,W.S. and Crawford,R.G. Annealing study in a pile irradiated crystal, 0=3044
Hall,R.C. See Byrnes,W.S., 0=2417
Hall,R.M.S. High-energy oxygen ions in carbon dioxide mass spectra, 0=19615
Hall,R.N.,Racette,J.H. and Ehrenreich,H. Direct observation of polarons and phonons during tunneling in group 3—5 semiconductor junctions, 0=13628
Hall,R.N. See Oriani,R.A., 0=1641
Hall,R.O.A. See Lee,J.A., 0=11657
Hall,R.O.A. See Lee,J.A., 0=12056
Hall,T.P.P. and Hayes,W. Paramagnetic resonance of Co^{2+} with four- and eightfold coordination 0=16164
Hall,W.J. See Powell,R.L., 0=7857
Hall,W.J. See Powell,R.L., 0=9863
Hall,W.S. See Wegner,H.E., 0=15580
Haller,K. Divergence-free iterative expansion of the S matrix in a field theory, 0=20066
Hallett,A.C.H. See Benson,C.B., 0=19537
Hallett,A.C.Hollis. See Jones,G.H.S., 0=9852
Hallett,A.C.Hollis. See Woods,A.D.B., 0=8903
Hallett,J. Crystal growth and the formation of spikes in the surface of supercooled water. 0=18324
Hallett,J. and Mason,B.J. The influence of temperature and supersaturation on the habit of ice crystals grown from the vapour, 0=8151
Hallett,J. See Bryant,G.W., 0=6335
Hallgren,L.J. See Greenberg,J., 0=6926
Hallgren,L.J. See Greenberg,J., 0=16069
Halliday,I. Aurural green line in meteor wakes, 0=6575
Halliday,I. The spectrum of an asteroidal meteor fragment, 0=18710
Halliday,J.S. The contrast, breadths and relative intensities of electron diffraction rings, 0=10308
Halliday,J.S. Measurement of atomic differential scattering cross-sections, 0=10309
Halliday,J.S. and Newman,R.C. Reflexion electron microscopy using diffracted electrons, 0=6395
Halliday,J.S. and Quinn,T.F.J. Contrast of electron micrographs, 0=18419
Halling,J. The relationship between surface texture and rolling resistance of steel, 0=8131
Halling,J. Effect of deformation of the surface texture on rolling resistance, 0=8132
Halmann,M. See Pinchas,S., 0=7755
Halmos,F. Determination of the mean error by means of the refinement of the results of observations, 0=3400
Halperin,A. An uncommon growth feature in diamonds, 0=712
Halperin,A. and Braner,A.A. Evaluation of thermal activation energies from glow curves, 0=4465
Halperin,A.,Braner,A.A.,Ben-Zvi,A. and Kristianpoller,N. Thermal activation energies in NaCl and KCl crystals, 0=4466
Halperin,A.,Kristianpoller,N. and Ben-Zvi,A. Thermoluminescence of X-ray colored NaCl crystals, 0=2971
Halperin,A. and Lewis,N. Symmetry of the green phosphorescence of heat pretreated colored KCl crystals, 0=13720
Halperin,A. See Arbell,H., 0=4464
Halperin,J. See Stoughton,R.W., 0=4147
Halperin,J. See Stoughton,R.W., 0=13271
Halperin,J. See Stoughton,R.W., 0=13284
Halpern,F.R. A compact expression for S-matrix elements in theories with several interacting fields, 0=15241
Halpern,F.R. Formulas for the matrix elements of connected diagrams in field theories, 0=15242
Halpern,I. See Nicholson,W.J., 0=1449
Halpern,J. and Harkness,A.C. Spectra of some transition metal ions and complexes in D_2O, 0=3531
Halpern,J. See Frankel,S., 0=9389
Halpern,J. See Geller,K.N., 0=11296
Halpern,J. See Geller,K.N., 0=13261
Halpern,T. See Schmidt,H.E., 0=11666
Halsey,G.D.,Jr. See Constabaris,G., 0=14146
Halsey,G.D.,Jr. See Volk,H., 0=19118

Ham,F.S. and Mattis,D.C. Electrical properties of thin-film semiconductors, 0=9953

Ham,J.S. Kinetic theory of thermal diffusion in dilute polymer solutions, 0=19102

Ham,N.S. Electronic interaction in the free-electron network model for conjugated systems. III. Spectra of hydrocarbons other than even alternants, 0=11530

Ham,R.K. See Broom,T., 0=8124

Hama,F.R. Some transition patterns in axisymmetric boundary layers, 0=921

Hamada,S. Notes on magnetohydrodynamic equilibrium, 0=19901

Hamada,T. A note on the specification of nuclear potentials, 0=17460

Hamada,T.,Iwadare,J.,Otsuki,S.,Tamagaki,R. and Watari,W. Two-nucleon potential with the "one-pion-exchange tail", 0=20072

Hamada,T.,Iwadare,J.,Otsuki,S.,Tamagaki,R. and Watari,W. The triplet odd state potential of the two-nucleon system, 0=20126

Hamaguchi,M. On the hydrodynamical theory in multiple particle production, 0=12890

Hamaguchi,M. On the two fluid model in multiple production of mesons, 0=15371

Hamakawa,Y. See Yamaguchi,J., 0=4341

Hamamura,S. and Nishi,M. Note on the decomposition rate in the gaseous discharge, 0=7307

Hamamura,S. See Nishi,M., 0=9017

Hambleton,K.G.,Low,J.J. and Sherwell,R.J. Gallium arsenide tunnel diodes, 0=7951

Hamburger,A.I. Analysis of (d,t) pick-up reactions, 0=11420

Hamburger,A.I. See Mayo,S., 0=5751

Hamburger,E.W. Simple method for calibration of magnetic analyzers for nuclear accelerators, 0=15222

Hamburger,E.W. and Blair,A.G. (d, p) and (d, t) reactions on magnesium isotopes, 0=13239

Hamburger,E.W. and Cameron,J.R. Study of some reactions of 14.8 MeV deuterons with the lithium isotopes, 0=5752

Hameed,A.S. and Hariharan,S. A method of testing optical flatness of pre-polished glass surfaces, 0=19398

Hameka,H.F. Calculation of the magnetic susceptibility of methane, 0=9826

Hameka,H.F. Relationship between proton shielding constants and electric dipole moments in the hydrogen halides, 0=20681

Hameka,H.F. and Oosterhoff,L.J. The probabilities of triplet—singlet transitions in aromatic hydrocarbons and ketones, 0=506

Hamelin,J. See Bronca,G., 0=2412

Hamelin,J. See Bronca,G., 0=19851

Hamer,W.J. See Craig,D.N., 0=19582

Hamermesh,M. Galilean invariance and the Schrödinger equation, 0=10593

Hamermesh,M. See Perlow,G.J., 0=7466

Hames,F.A. Ferromagnetic-alloy phases near the compositions Ni_2MnIn, Ni_2MnGa, Co_2MnGa, Pd_2MnSb, and PdMnSb, 0=12048

Hamester,H.L. See Gray,J.H.,III, 0=20395

Hamill,W.H. See Magee,J.L., 0=3297

Hamilton,D.R. Interferometric determination of twist and polytype in silicon carbide whiskers, 0=1886

Hamilton,D.R. and Seidensticker,R.G. Propagation mechanism of germanium dendrites, 0=12009

Hamilton,D.R. See Ames,O., 0=13171

Hamilton,D.R. See Choyke,W.J., 0=8012

Hamilton,J. and Woolcock,W.S. Low-energy pion phenomena, 0=9397

Hamilton,J.F. A study of the formation of the latent image by the simultaneous action of pulsed light and pulsed electric fields, 0=12506

Hamilton,J.F. and Brady,L.E. Electrical measurements on photographic emulsion grains. I. Dark conductivity, 0=1616

Hamilton,J.F. and Brady,L.E. Electrical measurements on photographic emulsion grains. II. Photoelectronic carriers, 0=1617

Hamilton,J.F. and Brady,L.E. Print-out process in photographic emulsion grains, 0=8814

Hamilton,J.H.,Langer,L.M. and Smith,W.G. Evidence for small deviations in the allowed positron spectrum of Zr^{89}, 0=13195

Hamilton,R.A.H. See Bransden,B.H., 0=9352

Hamilton,R.J. Dimensions of microscope eyepiece graticules, 0=6918

Hamilton,R.J. See Bugden,A.R., 0=14140

Hamilton,W.C. On the isotropic temperature factor equivalent to a given anisotropic temperature factor, 0=3216

Hamilton,W.C. See Clinton,W.L., 0=17838

Hammel,E.F.,Sherman,R.H.,Kilpatrick,J.E. and Edeskuty,F.J. Entropy-temperature phase diagram for He^3, 0=8873

Hammel,E.F. See Keller,W.E., 0=8910

Hammel,E.F.,Jr. See Keller,W.E., 0=14917

Hammell,L. See Lodding,W., 0=2062

Hammer,C.L. and Good,R.H.,Jr. Four-fermion interactions with spin 3/2 neutrinos, 0=5693

Hämmerlin,G. Theory of three-dimensional instability of laminar boundary layers, 0=19059

Hammermesh,M. See Lynch,F.J., 0=17488

Hammerschlag,M. See Kowalewski,V.J., 0=19772

Hammersley,J.M. Limiting properties of numbers of self-avoiding walks, 0=10468

Hammond,H.K.,III,Holford,W.L. and Kuder,M.L. Ratio-recording spectroradiometer, 0=16858

Hammond,R.H. and Knight,W.D. Nuclear quadrupole resonance in superconducting gallium, 0=19562

Hamisch,H. See Gobrecht,H., 0=5095

Hamisch,H. See Boersch,H., 0=5355

Hammond,G.S. See Moore,W.M., 0=14130

Hamp,E.P. American English phonemes, 0=14328

Hampstead,G.W. Design criterion for correction of parallax at the best focus for definition, 0=8770

Hampton,B.F. Direct method for determining the velocity of nuclear particles, 0=7252

Hanawa,T. See Kakinoki,J., 0=8281

Hancock,D.A. See Hunt,S.E., 0=7557

Hancox,R. Importance of insulating inclusions in arc initiation, 0=16991

Hancox,R. See Robson,A.E., 0=5305

Hand,L.N. Electron–proton scattering at 900 MeV and 135°, 0=17305

Hand,L.N. and Panofsky,W.K.H. Magnetic quadrupole with rectangular aperture, 0=2401

Händel,S. See Ohlin,P., 0=17295

Handler,G.S. See Townsend,J.R., 0=7734

Handler,P. and Portnoy,W.M. Electronic surface states and the cleaned germanium surface, 0=2878

Handley,T.H. See Harmatz,B., 0=15538

Handley,T.H. See Jacob,K.P., 0=5714

Handley,T.H. See Wright,H.W., 0=13178

Handschig,G. See Bär,F., 0=4235

Handschig,G. See Kuhn,H., 0=4234

Hanel,R.A. Thermoelectric microphone for modulated ultrasonic waves, 0=19321

Haneman,D. Behaviour of InSb surfaces during heat treatment, 0=2830

Haneman,D. Photoelectric emission and work functions of InSb, GaAs, Bi_2Te_3 and germanium, 0=13636

Haneman,D. Comparison of structures of surfaces prepared in high vacuum by cleaving and by ion bombardment and annealing, 0=14047

Haneman,D. Adsorption and bonding properties of cleavage surfaces of bismuth telluride, 0=14151

Hanes,G.R. Limiting precision in optical interferometry, 0=1037

Haney,G.R. See Bergold,G.H., 0=3878

Hang,J. See Ballam,J., 0=2576

Hangos,I. The adherence of fluorescent films on glass surfaces. II. The effect of alkali salts on the adherence of fluorescent films, 0=1873

Hangos,I.,Toperczer,H. and Pozsgay,G. Influence of binders upon the surface brightness of cathode-ray tube screens. III., 0=18149

Hangos,I. See Gergely,G., 0=2963

Hangos,I. See Weiszburg,J., 0=10325

Hanic,F. and Michalov,J. The crystal structure of copper calicylate tetrahydrate $Cu(OH.C_6H_4.COO)_2.4H_2O$, 0=8247

Hanke,L. Delbrück scattering by a homogeneous magnetic field, 0=322

Hanking,B.M. See Wickersheim,K.A., 0=2941

Hanking,B.M. See Wickersheim,K.A., 0=10040

Hanlon,J.E. Diffusion of cadmium in pure and cadmium doped AgBr, 0=9916

Hanna,G.C. See Bercovitch,M., 0=13098

Hanna,N.O.M. The induction of electric currents in nonisotropic and nonuniform thin spherical shells and its application to a problem in geomagnetism, 0=19885

Hanna,R.C. and Rose,B. Fast neutron capture in ^{238}U and ^{232}Th, 0=7622
Hanna,R.C. See Davis,D.G., 0=15411
Hanna,S.S.,Heberle,J.,Perlow,G.J.,Preston,R.S. and Vincent,D.H. Direction of the effective magnetic field at the nucleus in ferromagnetic iron, 0=11827
Hanna,S.S. and Meyer-Schützmeister,L. Resonant absorption by the 9.17 MeV level in N^{14}, 0=410
Hanna,S.S.,Heberle,J.,Littlejohn,C.,Perlow,G.J.,Preston,R.S. and Vincent,D.H. Observations on the Mössbauer effect in Fe^{57}, 0=5663
Hanna,S.S.,Heberle,J.,Littlejohn,C.,Perlow,G.J.,Preston,R.S. and Vincent,D.H. Polarised spectra and hyperfine structure in Fe^{57}, 0=7463
Hanna,S.S. See Holland,R.E., 0=7464
Hanna,S.S. See Perlow,G.J., 0=7466
Hannay,N.B. Recent advances in silicon, 0=20911
Hannibal,W.D. Etching techniques for dislocations in Fe—Ni alloys, 0=16282
Hannum,W.H.,Courant,H.,Fowler,E.C.,Kraybill,H.L., Sandweiss,J. and Sanford,J. π^+—p interactions producing Σ^+—K^+ in a propane bubble chamber, 0=9402
Hans,H.S. and Sehgal,M.L. On the thermal neutron capture cross-sections, 0=5790
Hans,H.S. See Khurana,C.S., 0=5793
Hans,H.S. See Singh,B.P., 0=1375
Hans,H.S. See Singh,B.P., 0=1392
Hansbury,E. See Hayes,F.N., 0=7499
Hänsch,H.J. See Böer,K.W., 0=1664
Hanscome,T.D. See Billington,D.S., 0=20849
Hansel,H. and Schardin,H. The propagation of elastic surface deformations in a shock excited solid body, 0=19258
Hansen,E.B. The diffraction of a plane wave through two or more parallel slits in a plane screen, 0=6876
Hansen,E.B. On the influence of shape and variations in conductivity of the sample on four-point measurements, 0=7045
Hansen,K. and Hornig,D.F. Thickness of shock fronts in argon, 0=16774
Hansen,L.F. and Fretter,W.B. Nuclear interactions in carbon produced by cosmic rays with energies between 10^{10} and 10^{12} eV, 0=9491
Hansen,R.S. See Mann,J.A. Jr., 0=16394
Hansen,R.T. See Warwick,C.S., 0=6434
Hansen,W.H. Some magnetic properties of the chromium (III) halides at 4.2°K, 0=3006
Hansen-Nygaard,L. See Bak,B., 0=15776
Hansler,R.L. and Segelken,W.G. Correlation of thermoluminescence in MgO and valence changes of iron and chromium impurities detected by EPR, 0=11795
Hanson,A.W. The crystal structure of acepleiadylene, 0=8240
Hanson,H.M. and Nielsen,H.H. Intensities of rotation lines in absorption bands for symmetric molecules of the type AB ... XYZ_3, 0=15689
Hanson,J.A. and Anderson,E.M.S. Studies on dark adaptation. VII. Effect of pre-exposure color on foveal dark adaptation, 0=18562
Hanson,J.A.,Anderson,E.M.S. and Winterberg,R.P. Studies on dark adaptation. V. Effect of various sizes of centrally fixated pre-exposure fields on foveal and peripheral dark adaptation, 0=14351
Hanson,J.A.,Anderson,E.M.S. and Winterberg,R.P. Studies of dark adaptation. VI. Effects on foveal dark adaptation of series of alternating light and dark periods, 0=14352
Hanson,J.A.,Wulfeck,J.W. and Anderson,E.M.S. Studies on dark adapation. IV. Pre-exposure tolerance of the dark-adapted peripheral retina, 0=8452
Hanson,K.J. Radiation measurement on the Antarctic snowfield, a preliminary report, 0=14301
Hanson,R.C. and Brown,F.C. Hall mobility of holes in AgBr, 0=6955
Hansteen,J.M. A remark on the Coulomb disintegration of accelerated heavy ions, 0=20421
Hanszen,K.J. Theoretical researches on the melting point of small spheres. A contribution to the thermodynamics of surface phases, 0=5213
Hanton,J.P. See Brown,W.F.Jr, 0=10198
Hanuš,V. See Čermák,V., 0=2404
Hanzel,A.L. and Conger,R.L. Isolation of rotational reversal in ferromagnetic films, 0=1790
Happ,H. See Genzel,L., 0=628
Happ,W.W. See Castro,P.S., 0=14956
Happel,R.J.,Jr. See McGuire,T.R., 0=13850
Hara,E. Scattering of Co^{60} and Zn^{65} gamma-rays in medium and heavy elements. Study of the effect of vacuum polarization on the elastic scattering of γ-rays, 0=450
Hara,E. See Banaigs,J., 0=9656
Hara,O. and Fujii,Y. An attempt at reformulating pion—nucleon interaction. II. Scattering of antiproton by nucleon, 0=11203
Hara,O. and Fujii,Y. The annihilation of antinucleon according to the previous theory, 0=15250
Hara,O. and Fujii,Y. Pion-nucleon interaction according to the previous theory, 0=15250
Hara,O.,Fujii,Y. and Ohnuki,Y. An attempt at reformulating pion—nucleon interaction. I. Introduction of K-space, 0=11202
Hara,O.,Fujii,Y. and Ohnuki,Y. An attempt of generalizing the invariance of the theory under the charge conjugation, 0=15250
Hara,Y. Two nucleon problem and dispersion relation in nucleon—nucleon scattering, 0=20127
Hara,Y. and Kawarabayashi,K. A remark on the anomalous magnetic moment in the static model, 0=12918
Hara,Y. See Kuroboshi,E., 0=13122
Hara,Y. See Ohmura,T., 0=11503
Hara,Y. See Ohmura,T., 0=20578
Harada,R. See McCaldin,J.O., 0=20915
Harada,T. and Tatsumoto,E. 180° domain wall orientation in iron, 0=8048
Haranath,P.B.V. and Tiruvenganna Rao,P. The emission spectrum of chlorine (Cl_2^+), 0=5924
Harang,L. and Tröim,J. Determination of the angle of arrival of auroral echoes, 0=6481
Harclerode,J.E. See Anthony,A., 0=807
Harcombe,D. See Dutton,J. (Conf. Rep.), 0=2314
Harden,J.L. See Powell,R.L., 0=11588
Hardie,D. and Parkins,R.N. Lattice spacing relationships in magnesium solid solutions, 0=21195
Harding,G.N. See Gallet,R.M., 0=10916
Harding,G.O. and Wilks,J. The absorption of sound in dilute solutions of helium-3 in liquid helium II, 0=3700
Harding,G.O. and Wilks,J. The absorption of sound in helium II containing ^{3}He, 0=8886
Harding,R.H.,Golding,B. and Morgen,R.A. Optics of light-scattered films. Study of effects of pigment size and concentration, 0=6939
Harding,W.R.,Hilsum,C.,Moncaster,M.E.,Northrop,D.C. and Simpson,O. Gallium arsenide for γ-ray spectroscopy, 0=17287
Hardtke,F.C.,Scott,A.B. and Woodley,R.E. Decrease of F-center photoconductivity upon bleaching, 0=13553
Hardtl,K.H. The decay of the luminescence of ZnS:Cu, ZnS:S, ZnS:Zn and ZnO:Zn in the case of excitation with 60 keV H_2^+ ion pulses, 0=1755
Hardwick,R. See Charlson,R.J., 0=3317
Hardwick,R. See Mosher,H.S., 0=16381
Hardy,J., Jr. See Bowen,T., 0=17426
Hardy,J.,Jr. See Bowen,T., 0=17427
Hardy,J.R. Lattice vibrational spectrum of sodium chloride, 0=20742
Hardy,J.R. and Karo,A.M. Lattice vibrations of sodium chloride: experimental and theoretical heat capacity data, 0=20743
Hardy,R.,Majer,J.R. and Travers,S. Simple ultramicro-pipette for electron microscopy, 0=8331
Hardy,W. See Fremlin,J.H., 0=3820
Hare,A. The effect of viscosity on the stability of incompressible magnetohydrodynamic systems, 0=19902
Hare,W.F.J. See Gush,H.P., 0=4196
Hargreaves,A. and Stanley,E. Summarized proceeding of a conference on X-ray analysis—Manchester, April, 1958, 0=8175
Hargrove,L.E. Fourier series for the finite amplitude sound waveform in a dissipationless medium, 0=6881
Harihar,P. See Saraf,B., 0=11357
Hariharan,P. and Bhalla,M.S. Contour mapping microdensitometer, 0=5127
Hariharan,P. and Bhalla,M.S. Linear photomultiplier bridge circuit for the measurement of small changes in absorption, 0=6911
Hariharan,P. and Sen,D. Double-passed two-beam interferometers, 0=5173
Hariharan,P. and Sen,D. Three-beam interferometer, 0=5174
Hariharan,P. and Sen,D. Interferometric measurement of small angular displacements, 0=5178

Hariharan,P. and Sen,D. A simple interferometric arrangement for the measurement of optical frequency response characteristics, 0=8788
Hariharan,P. and Sen,D. Accurate measurements of phase difference with the Babinet compensator, 0=14854
Hariharan,P. and Sen,D. The double-passed fizeau interferometer, 0=16890
Hariharan,P. and Sen,D. Cyclic shearing interferometer, 0=16891
Hariharan,P. and Sen,D. Half-shade setting system for the Michelson interferometer, 0=19427
Hariharan,P. and Sen,D. Measurement of the optical thickness of absorbing specimens with the three-beam interferometer, 0=19431
Hariharan,P.,Sen,D. and Bhalla,M.S. Photoelectric setting methods for a three-beam interferometer, 0=5175
Hariharan,S. See Hameed,A.S., 0=19398
Harker,H.J. See Goddard,J., 0=3164
Harker,W. See Greebler,P., 0=12991
Harkness,A.C. See Halpern,J., 0=3531
Harlan,J.T. and Hart,E.J. Ceric dosimetry: accurate measurements at 10^8 rads, 0=5453
Harlin,J.B. and Cohen,M. Interference-free integration of a blood gas analyzer into a polygraphic system for recording physiological activities, 0=21404
Harlow,M.V.,Jr. See Rabson,T.A., 0=20414
Harman,G.G. Hard gallium alloys for use as low contact resistance electrodes and for bonding thermocouples into samples, 0=14360
Harman,T.C. Determination of the effective scattering mechanism parameter of electron transport theory, 0=11730
Harman,T.C. See Rosenberg,A.J., 0=603
Harmatz,B.,Handley,T.H. and Mihelich,J.W. Nuclear spectroscopy of neutron-deficient Lu, Ta, and Re isotopes, 0=15538
Harmatz,B. See Bichard,J,W., 0=1370
Harmatz,B. See Jacob,K.P., 0=5714
Harmegnies,P. Conditions for a family of surfaces obtained by varying a parameter to represent the equipotentials of the field of a possible system of conductors, 0=14953
Harnisch,H. See Martin,H., 0=2760
Harp,W.R.,Jr and Eiffert,R.C. Determination of active hydrogen using exchange with deuterium. Infrared spectrophotometric method, 0=18453
Harpe,A.de La. See de La Harpe,A.
Harpe,G.de La. See de La Harpe,G.
Harper,A.F.A. See Lowenthal,G.C., 0=214
Harper,A.F.A. See Lowenthal,G.C., 0=7002
Harper,P.G. Electron—lattice interaction in metals, 0=1570
Harper,W.R. Contact electrification of semiconductors, 0=13643
Harrah,L.A. and Mayo,D.W. Rotational isomerism involving the 2-3 carbon—carbon bond of the 1-alkenes, 0=15783
Harrell,B. See Amster,A.B., 0=3584
Harrick,N.J. Metal to semiconductor contacts : injection or extraction for either direction of current flow, 0=582
Harrick,N.J. Rectification without injection at metal-to-semiconductor contacts, 0=9983
Harrick,N.J. Study of physics and chemistry of surfaces from frustrated total internal reflections, 0=10030
Harries,D.R. The effects of neutron irradiation on the properties of iron and steels, 0=7905
Harries,D.R. and Smith,G.C. Fatigue damage and crack formation in pure aluminium, 0=21120
Harries,J.H.O. New high-vacuum technique: kits to be used by students to make vacuum tubes, 0=19241
Harriman,J. See Greebler,P., 0=12991
Harrington,D.R. Lepton decays of hyperons, 0=20237
Harrington,R.D. See Grimes,D.M., 0=11852
Harrington,R.E.,Rabinovitch,B.S. and Diesen,R.W. Unimolecular decomposition of chemically activated sec-deuterobutyl radicals from D atoms plus cis-burene-2, 0=8301
Harrington,R.E.,Rabinovitch,B.S. and Frey,H.M. Decomposition of activated sec-butyl radicals from different sources and unimolecular reaction theory, 0=21274
Harrington,R.E.,Rabinovitch,B.S. and Hoare,M.R. Collisional deactivation of vibrationally excited sec-butyl-d_1 radicals produced by chemical activation, 0=17739
Harris,A.B. See Meyer,H., 0=9855
Harris,A.K. See Berthold,W.K., 0=14165
Harris,A.K. See Berthold,W.K., 0=16411
Harris,A.K. See Daniels,F.B., 0=16773
Harris,B. and Jenkins,A.E. Controlled atmosphere levitation system, 0=3393
Harris,C.C. Alternative forms of some exponential and power functions for graphical representation, 0=3395
Harris,C.C. Sedimentation rates, fluidization and flow through porous media, 0=4739
Harris,C.C. and Howitt,D. A method for the routine measurement of particle shape factors in the sieve range, 0=16341
Harris,D.L. See Reid,W.H., 0=918
Harris,E.G. and Simon,A. Coherent and incoherent radiation from a plasma, 0=9047
Harris,E.G. See Simon,A., 0=9046
Harris,F.E. Molecular orbital studies of diatomic molecules. I. Method of computation for single configurations of heteronuclear systems, 0=4231
Harris,F.E. See Harris,G.M., 0=4185
Harris,G.G. Binaural interactions of impulsive stimuli and pure tones, 0=12222
Harris,G.I.,Kasturi Rangan,L.,Stump,R. and Seagondollar,L.W. Modification of an energy modulator for particle accelerators, 0=19820
Harris,G.I. See Seagondollar,L.W., 0=17594
Harris,G.M. Equilibrium properties of a multicomponent ionized gas, 0=2328
Harris,G.M. and Harris,F.E. Valence bond calculation of the barrier to internal rotation in molecules, 0=4185
Harris,G.M.,Roberts,J.E. and Trulio,J.G. Equilibrium properties of a partially ionized plasma, 0=17007
Harris,J.D. See Pikler,A.G., 0=16508
Harris,L.A. Spherical aberration due to initial path angle and lens curvature in aperture electron lenses, 0=9089
Harris,L.A. Trapping with alumina in vacuum systems and its effect on cathode activity, 0=16745
Harris,L.A. Comparative test of targets for observing dense electron beams, 0=19741
Harris,L.A. A study of aperture-type electron lenses with space charge, 0=19750
Harris,L.A. See Anderson,J.M., 0=15068
Harris,P.T. See Trainor,A., 0=4594
Harris,R.A. and Rice,S.A. Kinetic theory of moderately dense rigid sphere fluids. III. The formulation and solution of the transport equation for binary mixtures, 0=3469
Harris,R.A. and Rice,S.A. Kinetic theory of the moderately dense rigid-sphere fluid. IV. Fluxes of matter, momentum, and energy in a mixture, 0=18967
Harris,R.A. and Rice,S.A. Kinetic theory of the moderately dense rigid-sphere fluid. V. Relaxation in momentum space, 0=18968
Harris,W.J. Method for size-distribution determinations of non-volatile droplets by electron microscopy, 0=6771
Harris,W.J. Size distribution of tobacco smoke droplets by a replica method, 0=12091
Harrison,A.W. and Jones,A.V. Measurements of the absolute intensity of the aurora and night airglow in the 0.9-2.0μ region, 0=801
Harrison,A.W. and Jones,A.V. Observations of Meinel N_2^+ bands near 1.5μ in the auroral spectrum, 0=6474
Harrison,A.W. See Jones,A.V., 0=2028
Harrison,A.W. See Noxon,J.F., 0=14295
Harrison,B.K. Exact three-variable solutions of the field equations of general relativity, 0=2107
Harrison,C.W. See King,R., 0=12701
Harrison,C.W.,Jr, and King,R.W.P. Response of a loaded electric dipole in an imperfectly conducting cylinder of finite length, 0=17112
Harrison,D.E. The system $BaO-TiO_2-P_2O_5$: Phase relations, fluorescence, and phosphor preparation, 0=11773
Harrison,D.E. Relation of some surface chemical properties of zinc silicate phosphor to its behavior in fluorescent lamps, 0=11779
Harrison,D.E. and Hoffman,M.V. The calcium silicate Mn + Pb phosphor phase relationships and preparation, 0=3267
Harrison,D.E.,Jr. Extended theory of sputtering, 0=12088
Harrison,D.E.,Jr. See Yonts,O.C., 0=9110
Harrison,D.E.,Jr. See Yonts,O.C., 0=16747
Harrison,E.R. Emission of relatively high-energy ions from low-voltage arcs, 0=9092
Harrison,E.R. Theory of auroral structures, 0=16461
Harrison,E.R. and Thompson,W.B. The low pressure plane symmetry discharge, 0=5308
Harrison,E.R. A mercury surface height indicator, 0=14571

arrison,F.B. See Reines,F., 0=3955
arrison,F.W. The growth of oxide single crystals containing transition metal ions, 0=3177
arrison,G.R.,Schmidt,G.D. and Curtis,C.D. Differential and total cross sections of the $B^{10}(d,p)B^{11}$ reaction at low-deuteron energies, 0=5749
arrison,H. See Charlson,R.J., 0=3317
Harrison,J.A. Self-absorption in an electrodeless discharge in hydrogen and helium, 0=4172
Harrison,J.A. and Reid,C.D. Infra-red absorptiometer, using interference filters, for analysis of hydrogen fluoride in gaseous mixtures, 0=4754
Harrison,J.C. See Nettleton,L.L., 0=8346
Harrison,M.J. Magneto-attenuation of sound in semimetals: longitudinal waves, 0=13504
Harrison,M.J. See Cohen,M.H., 0=6011
Harrison,M.J. See Elliott,D.N., 0=6505
Harrison,S.E. See Gerritsen,H.J., 0=16180
Harrison,V.A.W. Ionospheric effects associated with the solar flare of July 10, 1959, 0=12181
Harrison,W. Illuminant for the colorimetry of fluorescent materials, 0=3659
Harrison,W.A. Fermi surface in aluminum, 0=2805
Harrison,W.A. Band structure of aluminum, 0=9887
Harrison,W.A. Electronic structure of polyvalent metals, 0=9888
Harrison,W.A. The effect of solute precipitation on the resistivity of alloys, 0=17984
Harrison,W.A. See Cohen,M.H., 0=6011
Harrower,G.A. Cosmic radio sources as intergalactic collisions, 0=14386
Harrower,G.A. See Ryan,W.D., 0=12210
Hart,A. High resistivity nickel—iron alloys with rectangular hysteresis loops, 0=6227
Hart,A.B. Problems in the determination of contours of solar lines near the extreme limb, 0=18773
Hart,E.J. See Harlan,J.T., 0=5453
Hart,E.L. and White,D.H. Lithium hydride bremsstrahlung beam "hardener", 0=2517
Hart,H.R.,Jr and Wheatley,J.C. Thermal contact below 1°K, 0=1067
Hart,H.R.,Jr and Wheatley,J.C. Self-diffusion in liquid He^3, 0=5230
Hart,H.R.,Jr. See Anderson,A.C., 0=19542
Hart,J.B.,Haas,F.X. and Hofmeyer,G.M. Phase production and measurement from 0 to 2π, 0=14936
Hart,K. and James,C.G. The "consort" reactor for training and research, 0=17641
Hart,K.H. Fractional order slide rule for interferometric length measurement, 0=6943
Hart,K.H. Note on "fractional order slide rule for interferometric length measurement, 0=19433
Hart,P.J. Effect of gas pressure and cone angle on the velocities of electrically excited shock waves, 0=7210
Hart,R.K. See Garrod,R.I., 0=4701
Hart,R.W. See Bird,J.F., 0=10808
Hart,R.W. See Bird,J.F., 0=19251
Hart,R.W. See McClure,E.T., 0=8735
Harte,K.J. Flux reversal by noncoherent rotation in magnetic films, 0=11858
Harteck,P.,Dondes,S. and Rentzepis,P. Spectroscopic investigation with the help of alpha particles, 0=498
Harteck,P. See Mannella,G.G., 0=18428
Harteck,P. See Reeves,R.R., 0=6403
Harteck,P. See Reeves,R.R., 0=6405
Harten,H.U. Surface recombination of silicon, 0=2886
Harth,E.M. See Block,M.M., 0=1372
Harth,E.M. See Block,M.M., 0=17416
Harth,E.M. See Fairbank,W.M., 0=315
Hartill,E.R. See Butt,E.P., 0=5837
Harting,D.,Kluyver,J.C.,Kusumegi,A.,Rigopoulos,R.,Sachs,A.M.,Tibell,G.,Vanderhaeghe,G. and Weber,G. Experiment on charge independence in pion interactions, 0=368
Harting,D.,Kluyver,J.C.,Kusumegi,A.,Rigopoulos,R.,Sachs,A.M.,Tibell,G.,Vanderhaege,G. and Weber,G. Experiment on charge independence in interactions of nucleons and pions, 0=15419
Hartland,A. See Powles,J.G., 0=10252
Hartland,A. See Powles,J.G., 0=14667
Hartman,C.D. See Germer,L.H., 0=19762
Hartman,C.D. See Germer,L.H., 0=21250
Hartman,C.D. See Scheibner,E.J., 0=4613
Hartman,W.J. Limit of spatial resolution of refractometer cavities, 0=19924
Hartmann,B. and Wielding,T. A determination of the spins of the spins of the 3.47 and 3.61 MeV levels in Zr^{90}, 0=5653
Hartmann,H. and Müller,H. The absorption spectra of solid hydrated nickel sulphate, 0=20985
Hartmann,I. See Just,K., 0=2116
Hartmann,P. See Vernier,P., 0=7141
Hartnett,J.P. See Eckert,E.R.G., 0=12507
Hartnett,J.P. See Eckert,E.R.G., 0=16906
Hartree,D.R. The radial charge densities for the Ti^{+2} argon core, 0=9746
Hartshorne,N.H. A special case of the superposition of crystal plates between crossed polars and its bearing on the microscopy of cellulosic fibres, 0=3653
Hartung,R.W. See Brown,J.L., 0=4003
Hartunian,R.A. See Marrone,P.V., 0=2274
Hartwig,G. and Schopper,H. $\beta-\gamma$ circular polarization correlation of Sb^{124}, 0=11361
Hartz,T.R. Radio star scintillations and ionospheric disturbances, 0=774
Harty,W.E. See Morton,G.A., 0=2911
Harumi,K. See Katsura,S., 0=14621
Harvey,B.G.,Wade,W.H. and Donovan,P.F. Recoil studies of heavy element nuclear reactions. II, 0=13220
Harvey, B.G. See Donovan,P.F., 0=13219
Harvey,G.A. See Covington,A.E., 0=828
Harvey,G.A. See Covington,A.E., 0=18642
Harvey,J.A. Donald J.Hughes (1915-1960), 0=19961
Harvey,K.B. and Brown,H.W. Study in the infrared of certain solids condensed after a discharge in the gaseous phase, 0=4420
Harvey,R.B. See Lewis,E.A., 0=16484
Harward,B.R. Effect of alpha-beta thermal cycling on uranium and its alloys, 0=4580
Harwood,J. See Shearman,E.D.R., 0=14232
Hasapis,A.A. See Bacon,J.F., 0=18383
Haseda,T. See Ohtsubo,A., 0=10096
Haseda,T. Paramagnetic relaxation in single crystals at liquid helium temperatures, 0=10214
Haseda,T. and Kanda,E. Paramagnetic relaxation in colbaltous salts at liquid helium temperatures, 0=10222
Haseda,T.,Kobayashi,H. and Date,M. Paramagnetic susceptibility of single crystals of some nickel salts, 0=21028
Hasegawa,H. Pion theory of the anomalous magnetic moment of the nucleon, 0=359
Hasegawa,H. Spin—lattice relaxation of shallow donor states in Ge and Si through a direct phonon process, 0=11612
Hasegawa,H. Dynamical properties of s—d interaction, 0=16166
Hasegawa,K. and Ichikawa,Y.H. Nucleon exchange effects in deuteron stripping reactions and angular distributions of $Be^9(d,n)B^{10}$ reaction, 0=17599
Hasegawa,M. On the position of the focus of the geomagnetic S_q current system, 0=14172
Hasegawa,S. Analysis of a high energy nuclear interaction in emulsion chamber, 0=5598
Hasegawa,S. See Aizu,H., 0=1338
Haselgrove,C.B. and Haselgrove,J. Twisted ray paths in the ionosphere, 0=11062
Haselgrove,J. See Haselgrove,C.B., 0=11062
Haseltine,W.R. See Newkirk,H.L., 0=14476
Hasen,W.E. See Doolittle,R.D.,III, 0=11242
Hashimoto,H. and Fujita,K. Electron microscope images of dislocations, 0=16367
Hashimoto,H.,Howie,A. and Whelan,M.J. Anomalous electron absorption effects in metal foils, 0=19768
Hashimoto,H. and Mannami,M. On the contrast of the electron microscopic image due to an edge dislocation, 0=20820
Hashimoto,K. Integrals in the thermoelectric power of semiconductors, 0=1690
Hashimoto,Y. and Alford,W.P. Violation of the isotopic spin selection rule in the $Ca^{40}(d,\alpha)K^{38}$ reaction, 0=2664
Hashino,T. and Huzinaga,S. The interaction between two normal helium atoms. A consistent treatment, 0=15677
Hasiguti,R.R. and Okuda,S. Internal friction of cold-worked gold and copper at low temperatures, 0=4559
Hasiguti,R.R. and Okuda,S. Internal friction of cold-worked gold and copper at low temperatures, 0=6297
Hasimoto,H. Magnetohydrodynamic wave of finite amplitude at magnetic Prandtl number 1, 0=3841
Hasino,T. See Huzinaga,S., 0=9831

Hasino,T. See Tsuji,M., 0=17839
Haskell,S. See Grey,D.S., 0=148
Haskin,D.M. See Schein,M., 0=2559
Haskin,D.M. See Schein,M., 0=9448
Haslam,C.G.T. See Mathewson,D.S., 0=18665
Haslam,R.N.H. See King,J.D., 0=2679
Haslam,R.N.H. See King,J.D., 0=17620
Haslam,R.N.H. See Roalsvig,J.P., 0=5778
Hasnain,S.A. See Murray,R.L., 0=13367
Hass,G. See Berning,P.H., 0=8797
Hass,G. See Thun,R., 0=3287
Hass,M. Temperature dependence of the infrared reflection spectrum of sodium chloride, 0=8007
Hass,M. Fundamental lattice dispersion frequencies of NaCl and KCl at 82°K, 0=13665
Hass,W.P.A. See van der Lugt,W., 0=6280
Hassan,F. See K^--collaboration, 0=1308
Hassan,F. See K^--Collaboration, 0=15430
Hassan,F. See Evans,D., 0=15431
Hasse,J. The effect of lattice defects on the optical properties of metal films, 0=4391
Hasse,R.A.,Kafalas,P. and Heinrich,R.R. The ratio of the (n,γ) to (n, 2n) cross section for thorium-232 bombarded with fission neutrons, 0=7617
Hassenstein,B. A cross-correlation process in the nervous center of an insect eye, 0=4828
Haste,G.R. See Worth,D.C., 0=3908
Hasted,J.B. and Mahadevan,P. Reactions of metastable atoms and resonance photons, 0=2727
Hastings,J.M. See Corliss,L.M., 0=1816
Hastings,J.M. See Corliss,L.M., 0=3101
Hastings,J.M. See Corliss,L.M., 0=6248
Hasty,T.E.,Ard,W.B.,Jr and Moulton,W.G. Structure of V centers in irradiated $KClO_3$, 0=2825
Haszko,S.E. See Wolfe,R., 0=20921
Hatakeyama,R. and Tanaka,T. Statistical mechanical interpretation of Wilson-Kistiakowsky equation, 0=19198
Hatanaka,T.,Suemoto,Z, and Tsuchiya,A. Solar activity and geomagnetic K-index at sunspot minimum, 0=14419
Hatano,S. See Ihara,C., 0=13024
Hatcher,C.R.,Falconer,T.W. and Millett,W.E. Annihilation of positrons in organic liquids, 0=3959
Hatcher,R.D. See Neuberger,J., 0=13484
Hatherton,T. Geometry of the southern auroral zone and the evidence for the existence of an inner zone, 0=12198
Hatherton,T. and Midwinter,G.G. Diurnal variation of aurora and geomagnetic disturbance at New Zealand Antarctic stations, 0=4814
Hatherton,T. and Midwinter,G.G. Observations of the aurora australis at New Zealand Antarctic stations during I.G.Y. 0=14273
Hatsukade,S.,Marshak,R.E.,Okubo,S. and Sudarshan,E.C.G. Note on divergenceless currents and muon polarization in $K\mu_3$ decays, 0=15423
Hatt,B.A.,Kent,P.J.C. and Williams,G.I. High vacuum high temperature X-ray camera, 0=13972
Hatton,A.P. Thermal conductivity and diffusivity measurements by an unsteady-state method with application to insulating materials containing moisture and ice, 0=8822
Haubert,A. Radio echoes observed over the surface of the sea at the ionosphere sounding station of Casablanca, 0=8360
Haubert,A. Nocturnal ionization of the E-region and geomagnetic activity, 0=8379
Haubert,A. The temperature gradients in the E- and F1-regions from the ionospheric soundings made at Casablanca, 0=8383
Haubert,A. On the large vertical movements of the F-region observed at Casablanca, 0=8387
Häufglöckner,H. See Felbinger,K., 0=7327
Haug,A. and Feneberg,W. On the derivation of the London equations of superconductivity, 0=16944
Hauge,Ø. Variations in the solar base level radiation on 200 Mc/s, 0=12256
Haupt,U. Temperature dependence and form of the long-wave exciton band in KI crystals, 0=2811
Hauptman,H. and Karle,J. Rational dependence and the renormalization of structure factors for phase determination, 0=4621
Hauptman,Z. See Kaczér,J., 0=4489
Haus,A. See Noddack,W., 0=1684
Haus,H.A. Network theoretical and physical limitations of amplifier noise performance, 0=2125
Hause,C.D. See Mann,G.A., 0=20623
Hauser,H. See Herrmann,G., 0=5679
Hauser,I. A study of uniform development in depth of nuclear emulsions, 0=12758
Hauser,I. On the transition effect of the neutron generating component of cosmic rays in lead, 0=15495
Hauser,I.,Landrock,P.,Lanius,K.,Mitrani,L. and Peeva,A. The transition effect in lead of the star-producing component of cosmic rays, 0=15496
Hauser,I. See Grote,C., 0=1312
Hauser,U. and Kerler,W. Investigation of the decay $Bi^{212}(ThC) \xrightarrow{\beta} Po^{212}(ThC') \xrightarrow{\alpha} Pb^{208}(ThD)$ by means of (γ,α)-coincidences, 0=7509
Hauser,U. See Boehm,F., 0=4030
Hausman,H.J.,Dell,G.F. and Bowsher,H.F. (p,p'γ) angular correlations at low energy, 0=11410
Hausman,H.J. See Kerst,D.W., 0=19837
Hausser,K.H. On the influence of dissolved oxygen on the line width of electron spin resonance in solution, 0=14663
Hausser,K.H. See Wolf,H.C., 0=4300
Haussühl,S. Thermo-elastic constants of [15] alkali halides of the NaCl-type, 0=11969
Haussühl,S. Crystal physical properties of $Ag_2SO_4.4NH_3$, 0=13921
Hautecler,S. and Rosen,B. Contributions to the study of electronic spectra of diatomic oxides. I. Spectrum of LaO, 0=11529
Hauw,C. Crystal structure of ethyl 9-bromo 10-anthracene, 0=8233
Havas,P. Multipole singularities of classical vector and pseudovector fields, 0=1243
Havel,V. See Mašín,A., 0=1927
Havel,V. See Mašín,A., 0=7902
Haven,Y. See Kats,A., 0=18128
Havens,W.W.,Jr,Melkonian,E.,Rainwater,L.J. and Rosen,J.L. Resonance fission widths of U^{235} for levels from 6 eV to 50 eV, 0=4138
Havens,W.W.,Jr. See Hahn,J., 0=9382
Havens,W.W.Jr. See Melkonian,E., 0=13294
Havens,W.W.,Jr. See Rosen,J.L., 0=9685
Havens,W.W.,Jr. See Rainwater,J., 0=9381
Havens,W.W.,Jr. See Safford,G.J., 0=5809
Havens,W.W.,Jr. See Safford,G.J., 0=9705
Havens,W.W.,Jr. See Safford,G.J., 0=15597
Havinga,E.E. Contribution to the theory of the dielectric properties of the alkali halides, 0=13646
Havlíček,F.I. The (γ,α) photoeffect in Ba, Ce, Nd and Sm, 0=2674
Havlíček,F.I. The production of extremely fine-pored silver membranes, 0=18385
Hawes,E.C. See Tunnicliff,D.D., 0=19416
Hawker,B.E. See Barry,J.F., 0=1446
Hawkes,F.C. Investigation of a precipitation hardening Elinvar, 0=3012
Hawkins,A.E. Volume of drops of aqueous solutions transferred to a slide by a "micro-rod", 0=6770
Hawkins,G.S. Asteroidal fragments, 0=14400
Hawkins,G.S. and Howard,W.E. Decay of light from a meteor train, 0=12204
Hawkins,P.O. and Sutton,R.W. Compact pulsed generator of fast neutrons, 0=7381
Hawksworth,W.A. and Raw,C.J.G. Initial thermoelectric powers of the nonisothermal calomel cell, 0=4723
Hawliczek,F. A simple single-channel pulse height analyser for medical measurements, 0=317
Hawton,J.J. See Roy,J.C., 0=20438
Haxby,R.O. See Kerst,D.W., 0=19837
Hay,D.R. and Poaps,G.E. Frontal perturbation of a tropospheric scatter path, 0=1218
Hay,H.J. The slow neutron total cross-section of ^{143}Nd, 0=7611
Hay,H.J.,Schiffer,J.P.,Cranshaw,T.E. and Egelstaff,P.A. Measurement of the red shift in an accelerated system using the Mössbauer effect in Fe^{57}, 0=7469
Hay,H.J. and Warren,J.B. The photodisintegration of neon, 0=453
Hayakawa,S. High energy gamma-rays from the crab nebula, 0=13077
Hayakawa,S. Neutrino and gravity, 0=14493
Hayakawa,S.,Ito,K. and Terashima,Y. Origin of cosmic rays, 0=388
Hayakawa,S.,Kawaguchi,M. and Minami,S. Phenomenological theory of pion—nucleon reactions, 0=369

Hayakawa,S. and Koshiba,M. Origin of cosmic rays revealed in the rigidity spectrum of primary particles, 0=17438
Hayakawa,S. and Marumori,T. A remark on the moments of inertia of rotating nuclei, 0=11297
Hayakawa,S.,Sasakawa,T.,Tomita,K.,Yasuno,M. and Yokota,M. Interpretation of the optical model in nuclear reactions, 0=15592
Hayakawa,S. and Terashima,Y. Efficiency of acceleration of relativistic particles in the Crab nebula, 0=15466
Hayashi,C. Giant stars with shell sources of C—N and p—p reactions, 0=10528
Hayashi,C.,Jugaku.J. and Nishida,M. Models of massive stars in helium-burning stage, 0=8516
Hayashi,C.,Nishida,M.,Ohyama,N. and Tsuda,H. Stellar synthesis of the α-particle nuclei heavier than Ne^{20}, 0=14466
Hayashi,C.,Nishida,M.,Ohyama,N. and Tsuda,H. Stellar synthesis of the α-particle nuclei heavier than Ne^{20}, 0=18867
Hayashi,C. See Sakashita,S., 0=14464
Hayashi,I. See Suwa,S., 0=19856
Hayashi,M. Absorption spectrum of copper-coloured cuprous oxide, 0=18125
Hayashi,T. Field emission in germanium, 0=7928
Hayashi,T.,Maeda,K.,Shida,S. and Nakada,K. A new phototropic substance and its e.s.r., 0=13882
Hayasi,T.,Teruyama,S. and Sagawa,T. Discrete states of an electron in a one-dimensional periodic field having a dislocated cell, 0=9876
Hayata,K. See Inuishi,Y., 0=6803
Haycock,O.C.,Swigart,J.I. and Baker,D.J. Electron densities of the ionosphere utilizing high-altitude rockets, 0=6448
Haycock,P.J. See Garner,F.H., 0=8643
Haydon,D.A. A study of the relation between electrokinetic potential and surface charge density, 0=19605
Hayes,F.N.,Hansbury,E.,Kerr,V.N. and Williams,D.L. Contemporary carbon-14 in lemongrass oil, 0=7499
Hayes,F.N. See Birkeland,S.P., 0=16710
Hayes,F.N. See Domer,F.R., 0=5447
Hayes,J.E.,Jr. See Noble,F.W., 0=4839
Hayes,W. The bonding and valence properties of iron group impurities in NaF, 0=21076
Hayes,W. and Nichols,G.M. Paramagnetic resonance and optical absorption of a V center, 0=6051
Hayes,W. See Baker,J.M., 0=6267
Hayes,W. See Baker,J.M., 0=8088
Hayes,W. See Hall,T.P.P., 0=16164
Haymann,P. See Cunningham,R.L., 0=8173
Haymes,R.C. High altitude neutron intensity diurnal variation, 0=2610
Haymes,R.C. and Korff,S.A. Slow-neutron intensity at high balloon altitudes, 0=20294
Haynam,G.E. and Crouch,M.F. Monte Carlo calculation of the slowing-down time distribution for neutrons in hydrogen, 0=12976
Haynes,A. and Hsiao,C.C. Effect of temperature and reactor irradiation on the strength of biaxially oriented polyethylene terephthalate, 0=18274
Haynes,A. See Hsiao,C.C., 0=11980
Haynes,J.R. Experimental proof of the existence of a new electronic complex in silicon, 0=9890
Haynes,S.K. See Nall,J.C., 0=11369
Hayward,A.T.J. Accurate direct-reading hydrostatic balance, 0=8594
Hayward,D.O. and Gomer,R. Adsorption of carbon dioxide on tungsten, 0=751
Hayward,R.W. See Ambler,E., 0=9557
Hazard,C. and Walsh,D. An experimental investigation of the effects of confusion in a survey of localized radio sources, 0=18660
Hazard,C. See Brown,R.H., 0=16527
Hazard,C. See Brown,R.Hanbury., 0=18659
Hazewindus,N. See van Oostrum,K.J., 0=7566
Head,A.K. Aplanatic lenses, 0=5139
Head,A.K. The positions of dislocations in arrays, 0=15844
Head,A.K. Aplanatic lenses of high refractive index, 0=16822
Head,J.W. See Mayo,C.G., 0=7063
Head,J.W. See Somerville,T., 0=6899
Heaps,H.S. General theory for the synthesis of hydrophone arrays, 0=5105
Heaps,J.D. See Blakemore,J.S., 0=6143
Hearmon,R.F.S. The influence of shear and rotatory inertia on the free flexural vibration of wooden beams, 0=3580
Hearst,J.R. See Se Hee Ahn, 0=15603
Heasell,E.L. See Andreae,J.H., 0=16790
Heastie,R. Solid and liquid solutions of krypton and xenon, 0=8846
Heath,D.F. See Dieke,G.H., 0=15724
Heath,M.B.B. Saturn in 1958, 0=8492
Heath,R.L.,Reich,C.W. and Proctor,D.G. Decay of 45-day Fe^{59}, 0=11378
Heath,R.L. See Vegors,S.H.,Jr, 0=9571
Heavens,O.S. Evaporation of metals by electron bombardment, 0=4691
Heavens,O.S. See Kelly,J.C., 0=19380
Hebbard,D.F. Proton capture by N^{15}, 0=7561
Hebbard,F.W. and Marg,E. Physiological nystagmus in the cat, 0=3384
Hebborn,J.E. and Sondheimer,E.H. The diamagnetism of conduction electrons in metals, 0=11797
Hebel,L.C. Theory of nuclear spin relaxation in superconductors, 0=1078
Heber,G. q-number commutation relations and the phsyical content of a simple field theory, 0=12809
Heberle,J. See Hanna,S.S., 0=5663
Heberle,J. See Hanna,S.S., 0=7463
Heberle,J. See Hanna,S.S., 0=11827
Heberle,J. See Perlow,G.J., 0=7466
Hébert,J. The energetic delta-ray method applied to the measurement of energies of heavy cosmic-ray particles, 0=13089
Hébert,J. See McEwen,J.G., 0=12790
Hecht,C.E. Trapped free radical concentrations, 0=4179
Hecht,C.E. λ-points in unsaturated helium films 0=8869
Hecht,C.E. Thermodynamic potentials for systems at negative absolute temperatures, 0=16931
Hecht,C.E. The possible superfluid behaviour of hydrogen atom gases and liquids, 0=19531
Hecht,G.J.,Laderman,A.J.,Stern,R.A. and Oppenheim,A.K. Determination of flame velocities in gaseous predetonation, 0=18436
Heckl,M. Experimental investigations into the sound insulation of cylinders, 0=19291
Heckl,M. Measurements on sound bridges between a plaster floor and a rough covering, 0=19339
Heckl,M. and Seifert,K. Investigation on the effect of eigenresonances of the measuring chamber on the results of sound absorption measurements, 0=16785
Heckman,H.H.,Perkins,B.L.,Simon,W.G.,Smith,F.M. and Barkas,W.H. Ranges and energy-loss processes of heavy ions in emulsion, 0=4105
Heckman,H.H.,Smith,F.M. and Barkas,W.H. The range and ionization of heavy ions in emulsion, 0=12772
Heckmann,O. The aberration of extragalactic nebulae, 0=18903
Heckmann,H.H. See Dyer,J., 0=5562
Heckmann,P.H. Directional dependence of the scintillation response of anthracene to α-irradiation, 0=1754
Heckmann,P.H. See Gubernator,K., 0=8023
Heckrotte,W. See Glassgold,A.E., 0=890
Heddle,D.W.O. Photodissociation in the Schumann-Runge system of oxygen, 0=17721
Heddle,D.W.O. See Gabriel,A.H., 0=20562
Hedeman,E.R. See Dodson,H.W., 0=10505
Hedgcock,F.T. and Muir,W.B. Susceptibility servo-balance for measurements on metals of extremely low resistivities, 0=7185
Hedgcock,F.T.,Muir,W.B. and Wallingford,E. The electrical resistance of dilute magnesium and aluminium alloys at low temperatures, 0=6083
Hedgcock,F.T. See Gaudet,G., 0=17999
Hedley,J.A. An electron microscope study of graphite oxidation, 0=21260
Hedrich,W.A. Some aspects of luminance and luminous emittance, 0=147
Hée,A. A first attempt to compare the Canadian and Ilford G5 photographic emulsions, 0=12798
Hée,A. A study of the radioactivity of some pegmatite from Renfrew, Ontario, Canada, 0=13163
Heemskerk,F.J. See Dubbeldam,P.S., 0=17346
Heer,C.V. Hyperfine coupling in metals, 0=9860
Heer,C.V. See Gaumer,R.E., 0=9857
Heer,E. See Gotow,K., 0=17336
Heerden,C. See Zwietering,P., 0=4313
Heerden,P.J.Van. See Van Heerden,P.J.

Hefferlin,R.,Cobb,B.,Hall,D. and Lehman,C. Laboratory high-excitation relative f-values for titanium I, 0=15666
Hefley,G.,Doherty,R.H. and Berger,E.L. An intermittent-action camera with absolute time calibration, 0=16902
Hegedus,I. See Freund,P.G.O., 0=18942
Hegedüs,I. See Freund,P.G.O., 0=18943
Hehir,R.M. See Polanyi,M.L., 0=8435
Heid,R.L. Graphical representation of some electrical potential fields, 0=1090
Heide,H.G. Electron microscope of objects at atmospheric pressure or at pressures which prevent their drying out, 0=21261
Heidelberg,R.F. See Banewicz,J.J., 0=4471
Heidenreich,R.D. See Burbank,R.D., 0=21170
Heidenreich,R.D. See Nesbitt,E.A., 0=10330
Heidmann,J. Use of curved nuclear photographic emulsions, 0=3902
Heijligers,H.J.M. See van Gool,W., 0=13717
Heikes,R.R. See McGuire,T.R., 0=11832
Heikes,R.R. See Sherman,B., 0=3734
Heilig,K. and Steudel,A. The isotopic shift between the stable Sr isotopes and the Sr^{90} isotope and the discontinuity in the nuclear volume effect at the neutron number 50, 0=9774
Heim,E. Asymmetrically broadened emission lines in the sonoluminescence spectra of aqueous salt solutions, 0=16709
Heimann,G. See Narath,A., 0=12740
Heimann,W. See Frischmuth-Hoffmann,G., 0=19721
Heimke,G. Temperature dependence of the saturation magnetization of ferrites with magneto-plumbite structure, 0=11882
Hein,R.A. and Falge,R.L.Jr. Properties of grey tin at low temperatures, 0=9931
Heine,K. See Herr,W., 0=12109
Heine,V. See Knight,W.D., 0=4530
Heinecke.V. See Eckardt.A.., 0=9229
Heineken,F.W. and de Wijn,H.W. The complex refractive index of some amines as a function of pressure at a wavelength of 6 mm, 0=14697
Heineken,F.W. See de Wijn,H.W., 0=8713
Heineman,R.E. See Donahue,D.J., 0=13326
Heinmets,F. Induced e.m.f. in electrolytes, 0=12107
Heinrich,R.R. See Hasse,R.A., 0=7617
Heinrich,R.R. See Kafalas,P., 0=13281
Heins,A.E. and MacCamy,R.C. On the scattering of [sound] waves by a disk, 0=19303
Heintz,W. The effect of pulse periodicity in corona, as measured by the high frequency spectrum, 0=14991
Heiser,P. See Sandford,B.P., 0=4812
Heisler,L.H. A relation between giant travelling disturbances and sporadic E ionization, 0=10419
Heisler,L.H. and Whitehead,J.D. Longitude effect in temperate zone sporadic E and the earth's magnetic field, 0=21358
Heister,W. Magnetic properties and grain structure of Mn-Zn ferrites, 0=3075
Heitler,W. The universal constant limiting the validity of the quantized field theories, 0=20010
Heitler,W. See Arnous,E., 0=15233
Heitler,W. See Arnous,E., 0=15234
Heitzmann,M. See Wagner,S., 0=4097
Heitzmann,M. See Wagner,S., 0=11412
Helary.A. See Legrand.J.P.., 0=17448
Helberg,H.W. See Naake,H.J., 0=16682
Helberg,H.W. See Naake,H.J., 0=16683
Helberg,H.W. The oscillation of air particles in models of porous sound absorbers, 0=19292
Helberg,H.W. See Meyer,E., 0=17099
Held,G. See Ishimaru,A., 0=2451
Heldt,J. See Frackowiak,M., 0=13719
Helfand,E. Transport coefficients from dissipation in a canonical ensemble, 0=12376
Helfand,E.,Reiss,H.,Frisch,H.L. and Lebowitz,J.L. Scaled particle theory of fluids, 0=19095
Helfand,E. On inversion of the linear laws of irreversible thermodynamics, 0=14904
Helfand,E. and Kirkwood,J.G. Theory of the heat of transport of electrolytic solutions, 0=5014
Helfand,E. and Rice,S.A. Principle of corresponding states for transport properties, 0=14543
Helfand,E. See Frisch,H.L., 0=4243
Helfand,E. See Lebowitz,J.L., 0=10650
Helfand,E. See Reiss,H., 0=3507
Helfer,H.L. See Erickson,W.C., 0=12261
Helland,J.A. See Longo,M.J., 0=3984
Hellawell,A. See Anderson,E., 0=20725
Hellens,R.L. See Reier,M., 0=12983
Hellenthal,W. The influence of stresses on the transverse magnetization of evaporated nickel films, 0=3025
Hellenthal,W. On the frequency dependence of the coercivity of thin evaporated nickel films, measured in an alternating magnetic field, 0=4496
Hellenthal,W. A simple photoelectric compensating polarimeter using magnetic rotation, 0=5184
Heller,C. and McConnell,H.M. Radiation damage in organic crystals. II. Electron spin resonance of $(CO_2H)CH_2CH(CO_2H)$ in β-succinic acid, 0=13572
Heller,C. See McConnell,H.M., 0=13571
Heller,G.S. See Rauch,C.J., 0=6037
Heller,J.P. Christiansen-type transparent porous media for flow studies, 0=3494
Heller,J.P. An unmixing demonstration, 0=6751
Heller,L. Proton–proton effective–range theory with vacuum polarization, 0=17335
Heller,W. Anisotropic light scattering of streaming suspensions and solutions, 0=939
Heller,W. and Nakagaki,M. Theoretical investigations on the light scattering of colloidal spheres. VII. Dissymmetry in unpolarized and polarized light, 0=2255
Heller,W. See Nakagaki,M., 0=5182
Heller,W.R. See Bron,W.E., 0=15862
Helliwell,G.C. See Macfadyen,K.A., 0=3527
Helliwell,R.A. and Bell,T.F. A new mechanism for accelerating electrons in the outer ionosphere, 0=18486
Helliwell,R.A. See Martin,L.H., 0=18504
Helliwell,R.A. See Smith,R.L., 0=14312
Hellman,O. On the Schrödinger eigenvalue problem, 0=6681
Hellström,B. and Janson,L.E. Evaporation from water surfaces coated with a film of stearyl alcohol, 0=16922
Hellwege,K.H.,Knappe,W. and Semjonow,V. Quasi-stationary measurement of the specific heat and the thermal conductivity of plastics, 0=2276
Hellwege,K.H. See Friederich,A., 0=10047
Helmer,J.C.,Jacobus,F.B. and Sturrock,P.A. Focusing molecular beams of NH_3, 0=7826
Helmer,R.G. and Burson,S.B. Decay of $_{66}Dy^{165}$, 0=13175
Hély,J. Model universe in a state of pure radiation, 0=875
Hemmendinger.A. See Diven,B.C.., 0=17624
Hemphill.L.F. See Bettis.E.S., 0=13312
Hempstead,C.F. and Bowers,K.D. Paramagnetic resonance of impurities in $CaWO_4$. I. Two S-state ions, 0=10221
Henck,R. See Coche,A., 0=18148
Hendeberg,L.O. Contrast transfer function of the light diffusion in photographic emulsions, 0=12502
Hendeberg,L.O. The contrast transfer of periodical structures in a photographic emulsion developed with adjacency effects, 0=12503
Henderson,M.G. and Scherr,C.W. Helium wave function in momentum space, 0=17655
Henderson,P.I. See Norment,H.G., 0=18355
Henderson,P.I. See Norment,H.G., 0=21180
Henderson,S.T. The prospects for solid state intensifying screens, 0=19408
Henderson,W.J. and Tunnicliffe,P.R. The production of N^{16} and N^{17} in the cooling water of the NRX reactor, 0=13273
Hendricks,C.D.,Jr. See Shelton,H., 0=11989
Hendricks,L.J. See Anderson,S., 0=8167
Hendry,A. The temperature dependence of noise temperature ratio in germanium diodes, 0=7950
Henglein,A. and Muccini,G.A. Negative ion–molecule reactions, 0=4707
Henglein,A. and Muccini,G.A. Mass spectrometric studies of ion–molecule reactions in mixtures of methane, methanol, water, argon and krypton with iodine: participation of excited ions and atoms and some radiation chemical considerations, 0=16400
Henin.F. See Prigogine.I., 0=16618
Henin.F. Irreversible processes in solids, 0=16649
Henisch,H.K. (Conf. ref.). Semiconducting silicon carbide, 0=4365
Henkel,H.J. See Gremmelmaier,R., 0=2896
Henkel,J.E.,Lockwood,J.A. and Trainor,J.H. A comparison of the cosmic-ray intensity at high altitudes with the nucleonic component at ground elevation, 0=9487
Henkel,R.L. See Simmons,J.E., 0=17635

Henley,E.M. Study of the direct (α,nucleon) reaction, including polarization, 0=5758
Henley,E.M. and Kunz,P.D. Decay of Be^{9*} (2.43 MeV state), 0=9548
Hennel,J.W. Nuclear spin—lattice relaxation time and the electric internal field in polar liquids, 0=6816
Hennel,J.W. and Krynicki,K. Viscosity of liquid hydrogen sulphide, 0=14579
Hennequin,J. Nuclear resonance maser in very weak fields, 0=11067
Hennessy,W.P. and Spencer,G.H. Automatic correction of first- and third-order aberrations, 0=8773
Hennies,H.H. Nuclear isomers of Ir^{192} and Ir^{194}, 0=13169
Hennies,H.H. and Flammersfeld,A. $_{77}Ir^{194}$, a new nuclear isomer with a half-life of $T_{1/2}$ = 47 sec, 0=7510
Hennig,G.R. A chemical model of radiation damage in graphite, 0=13566
Henning,W. and Vogt,E. Relationship between the grain dimensions and the magnetic properties of amalgams of iron and of cobalt, 0=13764
Héno,Y. Search for a method of calculating the anomalous magnetic moment of the nucleon, 0=357
Heno,Y. Contribution to the non-local interaction theory of Heitler and Arnous, 0=20120
Héno,Y. See Arnous,E., 0=15515
Hénon,G. See Baudin,G., 0=8339
Henon,M. An improved calculation of stellar velocity perturbations. "Relaxation time" problem, 0=4902
Hénon,M. The escape of stars from an isolated cluster, 0=14454
Hénon,M. Perturbations of stellar velocities. II. Calculation of moments of order greater than 2, 0=18787
Hénon,M. The isochron cluster. I, 0=18808
Hénon,M. The isochron cluster. II. Orbital calculations, 0=18809
Hénon,M. The isochron cluster. III. Distribution function, 0=18810
Henry,A.F. An application of reactor kinetics to the analysis of experiments, 0=13318
Henry,A.F. and Curlee,N.J. Verification of a method for treating neutron space—time problems, 0=13349
Henry,I.G. Phase oscillations in high current synchrotrons, 0=15097
Henry,J. Cohesive energy and equation of state of iron at high pressure [10^6 atm], 0=4257
Henry,J. Conducting or polarizable media in motion, 0=19888
Henry,W.E. Saturation magnetization and ferromagnetic interaction in terbium metal, 0=2986
Henry,W.E. Low-temperature magnetic remanence, molecular field, and approach to saturation of holmium metal, 0=4472
Henry,W.E. Saturation magnetization and molecular fields of the acetylacetonates of chromium and iron, 0=10091
Henry,W.E. Strong field magnetization at low temperatures and approach to absolute saturation of thulium metal, 0=11842
Henry,W.E. Magnetization in a strong field and the approach to absolute saturation of neodymium and dysprosium, 0=13776
Henry,W.E. and Salkovitz,E.I. Reduction of saturation magnetization of γ-Fe_2O_3 and Fe_3O_4 by pile irradiation, 0=3008
Henry,W.G. and Rogers,J.L. The magnetic susceptibilities of some diamagnetic alloys. The primary solid solutions of cadmium, indium, tin, and antimony in copper and in silver; zinc, gallium, germanium, and arsenic in silver; copper in silver and silver in copper, 0=13731
Henschke,E.B. See Weik,H., 0=6334
Henschke,R.A. See Geiszler,T.D., 0=12702
Hensel,J.C. See Bilaniuk,O.M., 0=17483
Hensel,J.C. and Feher,G. Valence band parameters in silicon from cyclotron resonances in crystals subjected to uniaxial stress, 0=20785
Henshaw,D.G. Structure of liquid oxygen by neutron diffraction, 0=12414
Henshaw,D.G. Pressure effect in the atomic distribution in liquid helium by neutron diffraction, 0=12542
Henshaw,D.G. Effect of the λ transition on the atomic distribution in liquid helium by neutron diffraction, 0=12541
Hentschel,H.J. The dynamic properties of high pressure xenon arcs, 0=12599
Hentze,G. Production of the magnetic fields for the acceleration of electrons in an aircored betatron, 0=1178
Henvis,B.W. See Clark,C.D., 0=16068
Hepburn,F. Interpretation of smooth type atmospheric waveforms, 0=6486
Hepburn,F. Constant ionosphere height for audio-frequency propagation, 0=8425
Hepburn,F. Analysis of smooth type atmospheric waveforms, 0=18524
Heppner,J.P. See Johnson,C.Y., 0=21333
Heppner,J.P. See Shapiro,I.R., 0=14161
Herb,R.G. See Michael,I., 0=2405
Herbert,J.D. See Medford,R.D., 0=19635
Herbstein,F.H. Crystallographic data for potassium manganate K_2MnO_4, 0=8220
Herbstein,F.H. See Gafner,G., 0=1922
Herczynska,E. Surface tension of diluted Bi—U and Sn—Tl alloys, 0=19088
Hereford,F.L. See Booth,N.E., 0=17337
Hereford,F.L. See Bucher,W.P., 0=455
Hereford,F.L. See Bucher,W.P., 0=5564
Herget,P. The elements and ephemeris of Comet Wirtanen 1948 b, 0=18726
Herglotz,H.K. Simple method of determining crystal perfection, 0=6346
Herinckx,C.H. and Monfils,A. Electrical determination of the thermal parameters of semiconducting thermoelements, 0=12574
Heritage,J.L.,Weisbrod,S. and Fay,W.J. Evidence for a 200-megacycles per second ionospheric forward scatter mode associated with the earth's magnetic field, 0=10413
Herlofson,N. See Elvius,A., 0=6615
Herman,F.,Glicksman,M. and Parmenter,R.H. Semiconductor alloys, 0=20891
Herman,F. See Peterlin,A., 0=12965
Herman,F. See Ribarič,M., 0=12967
Herman,L.,Séguier,J. and Herman,R. The emission process in the phosphorescence of argon, 0=13412
Herman,R. and Rubin,R.J. Determination of the dipole moment function from infrared band intensities of diatomic molecules, 0=11543
Herman,R. See Gazis,D.C., 0=13907
Herman,R. See Herman,L., 0=13412
Herman,R. See Wallis,R.F., 0=5543
Hermoch,V. A contribution to the study of electrode spaces of high-current short-duration electric discharges, 0=2337
Hermoch,V. The channel of a short-time high-intensity electric discharge, 0=2338
Hermoch,V. The vapour jets of electrode material of a short-time high-current electric discharge, 0=2339
Hermoch,V. Processes in the electrode spaces of short-time high-intensity electric discharges, 0=3745
Hernqvist,K.G. High-voltage electron extraction from an arc-discharge plasma, 0=15073
Hernqvist,K.G. Thermionic converters, 0=264
Herold,H. See Fünfer,E., 0=1140
Heroux,L. and Hinteregger,H.E. Resistance strip magnetic photomultiplier for the extreme ultraviolet, 0=7144
Herpin,A. Neutron propagation in perfect crystals of finite sizes, 0=3203
Herpin,A. and Mériel,P. Magnetic behaviour of a spiral antiferro-magnetic, 0=8063
Herpin,A.,Mériel,P. and Villain,J. Magnetic structure of the alloy $MnAu_2$, 0=1818
Herr,W. and Heine,K. Nuclear recoil in the crystalline hexachlor-complex of tetravalent Ir, 0=12109
Herr,W.,Hoffmeister,W. and Langhoff,J. The determination of rhenium and osmium in iron meteorites by neutron irradiation, 0=12273
Herre,W. See Czekalla,J., 0=662
Herre,W. See Czekalla,J., 0=3262
Herrick,C.E. On the computation of nearly parabolic two-body orbits, 0=18596
Herrinck,P. Prediction of sunspot numbers until the end of present cycle, 0=839
Herrinck,P. Tides in the F2 ionospheric layer, 0=4797
Herring,C. Spin exchange in superconductors, 0=8964
Herring,C. The state of d electrons in transition metals, 0=9874
Herring,C. Effect of random inhomogeneities on electrical and galvanomagnetic measurements, 0=17982
Herring,J.R. and Merzbacher,E. Statistical problems in energy loss and ionization processes, 0=14959

Herrmann,G. and Habel,K. Absolute calibration of a counter arrangement for Sr^{89}, Y^{90}, and $Ba-La^{140}$, by $Sr-Y^{90}$ standards, 0=4043
Herrmann,G.,Hauser,H. and Riedel,H.J. Critical discussion of methods for the estimation of radioactive contamination based on measurements of the total activity, 0=5679
Herrmannsfeldt,W.B. See Allen,J.S., 0=1385
Herron,J.T. and Dibeler,V.H. Studies of the evaporation of condensates containing nitrogen atoms, 0=3291
Herron,J.T. and Dibeler,V.H. Ionization potential of fluorine, 0=16973
Hersh,C.K.,Platz,G.M. and Swehla,R.J. Dielectric constant of liquid ozone and liquid ozone—oxygen mixtures, 0=14655
Hersh,H. Color centers on KI:Tl X-rayed at low temperatures, 0=1596
Hersh,H.N. and Markham,J.J. Effects of plastic deformation at 300°K on the X-ray production of color centres on KCl at 5 and 78°K, 0=6050
Hersh,H.N. See Markham,J.J., 0=16065
Herschbach,D.R.,Johnston,H.S. and Rapp,D. Molecular partition functions in terms of local properties, 0=4184
Herschbach,D.R. See Kwei,G.H., 0=9808
Hershberger,W.D. Absorption and reflection spectrum of a plasma, 0=5409
Hertweck-Crone,I. See Deeg,E., 0=14864
Hertz,J.H. Improvement of selenium foil polarizers by exploitation of an interference effect, 0=10787
Hertzberg,M. See Ortenburger,I.B., 0=14969
Hervé,J. The form of paramagnetic resonance lines and the direct measurement of the moments, 0=12671
Hervé,J. and Sauzade,M. A study of the variation of magnetic moment of a single crystal of yttrium garnet by ferrimagnetic resonance at 9350 Mc/s, 0=6253
Hervé,J. See Tchao You-Hing, 0=4534
Herz,A.J.,Ogilvie,K.W.,Olley,J. and White,R.B. Radio observations with satellite 1958δ over Australia, 0=854
Herzberg,E.N. Temperature regulator for close temperature control, 0=14898
Herzberg,G. Lamb shifts of the ground states of ^4He and ^3He, 0=11509
Herzberg,G. Ionization potentials and Lamb shifts of the ground states of ^4He and ^3He, 0=7695
Herzberg,G. and Moore,H.R. The spectrum of Li^+, 0=1481
Herzberg,G. See Durie,R.A., 0=11523
Herzberg,L. The wavelength displacements of some infrared lines between limb and center of the sun. II, 0=10511
Herzberger,M. Modern geometrical optics, 0=151
Herzberger,M. Colour correction in optical systems and a new dispersion formula, 0=19381
Herzenberg,A. Geomagnetic dynamos, 0=18458
Herzenberg,A. and Lowes,F.J. The "eddy model" of the non-dipole field and the secular variation, 0=18459
Herzenberg,A. and Squires,E.J. On the theory of $p-\alpha$ scattering, 0=20138
Herzfeld,C.M. Atoms and radicals trapped at 4°K, 0=9776
Herzfeld,C.M. See Reed,S.G., 0=3681
Herzfeld,K.F. Deactivation of the vibration during the collision of two diatomic molecules, 0=2754
Hesketh,R.V. The photocreation and destruction of F centres, 0=15859
Heslop,J. and Petch,N.J. The ductile—brittle transition in the fracture of α-Iron. II, 0=691
Hess,B. An X-ray photocell, 0=5340
Hess,D.C. See Diamond,H., 0=17512
Hess,D.C. See Eberhardt,P., 0=6580
Hess,D.C. See Geiss,J., 0=7
Hess,S. and Tischer,M. The equations of motion of a special two-body problem, 0=16564
Hess,W.N.,Patterson,H.W.,Wallace,R. and Chupp,E.L. Cosmic-ray neutron energy spectrum, 0=1326
Hess,W.N. and Starnes,A.J. Measurement of the neutron flux in space, 0=16459
Hess,W.N. See Devlin,T.J., 0=11206
Hess,W.N. See Longo,M.J., 0=3984
Hesselberg Jensen,T. See Wandel,C.F., 0=17638
Hessler,M. On nonlocal effects in weak interactions, 0=12823
Hettinger,G. and Starfelt,N. Energy and angular distribution of scattered radiation in a water tank irradiated by X-rays, 0=7330
Hettinger,G. and Starfelt,N. Improved NaI scintillation spectrometer for the study of continuous X-ray spectra, 0=17296
Hettner,G. and Wagner,H. Fourier analysis of the electric microfield in a plasma. II, 0=10901
Heuer,A. See Straley,R., 0=9139
Heughebaert,D. and Heughebaert,J. Precision measurements on the Z-axis of a microscope, 0=12477
Heughebaert,D. and Heughebaert,J. The fixing of nuclear emulsions, 0=12752
Heughebaert,J.,Igiuni,A. and Occhialini,G. The possibility of realising a wet hot-stage in development at two temperatures, 0=12753
Heughebaert,J. See Gandolfi,E., 0=11326
Heughebaert,J. See Heughebaert,D., 0=12477
Heughebaert,J. See Heughebaert,D., 0=12752
Heumann,T. and Predel,B. Determination of the enthalpy of solidification (freezing) of metals and alloys by differential thermal analysis, 0=6994
Hewish,A. See Gorgolewski,S., 0=18749
Hewish,A. See Ryle,M., 0=18685
Hewison,V. See Ring,J., 0=16883
Hexter,R.M. See Swenson,C.A., 0=2939
Hey,J.S. and Hughes,V.A. Radar observations of the moon at 10-cm wavelength, 0=18617
Hey,P. Measurement of the absolute transition probabilities of some lines of silicon I, silicon II, chlorine I and chlorine II, 0=5887
Heyligers,A. See Endt,P.M., 0=17505
Heymann,D. The separation of radioactive xenon from hydrogen and deuterium by means of thermal diffusion, 0=961
Heymann,D. and Kistemaker,J. Thermal diffusion of xenon at tracer concentrations, 0=8696
Heynacher,E. Significance of the ray-optical approximation and its application to the valuation of photographic image characteristics, 0=19369
Heynacher,E. Some observations on the problem of optical image quality assessment, 0=19371
Heynacher,E. Connection between the light peak lichtgebirge and the incoherent transmission function, 0=19405
Heymann,F.F. See Davis,D.G., 0=15411
Heywang,W. See Zerbst,M., 0=593
Heywang,W. See Zerbst,M., 0=4337
Heywood,J. Amateur radio measurement of Soviet satellites I and II, 0=8526
Hibbard,W.R.,Jr. The effect of cold work on the electrical resistivity of copper solid solution alloys, 0=15888
Hibberd,F.H. Self-distortion of radio waves in the ionosphere, near the gyro frequency, 0=773
Hibberd,F.H. The effect of the ionosphere on the Doppler shift of radio signals from an artificial satellite, 0=852
Hibberd,F.H. The Faraday fading of radio waves from an artificial satellite, 0=10450
Hibberd,F.H. and Thomas,J.A. The determination of the electron distribution in the upper ionosphere from satellite Doppler observations, 0=14261
Hibberd,F.H. See Thomas,J.A., 0=6633
Hibdon,C.T. Nuclear energy levels of Na^{24}, 0=9534
Hibdon,C.T. See Jaffey,A.H., 0=20513
Hibi,T. and Tomiki,T. Electronmicroscopic observation of the additively coloured KCl crystal. II. Effects of light exposure, 0=743
Hibi,T. and Tomiki,T. Electronmicroscopic observation of the KCl crystal containing potassium colloid particles, 0=8296
Hickam,W.M. See Von Hoene,J., 0=5273
Hickman,G.D. and Wiedenbeck,M.L. Directional correlation of the gamma rays in W^{182}, 0=11390
Hickman,K. Pump fluids for high vacuums, 0=16740
Hickman,R.S.,Kenney,R.W.,Mathewson,R.C. and Perkins,R.A. Liquid hydrogen targets of adhesive-bonded Mylar plastic, 0=2477
Hickmott,T.W. Interaction of atomic hydrogen with glass, 0=1969
Hickmott,T.W. Interaction of hydrogen with tungsten, 0=6424
Hicks,B.L.,Knable,N.,Kovaly,J.J.,Newell,G.S.,Ruina,J.P. and Sherwin,C.W. The spectrum of X-band radiation backscattered from the sea surface, 0=12700
Hicks,C.L. See Lambert,J.D., 0=8701
Hicks,H.G. See Stevenson,P.C., 0=4139
Hidalgo,A. and Gonzalez-Sanchez,F. Infrared absorption spectra of benzeno-carboxylic acids. Assignment of vibrational modes to the recorded bands, 0=9803
Hidle,N. The Halden reactor, 0=4141
Hieblot,J. See Ecollan,J., 0=14303
Hiedemann,E.A. See Mayer,W.G., 0=6882
Hiedemann,E.A. See Mayer,W.G., 0=10781
Hiei,E. See Suemoto,Z., 0=6604
Hiei,E. See Suemoto,Z., 0=6605

Hieke,M. The origin of cracks in glass disks under fixed voltages, 0=16238
Hien,N.C. See Chadwick,G.B., 0=15350
Hien Tran The. See Tran The Hien, 0=4772
Higashimura,T.,Iwakura,T. and Sidei,T. Measurement of H^3 and C^{14} with a liquid scintillation counter, 0=7490
Higashimura,T. See Sidei,T., 0=9340
Higashimura,T. See Takeda,M., 0=17849
Higgins,C.S. See Shain,C.A., 0=4857
Higgins,G.C.,Lamberts,R.L. and Wolfe,R.N. Validation of sine-wave analysis for photographic systems, 0=19397
Higgins,G.H. See Diamond,H., 0=17512
Higgins,G.H. See Johnson,G.W., 0=10383
Higgins,H.G. See Nissan,A.H., 0=6308
Higgins,J. Method for measuring the moisture content of air, 0=4779
Higgins,T.J. and Holland,D.B. The human being as a link in an automatic control system. I, 0=4385
Higgs,R.W. and Litovitz,T.A. Ultrasonic absorption and velocity in molten salts, 0=16696
Higgy,R.C. See Kraus,J.D., 0=10540
Higgy,R.C. See Kraus,J.D., 0=12338
Higham,J.B. See Papadoyannis,M., 0=15002
Higson,G.R. Resistance strain gauges of low temperature sensitivity, 0=4551
Higuchi,J. Some calculations based on an LCGO-MO treatment, 0=5972
Higuchi,J. and Aono,S. Isotropic proton hyperfine interaction in the methyl radical, 0=4217
Higuchi,K. On the coalescence between plane snow crystals, 0=14324
Higuchi,W.I. and O'Konski,C.T. A test of the Becker—Doering theory of nucleation kinetics, 0=6425
Hihara,T. α-transformation of iron sulfide single crystals, 0=4484
Hiida,K. Note on anomalous K^+-decay events, 0=375
Hiida,K. Radiative $K-\mu$ decay and quantum electrodynamics at small distances, 0=15422
Hiida,K. and Nakanishi,N. Electromagnetic structure of the nucleon. III, 0=20118
Hiida,K.,Nakanishi,N.,Nogami,Y. and Uehara,M. Electromagnetic structure of nucleons, 0=17319
Hiida,K.,Nakanishi,N.,Nogami,Y. and Uehara,M. Electromagnetic structure of the nucleon. I, 0=20116
Hiida,K.,Nakanishi,N.,Nogami,Y. and Uehara,M. Electromagnetic structure of the nucleon. II,, 0=20117
Hiida,K. and Sawamura,M. Some considerations on the high-energy electron—proton scattering and the nucleon mass difference, 0=11154
Hijikata,K. Energy levels of F_2 and F_2^+. 0=17844
Hijikata,K. See Lin,C.C., 0=17800
Hijmans,J. Applications of Bronsted's principle of congruence to n-alkane mixtures, 0=3518
Hiki,Y. Internal friction of lead. II., 0=18245
Hikosaka,T.,Saitô,B. and Yano,K. The general circulation of the atmosphere above 100 km and the latitude effect of the airglow, 0=18482
Hildebrand,J.H. See Walkley,J., 0=16705
Hildebrandt,G. See Borrmann,G., 0=3208
Hilgevoord,J. On the reduction formulae for the S-matrix elements, 0=7294
Hilibrand,J. and Gold,R.D. Determination of the impurity distribution in junction diodes from capacitance—voltage measurements, 0=15972
Hill,B.J. See Gammel,J.L., 0=13072
Hill,D. See Stone,B., 0=9971
Hill,E.D. See Jennings,L.D., 0=2788
Hill,E.L. Ball lightning as a physical phenomenon, 0=16490
Hill,E.R. A search for radio emission at 3.5 m from the local supergalaxy, 0=6564
Hill,E.R.,Slee,O.B. and Mills,B.Y. A pencil-beam survey of the galactic plane at 3.5 m, 0=4861
Hill,E.R. See Mills,B.Y., 0=4869
Hill,F.K. Turbulent boundary layer measurements at Mach numbers from 8 to 10, 0=952
Hill,G.E. Anomalous f_0F_2 variations in the Antarctic, 0=16446
Hill,J.D. Allotropic transformations in plutonium, 0=21226
Hill,J.G. See Batson,A.P., 0=1279
Hill,J.G. See Dowell,J.D., 0=1280
Hill,J.S. See Dagley,P., 0=9515
Hill,N.E. Dielectric relaxation and free volume, 0=13642
Hill,R.A. and Dyce,R.B. Some observations of ionospheric Faraday rotation on 106.1 Mc/s, 0=11060
Hill,R.J. and Jacobs,P.W.M. Field effects on chemisorbed films in electron emission microscopy, 0=5356
Hill,R.M. and Ichiki,S.K. Microwave noise from low-pressure arcs, 0=10894
Hill,R.M. and Tetenbaum,S.J. Harmonic generation in a cyclotron resonant plasma, 0=258
Hill,R.M. See Weaver,C., 0=10463
Hill,R.M. See Weaver,C., 0=16246
Hill,R.M. See Weaver,C., 0=21249
Hill,R.W. Low-temperature calorimetry, 0=19579
Hill,R.W. and Lounasmaa,O.V. The thermodynamic properties of fluid helium, 0=19532
Hill,R.W. and Lounasmaa,O.V. The lattice specific heats of solid hydrogen and deuterium, 0=20749
Hill,S.V. High-gain d.c. amplifier for biological purposes, 0=3712
Hillas,A.M. and Cranshaw,T.E. A comparison of the charges of the electron, proton and neutron, 0=5521
Hillas,A.M. and Cranshaw,T.E. Comparison of the charges of the electron, proton and neutron, 0=9310
Hillas,A.M. and Tennent,R.M. High speed counter chronometer, 0=17190
Hiller,R.E.,Jr and Straley,J.W. Vibrational intensities and bond moments in deuterated methanes, 0=17740
Hiller,W. See Driescher,H., 0=3657
Hillert,M. The kinetics of the first stage of tempering, 0=15850
Hilliard,J.E.,Cohen,M. and Averbach,B.L. Grain-boundary energies in gold—copper alloys, 0=16344
Hilliard,J.K. See Fiala,W.T., 0=10738
Hillier,M.J. Thermal stresses in reactor shells due to γ-irradiation, 0=7671
Hillier,M.J. Thermal stresses in reactor shells due to thermal neutron irradiation. I, 0=7672
Hillion,P.,Stépanov,B. and Vigier,J.P. Interpretation of the mean value of internal operators in the theory of relativistic fluid masses, 0=10592
Hillion,P. and Vigier,J.P. Mathematical study of the proper functions of the internal kinetic moments of relativistic fluid masses, 0=10591
Hillion,P. and Vigier,J.P. Elementary fields and irreducible representations of the Lorentz group, 0=11094
Hillion,P. and Vigier,J.P. The non-relativistic wave-functions associated with an extended particle, 0=12842
Hillion,P. and Vigier,J.P. Possible form of the relativistic wave functions associated with the motion and structure of elementary particles, at the nuclear level, 0=15259
Hillion,P. and Vigier,J.P. Quantization of the internal motion of relativistic fluid masses, 0=17238
Hillion,P. and Vigier,J.P. Application of relativistic invariant groups to extended particle models in special relativity, 0=18919
Hillion,P. See de Broglie,L., 0=3442
Hillion,P. See Halbwachs,F., 0=6684
Hillion,P. See Halbwachs,F., 0=10551
Hillion,P. See Halbwachs,F., 0=12355
Hillman,P.,Middelkoop,W.C.,Yamagata,T. and Zavattini,E. The $\pi^-—\pi^0$ mass difference, 0=2568
Hillman,P.,Tyren,H. and Maris,T.A.J. Momentum distribution of protons in individual nuclear shells, 0=17587
Hills,G.A. See Cruickshank,F.D., 0=5145
Hills,T.H. See Stanford,R.W., 0=10456
Hilsch,R. See Buckel,W., 0=16955
Hilsch,R. See Fischer,F., 0=6036
Hilsch,R. See Fischer,F., 0=7874
Hilsum,C. Properties of p-type indium antimonide. II. Photoelectric properties and carrier lifetime, 0=4370
Hilsum,C. The absorption edge of arsenic-sulphur-selenium mixtures, 0=4404
Hilsum,C. and Simpson,O. The design of single-crystal infrared photocells, 0=266
Hilsum,C. See Edmond,J.T., 0=13613
Hilsum,C. See Harding,W.R., 0=17287
Hilsum,C. See Whitlock,W.S., 0=7166
Hilton,W.A. and Crawford,R.C. Detecting the Vanguard signal, 0=4912
Himelblau,H. and Keer,L.M. Space requirements for simple mechanical systems excited by random vibration, 0=982
Himes,R.C. See Miller,J.F., 0=4351
Himes,R.C. See Miller,J.F., 0=12079
Hincks,E.P. See Bercovitch,M., 0=13098

Hines,R.L. and Arndt,R. Radiation effects of bombardment of quartz and vitreous silica by 7.5 keV to 59 keV positive ions, 0=13569

Hindman,J.V. and Wade,C.M. The Eta Carinae Nebula NGC 3372 and Centaurus A 1354A near 1400 Mc/s, 0=4867

Hindman,J.V. See Kerr,F.J., 0=4870

Hindmarsh,W.R. Collision broadening and shift in the λ6573 line of calcium, 0=17704

Hinds,S. and Middleton,R. An investigation of the protons, deuterons and tritons from the bombardment of ^{9}Be with 5.7 MeV ^{3}He, 0=5755

Hinds,S. and Middleton,R. The angular distribution of some proton groups from the reaction $^{16}O(^3He,p)^{18}F$, 0=5757

Hinds,S. and Middleton,R. The energy levels of ^{21}Ne, 0=7475

Hinds,S. and Middleton,R. Some angular distribution measurements on the reactions $^{16}O(^3He,d)^{17}F$ and $^{16}O(^3He,\alpha)^{15}O$, 0=7578

Hinds,S. and Middleton,R. An investigation of the $Si^{28}(He^3,d)P^{29}$ and $Si^{28}(He^3,\alpha)Si^{27}$ reactions at a bombarding energy of 9.16 MeV, 0=9642

Hinds,S. and Middleton,R. An investigation of the (^{3}He,p), (^{3}He,d) and (^{3}He,α) reactions with ^{12}C at bombarding energies between 6 and 10 MeV, 0=11424

Hinds,S. and Middleton,R. A study of the $^9Be(^3He,p)^{11}B$ and the $^9Be(^3He,d)^{10}B$ reactions in the energy range 5.7 to 10.2 MeV, 0=11423

Hine,G.J. and Cardarelli,J.A. Conical plastic scintillators show total gamma absorption, 0=19968

Hines,C.O. Turbulence at meteor heights, 0=10404

Hines,C.O. On the rotation of the polar ionospheric regions, 0=10410

Hines,C.O. An interpretation of certain ionospheric motions in terms of atmospheric waves, 0=12157

Hinman,G. See Chidley,B., 0=2686

Hinman,G.W. See Kao,S.K., 0=12928

Hinotani,K. See Miyake,S., 0=20252

Hinrichs,E. and Wienecke,R. The effect of cathode erosion on the energy balance of a high current carbon arc, 0=5290

Hintenberger,H. and König,L.A. Mass spectrographs with first order double focusing for all masses, exhibiting small aberrations in a large mass range over the photographic plate, 0=19786

Hintenberger,H. See Voshage,H., 0=4882

Hinterberger,H. See Voshage,H., 0=8495

Hinteregger,H.E.,Damon,K.R. and Hall,L.A. Analysis of photoelectrons from solar extreme ultraviolet, 0=10451

Hintermann,H.E. See Steinemann,S., 0=14082

Hintermann,K. and Wideröe,R. Tritium production and cycling in a fusion reactor with lithium blanket, 0=4158

Hintenberger,H. See Dörnenburg,E., 0=2351

Hinteregger,H.E. See Heroux,L., 0=7144

Hintz,N.M. See Meyer,V., 0=20432

Hinzpeter,G. A thermionic cathode ionization gauge tube for pressure measurement up to 10^{-1} torr, 0=19228

Hirabayashi,H. See Toyoda,H., 0=20956

Hiraga,K. See Yamamura,H., 0=5025

Hirahara,E. See Murakami,M., 0=668

Hirai,M. F—M conversion in additively colored KCl crystals, 0=20833

Hirai,N. See Kim,W.K., 0=4988

Hirao,K.,Akita,K. and Shiro,I. Temperature gradient and its fluctuation in the lower atmosphere, 0=14195

Hird,B. and Strzałkowski,A. Deuteron stripping with polarized deuterons, 0=15576

Hird,B. See Al-Jeboori,M.A., 0=5743

Hird,B. See Al-Jeboori,M.A., 0=15577

Hird,B. See Strzałkowski,A., 0=11401

Hiroike,K. On the method of "auxiliary variables", 0=14534

Hirokawa,T. Deformation twins in white tin. I. The appearances and kinds of deformation twins, 0=4585

Hirone,T. See Mikami,I., 0=21040

Hirono,M. On the magnetic clouds responsible for variations of cosmic-ray and geomagnetic field, 0=14182

Hirono,M.,Maeda,H. and Kato,S. Wind systems and drift motions in the ionosphere deduced from the dynamo theory, 0=8378

Hirota,E. See Kikuchi,Y., 0=2744

Hirota,R. See Fujita,S., 0=8566

Hirsch,A.A. Influence of a magnetic field on the electrical resistance of thin ferromagnetic layers at low temperatures, 0=9937

Hirsch,A.A. Electrical resistivity of thin ferromagnetic layers at low temperatures, 0=9938

Hirsch,A.A. Double hysteresis loops in ferromagnetic crystals, 0=13782

Hirsch,H.R. and Stager,C.V. Hyperfine structure of Hg^{197}. An application of the level-crossing technique, 0=17711

Hirsch,P.B.,Partridge,P.G. and Segall,R.L. An electron microscope study of stainless steel deformed in fatigue and simple tension, 0=21117

Hirsch,P.B. See Bailey,J.E., 0=20813

Hirsch,P.B. See Silcox,J., 0=15838

Hirsch,P.B. See Silcox,J., 0=20805

Hirsch,W. See Muller,F., 0=11220

Hirschberg,J.G. The use of curved slits for the placing in tandem of a diffraction grating with a Fabry—Perot interferometer with scanning by pressure variation, 0=16872

Hirschberg,J.G.,Kadesch,R. and Mack,J.E. An interferometric spectrometric system proposed for the university of Wisconsin, 0=16841

Hirschfelder,J.O. Theory of flames produced by unimolecular reactions. II. Ignition temperature and other types of approximations, 0=211

Hirschfelder,J.O. Diffusion coefficients in flames and detonations with constant enthalpy, 0=3679

Hirschfelder,J.O. Classical and quantum mechanical hypervirial theorems, 0=18974

Hirschfelder,J.O. and Löwdin,P.O. Long-range interaction of two 1s-hydrogen atoms expressed in terms of natural spin-orbitals, 0=20687

Hirschfelder,J.O. and McCone,A.,Jr. Theory of flames produced by unimolecular reactions. I. Accurate numerical solutions, 0=210

Hirschfelder,J.O. and Van Domelen,S.S. Propagation of flames supported by a zeroeth-order chemical reaction, 0=8304

Hirschfelder,J.O. Mathematical bottlenecks in theoretical chemistry, 0=18426

Hirschfelder,J.O. See Dahler,J.S., 0=3508

Hirschfelder,J.O. See Jepsen,D.W., 0=11536

Hirschfelder,J.O. See Kihara,T., 0=16735

Hirschfelder,J.O. See Konowalow,D.D., 0=3565

Hirschfelder,J.O. See Stogryn,D.E., 0=3561

Hirschfelder,J.O. See Stogryn,D.E., 0=3567

Hirschfelder,J.O. See Stogryn,D.E., 0=19197

Hirsh,A.J. The electron density distribution in the F-region of the ionosphere, 0=14238

Hirshfeld,A. See Boorse,H.A., 0=8948

Hirshfeld,A.T. See Boorse,H.A., 0=19565

Hirshfield,J.L. See Bekefi,G., 0=2370

Hirshfeld,M.A.,Jaffe,J.H. and Kimel,S. Pressure-induced shifts of HCl lines due to foreign gases, 0=5927

Hirt,R.C.Schmitt,R.G.Searle,N.D. and Sullivan,A.P. Ultraviolet spectral energy distributions of natural sunlight and accelerated test light sources, 0=10769

Hirt,R.C. See Dutton,W.L., 0=2239

Hirth,J.P. On two dimensional nucleation, 0=21157

Hirth,J.P. and Frank,F.C. On the stability of dislocations in metal whiskers, 0=551

Hirth,J.P. See Ives,M.B., 0=13968

Hirth,J.P. See Rapp,R.A., 0=12003

Hisatsune,I.C. and Devlin,J.P. Existence of N_2O_4 isomers, 0=2751

Hisatsune,I.C.,Devlin,J.P. and Wada,Y. Infrared spectra of some unstable isomers of N_2O_4 and N_2O_3, 0=17750

Hisatsune,I.C. and Jayadevappa,E.S. Vibrational intensities of benzene in the liquid phase, 0=3533

Hisdal,B. Relative energy distribution of daylight from overcast sky, 0=14297

Hisdal,E. Bremsstrahlung spectra corrected for multiple scattering in the target B. Numerical data and discussion, 0=17291

Hiskes,J.R. See Cohen,S., 0=13434

Hitaka,S. See Nonaka,I., 0=20466

Hitchcock,A.,Price,V.E. and Shenton,Y. Flux changes with long-term irradiation in a reactor of the Calder Hall type, 0=7656

Hitchins,R.G. See Cook,A.H., 0=3593

Hittmair,O. Angular distributions of nuclear fission in the resonance range, 0=17631

Hixson,W.C. See Black,J.W., 0=808

Hjalmars,S. See Brulin,O., 0=329

Hladík,A. Twisting of notched rectangularly-shaped bars, 0=14556

Hladký,J.,Chaloupka,P.,Kadečka,V.,Kowalski,T. and Mokrý,P. Three variations in the intensity of cosmic radiation in the first half of 1958, 0=5636

Hladký,J.,J.,Kleczek,J.,Křivský,L. and Mokrý,P. Cosmic ray event of May 4, 1960, 0=20288
Hladký,J. See Krivsky,L., 0=20275
Ho,H. See Stirling,P.H., 0=10681
Ho,M. See White,C.E., 0=8795
Ho,T.H. See Chen,J.M., 0=5614
Ho,T.H. See Dai,Y.B., 0=356
Ho,T.H. See Lee,W.T., 0=5602
Ho Tso-Hsiu. See Khé Tszo-Syu, 0=7349
Ho Tso-Hsiu . See Khé Tszo-Syu , 0=20506
Hoang Pham Tan. See Pham Tan Hoang, 0=6659
Hoare,M.R. See Harrington,R.E., 0=17739
Hobbie,R.K. See Miller,D., 0=11182
Hobbie,R.K. See Miller,D., 0=11185
Hobson,J.P. First adsorbed layer of nitrogen on pyrex at 77.4°K, 0=753
Hochstrasser,R.M. Polarization of the first two electronic transitions of pyrene, 0=15755
Hochstrasser,R.M. Electronic absorption spectrum of diphenylene in substitutional solid–solid solution, 0=18131
Hock,D.C.,McMillan,F.N. and Tanguay,A.R. Photon propelled space vehicles, 0=12334
Höcker,K.H. See Schrade,H., 0=10898
Hockings,E.F. The thermal conductivity of silver antimony telluride, 0=7860
Hodam,F. and Lau,E. A number of problems of the working performance of objectives, 0=3601
Hodge,E.S. See Cohen,A.J., 0=1884
Hodge,P.G. Jr. The effect of end conditions on the dynamic loading of plastic shells, 0=12393
Hodge,P.G. and Sankaranarayanan,R. Plastic interaction curves for annular plates in tension and bending, 0=19019
Hodge,P.W. The extragalactic distance scale, 0=12308
Hodges,A.J. See Bylander,E.G., 0=16969
Hodges,P.C. and Moseley,R.D., Jr. Cinefluorography employing split-image television type image amplifiers, 0=5541
Hodgson,C. and McIntosh,R. The freezing of water and benzene in porous vycor glass, 0=12118
Hodgson,J.N. Measurements of the optical constants of mercury and mercury—indium amalgams in the spectral region 4000 to 17 000 cm^{-1}, 0=16704
Hodgson,J.N. Infra-red measurements of the optical constants of liquid silver, 0=19154
Hodgson,P.E. See Aguilar,J., 0=20463
Hodgson,P.E. See Buck,B., 0=20427
Hodgson,P.E. See England,J.B.A., 0=11419
Hodkinson,J.R.,Critchlow,A. and Stanley,N. Effect of ambient air speed on efficiency of thermal-precipitator, 0=10362
Hodnett,E.M. Hydrogen isotope effect in the oxidation of benzaldehyde-α-t with aqueous acid chromate, 0=1953
Hodnett,E.M. and Kaplan,L. Isotope effects in the chromic acid oxidation of benzyl-α-t alcohol, 0=4712
Hoeft,J. An extension of the range of application of the focal length formula for aperture lenses, 0=271
Hoeft,J. See Hosemann,R., 0=348
Hoek,W.J. and Blaisse,B.S. Stress-strain measurements of face-centred cubic metals at various temperatures, 0=3144
Hoene,J.von. See von Hoene,J.
Hoerner,S.v. See v.Hoerner,S.
Hoeve,C.A.J. Unperturbed chain dimensions of polymeric chains, 0=5999
Hofelich,F. See Kröner,E., 0=20087
Höfert,H.J. A filter photometer for reflection measurements, 0=2223
Höfert,M. See Buchmann,F., 0=20111
Hofinger,E. See Cap,F., 0=15117
Hoff,R.W.,Hulet,E.K. and Michel,M.C. Branching ratio of ^{242}Am decay, 0=7508
Hoffleit,D. Twenty variable stars in Sagittarius, 0=12314
Hoffman,D.S. See Ehrett,W.E., 0=1064
Hoffman,E.E. See Jansen,D.H., 0=8273
Hoffman,G.R. and Smith,D.H. The light waveforms emitted from electroluminescent cells energized by square waves and pulses of voltages, 0=21016
Hoffman,J.D. See Lauritzen,J.I., Jr, 0=8160
Hoffman,J.D. See Lauritzen,J.I., Jr, 0=8161
Hoffman,J.I. See Craig,D.N., 0=19582
Hoffman,J.M.,Nielson,H.H. and Narahari Rao K. K-type doubling in phosphine, 0=13440
Hoffman,J.H. and Nier,A.O. Cosmic-ray-produced helium in the Keen Mountain and Casas Grandes meteorites, 0=12271
Hoffman,J.M. See Narahari Rao,K., 0=4198
Hoffman,L.C. See Statton,W.O., 0=6372
Hoffman,M.V. See Harrison,D.E., 0=3267
Hoffman,M.Z. and Bernstein,R.B. Relative quenching cross sections in the reaction of $Hg(6^3P_1)$ atoms with isotopic N_2O molecules, 0=15650
Hoffman,R. See Anderson,K.A., 0=9483
Hoffman,R. See Winkler,J.R., 0=8402
Hoffman,R.A. Long range spin—spin interactions in high resolution nuclear magnetic resonance and the concept of hyperconjugation, 0=504
Hoffman,R.A. See Arnoldy,R.L., 0=14267
Hoffman,R.E. See Turnbull,D., 0=15857
Hoffman,R.W. See Yelon,A., 0=16359
Hoffman,W.C. Conditions for the persistence of purely longitudinal or purely transverse propagation, 0=15160
Hoffman,W.C. The current-jet hypothesis of whistler generation. 0=16495
Hoffmann,A.,Reuschel,K. and Rupprecht,H. Measurement of the Hall effect and conductivity of super-pure silicon, 0=11698
Hoffmann,H. See Theimer,O., 0=257
Hoffmann,K.W.,Krause,I.Y.,Schmidt-Ott,W.D. and Flammersfeld,A. Isomerism of Hf^{178}, 0=414
Hoffmann,K.W.,Krause,I.Y.,Schmidt-Ott,W.D. and Flammersfeld,A. The isomeric atomic nuclei Yb^{169m}, Yb^{175m} Yb^{177m}, 0=17524
Hoffmann,K.W. See Krause,I.Y., 0=2658
Hoffmann,K.W. See Schmidt-Ott,W.D., 0=5716
Hofmann,P.L. and Hurwitz,H., Jr. Application of minimum loading conditions to enriched lattices, 0=13336
Hofmann,P.L. and Storm,M.L. Two-dimensional (r,z) multigroup calculation for an intermediate spectrum critical assembly, 0=13338
Hofmann,R. A solution to special heat conduction problems, 0=16911
Hoffmann,U. See Cecernikov,V.I., 0=13757
Hoffmann,W. Optics and structure of whewellite, 0=6169
Hoffmeister,C. Interplanetary matter and the increased nightglow, 0=8417
Hoffmeister,W. See Herr,W., 0=12273
Hofmann,D. See Gobrecht,H., 0=1762
Hofmann,F.W.,Kohn,H. and Schneider,J. Determination of collision frequency of free electrons in flames by microwave absorption measurements, 0=5217
Hofmann,F.W. See Schneider,J., 0=1098
Hofmeister,H.K.,v.Haeseler,R. and Glemser,O. Influence of flow velocity on the determination of equilibrium vapour pressures in the carrier gas method, 0=14893
Hofmeyer,G.M. See Hart,J.B., 0=14936
Hogan,T.K. See Doyle,H.A., 0=4768
Hogarth,C.A. The germanium filament in semiconductor research, 0=20905
Högbom,J. See Whitfield.G.R.. 0=18623
Högbom,J.A. The structure and magnetic field of the solar corona, 0=14430
Hogg,A. See Conn,G.K.T., 0=19230
Hogg,D.C. See De Grasse,R.W., 0=3855
Hogle,D.H. Digest of literature on dielectrics. Insulating liquids and their applications, 0=2300
Hoglund,R.F. See Kovitz,A.A., 0=10684
Hoh,F.C. Plasma stability and boundary condition, 0=15016
Hoh,F.C. and Lehnert,B. Diffusion processes in a plasma column in a longitudinal magnetic field, 0=15023
Hoh,F.C. See Ekman,C., 0=19668
Höhler,G. On the energy dependence of the α_{33} phase-shift, 0=17391
Höhler,G. and Müllensiefen,A. Perturbation theoretical calculation of the self-energy and mass of the polaron, 0=1547
Höhler,G. and Müllensiefen,A. Calculation of π^0 photoproduction from scattering data, 0=2585
Höhler,G. See Dietz,K., 0=2577
Höhler,G. See Dietz,K., 0=5596
Höhler,G. See Dietz,K., 0=9424
Hohne,M. Dipole relaxation of defect centre complexes in doped silver halides, 0=1704
Hoijtink,G.J. Correlations between the electronic spectra of alternant hydrocarbon molecules and their mono- and di-valent ions. I. Benzene, coronene and triphenylene, 0=20648
Hoijtink,G.J. The influence of paramagnetic molecules on singlet—triplet transitions, 0=20651
Hoiitink.G.J. See Bennema.P.. 0=21290

Hoitz,H. Theodolites. I-II, 0=5147
Hokkeling,P. See Koch,A.J.J., 0=10135
Holcomb,D.F. See Carson,J.W., 0=11630
Höld,A. See Baumann,K., 0=20031
Holden,D.B. See Moler,W.F., 0=8364
Holden,F.C.,Melehan,J.B.,Ogden,H.R. and Jaffee,R.I. Formation and initial growth of single-asperity solid-state bonds, 0=8143
Holden,J. The hardening and embrittlement of mild steel by cyclic stressing at the fatigue limit, 0=16242
Holden,J.,Holland,L. and Laurenson,L. Bakeable vacuum seals using aluminium-wire gaskets, 0=5064
Holden,T.S. Multipoint digital temperature recorder with punched tape output, 0=14897
Holdhaber,S. See Goldhaber,G., 0=17339
Holdt,G. and Strasheim,A. The use of scatter diagrams in emission spectroscopy, 0=12480
Holford,W.L. See Hammond III,H.K., 0=16858
Holladay,W.G. Anomalous magnetic moments of baryons in a static cutoff perturbation theory, 0=1250
Holladay,W.G. See Good,M.L., 0=7413
Holladay,W.G. See Meyer,H.C.,III, 0=9441
Holladay,W.G. See Thomas,B.S., 0=1305
Holland,L. The cleaning of glass in a glow discharge, 0=3578
Holland,L. Theory and design of getter-ion pumps, 0=5058
Holland,L. Sorption of activated gases by titanium, 0=10374
Holland,L. and Bateman,S.K. Effects of oil vapour contamination on the adhesion of zinc sulphide films to glass and silica, 0=14087
Holland,L. and Laurenson,L. The performance and design of a titanium getter pump of high pumping speed, 0=977
Holland,L. and Laurenson,L. Pumping characteristics of a titanium droplet getter-ion pump, 0=16742
Holland,L. and Putner,T. Two-layer anti-reflexion coating for low refractive index glass, 0=5154
Holland,L.,Putner,T. and Ball,R. Annealing silicon monoxide films on aluminium mirrors, 0=8783
Holland,L. See Holden,J., 0=5064
Holland,R.,Lynch,F.J.,Perlow,G.J. and Hanna,S.S. Time spectra of filtered resonance radiation of Fe^{57}, 0=7464
Holland,R.E. See Lynch,F.J., 0=17488
Holland,R.F. See Nielsen,J.R., 0=15792
Holland,V.F. See Anderson,F.R., 0=17052
Holländer,E.F. The application of the thermodynamics of irreversible processes to welding arcs, 0=2343
Holländer,E.F. On the problem of large angle grain boundaries, 0=6039
Hollander,J.M. See Asaro,F., 0=5708
Hollander,L.E. and Diesel,T.J. Piezoresistive effect in p type PbTe, 0=7943
Hollander,L.E.,Jr,Diesel,T.J. and Vick,G.L. Piezoresistivity in the oxide semiconductor rutile (TiO_2), 0=7949
Hollander,L.E.,Jr and Castro,P.L. Anisotropic conduction in nonstoichiometric rutile (TiO_2), 0=15966
Hollander,L.E.,Vick,G.L. and Diesel,T.J. The piezoresistive effect and its applications, 0=6097
Hollander,L.E. See Vick,G.L., 0=13902
Hollenberg,J.L. See Dows,D.A., 0=12426
Holliday,J.E. A soft X-ray spectrometer using a flow proportional counter, 0=15327
Hollinger,H.B. and Curtiss,C.F. Kinetic theory of dense gases, 0=19194
Holloway,D.G. The strength of glass fibres, 0=21138
Holloway,J.T.,Lu,D.C. and Zaffarano,D.J. Large proportional counter spectrometer for the study of radioactive samples with low specific activity, 0=4037
Holm,G.B.,Burwell,J.R. and Miller,D.W. Levels in Bi^{210} from the Bi^{209}(d,p) reaction, 0=11323
Holm,L.W. See Fields,P.R., 0=7498
Holm,R.H. and Cotton,F.A. Magnetic investigations of spin-free cobaltous complexes. II. Tetrahedral complexes, 0=6213
Holman,J.P. On the effects of sound waves on heat transfer, 0=5199
Holmberg,R.W.,Livingston,R. and Smith,W.T.,Jr. Paramagnetic-resonance study of hyperfine interactions in single crystals containing α, α-diphenyl-β-picrylhydrazyl,0=13881
Holmberg,R.W. See Zeldes,H., 0=6257
Holmes,D.K. and Leibfried,G. Range of radiation induced primary knockons in the hard core approximation, 0=9922
Holmes,E.L. and Winegard,W.C. Grain growth in zone-refined tin, 0=16273
Holmes,J.C. See Johnson,C.Y., 0=21333
Holmes,L.S. See Adlam,J.H., 0=16967
Holmes,M.F. See Metson,G.H., 0=13641
Holmes,P.J. Etch pits on dendritic germanium. A clarification, 0=12011
Holmes,P.J. and Newman,R.C. The state of etched semiconductor surfaces as revealed by electron diffraction, 0=590
Holmes,R. and Tempest,W. The propagation of sound in monatomic gas mixtures, 0=14721
Holmes,R.W. See Tyler,J.E., 0=8766
Holmgren,H.D. See Butler,J.W., 0=2661
Holmgren,H.D. See Wolicki,E.A., 0=4102
Holmryd,S. See Larsson,K.E., 0=7387
Holøien,E. On excited bound states of negative atomic ions, 0=17665
Holøien,E. Some remarks on the electron affinity of atomic lithium, 0=17658
Holøien,E. Remarks on doubly excited states of the negative atomic hydrogen ion, 0=17666
Holonyak,N.,Jr. See Aldrich,R.W., 0=1649
Holroyd,L.V. See Cave,E.F., 0=13493
Holstein,T. Studies of polaron motion. I. The molecular-crystal model, 0=4278
Holstein,T. Studies of polaron motion. II. The "small" polaron, 0=4279
Holstein,T.D. See Adams,E.N., 0=2842
Holt,D.B. Effects of torsion on the tensile stress-strain curve of aluminium, 0=16201
Holt,J.R. See Edwards,D.N., 0=3991
Holt,O. See Bjelland,B., 0=4796
Holtebekk,T. See Andersen,S.L., 0=5744
Holter,M.R. and Wolfe,W.L. Optical-mechanical scanning techniques, 0=14811
Holter,O. On the effect of a magnetic field upon extremely low frequency (elf) wave packets, 0=12713
Holthuizen,D.J. Comparison of the mean gap length in Ilford G-5 emulsion with theory, 0=19985
Holthuizen,D.J. and Jongejans,B. Research on high energy negative π-mesons in nuclear emulsion, 0=5585
Holton,G. On the origins of the special theory of relativity, 0=16574
Holton,W.C.,Blum,H. and Slichter,C.P. Hyperfine structure of the F center in LiF, 0=18217
Holton,W.C. See Castner,T.,Jr, 0=6373
Holtzman,A.H. and Conrad,G.P.,II. Structural and magnetic properties of Mn—Co—C alloys, 0=3010
Holuj,F. and Petch,H.E. A nuclear magnetic resonance study of colemanite, 0=8089
Holway,L.H.,Jr. Perturbation methods for reactor diffusion equations, 0=15619
Holwech,I. Recovery of internal friction in aluminium after plastic deformation, 0=8111
Holyński,R. See Bartke,J., 0=13082
Hölz,R. Investigation of particle collisions at energies between 6 and 30 keV, 0=10881
Holzapfel,L. Investigations in connection with the unusual increase in the intensity of the cosmic ray background in the months of July and August 1959, 0=9484
Homberg,B.R. On the elimination of the barycentric and rotational coordinates in a nuclear "shell-model" [and some of its consequences], 0=7449
Homer,R.J.,Hutchinson,G.W.,McFarlane,W.K.,O'Dell,A.W., Rubinstein,R. and Sacharidis,E.J. Angular dependence of polarization in p-p scattering at 970 MeV preliminary results, 0=17334
Homès,G.A. See Bauwens,J.C., 0=6300
Homès,G.A. See Bauwens,J.C., 0=10273
Hommelen,J.R. The elimination of errors due to evaporation of the solute in the determination of surface tensions, 0=71
Hommelen,J.R. See Defay,R., 0=3503
Hon,J.F. and Bray,P.J. Nuclear magnetic resonance studies of neutron-irradiated alkali halides, 0=3137
Honcia,G. and Krebs,K. A new high-refractive-index material for dielectric ultraviolet mirrors, 0=2237
Honda,M. and Lal,D. Some cross sections for the production of radio-nuclides in the bombardment of C, N, O, and Fe by medium energy protons, 0=11407
Honda,M. See Lal,D., 0=11282
Honda,R. See Taoka,T., 0=21112
Honda,T. and Nagasaki,M. On the angular distribution of (d,p) stripping reactions, 0=1417
Honda,T. See Aizu,K., 0=20029

Hondros,E.D. and Moore,A.J.W. Thermal etching of silver surfaces parallel to $\{110\}$ planes, 0=18328

Hondros,G. The evaluation of Poisson's ratio and the modulus of materials of a low tensile resistance by the Brazilian (indirect tensile) test with particular reference to concrete, 0=6288

Honeycombe,R.W.K. See Roberts,E., 0=21121

Honeycombe,R.W.K. See Smith,M.D., 0=10462

Honeycutt,C.R. See Cole,R.W., 0=2416

Hong,S.B. See Shin,H.M., 0=21300

Honig,A. Impurity spin relaxation via the conduction electrons in silicon, 0=10241

Honig,A. and Levitt,R. Shallow impurity traps and electron transfer dynamics in n-type silicon at liquid helium temperatures, 0=18035

Honig,A. and Stupp,E. Electron spin—lattice relaxation in phosphorus-doped silicon, 0=4512

Honig,J.M. See Bumble,S., 0=14145

Honig,J.M. See Czanderna,A.W., 0=606

Honig,J.M. See Rao,C.N.R., 0=7895

Hönl,H. and Dehnen,H. General relativistic considerations on cosmology, 0=2074

Honrath-Barkhausen,M. See Dietrich,I., 0=2304

Honsaker,J.L. Levels of N^{15} near 7 MeV excitation from $N^{14}(d,p')N^{15*}$, 0=20349

Hood,G.C. and Reilly,C.A. Ionization of strong electrolytes. VIII. Temperature coefficient of dissociation of strong acids by proton magnetic resonance, 0=3547

Hoodless,I.M. and Thomson,S.J. Crystal fine structure, conductivity and cation self-diffusion in sodium chloride, 0=20845

Hoogenboom,A.M. A new method in gamma-ray spectroscopy: A two crystal scintillation spectrometer with improved resolution, 0=2458

Hoogenboom,A.M. The sum-coincidence method and its application to gamma-ray scintillation spectroscopy, 0=17279

Hoogenboom,A.M. See Segaert,O.J., 0=11358

Hoogenboom,A.M. See Suffert,M., 0=15574

Hoogenstraaten,W. See Diemer,G., 0=13525

Hook,A.B. See Krause,B., 0=18358

Hook,H.O. Optical feedback type storage light intensifiers, 0=2974

Hoop,A.T.De. See De Hoop,A.T.

Hooper,E.T.Jr, See Krall,A.D., 0=10156

Hooper,G.D. See Falk,R.B., 0=3036

Hooper,H.O. and Bray,P.J. Induction studies in several groups of halogen-containing organic compounds by their Cl^{35}, Br^{79}, or Br^{81} pure quadrupole resonance spectra, 0=15761

Hooper,J.E.,Dahl-Jensen,E. and Neergaard,E.B. A compact processing plant for thick nuclear emulsions, 0=15211

Hooton,D.J. and Allcock,G.R. Angular distributions of high energy protons inelastically scattered by light nuclei, 0=4089

Hope,H.J. See Berthold,W.K., 0=14165

Hope,H.J. See Berthold,W.K., 0=16411

Hopfield,J.J. A theory of edge-emission phenomena in CdS, ZnS and ZnO, 0=2956

Hopfield,J.J. and Thomas,D.G. Photon momentum effects in the magneto-optics of excitons, 0=7997

Hopfield,J.J. and D.G.Thomas. On some observable properties of longitudinal excitons, 0=11606

Hopfield,J.J. See Collins,R.J., 0=20999

Hopfield,J.J. See Thomas,D.G., 0=2943

Hopfield,J.J. See Thomas,D.G., 0=13679

Hopkins,B.J. Anode surface effects in diodes containing oxide-coated cathodes, 0=7151

Hopkins,B.J. and Vick,F.A. Charge localization on the surfaces of oxide-coated cathodes, 0=9071

Hopkins,B.J. See Davies,D.E., 0=5328

Hopkins,D.C. See Shaw,R.W., 0=16951

Hopkins,J.I. See Phillips,W.E., 0=15564

Hopkinson,R.G. and Bradley,R.C. A study of glare from very large sources, 0=4903

Hopley,I.B. Clerk Maxwell's experiments on colour vision, 0=6521

Hopmann,J. See Schrutka-Rechtenstamm,G., 0=6570

Hoppe,R. and Schepers,B. Crystal structure of $BaGa_2O_4$ and $BaAl_2O_4$, 0=18356

Hoppe,W. Some experimental results of investigation of organic molecules with diffuse X-ray scattering in crystals, 0=4617

Hopper,V.D. See Lim,Y.K., 0=9246

Hoppes,D.D. See Ambler,E., 0=9557

Hopping,A.S. See Hutchins,C.M., 0=19327

Hora,H. See Frischmuth-Hoffmann,G., 0=19721

Hōrai,K. Electron spin resonance of trivalent gadolinium in calcium fluoride, 0=18216

Hordon,M.J. and Averbach,B.L. Expansion coefficient of plastically deformed steel, 0=19501

Hori Gen-ichiro. The motion of an artificial satellite in the vicinity of the critical inclination, 0=14470

Hori,J. On the vibration of disordered linear lattice. II, 0=11568

Hori,M. Statistical aspects of fracture in concrete. I. An analysis of flexural failure of Portland cement mortar from the standpoint of stochastic theory, 0=21141

Hori,S. On the spin of the Σ-hyperon, 0=5615

Hori,S. On the wave functions of higher spin particles, 0=17247

Hori,S. On the interaction Hamiltonian for the decay of Σ-hyperons, 0=17422

Hori,S.Segawa,H. and Wakasa,A. On the longitudinal and transverse polarization of positrons in μ^+-meson decay, 0=11190

Horie,C. Exciton and plasmon in insulating crystals, 0=13523

Horie,H. See Noya,H., 0=11300

Hörl,E.M. The absorption spectrum of solid α-oxygen, 0=5945

Hörl,E.M. See Klein,R., 0=6400

Horl,E.M. See Peyron,M., 0=4419

Horlitz,G. The fundamentals and techniques of the bubble chamber, 0=3896

Horlitz,G. and Paul,W. The bubble density in a bubble chamber under different operating conditions, 0=17162

Horlock,J.H. Approximate equations for the properties of superheated steam, 0=14911

Horn,F.H. Some electrical and optical properties of simple rhombohedral boron, 0=560

Horn,F.H. Zone-refined boron, 0=707

Horn,G. See Ascari,A., 0=2700

Horn,J.D. See Bean,B.R., 0=3357

Horn,J.D. See Bean,B.R., 0=4821

Horn,J.D. See Bean,B.R., 0=15155

Horn,L. See Skatulla,W., 0=14091

Horn,P. and Benoît,G. Asymptotic behaviour of the function representing the luminous intensity scattered by solutions of anisotropic rods, 0=19449

Horne,R.A. See Lessoff,H., 0=2914

Horne,R.J. See Birss,R.R., 0=11587

Horner,F. The relationship between atmospheric radio noise and lightning, 0=1988

Hörnfeldt,O. See Bergvall,P., 0=17717

Hornig,D.F. See Haas,C., 0=13694

Hornig,D.F. See Hansen,K., 0=16774

Hornig,D.H. See Ferriso,C.C., 0=6181

Horning,S.C. Mass of elementary particles, 0=11126

Hornstra,J. Models of grain boundaries in the diamond lattice. I. Tilt about $\langle 110 \rangle$, 0=7899

Hornstra,J. and van der Pauw,L.J. Measurement of the resistivity constants of anisotropic conductors by means of plane-parallel discs of arbitrary shape, 0=7047

Hornung,H. See Böer,K.W., 0=18068

Hornyak,W.F. and Yoshiki,H. A novel fast coincidence circuit of the Dicke type, 0=17198

Horowitz,J. See Amouyal,A., 0=7659

Horowitz,R.,LaGow,H.E. and Giuliani,J.F. Fall-day auroral-zone atmospheric structure measurements from 100 to 188 km, 0=12196

Horsfall,F. and Jowett,A. Automatic decantation for routine sub-sieve sizing, 0=8262

Horsley,G.W. The preparation of bismuth for use in a liquid-metal fuelled reactor, 0=7675

Horsman,J.C. See Millar,C.H., 0=13381

Horstman,H. See Kao,S.K., 0=12928

Horton,G.K. and Schiff,H. On the evaluation of equivalent Debye temperatures and related problems, 0=7850

Horton,K.E. and Carter,R.L. Radiation-induced hardness changes in graphite, 0=11988

Horvat,P.,Pahor,J. and Vakselj,M. The photonuclear reactions (γ,d) and (γ,np) on K^{39}, 0=11437

Horváth,J.I. and Vasvári,B. Generalized linear electrodynamics. I, 0=5378

Horváth,T. See Turchányi,G., 0=7891

Horwitz,N. and Murray,J.J. $C^{12}(p,pn)C^{11}$ cross-section from 3 to 6 BeV, 0=7555

Horwitz,N. See Dahl,O., 0=5617

Horwitz,N. See Dahl,O., 0=11327

Hosemann,R. X-ray evidence for the "point-structure" of electrons, 0=1270

Hosemann,R. Principles and applications of diffraction microscopy over the wavelength range from visible light to gamma rays, 0=3614

Hosemann,R. and Hoeft,J. A new electrode system for an X-ray tube with a finely focused spot, 0=348

Hosemann,R. and Voigtlaender-Tetzner,G. The temperature dependence of the structure of atoms in solids, 0=4603

Hosemann,R. See Bialas,D., 0=8214

Hosemann,R. See Bonart,R., 0=12089

Hosford,W.F. and Fleischer,R.L. Dislocation barriers and cross slip, 0=17933

Hosford,W.F.,Jr, Fleischer,R.L. and Backofen,W.A. Tensile deformation of aluminium single crystals at low temperatures, 0=18253

Hoskins,R.H. Spin-level inversion and spin-temperature mixing in ruby, 0=1828

Hoskins,R.H. and Pastor,R.C. Charred dextrose as a paramagnetic resonance standard, 0=16159

Hoskins,R.H. See Pastor,R.C., 0=3310

Hosoe,M. and Suzuki,S. Gamma-rays from neutron inelastic scattering of magnesium, aluminum, iron and bismuth, 0=20502

Hostettler,H.U. and Bernstein,R.B. Comparison of exp-6, L.-J. (12,6) and Sutherland potential functions applied to the calculation of differential scattering cross sections, 0=5993

Hostettler,H.U. and Bernstein,R.B. Improved slotted disk type velocity selector for molecular beams, 0=15796

Ho Tso-Hsiu. See Keh Tszo-syu, 0=11227

Houard,J.C. See Jouvet,B., 0=13013

Hougardy,J. See Korn,T.S., 0=16799

Hougen,J.T. Anomalous Faraday dispersion of O_2, 0=7772

Hough,P.V.C. Performance of a nuclear emulsion scanner, 0=19987

Hough,W.S. See McCaulley,J.W., 0=12201

House,D.G. and Vernon,E.V. Determination of the elastic moduli of tin single crystals, and their variation with temperature, 0=10255

Houseaux,O. See Cordier,H., 0=14871

Houska,C.R.,Averbach,B.L. and Cohen,M. The cobalt transformation, 0=18374

Housley,R.M. See Smith,G.W., 0=6279

Houston,B.B. and Norr,M.K. Dislocation etch pits on p-type lead telluride, 0=8171

Houstoun,R.A. Note on the theory of optical activity, 0=19455

Houston,R.E., Jr. The effect of certain solar radiations on the lower ionosphere, 0=2008

Houston,R.W. Fast neutron dosimetry in pile irradiations, 0=12997

Houtermans,F.G. See Debrunner,H., 0=17445

Houziaux,L. The origin of the continuous spectrum of comets, 0=2077

Houziaux,L. The ionization and excitation of oxygen in the neighbourhood of hot stars, 0=6610

Houziaux,L. The visibility of lines of low intensity in stellar spectra, 0=8514

Houziaux,L. Relative intensities of O I forbidden lines in an expanding atmosphere, 0=18844

Hove,L.van. See van Hove,L.

Hovestadt,D. See Bodenstedt,E., 0=7540

Hovestadt,D. See Bodenstedt,E., 0=17481

Hovi,V. On the configuration free energy of KCl—KBr solid solutions, 0=12071

Hovi,V.,Arell,A. and Varteva,M. Direct measurement of the transition energy of $CsNO_3$ at 153.8°C, 0=18372

Hovi,V. and Aurela,A. A coincidence telescope for the teaching of cosmic ray physics, 0=11263

Hovi,V. and Aurela,A. On the north—south asymmetry of cosmic rays near sea level at great zenith angles in high latitudes, 0=13091

Hovi,V. and Mansikka,K. On the lattice energy of alkali halides, 0=7841

Hovi,V. and Mansikka,K. Entropy of long range order in β-brass, 0=12072

Hovi,V. and Mansikka,K. Electronic specific heat of α and β-brasses at low temperatures, 0=12073

Hovi,V. and Mansikka,K. Entropy of long range order in Cu_3Au and Ni_3Fe, 0=16346

Hovi,V. and Mäntysalo,E. Ultrasonic investigation of the elastic constants of solid carbon dioxide, 0=11965

Hovi,V. and Näsänen,R. On the velocity of sound and the second virial coefficient in O_2, 0=16764

Hovi,V. and Pautamo,Y. On the determination of the electron density in atoms of sodium chloride according to the Fourier integral method, 0=18351

Hovi, V.,Pöyhönen,J. and Paalassalo,P. Anomalous thermal expansion of NH_4NO_3 at 125.8° and 84.1°C, 0=17899

Hovnanian,H.P. Scanning-mechanism hypothesis of vision, 0=18551

Howard,J.N. The transmission of the atmosphere in the infrared, 0=8421

Howard,R. and Babcock,H.W. Magnetic fields associated with the solar flare of July 16, 1959, 0=14429

Howard,R.,Cragg,T. and Babcock,H.W. Magnetic field associated with a great solar flare, 0=9

Howard,R.E. and Smoluchowski,R. Formation of interstitials in alkali halides by ionizing radiation, 0=1593

Howard,R.M. See Peck,R.A., Jr, 0=1443

Howard,W. See Hutson,A.R., 0=6085

Howard,W.E. See Hawkins,G.S., 0=22204

Howarth,J.L. and Pick,V.J. The use of a new multi-field isodose contour plotter, 0=8437

Howatson,A.M. Excitation in a transient arc discharge, 0=19643

Howe,H.A. See Jacobi,T.H., 0=5699

Howe,W. See Poole,M.J., 0=19825

Howell,B.F., Jr,Andrews,A.B. and Huber,R.E. Photomechanical method of frequency analysis of seismic pulses, 0=8350

Howells,I.D. On the spectrum of electron density produced by turbulence in the ionosphere in the presence of a magnetic field, 0=12171

Howes,V.R. Observations on the development of electroplating deposit structures on single crystals of copper, 0=1892

Howes,V.R. Critical stress for the production of pressure crack figures on diamond faces, 0=8129

Howie,A. The electrical resistivity of stacking faults, 0=20794

Howie,A. See Hashimoto,H., 0=19768

Howitt,D. See Harris,C.C., 0=16341

Howland,B. Improved square wave inductance bridge, 0=12568

Howlett,B.W. The alloy system uranium—titanium—zirconium, 0=8277

Howling,D.H. Surface and groove noise in disk recording media. I, 0=142

Howling,D.H. Surface and groove noise in disk recording media. II, 0=143

How-Sen Wong. Effective-range formula for photoproduction from pions, 0=17400

Høy,E. See Budal,K., 0=141

Hoyland,J.R. and Goodman,L. A modification of Koopman's theorem for conjugated hydrocarbons, 0=17803

Hoyle,F. Astronomical observation with the aid of artificial satellites, 0=10534

Hoyle,F. A covariant formulation of the law of creation of matter, 0=18599

Hoyle,F. On the possible consequences of a variability of the elementary charge, 0=18607

Hoyle,F. Radio-source problems, 0=18653

Hoyle,F. On the main-sequence band and the Hertzsprung gap, 0=18869

Hoyle,F. On the origin of the solar nebula, 0=18690

Hoyle,F. and Ireland,J.G. On the magnetic field of the galaxy, 0=18826

Hoyle,F. and Ireland,J.G. Note on the transference of angular momentum within the galaxy through the agency of a magnetic field, 0=18829

Hoyle,F. See Crampin,J., 0=18868

Hoyle,F. See Fowler,W.A., 0=14394

Hoyle,F. See Gold,T., 0=18763

Hoyle,F. See Wasserburg,G.J., 0=5684

Hrbek,A. On the effect of vapours on the Geiger point counter, 0=5435

Hrivnák,L. Stationary states of an electron in the field of a hole in an ionic crystal, 0=2804

Hrivnák,L. The potential energy of the electron-hole interaction in ionic crystals, 0=4280

Hrivnák,L'. Temperature dependence of energy levels of excitation in Cu_2O, 0=15834

Hrkal,Z. See Kubal,J., 0=3901

Hrostowski,H.J. and Alder,B.J. Evidence for internal rotation in the fine structure of the infrared absorption of oxygen in silicon, 0=20986

Hruška,A. The collisions of two plasma streams, 0=12605

Hrynkiewicz,A.Z. The application of magnetic nuclear resonance in fluid hydrodynamics, 0=16674

Hrynkiewicz,A.Z. and Waluga,T. On nuclear magnetic resonance in flowing liquid, 0=5036
Hrynkiewicz,A.Z.,Waluga,T. and Zapalski,G. An experiment on nonadiabatic passage in nuclear magnetic resonance, 0=5037
Hsia,Y. See Graham,C.H., 0=6528
Hsiao,C.C. Time dependent tensile strength of solids, 0=11983
Hsiao,C.C. and Chow,S.T. Effect of reactor irradiation on the tensile strength of uniaxially oriented polyethylene terephthalate, 0=18273
Hsiao,C.C.,Das,Y.C. and Haynes,A. Strength of irradiated drawn and undrawn nylon, 0=11980
Hsiao,C.C. See Haynes,A., 0=18274
Hsiao,C.C. See Robinson,A., 0=16235
Hsieh,S.H. On the observability of a new hyperon, 0=9436
Hsieh,S.-H. Photodisintegration of the deuteron near 11 MeV, 0=9444
Hsieh,S.H. Ratio of hyperons produced by cosmic rays, 0=9495
Hsieh,S.H. Natures of nuclear force indicated by the photo-disintegration of the deuteron. III, 0=15501
Hsieh,S.-H. Photodisintegration of the deuteron at high energies, 0=17430
Hsieh,S.H. Natures of nuclear forces indicated by the photodisintegration of the deuteron. IV, 0=17459
Hsieh,S.H. and Lin,C.R. On the anomalous behaviour of $d(\gamma,p)n$ near 15 MeV, 0=454
Hsieh Shih-Hui. Properties of nuclear forces indicated by $d(\gamma,p)n$, 0=15458
Hsien Ting Ch'ang. See Syan' Din Chan, 0=20193
Hsien Ting-Ch'ang. See Syan' Din-Chan, 0=20218
Hsu Hwei-Piao. Aperture fields in the diffraction by a slit, 0=17103
Hu,C.,Kato,S.,Oda,Y. and Takeda,M. Elastic and inelastic scattering of 22 MeV alpha particles by light elements, 0=17607
Hu,C.,Kikuchi,K.,Kobayashi,S.,Matsuda,K.,Nagahara,Y.,Oda,Y., Takano,N.,Takeda,M. and Yamazaki,T. Elastic and inelastic scatterings of protons from Ti, Cr, Ni, Zn, and O at 8 to 14 MeV, 0=20453
Hu,C. See Oda,Y., 0=20452
Hu,H. and Wiener,G. Correlation of energy losses with perfection of crystal orientation and domain structure, 0=3022
Hu,N.,Huang,N.N. and Wang,P. The influence of strong interaction on decay processes, 0=1314
Hu Ning. Possible resonances in $\pi-\pi$ scattering, 0=3993
Hu Ning. See Ning Hu.
Huan Nen-Ning. See Barashenkov,V.S., 0=11158
Huang Chun-Ming. Some abnormalities in the variations of F_2-layer critical frequency during the period of high solar activity of solar cycle 8-19, 0=14254
Huang,K. Energy levels of a Bose—Einstein system of particles with attractive interactions, 0=49
Huang,K. Equation of state of a Bose—Einstein system of particles with attractive interactions, 0=14531
Huang,N.N. See Hu,N., 0=1314
Huang Su-Shu. A perturbation method in the theory of stellar structure, 0=6624
Huang Su-Shu. The spectral and luminosity anomaly of secondary components of early-type spectroscopic binaries, 0=14444
Hubaut,X. Metric connection associated with a non-singular electromagnetic field, 0=18904
Hubbard,E.C. See Cohen,C.J., 0=18597
Hubbard,E.L.,Main,R.M. and Pyle,R.V. Neutron production by heavy-ion bombardments, 0=9647
Hubbard,H.H. and Maglieri,D.J. Noise characteristics of helicopter rotors at tip speeds up to 900 feet per second, 0=16806
Hubbard,W.M.,Adams,E. and Gilfrich,J.V. Magnetic moments of alloys of gadolinium with some of the transition elements, 0=11823
Hubbell,J.H.,Bach,R.L. and Lamkin,J.C. Radiation field from a rectangular source, 0=16916
Hübel,H.,Roh,P. and Scheer,M. Cross-section for the absorption of quanta through pair-formation, 0=5534
Huber,E.E., Jr and Smith,D.O. Properties of permalloy films having a magnetoelastic easy axis normal to the film, 0=3058
Huber,E.E., Jr. See Cohen,M.S., 0=11867
Huber,E.E., Jr. See Dwight,K., 0=2300
Huber,E.E., Jr. See Smith,D.O., 0=11869
Huber,G.B. See Abrahamson,G.R., 0=3313
Huber,O. See Kern,J., 0=3876
Huber,O. See Kern,J., 0=7240
Huber,P. See Baumgartner,E., 0=17431
Huber,R.E. See Howell,B.F., Jr, 0=8350
Huber,W. See Bär,F., 0=4235
Huber,W. See Kuhn,H., 0=4234
Hubert,P.,Joly,R. and Signarbieux,G. A mechanical selector to eliminate interference due to higher order diffractions in a crystal spectrometer, 0=9380
Hubert,P. See Bineau,M., 0=19662
Hubert,P. See Consoli,T., 0=19769
Hubert,P. See Prévot,F., 0=3762
Hübner,G. The spiral-probe method of measuring stationary sound pressure-fields, 0=8756
Hübner,H.J. and Ohzu,H. Investigation of the wavelength dependence of the Λ-transformation, 0=5189
Hubner,K. and Shockley,W. Transmitted phonon drag measurements in silicon, 0=13602
Huch,W.L. See Gergen,J.L., 0=12203
Hück,J. Production of low energy electron pairs, 0=17315
Hucks,J.S. and Gaines,A.L. Conduction heat-flow transients, 0=12509
Hudda,F.G. See Ehrlich,G., 0=7838
Huddar,B.B. See Mani,A., 0=1984
Huddleston,C.M.,Lane,R.O.,Lee,L.L.,Jr and Mooring,F.P. Total neutron cross section for C^{12} from 500 keV to 1350 keV, 0=5791
Huddleston,C.M. See Eggler,C., 0=12999
Hudson,C.M. See Meyerhof,W.E., 0=1404
Hudson,G.E. See Saenger,R.A., 0=14730
Hudson,J.B. and Dickey,F.E. Low-impedance electronic coulometer, 0=2297
Hudson,R.D. See Ditchburn,R.W., 0=19220
Hudson,R.P. See Ambler,E., 0=9557
Hudspeth,E.L. See Smith,D.M., 0=4118
Huebotter,P.R. and Seitz,W.R. The utilization of a cold trap to stabilize suspensions of UO_2 in NaK, 0=14143
Huet,P. See Colombani,A., 0=13813
Huet,P. See Colombani,A., 0=21253
Huetter,L.J. See Stadelmaier,H.H., 0=16324
Huetz,J. See Huetz-Aubert, M., 0=14694
Huetz-Aubert,M. and Huetz,J. Ultrasonic absorption and dispersion in polyatomic gases. The sources of intramolecular irreversibility, 0=14694
Huey,R.M. and Lancaster,B.J. Tunable galvanometer amplifier, 0=8969
Huff,R. See Blankenbecler,R., 0=20215
Huffman,D.A. A linear circuit viewpoint on error-correcting codes, 0=2122
Huffman,D.A. Notes on information-lossless finite-state automata, 0=2123
Huffman,D.R. and Norwood,M.H. Specific heat and elastic constants of calcium fluoride at low temperatures, 0=6018
Hufnagel,F. Microwave absorption of diphenyl compounds in dilute solution, 0=19149
Hufnagel,F. and Klages,G. A waveguide interferometer for dielectric studies of dilute solutions of polar molecules, 0=10664
Hugenholtz,N.M. and Pines,D. Ground-state energy and excitation spectrum of a system of interacting bosons, 0=2132
Hugentobler,E. See Hahn,B., 0=15199
Hughes,D.G. Nuclear magnetic resonance in lithium and dilute lithium—magnesium alloys, 0=21085
Hughes,D.J. New "world-average" thermal cross-sections, 0=5806
Hughes,D.J. Neutron spectroscopy with nuclear explosions, 0=20483
Hughes,D.J.,Pavelevsky,H.,Kley,W. and Tunkelo,E. Atomic motions in water by scattering of cold neutrons, 0=80
Hughes,D.J.,Palevsky,H.,Kley,W. and Tunkelo,E. Atomic motions in water by scattering of cold neutrons, 0=14649
Hughes,D.J. See Seidl,F.G.P., 0=17348
Hughes,E.O. and Greenwood,J.W. Contamination and cleanup of NRU, 0=5823
Hughes,F.L. See Matarrese,L.M., 0=21163
Hughes,I.S. and Sinclair,D. The multiple scattering of particles of opposite charge, 0=20165
Hughes,I.S. See Block,M.M., 0=1372
Hughes,J.D.H. See Wilson,E.J., 0=2238
Hughes,J.W. See Pike,E.R., 0=4609

Hughes,R.F. Oscillator strength of the NO γ-band system, 0=13432
Hughes,R.F.,Hurwitz,H.,Jr and Roe,G.M. Transmission function for bands with Doppler—Lorentz line shapes, 0=3621
Hughes,V.A. Roughness of the moon as a radar reflector, 0=14384
Hughes,V.A. See Hey,J.S., 0=18617
Hughes,V.W.,McColm,D.W.,Ziock,K. and Prepost,R. Formation of muonium and observation of its Larmor precession, 0=17365
Hughes,V.W.,Robinson,H.G. and Beltran-Lopez,V. Upper limit for the anisotropy of inertial mass from nuclear resonance experiments, 0=10561
Hughes,V.W. See Greenberg,J.S., 0=20382
Hughes,V.W. See Lurio,A., 0=17669
Hughes,V.W. See White,J.A., 0=2712
Hugo,J.P. See Bassi,G., 0=556
Hugon,M. See Rösch,J., 0=837
Hühn,H. See Noch,R., 0=4980
Huiskamp,W.J. See Hulsizer,R.I., 0=9598
Huiskamp,W.J. See Miedema,A.R., 0=13738
Huizenga,J.R. and Vandenbosch,R. Interpretation of isomeric cross-section ratios for (n,γ) and (γ,n) reactions, 0=20423
Huizenga,J.R. See Gindler,J.E., 0=1455
Huizenga,J.R. See Vandenbosch,R., 0=20424
Hukuda,K. A proposal of a gamma-source with improved homogeneity of radiation field, 0=1263
Hukuda,K. Electron spin resonance of some γ-irradiated polymers, 0=18221
Huldt,L. Determination of free carrier lifetimes in semiconductors from the relaxation time of photo-excited infrared absorption, 0=4326
Hulet,E.K. See Hoff,R.W., 0=7508
Hulett,L.D. See Day,M.C., 0=19872
Hull,D. Nucleation of cracks by the intersection of twins in -iron, 0=692
Hull,D. Twinning and fracture of single crystals of 3% silicon iron, 0=16279
Hull,D. and Rimmer,D.E. The growth of grain-boundary voids under stress, 0=21142
Hull,D. and Rosenberg,H.M. The deformation of sodium and potassium at low temperatures: tensile and electrical resistivity experiments, 0=1850
Hull,D. and Rosenberg,H.M., The deformation of lithium, sodium and potassium at low temperatures: Tensile and resistivity experiments, 0=16215
Hull,D.E. Tracing of water flow by means of radioactive isotopes and scintillation counters, 0=14605
Hull,M.H.,Jr. See Breit,G., 0=7342
Hull,M.H.,Jr. See Breit,G., 0=11157
Hulliger,F. The relationship between magnetism and electrical conductivity in compounds of transition elements, 0=7934
Hulm,J.K. See Schawlow,A.L., 0=2293
Hulme,K.F. and Kemp,J.E. The diffusion coefficient of zinc in indium antimonide, 0=9920
Hulme,K.F. and Mullin,J.B. Facets and anomalous solute distributions in indium-antimonide crystals, 0=21154
Hulsizer,R.I.,Huiskamp,W.J.,Wheatley,J.C. and Anderson,A.C. Nuclear alignment of ^{58}Co and ^{60}Co, 0=9598
Hulst,H.C.van de. See van de Hulst,H.C.
Hulthén,L. See Rudberg,E., 0=12345
Hultqvist,B. Auroral frequency lines, 0=8407
Hultberg,S. A study of the photoelectric effect and its application to the determination of gamma-ray intensities, 0=7688
Hultberg,S. and Stockendal,R. On the determination of absolute internal conversion coefficients by the comparison of conversion lines and photolines. An application to the 662 keV transition in the decay of Cs^{137}, 0=7517
Hultberg,S. and Sujkowski,Z. Beta-spectrometric study of the angular distribution of the K-, L-, and M + N + ...-shell photoelectron from uranium, 0=468
Hultberg,S. See Stockendal,R., 0=5719
Hulthén,E.,Johansson,N. and Pilsäter,U. On the absorption spectrum of ICl. I, 0=7757
Hultqvist,B. Auroral isochasms, 0=793
Hultqvist,B. On the interpretation of ionization in the lower ionosphere occurring on both day and night side of the earth within a few hours after some solar flares, 0=2007
Hultqvist,B. On lower ionosphere electron detachment- and recombination coefficients obtained from measurements of nondeviative ionospheric absorption, 0=8375
Hultqvist,B.,Aarons,J. and Ortner,J. Effects of the solar flares of 7 July 1958. Observed at Kiruna Geophysical Observatory, Sweden, 0=2036
Hultqvist,B. See Egeland,A., 0=10444
Hume-Rothery,W. The valence state of metallic lead, 0=4256
Hume-Rothery,W. and Anderson,E. Eutectic compositions and liquid immiscibility in certain binary alloys, 0=21244
Hume-Rothery,W.,Brown,P.J.,Forsyth,J.B. and Taylor,W.H. Electron distribution in transition metals, 0=515
Hume-Rothery,W. See Anderson,E., 0=20725
Hummel,F.A. See Sarver,J.F., 0=2953
Hummel,H.H. See Meneghetti,D., 0=12952
Hummel,H.H. See Meneghetti,D., 0=13276
Hummel,J.P. See Dyal,P., 0=1437
Hummer,D.G.,Stebbings,R.F.,Fite,W.L. and Branscomb,L.M. Charge transfer and electron production in $H^- + H$ collisions, 0=13409
Hummer,D.G. See Fite,W.L., 0=1467
Hummer,D.G. See Fite,W.L., 0=13408
Hummer,D.G. See Stebbings,R.F., 0=17689
Humphries,J.W. The calibration of the weights built into a balance, 0=19038
Humphreys,C.J. and Paul,E.,Jr. First spectrum of chlorine; an extension based on observations in the 7000 to 25000 A region, 0=477
Humphreys,C.J. and Paul,E.,Jr. Interferometric measurements of wavelength for I.R. emission lines in the region 1 to 2 μ, 0=16854
Humphreys,C.J. See Paul,E.,Jr, 0=478
Humphreys-Owen,S.P.F. See Taurel,L., 0=11619
Hunaerts,J. Study of the λ3883 CN band in the spectrum of the comet MRKOS 1957 d, 0=18725
Hunaerts,J. The mean life of the rotational states of the ground state of the CN molecule, 0=20611
Hunebelle,G. See Verly,W.G., 0=4756
Hung,J.W. Transfer function and error probability of a digital magnetic tape recording system, 0=11008
Hunt,B.E. and McKeag,A.H. Copper and tin-activated halophosphate phosphors, 0=4444
Hunt,F.V. Stress and strain limits on the attainable velocity in mechanical vibration, 0=16749
Hunt,J.B. See Agarwala,U., 0=14103
Hunt,J.N. On the damping of gravity waves propagated over a permeable surface, 0=8348
Hunt,N.A.,Russell,P.C.,Stewardson,E.A. and Wilson,J.E. Recording projection micrometer, 0=4982
Hunt,R. Automatic correction for paralysis in Geiger counting, 0=3877
Hunt,S.E. An evaluation of the deuteron velocity spectrum in Sceptre III, 0=11476
Hunt,S.E. See Chick,D.R., 0=19831
Hunt,S.E.,Pope,R.A.,Evans,W.W. and Hancock,D.A. γ-ray yield and spectra produced by irradiating backing materials with protons, 0=7557
Hunten,D.M. A condenser memory unit for improving signal-to-noise ratios, 0=7050
Hunten,D.M. Resonance scattering by atmospheric sodium. VIII. An improved method of deducing the vertical distribution, 0=16472
Hunten,D.M. See Chamberlain,J.W., 0=2029
Hunten,D.M. See Donahue,T.M., 0=2033
Hunten,D.M. See Jones,A.V., 0=6472
Hunten,D.M. See Lytle,E.A., 0=6473
Hunten,D.M. See Lytle,E.A., 0=14194
Hunten,D.M. See Rundle,H.N., 0=14287
Hunter,E.T. and Miller,J.M. Spallation of bismuth by 380 MeV protons, 0=435
Hunter,L.P. Effect of fission recoil fragments on the thermal conductivity of graphite, 0=1578
Hunter,R.S. New reflectometer and its use for whiteness measurement, 0=149
Hunter,W. and Parkin,D.W. Cosmic dust in recent deep-sea sediments, 0=6582
Hunter,W.B. and Ziemkiewicz,O.C. Effect of temperature variations across the lubricant films in the theory of hydrodynamic lubrication, 0=8611
Hunting,C.E. and Wall,N.S. Differential cross sections of some (d,p) reactions, 0=445
Hunting,C.E. See Halbert,M.L., 0=7590
Hunziger,R.R. Heat transfer and Reynolds' analogy in a turbulent flow with heat release, 0=19070
Huong,P.van. See van Huong,P.

Huq,M. Simple Cerenkov detector for the measurement of the energy of relativistic charged particles. 0=17155

Hurd,C.M. Stabilized high-intensity light source, 0=14836

Hurd,R.A. Diffraction by a unidirectionally conducting half-plane, 0=2441

Hurd,R.A. An electromagnetic diffraction problem involving unidirectionally conducting surfaces, 0=17104

Hurlbut,F.C. Influence of pressure history on momentum transfer in rarefied gas flows, 0=14670

Hurle,D.T.J. and Weintroub,S. Technique for determining the orientation of single crystals of bismuth, 0=6347

Hurle,I.R. and Gaydon,A.G. Vibrational relaxation and dissociation of carbon dioxide behind shock waves, 0=5893

Hurle,I.R. See Clouston,J.G., 0=14732

Hurley,A.C. Electronic structure of the first row hydrides BH, CH, NH, OH and FH. I. Ground states, 0=7774

Hurley,A.C. The electronic structures of the first row hydrides BH, CH, NH, OH and FH. II. Excited states, 0=7775

Hurley,A.C. Electronic structure and binding energy of carbon monoxide, 0=17835

Hurley,A.C. Improved molecular orbitals and the valence-bond theory, 0=17788

Hurst,C.A. and Green,H.S. New solution of the Ising problem for a rectangular lattice, 0=20739

Hurst,C.A. and Huxley,L.G.H. The distribution of ions formed by attachment of electrons moving in a steady state of motion through a gas, 0=12588

Hurst,R.P. See Levelt,J.M.H., 0=3506

Huruhata,M. and Nakamura,J. Airglow observations on board the "Soya", Japanese expedition ship to Antarctic, 0=14285

Huruhata,M.,Nakamura,T.,Tanabe,H. and Tohmatsu,T. Oxygen red line in the night airglow and ionospheric F2 region, 0=21381

Huruhata,M. and Tohmatsu,T. The transfer problem of nightglow and its applications to photoelectric photometry, 0=14296

Hurwitz,H.Jr,Nelkin,M.S. and Habetler,G.J. Neutron thermalization. I. Heavy gaseous moderator, 0=12968

Hurwitz,H.Jr and Nelkin,M.S. The thermal neutron spectrum in a diffusing medium, 0=12980

Hurwitz,H.Jr, See Auer,P.L., 0=10973

Hurwitz,H.Jr. See Greebler,P., 0=13270

Hurwitz,H.,Jr. See Hofmann,P.L., 0=13336

Hurwitz,H.,Jr. See Hughes,R.F., 0=3621

Hurwitz,L. Eccentric dipoles and spherical harmonic analysis, 0=21308

Hurwitz,L. and Nelson,J.H. Proton vector magnetometer, 0=15103

Hurzeler,H. See Morrison,J.D., 0=17720

Husa,V. and Kříž,J. Measurement of lifetimes in silicon, 0=2888

Husain,S.A. and Jaffe,A.A. The proportional counter as a charged particle spectrometer, 0=19965

Husain,S.I. The total radiation in Einstein's unified field theory, 0=6673

Huschitt,E. See Sălceanu,C., 0=5081

Hush,N.S. Crystal-field stabilization and site deformation in crystals and complexes containing transition ions, 0=20729

Hushfar,F. See Donahue,T.M., 0=1102

Hushfar,F. See Donahue,T.M., 0=19622

Husimi,K. and Katoaka,K. Nondestructive measuring method of polarization for the study of ferroelectrics, 0=7977

Hussain,M. See Astbury,A., 0=2687

Huster,E. and Rausch,W. The production of very thin electrical conductors. Preparation data for absolute β-counting. 0=17310

Huston,N.E. See Backus,J., 0=5275

Hutcheon,I.C. Use of an electronic analogue computer with resistance network analogues, 0=10467

Hutchings,J. See Wadsworth,N.J., 0=702

Hutchins,C.M.,Hopping,A.S. and Saunders,F.A. Subharmonics and plate tap tones in violin acoustics, 0=19327

Hutchison,C.A.,Jr and Mangum,B.W. Effect of deuterium substitution on the lifetime of the phosphorescent triplet state of naphthalene, 0=10231

Hutchinson,D.P. See Garwin,R.L., 0=9392

Hutchinson,F. See Corner,W.D., 0=11877

Hutchinson,G.W.,Wells,W.H. and White,D.H. Fast scaling

Hutchinson,G.W. See Booth,N.E., 0=17337

Hutchinson,G.W. See Booth,N.E., 0=19844

Hutchinson,G.W. See Homer,R.J., 0=17334

Hutchinson,G.W. See White,D.H., 0=17185

Hutchinson,H.P. and Arendt,P.R. Ionospheric scintillations of satellite signals, 0=14314

Hutchison,C.A.,Jr and Weinstock,B. Paramagnetic resonance absorption in neptunium hexafluoride, 0=3126

Hutchison,T.S. Ultrasonic absorption in solids, 0=17884

Hutchison,T.S. See Chopra,K.L., 0=232

Huth,J.H. See Cole,J.D., 0=1198

Hutson,A.R. Piezoelectricity and conductivity in ZnO and CdS, 0=16027

Hutson,A.R.,Paul,W.,Howard,W. and Zeterstrom,R.B. Pressure dependence of the resistivity of zinc oxide, 0=6085

Hutton,C.L. See Curry,E.T., 0=16507

Hutton,J.F. See Bramhall,A.D., 0=14577

Hutton,R. Regular micropulsations of the earth's field at the equator, 0=14178

Huxley,L.G.H. The structure of a stream of electrons and ions drifting and diffusing in a gas when ionization by collision and molecular attachment are present, 0=5272

Huxley,L.G.H. A discussion of the motion in nitrogen of free electrons with small energies with reference to the ionosphere, 0=14973

Huxley,L.G.H.,Crompton,R.W. and Bagot,C.H. A new method for measuring the attachment of slow electrons in gases, 0=8995

Huxley,L.G.H. See Hurst,C.A., 0=12588

Huxtable,G.B. See Ashmore,A., 0=5559

Huybrechts,M. The determination of a tangent to the trajectory of a charged particle, 0=10979

Huyen-Dang-Vu. The current theorem in the Einstein–Schrodinger theory, 0=16594

Huyett,M.J. See Lundberg,J.L., 0=12066

Huyskens,P.,Claes,P. and Gailiez,J.L. Description of a thermistor cryometer, and cryometry by the method of completion of melting, 0=3676

Huzan,E. See Figgins,B.F., 0=8844

Huzimura,R. and Ato,Y. Effects of electron bombardment on germanium. I. Changes in conductivity, 0=11687

Huzinaga,S. One-center expansion of molecular wave function. II. Lower excited states of H_2, 0=7794

Huzinaga,S. One-center expansion of molecular wave function. III. He–He repulsive potential, 0=7795

Huzinaga,S. The repulsive potential between two normal helium atoms, 0=9756

Huzinaga,S. Molecular orbital treatment of $1s\sigma 2p\sigma\,{}^3\Sigma_u$ state of H_2, 0=13451

Huzinaga,S. On the orbital approach to the many-electron problem in molecule, 0=13452

Huzinaga,S. Applicability of Roothaan's self-consistent field theory, 0=20675

Huzinaga,S. and Hasino,T. Electronic energy levels of polyene chains, 0=9831

Huzinaga,S. See Hasino,T., 0=15677

Huzinaga,S. See Tsuji,M., 0=17839

Huzita,H. A method of analysis of events involving multiple meson production, 0=1289

Huzita,H. See Camerini,U., 0=381

Huzita,H. See Camerini,U., 0=15524

Hwang,C.F.,Ophel,T.R.,Thorndike,E.H. and Wilson,R. Depolarization and time reversal in p–p scattering at 142 MeV, 0=12926

Hyams,B.D. See Backenstoss,G.K., 0=15337

Hyde,J.S. Magnetic resonance and rapid passage in irradiated LiF, 0=16171

Hyde,J.S. Saturation of the magnetic resonance absorption in dilute inhomogeneously broadened systems, 0=16172

Hyman,L. See Guerriero,L., 0=19980

Hyndman,D. and Origlio,G.F. N.M.R. absorption in teflon fibers, 0=21225

Hyneman,R.F. Closely-spaced transverse slots in rectangular waveguide, 0=5412

Hysell,R.E. See Elliott,J.F., 0=10759

Hyvärinen,L.P. The coherent scattering of X-rays in the direction of the primary beam, 0=17294

Iano,P. See Austern,N., 0=20309

Iball,J. See Ferrier,R.P., 0=8243

Iball,J. See Ferrier,R.P., 0=10318

Ibers,J.A. Nuclear magnetic resonance study of polycrystalline NH_4ClO_4, 0=11958

Ibers,J.A. Comments on Carpenter's paper "Density of the bonding electrons in diamond". 0=16307

Ibers,J.A.,Kumamoto,J. and Snyder,R.G. Structure of potassium hydroxide: an X-ray and infrared study, 0=21201

Ibers,J.A. See Snyder,R.G., 0=20987

Ibers,J.A. See Stevenson,D.P., 0=17856

Ibragimov,N.I. See Aliev,N.A., 0=11589

Ibrahim Ali Abdel-Kerim. See Ali Abdel-Kerim Ibrahim.

Ibuki,S. Induced conductivity of CdS by β- and γ-rays, 0=20933

Ibuki,S. On the crystal growth of cadmium sulphide, 0=21160

Ichikawa,Y.H. Equilibrium properties of classical electron gas in uniform positive ion distribution, 0=15019

Ichikawa,Y.H. A possible size effects on the plasma oscillation of electrons in solids, 0=15831

Ichikawa,Y.H. See Hasegawa,K., 0=17599

Ichikawa,Y.J. Theory of collective oscillation of electrons in solids, 0=11594

Ichiki,S.K. See Hill,R.M., 0=10894

Ichimura,H. Quantum statistical mechanics of electron—phonon systems. II. Specific heat and spin paramagnetic susceptibility, 0=11592

Ichinohe,S. See Narita,S., 0=2764

Ida,M. On the systematization of the strongly interacting particles, 0=3940

Ida,M. Some remarks on the scattering problem, 0=15407

Ida,M. On the relation between the phase shift and the number of bound states, 0=17264

Iddings,C.K. and Platzman,P.M. Meson corrections to the hyperfine structure in hydrogen, 0=466

Iddings,C.K. and Platzman,P.M. Two-nucleon L·S potential in pseudoscalar meson theory, 0=17263

Ieda,M. and Shinohara,U. Effect of impurities on dielectric breakdown in plasticized polyvinyl chloride, 0=18108

Igarashi,Y. See Imai,T., 0=19714

Igarasi,S.,Izumo,K. and Udagawa,T. On the intermediate resonance levels in nuclear reactions, 0=17579

Igel,E.A. and Deem,T.E. Manufacture of shadowgraph slits by metal evaporation, 0=6916

Igi,K. Dispersion relations for K-meson—nucleon scattering, 0=13054

Igi,K. Dispersion relation for K-meson—nucleon scattering and its application, 0=13055

Igi,K. and Kawarabayashi,K. Meson—meson interaction, 0=17384

Igiuni,A. and Occhialini,G. Handling of K5 emulsions with the Brussels semi-automatic processing plant, 0=12750

Igiuni,A. See Heughebaert,J., 0=12753

Iglitsȳn,M.I. and Kolesnik,L.I. The influence of linear dislocations on the recombination of charge carriers in hole-conductivity type germanium, 0=18020

Iglitsȳn,M.I. and Kontsevoi,Yu.A. The determination of the physical parameters of the recombination centres produced by copper in germanium, 0=13592

Ignatenko,A.E. Transitions between hyperfine structure levels in μ-mesic atoms, 0=20566

Ignatenko,A.E.,Krivitsky,V.V.,Mukhin,A.I.,Pontecorvo,B., Reut,A.A. and Tarakanov,K.I. The extraction of high-energy particle-beams through the yoke of the synchrocyclotron electromagnet, 0=5370

Ignatenko,A.E. See Egorov,L.B., 0=7704

Ignat'eva,I.V. See Lur'e,M.S., 0=16013

Ignatkov,V.D. and Kosenko,V.E. Solubility of silver and iron in germanium alloyed with antimony and phosphorus, 0=16351

Ignatowski,A.J. See Mueller,C.R., 0=10655

Igo,G. Optical-model analysis of excitation function data and theoretical reaction cross sections for alpha particles, 0=1419

Igo,G. Optical model analysis of the scattering of alpha particles from helium, 0=5629

Igo,G. See Chase,L.F.,Jr, 0=1360

Igo,G. See Conzett,H.E., 0=5628

Igonin,L.A.,Ovshinnikov,Yu.V. and Kargin,V.A. The effect of high pressures on dielectric losses of polymers, 0=2927

Igratskii,A.L. Optimal focusing of an electron beam in the region of transit through the input waveguide of a travelling-wave tube with a periodic magnetic field, 0=10948

Ihara,C. and Hatano,S. Composite model of pion and pion—nucleon interaction, 0=13024

I'Haya,Y. Some studies in molecular orbital theory. I, 0=15764

I'Haya,Y. Some studies in molecular orbital theory. II, 0=15765

Iida,S. The role of cation vacancy in magnetic annealing of iron—cobalt ferrites, 0=10174

Iijima,T. See Morino,Y., 0=5897

Iino,R. See Namiki,M., 0=45

Iitaka,Y. The crystal structure of β-glycine, 0=4661

Iizima,S. See Kikuchi,M., 0=20932

Iizima,S. See Kikuchi,M., 0=21014

Ikebe,Y. See Okamoto,S., 0=431

Ikeda,I. Measurement of small displacement by using Newton's rings and an objective micrometer, 0=1041

Ikeda,K. Cluster theory of condensing systems, 0=12094

Ikeda,K.,Kobayasi,M.,Marumori,T.,Nagata,S. and Shiozaki,T. Foundation of deformed potential model for nuclear rotation, 0=15504

Ikeda,K.,Kobayasi,M.,Marumori,T.,Shiozaki,T. and Takagi,S. On the roles of effective interactions in nuclear collective motion, 0=20314

Ikeda,M. On Einstein's relativistic theory of the non-symmetric field, 0=8549

Ikeda,M. and Miyachi,Y. Coordinate systems in general relativity and geometrical representation for physical quantities, 0=10584

Ikeda,M.,Ogawa,S. and Ohnuki,Y. A possible symmetry in Sakata's model for bosons-baryons system, 0=20053

Ikeda,R.M. Flash-absorption spectroscopy of free radicals in shock waves, 0=17760

Ikeda,T. A few quarternary systems of perovskite type $A^2 + B^4 + O_3$ solid solutions, 0=21236

Ikeda,T. See Yoshida,S., 0=9923

Ikegami,H. See Sakai,M., 0=20419

Ikegami,H. See Sugiyama,K., 0=20415

Ikegami,H. See Takayama,K., 0=19698

Ikegami,S. See Kisaka,S., 0=20957

Iles,P.A. and Coppen,P.J. Location of p—n and l—h junctions in semiconductors, 0=7919

Ilias,D. A recording microwave spectrometer for the study of gases at medium pressures, 0=19951

Iliescu,G.,Bărbulescu,D.,Savin,G. and Petrescu,V. The study of magnetic viscosity in carbon steels as a function of fatigue, 0=10132

Il'in,R.N. See Afrosimov,V.V., 0=16977

Il'in,Yu.I. See Vasil'ev,Yu.A., 0=13305

Il'ina,V.A. See Batenin,I.V., 0=1917

Il'inskii,A.I.,Kardonskii,V.M. and Perkas,M.D. On the part played by distortions of the second order in strengthening of metals, 0=18262

Illinger,K.H. Digest of literature on dielectrics. Tables of dielectric constants, dipole moments and dielectric relaxation times, 0=2300

Illinger,K.H. and Smyth,C.P. Atomic polarization. I. Vibrational polarization of gases, 0=5904

Illsley,E.G. See Wolicki,E.A., 0=4102

Ilyukhin,V.S.,Pokhil,P.F.,Rozanov,O.K. and Shvedova,N.S. Measurement of the shock adiabatic curves of cast trotyl, crystalline hexogene and nitromethane, 0=16676

Imaeda,K. Characteristics of Fuji nuclear emulsion type ET-7A, 0=9245

Imaeda,K.,Kazuno,M.,Fujisawa,S.,Koseki,Y.,Miyauchi,A. and Takao,Y. The characteristics of Fuji type ET-7A nuclear emulsions, 0=12741

Imaeda,K. and Shaukat,M.A. The nature of the neutral particles emitted in $K\beta_3$ decay, 0=1304

Imai,I. See Ishiguro,K., 0=1623

Imai,T.,Mizushima,Y. and Igarashi,Y. New cold cathode using magnesium oxide, 0=19714

Imamura,S. Electrical properties of alkali antimonides, 0=20927

Imamura,S. Photoelectrical properties of alkali antimonides, 0=20928

Imamura,T. A new approach to a bound state, 0=9284

Imamura,T. Quantized meson field in a classical gravitational field, 0=9287

Imamura,T. Criticism on the assumptions in the formal scattering theory, 0=9294

Imamura,T. and Kobayakawa,K. Field theoretical interpretation of multiple meson production, 0=17406

Imamura,Y. See Takeda,M., 0=17849

Imamutdinov,F.S.,Neprimerov,N.N. and Shekun,L.Ya. Magnetic double refraction of microwaves in paramagnetics, 0=2982

Imanishi,S. See Ito,M., 0=7791

Imarisio,G. Recent advances on the preparation of sinterable uranium dioxide, 0=14056

Imhof,W.L. See Vaughn,F.J., 0=9676

Imoto,M.,Tominaga,G. and Fujii,S. T - Nt diagram for fusion researches, 0=4157

Imoto,M. See Fujii,S., 0=17637

Imshennik,V.S. Isothermal expansion of a cloud of gas, 0=12433
Imyanitov,I.M. and Chubarina,E.V. Structure of the electrostatic field in the free atmosphere from the results of investigations made during the international geophysical year, 0=14304
Inami,Y.H. and Ramsey,J.B. Spectroscopic evidence for the enhancement by dissolved salts of the mole ratio of the gauche to the trans form of ethylene chloride, 0=2770
Inchauspé,N. See Knox,R.S., 0=2810
Indenbom,V.L. The reciprocity theorems and influence functions for the dislocation density tensor and for the tensor of incompatible deformations, 0=7882
Indenbom,V.L. Relation of the antisymmetry and colour symmetry groups to one-dimensional representations of the ordinary symmetry groups. Isomorphism of the Shubnikov and space groups, 0=18288
Indenbom,V.L. The theory of hardening of glass and its comparison with experiment, 0=18382
Indenbom,V.L. and Tomilovskii,G.E. The measurement of internal stresses in crystals of synthetic corundum, 0=13543
Infante,C. See Alberigi-Quaranta,A., 0=20002
Ingalls,R.P. See James,J.C., 0=8408
Ingarden,R.S. Phenomenological electrodynamics and electrothermodynamics in low temperatures, 0=9148
Ingarden,R.S. The problem of optimum optical systems, 0=19368
Ingarden,R.S. and Michalczyk,J. On optimum field homogeneity of high energy coil magnets, 0=19879
Ingelstam,E. Some experimental fourier methods for examining the form of spectral lines, 0=16834
Ingemann,F. See Liberman,A.M., 0=810
Ingemansson,S. and Kihlman,T. Sound insulation of frame walls, 0=19348
Ingham,H.S.,Jr, and McDade,P.J. Dislocation content in epitaxially vapor-grown Ge crystals, 0=17938
Ingham,H.S., Jr and Smoluchowski,R. Ionic conductivity of gamma irradiated sodium chloride, 0=6067
Ingham,M.F. See Blackwell,D.E., 0=8411
Inghram,M.G. See DeMaria,G., 0=965
Inghram,M.G. See DeMaria,G., 0=10699
Inghram,M.G. See Diamond,H., 0=17512
Inghram,M.G. See Drowart,J., 0=2324
Inghram,M.G. See Drowart,J., 0=10698
Inghram,M.G. See Grimley,R.T., 0=14971
Inghram,M.G. See Morrison,J.D., 0=17720
Ingles,A.R. Energy variation with pressure and temperature in a sonic stationary wave, 0=5100
Ingles,O.G. Corrections applicable in mercury porosimeter measurements, 0=6377
Inglis,D.R. See Lee,K., 0=20318
Ingraham,R.L. A free nucleon theory, 0=12914
Ingraham,R.L. Note on the tidal theory of the S_q magnetic field, 0=14171
Ingram,D.J.E. See Carrington,A., 0=21069
Ingram,D.J.E. See Doyle,W.T., 0=1598
Ingram,D.J.E. See Fujimoto,M., 0=20662
Inman,M.C. and Barr,L.W. Diffusion of antimony in copper single crystals, 0=17971
Ino,T. See Bauer,S.H., 0=17854
Ino,T. See Kakinoki,J., 0=8281
Inokuti,M. and Katsuura,K. On the viscosity of irradiated polymers. II, 0=20701
Inönü,E. See Guth,E., 0=10618
Inopin,E.V. Structure of the giant resonance in photonuclear reactions, 0=13129
Inopin,E.V. and Tishchenko,B.I. Scattering of electrons by light non-spherical nuclei, 0=9651
Inopin,E.V. and Tishchenko,B.I. Scattering of electrons by nuclei according to the α-particle model, 0=13255
Inoue,K. See Yamashita,J., 0=11688
Inoue,M. See Mizuno,H., 0=20838
Inoue,S. See Sakai,T., 0=8439
Inoue,Y. On the importance of the resonance-lines of atomic oxygen to the ionospheric ionization, 0=8377
Inuishi,Y.,Sumitomo,H. and Hayata,K. Dielectric properties of γ-ray irradiated methyl-methacrylate and polymethylmethacrylate, 0=6803
Inuzuka,K. See Ito,M., 0=7791
Iodko,M.G.,Tuchkevich,V.V.,Romanov,V.A. and Kresin,O.M. Investigation of the relative intensities of some conversion lines in the spectrum of neutron-deficient lutetium isotopes, 0=13212
Iodko,M.G. See Romanov,V.A., 0=13211
Ioffe,A.F. Two mechanisms of heat conduction, 0=545
Ioffe,A.F. The importance of effective masses and mobilities for thermoelements, 0=3732
Ioffe,A.F. Two mechanisms of the movement of free charges, 0=9952
Ioffe,A.F. See Ioffe,A.V., 0=15819
Ioffe,A.V. and Ioffe,A.F. The thermal conductivity of solid solutions of semiconductors, 0=15819
Ioffe,B.L. Analyticity and unitarity in the scattering of scalar mesons on a static nucleon, 0=7392
Ioffe,B.L. Capture of μ^--mesons by light nuclei, 0=9692
Ioffe,B.L. Renormalization in the parity nonconservation theory, 0=12837
Ioffe,B.L. Limits of applicability of the weak interaction theory, 0=20037
Ioffe,B.L. and Okun,L.B. Long-term reactivity changes in nuclear reactors, 0=4149
Ioffe,B.L. See Galanin,A.D., 0=7343
Ioffe,B.L. See Galanin,A.D., 0=9351
Ioffe,B.L. See Galanin,A.D., 0=17324
Ioffe,S.B.,Drichko,N.M.,Prokof'eva,I.A. and Sobolev,V.M. Observation of chromosphere on the solar disc and at the edge, in the K-line radiation of ionized Ca, with an interference-polarization filter, 0=2081
Ioffe,V.A. and Khvostenko,G.I. The electrical conductivity of sodium aluminium silicate glasses, 0=11659
Ioffe,V.A.,Patrina,I.B. and Poberovskaya,I.S. Electrical properties of certain semiconducting oxide glasses, 0=15942
Ioffe,Yu.K. and Sukhodrev,A.M. A scintillation counter for soft X-rays, and some results from its use in a high-speed diffractometer, 0=13975
Iogansen,L.V. Effect of interaction on the phase motion of electrons in a synchrotron, 0=10997
Iogansen,L.V. and Rabinovich,M.S. Coherent electron radiation in a synchrotron. II, 0=9124
Iogansen,L.V. See Rabinovich,M.S., 0=12662
Ionesco-Pallas,N. See Agarbiceanu,I.I., 0=5656
Ionesco-Pallas,N.J. Nuclear magnetic moments from hyperfine structure data, 0=5657
Ionesco-Pallas,N.J. The nuclear compressibility from isotope shift data, 0=13393
Ionesco-Pallas,N.J. Isotope shift and Fermi—Segrè formula, 0=20339
Ionescu,T.V. and Gheorghiu,O.C. A study of the absorption frequencies of negative molecular oxygen ions in the frequency range 3 to 44 Mc/s, 0=4795
Ionescu,T.V. and Gheorghiu,O.C. Absorption frequencies of negative hydrogen molecule ions between 2.5 and 44 Mc/s, 0=9806
Ionescu-Pallas,N. See Popescu Iovitsu,I., 0=9000
Ionescu-Pallas,N.J. The equation for Debye crystals, 0=17867
Ionescu-Pallas,N.J. See Popescu-Iovitzu,I., 0=14977
Ionesku-Pallas,N. See Ionescu-Pallas,N.
Ionov,N.I. and Mittsev,M.A. Determination of the first ionization potentials of the neodymium and praseodymium atoms by a surface ionization method, 0=14964
Ionov,N.I. See Bakulina,I.N., 0=10874
Ionov,N.I. See Belyakov,Yu.I., 0=10373
Iordanishvili,E.K. The efficiency of refrigerating thermoelements, 0=3733
Iori,I. See Colli,L., 0=20494
Iori,I. See Facchini,U., 0=15593
Iorish,Yu.I. Vibration studies in the Soviet Union. A review, 0=6845
Iosifescu,B. Variation with temperature of the work function of molybdenum, 0=19710
Iosifesku,B. The temperature dependence of the work function of molybdenum, 0=9061
Iova,I. See Badareu,E., 0=7081
Iovitsu,I.Popescu. See Popescu Iovitsu,I.
Iovitzu-Popescu,I. and Ionescu-Pallas,N.J. On resonant charge for positive ions, 0=14977
Ipatov,L.G. The vibrations of a ferromagnetic material in an alternating magnetic field, 0=12445
Ipatov,L.G. The propagation of an electromagnetic wave in a ferromagnetic, 0=17102
Ipatov,L.G. The magnetic characteristics of a ferromagnetic in an oscillatory régime, 0=21050
Ipatova,I.P. See Gurevich,L.É., 0=7923

Ippolito,F. The Italian nuclear programme after the Second Geneva Conference, 0=3872
Irani,R.R. and Adamson,A.W. Transport processes in liquid systems. III. Thermodynamic complications in the testing of existing diffusional theories, 0=14634
Ireland,J.G. See Hoyle,F., 0=18826
Ireland,J.G. See Hoyle,F., 0=18829
Irkhin,Yu.P. The electrical conductivity of antiferromagnetic metals, 0=4312
Irkhin,Yu.P. See Giterman,M.Sh., 0=7915
Irvin,J.C. See Nelson,J.T., 0=2875
Irvine,T.F.Jr. See Eckert,E.R.G., 0=12507
Irvine,T.F., Jr. See Eckert,E.R.G., 0=16906
Irving,B.A. Shapes of etch hillocks and pits and their correlation with measured etch rates, 0=1899
Irwin,E.J., Jr. See Enge,H.A., 0=441
Isaac,E.D. Domain structures on thin sheets of magnetoplumbite, 0=8050
Isaac,E.D. See Bates,L.F., 0=10151
Isaacs,G.G. See Cook,K.G., 0=7153
Isaacs,L.D.,Price,W.C. and Ridley,R.G. A monochromator for the vacuum ultraviolet, 0=19418
Isaev,I.L. See Sobolev,N.N., 0=973
Isaev,P.S. and Zlatev,I.S. Application of dispersion relations for testing quantum electrodynamics at small distances, 0=12818
Isaev,P.S. See Zlatev,I., 0=2538
Isaev,P.S. See Zlatev,I.S., 0=9324
Isaev,P.S. See Zlatev,I.S., 0=12819
Isakov,A.I.,Popov,Yu.P. and Shapiro,F.L. Measurements of the energy dependence of the radiative capture of neutrons in Fe, Ag and Au in the energy region up to 30 keV, 0=15599
Isenor,N.R.,Barber,R.C. and Dichworth,H.E. Some recent determinations of atomic masses in the strontium—zirconium region, 0=11494
Iseplyaev,V.I. The isothermal shock in magnetohydrodynamics, 0=15132
Ishida,K. Analysis of neutron—electron interaction in the relativistic perturbation theory, 0=11176
Ishida,K. On the absorptive range in the pion–nucleon collision at high energies, 0=17379
Ishida,K. On the absorptive range in the pion–nucleon collision at high energies, 0=17380
Ishida,K. A note on the dispersion-theoretic approach to the one additional pion production by pion—nucleon collision, 0=20212
Ishida,S. Remarks on the final state interaction in Fermi's theory of multiple particle production, 0=20042
Ishidzu,T. Statistical nuclei with repulsive core interaction, 0=17462
Ishiguro,E. See Kotani,M., 0=17819
Ishiguro,K.,Sasaki,T.,Arai,T. and Imai,I. Plasma oscillation in the electrically conductive tin oxide film, 0=1623
Ishii,C. An analysis of the charged particles emitted following negative muon absorptions in photographic emulsions, 0=17367
Ishii,C.,Kimura,M.,Ohnuki,Y. and Shoda,K. Absorption of medium high energy gamma rays in NaI(Tl) scintillator, 0=9326
Ishii,C. See Kodama,M., 0=15494
Ishii,K. Deformation twinning of tin single crystals under impact loading, 0=21115
Ishii,T. The thermal reorientation of the M center, 0=17964
Ishii,T.,Tomiki,T. and Ueta,M. On the preferential bleaching of the M band in KCl crystal with polarized light, 0=20834
Ishii,T. See Ueta,M., 0=21004
Ishikawa,M. See Miya,K., 0=19947
Ishikawa,M. See Sugai,S., 0=2170
Ishikawa,S. See Uyeda,H., 0=16412
Ishikawa,Y. An order—disorder transformation phenomenon in the $FeTiO_3-Fe_2O_3$ solid solution series, 0=670
Ishikawa,Y. See Shirane,G., 0=21200
Ishimaru,A. and Held,G. Analysis and synthesis of radiation patterns from circular apertures, 0=2451
Ishmukhametov,B.Kh. See Vlasov,K.B., 0=10712
Ishmukhametov,B.Kh. See Vlasov,K.B., 0=10713
Iskhakov,G.I. See Ayukhanov,A.Kh., 0=19809
Iskra,V.D. See Pilat,I.M., 0=1660
Islam,M.S. See Kellermann,E.W., 0=17449
Ismailzade,I.G. X-ray studies of the metatantalates of strontium, lead and barium and of the (Pb, Ba, Sr, Ca)Nb_2O_6 and (Pb, Sr, Ba)Nb_2O_6 systems, 0=14035
Iso,C. Hypothesis of invariance of CP alone and conservation of parity in strong interactions, 0=12833
Iso,C.,Mori,K. and Namiki,M. Applicability conditions of the hydrodynamical model of multiple production of particles from the point of view of quantum field theory, 0=9290
Iso,C.,Mori,K. and Namiki,M. Applicability conditions of the hydrodynamical model of multiple production of particles from the point of view of quantum field theory, 0=20044
Iso,C. See Namiki,M., 0=9291
Iso,G. See Amai,S., 0=7395
Iso,O. Strong Fermi-type interaction and its application to the G_A/G_V ratio in β-decay and the anomalous magnetic moment of nucleon, 0=17233
Israël,G. See Bricard,J., 0=21295
Israël,H. Determining the radioactivity in earth, water and air. II, 0=1373
Israel,W. Discontinuities in spherically symmetric gravitational fields and shells of radiation, 0=8536
Israel,W. Relativistic theory of shock waves, 0=19277
Isshiki,N. See Murakami,I., 0=6801
Istomin,V.G. Mass-spectrometric measurements of the ionic state of the upper atmosphere by the third artificial Sputnik, 0=3342
Isupov,V.A. Ferroelectric properties of lead metatantalate, 0=2920
Isupov,V.A. Puckering phase transitions, 0=13654
Isupov,V.A. Permittivity of $BaO-MgO-TiO_2$ samples with compositions close to $BaTiO_3$, 0=16016
Isupov,V.A. and Kosyakov,V.I. Dielectric polarization and piezoelectric properties of certain ferroelectric solid solutions based on sodium niobate, 0=630
Isupov,V.A. See Smolenskii,G.A., 0=631
Isupov,V.A. See Smolenskii,G.A., 0=636
Isupov,V.A. See Smolenskii,G.A., 0=637
Isupov,V.A. See Smolenskii,G.A., 0=638
Isupov,V.A. See Smolenskii,G.A., 0=1698
Isupov,V.A. See Smolenskii,G.A., 0=6154
Itabashi,K. Parity-nonconservation and the spins of the strange particles, 0=11235
Itabashi,K. Possible experimental tests on the decay interactions of hyperons, 0=13063
Itabashi,K. On the $|\Delta I| = {}^1$ rule for the decay of Σ. 0=15444
Ito,D.Kobayashi,T.Yamazaki,M. and Minami,S. π^-—p interaction in high energy region, 0=11205
Ito,D.,Minami,S. and Tanaka,H. Multipole model of elementary particles. I. Pion—baryon interactions, 0=20051
Ito,D.,Minami,S.,Tanaka,H.,Takahashi,Y. and Yamazaki,M. Multipole model of elementary particles. II. Non conservation of parity and baryon—lepton interactions, 0=20052
Ito,K.,Watanabe,H. and Kubo,M. Proton and B^{11} magnetic resonance of borazole, 0=7807
Ito,K. See Hayakawa,S., 0=388
Ito,K. See Kurita,Y., 0=15772
Ito,M. The effect of temperature on ultraviolet absorption spectra and its relation to hydrogen bonding, 0=5950
Ito,M.,Inuzuka,K. and Imanishi,S. Correlation between solvent-induced frequency shifts of the $n-\pi^*$ ultra-violet absorption and the infrared C=O band of ketones, 0=7791
Ito,R. See Mizushina,T., 0=14630
Itoh,J. and Yamagata,Y. Nuclear magnetic resonance by RbBr, 0=4531
Itoh,M. The unified electromagnetic equation and its properties in curvilinear coordinate systems, 0=1188
Itoh,N. and Suita,T. Photoconduction and darkening AgCl crystals at low temperatures, 0=20940
Itoh,T. and Musha,T. Monte Carlo calculations of the motions of electrons in helium, 0=10879
Itskevich,E.S. Specific heat of bismuth telluride at low temperatures, 0=8858
Itterbeck,A.van. See van Itterbeek,A.
Ittner,W.B., III. Critical fields of thin superconducting films, 0=16954
Ittner,W.B. See Budnick,J.I., 0=8955
Itzkan,I. Solutions of the equations of space charge flow for radial flow between concentric spherical electrodes, 0=9080
Iucci,N. See Bachelet,F., 0=2609
Iuchi,S. See Mizushina,T., 0=14630
Ivanchenko,V.A. and Sena,L.A. The investigation of the potential distribution in a layer of positive ion space charge, 0=17046

Ivanchik,I.I. Angular distribution for the diffraction scattering of deuterons, 0=2663
Ivanenko,D. Non-linear generalizations of the field theory and the constant of minimal length, 0=20011
Ivanenko,D. and Lulka,V. On mesonic decays of the hypernucleus ${}^3H\Lambda$, 0=17508
Ivanenko,D. See Brodskii,A.M., 0=15247
Ivanenko,D.D. and Mitskevich,N.V. Taking account of the gravitational energy, 0=10560
Ivanenko,D.D. See Brodskii,A.M., 0=11090
Ivanenko,D.D. See Brodskii,A.M., 0=11099
Ivanenko,D.D. See Brodsky,A.M., 0=7283
Ivanenko,I.P. See Guzhavin,V.V., 0=11266
Ivanenko,I.P. See Guzhavin,V.V., 0=13086
Ivanenko,I.P. See Vernov,S.N., 0=9469
Ivanenko.I.P. See Vernov,S.N., 0=20263
Ivanenko,I.P. See Volkonskaya,T.G., 0=1328
Ivankina,M.S. See Zavadovskaya,E.K., 0=12075
Ivanov,A.P. The effect of strong illumination on the absorptive power of complex molecules, 0=15714
Ivanov,A.P. and Khobos,É.B. Scattering of light in media with variable optical parameters, 0=14846
Ivanov,A.T. See Zhdanov,G.S., 0=11967
Ivanov,B.A. See Vorob'ev,A.A., 0=8991
Ivanov,D.P.,Komar,A.P. and Korobochko,Yu.S. Investigation of the transient current in a betatron, 0=9129
Ivanov,D.P.Komar,A.P. and Korobochko,Yu.S. Investigation of electron capture in a betatron with a fixed gap field, 0=11003
Ivanov,D.P.,Komar,A.P. and Korobochko,Yu.S. Method of measuring the total charge of accelerated electrons in a betatron, 0=11004
Ivanov,D.P. and Korobochko,Yu.S. Effectiveness of different portions of the injection pulse for electron capture in a betatron, 0=12658
Ivanov,D.P. See Bezbatchenko,A.L., 0=5312
Ivanov,D.P. See Denisov,S.G., 0=19860
Ivanov,G.A. The electrical properties of alloys of bismuth. IV. On the calculation of the electrical properties of binary alloys of bismuth, 0=1659
Ivanov,G.A. See Gitsu,D.V., 0=15891
Ivanov,G.A. See Gitsu,D.V., 0=15892
Ivanov,G.A. See Gomoyunova,M. V., 0=10940
Ivanov,I.G. See Pines,B.Ya., 0=16224
Ivanov,I.G. See Pines,B.Ya., 0=17972
Ivanov,P.P. See Veksler,V.I., 0=5369
Ivanov,R.N.,Forshkov,V.K.,Anikina,M.P.,Kukavadze,G.M. and Ershler,B.V. Yields of some heavy fragments in the fission of U^{233}, 0=11455
Ivanov,R.N. See Anikina,M.P., 0=11363
Ivanov,R.N. See Gorshkov,V.K., 0=7648
Ivanov,S. Method for determining the components of the complex dielectric permeability, 0=10010
Ivanov,V.G.,Osipenkov,V.T.,Petrov,N.I. and Rusakov,V.A. Cross-sections for elastic scattering of 195 MeV positive pions by carbon and lithium nuclei, 0=11450
Ivanov,V.G. See Petrov,N.I., 0=11451
Ivanov,V.G. See Van Gan-Chan, 0=9415
Ivanov,V.G. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358
Ivanov,Yu.L. See Rȳvkin,S.M., 0=1628
Ivanov,Yu.L. See Rȳvkin,S.M., 0=15905
Ivanov,Yu.M. and Fesenko,A.I. The μ^+ -meson depolarization in nuclear emulsions with different gelatin content, 0=2565
Ivanov-Kholodnȳi,G.S. See Kazachevsyaya,T.V., 0=18779
Ivanov-Kholodnyi,G.S. See Pikel'ner,S.B., 0=18839
Ivanov-Omskii,V.I. and Kolomiets,B.T. Certain properties of [n-type] InSb—GaSb alloy, 0=611
Ivanov-Omskii,V.I. and Kolomiets,B.T. Equilibrium solid solutions in the InSb—GaSb system, 0=730
Ivanov-Omskii,V.I. and Kolomiets,B.T. The dependence of the energy gap on composition for the system InSb—GaSb, 0=1726
Ivanov-Omskii,V.I. and Kolomiets,B.T. Electrical properties of the equimolecular alloy InSb.GaSb, 0=15959
Ivanov-Omskii,V.I. See Romanenko,V.N., 0=4685
Ivanova,N.I. See Zamyatnin,Yu.S., 0=9683
Ivanova,N.I. Zamyatnin,Yu.S., 0=11442
Ivanova,N.S.,Ostroumov,V.I. and Pavlov,Yu.V. Production of multicharged particles on photographic emulsion nuclei by 280 MeVπ^+-mesons, 0=7630
Ivanova,N.S. See Perfilov,N.A., 0=9622
Ivanova,V.S. A new relation for the fatigue fracture of metals, 0=1870
Ivanovskaya,I.A.,Kuznetsov,E.V.,Mal'tsev,É.I.,Prokesh,A., Stashkov,G.M. and Chuvilo,I.V. A possible neutral cascade meson decay, 0=20222
Ivanovskaya,I.A. and Rakobol'skaya,I.V. On the spectrum of the electron-photon component of extensive air-showers, 0=15476
Ivanter,I.G. Polarization correlation for the Coulomb scattering of electrons and μ-mesons on light nuclei including radiative corrections, 0=2673
Ivanter,I.G. Polarization in pair production by circularly polarized quanta, 0=9329
Ivanter,I.G. Relation between the gravitational constant, the charge to mass ratio of the electron, and the fine structure constant, 0=10550
Ivantsov,L.M. See Vinogradova,A.K., 0=3615
Ivash,E.V. Some observations concerning multipole fields, 0=30
Ivensen,V.A. The diffusion theory of sintering, 0=3167
Iveronova,V.I. See Zvyagina,A.P., 0=6008
Ives,M.B. and Hirth,J.P. Dissolution kinetics at dislocation etch pits in single crystals of lithium fluoride, 0=13968
Ives,M.B. See Frank,F.C., 0=21174
Ivko,V.M. See Sapogin,L.G., 0=19586
Ivković,V. and Mavrodiev,G. Adjustable gas leak, 0=12643
Ivlev,D.D. Isotropic hardening of plastic bodies, 0=1854
Ivlev,D.D. The theory of an ideally hardening medium, 0=6321
Ivlev,D.D. Linearized equations for three-dimensional problems of idealized plasticity theory, 0=8115
Iwadare,J.,Matsumoto,M.,Otsuki,S.,Tamagaki,R. and Watari,W. Photodisintegration of deuterons in the presence of the pion-theoretical potential, 0=5625
Iwadare,J. See Hamada,T., 0=20072
Iwadare,J. See Hamada,T., 0=20126
Iwai,A. See Outsu,J., 0=1983
Iwakura,T. See Higashimura,T., 0=7490
Iwamoto,F. Cluster expansion of the ground state of a Bose particle system, 0=14529
Iwamoto,F. An illustrative example of the nuclear collective motion, 0=17471
Iwamoto,F. and Yamada,M. Cluster development method in the quantum mechanics of many particle system. II. Saturation of nuclear forces, 0=12884
Iwantscheff,G. Problem of producing solid materials of high purity, particularly for semiconductor work, 0=2065
Iwao,S. A theory of hyperfragments. I. Binding energies and level structure, 0=17507
Iwao,S. and Sudarshan,E.C.G. Low-energy parameters of hyperon—nucleon interaction and Λ hyperfragments, 0=7485
Iwao,S. See Sudarshan,E.C.G., 0=17506
Iwata,G. Separable dynamical systems of Staeckel in flat space, 0=12679
Iwata,G. Perfect imaging dynamical systems, 0=12680
Iwata,K. See Fujii,K., 0=12827
Iwata,K. See Fujii,K., 0=12828
Iwata,K. See Fujii,K., 0=12829
Iwata,K. See Fujii,K., 0=12830
Iwata,K. See Fujii,K., 0=15230
Iwata,M. See Tabata,S., 0=19240
Iyengar,I. See Bansiger,K.G., 0=6170
Iyengar,S.B.D.,Mani,G.S.,Ramanna,R. and Umakanth,N. Slowing down and diffusion of neutrons in beryllium oxide, 0=9374
Iyengar,S.B.D.,Mani,G.S.,Ramanna,R. and Umakanth,N. Temperature dependence of the slowing down and diffusion constants of neutrons in beryllium oxide. 0=9375
Iyengar,S.B.D. See Deniz,V.C., 0=9369
Izhak,I.A. Kolomoitsev,F.J., 0=10019
Izlyumov,Yu.A. The spectrum of elementary excitations of the electron system of a monatomic non-conducting crystal. I. Z Electrons per atom, 0=2808
Izlyumov,Yu.A. A note concerning the formalism of Holstein and Primakoff, 0=6228
Izmailov,S.V. The theory of kinetic, ion-induced electron emission in metals. II, 0=1150
Izmailov,S.V. On the theory of secondary electron emission from metals subjected to the action of the fast neutral atoms, III, 0=1151
Izmailov,S.V. Theory of ion-electron emission from metals. II. Comparison with experiment, 0=2384
Izsak,I.G. Periodic drag perturbations of artificial satellites, 0=18882
Izui,K. and Fujiwara,T. Cr-preshadowed carbon replica by single stage process, 0=4703

Izui,K.,Kino,T. and Fujiwara,T. Slip patterns on the quench-hardened aluminium single crystal plates, 0=3152
Izui,K. See Fujiwara,T., 0=3188
Izumo,K. See Igarasi,S., 0=17579
Izumo,K. See Muto,T., 0=20248
Izuyama,T. Electron interaction in very long linear conjugated molecules. II. Elementary excitations in a system with small energy gap, 0=20708
Izuyama,T. See Mizuno,Y., 0=9302
Izuyama,T. See Mizuno,Y., 0=17859
Izuyama,T. See Mizuno,Y., 0=17863
Izuyama,T. See Mizuno,Y., 0=20686
Izuyama,T. See Shimizu,M., 0=17862
Izyumov,Yu.A. Note concerning the Holstein—Primakoff formalism, 0=1539
Izyumov,Yu.A. and Skrotskii,G.V. Spin resonance of the conduction electrons in ferromagnetic metals, 0=18212
Izyumov,Yu.A. See Vonsovskii,S.V., 0=13750
Izyumova,T.G. See Skrotskii,G.V., 0=18180

Jablonska,H. A photographic method for the measurement of stationary sound-pressure-fields, 0=16793
Jabłoński,A. Decay of photoluminescence of solutions, 0=6810
Jablonski,F.E. and DiMeglio,A.F. Use of aluminium as a threshold neutron detector, 0=12996
Jaccarino,V.,Peter,M. and Wernick,J.H. Nuclear magnetic resonance in α and β manganese, 0=18229
Jaccarino,V. and Walker,L.R. N.M.R. in antiferromagnetic $Mn^{19}F_2$, 0=13893
Jaccarino,V. See Blumberg,W.E., 0=18228
Jaccarino,V. See Blumberg,W.E., 0=19561
Jaccarino,V. See Clogston,A.M., 0=6272
Jaccarino,V. See Davis,J.L., 0=3107
Jacchia,L.G. See Wright,F.W., 0=12270
Jack,W. and Ward,A. A study of protons emitted from medium weight nuclei bombarded with neutrons of 14 MeV, 0=15600
Jack,W. See Storey,R.S., 0=11446
Jäckel,H. A method for calculating the quasistationary change of temperature with a controlled heat conduction process in a solid body, 0=14867
Jäckle,W. Measurement of the complex permittivity of Rochelle salt at a frequency of 10 Gc/s as a function of temperature and electric bias-field, 0=10017
Jackman,V. Instrument for automatic recording of surface tension, 0=14607
Jackson,D.A. Precision measurements with the Fabry—Perot double etalon, 0=16886
Jackson,E.A. Drift instabilities in a Maxwellian plasma, 0=17006
Jackson,E.A. Non linear oscillations in a cold plasma, 0=19700
Jackson,E.G. See Dixon-Lewis,G., 0=3616
Jackson,E.M. See Mitchell,J.T.D., 0=5838
Jackson,F.J. Sonically induced microstreaming near a plane boundary. II. Acoustic streaming field, 0=19308
Jackson,F.J. and Nyborg,W.L. Sonically-induced microstreaming near a plane boundary. I. The sonic generator and associated acoustic field, 0=19307
Jackson,F.L.,Kittinger,G.W. and Krause,F.P. Efficient tritium labeling with an electric discharge, 0=20369
Jackson,H.E.,DeWire,J.W. and Littauer,R.M. Photoproduction of π^0 mesons from hydrogen in the region 900 to 1200 MeV, 0=15415
Jackson,H.L.W. See Power,G., 0=7054
Jackson,H.L.W. See Power,G., 0=12347
Jackson,J.A.,Lemons,J.F. and Taube,H. Nuclear magnetic resonance studies on hydration of cations, 0=3546
Jackson,J.E. and Kane,J.A. Measurement of ionospheric electron densities using an RF probe technique, 0=12146
Jackson,J.E. See Seddon,J.C., 0=21349
Jackson,J.S. A symmetrical fourfold helical fracture in titanium oxide, 0=18282
Jackson,K.A. On surface roughness, 0=21214
Jackson,L.C. The magnetic susceptibility of ferrous fluosilicate at low temperatures, 0=18164
Jackson,L.C. and Grimes,L.G. The thickness of the moving helium II film, 0=8913
Jackson,L.C. See Grimes,L.G., 0=19534
Jackson,L.C. See Grimes,L.G., 0=19535
Jackson,N. Vacuum sublimation apparatus for preparation of thin sources of α-active materials, 0=7489
Jackson,P.J. See Nabarro,F.R.N., 0=550
Jackson,P.W. See Wiggins,T.A., 0=7049
Jackson,R.C.,Lee,E.W. and Troughton,A.G.H. The influence of the method of demagnetization on the reversible permeability of a high-permeability nickel—iron alloy, 0=8039
Jackson,R.S.,King,A.J. and Maguire,C.R. Determination of the static and dynamic elastic properties of resilient materials, 0=18235
Jackson,W.J. The effect of heat-treatment on the magnetic properties of carbon-steel castings, 0=4485
Jacob,G. and Maris,T.A.J. Investigation of medium and heavy nuclei by quasi-free proton—proton scattering, 0=20447
Jacob,G. See Brody,T.A., 0=17469
Jacob,G. See Eichler,J., 0=1366
Jacob,J. Infrared spectra of acetylene in solution, 0=9802
Jacob,K.P.,Mihelich,J.W.,Harmatz,B. and Handley,T.H. Electron capture decay of Tm^{168} and Tm^{166}, 0=5714
Jacob,L. See Adams,M.J., 0=20873
Jacob,L. See Chisholm,M., 0=5332
Jacob,M. and Mathews,J. Connection between neutral pion decay and proton Compton scattering, 0=5582
Jacobi,T.H.,Howe,H.A. and Richardson,J.R. Radiation from Ga^{64}, 0=5699
Jacobs,A. Two-group albedo theory and application to temperature coefficient calculations, 0=13353
Jacobs,A. See Kline,D.E., 0=20531
Jacobs,G. See Cape,J., 0=9910
Jacobs,I.S. Evidence for triangular moment arrangements in $MO.Mn_2O_3$, 0=3097
Jacobs,I.S. Evidence for triangular moment arrangements in $MO.Mn_2O_3$, 0=4499
Jacobs,I.S. High-field magnetization study of ferrimagnetic arrangements in chromite spinels, 0=11901
Jacobs,I.S. and Lawrence,P.E. An exchange anisotropy memory effect, 0=13841
Jacobs,I.S. and Schmitt,R.W. Electrical and magnetic behavior of dilute alloys: Co in Cu, Mn in Cu, 0=10092
Jacobs,I.S. See Bean,C.P., 0=11843
Jacobs,I.S. See Kouvel,J.S., 0=13853
Jacobs,J.A. Temperatures within the earth's core, 0=8354
Jacobs,J.A. and Sinno,K. Occurrence frequency of geomagnetic micropulsations, Pc, 0=12135
Jacobs,J.A. and Sinno,K. World-wide characteristics of geomagnetic micropulsations, 0=21310
Jacobs,J.A. and Sinno,K. Some characteristics of geomagnetic micropulsations (P_C), 0=21311
Jacobs,J.J. See Smit,J.van R., 0=4719
Jacobs,P.W.M. See Bray,A.R., 0=10337
Jacobs,P.W.M. See Hill,R.J., 0=5356
Jacobsen,C.T. See Lindberg,L., 0=7115
Jacobsen,E. See Bryrup,E., 0=9714
Jacobsen,E. See Bryrup,E., 0=9715
Jacobsen,E.H. Sources of sound in piezoelectric crystals, 0=14733
Jacobsen,E.H. See Bryrup,E., 0=9716
Jacobson,M.J. and Talham,R.J. Angular deviation in directional receiver correlation, 0=14747
Jacobus,F.B. See Helmer,J.C., 0=7826
Jacquesson,R. See Lagarde,A., 0=8109
Jacquet,P.A. A non destructive technique for examining surfaces: application to metallurgy and mechanics, 0=2064
Jacquet,P.A. Structural heterogeneities of the surface layers of the magnetic alloy mumetal, heated in the air, 0=18394
Jacquinot,P. Characteristics common to the new methods of interferometric spectroscopy; the factor of merit, 0=16836
Jacquinot,P. Extension of the concept of Fourier space to spectroscopy, 0=19411
Jacquinot,P. See Brochard,J., 0=7694
Jacquinot,P. See Brochard,J., 0=9766
Jacrot,B. and Gobert,G. A mechanical slow-neutron selector, 0=9379
Jacrot,B. See Cribier,D., 0=20776
Jacrot,B. See Ericson,M., 0=13804
Jacrot,B. See Ericson,M., 0=16137
Jacrot,B. See Gobert,G., 0=20156
Jacubowicz,M. and Uebersfeld,J. The Overhauser and double effects in liquids adsorbed on carbon, 0=4736
Jaeckel,R. and Peperle,W. The dependence of the condensation coefficient over a crystal surface on the partial pressure, 0=11994
Jaeckel,R. See Eberhagen,A., 0=2303
Jaeckel,R. See Eschbach,H.L., 0=8725
Jaeckel,R. See Gersing,E., 0=5866

aegle,P. Calculation of the resolving power of a spectrograph with two concave gratings at glancing incidence, 0=14827
aeger,J.C. Diffusion in branching regions, 0=5192
aeger,J.C. The use of complete temperature—time curves for determination of thermal conductivity with particular reference to rocks, 0=5202
Jaenicke,W. See Albert,L., 0=6331
Jaenicke,W. See Albert,L., 0=13960
Jaffe,A.A.,Taylor,I.J. and Forsyth,P.D. The first T = 1 level in ^{18}F, 0=17495
Jaffe,A.A. See Forsyth,P.D., 0=5754
Jaffe,A.A. See Husain,S.A., 0=19965
Jaffe,A.A. See Muto,J., 0=20462
Jaffe,A.A. See Taylor,I.J., 0=11422
Jaffe,H. See Cook,W.R.,Jr, 0=2300
Jaffé,J.H. High resolution spectroscopy of absorption spectra in the near infrared using the Fabry—Perot interferometer, 0=16848
Jaffé,J.H. Examination of the interference pattern by rotation of the Fabry—Perot interferometer, 0=16874
Jaffe,J.H.,Goldring,H. and Oppenheim,U. Infrared dispersion of absorbing liquids by critical angle refractometry, 0=83
Jaffe,J.H. See Hirshfeld,M.A., 0=5927
Jaffe,L.D. See Martens,H.E., 0=11981
Jaffee,R.I. See Holden,F.C., 0=8143
Jaffey,A.H.,Hibdon,C.T. and Sjoblom,R. Thermal neutron $\bar{\nu}$ for ^{241}Pu, 0=20513
Jaffray,J. and Majourel,M.T. Observations on the epitaxy of yellow mercuric iodide and mercuric bromide on mica, 0=12012
Jagannadha Rao,M. See Ramamurty,S., 0=5956
Jager,C.de. See de Jager,C.
Jäger,P. Measurement of the velocity dependence of the $\beta-\gamma$ circular correlation in Co^{60}, 0=7516
Jaggi,R. and Sommerhalder,R. Measurement of the penetration depth in superconducting hollow bodies, 0=8931
Jaggi,R.K. On the stability of a gravitating sphere in a magnetic field, 0=7207
Jahn,G. Curves of equal loudness for octave bandpass noise, 0=2050
Jahn,G. The difference between the curves of equal loudness in the plane wave and in the diffuse sound field, 0=14333
Jahn,G. and Vogelsang,S. The directional characteristic of one ear in human hearing, 0=6504
Jahn,G. See Kraak,W., 0=14744
Jahn,H. Derivation of a strong-coupling approximation in the Chew—Low formalism, 0=336
Jahoda,F.C.,Little,E.M.,Quinn,W.E.,Sawyer,G.A. and Stratton,T.F. Continuum radiation in the X-ray and visible regions from a magnetically compressed plasma (Scylla), 0=13386
Jahr,R. See Doehring,A., 0=13244
Jain,D.V.S. See Benson,S.W., 0=1949
Jain,P.C. On Chandrasekhar's theory of turbulence, 0=6759
Jain,P.C. Density fluctuations in turbulence in an inviscid compressible fluid, 0=6761
Jain,P.L. Energy determination of heavy primaries in nuclear emulsion, 0=17442
Jain,P.L. and Glahe,H.C. Energy determination from multiple meson production by 6.3 BeV protons in nuclear emulsion, 0=1283
Jain,R.D. See Bhandari,R.C., 0=5801
Jain,R.K. See Kapur,J.N., 0=19893
Jain,V.K. See Sodha,M.S., 0=8712
Jainski,P. Contrast sensitivity of the human eye with different illuminants, 0=14350
Jainski,P. Acuity of vision under different kinds of light, 0=18561
Jaiswal,N.K. Application of finite Hankel transform to a problem in perfect fluid flow, 0=6741
Jakeways,R. and Rosser,W.G.V. The decay of ^{147}Pm, 0=7512
Jakubček,O. See Rozkoš,M., 0=13256
Jambunathan,R. See Saraf,B., 0=11357
James,C.G. and Sugden,T.M. Photometric investigations of alkali metals in hydrogen flame gases. III. The source of the alkali metal continuum, 0=1517
James,C.G. See Hart,K., 0=17641
James,H.J. See Buchanan,J.S., 0=5086
James,J.C.,Bird,L.E.,Ingalls,R.P.,Stone,M.L.,Day,J.W.B., Lockwood,G.E.K. and Presnell,R.I. Observed characteristics of an ultra-high-frequency signal traversing an auroral disturbance, 0=8408
James,J.C. See Meeks,M.L., 0=14389
James,J.F. Method of double-beam spectrophotometry in the vacuum ultra-violet, 0=5167
James,R.A. and Bingham,C.D. Isomeric states of Nd^{141} and Sm^{143}, 0=5728
James,T.C. Rotation-vibration interaction in electronic transitions. Application to rotational "temperature" measurements, 0=15695
James,T.C.,Norris,W.G. and Klemperer,W. Infrared spectrum and dipole moment function of lithium hydride, 0=5935
Jameson,W.J.,Jr and Aroeste,H. Short-range interaction between a hydrogen molecule and a hydrogen atom. II, 0=4244
Jamieson,J.A. Preamplifiers for non-image-forming infrared systems, 0=14882
Jamieson,J.A. Special electronic circuits for the non-image-forming infrared systems, 0=14885
Jamieson,J.C.,Lawson,A.W. and Nachtrieb,N.D. New device for obtaining X-ray diffraction patterns from substances exposed to high pressure, 0=3195
Jamieson,J.C. See de Carli,P.S., 0=6324
Jamnick,P.M. See Megill,L.R., 0=18517
Jamnik,D. Energy control of a 31 MeV betatron, 0=19861
Jamnik,D. and Axel,P. Plane polarization of 15.1 MeV bremsstrahlung from 25 MeV electrons, 0=3950
Jan,J.P.,Steinemann,S. and Dinichert,P. The lattice parameters and density of ruby, 0=12044
Jan,J.P.,Steinemann,S. and Dinichert,P. The density and lattice parameters of ruby, 0=14008
Janáček,F. See Frána,J., 0=4449
Jancel,R. Properties of macroscopic observables and quantum ergodic theory, 0=4954
Jancel,R. Comparison between the classical and quantal aspects of ergodic theory, 0=10602
Jancel,R. and Kahan,T. Statistical mechanics of plasmas: applications of the Boltzmann and Fokker—Planck equations, 0=12604
Jancel,R. and Kahan,T. Statistical mechanics of an inhomogeneous and anisotropic Lorentzian plasma: a study of the electron distribution, 0=15005
Jancel,R. See Cavailles,P., 0=12603
Jancel,R. See Cavaillés,P., 0=15038
Jancovici,B. On the role of non-central forces in nuclear structure, 0=396
Jancovici,B. Spin—orbit coupling and tensor forces, 0=20313
Jänecke,J. The Coulomb energies of light atomic nuclei, 0=17486
Jänecke,J. The half-lives of some positron emitters with superallowed transitions, 0=17535
Janes,G.S. and Koritz,H. High-power pulse steepening by means of exploding wires, 0=2310
Janes,G.S. and Koritz,H. Numerical calculation of absolute bremsstrahlung intensity for a fully ionized fully dissociated hydrogenic gas, 0=7322
Janes,H.B. See Thompson,M.C.,Jr, 0=12205
Janes,H.B.J. See Thompson,M.C.,Jr, 0=14568
Janeschitz-Kriegl,H. New apparatus for measuring flow birefringence, 0=3656
Janik,J.A. See Grotowski,A., 0=5912
Janin,J. See Déjardin,G., 0=9993
Janis,A.I. See Newman,E.T., 0=3441
Jankovic,Z. On the collective model wave functions, 0=7454
Janković,Z. Remarks on the paper by K.Stiegler: "On the mechanical foundation of the theory of special relativity, 0=16576
Jankovic,Z. On the inelastic scattering by deformed nuclei, 0=17578
Jannuzzi,N. and Porto,S.P.S. Table of energy levels of a slightly asymmetrical top rotor, 0=15687
Jánossy,L. On the determination of the energy of a particle from its track in an emulsion, 0=5465
Jánossy,L. and Kiss,D. On the statistics of the determination of the mean life of μ-mesons, 0=5579
Jánossy,L. and Náray,Z. The interference phenomena of light at very low intensities, 0=6942
Jánossy,L. See Békéssy,A., 0=312
Jánossy,L. See Bozóki,G., 0=11240
Jánossy,L. See Graff,G., 0=5122
Janot,C. See Hadni,A., 0=6927
Janot,C. See Hadni,A., 0=8810
Janot,C. See Hadni,A., 0=19442
Janouch,F. On the probability of double beta decay, 0=13188
Janouch,F. See Chin Chen-Zhui, 0=12900

Janovec,V. Anti-parallel ferroelectric domains in surface space-charge layers of $BaTiO_3$, 0=4383
Janovec,V. See Brězina,B., 0=11744
Jansen,D.H.,Hoffman,E.E. and Shepherd,D.M. Lead–lithium shielding alloy-metallurgical studies, 0=8273
Janson,L.E. See Hellström,B., 0=16922
Janssen,J.H. A method for the calculation of the speech intelligibility under conditions of reverberation and noise, 0=14327
Janssen,J.H. A note on reciprocity in linear passive acoustical systems, 0=14737
Janssen,J.H. Simple calibration of small vibration pick-ups, 0=19323
Janssen,J.H. See Kosten,C.W., 0=14725
Janssens,P. See Demeur,M., 0=17630
Jäntsch,O. Inversion behaviour of silicon rectifiers in moist gases, 0=9982
Jantsch,O. Inverse characteristics with the surface breakdown of silicon p S_pn rectifiers, 0=11702
Janz,G.J. and Lorenz,M.R. Precise measurement of density and surface tension at temperatures up to 1000°C in one apparatus, 0=2161
Janz,G.J. and Mikawa,Y. The evaluation of Urey-Bradley force constants in planar XY_3 type molecules, 0=17723
Jarmain,W.R. Klein–Dunham potential energy functions in simplified analytical form, 0=2737
Jarmain,W.R. Simplified analytical representation of Klein–Dunham potential energy functions, 0=5902
Jarmain,W.R.,Ebisuzaki,R. and Nicholls,R.W. Franck–Condon factors and r-centroids for some bands of the CO fourth positive $(A^1\Pi - X^1\Sigma)$ band system, 0=7776
Jarmain,W.R. See Nicholls,R.W., 0=7793
Jarmain,W.R. See Nicholls,R.W., 0=11518
Jarman,P. Sonoluminescence: A discussion, 0=19163
Jarmie,N. and Silbert,M.G. Nuclear energy levels of N^{17}, O^{18}, and O^{20}, 0=20350
Jarosch,H. See Alterman,Z., 0=8518
Jarre,G. The analogy for the simultaneous exchange of quantities of momentum, heat, and mass. I. Homogeneous gases, 0=19177
Jarrell,D.L. See Enge,H.A., 0=13238
Jarrett,A.A. See Greenfield,M.A., 0=12994
Jarrett,A.A. See Greenfield,M.A., 0=12998
Jarrett,H.S. Generalization of crystal field theory to include covalent bonding, 0=4254
Jarrett,H.S. See Swoboda,T.J., 0=11916
Jarvis,R.G. See Cross,W.G., 0=7609
Jaschek,C.O.R. Earth satellites and lunar formations, 0=18698
Jaseja,T.S. See Venkateswarlu,P., 0=2738
Jaskowsky,J. See Reuter,B., 0=4366
Jason,A.C. and Lees,A. Resistance thermometer spear for field measurement, 0=5219
Jastram,P.S. See Ramaswamy,M.K., 0=7519
Jastram,P.S. See Ramaswamy,M.K., 0=11379
Jastram,P.S. See Ramaswamy,M.K., 0=13170
Jastram,P.S. See Ramaswamy,M.K., 0=20381
Jastram,P.S. See Ramaswamy,M.K., 0=20396
Jastrow,R. Outer atmospheres of the earth and planets, 0=10494
Jaswon,M.A. and Dove,D.B. The crystallography of deformatio twinning, 0=8155
Jaszczyn,P. The effect of infrared radiation on the transfer of energy in ZnS:Mn, 0=16090
Jaszczyn. See Yashchin,P.B.,
Jatar,D.P. The falling current potential characteristic in hydrogen under silent electric discharge, 0=7095
Jatar,D.P. and Sharma,H.D. Joshi effect in air and the associated change in the light output, 0=7096
Jatar,D.P. and Sharma,H.D. Corona relationship under low frequency silent electric discharge, 0=16986
Jauch,J.M. On Pauli's transformation, 0=15267
Jauho,P. Subcritical assemblies with spontaneous fission source, 0=13334
Jaumann,J. See Haacke,G., 0=16136
Javan,A. Possibility of production of negative temperature in gas discharges, 0=1109
Javan,A. Several-quanta transitions and maser amplification in two-level systems, 0=16181
Jayadevappa,E.S. See Hisatsune,I.C., 0=3533
Jayaraman,A. Optical properties and unit cell parameters of nickel nitrate hexahydrate, 0=7991
Jdanov,A.P.,Kartujanski,A.L.,Kuzmin,V.N.,Ryjkova,I.V., Fedotov,P.I. and Chour,L.I. The preparation of nuclear emulsions and the mechanism of hypersensitization with triethanolamine, 0=12738
Jean,A.G.,Taylor,W.L. and Wait,J.R. V.L.F. phase characteristics deduced from atmospheric wave forms, 0=14311
Jean,A.G. See Taylor,W.L., 0=3355
Jean,M. and Touchard,J. The introduction of collective coordinates for the description of nuclei, 0=9501
Jean,M. and Touchard,J. Excited levels of even–even nuclei in intermediate regions, 0=9527
Jean,R. and Liot,R. Pumping of linear accelerators, 0=2407
Jefferies,J. and Pottasch,S. The Nova outburst. III. The ionization of hydrogen gas by an exciting star, 0=14450
Jefferies,J.T. Thermally broadened Stark profiles of some high Balmer lines, 0=12286
Jefferies,J.T. and Thomas,R.N. The source function in a non-equilibrium atmosphere. V. Character of the self-reversed emission cores of Ca^+ H and K, 0=12249
Jeffers,H.M. and Gibson,J. Observations of comets and of Icarus (1566), 0=12274
Jeffress,L.A. See Moushegian,G., 0=2051
Jeffrey,G.A. and Shiono,R. A comparison of anisotropic differential Fourier and least-squares refinement, 0=10302
Jeffrey,G.A. See McMullan,R., 0=3255
Jeffreys,H. Faults in a material that hardens when it yields, 0=8125
Jeffreys,H. The clock paradox in special relativity, 0=8540
Jeffreys,H. Imperfections of elasticity in the small bodies of the solar systems, 0=18688
Jeffreys,H. The moon's libration in longitude, 0=18697
Jeffreys,H. The secular accelerations of satellites, 0=18704
Jeffries,C.D. Dynamic orientation of nuclei by forbidden transitions in paramagnetic resonance, 0=5654
Jeffries,C.D. See Abraham,M., 0=5655
Jehanno,C. and Labeyrie,J. Artificial radioactivity in the stratosphere, 0=21325
Jelenski,A. See Bertein,F., 0=7215
Jelley,J.V. Time discrimination in solid-state infrared quantum counters, 0=12529
Jelley,J.V. See Goldsmith,P., 0=20099
Jellinek,F. See Rundqvist,S., 0=18360
Jellinghaus,W. and de Andrés,M.P. Hall effect and conductivity of iron-nickel alloys, 0=6081
Jen,C.K. See Foner,S.N., 0=7889
Jenkins,A.E. See Harris,B., 0=3393
Jenkins,A.W. and Parker,H.M. Electromagnetic support arrangement with three-dimensional control. I. Theoretical, 0=2425
Jenkins,A.W.,Jr,Phillips,C.A.,Jr and Maple,E. Observed magnetic effects from meteors, 0=16407
Jenkins,E.W. See Fischer,G.E., 0=2578
Jenkins,F.A. Extension of the spectral range of the high reflectance of dielectric multilayers, 0=16880
Jenkins,F.A. See Baumeister,P.W., 0=175
Jenkins,R.O. The theory of ballast tubes or barretters, 0=3728
Jenkins,R.O. and Trodden,W.G. Evaporation of thorium from carburized thoriated tungsten cathodes, 0=7135
Jenkins,R.O. and Trodden,W.G. The poisoning of impregnated cathodes, 0=9072
Jenkinson,D.S. Scintillation counting of carbon-14, 0=15193
Jenness,J.R. Jr. An empirical assessment of the effect of quenching on the infrared optical properties of polytrifluorochloroethylene, 0=12473
Jennings,D.A. and Tantilla,W.H. Particle-size effect on nuclear spin–lattice relaxation time, 0=10243
Jennings,D.A. See Bender,P.A., 0=4532
Jennings,J.E. and Burland,J.B. Rand soil-pressure cell for low pressures, high accuracy and long-term stability, 0=8590
Jennings,L.D.,Hill,E.D. and Spedding,F.H. Heat capacity of samarium from 13 to 350°K, 0=2788
Jennings,L.D. See Stanton,R.M., 0=6016
Jennings,L.D. See Vossos,P.H., 0=12047
Jennings,V.J. and Knight,R.D. Continuous deionized water washing system for semiconductor devices, 0=4724
Jennison,R.C. A phase sensitive interferometer technique for the measurement of the Fourier transforms of spatial brightness distributions of small angular extent, 0=3
Jennison,R.C. The detection of coherent harmonics in certain solar outbursts, 0=833

Jennison,R.C. and Latham,V. The brightness distribution within the radio sources Cygnus A (19N4A) and Cassiopeia A (23N5A), 0=16530
Jennison,R.C. See Davies,R.D., 0=4868
Jenny,D.A. and Wysocki,J.J. Temperature dependence and lifetime in semiconductor junctions, 0=1631
Jensen,B.S. Note on the preparation of anhydrous rare-earth chlorides for the electromagnetic isotope separator, 0=17677
Jensen,E. On the dynamics of prominences and coronal condensations, 0=6592
Jensen,E. General theory on spin-echoes for any combination of any number of pulses. Introduction of a simple "spin-echo diagram", 0=15512
Jensen,E.H. See Bryrup,E., 0=9716
Jensen,E.N. See Daniel,H., 0=5710
Jensen,E.N. See Schupp,G., 0=17546
Jensen,H.H. and Saermark,K. On the theory of the Rayleigh-disk and the sound pressure radiometer, 0=14749
Jensen,J.T.Jr. See Haas,G.A., 0=12626
Jensen,L.H. See Peterson,J., 0=8234
Jensen,R.C. and Fairhall,A.W. Fission of Ra^{226} by deuterons and helium ions, 0=9710
Jensen,R.V. See Rosi,F.D., 0=2915
Jensen,R.V. See Rosi,F.D., 0=11711
Jenson,V.G. Viscous flow round a sphere at low Reynolds numbers (< 40), 0=6745
Jeong,T.H.,Johnston,L.H.,Young,D.E. and Waddell,C.N. Proton—proton scattering at 25 MeV, 0=11165
Jeppesen,M.A. See Baumeister,P.W., 0=175
Jepsen,D.W. and Hirschfelder,J.O. Calculation of the coupling terms neglected in performing the Born—Oppenheimer separation for the hydrogen molecule ion, 0=11536
Jepsen,R.L. Important characteristics of a new type of getter—ion pump, 0=107
Jepson,W.B. See Gregg,S.J., 0=3572
Jeremie,H. See Bormann,M., 0=13289
Jerger,J.F.,Tillman,T.W. and Peterson,J.L. Masking by octave bands of noise in normal impaired ears, 0=4826
Jerrard,H.G.,Fisher,T.A. and Simmons,B.A.W. Apparatus for the study of the dielectric properties of macromolecular solutions under flow, 0=12421
Jerrard,H.G. and Simmons,B.A.W. Dielectric studies of deoxyribonucleic acid, 0=6802
Jerrard,R.P. Vibration of quartz crystal plates, 0=19254
Jesse,W.P. The ionization by polonium alpha particles in air and the average energy [W] to make an ion pair, 0=19613
Jessup,R.S. See Armstrong,G.T., 0=7007
Jeszenszky,B. A contribution to the mechanism of NaCl crystal growth, 0=16256
Jeszenszky,F. Some remarks on the quantum mechanical concept of physical quantities, 0=18941
Jewitt,P.A. and Barden,S.E. First collision probability, P_C in regions with circular symmetry, 0=6699
Jha,S. and Devare,H.G. Further work on the decay of thallium 202, 0=1376
Jha,S.,Gupta,R.K. and Devare,H.G. On the gamma rays emitted in the decay of $^{140}_{58}$Pr, 0=15562
Jin,Y.S. Proof of dispersion relations for pion—hyperon scattering, 0=5591
Jo,S.H. See Shin,H.M., 0=21300
Joachain,C. See Demeur,M., 0=17485
Joachain,C. See Demeur,M., 0=18944
Jobes,F.C. See McIntyre,J.A., 0=15584
Jochim,K.E. See Shirer,H.W., 0=6492
Joffre,H. See Candes,P., 0=2412
Johannsen,D.E. See Wulfeck,J.W., 0=8451
Johansson,B. Coincidence arrangement with high time resolution used together with a 100-channel pulse-height analyzer, 0=17179
Johansson,B. and Alväger,T. The high-frequency deflection method for measuring short half-lives. I. Principle and some measurements, 0=17518
Johansson,B. and Alväger,T. Proposition for a new method for measuring short half-lives, 0=20371
Johansson,B. See Kjellman,J., 0=5676
Johansson,C.H. and Sjölin,T. Emission and absorption of light behind the detonation front, 0=8306
Johansson,C.M. See Axensten,S., 0=5652
Johansson,C.M. See Lindgren,I., 0=7457
Johansson,I. The infrared spectrum of Li I, 0=5883
Johansson,I. and Svensson,K.F. Wavelength measurements in the spectrum of a mercury arc at different voltages, 0=6937
Johansson,N. See Hulthén,E., 0=7757
Johler,J.R. and Walters,L.C. On the theory of reflection of low- and very-low-radiofrequency waves from the ionosphere, 0=17122
John,H.F. See Faust,J.W.,Jr, 0=13965
John,T.L. Exchange effects on the photo-detachment cross-section of H^{-}, 0=14960
John,T.L. The photo-detachment of H^{-}, 0=17668
Johns,J.W.C. and Barrow,R.F. The ultra-violet spectra of HF and DF, 0=9818
Johns,M.W. and MacArthur,J.D. Zero spin of the 1265 keV state in Pt^{194}, 0=4018
Johns,T.F. Isotope separation by multistage methods, 0=20571
Johnsen,I. and Tjötta,S. Theoretical and experimental investigation of the quartz wind [streaming], 0=6880
Johnson,A.A. The effect of grain size on the tensile properties of high-purity molybdenum at room temperature, 0=16236
Johnson,A.A. and Peacock,D.E. Some new yield phenomena in molybdenum, 0=21106
Johnson,A.A. See Kerridge,J.F., 0=1589
Johnson,C.C. Theory of fast-wave parametric amplification, 0=5398
Johnson,C.E. and Meyer,H. Thermal and magnetic properties of cerium ethyl sulphate between 0.02 and 1°K, 0=10102
Johnson,C.E. See Grace,M.A., 0=20786
Johnson,C.E.,Jr and Brown,W.F.,Jr. Stoner-Wohlfarth calculation on particle with both magnetocrystalline and shape anisotropy, 0=3000
Johnson,C.E.,Jr and Brown,W.F.,Jr. Shape distribution of magnetite powders, 0=3048
Johnson,C.M.P.,Jones,G.A.,Phillips,W.R. and Wilkinson,D.H. A study of the levels in ^{19}F following the β-decay of ^{19}O, 0=9560
Johnson,C.M.P. See Jones,G.A., 0=20467
Johnson,C.Y.,Heppner,J.P.,Holmes,J.C. and Meadows,E.B. Results obtained with rocket-borne ion spectrometers, 0=21333
Johnson,D.P. See Brombacher,W.G., 0=12429
Johnson,F.A. See Neilson,G.C., 0=2552
Johnson,F.S. Telluric origin of the whistler medium, 0=10446
Johnson,F.S. The ion distribution above the F$_2$ maximum, 0=14250
Johnson,F.S. Pressure and temperature equalization at 200-Km altitude, 0=16415
Johnson,F.S. and Fish,R.A. The telluric hydrogen corona, 0=8413
Johnson,F.S. See Beard,D.B., 0=10538
Johnson,G.W.,Higgins,G.H. and Violet,C.E. Underground nuclear detonations, 0=10383
Johnson,G.W. and Shuttleworth,R. The solubility of krypton in liquid lead, tin, and silver, 0=19120
Johnson,H.L. See Sinton,W.M., 0=3402
Johnson,H.R. See Athay,R.G., 0=6602
Johnson,J. See Thun,R.E., 0=13974
Johnson,J.H. Theoretical and experimental analysis of the ferromagnetic explosively shocked current pulse generator, 0=2307
Johnson,J.L. Hydromagnetic stability of force-free toroidal fields, 0=17086
Johnson,K. Quantum electrodynamics in the infinite energy limit, 0=17215
Johnson,K. and Zumino,B. Gauge dependence of the wave-function renormalization constant in quantum electrodynamics, 0=1242
Johnson,L. and Levinstein,H. Infrared properties of gold in germanium, 0=6140
Johnson,L.G. The microwave spectrum of quinuclidine, 0=17743
Johnson,L.K. See Waber,J.T., 0=13328
Johnson,M. Cosmic ray exchanges between galactic halo and centre, 0=1324
Johnson,M.A. See Clemmow,P.C., 0=14209
Johnson,M.H. and Lippmann,B.A. Electromagnetic signals from nuclear explosions in outer space, 0=15136
Johnson,M.H. See Colgate,S.A., 0=17437
Johnson,O.E. and Smith,W.G. Beta decay of Cd^{115m}, 0=2636
Johnson,O.E. and Smith,W.G. Beta decay of Y^{91}, 0=11364
Johnson,O.E. See Robinson,E.L., 0=20417
Johnson,P.D. and Williams,F.E. Simplified configuration coordinate model for KCl:Tl, 0=6033
Johnson,P.D. See Rautenberg,T.H.,Jr, 0=8790
Johnson,R. See Wells,D.K., 0=17059
Johnson,R.C. See Goldfarb,L.J.B., 0=20420
Johnson,R.E. See Derr,V.E., 0=19918

Johnson,R.F. See Cook,C.S., 0=20362
Johnson,R.G. See Vaughn,F.J., 0=9676
Johnson,V.A. Theory of the Seebeck effect in semiconductors, 0=20943
Johnson,W. and Kudo,H. Plane strain compression between rough inclined plates, 0=6714
Johnson,W. and McShane,I.E. A note on calculations concerning the plastic compression of thin material between smooth plates under conditions of plane strain, 0=6713
Johnson,W. See Andrews,K.W., 0=6345
Johnson,W. See Lippmann,H., 0=13910
Johnson,W.H.,Jr. See Bhanot,V.B., 0=17673
Johnson,W.R. and Mullin,C.J. Approximate relativistic Coulomb scattering wave function, 0=15286
Johnsrud,A.E.,Silbert,M.G. and Barschall,H.H. Energy dependence of fast-neutron activation cross sections, 0=2680
Johnston,D.F. See Powell,M.J.D., 0=17913
Johnston,D.R.,Oudemans,G.J. and Cole,R.H. Dielectric constants of imperfect gases. I. Helium, argon, nitrogen, and methane, 0=19204
Johnston,H.F.,Russell,J.L.,Jr and Silvernail,W.L. Relative control rod worths of some rare earth oxides, 0=13377
Johnston,H.S. See Herschbach,D.R., 0=4184
Johnston,H.S. See Rapp,D., 0=16374
Johnston,L.H. and Young,D.E. Proton—proton scattering at 10 MeV, 0=2542
Johnston,L.H. and Yung Su Tsai. Proton—proton scattering at 90° from 28 to 68 MeV, 0=1282
Johnston,L.H. See Jeong,T.H., 0=11165
Johnston,L.H. See Young,D.E., 0=12925
Johnston,R. See Goad,W., 0=13325
Johnston,R.G. See Maki,A.G., 0=16917
Johnston,R.G. See Stair,R., 0=19490
Johnston,R.H.W. and Prowse,D.J. The plateau-to-minimum ionization ratio in moderately developed K5 emulsions, 0=12769
Johnston,R.H.W. See K$^-$-collaboration, 0=1308
Johnston,R.H.W. See K$^-$-Collaboration, 0=15430
Johnston,R.L. See Wolicki,E.A., 0=4102
Johnston,T.L.,Stokes,R.J. and Li,C.H. The ductile—brittle transition in ionic solids, 0=21145
Johnston,T.L. See Stokes,R.J., 0=21143
Johnston,T.W. Cartesian tensor scalar product and spherical harmonic expansions in Boltzmann's equation, 0=18989
Johnston,W.G. and Gilman,J.J. Dislocation multiplication in lithium fluoride crystals, 0=7884
Johnston,W.G. See Gilman,J.J., 0=7885
Johnston,W.H. See Conway,D.C., 0=4053
Joigneau,S. See Berger,J., 0=6010
Joigneau,S. See Berger,J., 0=15806
Jolliffe,K.H. See da C. Andrade,E.N., 0=8121
Joly,R. See Blaise,S., 0=9708
Joly,R. See Gewin,R., 0=20504
Joly,R. See Hubert,P., 0=9380
Jona,F. and Shirane,G. Effect of hydrostatic pressure on the ferroelectric properties of tri-glycine sulfate and selenate, 0=4379
Jona,F. See Subbarao,E.C., 0=8218
Jona-Lasinio,G. and Munczek,H. Positive pion photoproduction near threshold, 0=3995
Jona-Lasinio,G. See Ferrari,E., 0=15249
Jonathan,N.B.H. Relations between force constants, bond orders, bond lengths, and bond frequencies for some nitrogen—oxygen bonds, 0=5899
Jones,A.C. See Dannenberg,H., 0=6925
Jones,A.H. See Dew-Hughes,D., 0=2856
Jones,A.R. On the radiation-induced gas-phase polymerizations of acetylene and benzene, 0=6418
Jones,A.R. Ambient radiation monitor, 0=19976
Jones,A.V. An analysis of a spectrogram of the red aurora of February 10/11, 1958, in the wavelength range 7300-8700 A, 0=6471
Jones,A.V. and Harrison,A.W. $^1\Delta_g-{}^3\Sigma_g$-O$_2$ infrared emission band in the twilight airglow spectrum, 0=2028
Jones,A.V. and Hunten,D.M. Rotational and vibrational intensity distribution of the first negative N$_2^+$ bands in sunlit auroral rays, 0=6472
Jones,A.V. and McPherson,D.H. The seasonal variation of the intensity ratio of the D-lines in twilight, 0=2032
Jones,A.V. See Harrison,A.W., 0=801
Jones,A.V. See Harrison,A.W., 0=6474
Jones,A.V. See McPherson,D.H., 0=14284
Jones,A.V. See Montalbetti,R., 0=792
Jones,A.V. See Noxon,J.F., 0=14295
Jones,B.D. See Davis,D.H., 0=2595
Jones,B.D. See Evans,D., 0=20359
Jones,C.M.,Phillips,G.C. and Miller,P.D. Alpha—alpha scattering in the energy range 5 to 9 MeV, 0=4005
Jones,D.A.,Baker,J.M. and Pope,D.F.D. Electron spin resonance of Gd^{3+} in lanthanum fluoride, 0=6263
Jones,D.A. and Ward,A. The efficiency and main decay time of CsI(Tl) for electrons and alpha particles in crystals with different thallium concentrations, 0=16103
Jones,D.A. See Baker,J.M., 0=6267
Jones,D.M. See Culpin,M.F., 0=3683
Jones,D.M.A. The shape of raindrops, 0=8431
Jones,D.P. See Cassels,J.M., 0=5583
Jones,E. See Dutton,J. (Conf. Rep.), 0=2314
Jones,E. See Jones F.Llewellyn , 0=10871
Jones,E.E. Inductance of an eccentric tubular conducting system, 0=8981
Jones,E.E. Solution of the Poisson equation related to a boundary-value problem for the sphere, 0=18573
Jones,F.E. and Wexler,A. A barium fluoride film hygrometer element, 0=16414
Jones F.Llewellyn and Jones,E. Experimental determination of the individual secondary ionization coefficients in hydrogen and their dependence on cathode work function, 0=10871
Jones,G. Time-sorter for use in the nanosecond range, 0=15219
Jones,G.A.,Johnson,C.M.P. and Wilkinson,D.H. The reaction of ^{7}Li(α,γ)^{11}B, 0=20467
Jones,G.A. See Carver,J.H., 0=437
Jones,G.A. See Carver,J.H., 0=4031
Jones,G.A. See Carver,J.H., 0=20445
Jones,G.A. See Johnson,C.M.P., 0=9560
Jones,G.H.S. and Hallett,A.C.Hollis. The specific heat of crystalline quartz between 2°K and 4°K, 0=9852
Jones,G.H.S. See Bugden,A.R., 0=14140
Jones,G.O. and Smith,B.L. The refractive indices of liquid and solid argon, 0=19153
Jones,G.O. See Bowen,D.H., 0=8939
Jones,G.O. See Dean,T.J., 0=8837
Jones,G.O. See Dean,T.J., 0=19495
Jones,G.O. See Figgins,B.F., 0=8844
Jones,H. Accelerated flames and detonation in gases, 0=8746
Jones,H.H. See Parkinson,R.W., 0=8530
Jones,I.L. Further observations of radio stellar scintillation, 0=18673
Jones,K.W. See Baicker,J.A., 0=17589
Jones,K.W. See McDermott,L.C., 0=9645
Jones,L.H. A π electron interaction potential function for Ni(CO)$_4$ and related molecules, 0=17766
Jones,L.H. and McDowell,R.S. Force constants of methane, infrared spectra and thermodynamic functions of isotopic methanes, 0=5898
Jones,L.M.,Peterson,J.W.,Schaefer,E.J. and Schulte,H.F. Upper-air density and temperature: some variations and an abrupt warming in the mesosphere, 0=12160
Jones,L.W. See Perl,M.L., 0=15197
Jones,M.E. See Gaerttner,E.R., 0=13302
Jones,O.C.,Maddever,R.S. and Sanders,J.H. Radiosonde measurement of vertical electrical field and polar conductivity, 0=4784
Jones,O.C.,Maddever,R.S. and Sanders,J.H. Sealed-room experiments on the equilibrium of ionization in air, 0=14957
Jones,P.B. Elastic scattering of K$^-$ mesons by nuclei, 0=5609
Jones,P.B. The optical model of light nuclei, 0=7447
Jones,P.B. The sign of the K$^-$—nucleus potential, 0=20231
Jones,P.B. See Chadwick,G.B., 0=362
Jones,P.B. See Engler,A., 0=7348
Jones,P.F. See Bearman,R.J., 0=19092
Jones,R. Torsional vibrational experiments on rectangular concrete beams, 0=6853
Jones,R.A. See Morton,J.Y., 0=4827
Jones,R.A. See Morton,J.Y., 0=6498
Jones,R.C. Noise in radiation detectors, 0=8841
Jones,R.C. Energy detectable by radiation detectors, 0=14878
Jones,R.C. Proposal of the detectivity D** for detectors limited by radiation noise, 0=19492
Jones,R.C. See Fellgett,P., 0=5123

Jones,R.E. and Toxen,A.M. Thermal conductivity of pure indium, 0=20755
Jones,R.E.Jr. A thermodynamic treatment of dilute superconducting alloys, 0=12556
Jones,R.T. Extending the Lorentz transformation by characteristic coordinates, 0=866
Jones,R.T. Analysis of [rectilinear] accelerated motion in the theory of relativity, 0=16587
Jones,R.V. The detection of thermal radiation using linear expansion, 0=2266
Jones,R.V. The Physical Society's Exhibition — London, 1959, 0=3434
Jones,R.V. Velocity of light in a magnetic field, 0=12466
Jones,R.V. and Richards,J.C.S. Recording optical lever, 0=5150
Jones,R.V. See Rodrigue,G.P., 0=11931
Jones,R.V. See Schlömann,E., 0=3111
Jones,T.G. See Edwards,D.H., 0=6862
Jones,W.B. Pair production in the field of the electron from total photon absorption in liquid hydrogen from 155 MeV to 255 MeV, 0=11149
Jones,W.D. Huckel theory: an effective Hamiltonian, 0=2748
Jones,W.D. and Brooks,F.L.,Jr. Evaluation of one-center electron repulsion integrals between certain s-type atomic orbitals, 0=4232
Jones,W.D. and Simpson,W.T. Calculation of delocalization contribution to infrared intensity, 0=15743
Jones,W.M.,Barnard,A.C.L.,Young,K.M.,Taylor,E.D.,Waters,D.G. and Mundy,H.B. Nuclear plate cameras for the measurement of proton energies emitted from a toroidal discharge in deuterium, 0=20143
Jones,W.M. See Chick,D.R., 0=19831
Jongejans,B. On the grain density in Ilford G-5 emulsion of singly charged relativistic particles, 0=15206
Jongejans,B. See Holthuizen,D.J., 0=5585
Jongerius,H.M.,van Koeveringe,J.L. and Oskam,H.J. Argon—xenon bands, 0=7766
Jongerius,H.M. See Oskam,H.J., 0=9813
Jonker,C.C. See Dubbeldam,P.S., 0=7606
Jonker,C.C. See Dubbeldam,P.S., 0=17346
Joos,P. Measurement of the polarization of synchrotron radiation [of electrons], 0=15317
Joos,P. See McDaniel,B.D., 0=5616
Jopson,R.C.,Wright,R.E. and Mark,H. Thin fibre scintillation counter for determining particle beam distributions in accelerators, 0=17149
Jordan,D.P. and Leppert,G. Nucleate boiling characteristics of organic reactor coolants, 0=13359
Jordan,H.L.,Kever,H. and Schindler,K. Notes on fast magnetic compression of plasmas, 0=19664
Jordan,P. The present state of Dirac's cosmological hypothesis, 0=2071
Jordan,P.L. See Allen,R.D., 0=14876
Jordan,R.D. and Alger,R.S. Specific ionization measurements and energy requirements for F-center formation, 0=7892
Jordan,W.C. See Gibson,G., 0=7123
Jordan,W.C. See Gibson,G., 0=19654
Jørgensen,C.K. Ligand field bands of four-coordinated paramagnetic nickel (II) complexes, 0=2749
Jørgensen,C.K. d and f electrons in complexes of the transition elements, 0=5958
Jørgensen,C.K. Electron transfer spectra of hexahalide complexes, 0=20650
Jørgensen,C.K. Absorption spectra of actinide compounds, 0=20656
Jørgensen,M. See Toth,K.S., 0=1379
Jørgensen,M.H. See Bell,R.E., 0=9342
Joseph,B.W. See Schreiber,T.P., 0=10773
Joseph,D.W. Electron pair production in $\pi^- + d$ capture, 0=12912
Joseph,D.W. Electron pair creation in $\pi^- + p$ capture reactions from rest, 0=15393
Joseph,L. See Tompkins,J.E., 0=9220
Joseph,R.I. and Van Vleck,J.H. Influence of dipole-dipole coupling on specific heat of a paramagnetic salt, 0=11578
Josephson,B.,Jr. See Stevens,K.W.H., 0=1181
Josephson,B.D. Temperature-dependent shift of γ-rays emitted by a solid, 0=11314
Josephson,J. On the structure of electro-convective eddies, 0=3354
Joshi,M.C.,Subbarao,B.N. and Thosar,B.V. Decay of samarium-153, 0=2639
Joshi,R.V. See Ewles,J., 0=8016
Joshi,S.K. Number of 3 d electrons in iron. 0=20768
Joshi,S.K.,Sanyal,N.K. and Mitra,S.S. On transmission and reflection echelons, 0=19429
Joshi,S.K. See Mitra,S.S., 0=17878
Joshi,S.K. See Verma,G.S., 0=17887
Josias,C.S. Radiation instrumentation electronics for the Pioneers III and IV space probes, 0=15184
Josien,M.L. See Lascombe,J., 0=4199
Jost,R.W. On the CTP theorem, 0=7267
Jost,W. A thermodynamic problem, 0=14902
Jouvet,B. and Houard,J.C. Electrons from μ-capture and the radius of fermi interactions, 0=13013
Jowett,A. See Horfall,F., 0=8262
Joy,A.S. An all-metal apparatus for the determination of specific surface by gas adsorption, 0=18449
Joy,H.W. and Libby,W.F. Size effects among isotopic molecules, 0=21265
Joyce,P.L. See Andreae,J.H., 0=6791
Judd,B.R. The matrix elements of tensor operators for the electronic configurations, 0=6006
Judd,B.R. The matrix elements of tensor operators for configurations of three equivalent electrons, 0=7685
Judd,B.R. An analysis of the fluorescence spectrum of neodymium chloride, 0=8015
Judd,B.R. Exchange interactions in antiferromagnetic salts of iridium. III. Theory of the interaction, 0=8069
Judd,B.R. An analysis of the fluorescence spectrum of europium ethyl sulphate, 0=21001
Judd,B.R. and Loudon,R. Spin-orbit interaction in the configuration f^3, 0=7686
Judd,D.B. Appraisal of Land's work on two-primary color projections, 0=6522
Judd,D.L. and Bludman,S.A. Aberrations and fringing effects in a 180° double focussing magnetic spectrometer, 0=19788
Judd,D.L. See Cohen,S., 0=13458
Judd,D.L. See Cohen,S., 0=13459
Judek,B. The mounting and development of large stacks of emulsion pellicles, 0=12751
Judek,B. Reduction of spurious scattering in Ilford G-5 and K-5 emulsions, 0=15207
Judek,B. Fading of minimum tracks in Ilford G-5 and K-5 emulsions, 0=15208
Judek,B. See van Heerden,I.J., 0=20260
Judge,D.L. See Coleman,P.J.,Jr, 0=21317
Judge,D.L. See Smith,E.J., 0=21318
Judge,D.L. See Sonett,C.P., 0=10390
Judge,D.L. See Sonett,C.P., 0=10394
Judge,D.L. See Sonett,C.P., 0=12133
Judge,O.,Shimodaira,H. and Takahashi,Y. On the substitution law in quantum field theory, 0=17211
Judson,L.V. Calibration of line standards of length and measuring tapes at the National Bureau of Standards, 0=12396
Juenker,D.W. See Gumnick,J.L., 0=1148
Jugaku,J. See Hayashi,C., 0=8516
Juillard,A. and Moussa,M.A. A conjugate method of pre-acceleration and post-acceleration for the study of electron spectra of very weak energy, 0=10967
Jukes,J.D. See Bickerton,R.J., 0=7678
Julg,A. Improved L.C.A.O. treatment of conjugated molecules. I. General theory. Application to hydrocarbons, 0=9825
Jullien,Y. Transverse vibrations in a ribbed plate supported on its edges, 0=5068
Jullien,Y. Vibrations of beams loaded discontinuously, 0=16754
Jung,B. and Andersson,G. Low mass odd—odd isomers of thallium, 0=7514
Jung,P. Transistorized frequency stabilisation for reflex klystrons used in magnetic resonance, 0=17128
Jung,P.,Van Cakenberghe,J. and Uebersfeld,J. Paramagnetic resonance along the direction of the polarizing field, 0=16179
Junge,C.,Löwe,G.,Rademacher,K.,Rompe,R. and Singer,O. A searchlight with a 2-kW high pressure mercury vapour lamp for atmospheric scatter and extinction measurements, 0=171
Jungerman,J.A. and Patten,C.G. Solenoid pair for production of a seventh-order external field, 0=5374
Jungerman,J.A. See Gardner,M.E., 0=17066
Junghähnel,G. and Stegmann,H. Physical investigations on mass-produced selenium photoelectric elements, 0=1147
Junius,W. Apparatus for the automatic evaluation of sound reflections, 0=19345
Junkes,J. Concerning the loss of light in spectrographs by diffraction, 0=10772

Junkes,J. and Salpeter,E.W. Line widths in photographic spec- [illegible] On the history of photographic photometry in astronomy and spectroscopy, 0=6923
Junkes,J. and Salpeter,E.W. Effective line widths in photographic spectral photometry, 0=6930
Junod,P. See Busch,G., 0=565
[illegible]
[illegible]
Jupp,C. See Andreae,J.H., 0=5010
Jura,G. See Alder,B.J., 0=11555
Jurain,G. and Maillot,J.P. A rapid radiometric determination of uranium and of thorium in complex ores, 0=18455
Jurek,B. Strictly aplanatic systems with two [illegible]
Juretschke,H.J. Electromagnetic theory of d.c. effects in ferromagnetic resonance, 0=13856
Jurewicz,A. See Białkowski,G., 0=2593
Jurewicz,A. See Białkowski,G., 0=17419
Jurewicz,A. See Białkowski,G., 0=20164
Jurić,M.K. Angular distribution of protons from C^{12}(d,p)C^{13} [illegible]
Jurić,M.K. Angular distribution of protons from O^{16}(d,p)O^{*17} reaction, 0=17603
Jurić,M.K. and Cirilov,S.D. Elastic scattering of deuterons on Be^{9}, 0=17601
Jurić,M.K. See Ćirilov,S.D., 0=20459
Jurisic,H. The adjustment of the orientation of a plane surface by an auto-collimation method, 0=12475
Jursa,A.S. See Tanaka,Y., 0=7779
Jursa,A.S. See Tanaka,Y., 0=7780
Just,K. The motion of mercury according to the theory of Thiry and Lichnerowicz, 0=32
Just,K. The interaction between clusters of nebulae, 0=2087
Just,K., Harmann,I. and v.Ossowski,H. Extended 3-point functions in Heisenberg's theory, 0=2116
Justi,E., Neumann,G. and Schneider,G. Thermoelectric studies on Zn$_x$Cd$_{1-x}$Sb, 0=2904
Juulman,C.O.L. The magnetic effect of dissolved oxygen in diamagnetic liquids, 0=19165
Juza,R., Deneke,K. and Puff,H. Ferrimagnetism of mixed crystals of Mn$_4$N with chromium, iron and nickel, 0=671

K$^-$-collaboration (Bhowmik,B., Evans,D., Falla,D., Hassan,F., Kamal,A.A., Nagpaul,K.K., Prowse,D.J.J., René,M., Alexander,G., Johnston,R.H.W., O'Ceallaigh,C., Keefe,D., Burhop,E.H.S., Davis,D.H., Kumar,R.C., Lasich,W.B., Shaukat,M.A., Stannard,F.R., Bacchella,M., Bonetti,A., Dilworth,C., Occhialini,G., Scarsi,L., Grilli,M., Geurriero,L., von Lindern,L., Merlin,M. and Salandin,A.). The interaction of K$^-$-mesons with photographic emulsion nuclei. II. The emission of hyperons from K$^-$-interactions at rest, 0=1308
K$^-$ Collaboration, (Evans,D., Hassan,F., Nagpaul,K.K., Prowse,D.J., René,M., Alexander,G., Johnston,R.H.W., Keefe,D., Davis,D.H., Lasich,W.B., Shaukat,M.A., Stannard,F.R., Bonetti,A., Dilworth,C., Merlin,M. and Salandin,A.). The interaction and decay of K$^-$-mesons in photographic emulsion. III. 0=15430
Kabanov,A.N. See Borovskii,I.B., 0=20763
Kabardin,O.F. See Prokof'ev,A.M., 0=7102
Kachalov,N.N. and Grigor'eva,L.F. Polishing of crystals in relation to their physico-mechanical properties, 0=8139
Kachurin,L.G. and Bekryaev,V.I. An investigation of the process of electrification of crystallizing water, 0=10858
Kachishvili,Z.S. Elastic scattering of a Mott exciton on a Na+ ion in the Born approximation, 0=6035
Kacprowski,J. The duality of the four-terminal network equations of electromechanical transducers and their electrical four-terminal equivalent circuits, 0=16784
Kacser,C. Second Born approximation to the Bremsstrahlung differential cross-section, 0=9328
Kaczér,J. Maze patterns on silicon iron, 0=3040
Kaczér,J. Bloch walls with div I ± 0, 0=13800
Kaczér,J. and Gemperle,R. A contribution to the domain structure of iron whiskers, 0=3032
Kaczér,J. and Gemperle,R. Note on a paper by L.Špaček entitled "The surface structure of closure domains in the (100) planes in iron", 0=10147
Kaczér,J., Gemperle,R. and Hauptman,Z. Domain structure of cobalt whiskers, 0=4489
Kaczkowski,Z. See Smoliński,A.K., 0=3150
Kadanoff,L.P. See Martin,P.C., 0=231
Kadečka,V. See Hladký,J., 0=5636
Kadesch,R. See Hirschberg,J.G., 0=16841
Kadmenskii,S.G. See Rapoport,L.P., 0=9519
Kadomtsev,B.B. Stability of a low-pressure plasma, 0=7124
Kadomtsev,B.B. Equilibrium of a plasma under helical symmetry conditions, 0=9032
Kadomtsev,B.B. Instability of the electron cloud in a magnetron, 0=9081
Kadomtsev,B.B. Convective pinch instability, 0=10896
Kadomtsev,B.B. and Rokotyan,V.E. Stability of a plasma in the field of a magnetic dipole, 0=19676
Kadomtseva,A.M. See Belov,K.P., 0=13834
Kadosch,M. Deflection of jets by adherence to a convex wall, 0=19075
Kadyk,J.A. See Brown,J.L., 0=4003
Kadÿshevskii,V.G. On the question of the mass-spectrum and fundamental length in the theory of fields, 0=11093
Kaempffer,F.A. On the possible existence of a derivative coupling in quantum electrodynamics, 0=1241
Kaeppeler,H.J. A statistical description of fully ionized plasmas, 0=2362
Kaeppeller,H.J. See Schrade,H., 0=10898
Kafalas,P. and Heinrich,R.R. Capture and fission patterns of U^{238} in EBR-I (Mark II), 0=13281
Kafalas,P. See Hasse,R.A., 0=7617
Kagan,A.S., Polyak,B.T. and Shil'shtein,S.Sh. The influence of surface relief on the intensity of X-ray diffraction maxima, 0=8192
Kagan,A.S. and Umanskii,Ya.S. Anomalies in the X-ray thermal scattering factor for Ni—Cr, Cu—Zn, and Ni—V alloys, 0=16317
Kagan,Yu.M. and Mustafin,K.S. The distribution function of electrons by their velocities in the positive column of a medium-pressure discharge, 0=16981
Kagan,Yu.M. See Zakharova,V.M., 0=5283
Kagan,Yu.M. See Zakharova,V.M., 0=19690
Kaganov,M.A., Lisker,I.S. and Mushkin,I.G. Concerning the measurement of the thermoelectric properties of semiconductors, 0=1688
Kaganov,M.I. Excitation of standing spin waves in a film, 0=21035
Kaganov,M.I. and Peschanskii,V.G. Galvanomagnetic effects in metals with nearly equal numbers of electrons and holes, 0=2848
Kaganov,M.I. and Tsukernik,V.M. Nonresonance absorption of the energy of an alternating magnetic field by a ferromagnetic dielectric, 0=10170
Kaganov,M.I. and Tsukernik,V.M. Nonresonance absorption of the energy of a variable magnetic field by a ferromagnetic dielectric. II, 0=11821
Kaganov,M.I. and Tsukernik,V.M. On the theory of the nonresonance absorption of an alternating magnetic field by a ferromagnetic dielectric, 0=21032
Kaganov,M.I. See Bass,F.G., 0=9210
Kaganov,M.I. See Lifshits,I.M., 0=11596
Kaganskii,M.G. See Antonova,S.F., 0=9566
Kaganskii,M.G. See Antonova,S.F., 0=9567
Kaganskii,M.G. See Antonova,S.F., 0=13210
Kagarise,R.E. Infrared dispersion of some organic liquids, 0=84
Kagarise,R.E. Determination of absorption coefficients from infrared dispersion data, 0=2174
Kahalas,S.L. Magnetohydrodynamic wave propagation in the ionosphere, 0=12158
Kahan,G.J., DeLano,R.B. Jr, Brennemann,A.E. and Tsui,R.T.C. Superconducting tin films of low residual resistivity, 0=10854
Kahan,T. See Càvailles,P., 0=12603
Kahan,T. See Cavaillés,P., 0=15038
Kahan,T. See Jancel,R., 0=12604
Kahan,T. See Jancel,R., 0=15005
Kahana,S. Positron annihilation in metals, 0=3960
Kahane,A. Low-frequency vibrations of the crystal lattice of ice, 0=7843
Kahle,H.G. Spectrum and structure of trivalent europium in europium bromate, 0=647
Kahle,H.G. Zeeman effect of trivalent europium in europium bromate, 0=648
Kahle,H.G. Zeeman effect of trivalent europium in europium chloride, EuCl$_3$.6H$_2$O, 0=649
Kahn,A.H. Electron scattering in high magnetic field, 0=13575
Kahn,F.D. On the stability of ionization fronts, 0=12251
Kahn,F.D. and Woltjer,L. Intergalactic matter and the galaxy, 0=10472

Kail,J.A.E. See Luszczynski,K., 0=6779

Kail,J.A.E. See Powles,J.G., 0=3139

Kail,J.A.E. See Powles,J.G., 0=13894

Kaila,K.L. See Saha,N.K., 0=5703

Kaipov,D.K.,Shakhorostov,V.N. and Kosyak,Yu.G. Production of pions in condensed media by cosmic rays in the stratosphere, 0=15420

Kaipov,D.K. and Shubnȳi,Yu.K. The influence of the effect of collisions of recoil nuclei on the resonance scattering cross-section of γ-rays by the nucleus Ni^{60}, 0=20338

Kaischew,R. On the theory of rate of crystallization, 0=18297

Kaiser,H.,Mielenz,K.D. and Rosendahl,F. A study of the image of a plane-grating Ebert spectrograph, 0=5164

Kaiser,R. On the theory of the spectrophone, 0=1033

Kaiser,R. Double resonance technique for the elimination of proton spin-spin splitting in high resolution p.m.r. spectra, 0=17125

Kaiser,T.R. The absorption spectrum of calcium vapour in the vacuum ultra-violet, 0=9761

Kaiser,T.R. The determination of the incident flux of radiometeors, 0=18683

Kaiser,T.R. See Bullough,K., 0=797

Kaiser,W. and Bond,W.L. Nitrogen, a major impurity in common type I diamond, 0=652

Kaiser,W. and Wheatley,G.H. Hot electrons and carrier multiplication in silicon at low temperature, 0=592

Kaiser,W. See Collins,R.J., 0=21007

Kaitmazov,S.D. and Prokhorov,A.M. Paramagnetic resonance of the free radicals obtained by freezing a plasma of H_2S, 0=502

Kaitmazov,S.D. and Prokhorov,A.M. Electronic paramagnetic resonance spectra of frozen OH radicals, 0=13868

Kajfosz,J. See Kopecký,J., 0=4039

Kajfosz,J. See Kopecký,J., 0=13266

Kajfosz,J. See Urbanec,J., 0=4124

Kajikawa,R. and Watari,W. Inelastic scattering of nucleons by light nuclei, 0=9626

Kakinoki,J.,Katada,K.,Hanawa,T. and Ino,T. Electron diffraction study of evaporated carbon films, 0=8281

Kakinuma,T. See Christiansen,W.N., 0=18732

Kakinuma,T. See Tanaka,H., 0=18647

Kakiuchi,Y. See Nagumo,M., 0=19170

Kakudo,M. See Kasai,N., 0=8330

Kakudo,Y.,Goto,T. and Nakasima,R. π—N interactions in GeV region, 0=13025

Kakudo,Y.,Kammuri,T. and Nakasima,R. Absorption effects in antinucleon phenomena, 0=15343

Kakudo,Y.,Kammuri,T. and Nakasima,R. Absorption effects in antinucleon phenomena. II, 0=17329

Kakudo,Y. and Kobayakawa,K. The production ratio of K^+ to K^- mesons, 0=13059

Kakutani,S. See Dvoretzky,A., 0=10611

Kakutani,S. See Dvoretzky,A., 0=12370

Kalaba,R. See Bellman,R., 0=5568

Kalaba,R. See Bellman,R., 0=16616

Kalaba,R. See Bellman,R., 0=19004

Kalaba,R. See Bellman,R., 0=19005

Kalabin,M.M. and Sharavskii,P.V. On the surface conductivity of cuprous oxide rectifiers, 0=13624

Kalashnikov,A.G. On the distribution of residual magnetization in cubes and cylinders from rocks, 0=1972

Kalashnikov,A.G., Some results of investigation of magnetic properties of rocks and geological bodies, 0=8355

Kalashnikov,C.G. and Tissen,K.P. The cross-section of capture of electrons and holes by atoms of nickel in germanium, 0=11691

Kalashnikov,S.G. and Konstantinesku,K. A possible method for the determination of the ratio of capture cross-sections at recombination centres in semiconductors, 0=6091

Kalashnikov,S.G. and Kurova,I.A. The electrical conductivity of germanium at low temperatures, 0=20898

Kalashnikov,S.G. and Morozov,A.I. The temperature dependence of the trapping coefficient of electrons at neutral levels of copper in germanium, 0=6106

Kalashnikov,S.G. See Kurova,I.A., 0=6108

Kalashnikov,V.I.,Lebedev,V.I.,Mikaelyan,L.A. and Pevzner,M.I. The number of neutrons emitted by Pu^{239} upon thermal- and epithermal-neutron-induced fission, 0=2693

Kalashnikova,V.I.,Lebedev,V.I. and Spivak,P.E. Relative measurements of the mean number of neutrons emitted per fission induced in ^{233}U, ^{235}U, and ^{239}Pu by thermal neutrons and "fission" neutrons, 0=7645

Kalbfleisch,G.R. See Button,J., 0=13067

Kalbfleisch,G.R. See Crawford,F.S.,Jr, 0=1316

Kalbfleisch,G.R. See Crawford,F.S.,Jr, 0=1317

Kaliamin,A.V.,Murin,A.N.,Preobrazhenskii,B.K. and Titov,N.E. Yield of rare-earth elements from the spollation of bismuth by 660 MeV protons, 0=11408

Kalinets,L.A. Temperature dependence of the elastic anisotropy of KI, 0=16205

Kalinin,O.M. The spectrum of fluctuations in complex physical systems, 0=14526

Kalinin,S.P. See Artemov,K.P., 0=9359

Kalinin,S.P. See Bogdanov,G.F., 0=7551

Kalinin,S.P. See Vlasov,N.A., 0=9638

Kalinin,S.P. See Vlasov,N.A., 0=9639

Kalinkin,B.N. Resonance scattering of low-energy gamma rays on nuclei, 0=9655

Kalinkin,B.N. Heavy-ion Coulomb excitation of nuclei accompanied by radiation of γ-quanta, 0=20471

Kalinkin,L.F.,Melioranskii,A.S. and Éstulin,I.V. Certain gamma transitions in I^{128} and in neodymium isotopes, 0=11381

Kalinkin,L.F. See Estulin,I., 0=11325

Kalinkin,L.F. See Melioranskii,A.S., 0=13149

Kalinovich,D.F. See Frantsevich,I.N., 0=732

Kaliski,S. See Malecki,I., 0=983

Kaliteevskii,N.I.,Chaika,M.P.,Pacheva,I.Kh. and Fradkin,E.E. Nuclear moments of the odd isotopes of gadolinium, 0=13123

Kaliteevskii,N.I.,Chaika,M.P.,Pacheva,I.Kh. and Fradkin,E.E. Spectroscopic determination of the nuclear moments of the odd gadolinium isotopes, 0=13420

Kaliteevskii,N.I.,Malȳshev,G.M. and Chaika,M.P. A photoelectric spectrometer with a Fabry—Perot interferometer, 0=3634

Kalitkin,N.N. Thomas—Fermi atomic model with quantum and exchange corrections, 0=20533

Kalitsin,N.S. Concerning Ryabushko's work "On the equations of motion of rotating masses in the general theory of relativity", 0=12356

Kalitzin,G.S. See Kalitzin,N.S., 0=19182

Kalitzin,N.S. Approximate theory of an axially-symmetrical gyro with variable mass, 0=8579

Kalitzin,N.S. and Kalitzin,G.S. A possibility of increasing rocket thrust, 0=19182

Kalitzin,N.S. and Nedjalkov,I.P. On relativistic rocket dynamics, 0=18923

Kalkwarf,D.R. Chemical protection from radiation effects, 0=14138

Källén,G. Selected problems in renormalization theory, 0=3912

Källén,G. Quantum electrodynamics, 0=7264

Kallistov,O.V. The effect of velocity gradient of the intrinsic viscosity of solutions of high-molecular-weight polymer fractions, 0=8599

Kallistratova,M.A. Experimental investigation of sound scattering in a turbulent atmosphere, 0=6878

Kallmann,H. Theory of fluorescence time constant measurements in liquid and rigid solutions, 0=3536

Kallmann,H.,Kramer,B.,Shain,J. and Spruch,G.M. Photovoltaic effects in CdS crystals, 0=7959

Kallman,H.,Kramer,B. and Spruch,G.M. A.C. impedance measurements on insulated CdS crystals, 0=2906

Kallmann,H. and Pope,M. Positive hole injection into organic crystals, 0=4371

Kallmann,H. and Pope,M. Surface controlled bulk conductivity in organic crystals, 0=9999

Kallmann,H. and Pope,M. Bulk conductivity in organic crystals, 0=10000

Kallman,H. See Brown,F.H., 0=18146

Kallmann,H. See Furst,M., 0=6808

Kallmann,H.K. Electron distribution in a new model of the ionosphere, 0=2013

Kallmann,H.K. A preliminary model atmosphere based on rocket and satellite data, 0=8366

Kalman,G. Nonlinear oscillations and nonstationary flow in a zero temperature plasma. I. Initial and boundary value problems, 0=12620

Kalman,G. Nonlinear oscillations and nonstationary flow in a zero temperature plasma. II. General characteristics of the motion, 0=12621

Kalman,O.F. See Roberti,D.M., 0=16700

Kalmus,H.P. Double modulation photometer, 0=14781

Kalmȳkov,A.A. See Fogel',Ya., 0=10877

Kalmȳkov,A.A. See Fogel',Ya.M., 0=14978

Kalmȳkova,S.S. and Shestopalov,V.P. Theory of a modified spiral with reverse winding, 0=17111

Kalnin',R. A method of measuring the complex magnetic permeability of a ferrite material, 0=18201

Kalnin',T. Investigation of a model of a magnetic β-spectrometer with permanent magnets, 0=1235

Kalnins,A. and Naghdi,P.M. Axisymmetric vibrations of shallow elastic spherical shells, 0=5071

Kalnins,I.L. See Flaschen,S.S., 0=6105

Kalra,S.N. Frequency measurement of standard frequency transmission against caesium-beam resonator standard, 0=4915

Kalra,S.N. Frequency measurement of standard frequency transmissions, 0=10546

Kalra,S.N. Frequency measurement of standard frequency transmissions, 0=12343

Kalra,S.N. Frequency measurement of standard frequency transmissions, 0=18893

Kalra,S.N. See Preston-Thomas,H., 0=10628

Kaluzhinova,N.V. See Pines,B.Ya., 0=15855

Kal'yanov,B.I. and Nozdrev,V.F. Investigation of the velocity and absorption coefficient of ultrasound in ethyl acetate with a constant density, 0=8652

Kamadzhiev,P.R. See Elistratov,A.M., 0=21192

Kamaev,A.V. See Gromova,Z.I., 0=7667

Kamal,A.A. See K$^-$-collaboration, 0=1308

Kamata,K. and Nishimura,J. The lateral and the angular structure functions of electron showers, 0=389

Kamb,W.B. The crystal structure of zunyite, 0=4651

Kamb,W.B. Accuracy of atomic positions in the zunyite structure, 0=4652

Kamb,W.B. and Datta,S.K. Crystal structure of the high-pressure forms of ice: Ice III, 0=16319

Kamefuchi,S. On Salam's equivalence theorem in vector meson theory, 0=20065

Kamefuchi,S. and Takahashi,Y. Invariance and the S-matrix, 0=17259

Kamei,I. Anti-rime roof for cosmic ray observation, 0=17454

Kamel,R. Vacancy precipitation in quenched gold from internal friction measurements, 0=17952

Kamel,R. and Attia,E.A. On the release of cold-work in cadmium in terms of mechanical properties, 0=21125

Kamel,R. and Mahmoud,K.A. Lattice and grain boundary diffusion in cadmium by a tracer method, 0=17975

Kamenetskaya,D.S.,Rakhmanova,E.P.,Spektor,E.Z. and Shiryaev,V.I. On the mechanism of the influence of aluminium on the crystallization of iron, 0=3173

Kamenetskii,V.D. The theory and calculations of slow-electron collisions with atoms, 0=20556

Kamentsev,I.E. See Afanas'eva,N.A., 0=14021

Kameswara Rao,N. See Daniel,R.R., 0=12923

Kamigaki,T. See Suzuki,T., 0=21098

Kamil,Z. See Goldring,G., 0=17176

Kamimura,H. and Sugano,S. Luminescence processes in the KCl:Tl phosphor in a multidimensional configuration space, 0=21005

Kaminishi,T. Calculation of the dose rate of a hollow cylindrical source, 0=20365

Kaminow,I.P. Volume dependence of ferrimagnetic resonance properties in $Ni_{1-x}Co_xFe_2O_4$, 0=10207

Kaminskii,D.L. See Antonova,S.F., 0=9566

Kaminskii,D.L. See Antonova,S.F., 0=9567

Kaminskii,D.L. See Antonova,S.F., 0=13210

Kaminskii,V.A. See Timashev,S.F., 0=9595

Kaminsky,G. See Lee,C.A., 0=1636

Kaminsky,G. See Lee,C.A., 0=6122

Kaminsky,G. See Lee,C.A., 0=18045

Kamiya,Y. Cosmic-ray storms and solar radio emissions, 0=11254

Kamiya,Y. A new fine focus X-ray tube, 0=20108

Kamiya,Y.,Nonoyama,M. and Uyeda,R. Electron microscopic observation of the superlattice in serpentine, 0=21259

Kamiya,Y. and Wada,M. Cosmic-ray storms and solar radio outbursts, 0=20280

Kamke,D. Energy spectrum and angular distribution of alpha particles of the reaction $B^{11}(p,\alpha)Be^{8*}$ (2.9 MeV) in the region of the 163 keV resonance. I, 0=438

Kamke,D. Energy spectrum and angular distribution of the α-particles of the reaction $B^{11}(p,\alpha)Be^{8*}$ (2.9 MeV) in the region of the 163 keV resonance. II, 0=439

Kammerer,A. The measurement of the elastic coefficients of materials, 0=4547

Kammuri,T.,Nakasima,R. and Takgi,S. On the exchange effect in the stripping reactions, 0=9636

Kammuri,T. See Kakudo,Y., 0=15343

Kammuri,T. See Kakudo,Y., 0=17329

Kampen,N.G.van. See van Kampen,N.G.

Kamper,R.A. Paramagnetic resonance, 0=4505

Kamper,R.A. See Bowers,K.D., 0=9821

Kan,V.L. and Kelzon,A.S. Stable and unstable trajectories of proportional navigation, 0=6717

Kanai,Y. Electrical properties of n-type InSb in high electric field at 77°K, 0=20917

Kanamori,H. See Okanishi,S., 0=3748

Kanamori,J. Superexchange interaction and symmetry properties of electron orbitals, 0=2802

Kanamori,J. Theory of the magnetic properties of ferrous and cobaltous oxides. I, 0=8070

Kanamori,J. Theory of the magnetic properties of ferrous and cobaltous oxides. II, 0=8071

Kanamori,J. Crystal distortion in magnetic compounds, 0=10114

Kanamori,J. Magnetic properties of the iron—group anhydrous chlorides, 0=13848

Kanamori,J. and Sugimoto,K. The magnetic field at the nucleus of Sm^{+++} induced by paramagnetism of 4f-electrons, 0=402

Kananya,S. and Ueno,K. Propagation mechanism of high frequency waves related to the annular eclipse of 19th April, 1958, 0=19940

Kanaya,K.,Kato,A. and Yamayi,I. Asymmetric images due to misalignment in the electron microscope, 0=15078

Kanaya,S. See Miya,K., 0=15156

Kanazawa,A. On the static approximation of the γ_5 meson theory, 0=12871

Kanazawa,A. Foldy transformation in the pion—hyperon system, 0=13026

Kanazawa,A.,Furui,S. and Sakuma,T. Electromagnetic properties of nucleons, 0=12916

Kanazawa,A. See Sakuma,T., 0=15394

Kanazawa,A. See Sugawara,M., 0=1254

Kanazawa,A. See Sugawara,M., 0=17393

Kanazawa,A. See Tsuchida,T., 0=15406

Kanazawa,H. Note on Bloch—Nordsieck transformation and electron lattice interaction, 0=9870

Kanazawa,H. On the subsidiary conditions in the Bohm—Pines theory of electron plasma, 0=11595

Kanazawa,H. On positronium in metals, 0=13520

Kanazawa,H. and Tani,S. Effect of electron exchange on the dispersion relation of plasma oscillations, 0=12608

Kanazawa,H. See Donovan,B., 0=15111

Kanda,E. See Haseda,T., 0=10222

Kanda,E. See Ohtsubo,A., 0=10096

Kanda,E. See Tsujikawa,I., 0=13695

Kanda,Y. See Blackwell,L.A., 0=10067

Kandaurova,G.S.,Shur,Ya.S. and Maslennikova,F.V. Dependence of the magnetic structure of a cobalt crystal on its size, 0=623[illegible]

Kandaurova,G.S.,Shur,Ya.S. and Shtol'ts,E.V. Magnetic properties of magneto-anisotropic specimens composed of ferromagnetic powders. II. Anisotropy of the magnetic properties, 0=3302

Kane,B. See Straley,R., 0=9139

Kane,E.O. Zener tunneling in semiconductors, 0=4332

Kane,E.O. Phonon broadening of impurity lines, 0=11756

Kane,E.O. See Morgan,J.V., 0=2880

Kane,G. See Alumkal,A., 0=17575

Kane,J.A. See Jackson,J.E., 0=12146

Kane,J.V.,Pixley,R.E.,Schwartz,R.B. and Schwarzschild,A. Lifetimes of the first excited states of F^{17} and O^{17}, 0=17551

Kane,J.V.,Pixley,R.E. and Wilkinson,D.H. Isotopic spin selection rules. XIV. Transitions between mirror states in ^{13}C and ^{13}N, 0=20353

Kane,J.V.,Pixley,R.E. and Wilkinson,D.H. Radiative capture of protons by F^{19} at a bombarding energy of 669 keV, 0=20442

Kane,J.V. See Elwyn,A., 0=4100

Kane,J.V. See Pixley,R.E., 0=20352

Kane,J.V. See Pixley,R.E., 0=20406

Kane,W.R.,Emery,G.T.,Scharff-Goldhaber,G. and McKeown,M. Studies of decay schemes in the osmium—iridium region. II. Decay of 12-day Ir^{190}, 0=17564

Kane,W.R. See Emery,G.T., 0=9607

Kaneff,W. Secondary electron emission of antimony—rubidium layers, 0=12630

Kanekar,C.R. See Dharmatti,S.S., 0=4229

Kaneko,M. See Krigbaum,W.R., 0=16694

Kaneko,S. Electrical polarizabilities of rare gas atoms by the Hartree—Fock wave functions, 0=20554
Kaneko,S.,Kusumoto,O.,Matsumoto,S. and Takahata,M. Nucleon—nucleon collisions of energies between 10 and 100 GeV, 0=9452
Kaneko,T. See Miyake,S., 0=20252
Kaner,É.A. Contribution to the theory of absorption of ultrasonic waves by metals in a strong magnetic field, I, 0=6012
Kaner,É.A. and Bass,F.G. A note on the statistical theory of radiowave propagation over an ideally conducting plane, 0=299
Kaner,E.A. See Galkin,A.A., 0=20758
Kanev,V. The two component system antimony—rubidium as a secondary electron source, 0=19727
Kanevskii,I.N. Analysis of distortion in the field of a plane piezoelectric radiator, 0=6867
Kanevskii,I.N. Calculation of diffraction of a convergent cylindrical wave by a sphere, 0=6875
Kanevskii,Yu.P. See Efremov,Yu.P., 0=16895
Kang Fu-Si. See Gan' Fu-Si, 0=6152
Kangas,T. See Stergis,C.G., 0=777
Kangas,T. See Stergis,C.G., 0=778
Kanicheva,I.R. and Burtsev,V.A. Investigation of the passage of electrons with energies from 0.5 to 16 keV through collodion and gold films, 0=7163
Kannellopoulos,T. and Wildermuth,K. Antisymmetrization of "cluster model" wave functions and their expansion in "shell model" wave functions, 0=4012
Kanou,K. See Kawasaki,K., 0=7927
Kantele,J. On the level structure of B^{10}, 0=13133
Kantola,M. and Luova,P. On the diffusion X-ray scattering of KCl—KBr solid solution, 0=16323
Kantola,M. and Vilhonen,E. X-ray measurements of the thermal expansion of sodium nitrate, 0=15814
Kantorovitz,S. A property of the spherical approximation in a minimum-energy problem, 0=6772
Kantorski,J.W. See Everhart,E., 0=10471
Kantůrek,J. See Dolejší,J., 0=6192
Kanunnikov,V.N. and Fateev,A.P. Design of a magnet for a frequency-modulated ring cyclotron, 0=9117
Kanwal,R.P. Impulsive rotatory motion of a circular disk in a viscous fluid, 0=19053
Känzig,W. Electronic structure of the "antimorph" of the F centre, 0=6053
Känzig,W. and Cohen,M.H. Paramagnetic resonance of oxygen in alkali halides, 0=3127
Känzig,W. See Cohen,M.H., 0=4298
Kao,K.C. Electric breakdown of liquid dielectrics—interim report, 0=15003
Kao,S.-K. Nonlinear oscillations of a particle in a long wave in a rotating fluid, 0=10642
Kao,S.K. Stationary flow in the planetary boundary layer with an inversion layer and a sea breeze, 0=14190
Kao,S.K.,Horstman,H. and Hinman,G.W. Small-angle proton—proton scattering at 435 MeV, 0=12928
Kao Shih-Kung. Turbulent transfer in the boundary layer of a stratified fluid, 0=6827
Kapany,N.S. See Reiffel,L., 0=18150
Kapitsa,M.L.Fridrikhov,S.A. and Shul'man,A.R. Characteristics of energy loss on reflection of electrons from single crystals of alkali halides, 0=10941
Kapitsa,P.L. Design of a helium-liquefying cycle with expansion engines connected in cascade, 0=8967
Kapitsa,P.L.,Fok,V.A. and Vainshtein,L.A. Static boundary problem for a hollow cylinder of finite length, 0=8975
Kapitsa,P.L.,Fok,V.A. and Vainshtein,L.A. Symmetric electric oscillation of an ideally conducting hollow cylinder of finite length, 0=9206
Kapitsa,S.P. Method of bunching fast electrons, 0=9086
Kaplan,D. See Emshwiller,M., 0=9226
Kaplan,D.E. and Hahn,E.L. Double irradiation experiments in magnetic resonance by impulse method, 0=16187
Kaplan,E.G. Classification of molecular terms using the total nuclear spin, 0=11537
Kaplan,J. See Barth,C.A., 0=5954
Kaplan,J.I. Correlation times, line widths, and cross relaxation of spin systems in solids, 0=8082
Kaplan,J.I. Magneto-dipole induced normal mode in gadolinium iron garnet, 0=13833
Kaplan,L. See Hodnett,E.M., 0=4712
Kaplan,R.,Nethercot,A.H.,Jr and Boores,H.A. Frequency dependence of the surface resistance of superconducting tin in the millimeter wavelength region, 0=1080
Kaplan,R. See Kim,Y.W., 0=4511
Kaplan,S.A. The effect of anisotropic conductivity in a magnetic field on the structure of a shock wave in magnetohydrodynamics, 0=9178
Kaplan,S.A. On the "Larmoron" plasma theory, 0=15004
Kaplan,S.A. Cosmic force-free fields, 0=18602
Kaplan,S.A. and Klimishin,I.A. Shock waves in stellar envelopes, 0=18856
Kaplan,S.A.,Klimishin,I.A. and Sivers,V.N. The scattering of light in a medium with a moving boundary, 0=19448
Kaplan,T.A. Classical spin-configuration stability in the presence of competing exchange forces, 0=1813
Kaplan,T.A. Classical theory of spin configurations in the cubic spinel, 0=11898
Kaplan,T.A. Classical theory of spin configurations in the cubic spinel, 0=16145
Kaplon,M.F.,Melissinos,A.C. and Yamanouchi,T. The lifetime of the Σ^+-hyperon, 0=4002
Kaplon,M.F. and Yamanouchi,T. A survey of relativistic transformations, 0=15262
Kaplon,M.F. See Davis,D.F., 0=5607
Kaplon,M.F. See Davis,D.F., 0=5608
Kaplon,M.F. See Yamanouchi,T., 0=374
Kaplunova,E.I. Many-electron theory of the hole band in diamond-type crystals, 0=2858
Kaplyanskii,A.A. Luminescence lines in X-ray irradiated crystals of lithium fluoride, 0=1748
Kaplyanskii,A.A. The effect of elastic deformation, produced by uniaxial compression or tension, on the spectra of local anisotropic centres in a cubic lattice. I. Method, 0=9908
Kaplyanskii,A.A. The effect of elastic deformation, produced by uniaxial compression of tension, on the spectra of local anisotropic centres in a cubic lattice. II. Experimental part, 0=9909
Kaplyanskii,A.A. See Gross,E.F., 0=11762
Kaplyanskii,A.A. See Gross,E.F., 0=13680
Kapp,W. and Stangler,F. Variation of the electronic structure of aluminium caused by σ-irradiation, 0=1621
Kappler,E. See Bonse,U., 0=4291
Kappler,E. See Derner,P., 0=4562
Kappler,E. See Frinken,H., 0=11977
Kapur,J.N. On axially symmetric superposable flows, 0=4992
Kapur,J.N. Transverse component of velocity in a plane symmetrical forced jet of a compressible fluid, 0=4994
Kapur,J.N. Superposability in magnetohydrodynamics. II, 0=7203
Kapur,J.N. and Jain,R.K. Comments on "laminar steady-state magnetohydrodynamic flow in an annular channel", 0=19893
Kapustinsky,A.F. Ionic radii and the electron theory of the structure of solids, 0=514
Kapuy,E. The use of one-center atomic orbitals for the building up of hydrogen orbitals in a tetrahedral symmetric hydrid molecule, 0=5974
Kapuy,E. Density matrices for wave functions built up of two-electron orbitals, 0=9823
Kapuy,E. Calculation of the energy expression in case of a wave function built up from two electron orbits, 0=20536
Kar,C.K. On the process of β-emission, 0=17528
Kar,K.C. On linearisation of the relativistic Hamiltonian, 0=17239
Kar,K.C. Note on the linearisation of the relativistic Hamiltonian, 0=17240
Kar,K.C. and Dutta,C. Extension of Kar formula for minimum bowing pressure, 0=16750
Kar,K.C. and Dutta,C. Note on the dynamical coefficient of friction, 0=19035
Kar,K.C. and Paria,B.N. A simple theory of bremsstrahlung without Dirac matrices, 0=17290
Kar,K.C. and Paria,B.N. A new derivation of Klein–Nishina formula without matrices, 0=17302
Karabanov,N.I. See Sokolov,M.M., 0=12121
Karabatsos,P.J. See Grunwald,E., 0=14118
Karadzhev,K.V. and Man'ko,V.I. Polarization of protons scattered on O^{16}, 0=20451
Karafakioglu,B. Measurement of the acoustic characteristic of a "deaf" (dead, anechoic) room, 0=2219
Karal,F.C., Jr. See Karp,S.N., 0=19928
Karal,F.C. Jr, See Keller,J.B., 0=11036
Karamyan,A.S. and Pleve,A.A. Production of compound nuclei by bombardment of V and Nb with O^{16}, C^{12}, and C^{13} ions, 0=9650

Karamyan,A.S.,Rusinov,L.I. and Fomichev,V.A. Production of Mo^{93m} in the reaction Se^{80}, 0=11335
Karamyan,A.S. See Flevov,G.N., 0=7497
Karan,C. See Barson,F., 0=15933
Karasawa,T. See Suwa,S., 0=19856
Karasik,V.R. Investigation of the Hall effect and transverse magnetoresistance in germanium in fields up to 400 kOe, 0=9960
Karaśkiewicz,E. See Kwiek,M., 0=6898
Kard,P.G. On elimination of the doublet structure in the transmission band of a total-reflection light filter, 0=1030
Kard,P.G. New recurrent formulae in the theory of multilayered optical coatings, 0=19425
Kardashev,N.S. The possibility of detection of allowed lines of atomic hydrogen in the radiofrequency spectrum, 0=20591
Kardonskii,V.M. and Perkas,M.D. Investigation of the submicrostructure of deformed nickel, 0=16253
Kardonskii,V.M. See Il'inskii,A.I., 0=18262
Kargin,V.A. See Igonin,L.A., 0=2927
Karimova,R. See Azimov,S.A., 0=13157
Kark,V.Ya.,Lushchik,Ch.B. and Yaék,I.V. Sensitized phosphorescence of halide phosphor crystals, 0=10072
Karle,J. See Hauptman,H., 0=4621
Karlikov,V.P. A contribution to the theory of axially symmetric flow of gases, 0=19174
Karlikov,V.P. See Korobeinikov,V.P., 0=19911
Karman,T.von. See von Karman,T.
Karmen,K.N. Influence of exposure to X-rays on the anomalous properties of Rochelle salt, 0=11741
Karmen,K.N. The effect of a constant electric field on the hysteresis of a ferroelectric salt, 0=18095
Karmin,I. The resolving anemometer, 0=756
Karmohapatro,S.B. Improved transmission of ions with inhomogeneous magnetic fields, 0=7170
Karmohapatro,S.B. A magnetic spectrometer for charged particles, 0=15221
Karnaukhov,I.M. See Fogel',M., 0=17044
Karnaukhov,V.A. Interaction of accelerated nitrogen nuclei with bismuth, 0=13249
Karnaukhov,V.A.,Khalizev,V.I. and Flerov,G.N. Emitters of α-particles with energies of about 9 and 12 MeV, 0=9552
Karnaukhov,V..A. and Oganesyan,Yu.Ts. Gamma-rays accompanying interaction of accelerated C^{12} ions with Sn nuclei, 0=13250
Karnaukhov,V.A. See Flevov,G.N., 0=7497
Karo,A.M. Lattice vibrations in alkali halide crystals. I. Lithium and sodium halides, 0=2782
Karo,A.M. Electron-population analysis and the dipole moment of the LiH $^1\Sigma^+$ excited state, 0=5976
Karo,A.M. Lattice vibrations in alkali halide crystals. II. Potassium and rubidium halides; cesium fluoride, 0=13480
Karo,A.M. and Allen,L.C. LCAO wave functions for hydrogen fluoride with Hartree—Fock atomic orbitals, 0=1511
Karo,A.M.,McCombie,C.W. and Murray,A.M. Breadth of the F band in NaCl, 0=13554
Karo,A.M. See Allen,L.C., 0=17821
Karo,A.M. See Hardy,J.R., 0=20743
Karol',I.L. The effect of turbulent diffusion in the direction of the wind upon the distribution of concentration of material which is spreading in the atmosphere, 0=12177
Karoli,A.R.,Angström,A.K. and Drummond,A.J. Dependence on atmospheric pressure of the response characteristics of thermopile radiant energy detectors, 0=14880
Karolus,A. Physical principles of the electro-optical determination of distances, 0=14569
Károlyházy,F. and Marx,G. Strong interactions in the four-dimensional isotopic space, 0=5484
Karp,S.N. and Karal,F.C.,Jr. Vertex excited surface waves on one face of a right angled wedge, 0=19928
Karpenko,B.V. and Berdÿshev,A.A. Indirect interaction of d-electrons of the transition metals. II. Antiferromagnetism, 0=11908
Karpenko,B.V. See Vonsovskii,S.V., 0=13750
Karpinskii,V.N. Compensation of Rowland's "ghosts" in spectrographs with double diffraction at the grating, 0=14832
Karplus,M. Note on the internal-rotation barrier in ethanic compounds, 0=15709
Karplus,M. "Average energy approximation" in spin-coupling calculations, 0=17797
Karplus,M. Weak interactions in molecular quantum mechanics, 0=17846
Karplus,M. See Gutowsky,H.S., 0=2742
Karplus,R. Radiation of hydromagnetic waves, 0=17088
Karplus,R. and Rodberg,L.S. Inelastic final-state interactions: K^- absorption in deuterium, 0=380
Karplus,R. See Dessler,A.J., 0=8400
Karpman,V.I. The microscopic theory of the Fermi fluid, 0=20085
Karpov,G.I. See Popov,L.E., 0=8271
Karpov,V.L. See Kuzminskii,A.S., 0=6419
Karpov,V.L. See Tikhomirova,N.S., 0=12064
Karpova,O.V. An absolute method of measurement of dielectric properties of a solid using a π-shaped resonator, 0=3717
Karpovich,I.A. See Lukirskii,A.P., 0=8815
Karpukhin,O.A. See Belovintsev,K.A., 0=7181
Karpukhin,O.A. See Goldansky,V.I., 0=20137
Karr,H.J. See Bendt,P.J., 0=13345
Karras,H. See Görlich,P., 0=11759
Karras,M. and Nurmia,M. Natural radioactivity of samarium and neodymium, 0=11346
Karstensen,F. The diffusion into germanium crystals containing a grain boundary, 0=2829
Kartashov,G.R. See Burgov,N.A., 0=13180
Kartujanski,A.L. See Jdanov,A.P., 0=12738
Kartushova,R.E. See Fomin,V.V., 0=4735
Kartuzhanskii,A.L. and Shur,L.I. Energy of activation of the thermally-induced fading of the latent photographic, 0=10789
Karzhavina,E.N. See Levshin,V.L., 0=1753
Kasai,A. See Kittaka,S., 0=10860
Kasai,M. See Takemoto,S., 0=251
Kasai,N.,Kakudo,M. and Watase,T. The study on the structure of finely divided solids by X-ray small angle scattering. Particle size determination of silica gel, 0=8330
Kaschluhn,F. A field-theoretical generalization of the impulse approximation, 0=3992
Kaschluhn,F. On the asymptotic and causality conditions in quantum field theory. II, 0=20020
Kasemir,H.W. A contribution to the electrostatic theory of a lightning discharge, 0=16483
Kash,S.W. A comparison of ion and plasma propulsion, 0=12615
Kasha,H. See Sitte,K., 0=11241
Kashcheev,B.L. and Lebedinets,V.N. On the structure of the Geminid meteor shower, 0=18718
Kashcheev,B.L. and Lebedinets,V.N. The structure of the quadrantid meteor stream, 0=18719
Kashchukeev,N.T. See Belovitskii,G.E., 0=9709
Kashtan,M.S.,Sobotovich,É.V. and Khlopina,T.N. Improvement of the sensitivity of the isotopic spectral analysis of lead, 0=13419
Kashukeev,N.T. See Golovin,B.M., 0=2924
Kashukeev,N.T. See Golovin,B.M., 0=10001
Kashukeev,N.T. See Golovin,B.M., 0=13661
Kashy,E.,Perry,R.R. and Risser,J.R. Excited states in N^{14} from $C^{12}(d,d)C^{12}$, $C^{12}(d,p_0)C^{13}$, and $C^{13}(d,p_1)C^{13*}$, 0=7474
Kaskan,W.E. Abnormal excitation of OH in $H_2/O_2/N_2$ flames, 0=1519
Kaskan,W.E. and Millikan,R.C. Source of green bands from boron-containing flames, 0=7767
Kaspar'yants,A.A. Nonstationary radiation of sound by a piston, 0=19282
Kasper,J.E. Geomagnetic effects on cosmic radiation for observation points above the earth, 0=11278
Kasper,J.S. and Kouvel,J.S. The antiferromagnetic structure of NiMn, 0=11922
Kastha,G.S. Influence of interatomic resonance on the frequency of re-emitted resonance radiation, 0=17713
Kastler,A. On the possibility of demonstrating the phase coherence in resonance scattering of γ-rays on nuclei, 0=7594
Kastler,A. On the graphical representation of the properties of a body in thermodynamics, 0=19529
Kastner,L.J. and Williams,T.J. Pressurized discharge of liquid from a closed vessel, 0=10693
Kasturi Rangan,L. See Harris,G.I., 0=19820
Kasuya,I. On the occurrence of the $F1\frac{1}{2}$-layer at Tokyo, 0=8388
Kasuya,T. Superconductivity of ferromagnetic metals, 0=14932
Kasuya,T. Effects of s—d interaction on transport phenomena, 0=20753

Kasuya,T. and Koide,S. A theory of impurity conduction. II, 0=11670
Kasuya,T. See Nakajima,S., 0=10832
Kataev,G.I. and Sirota,Z.D. Anomalies in Young's modulus and internal friction of the Fe_2Pt alloy, 0=11972
Kataev,G.I. See Belov,K.P., 0=11971
Katalinić,M. Conical analyser, 0=5185
Katada,K. See Kakinoki,J., 0=8281
Katagiri,M. The boundary layer of an incompressible fluid with periodic motion magnetohydrodynamics, 0=19895
Kataja,E. See Tuominen,J., 0=18672
Kataoka,K. See Husimi,K., 0=7977
Katase.A. See Seki.M., 0=19770
Katasev,L.A.,Korpusov,V.N. and Orlyanskii,A.D. Radar-echo observations of meteors using two receivers of different sensitivity, 0=18684
Katayev,G.I. See Belov,K.P., 0=10256
Katcoff,S. See Baker,E.W., 0=7548
Kates,D.F. See Glick,R.E., 0=17786
Katkov,V.P.,Nikolsky,Y.V. and Stolyarov,G.A. A determination of the ratio of effective fission cross-sections for Pu^{239} and U^{235} in slugs in uranium-water lattices, 0=2692
Katman,T. See Williamson,R.M., 0=7585
Katnack,F.L. See Sarver,J.F., 0=2953
Kato,A. See Kanaya,K., 0=15078
Kato,K. See Kawasaki,K., 0=4819
Kato,K. See Kojima,S., 0=19701
Kato,M. and Takeda,G. Conservation laws in the isotopic spin space and their violation by the electromagnetic interaction, 0=11087
Kato,M. See Takeda,G., 0=15441
Kato,N. The energy flow of X-rays in an ideally perfect crystal: comparison between theory and experiments, 0=8193
Kato,N. Dynamical X-ray diffraction theory of spherical waves, 0=12021
Kato,R. See Uchida,Y., 0=20997
Kato,S. Ionized irregularities and wind motion in the ionosphere, 0=21339
Kato,S. See Hirono,M., 0=8378
Kato,S. See Hu,C., 0=17607
Kato,S. See Maeda,K., 0=2011
Kato,S. See Oda,Y., 0=20452
Kato,T. Non-existence of bound states with positive energy, 0=10599
Kato,T. and Kuroda,S.T. A remark on the unitarity property of the scattering operator, 0=4945
Kato,T. See Fujita,H., 0=2066
Kato,Y. Interactions of hydromagnetic waves, 0=15127
Kato,Y. and Nakahara,O. Evaluation of the nuclear quadrupole moment of N^{14}, 0=20333
Kato,Y. and Saito,T. Preliminary studies on the daily behaviour of rapid pulsation, 0=2000
Kato,Y.,Tamao,T. and Saito,T. Geomagnetic pulsation accompanying with the intense solar flare, 0=1997
Kato,Y. and Taniuti,T. Hydromagnetic plane steady flow in compressible ionized gases, 0=17082
Kato,Y. and Watanabe,T. Particles of aurorae and geomagnetic pulsations, 0=1995
Kato,Y. See Narumi,H., 0=20331
Kato,Y. See Narumi,H., 0=20332
Katoh,T.,Yamasaki,S. and Yoshizawa,Y. Interaction of beta-decay and second forbidden spectrum of Cs^{137}, 0=17542
Kats,A. and Haven,Y. Infra-red absorption bands in α-quartz in the 3μ -region, 0=18128
Kats,M.L. and Nikol'skii,V.K. Absorption and luminescence spectra of the KBr(In) phosphor and their change under the action of X-rays, 0=10065
Katsnel'son,A.A. See Zhuravlev,N.N., 0=16291
Katsumata,I. See Miyake,S., 0=20252
Katsumori,H. Mass differences of Σ^+, Σ^- and Σ^0 hyperons, 0=11228
Katsumori,H. Anomalous magnetic moments of hyperons and mirror theorem, 0=11229
Katsumori,H. Mass levels and relative parities of baryons, 0=12845
Katsumori,H. Electromagnetic mass shift for spinless particles, 0=15426
Katsumori,H. and Shimoura,K. Baryon mass spectrum, 0=17245
Katsura,S. Fourth virial coefficient for the square well potential, 0=966
Katsura,S. Cluster sums and related coefficients of the Ising model, 0=11815
Katsura,S. and Harumi,K. A note on the Born—Green linearized integral equation, 0=14621
Katsuura,K. See Inokuti,M., 0=20701
Katy̆shev,Yu.V. See Van Gan-Chan, 0=9415
Katz,A. On a modified Bethe—Goldstone equation, 0=17271
Katz,A.,de-Shalit,A. and Talmi,I. The superconducting state in the Bethe—Goldstone approximation, 0=14924
Katz,J. Trajectories independent of mass, 0=3476
Katz,J.M. See Seiden,P.E., 0=11896
Katz,L. Betatron energy calibration, 0=1177
Katz,L. See Baerg,A.P., 0=1451
Katz,L. See King,H., 0=1435
Katz,L. See Sitte,K., 0=9455
Katz,O.M. and Gulbransen,E.A. Permeability and diffusivity of hydrogen through a palladium tube, 0=12069
Katz,R. and Parnell,D.R. Two proposed experiments for the detection of the Dirac monopole, 0=1258
Katz,S.,Latos,E.J. and Raisen,E. The plasma jet in high temperature research, 0=12606
Katz,S. See Freeman,M.P., 0=14786
Katz,T.J. and Strauss,H.L. Spectrum of cyclooctatetraenyl radical anion, 0=15734
Katzin,G.H. See Murray,R.L., 0=13351
Katzin,L.I. and Spinrad,B.I. U-233 breeder-U-235 converter reactor, 0=13309
Katzman,J. The sun as a source of cosmic rays of intermediate energies, 0=1325
Katzman,J. and Venkatesan,D. A world-wide study of the daily variation of the nucleonic component of cosmic rays, 0=17443
Kauder,L.N. See Monse,E.U., 0=11497
Kauer,E.,Klinger,O.E. and Rabenau,A. On conductivity measurements in the system ZrO_2—MgO, 0=4321
Kauer,E. See Planker,K.J., 0=18014
Kauffman,J.W. See Meshii,M., 0=20863
Kauffman,J.W. See Meshii,M., 0=21150
Kaufman,A.N. Plasma viscosity in a magnetic field, 0=15022
Kaufman,A.N. See Glassgold,A.E., 0=18984
Kaufman,F. and Kelso,J.R. Catalytic effects in the dissociation of oxygen in microwave discharges, 0=7737
Kaufman,H. Thermodynamical relations in two-component two-phase systems, 0=10815
Kaufman,J.W. See Nenno,S., 0=20792
Kaufman,L. The lattice stability of metals. I. Titanium and zirconium, 0=15800
Kaufman,S. Reactions of protons with Ni^{58} and Ni^{60}, 0=7562
Kaufman,S. See Payne,R.M., 0=5304
Kaufman,S. See Williams,R.V., 0=8857
Kaufmann,R. and Wolfgang,R. Complex nucleon transfer reactions of heavy ions, 0=447
Kaul,W. and Fuchs,R. Mass-spectrometric investigations of argon—nitrogen mixtures and nitrogen, 0=12584
Kaul,W.,Lauterbach,U. and Fuchs,R. Formation of the heteronuclear molecular ion AKr^+, 0=16971
Kaul,W. See Fuchs,R., 0=12583
Kaunisto,L. See Lounasmaa,O.V., 0=16933
Kaus,P.E. and Watson,W.K.R. Dispersion relations for Bloch functions, 0=17871
Kavanagh,D.L. Uranium-235 neutron cross sections from a Breit—Wigner analysis, 0=13277
Kavanagh,R.W. Proton capture in Be^7, 0=7550
Kavanagh,R.W. Protons from deuteron bombardment of Be^7, 0=20456
Kavanagh,R.W. See Bashkin,S., 0=2660
Kavanagh,T.M. Decay of Au^{196m}, 0=20413
Kawabata,H. Course of the potential change in the human electroretinogram during light adaptation, 0=8450
Kawabata,K. The radiation emitted within ionized gas in the presence of a magnetic field, 0=19682
Kawabata,K.,Kondō,I.,Murakami,K. and Wada,M. On the unusual increase and the modulation of cosmic rays, 0=15464
Kawabata,Y. See Uyeda,H., 0=16412
Kawabe,K. Optical studies on the effect of electric fields on the transitions of barium titanate, 0=20958
Kawabe,R. A remark on the paradox of Einstein, Podolsky and Rosen, 0=44
Kawabe,R. Some remarks on the Goldhaber model for strange particles, 0=11230
Kawabe,R. See Taguchi,Y., 0=13061
Kawaguchi,I. On the emission curves of growth of Fe I and Ti II in the lower chromosphere, 0=6584

Kawaguchi,M. Ambiguity in the mixing parameter for nucleon—nucleon scattering, 0=20124

Kawaguti,M. A hydrodynamical model for the sedimentation, 0=2152

Kawaguchi,M. See Hayakawa,S., 0=369

Kawai,K. See Stammreich,H., 0=11528

Kawai,M. and Nagasaki,M. Note on the collision matrix for the nuclear reactions. I, 0=11391

Kawai,M.,Nagasaki,M.,Soga,M.,Terasawa,T.,Ui,H. and Wada,Y. Cloudy crystal ball model for neutron reactions at higher energies, 0=9664

Kawai,M. and Terasawa,T. The dipole giant resonance in the high energy proton scattering, 0=20449

Kawai,N. and Kume,S. Observation of magnetic chronic drag over geologic time, 0=14163

Kawakami,I. The conservation laws in the lepton process and two kinds of neutrinos, 0=12831

Kawakami,K. See Aono,Y., 0=20298

Kawamura,M. E2 + M1 mixed transitions in heavy odd A nuclei, 0=9580

Kawarabayashi,K. Global symmetry and the branching ratios for the K⁻ capture by the nucleon, 0=13057

Kawarabayashi,K. See Hara,Y., 0=12918

Kawarabayashi,K. See Igi,K., 0=17384

Kawasaki,K.,Kanou,K. and Sekita,Y. Interaction of water vapour with germanium real surface, 0=7927

Kawasaki,K. and Kato,K. Size distribution of radioactivity of the natural radioactive dust, 0=4819

Kawasaki,K. and Sugita,T. Surface phenomena at ultra-high vacuum. I. The production and measurement of ultra-high vacuum by Alpert's method, 0=14699

Kawashima,K. See Moriuchi,Y., 0=1262

Kawashima,M. See Kumabe,I., 0=20435

Kawcyn,R.A. See Marshall,T.C., 0=19693

Kawski,A. and Skwierz,A. On the determination of the degree of polarization of light by means of the photoelectric compensation method, 0=177

Kawski,A. and Skwierz,A. Reflection and transmission problem of a pile of plates, 0=19378

Kawski,A. See Bojarski,C., 0=4423

Kawski,A. See Glowacki,J., 0=2948

Kayama,K. See Kotani,M., 0=17819

Kaye,G. See Blackman,M., 0=8209

Kaye,J. See Fand,R.M., 0=8755

Kazachevskaya,T.V. and Ivanov-Kholodnȳi,G.S. Continuous solar emission in the X-ray region, 0=18779

Kazachevskii,V.M. See Dzhasȳbekova,É.K., 0=21390

Kazankin,O.N.,Pekerman,F.M. and Petoshina,L.N. Electroluminescence of ZnS:Cu:Mn phosphors in a constant field, 0=10083

Kazanskii,M.F. Thermal coefficients of certain Ukrainian clays and their dependence on moisture combined with the solid phase in different ways, 0=8823

Kazanskii,Yu.A. See Kukhtevich,V.I., 0=9327

Kazantsev,A.P. The motion of a charged particle in a rotating magnetic field, 0=11021

Kazantsev,A.P. Flow of a conducting gas round a current-carrying plate, 0=15124

Kazantsev,V.F., Motion of gas bubbles in a liquid under the influence of Bjerknes forces arising in an acoustic field, 0=4738

Kazantseva,N.M. See Dekhtyar,M.V., 0=8074

Kazarinov,Yu.M. See Amaglobeli,N.S., 0=7352

Kazarinov,Yu.M. See Amaglobeli,N.S., 0=9407

Kazarnovskii,M.V. A calculation of the neutron energy spectrum produced by a pulsed source in a heavy moderator, assuming a constant mean free path, 0=9370

Kazarnovskii,M.V. On the theory of the resonance interaction of γ-quanta in crystals, 0=15520

Kazarnovsky,M.V. See Goldansky,V.I., 0=5666

Kazarov,R.E. and Lyudvigov,R.B. On the penetrating component of extensive air showers (e.a.s.), 0=5634

Kazarov,R.E. See Andronikashvili,É.L., 0=13087

Kazes,E. Generalized current conservation and low energy limit of photon interactions, 0=343

Kazes,E. Meson production in the static charged-scalar theory, 0=1286

Kazes,E. A soluble model in field theory. I, 0=2482

Kazes,E. A soluble model in field theory. II. Unstable particle and bound state description, 0=15225

Kazes,E. On the high energy behavior in field theory, 0=17376

Kazes,E. and Kaufman,C. On the indefinite metric in the Lee model, 0=17256

Kazi,A.H.,Rasmussen,N.C. and Mark,H. Six-meter radius bent-crystal spectrograph for nuclear gamma rays, 0=17283

Kazuno,M. See Imaeda,K., 0=12741

Keane,A. and McKay,M.H. A useful approximation in the theory of resonance absorption, 0=20151

Keane,A. See McKay,M.H., 0=13316

Kear,B.H. and Pratt,P.L. Quench hardening in sodium chloride crystals, 0=15852

Kear,B.H.,Taylor,A. and Pratt,P.L. Some dislocation interactions in simple ionic crystals, 0=20803

Kearns,D.R.,Tollin,G. and Calvin,M. Electrical properties of organic solids. II. Effects of added electron acceptor on metal-free phthalocyanine, 0=6145

Kearns,D.R. See Tollin,G., 0=6144

Kearsley,E.A. and Green,M.S. The foundations of mechanics and thermodynamics, 0=14523

Kearsley,M.J. See Blin-Stoyle,R.J., 0=9497

Keaveney,D.M.,Krieger,T.J. and Storm,M.L. Effects of low-lying europium resonances on the temperature defect in water-moderated reactors, 0=13327

Keberlé,E. Intensity distribution along the "line" of a 180° magnetic spectrometer, 0=7173

Keck,G. The rendering visible of stationary ultrasonic fields and acoustico-optical image conversion, 0=6884

Keck,G. Ultrasonic investigations on liquid surfaces, 0=14596

Keck,J.C. Variational theory of chemical reaction rates applied to three-body recombinations, 0=8299

Keck,W. and Beyer,R.T. Frequency spectrum of finite amplitude ultrasonic waves in liquids, 0=10661

Kedzie,R.W. See Abraham,M., 0=5655

Keech,G.H. See Preston,M.A., 0=13194

Keedy,D.A.,Powers,J. and Stein,R.S. A theoretical calculation of the birefringence of polypropylene crystals, 0=20971

Keefe,D.,Nolan,P.J. and Rich,T.A. Charge equilibrium in aerosols according to the Boltzmann law, 0=7073

Keefe,D. See K⁻-collaboration, 0=1308

Keefe,D. See K⁻-Collaboration, 0=15430

Keeler.R.N. See Purcell.J.R.. 0=8341

Keepin,G.R. Interpretation of delayed neutron phenomena, 0=7638

Keepin,G.R. Period—reactivity relations determined directly from prompt-burst neutron decay data, 0=13332

Keepin,G.R.,Wimett,T.F. and Zeigler,R.K. Delayed neutrons from fissionable isotopes of uranium, plutonium and thorium, 0=7649

Keer,L.M. See Himelblau,H., 0=982

Keesey,U.T. Effects of involuntary eye movements on visual acuity, 0=14343

Keesom,P.H. and Seidel,G. Specific heat of gallium and zinc in the normal and superconducting states, 0=8947

Keesom,P.H. See Bryant,C.A., 0=13489

Keet,W.De V. See Lochner,J.P.A., 0=6506

Keffer,F. Study of the Wurtzite-type binary compounds. IV. Theory of double refraction, 0=4397

Keffer,F. The effective ionic charge in CdS, 0=20724

Keffer,F. and Oguchi,T. Ferromagnetic anisotropy in cubic crystals, 0=6223

Keffer,F.,Oguchi,T.,O'Sullivan,W. and Yamashita,J. Theory of the nuclear magnetic resonance shift in paramagnetic crystals, 0=1837

Keffer,F. See Casselman,T.N., 0=11903

Keffer,K. and Oguchi,T. Theory of superexchange, 0=1817

Kegeles,G. See Kirkwood,J.G., 0=19105

Keh,A.S. Dislocation networks in a low-alloy steel, 0=17939

Keh,A.S. Dislocations in indented magnesium oxide crystals, 0=17940

Keh,A.S.,Li,J.C.M. and Chou,Y.T. Cracks due to the piling-up of dislocations on two intersecting slip planes in MgO crystals, 0=17932

Keh Tszo-syu [Ho Tso-Hsiu]. Form-factor and probability of leptonic decay of Λ-particles, 0=11227

Keidel,L. See Cremer,L., 0=19344

Keilhacker,M. On the mechanism of the explosive vaporization of copper wires in very intent impulse discharges and the behaviour of copper at the resulting high pressures and temperatures, 0=5214

Keimakh,R.Y. and Kudryavtsev,V.I. Photo-electric method of measuring the angle of rotation of the plane of polarization of light waves, 0=19457

Keiper,D.A. See Schmidt,P.F., 0=6340

Keirim-Markus,I.B. Investigation of the light-sums in the SrS:Eu:Sm phosphor. I, 0=10074
Keirim-Markus,I.B. Investigation of light-sums in the SrS:Eu:Sm phosphor. II, 0=10075
Keith,R.E. and Gilman,J.J. Dislocation etch pits and plastic deformation in calcite, 0=16283
Kek,Ts. See Gërlikh,P., 0=20142
Kelber,C. Equivalence factors for D_2O, 0=12955
Kelber,C. and Kier,P. Comments on Bell's approximation to the resonance integral, 0=15614
Kelbg,G. Investigations in the statistical-mechanical theory of strong electrolytes. I. Fundamental statistical-mechanical equations, 0=14121
Kelbg,G. Investigations in the statistical-mechanical theory of strong electrolytes. II. Rigid spheres with point charges at the centres, 0=14122
Keldysh,L.V. Kinetic theory of impact ionization in semiconductors, 0=9958
Keller,A. See Agar,A.W., 0=16340
Keller,A. See Bassett,D.C., 0=4667
Keller,A. See Frank,F.C., 0=16333
Keller,J.B. Large amplitude motion of a string, 0=116
Keller,J.B. Backscattering from a finite cone, 0=17106
Keller,J.B. and Karal,F.C. Jr, Surface wave excitation and propagation, 0=11036
Keller,J.B. and Rubinow,S.I. Asymptotic solution of eigenvalue problems, 0=3455
Keller,J.B. See Levy,B.R., 0=2442
Keller,J.B. See Pressman,W., 0=18997
Keller,J.M. Conduction electrons in sodium tungsten bronze, 0=13518
Keller,S.P. and Pettit,G.D. Optical spectra of rare earth activated $BaTiO_3$, 0=2950
Keller,S.P. See Casella,R.C., 0=2932
Keller,S.P. See Cheroff,G., 0=2907
Keller,W. Measurement of the specific resistance of semiconductor crystals using high frequency, 0=2855
Keller,W. See Bethge,H., 0=9899
Keller,W.E. and Hammel,E.F. Heat transfer by liquid ^{4}He II through narrow slits, 0=8910
Keller,W.E. and Hammel,E.F.,Jr. Heat conduction and fountain pressure in liquid He II, 0=14917
Keller,W.E. See Dash,J.G., 0=17489
Keller,W.E. See Nagle,D.E., 0=13126
Kellermann,E.W. and Dickinson,N. On the structure of extensive cosmic ray air showers: the penetrating component, 0=1332
Kellermann,E.W. and Islam,M.S. On the anisotropy of the cosmic radiation, 0=17449
Kelley,C.M. See Wiechec,W., 0=10172
Kelley,R.H. See Kulp,B.A., 0=11648
Kelliher,M.G. and Beadle,R. Pulse-shortening in electron linear accelerators, 0=19824
Kellner,L. Alexander von Humboldt and the organization of international collaboration in geophysical research, 0=3339
Kellogg,P.J. and Liemohn,H. Instability of contra-streaming plasmas, 0=3777
Kellogg,P.J. See Blackwell,D.E., 0=8504
Kellog,R.E. See Frost,A.A., 0=17829
Kellogg,W.W. See Greenfield,S.M., 0=14298
Kelly,A. The strength of aluminium silver alloys, 0=4554
Kelly,A. The temperature dependence of the flow stress of an age-hardened alloy, 0=18263
Kelly,A.,Lassila,A. and Sato,S. The plastic deformation of single crystals of an aluminium—silver alloy, 0=21133
Kelly,A. See Washburn,J., 0=17930
Kelly,A. See Washburn,J., 0=20823
Kelly,D. and Margenau,H. High-frequency breakdown of air, 0=16995
Kelly,D.C. Microwave conductivity of a plasma in a magnetic field, 0=12607
Kelly,D.H. Systems analysis of the photographic process. I. A three-stage model, 0=3660
Kelly,F.M. and Tomchuk,E. Isotope shift in the Cd I intercombination resonance line λ3261 A. 0=5877
Kelly,J.C. Electrom bombardment apparatus for vacuum evaporation, 0=5065
Kelly,J.C. and Heavens,O.S. Measurement of refractive index of a transparent film on a reflecting substrate, 0=19380
Kelly,M. See Spruch,L., 0=2707
Kelly,P.M. and Nutting,J. Techniques for the direct examination of metals by transmission in the electron microscope, 0=21255
Kelly,P.S. and Moszkowski,S.A. Calculation of matrix elements in the beta-decays of Sc^{44} and Mn^{52}, 0=7513
Kelly,R.E. and Russek,A. Diffraction of a plane electromagnetic wave by cylinders with anisotropic conductivity, 0=15146
Kelly,W.H.,Beard,G.B.,Chaffee,W.B. and Gonser,J.M. The 85 minute activity of Ba^{139}, 0=20410
Kelly,W.H. See Beard,G.B., 0=11347
Kel'man,V.M. and Metskhvarishvili,R.Ya. Exact measurement of the ratios of the internal conversion coefficients for 411.8 keV γ-quanta in Hg^{198}, 0=424
Kel'man,V.M.,Metskhvarishvili,R.Ya.,Preobrazhenskii,B.K.,Romanov,V.A. and Tuchkevich,V.V. Investigation of conversion electron spectra of neutron-deficient isotopes of lutecium, 0=2648
Kel'man,V.M.,Metskhvarishvili,R.Ya.,Preobrazhenskii,B.K.,Romanov,V.A. and Tuchkevich,V.V. Multipolarities of gamma transitions in Tm^{169}, 0=9588
Kel'man,V.M.Peregud,B.P.Dolmatova,K.A. and Luzyanin,I.D. Vertical focusing of a beam of electrons by cylindrical magnetic lenses in an axially symmetrical radially increasing magnetic field, 0=10959
Kel'man,V.M.,Peregud,B.P. and Skopina,V.I. Short magnetic lens with distributed winding, 0=9087
Kel'man,V.M.,Yavor,S.Ya. and Fishkova,T.Ya. Achromatic magnetic mirrors, 0=10963
Kelman,V.M. See Dolmatova,K.A., 0=19758
Keloglu,Yu.P. See Boyarskaya,Yu.S., 0=13919
Kelsey,C.A. See Darden,S.E., 0=11180
Kelso,J.M. The calculation of ionospheric electron density distributions, 0=761
Kelso,J.M. The determination of the electron density in interplanetary space, 0=14271
Kelso,J.M. See Sonett,C.P., 0=10390
Kelso,J.M. See Sonett,C.P., 0=12133
Kelso,J.R. See Kaufman,F., 0=7737
Kel'zon,A.S. See Kan,V.L., 0=6717
Kemeny,G. and Haake,C.H. Activator center in magnesium fluorogermanate phosphors, 0=16087
Kemmey,P. See Clark,C.D., 0=16068
Kemp,J.E. See Hulme,K.F., 0=9920
Kemp,J.F. Liquid manometer with electromagnetic balance indicator, 0=5043
Kemp,M.A.R. See Astbury,A., 0=2687
Kemp,N.H. and Petschek,H.E. Theory of the flow in the magnetic annular shock tube, 0=1195
Kemp,W.R.G.,Klemens,P.G. and Tainsh,R.J. Thermal and electrical conductivities of rhodium and iron, 0=2797
Kemp,W.R.G.,Klemens,P.G. and Tainsh,R.J. The use of thermal conductivity measurements to identify the lattice imperfections introduced in a Cu—Zn alloy by plastic deformation, 0=9900
Kemp,W.R.G.,Klemens,P.G. and Tainsh,R.J. The lattice thermal conductivity of copper alloys: effect of plastic deformation and annealing, 0=21131
Kemp,W.R.G. See Birch,J.A., 0=6025
Kemp,W.R.G. See Lowenthal,G.C., 0=214
Kempter,C.P.,Elliott,R.O. and Gscheidner,K.A.,Jr. Thermal expansion of delta and epsilon zirconium hydrides, 0=15817
Kempter,C.P. and Fries,R.J. Zirconium carbide, 0=10315
Kempter,C.P. and Nadler,M.R. Thermal decomposition of niobium and tantalum monocarbides, 0=10349
Kempter,C.P. See McGuire,J.C., 0=21270
Kempter,C.P. See Nadler,M.R., 0=4627
Kemsley,D.S. Growth of single crystals of copper, 0=10283
Ken Tang Chow. See Barbieri,L.J., 0=13366
Kendall,B.R.F. New method of sample interchange in a solid-source mass spectrometer, 0=9099
Kendall,B.R.F. Isotopic composition of potassium, 0=13395
Kendall,D.G. Stochastic rectification of non-linear clocks, 0=8533
Kendall,H.W. See Burleson,G.R., 0=20112
Kendall,H.W. See Friedman,J.I., 0=20147
Kendall,L.F.,Wheeler,R.G. and Bush,S.H. Reaction kinetics of zirconium and zircaloy-2 in dry air at elevated temperatures, 0=12102
Kendall,P. See Cusack,N., 0=12419
Kendall,P.A. See Amster,A.B., 0=3584
Kendall,P.C. On the transference of angular momentum by hydromagnetic waves in a primeval nebula, 0=292

Kendall,P.C. The variational formulation of the magnetohydrostatic equations, 0=12682
Kendall,P.C. See Gliddon,J.E.C., 0=14243
Kendall,P.C. See Gliddon,J.E.C., 0=16450
Kende,I.,Guczi,L. and Gál,D. Investigation of the interaction of alkyl iodide vapours with a carbon surface by kinetic and isotopic methods, 0=3304
Kende,I. See Guczi,L., 0=3305
Kennedy,A.J. Dislocations and twinning in graphite, 0=12002
Kennedy,C.A. See Bondelid,R.O., 0=1406
Kennedy,C.A. See Bondelid,R.O., 0=20246
Kennedy,C.A. See Bondelid,R.O., 0=20460
Kennedy,D.P. Minority carrier current in a linearly graded drift field, 0=1632
Kennedy,D.P. Minority carrier recombination in a cylindrical transistor base region, 0=11679
Kennedy,D.P. Spreading resistance in cylindrical semiconductor devices, 0=13627
Kennedy,J.M. See Dyson,P.M., 0=1451
Kennedy,P.J. Ionization effects produced in diamonds subjected to mono-energetic β-ray bombardment, 0=9925
Kennedy,P.J. and Dean,P.J. Photographic method for pulse amplitude analysis, 0=5245
Kennett,T.J. and Thode,H.G. Diffusion phenomena and isotope effects in the extraction of fission-product xenon and krypton from irradiated U_3O_8, 0=15620
Kennett,T.J. See Bollinger,L.M., 0=2623
Kenney,R.W. See Gates,D.C., 0=9243
Kenney,R.W. See Goodwin,L.K., 0=2581
Kenney,R.W. See Hickman,R.S., 0=2477
Kenney,R.W. See Perkins,W.A., 0=9426
Kenney,R.W. See Perkins,W.A.,III, 0=11213
Kenney,V.P. Velocity dependence of the bubble density for charged particle tracks in liquid hydrogen, 0=12728
Kent,G.S. High frequency fading observed on the 40 Mc/s wave radiated from artifical satellite 1957α, 0=15172
Kent,P.J.C. See Hatt,B.A., 0=13972
Kent,R.L. See Badessa,R.S., 0=12361
Kenward,C.J. See Sanders,J.E., 0=7642
Kenward,C.J. See Skarsgard,H.M., 0=7636
Kepler,R.G. Charge carrier production and mobility in anthracene crystals, 0=13620
Keppenne,R. See Gonze,A., 0=15094
Kerimov,B.K.,Mukhtarov,A.I. and Gadzhiev,S.A. Polarization effects in the $\pi^0 \rightarrow e^- + e^+ + \gamma$ decay, 0=11200
Kerimov,B.K. See Sady̆khov,F.S., 0=11150
Kerker,M. and Matijevic,E. Light scattering of monodispersed polystyrene latexes, 0=10784
Kerkhoff,F. Photochemical behaviour of complexes containing oxygen in alkali halide crystals, 0=8009
Kerlee,D.D.Krienke,O.K. Jr,Lord,J.J. and Nelson,M.E. Cosmic-ray heavy nuclei at the geomagnetic equator, 0=11264
Kerlee,D.D. See Reynolds,H.L., 0=17612
Kerler,W. See Hauser,U., 0=7509
Kerman,A. See Wilhelmsson,H., 0=15239
Kerman,A.K.,McManus,H. and Thaler,R.M. The scattering of fast nucleons from nuclei, 0=5739
Kerman,A.K. See Mallman,C.A., 0=11320
Kerman,W.J. Charge-exchange scattering of negative pions at 150 MeV, 0=13029
Kern,B. The Si Kβ-bands of the X-ray emission spectra of elementary Si, SiC and SiO_2, 0=20639
Kern,E. Neutron temperature of a moderator composed of small regions at various temperatures, 0=5822
Kern,J. and Huber,O. Improvement in the plateau of argon-alcohol filled g.m. counters, 0=3876
Kern,J. and Huber,O. Improvement of the plateau of argon—alcohol filled metal-sheath Geiger—Müller counters, 0=7240
Kern,W. Estimation of atmospheric activity using an electrostatic filter, 0=6488
Kern,W. See Riezler,W., 0=2631
Kernan,W. See Garwin,E., 0=1296
Kernan,W. See York,C.M., 0=364
Kernan,W.J. See Kim,C.O., 0=20169
Kernan,W.J. See York,C.M., 0=13030
Kernel,G. See Dular,J., 0=5767
Kernohan,R.H. See Wechsler,M.S., 0=15837
Kerns,D.M. Half-round inductive obstacles in rectangular waveguide, 0=15148
Kerns,D.M. and Dayhoff,E.S. Theory of diffraction in microwave interferometry, 0=7224
Kerns,Q. See Koch,L., 0=20886
Kerr,E.C. See Taylor,R.D., 0=8881
Kerr,E.C. See Yarnell,J., 0=8919
Kerr,F.J. Sydney work on 21-cm observations on the H 1 galactic disk, 0=10482
Kerr,F.J. The possibility of detecting a gravitational red shift in 21 cm radiation from the galaxy, 0=18912
Kerr,F.J.,Hindman,J.V. and Gum,C.S. A 21 CM survey of the Southern Milky Way, 0=4870
Kerr,F.J. See Gum,C.S., 0=18675
Kerr,J.T. See Todd,B.J., 0=979
Kerr,R.P. On the Lorentz-invariant approximation method in general relativity. III. The Einstein—Maxwell field, 0=38
Kerr,R.P. On the quasi-static approximation in general relativity, 0=14501
Kerr,V.N. See Hayes,F.N., 0=7499
Kerr,W. See Stone,J., 0=4144
Kerridge,D.H. A study of the kinetics of crystallization of copper from liquid bismuth solutions, 0=21162
Kerridge,J.F.,Johnson,A.A. and Matthews,H.I. Dislocation arrangements in molybdenum, 0=1589
Kersey,Y. See Lessoff,H., 0=2914
Kerst,D.W.,Day,E.A.,Hausman,H.J.,Haxby,R.O.,Laslett,L.J., Mills,F.E.,Ohkawa,T.,Peterson,F.L.,Rowe,E.M.,Sessler,A.M., Snyder,J.N. and Wallenmeyer,W.A. Electron model of a spiral sector accelerator, 0=19837
Kerth,L. See Cork,B., 0=20236
Kerth,L.T. See Kycia,T.F., 0=9431
Kervalidze,K.N. See Kvartskhava,I.F., 0=15039
Kerwin,L. See McGowan,W., 0=8722
Kerwin,L. See McGowan,W., 0=10875
Kerwin,L. See Marmet,P., 0=10949
Kerwin,L. See Marmet,P., 0=17732
Kesaev,I.G. Increase of stability of an arc in a magnetic field and the principle of field maximum, 0=250
Kesaev,I.G. The phenomena of internal instability of an arc with a mercury cathode. I. Spontaneous extinctions of the arc, 0=16989
Kesaev,I.G. and Levshenkova,L.A. Dependence of the [electric] arc stability on the state of the cathode, 0=16987
Kesamanly̆,F.P. See Emel'yanenko,O.V., 0=18075
Kesler,K.G. See McNally,J.R.,Jr, 0=7730
Kessel',A.R. Resonance absorption of ultrasound on nuclei, 0=9850
Kessler,D. See Alexander,G., 0=15438
Kessler,D. See Eisenberg,Y., 0=20219
Kessler,J. and Ulmer,K. The interpretation of the structure of the tungsten bremsstrahl-isochromat at the short-wave limit, 0=20593
Kessler,J.O. See Moore,A.R., 0=7929
Kessler,K.G. Analysis of the first spectrum of ruthenium (Ru I), 0=7729
Kessler,K.G. See Barger,R.L., 0=5168
Kessler,K.G. See Barger,R.L., 0=10758
Kessler,K.G. See Bass,A.M., 0=159
Kessler,P. Application of the Weizsäcker—Williams method to muon inelastic scattering, 0=365
Kessler,P. The method of quasi-real processes in quantum electrodynamics, 0=1240
Kessler,P. Calculation of the bremsstrahlung radiation from an extremely relativistic particle by the method of quasi-real processes, 0=1266
Kessler,P. Extension of the method of quasi-real processes, 0=7277
Kessler,P. Applications of the method of quasi real process, 0=7278
Kessler,P. The method of quasi-real processes in quantum electrodynamics, 0=12816
Kessler,P. A simplified method of calculation for relativistic processes in quantum electrodynamics, 0=20021
Kestin,J. and Leidenfrost,W. The viscosity of helium, 0=8673
Kestin,J. and Leidenfrost,W. The effect of pressure on the viscosity of N_2—CO_2 mixtures, 0=8676
Kestin,J. and Leidenfrost,W. An absolute determination of the viscosity of eleven gases over a range of pressures. 0=16723
Kestin,J.,Leidenfrost,W. and Liu,C.Y. On relative measurements of the viscosity of gases by the oscillating-disk method, 0=16722
Kestin,J. and Newell,G.F. Theory of oscillation type viscometer: The oscillating cup. I, 0=16667
Ketelaar,J.A.A. See Colpa,J.P., 0=493

Ketelaar,J.A.A. See Colpa,J.P., 0=7749
Ketelle,B.H. and Brosi,A.R. Radioactive decay of Dy^{159}, 0=1378
Ketskeméty,I. On the sensitized fluorescence of mixed solutions, 0=6807
Ketskeméty,I. See Budó,A., 0=10672
Ketskeméty,I. See Budó,A., 0=14661
Ketzlach,N. Nuclear safety of iron-encased fuel elements, 0=15626
Keulegan,G.H. See Carpenter,L.H., 0=19079
Keuning,R. Simple high-resolution nuclear resonance spectrometer, 0=15178
Kever,H. See Jordan,H.L., 0=19664
Keyes,R.J. See Lax,B., 0=20968
Keyes,R.T. See Cook,M.A., 0=1133
Keyes,R.W. Volumes of activation. II. Pressure dependence of activation parameters, 0=6060
Keyes,R.W. and Pollak,M. Effects of hydrostatic pressure on the piezoresistance of semiconductors: I-InSn, P-Ge, P-InSb, and N.GaSb, 0=9977
Keywell,F. and Dorosheski,G. Measurement of the sheet resistivity of a square wafer with a square four-point probe, 0=15898
Keywell,F. See Friedland,S.S., 0=5630
Khabakhnasheva,E.M. See Novikov,I.I., 0=3526
Khabakhpashev,A.G. and Tsenter,E.M. Measurement of the lifetime of the first excited state of Ne^{21}, 0=11333
Khabakhpashev,A.G. See Tsenter,É.M., 0=13207
Khachatryan,B.V. See Ter-Mikaelyan,M.L., 0=2142
Khachaturyan,A.G. Theory of X-ray scattering from mosaic crystals, 0=13982
Khadzhimukhamedov,Kh.Kh. See Arifov,U.A., 0=7167
Khadzhimykhamedov,Kh.Kh. See Arifov,U.A., 0=19808
Khaikin,M.S. Cyclotron resonance in tin, 0=11616
Khaikin,M.S. The problem of cyclotron resonance in tin, 0=17918
Khaikin,M.S. The oscillatory dependence of the surface resistance of a metal on a weak magnetic field, 0=20874
Khaikin,M.S. Paramagnetic resonance in monocrystalline tin, 0=21079
Khaikina,R.M. See Ust'yanov,V.I., 0=16320
Khaikovich,I.M. and Khalfin,L.A. The effective dynamical parameters of inhomogeneous elastic media during the propagation of plane longitudinal waves, 0=987
Khaikovich,I.M. and Khalfin,L.A. The effective dynamic parameters of non-uniform media during propagation of sound waves, 0=988
Khaimov-Mal'kov,V.Ya. The growth of crystals in systems containing impurities, 0=12004
Khaimov-Mal'kov,V.Ya. The growth of crystals in porous media, 0=13946
Khait,Yu.L. The kinetics of ionic conductivity and electrical polarization in solids, 0=18086
Khait,Yu.L. See Roginskii,S.Z., 0=10346
Khalatnikov,I.M. The influence of anisotropy on the thermal conductivity of superconductors, 0=10844
Khalatnikov,I.M. See Abrikosov,A.A., 0=8930
Khalatnikov,I.M. See Lifshitz,E.M., 0=18914
Khalfin,L.A. New dispersion relations in quantum field theory, 0=9300
Khalfin,L.A. The relationship betweem the law of decay and the first moment of the of the distribution of energy, 0=14487
Khalfin,L.A. On a new form of the dispersion relations, 0=15289
Khalfin,L.A. A method of measuring time, possible in principle, 0=18891
Khalfin,L.A. See Khaikovich,I.M., 0=987
Khalfin,L.A. See Khaikovich,I.M., 0=988
Khalizev,V.I. See Flevov,G.N., 0=7497
Khalizev,V.I. See Karnaukhov,V.A., 0=9552
Khalkin,V.A. See Kuznetsova,M.Ia., 0=9633
Khalkin,V.A. See Selinov,I.P., 0=15532
Khalkin,V.A. See Van Yun-yui, 0=20436
Khandelwal,D.P. See Pant,D.D., 0=3539
Khanna,B.N. Emission spectrum of chlorine excited in the presence of argon. II. The band system in the region 2365-2239 A, 0=20616
Khanna,B.N. See Venkateswarlu,P., 0=20615
Khanna,F.C. and Tang,Y.C. Neutron strength functions in a surface absorption optical model, 0=7448
Khapachev,A.G. See Zakharov,G.M., 0=11654
Kharadze,G.A. On the influence of the isobaric state of a nucleon on the electron—neutron interaction, 0=12939
Kharadzhya,S. See Dzhurdzhya,M., 0=16900
Kharchenko,I.F.,Fainberg,Ya.B.,Nikolaev,R.M.,Kornilov,E.A., Lutsenko,E.A. and Pedenko,N.S. The interaction between an electron beam and a plasma, 0=12619
Kharchenko,I.F.,Nikolaev,R.M.,Nekrashevich,A.M. and Z Zeidlits,P.M. Counter-computer for the investigation of the motion of particles in an electron linear accelerator, 0=5367
Kharitonov,A.V. See Dzhasȳbekova,É.K., 0=21390
Kharitonov,A.V. See Merkulov,L.G., 0=998
Kharitonov,Yu.I. See Sliv,L.A., 0=13137
Kharlamov,S.P. See Adamovich,M.I., 0=13046
Kharlamova,T.E. and Kholnyanov,G.F. Electric properties of alloyed silicon carbide p—n junctions, 0=11705
Khartsiev,V.E. A theory of thermally stimulated current, 0=15896
Kharus,G.I. See Sokolov,A.V., 0=2931
Khaskind,M.D. Propagation of acoustic and electromagnetic waves in a half-space, 0=19266
Khastgir,S.R. and Singh,R.N. The size of the moving irregularities in the F-region and the spread angle of the radio waves scattered from them, 0=16455
Khastgir,S.R. See Murty,Y.S.N., 0=15159
Khastgir,S.R. See Murty,Y.S.N., 0=21367
Khastgir,S.R. See Satyanarayana,R., 0=6461
Khastgir,S.R. See Singh,R.N., 0=14240
Khastgir,S.R. See Srivastava,R.S., 0=18523
Khastgir,S.R. See Tantry,B.A.P., 0=8423
Khatanova,N.A. See Zakharova,M.I., 0=14067
Khatanova,N.A. See Zakharova,M.I., 0=14074
Khatinov,D.V. See Krasil'nikov,V.A., 0=995
Khè Tszo-Syu. On the experimental possibility of testing the form factors in the theory of the universal Fermi interaction, 0=11449
Khé Tszo-Syu [Ho Tso-Hsiu]. Form factor and μ-meson capture by light nuclei with spin $\frac{1}{2}$, 0=20506
Khé Tszo-Syu [Ho Tso-Hsiu]. See Bilen'kii,S.M., 0=7349
Khé Tszo-Syu [Ho Tsu Hsiu]. See Bilen'kii,S.M., 0=12938
Khé Tszo-Syu [Ho Tso-Hsiu]. See Smorodinskii,Ya.A., 0=20036
Khe Yui-lyan. See Sandulova,A.V., 0=1599
Kheifets,A.B. See Dmitriev,A.B., 0=3891
Kheifets,S.A. On a possible determination of the sign of muon polarization, 0=13014
Kheifets,S.A. See Orlov,Yu.F., 0=353
Kheiker,D.M.,Konstantinov,I.E. and Alekseev,V.A. The use of a scintillation counter in X-ray structure analysis, 0=12017
Kheiker,D.M. See Umanskii,M.M., 0=13979
Khellenurme,P.A. An investigation on the N- and O-colour centres in the crystalline phosphor KCl:Tl, 0=15860
Khera,M.K. See Gill,P.S., 0=15482
Khesin,Yu.D. See Moroz,L.S., 0=14055
Khitrova,V.I. and Pinsker,Z.G. Electron-diffraction investigation of tungsten nitrides, 0=14022
Khitrova,V.I. and Pinsker,Z.G. An electron-diffraction study of cubic tungsten nitride, 0=14023
Khizhnyak,N.A. Artificial anisotropic dielectrics formed from two-dimensional lattices of infinite bars and rods, 0=11054
Khiznichenko,L.P. See Starodubtsev,S.E., 0=16203
Khlebnikov,G.I. See Flevov,G.N., 0=7497
Khlopina,T.N. See Kashtan,M.S., 0=13419
Khmelinin,B.A. See Oranovskii,V.E. 0=10080
Khobos,É.B. See Ivanov,A.P., 0=14846
Khodakov,A.L. See Novosil'tsev,N.S., 0=708
Khodakov,G.S. On the kinetics of fine grinding of quartz, 0=21151
Khodakov,G.S. and Rebinder,P.A. The influence of the medium in the amorphisation of quartz in the process of its mechanical dispersion, 0=12058
Khodakov,G.S. See Ganichenko,L.G., 0=12114
Khokhlov,V.K. See Zeitlenok,G.A., 0=9114
Khokhlov,Yu.K. On the moment of inertia of a many-particle system. I, 0=334
Khoklov,Yu.K. On the theory of the nuclear moment of inertia, 0=17475
Khokhlova,V.L. See Severnȳi,A.B., 0=18771
Khokhlova,Z.S. See Berkovich,I.B., 0=9539
Khokhlova,Z.S. See Berkovich,I.B., 0=9540
Khollosh,G. See Toma,E., 0=10334
Kholnyanov,G.F. See Kharlamova,T.E., 0=11705

Kholuyanov,G.F. Photoelectric properties of alloy p—n junctions in silicon carbide, 0=20939
Kholuyanov,G.F. See Pasȳnkov,V.V., 0=15886
Khomazyuk,V.G. Determination of the interference-band order using a "monoprism" and a plate, 0=16894
Khomenko,L.A. See Kosenko,V.E., 0=15870
Khora,Kh. See Gĕrlikh,P., 0=19722
Khot,C.G. See Chandrashekhar Aiya,S.V., 0=21397
Khotkevich,V.I. See Gindin,I.A., 0=3170
Khozov,G.V. See Ryv́kin,S.M., 0=20900
Khrenov,B.A. See Vernov,S.N., 0=9474
Khrimyan,A.V. See Alikhanov,A.I., 0=9454
Khristiansen,G.B. See Abrosimov,A.T., 0=7433
Khristiansen,G.B. See Abrosimov,A.T., 0=11244
Khristiansen,G.B. See Dmitriev,V.A., 0=9467
Khristiansen,G.B. See Dmitriev,V.A., 0=11270
Khristiansen,G.B. See Vernov,S.N., 0=9466
Khristiansen,G.B. See Vernov,S.N., 0=9469
Khristiansen,G.B. See Vernov,S.N., 0=9473
Khristiansen,G.B. See Vernov,S.N., 0=9474
Khristiansen,G.B. See Vernov,S.N., 0=13084
Khristiansen,G.B. See Vernov,S.N., 0=15478
Khristiansen,G.B. See Vernov,S.N., 0=20263
Khromov,L.I. See Valik,I.L., 0=8784
Khrushchev,S.N. On the oscillatory parametric control, 0=6545
Khrushchov,M.M. and Babichev,M.A. Resistance to abrasion and the elastic moduli of metals and alloys, 0=13917
Khrustalev,B.A. See Filimonov,S.S., 0=19497
Khrustalev,O.A. See Todorov,I.T., 0=5601
Khubchandani,P.G. and Rahman,A. The asymmetric rotator in quantum mechanics and rotational eigenfunctions for the water molecule, 0=9783
Khubchandani,P.G. See Shankar,J., 0=3242
Khubchandani,P.G. See Shankar,J., 0=3258
Khudaverdyan,A.G. See Vartapetyan,H.A., 0=20412
Khudenskii,Yu.K. The application of a conical collimator to the scanning of sections, 0=9247
Khulelidze,D.E. See Chikhladze,V.L., 0=13201
Khulelidze,D.E. See Selinov,I.P., 0=15532
Khurana,C.S. and Hans,H.S. Measurements of (n,p), (n,α) and (n,2n) total cross sections at 14 MeV, 0=5793
Khuri,N.N. and Treiman,S.B. Pion—pion scattering and $K^{\pm} \rightarrow 3\pi$decay, 0=13052
Khuri,N.N. See Blankenbecler,R., 0=12849
Khutsishvili,G.R. Orientation of nuclei during saturation of forbidden resonance and double resonance, 0=13116
Khutsishvili,G.R. The polarization of nuclei in non-metallic ferromagnetics, 0=13825
Khutsishvili,G.R. See Buishvili,L.L., 0=18214
Khutsishvili,L.A. See Ab,E.A., 0=6427
Khvashchevskaya,Ya.S. See Stepanov,B.I., 0=158
Khvostenko,G.I. See Ioffe,V.A., 0=11659
Khvostenko,V.I. and Dukel'skii,V.M. The negative ion H_2^-, 0=2319
Khvostenko,V.I. and Dukel'skii,V.M. Formation of negative hydrogen ions on an incandescent tungsten surface, 0=8985
Kiang,H.S. See Li,J.C.M., 0=13906
Kibble,T.W.B. Kinematics of general scattering processes and the Mandelstam representation, 0=7298
Kibble,T.W.B. The commutation relations obtained from Schwinger's action principle, 0=8555
Kichenassamy,S. See Kremer,H., 0=6682
Kidd,W.C. See Aarons,J., 0=6554
Kido,K. and Watanabe,T. The magnetic investigation of Mn^{++}, Co^{++}, Ni^{++}, Cu^{++} ammine and anhydrate salts, 0=21027
Kieda,A. A study of the turbulent boundary layers, 0=14595
Kieda,A. The velocity-defect laws of the turbulent boundary-layer, 0=14677
Kiefer,H. See Dannecker,A., 0=5691
Kiehn,R.M. Some applications of the S_n method, 0=13340
Kiel,A. Cross relaxation in dilute paramagnetic systems, 0=18223
Kielich,S. Semi-macroscopic treatment of the theory of non-linear phenómena in dielectric liquids submitted to strong electric and magnetic fields, 0=5024
Kielich,S. Molecular interaction in the classical theory of light scattering, 0=6950
Kielich,S. and Piekara,A. A statistical molecular theory of electric, magnetic and optical saturation phenomena in isotropic dielectric and diamagnetic media, 0=19152
Kielich,S. See Piekara,A., 0=6813
Kielich,S. See Piekara,A., 0=14652
Kienel,G. Investigations on silver—selenium layers, 0=7968
Kienle,H. The interpretation of continuous stellar spectra. Remarks on the similarly titled communication by A.Unsöld, 0=14456
Kiepenheuer,K.O. On the compression of coronal matter, 0=11
Kiepenheuer,K.O. The observability of hydromagnetic phenomena on the sun, 0=3416
Kiepenheuer,K.O. Structure of the perturbed solar atmosphere, 0=3420
Kiepenheuer,K.O. and Rabben,H.H. The Freiburg radio solar spectrograph, (48-165 Mc/s), 0=2076
Kier,P. See Kelber,C., 0=15614
Kierskowski,Z. See Benisz,J., 0=17165
Kiess,C.C.,Corliss,C.H. and Kiess,H.K. High-dispersion spectra of Jupiter, 0=14397
Kiess,C.C. and Thekaekara,M.P. Revised term values of Ti I, 0=13410
Kiess,H.K. See Kiess,C.C., 0=14397
Kihara,T.,Taylor,M.H. and Hirschfelder,J.O. Transport properties for gases assuming inverse power inter-molecular potentials, 0=16735
Kihlborg,L. Studies on molybdenum oxides, 0=18345
Kihlman,T. See Ingemansson,S., 0=19348
Kikoin,I.K.,Buryak,E.M. and Muromkin,Yu.A. Concerning the anomalously large Hall effect in the ferromagnetic alloy chromium—tellurium, 0=1620
Kikoin,I.K. See Alexandrov,I.P., 0=19960
Kikuchi,C. and Matarrese,L.M. Paramagnetic-resonance absorption of ions with spin $\frac{5}{2}$: Mn^{++} in calcite, 0=13871
Kikuchi,C. See Lambe,J., 0=536
Kikuchi,C. See Lambe,J., 0=10238
Kikuchi,C. See Lambe,J., 0=13872
Kikuchi,K. Deuteron production by nucleons bombarding atomic nuclei, 0=11398
Kikuchi,K. See Hu,C., 0=20453
Kikuchi,K. See Nakasima,R., 0=13229
Kikuchi,M. Visible light emission from metal—silicon contact, 0=20909
Kikuchi,M. and Iizima,S. Quenching effect of the photo-conductivity decay in CdS, 0=20932
Kikuchi,M. and Iizima,S. Avalanche electroluminescence in CdS single crystal, 0=21014
Kikuchi,R. A theory of superconductivity, 0=8944
Kikuchi,R. Irreversible cooperative phenomena, 0=12369
Kikuchi,R.,Denman,H.H. and Schreiber,C.L. Statistical mechanics of liquid He^4, 0=16934
Kikuchi,R. and Sato,H. Magnetic contribution to the anomalous γ-loop shear of Fe-Al alloys, 0=3009
Kikuchi,R. See Sato,H., 0=3014
Kikuchi,S. and Oishi,Y. The photographic action of beta-rays, 0=12733
Kikuchi,S. See Suwa,S., 0=19856
Kikuchi,T. See Block,M.M., 0=1372
Kikuchi,T. See Block,M.M., 0=17416
Kikuchi,Y.,Hirota,E. and Morino,Y. Second-order quadrupole effect in the microwave spectrum of propargyl bromide, 0=2744
Kildal,A. Electron oscillations in a magnetized plasma, 0=10920
Kilimov,A.P.Nagornaya,L.L. and Zadorozhnȳi,B.A. An attachment to an sf-4 spectrophotometer for recording luminescence spectra, 0=10762
Kilimov,A.P. See Shimanskaya,N.P., 0=10073
Kilkson,R. See Toth,R.S., 0=10284
Killeen,J.Gibson,G. and Colgate,S.A. Boundary-layer formation in the pinch, 0=10897
Killeen,J. and Lippmann,B.A. Circuit dynamics of the pinch, 0=16998
Kilpatrick,J.E. See Curl,R.F.,Jr, 0=5841
Kilpatrick,J.E. See Hammel,E.F., 0=8873
Kim,C.O.,Kernan,W.J. and York,C.M. Measurement of the gamma-ray spectrum from radiative muon decay, 0=20169
Kim,C.O. See Garwin,E., 0=1296
Kim,C.O. See York,C.M., 0=364
Kim,C.S. Experimental studies on the hypersonic flow past plane, convex and concave wedges, 0=19187
Kim,C.-S. See Tamaki,F., 0=19188
Kim,J.A. and Currie,B.W. Further observations of the horizontal movements of aurora, 0=18507
Kim Khi In. See Van Gan-Chan [Pang Kang-Chang], 0=15455
Kim Khi In. See Viryasov,N.M., 0=9364

Kim,P.H. and Sugawara,T. Low temperature anomaly in the proton resonance of some nickel salts, 0=535

Kim,W.K.,Hirai,N.,Ree,T. and Eyring,H. Theory of non-Newtonian flow. III. A method for analyzing non-Newtonian flow curves, 0=4988

Kim,Y.W.,Kaplan,R. and Bray,P.J. Electron-spin paramagnetic resonance studies of metallic lithium in neutron-irradiated LiF, 0=4511

Kimball,D.S. See Bless,R.C., 0=8403

Kimel,S. See Hirshfeld,M.A., 0=5927

Kimel,W.R.,Carey,W.E.,Prohammer,F.G. and Baldwin,G.C. Determination of time behavior of neutron density and of reactivity on the Argonaut Reactor, 0=15630

Kimmitt,M.F. Simple method for stopping a radiation chopper in a preferred position, 0=19419

Kimpara,A. Correlation of occurrence of whistlers with geomagnetic activities, 0=12209

Kimpara,A. See Uyeda,H., 0=16412

Kimura,H. and Tatsumoto,E. Temperature dependence of magnetoresistance coefficients in silicon-iron, 0=2841

Kimura,I. See Maeda,K., 0=8428

Kimura,I. See Shibata,T., 0=1516

Kimura,K. and Kimura,M. Application of least-squares method to density—intensity calibration in electron diffraction studies, 0=10791

Kimura,K. and Kubo,M. Application of least-squares method to gaseous benzene in electron diffraction investigation, 0=15782

Kimura,M. See Ishii,C., 0=9326

Kimura,M. See Kimura,K., 0=10791

Kimura,M. See Mutsuro,N., 0=20476

Kinase,W.,Kobayashi,J. and Yamada,N. Optical anisotropy of tetragonal barium titanate, 0=1720

Kincaid,W.M.,Blackwell,H.R. and Kristofferson,A.B. Neutral formulation of the effects of target size and shape upon visual detection, 0=2061

Kinchin,G.H. and Thompson,M.W. Irradiation damage and recovery in molybdenum and tungsten, 0=7906

Kind,A. See Diana,E., 0=11471

Kinderman,E.M. See Douglas,J.E., 0=4729

Kinell,P.O. A recording Raman spectrograph, 0=5161

King,A.J. See Jackson,R.S., 0=18235

King,A.R. See Frank,F.C., 0=17929

King,B.R. See Forstat,H., 0=1559

King,D.T. See Bugg,W.M., 0=13047

King,D.T. See Bugg,W.M., 0=15349

King,E. See Lee,J.A., 0=11657

King,G.A.M. A convenient method of getting representative ionospheric heights, 0=18484

King,G.A.M. The ionospheric E-layer at Cape Hallett, 0=18494

King,G.A.M. See Cummack,C.H., 0=4798

King,G.J.,Miller,B.S.,Carlson,F.F. and McMillan,R.C. Electron spin resonance of colloidal sodium in sodium azide, 0=8083

King,G.W. Flap-valve for long narrow appertures, 0=19235

King,H. and Katz,L. Fine structure in the $O^{16}(\gamma,n)O^{15}$ yield curve, 0=1435

King,I. The escape of stars from clusters. IV. The retardation of escaping stars, 0=12320

King,I. The escape of stars from clusters. V. The basic escape rate, 0=12321

King,I.R. Comparison of ionization and electronic excitation in flames, 0=212

King,J.C.,Wood,D.L. and Dodd,D.M. Infrared and low-temperature acoustic absorption in synthetic quartz, 0=11764

King,J.D.,Haslam,R.N.H. and McDonald,W.J. The gamma-neutron cross section for F^{19}, 0=17620

King,J.D.,Haslam,R.N.H. and Parsons,R.W. The gamma-neutron cross section for N^{14}, 0=2679

King,J.D. and McDonald,W.J. The $Mg^{24}(\gamma,n)Mg^{23}$ reaction, 0=20480

King,J.E. and Terhune,R.W. Operation of a zero field X-band maser, 0=3851

King,J.W. Ionospheric self-demodulation and self-distortion of radio waves, 0=5425

King,L.D.P. See Bidwell,R.M., 0=13370

King,N.M. and Walkinshaw,W. Spiral ridge cyclotron particle dynamics applied to conversion of the Harwell synchrocyclotron, 0=19852

King,R. The diffraction of electromagnetic waves, 0=5402

King,R. and Harrison,C.W. The half-wave cylindrical antenna in a dissipative medium: current and impedance, 0=12701

King,R.W.,Peaslee,D.C. and Perkins,J.F. Electron—neutrino and electron-antineutrino scattering, 0=7336

King,R.W. See Perkins,J.F., 0=13301

King,R.W.P. See Harrison,C.W.,Jr, 0=17112

King,W.G. See Vincent,C.H., 0=19864

King,W.G. See Vincent,C.H., 0=20005

King-Hele,D.G. Density of the upper atmosphere from analysis of satellite orbits: further results, 0=4787

King-Hele,D.G. Analysis of the orbits of the Russian satellites, 0=12339

King-Hele,D.G. Secular and periodic motions of the node of artificial earth-satellite, 0=14475

King-Hele,D.G. Evaluation of the second, fourth and sixth harmonics in the earth's gravitational potential, 0=16403

King-Hele,D.G. and Walker,D.M.C. Variation of upper atmosphere density with a latitude and season: further evidence from satellite orbits, 0=8372

King-Hele,D.G. and Walker,D.M.C. Density of the upper atmosphere and its dependence on the sun, as revealed by satellite orbits, 0=14201

Kingery,W.D. Regelation, surface diffusion, and ice sintering, 0=19508

Kingery,W.D. and Lepie,M.P. Solution-precipitation deformation under an applied stress, 0=10261

Kingery,W.D. See Oishi,Y., 0=13562

Kingery,W.D. See Oishi,Y., 0=15873

Kingman,J.F.C. Instability of a rotating liquid film with a free surface. Appendix, 0=19084

Kingsbury,E.P. Transmission dynamometers, 0=3489

Kingston,A.E.,Moiseiwitsch,B.L. and Skinner,B.G. The 1s—2s excitation of hydrogen atoms by proton impact, 0=20560

Kingston,A.E.,Moiseiwitsch,B.L. and Skinner,B.G. The 1s—2s excitation of hydrogen atoms by electron impact, 0=20561

Kington,G.L. See Frohnsdorff,G.J.C., 0=10376

Kinloch,C.D. and McMullen,A.I. Improved equipment for the measurement of interfacial potentials, 0=3713

Kinloch,C.D. and Waters,N.E. Extensometer for semi-rigid materials, 0=8584

Kinman,T.D. Globular clusters. I. The radial velocities of southern globular clusters, 0=18811

Kinman,T.D. Globular clusters. II. The spectral types of individual stars and of the integrated light, 0=18812

Kinman,T.D. Globular clusters. III. An analysis of the cluster radial velocities, 0=18813

Kinnear,R.W.N. See Dodd,J.N., 0=7701

Kinney,C.R. See Polansky,T.S., 0=14058

Kinney,J.A.S. See Sweeney,E.J., 0=3382

Kino,G.S. Parametric amplifier theory for plasmas and electron beams, 0=15139

Kino,T. Quench hardening in aluminium single crystal plates. I, 0=4570

Kino,T. and Fujiwara,T. Slip patterns on the stretched single crystal plates of aluminium, 0=3149

Kino,T. and Fujiwara,T. Recrystallization of the stretched aluminium single crystal plates, 0=4599

Kino,T. See Izui,K., 0=3152

Kino,T. See Sumizawa,M., 0=3209

Kinoshita,T. Possible resonances in weak interactions and test of the intermediate boson hypothesis of Tanikawa and Watanabe, 0=11085

Kinsey,K. See Barnes,S.W., 0=3986

Kinsey,K. See Barnes,S.W., 0=3987

Kinzer,E.T. and Carr,H. Strong-focusing ion source, 0=5361

Kiočki,S.D.,Mijatović,A.M. and Simić,J.M. Electron capture of Ba^{133} and excited states of Cs^{133}, 0=17540

Kiosse,G.A. See Goryunova,N.A., 0=9978

Kipling,J.J. See Gasser,C.G., 0=14149

Kippenhahn,R. and de Vries,H.L. Energy loss of a modulated ion beam in a plasma with a magnetic field, 0=15011

Kippenhahn,R. See Baker,N., 0=2086

Kippenhahn,R. See Biermann,L., 0=2078

Kippenhan,B.W. See Wajda,E.S., 0=18326

Kippenhan,B.W. See Glang,R., 0=18327

Kiracosyan,Z.A. See Kocharyan,N.M., 0=11246

Kirakosyan,Z.A. See Kocharyan,N.M., 0=7441

Kirby,C.G.M. See Dauphinee,T.M., 0=7004

Kirchenmayer,A. Approximation of the short time behaviour of reactors through less than six groups of delayed neutrons, 0=4150

Kirchenmayer,A. The simulation of the station flux distribution of a reactor by the analogue computer, 0=5834

Kircher,J.F.,McNulty,J.S.,McFarling,J.L. and Levy,A. Irradiation of gaseous and liquid oxygen, 0=18440

Kirchner,F. On the streaming in the high vacuum ("Knudsen's molecular streaming") under the influence of adsorption and absorption, 0=2186

Kirchner,F. and Wilhelmy,W. A new measurement of the gyromagnetic ratio of the proton, 0=20130

Kirenskii,L.V. and Savchenko,M.L. Configuration of the domains in ferromagnetic crystals, 0=13793

Kirenskii,L.V.,Savchenko,M.K. and Degtyarev,I.F. The practical magnetization of ferromagnetics, 0=1795

Kirenskii,L.V.,Savchenko,M.K. and Degtyarev,I.F. Magnetization process in ferromagnets, 0=10145

Kirenskii,L.V. and Veter,V.V. Measurement of the breadth of the boundary layer between domains in ferromagnetics, 0=1796

Kirenskii,L.V. and Veter,V.V. Measurement of width of the boundary layer in ferromagnetics using the magneto-optical Kerr effect, 0=3039

Kirianenko,A. See Adda,Y., 0=11644

Kirillov,A.D. See Viryasov,N.M., 0=9364

Kirillov,V.D. Energy lost to radiation in a gas discharge plasma, 0=15024

Kirillov,V.D. Energy loss by radiation in a gas-discharge plasma, 0=15025

Kirillov,V.D. See Bezbatchenko,A.L., 0=5312

Kirillov-Ugryumov,V.G.,Kotenko,L.P.,Kuznetsov,E.P. and Samoilov,A.V. Determination of mass and momentum of charged particles in a bubble chamber by means of multiple scattering measurements, 0=3942

Kirillov-Ugryumov,V.G.,Kotenko,L.P.,Kuznetsov,E.P. and Samoilov,A.V. Determination of the masses and momenta of charged particles from multiple scattering measurements in a propane bubble chamber, 0=20090

Kirillov-Ugryumov,V.G.,Kotenko,L.P.,Kuznetsov,E.P. and Sergeev,F.M. Elastic scattering of 5-22 MeV positive pions by carbon, 0=2688

Kirillov-Ugryumov,V.G.,Kotenko,L.P.,Kuznetsov,E.P., Sergeiev,F.M. and Grashin,A.F. Elastic scattering of 5-22 MeV π^+-mesons on carbon, 0=9693

Kirillov-Ugryumov,V.G. See Alikhanyan,A.I., 0=9696

Kirillova,L.F. See Barashenkov,V.S., 0=3966

Kirillova,L.F. See Barashenkov,V.S., 0=4088

Kirillova,L.F. See Bogachev,N.P., 0=11400

Kiritch,D.M. and Yovanovitch,D.K. On the parallelism between ionization and luminescence in crystals of salts of quinine and quinidine by hydration and dehydration, 0=6198

Kirk,A. See Dalton,A.W., 0=7577

Kirk,A. See Evans,W.H., 0=3897

Kirk,E.S. See Smith,M.J., 0=13606

Kirk,R.D. See Schulman,J.H., 0=9241

Kirk,R.E. Tuning preferences for piano unison groups, 0=135

Kirkaldy,J.S. The thermodynamic description of heterogeneous dissipative systems by variational methods. I. A formulation of the principle of minimum rate of entropy production with application to certain stationary heterogeneous convective systems, 0=19525

Kirkaldy,J.S. The thermodynamic description of heterogeneous dissipative systems by variational methods. II. A variational principle applicable to non-stationary (unconstrained) heterogeneous dissipative systems, 0=19526

Kirkham,D. Exact theory of flow into a partially penetrating well, 0=10634

Kirkman,J.R. and Chalmers,J.A. Point discharge from an isolated point, 0=1117

Kirko,I.M. and Filippov,M.V. Characteristics of a layer of ferromagnetic particles in suspension in a magnetic field, 0=21047

Kirkpatrick,A.W. See Thompson,M.C.,Jr, 0=12205

Kirkwood,J.G. Statistical mechanics of transport processes, 0=16647

Kirkwood,J.G.,Baldwin,R.L.,Dunlop,P.J.,Gosting,L.J. and Kegeles,G. Flow equations and frames of reference for isothermal diffusion in liquids, 0=19105

Kirkwood,J.G. and Fitts,D.D. Statistical mechanics of transport processes. XIV. Linear relations in multi-component systems, 0=18964

Kirkwood,J.G. See Helfand,J.G., 0=5014

Kirkwood,J.G. See Rice,A., 0=904

Kirkwood,J.G. See Stillinger,F.H.,Jr, 0=14628

Kirkwood,J.G. See Stillinger,F.H.,Jr, 0=19603

Kirkwood,J.G. See Stillinger,H.,Jr, 0=10605

Kirkwood,J.G. See Wojtowicz,P.J., 0=21233

Kirmser,P.G. and Wakabayashi,I. Triangulation — a precise method for satellite tracking, 0=2091

Kirochkin,Yu.A. See Sitenko,A.G., 0=15042

Kirpichnikov,I.V.,Okorokov,V.V. and Sukhoruchkin,S.I. Measurements on the effective number of secondary neutrons emitted by ^{239}Pu over the primary neutron energy range 7-30 eV, 0=7635

Kirschbaum,A.J. See Sparks,J.T., 0=11913

Kirschmer,I. On the irreversible thermodynamics of the volta-effect, 0=5249

Kirshnits,D.A. On a functional relation in quantum mechanics, 0=2497

Kirstein,P.T. Some solutions to the equations of steady space charge flow in magnetic fields, 0=9079

Kirstein,P.T. A paraxial formulation of the equations for space-charge flow in a magnetic field, 0=17045

Kirvalidze,I.D. On the influence of heat treatment on the photo-e.m.f. of cuprous oxide, 0=13633

Kirvalidze,I.D. The effect of pressure on the sign of photo-current through a contact of a metal point with a semi-conductor, 0=15992

Kirvalidze,I.D. and Chernyavskaya,S.G. The effect of heat treatment and ion bombardment on the properties of silicon point-contact diodes, 0=15973

Kirvalidze,I.D. and Zhukov,V.F. The possibility of producing ohmic contacts on silicon by the dry friction method, 0=1646

Kirvalidze,I.D. and Zhukov,V.F. The effect of heat treatments on the electrical properties of p-type silicon, 0=13603

Kir'yanova,L.A. See Pivovarov,V.M., 0=3619

Kirzhnits,D.A. The internal structure of super-dense stars, 0=8517

Kirzhnits,D.A. The energy of a compressed imperfect Fermi gas, 0=11122

Kirzhnits,D.A.,Fainberg,V.Ya. and Fradkin,E.S. Structure of the Green's function of a photon, 0=5529

Kirzhnits,D.A. See Vagradov,G.M., 0=20084

Kisaka,S.,Ikegami,S. and Sasaki,H. Dielectric properties of mixed crystals of barium—strontium titanate, 0=20957

Kisaka,S. See Shibata,T., 0=5365

Kiseda,J.R. See Seelbach,W.C., 0=9141

Kiselev,A.V. and Poshkus,D.P. A statistical thermodynamics calculation of the adsorption equilibrium of argon on graphite, 0=21296

Kiselev,K.A. and Lazarev,A.I. The temperature field in an infinite plate when the heat transfer coefficient and the temperature of the environment are variable, 0=16905

Kiselev,M.I. and Kolosnitsȳn,N.I. Calculations for inclined shock waves in magnetogasodynamics, 0=11033

Kiselev,V.F. See Ganichenko,L.G., 0=12114

Kiselev,V.S.,Oganesyan,K.O.,Poze,R.A. and Flyagin,V.B. New measurements of the spectrum of neutrons formed on bombardment of Be by 680 MeV protons, 0=2550

Kiseleva,M.S.,Neporent,B.S. and Fursenkov,V.A. Spectral determination of the humidity of air in the upper layers of the upper layers of the atmosphere, 0=4789

Kiser,R.W. Maze counters with borosilicate shells, 0=3879

Kiser,R.W. Characteristic parameters of gas-tube proportional counters. I. Methane, methane—argon and ethanol—argon counters, 0=12722

Kiser,R.W. Estimation of the ionization potential and dissociation energy of molecular astatine, 0=19607

Kishimoto,T. Ultrasonic absorption in bones, 0=16791

Kishko,S.M. Photoelectric determination of the excitation functions of the negative-band system of N_2^+, 0=15725

Kishko,S.M. and Kuchinka,M.Yu. Excitation functions of certain bands of the second positive system of N_2, 0=1521

Kishko,S.M. See Zapesochnȳi,I.P., 0=15703

Kisiel,A. and Niewodniczański,H. A high luminosity quartz spectrograph for the far ultra-violet region λ2300—1850Å. U, 0=14822

Kisliuk,P. Calorimetric heat of adsorption — nitrogen on tungsten, 0=3328

Kislovskii,L.D. Optical properties of water and ice in the infrared and radiowave regions of the spectrum, 0=8665

Kislȳi,P.S. and Samsonov,G.V. Diffusion of boron in graphite, 0=20841

Kiss,A.E. and Patla,N. Measurement of the quantum efficiency of a proportional counter using X-rays, 0=5439

Kiss,D. See Janossy,L., 0=5579

Kiss,I. See Pál,L., 0=5825

Kiss,Z.J. and Welsh,H.L. The pressure-induced rotational absorption spectrum of hydrogen. II. Analysis of the absorption profiles, 0=1495
Kiss,Z.J. See Van Kranendonk,J., 0=494
Kisslinger,C. Observations of the development of Rayleigh-type waves in the vicinity of small explosions, 0=10382
Kisslinger,L.S. and Sorensen,R.A. Pairing plus long range force for single closed shell nuclei, 0=17458
Kistemaker,J. On ion mirrors and rotating plasmas, 0=259
Kistemaker,J. See Heymann,D., 0=8696
Kistemaker,J. See Sluyters,T.J.M., 0=10880
Kistiakowsky,G.B. See Bayes,K.D., 0=7758
Kistner,O.C. and Sunyar,A.W. Evidence for quadrupole interaction of Fe^{57m}, and influence of chemical binding on nuclear gamm-ray energy, 0=11561
Kita,H. Some considerations on a nonlinear field theory, 0=12847
Kita,H. An attempt of a nonlinear field theory, 0=15236
Kita,H. and Predazzi,E. On the μ-meson mass, 0=20175
Kitaeva,V.F. See Alyamovskii,V.N., 0=15659
Kitaeva,V.F. See Sobolev,N.N., 0=973
Kitaeva,V.F. See Sobolev,N.N., 0=8853
Kitagawa,N. and Brook,M. A comparison of intracloud and cloud-to-ground lightning discharges, 0=14305
Kitagawa,N. See Brook,M., 0=14306
Kitagawa,N. See Brook,M., 0=16487
Kitagawa,N. See Workman,E.J., 0=14309
Kitaigorodskii,A.I. Gas-crystalline state of matter in polymers, 0=1916
Kitaigorodskii,A.I. The impossibility of distributing centro-symmetric molecules in noncentrosymmetric groups, 0=13923
Kitaigorodskii,A.I. and Fedin,É.I. Change of intensity of nuclear quadrupole resonance in a molecular crystal irradiated with fast electrons, 0=21088
Kitaigorodskii,A.I. and Tsvankin,D.Ya. One-dimensional X-ray diffraction in the X-ray patterns of polymers, 0=16298
Kitaigorodskii,A.I. See Belov,N.V., 0=18286
Kitamura,M. On the cosmic ray storms due to the solar corpuscular streams, 0=11251
Kitamura,M. On the unusual increase of cosmic-ray intensity on February 23, 1956, 0=15481
Kitamura,M. and Kodama,M. Time variation of the energy spectrum of cosmic ray particles during the Forbush-type decrease, 0=11255
Kitamura,T. Search for the "anomalous" scattering of mu-mesons (on the apparatus using a delayed coincidence method), 0=20177
Kitamura,T. See Fukui,S., 0=13012
Kitao,K. See Terashima,Y., 0=13075
Kittaka,S. and Kasai,A. Contact charging of irradiated polyethylene, 0=10860
Kittel,C. Theory of ferromagnetic resonance in rare earth garnets. I. g values, 0=1820
Kittel,C. Spin waves, 0=2977
Kittel,C. Theory of ferromagnetic resonance in rare earth garnets. III. Giant anisotropy anomalies, 0=6252
Kittel,C. Proposal for a method of nuclear magnetic cooling utilizing electron spin resonance, 0=8965
Kittel,C. Microwave resonance in rare earth iron garnets, 0=10209
Kittel,C. Magnons and their interactions with phonons and photons, 0=13725
Kittel,C. Model of exchange-inversion magnetization, 0=18206
Kittel,C. and Van Vleck,J.H. Theory of the temperature dependence of the magnetoelastic constants of cubic crystals, 0=10162
Kittel,C. See De Gennes,P.G., 0=1821
Kittel,C. See Sparks,M., 0=10200
Kittel,J.H.,Greenberg,S.,Paine,S.H. and Draley,J.E. Effects of irradiation on some corrosion-resistant fuel alloys, 0=12084
Kittel,J.H.,Novick,M. and Buchanan,R.F. The EBR-I meltdown — physical and metallurgical changes in the core, 0=13380
Kittel,J.H. and Paine,S.H. Effects of high burnup on natural uranium, 0=14044
Kittinger,G.W. See Jackson,F.L., 0=20369
Kivel,B. Elastic scattering of low-energy electrons by argon, 0=2725
Kivel,B. Electron scattering by noble gases in the limit of zero energy, 0=2726
Kivel,B. Uncertainty principle and relativity, 0=10555
Kivelson,D. Theory of e.s.r. linewidths of free radicals, 0=20663
Kivelson,D.,Wilson,E.B.,Jr and Lide,D.R.,Jr. Microwave spectrum, structure, dipole moment, and nuclear quadrupole effects in vinyl chloride, 0=4236
Kizel',V.A. and Rubinov,V.M. Optical properties of concentrated solutions and melts. I, 0=3529
Kjelberg,A.,Taniguchi,H. and Yaffe,L. Gamma radiation in the decay of Ag^{113}, 0=13205
Kjellman,J. and Johansson,B. On the adaptation of an intermediate-image β-spectrometer to pair spectroscopy, 0=5676
Kjellman,J. See Malmfors,K.G., 0=17349
Klaassen,F.M. and Blok,J. Current fluctuations in PbS cells, 0=7964
Klaboe,P. and Nielsen,J.R. Infrared and Raman spectra of fluorinated ethanes. XII. 1, 1, 2, 2-tetrafluorethane, 0=5938
Kladnitskaya,E.N. See Van Gan-Chan, 0=9415
Kladnitskaya,E.N. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358
Kladnitskaya,E.N. See Van Gan-Chan [Pang Kang-Chang], 0=15455
Kladnitskii,V.S. The transit-time factor for proton linear accelerator, 0=19827
Klages,G. and Roth,D. The principal dispersion region in the long chain aliphatic alcohols in the liquid state, 0=2171
Klages,G. See Hufnagel,F., 0=10664
Klahr,C. Limitations of multigroup calculations, 0=12966
Klahr,C.N. Calculations of neutron distributions by the methods of stochastic processes, 0=12981
Klaiber,B. See Winzeler,H., 0=15346
Klarsfeld,S. See Eftimiu,C., 0=20014
Klaudy,P. A cooled, metallic conductor carrying current of high density and used according to the "Prinzip des Leiterersatzes" for the production of strong magnetic fields, 0=15110
Klebe,J. Investigation of the effects of errors in thicknesses and separations on the Gaussian properties of an optical system, 0=1027
Klebe,J. The effect of curvature variations of an arbitrary optical system on its fundamental parameters, 0=3606
Kleber,E.V. See Vickery,R.C., 0=11824
Kleczek,J. and Křivský,L. Solar limb surges accompanied by X-ray emission, 0=16542
Kleczek,J. See Hladý,J., 0=20288
Kleesattel,C. Approximation formulae for some commonly occurring combinations of acoustic conduits, 0=5078
Kleiman,Ya.Z. Certain cases of motion of two-component mixtures, 0=6752
Klein,A. Many-particle approach to the one-electron problem in insulators, and semiconductors, 0=1546
Klein,A. Mandelstam representation for potential scattering, 0=5500
Klein,A. On the concept of potential in quantum field theory, 0=12865
Klein,A. Linked cluster expansion applicable to nonspherical situations, 0=14527
Klein,A. and Lee,B.W. A novel dispersion relation for potential scattering, 0=2495
Klein,A. and McCormick,B.H. Derivation of the two nucleon potential, 0=17321
Klein,A. See Aaron,R., 0=16631
Klein,A. See Fivel,D.I., 0=17253
Klein,A. See Pearlstein,L.D., 0=9443
Klein,C.A. and Straub,W.D. A semiconductor device for fast- and slow-neutron dosimetry, 0=2551
Klein,C.A. See Rupprecht,G., 0=1656
Klein,D.,Baer,W. and Smith,G.G. Spatial distribution of U^{238} resonance neutron capture in uranium metal rods, 0=13275
Klein,D.,Kranz,A.Z.,Smith,G.G.,Baer,W. and DeJuren,J. Measurements of thermal utilization, resonance escape probability, and fast effect in water-moderated, slightly enriched uranium and uranium oxide lattices, 0=13339
Klein,D. See Volpe,J.J., 0=13344
Klein,E. and Matejec,R. Formation and growth of silver nuclei in silver halide micro-crystals, 0=3663
Klein,E. and Matejec,R. Experiments on the influence of structural surface defects on the developability and light sensitivity of silver halide single crystals, 0=4292
Klein,E. See Becker,K., 0=19978
Klein,M.J. The laws of thermodynamics, 0=16641
Klein,M.J. The principle of minimum entropy production, 0=16646

Klein,M.J. and Mountain,R.D. Thermal expansion coefficient of solid He^3, 0=19546
Klein,M.J. See Glass,S.J., 0=7015
Klein,M.M. and Brueckner,K.A. Plasma propulsion by a rapidly varying magnetic field, 0=15034
Klein,M.P. and Waugh,J.S. Cd^{111}-Cd^{113} nuclear moment ratio and hyperfine anomaly, 0=2621
Klein,O. On the systematics of elementary particles, 0=5604
Klein,P.R.,Cindro,N.,Swenson,L.W. and Wall,N.S. $Li^7(\alpha,p)Be^{10}$ and $Li^6(\alpha,p)Be^9$ reactions at 30 MeV, 0=11426
Klein,R. Adsorption, diffusion and evaporation of carbon monoxide on tungsten, 0=3325
Klein,R. and Hörl,E.M. Isotope exchange processes in solid nitrogen under electron bombardment, 0=6400
Klein,R. See Belna,R., 0=2412
Klein,R. See McNesby,J.R., 0=14114
Klein,S. Continuous electric current obtained by means of a jet of ionized vapour, 0=19671
Kleinman,D.A. Anharmonic forces in the GaP crystal, 0=10043
Kleinman,D.A. and Spitzer,W.G. Infrared lattice absorption of GaP, 0=10042
Kleinman,D.A. See Collins,R.J., 0=11767
Kleinman,L. and Phillips,J.C. Crystal potential and energy bands of semiconductors. I. Self-consistent calculations for diamond, 0=1629
Kleinman,L. and Phillips,J.C. Crystal potential and energy bands of semiconductors. II. Self-consistent calculations for cubic boron nitride, 0=4354
Kleinman,L. and Phillips,J.C. Crystal potential and energy bands of semiconductors. III. Self-consistent calculations for silicon, 0=9970
Kleinman,L. See Phillips,J.C., 0=1538
Kleinpaul,W. The real effect of thermal effusion, 0=960
Kleint,C. and Fischer,R. Field emission from silicon and tellurium single crystals, 0=1145
Kleint,C. and Gasse,H.J. Shot and flicker noise associated with cold electron emission, 0=7131
Kleint,C. and Kreher,K. The measurement of the potential distribution along a solid body by means of an electron beam probe, 0=7042
Kleint,C. See Bertoldi,W., 0=261
Kleint,C. See Syrbe,G., 0=2898
Kleitman,D. On the parity of K—Baryon vertices, 0=5523
Klemas,V. See Bomke,H.A., 0=8369
Klemens,P.G. Deviations from Matthessen's rule and lattice thermal conductivity of alloys, 0=6019
Klemens,P.G. Thermal resistance due to point defects at high temperatures, 0=13499
Klemens,P.G. Thermal expansion of aluminum at low temperatures, 0=17902
Klemens,P.G.,Tainsh,R.J. and White,G.K. Influence of cold work on the resistivity of dilute copper alloys, 0=9934
Klemens,P.G. See Birch,J.A., 0=6025
Klemens,P.G. See Kemp,W.R.G., 0=2797
Klemens,P.G. See Kemp,W.R.G., 0=9900
Klemens,P.G. See Kemp,W.R.G., 0=21131
Klement,W.,Jr. See Duwez,P., 0=14077
Klement,W.,Jr. See Duwez,P., 0=14078
Klement,W.,Jr. See Duwez,P., 0=18402
Klement'ev,V.N. See Berlovich,É.E., 0=9586
Klemm,A. Phenomena involved in the the transport properties of pure fused salts, 0=8658
Klemm,A. See Fischer,W., 0=4161
Klemm,A. See Knof,H., 0=5269
Klemperer,D.F. See Anderson,J.S., 0=6130
Klemperer,D.F. See Anderson,J.S., 0=19720
Klemperer,W.,Norris,W.G.,Büchler,A. and Emslie,A.G. Infrared spectra of lithium halide monomers, 0=20620
Klemperer,W. See James,T.C., 0=5935
Klemperer,W. See Wharton,L., 0=20691
Klenin,S.I. See Tavetkov,V.N., 0=10654
Klenin,S.I. See Tsvetkov,V.N., 0=14636
Klenine,S.,Benoit,H. and Daune.M. Diffusion and sedimentation of macromolecular chains in solvent θ, 0=12111
Klepikov,N.P. Minimal error in the experimental observation of asymmetry, 0=17210
Klepp,H.B. See Batson,A.P., 0=9356
Kleppner,D. See Goldenberg,H.M., 0=19921
Kleshchevnikova,S.I. See Pokrovskii,Ya.E., 0=819
Klestov,R.A. See Suetin,P.E., 0=8697
Klevtsova,M.P. See Kuznetsov,V.A., 0=10355
Klevtsova,R.F. See Belov,N.V., 0=16249
Klevtsova,R.F. See Belov,N.V., 0=18287
Kley,W. See Hughes,D.J., 0=80
Kley,W. See Hughes,D.J., 0=14649
Klick,C.C. Mechanism for coloration of alkali halides at low temperatures, 0=17963
Klick,C.C. See Lambe,J., 0=20914
Klick,C.C. See Rabin,H., 0=6052
Klick,C.C. See Rosenstock,H.B., 0=13486
Klíma,R. The damping of phase oscillations in a weak-focusing synchrotron, 0=12661
Klimentov,V.B. and Griazev,V.M. Some neutron resonance-absorption integrals, 0=9666
Klimentovskaya,M.V. and Chandra,G. Measurement of angular correlation of γ-cascades 298-880 keV and 298-966 keV in DY^{160}, 0=11377
Klimentovskaya,M.V. and Shavrin,P.I. An investigation of the excited states of Re^{187}, 0=11384
Klimin,A.I. See Zubenko,Yu.V., 0=9066
Klimishin,I.A. See Kaplan,S.A., 0=18856
Klimishin,I.A. See Kaplan,S.A., 0=19448
Klimontovich,Yu.L. On a possible statistical description of systems of particles interacting with the field, 0=2521
Klimontovich,Yu.L. Relativistic transport equations for a plasma, 0=9031
Klimontovich,Yu.L. Charged particle energy losses due to excitation of plasma oscillations, 0=10923
Klimontovich,Yu.L. Relativistic kinetic equation for a plasma. II, 0=12614
Klimowski,J. and Pietrzak,J. Effect of hydrostatic pressure on the dielectric properties of $BaTiO_3$, 0=18103
Klimusheva,G.V. See Grum-Grzhimailo,S.V., 0=16061
Kline,D.E. and Jacobs,A. Calculation of the rate of energy deposition in polyethylene by reactor radiation, 0=20531
Kline,D.E. See Saxton,J.H., 0=19389
Kline,J.V. The case of the counting balls, 0=3475
Kline,M.R. See Waber,J.T., 0=13328
Klingelhöfer,R. See Becker,E.W., 0=20709
Klinger,M.I. A statistical theory of the electrical conductivity of semiconductors. I, 0=571
Klinger,M.I. On the statistical theory of kinetic phenomena. II, 0=8561
Klinger,M.I. The statistical theory of the electrical conductivity of semiconductors. III, 0=11673
Klinger,M.I. A statistical theory of the kinetic coefficients of a crystal with a strongly degenerate electron gas, 0=15829
Klinger,M.I. The theory of piezoresistance in Bi_2Te_3, 0=17989
Klinger,O.E. See Kauer,E., 0=4321
Klinker,L.,Schmelovsky,K.H. and Knuth,R. Annual variation of mean electron concentration between 400 and 1200 km, 0=12147
Klintsov,Yu.S. See Lebedev,P.P., 0=20486
Klipsch,P.W. Discussion on "listener reaction to stereophonic reproduction by reflected sound", 0=19744
Kloppenburg,E. See Schüler,H., 0=10891
Klose,W. The p—n junction in a thermal gradient, 0=15899
Klotsman,S.M. See Arkharov,V.I., 0=4303
Klotz,A.H. Gravitation and electromagnetism, 0=880
Klotzman,S.M. See Arkharov,V.I., 0=11647
Klüber,O. See Durant,J., 0=19876
Klug,A. A reply to some comments by Karle and Hauptman, 0=6352
Kluyver,J.C. See Harting,D., 0=368
Kluyver,J.C. See Harting,D., 0=15419
Klyachkin,V.I. The theory of ferroelectrics and anti-ferroelectrics, 0=10014
Klyachkin,V.I. Contribution to the theory of phase transitions in molecular crystals, 0=15803
Klyakotko,M.A. The structure of the velocity field of motions in latitude of non-recurring sunspots, 0=8498
Klyakotko,M.A. The significance of the correlation coefficients of the velocities of latitude displacement of non-recurrent sunspots for several years, 0=18735
Klyarfel'd,B.N. and Neretina,N.A. The anode region in a low-pressure gas discharge. III. The appearance of additional plasmas on the anode (anode spots), 0=16984
Klyarfel'd,B.N. See Neretina,N.A., 0=9037
Klyavin,O.V. Mechanical properties of solids at 4.2°K and below. V. The effect of preliminary plastic deformation on the mechanical properties of aluminium, copper and nickel, 0=21122

Klyavin,O.V. and Stepanov,A.V. Investigation of the mechanical properties of solid bodies, especially metals, at temperatures of 4.2°K absolute and below. II. Testing of macrocrystalline aluminium (99.996%) and ultra-strong aluminium alloy V-95 in rupture, 0=1867
Klyavin,O.V. and Stepanov,A.V. Investigation of the mechanical properties of metals at liquid helium temperatures, 0=6293
Klyavin,O.V. and Stepanov,A.V. Study of the mechanical properties of solids, particularly metals, at temperatures below 4.2°K. I. Tensile tests on polycrystalline aluminium (99.3% purity), 0=13915
Klyavin,O.V. and Stepanov,A.V. Investigation of the mechanical properties of solids, especially metals, at temperatures of 4.2°K and below. IV. The mechanical properties of copper, nickel, lead, cadmium, α-brass, and plexiglas at tempertures of 4.2°K and below, 0=18241
Klyucharev,A.P. and Rutkevich,N.Ya. Elastic scattering of protons by isotopes of chromium at energy 5.40 MeV, 0=7556
Klyucharev,A.P. See Rutkevich,I.Ya., 0=7563
Klyucharev,A.P. See Val'ter,A.K., 0=20431
Klyucharev,A.P. See Val'ter,A.K., 0=20450
Klyukin,I.I. The effect of a vibrometer on the motion of an oscillating surface, 0=117
Klyushin,V.V. Influence of neutron irradiation of the magnetization curves of iron silicide single crystals, 0=13777
Kmetko,E.A. Anomalous thermionic emission of some borides and carbides of rare earth and transition elements, 0=2377
Knaap,H.F.P. See Beenakker,J.J.M., 0=8706
Knaap,H.F.P. See Coremans,J.M.J., 0=8703
Knaap,H.F.P. See Coremans,J.M.J., 0=8705
Knaap,H.F.P. See Knobler,C.M., 0=10692
Knable,N. See Hicks,B.L., 0=12700
Knapecz,G. On the conservation laws of the general relativistic Lagrange formalism, 0=14503
Knapecz,G. Remarks on the canonical energy-pseudo-tensors of general covariant wavefield theory, 0=20013
Knapp,E.A. See Perkins,W.A., 0=9426
Knapp,V. and Sood,B.S. Polarization of resonantly scattered γ-rays, 0=451
Knappe,W. See Hellwege,K.H., 0=2276
Knappwost,A. The particle size dependence of the magnetization of superparamagnetic cobalt precipitates in Cu—Co alloys, 0=3016
Knecht,D.J. See Michael,I., 0=2405
Knecht,R.W. Observations of the ionosphere over the south geographic pole, 0=10414
Knecht,R.W. Possibility of detecting ionospheric drifts from occurrence of spread F echoes at low latitudes, 0=21363
Knechtli,R.C. and Weglein,R.D. Diode capacitors for parametric amplification, 0=13625
Knechtli,R.C. See Dow,D.G., 0=5322
Kneser,H.O. See Bauer,H.J., 0=20598
Kneubühl,F.K. Line shapes of electron paramagnetic resonance signals produced by powders, glasses, and viscous liquids, 0=21219
Knewstubb,P.F. and Sugden,T.M. Mass-spectrometric studies of ionization in flames. I. The spectrometer and its application to ionization in hydrogen flames, 0=19616
Knežević,Ž.V. See Ribnikar,S.V., 0=20573
Knibbs,R.H. See Mason,I.B., 0=21095
Knight,J.D. See Bunker,M.E., 0=1380
Knight,J.J. and Coles,R.R.A. Determination of the hearing thresholds of naval recruits in terms of British and American standards, 0=14336
Knight,K.V. Range equation for active devices, 0=8843
Knight,R.D. Equipment for the encapsulation of semiconductor devices, 0=9984
Knight,R.D. Production of islands and dice in semi-conductor slices with an ultrasonic drill, 0=14362
Knight,R.D. See Jennings,V.J., 0=4724
Knight,W.D.,Berger,A.G. and Heine,V. Nuclear resonance in solid and liquid metals: a comparison of electronic structures, 0=4530
Knight,W.D. See Hammond,R.H., 0=19562
Knipe,W.W. See Stokes,C.S., 0=2371
Knippenberg,W.F. See Greebe,C.A.A.J., 0=15960
Knipper,A. See Gorodetsky,S., 0=15540
Knipper,A. See Gorodetzky,S., 0=17557
Knittl,Z. A note on the divergence of a series for multiple beam interference in a thin metallic film, 0=2245
Knittl,Z. On the energy balance in the optics of metals, 0=5132
Knobler,C.M.,Beenakker,J.J.M. and Knaap,H.F.P. The second virial coefficient of gaseous mixtures at 90°K, 0=10692
Knoepfel,H.,Scherrer,P. and Stoll,P. Measurement of some (n,γ) spectra with a pair spectrometer of high sensitivity, 0=459
Knof,H. and Klemm,A. The temperature dependence of the electro-osmosis of mercury, 0=5269
Knoll,H.A. Research tilting haploscope, 0=816
Knook,B. The electrical resistance and the magnetoresistance of dilute alloys of gold with rhodium, palladium and molybdenum and of silver with palladium at low temperatures, 0=9942
Knop,L. and Kristan,J. A contribution to the study of the change in isotope contents after some transformation processes in normal water, 0=17680
Knop,L. and Stern,F. Isotope enrichment by the slow evaporation of water, 0=17681
Knopoff,L. Velocity of sound in two-component systems, 0=8737
Knopoff,L.,Gilbert,F. and Pilant,W.L. Wave propagation in a medium with a single layer, 0=12126
Knopoff,L. and MacDonald,G.J.F. An equation of state for the core of the earth, 0=8353
Knopoff,L. and MacDonald,G.J.F. Models for acoustic loss in solids, 0=16758
Knott,R.F.,Anderson,R.N.,Acrivos,A. and Petersen,E.E. An experimental study of heat transfer to nitrogen—oil mixtures, 0=5201
Knowles,C.H. See Lagemann,R.T., 0=3524
Knowles,J.E. Some observations of bitter patterns on polycrystalline "square loop" ferrites, and a theoretical explanation of the loop shape and pulse characteristics of the material, 0=13823
Knowles,J.K. Large amplitude oscillations of a tube of incompressible elastic material, 0=14712
Knox,K. See Shulman,R.G., 0=11955
Knox,K. See Shulman,R.G., 0=18227
Knox,R.S. Configuration interaction in alkali halide phosphors, 0=1758
Knox,R.S. and Inchauspé,N. Exciton states in ionic crystals, 0=2810
Knox,R.S. See Burnham,D.C., 0=15994
Knox,W.J. See Anderson,C.E., 0=4104
Knox,W.J. See Quinton,A.R., 0=664
Knox,W.J. See Quinton,A.R., 0=17636
Knudsen,A.W. See Hahn,B., 0=15199
Knudsen,E. See Norinder,H., 0=16479
Knudsen,E. See Norinder,H., 0=16480
Knuth,R. See Klinker,L., 0=12147
Koba,Z. Note on models of multiple meson production at extremely high energy, 0=7396
Koba,Z. Hypothetical velocity measurements of a Dirac particle, 0=11096
Koba,Z. Antinucleon annihilation and multiplicity of emitted pions, 0=15344
Koba,Z.,Krzywicki,A.,Rączka,R. and Chyliński,Z. Elastic scattering of nucleons and pions at very high energy, 0=17322
Koba,Z.,Krzywicki,A.,Rączka,R. and Chyliński,Z. Elastic scattering of nucleons and pions at very high energy, 0=17323
Koba,Z. and Takeda,G. Antinucleon—nucleon interactions, 0=11156
Kobak,J. and Loveridge,D.J. Single tube sedimentation apparatus for the measurement of particle size distribution, 0=14139
Kobayakawa,K. See Imamura,T., 0=17406
Kobayakawa,K. See Kakudo,Y., 0=13059
Kobayakawa,K. See Yajima,N., 0=11162
Kobayashi,H. Low background end-window Geiger—Müller counter, 0=19964
Kobayashi,H. See Haseda,T., 0=21028
Kobayashi,J. See Kinase,W., 0=1720
Kobayashi,K. Chemical remanent magnetization of ferromagnetic minerals and its application to rock magnetism, 0=1791
Kobayashi,S. Thomas—Fermi model of positive ion, 0=19608
Kobayashi,S. Thomas—Fermi model of compressed positive ion, 0=20534

Kobayashi,S. An application of the FA-modified TF model to the singly ionized negative ion, 0=20559
Kobayashi,S. See Hu,C., 0=20453
Kobayashi,T. Pion production in nucleon—nucleon collisions in BeV range, 0=13040
Kobayashi,T.,Osada,J. and Tani,S. On the effective coupling strength in the static pion theory, 0=11105
Kobayashi,T. See Ito,D., 0=11205
Kobayasi,K. See Uchiyama,F., 0=7194
Kobayasi,M. See Ikeda,K., 0=15504
Kobayasi,M. See Ikeda,K., 0=20314
Kobelev,V.V. and Nadashkevich,I.I. On the question of the arbitrary cyclic magnetization of Mn—Mg and Ni—Zn ferrites, 0=6242
Kobrynski,M. The structure of the sound field of turbojets, 0=6893
Kobsarev,I.Yu. See Grashin,A.F., 0=17325
Kobuke,Y. See Uehara,Y., 0=2954
Kobuke,Y. See Uehara,Y., 0=4445
Kobyakov,I.B. See Koptsik,V.A., 0=634
Kobzarev,I.Yu. and Okun',L.B. On the signs of the constants of the strong interaction, 0=20092
Kobzarev,I.Yu.,Okun',L.B. and Rudik,A.P. A note on the decay of the cascade hyperon, 0=20238
Kobzarev,I.Yu. See Grashin,A.F., 0=12921
Kobzarev,I.Yu. See Krestnikov,Yu.S., 0=11192
Koch,A.J.J.,Hokkeling,P.,v.d.Steeg,M.G. and de Vos,K.J. New material for permanent magnets on a base of Mn and Al, 0=10135
Koch,C.v. See v.Koch,C.
Koch,F.B. See Chen,W.K., 0=19870
Koch,H.W. and Motz,J.W. Bremsstrahlung cross-section formulas and related data, 0=346
Koch,H.W. See Wyckoff,J.M., 0=7328
Koch,L. New neutron detector using fission in flowing gases, 0=7384
Koch,L. Scintillation in noble gases and their mixtures, 0=19160
Koch,L.,Koechlin,Y.,Mougin,B. and Treguer,L. New studies of the physical properties of organic and mineral scintillators, 0=17151
Koch,L. and Lesueur,R. Some results on gas scintillators and their condensed states, 0=9234
Koch,L.,Messier,J. and Kerns,Q. Measurement of the coefficient of charge collection in p—n junction particle detectors: new method of measuring life times, 0=20886
Koch,L. See Bomal,R., 0=17156
Koch,R.H. Three-color photometry of AO Cassiopeiae, 0=12310
Koch,R.H. Photoelectric photometry of AS Eridani, 0=12311
Koch,R.H. Photometry of R Canis Majoris, 0=14441
Koch,R.H. Photoelectric light curves of XY Leonis, 0=18804
Koch,W.,Eisenberg,Y.,Nikolic,M.,Schneeberger,M. and Winzeler,H. Interactions of K$^-$-mesons at rest in nuclear emulsions. VI. The single nucleon capture mode, 0=17414
Koch,W.,Nikolic,M.,Schneeberger,M. and Winzeler,H. Decay mode and lifetime of Σ^+ in emulsions and some remarks about the $\Sigma^{\pm}$-lifetime, 0=5612
Koch,W. See Dyer,J., 0=5562
Koch,W. See Nikolič,M., 0=9427
Koch,W. See Nikolič,M., 0=17413
Koch,W. See Winzeler,H., 0=15346
Kochanova,L.A.,Shchukin,E.D.,Likhtman,V.I. and Rebinder,P.A. The origin and development of cracks in deformed crystals, 0=16239
Kochanova,L.A. See Bryukhanova,L.S., 0=6316
Kochanovská,A. A study of the influence of the asymmetry of the Kα_1 X-ray emission line of cobalt and copper on accurate measurements of lattice parameters, 0=3201
Kochanovská,A. The influence of the spectral asymmetry of X-ray emission lines on the results of studying defects in crystals by X-rays of different wavelength, 0=3202
Kocharov,G.E. See Komar,A.P., 0=20379
Kocharyan,N.M.,Kirakosyan,Z.A.,Sharoyan,E.G. and Pykalov,A.V. Polarization of cosmic-ray μ^+-mesons in the high-energy region, 0=7441
Kocharyan,N.M.Saakyan,G.S. and Kiracosvan,Z.A. Energy spectrum of cosmic radiation protons, 0=11246
Kochelaev,B.I. Contribution to the theory of spin—lattice relaxation of nuclear spins in ionic crystals, 0=10244
Kochelaev,B.I. Effect of crystal defects on the spin—lattice relaxation, 0=16157
Kochelaev,B.I. The theory of spin—lattice relaxation of paramagnetic ions in XY. complexes, 0=16158
Kochemirovskii,A.S. See Zhmÿreva,I.A., 0=15739
Kocher,C.W.,Mitchell,A.C.G.,Creager,C.B. and Nainan,T.D. Disintegration of Te^{119}, 0=20389
Kocher,C.W. See Creager,C.B., 0=4057
Kocherov,N.P. See Darovskikh,V.F., 0=9623
Kociński,J. On the influence of the demagnetizing field on domain structure, 0=13790
Kociński,J. Domain structure of nickel and iron crystals, 0=13798
Kock,W.E. The Mössbauer radiation, 0=13130
Kockel,B. Theoretical calculations on light atoms and molecules using the variation method, 0=5870
Koda,S. See Watanabe,R., 0=1940
Kodama,M. The 27-day recurrence of cosmic-ray intensity at the minimum solar activity, 0=11259
Kodama,M. The world-wide distribution of cosmic-ray neutron intensity at sea level, 0=11262
Kodama,M. 27-day recurrence of cosmic-ray intensity at the minimum solar activity, 0=15486
Kodama,M. Cosmic rays at sea level and the earth's magnetic field, 0=20302
Kodama,M.,Kondo,I.,Murakami,K.,Miyazaki,Y.,Wada,M.,Ishii,C., Suda,T.,Sekido,T. and Yagi,T. On the unusual increase of cosmic-ray intensity of February 23, 1956, 0=15494
Kodama,M. and Miyazaki,Y. Geomagnetic latitude effect of the cosmic-ray nucleon and meson components at sea level from Japan to the Antarctic, 0=15489
Kodama,M. and Wada,M. Intensity minimum in cosmic-ray neutrons during The International Geophysical Year, 0=20282
Kodama,M. See Fukishima,S., 0=20301
Kodama,M. See Kitamura,M., 0=11255
Koechlin,M. See Freymann,R., 0=505
Koechlin,Y. Measurement of the speed of response of the L.E.P. type 204 photomultiplier, 0=19724
Koechlin,Y. See Koch,L., 0=17151
Koedam,M. Sputtering of copper single crystals bombarded with monoenergetic ions of low energy (50-350 eV), 0=19810
Koehler,A.M. See Calame,G., 0=19853
Koehler,D.R. and Alford,W.L. Excitation function for Zn^{64}(n, 2n)Zn^{63}, 0=13288
Koehler,J.S. and deWit,G. Influence of elastic anisotropy on the dislocation contribution to the elastic constants, 0=3154
Koehler,J.S. See deWit,G., 0=3153
Koehler,J.S. See Doyama,M., 0=13549
Koehler,W.C.,Wilkinson,M.K.,Cable,J.W. and Wollan,E.O. Single crystal neutron diffraction studies of antiferromagnets at low temperatures in applied magnetic fields, 0=13849
Koehler,W.C.,Wollan,E.O. and Wilkinson,M.K. Neutron diffraction study of the magnetic properties of rare-earth-iron perovskites, 0=10187
Koehler,W.C.,Wollan.E.O.,Wilkinson,M.K. and Cable,J.W. Neutron diffraction studies of antiferromagnetic rare earth compounds, 0=10188
Koehler,W.C. See Wilkinson,M.K., 0=11849
Koehler,W.F. See Bennett,H.E., 0=164
Koelmans,H.,Engelsman,J.J. and Admiraal,P.S. Low-temperature phase transitions in β-Ca$_3$(PO$_4$)$_2$ and related compounds, 0=8011
Koelmans,H. See Grimmeiss,H.G., 0=1751
Koelmans,H. See Grimmeiss,H.G., 0=13708
Koenig,S.H. Inter-electron collisions and "temperature" of hot electrons, 0=6092
Koenig,S.H. and Brown,R.D.,III. Thermal oscillations in n-germanium at low temperature, 0=2877
Koenig,S.H. and Brown,R.D.,III. Far infrared electron-ionized donor recombination radiation in germanium, 0=7930
Koenig,S.H.,Nathan,M.I.,Paul,W. and A.C.Smith. Effect of high pressure on some hot electron phenomena in n-type germanium, 0=11689
Koenig,S.H. See Friedman,A.N., 0=9927
Koeppe,W. Joule—Thomson effect for gases and gas mixtures. II, 0=5048
Koeppe,W. Recent investigations on the Thomson—Joule effect of gases and gaseous mixtures, 0=8708
Koertge,N. See Piper,T.S., 0=4415
Koester,C.J. Phase shift effects in Fabry—Perot interferometry, 0=14839

Koester,C.J.,Osterberg,H. and Willman,H.E.,Jr. Transmittance measurements with an interference microscope, 0=6920
Koester,L.J.,Jr. See Backenstoss,G.K., 0=15337
Kofoid,M.J. Experimental two-beam excitation of electron oscillations in a plasma without sheaths, 0=15044
Koga,T. Integrated form of the Boltzmann equation and its application to gas dynamics, 0=98
Koga,T. A model of molecular binary collision, 0=99
Kogan,A. A sensitive two-liquid micro-manometer, 0=913
Kogan,A.V.,Kul'kov,V.D,Nitkin,L.P. and Reinov,N.M. Superconductor magnets for orientation of nuclei, 0=11299
Kogan,A.V.,Kul'kov,V.D.,Nikitin,L.P.,Reinov,N.M.,Sokolov,I.A. and Stel'makh,M.F. Measurement of $\beta-\gamma$ correlation from oriented nuclei, 0=2652
Kogan,A.V.,Kul'kov,V.D.,Nikitin,L.P.,Reinov,N.M.,Sokolov,I.A. and Stel'makh,M.F. Polarization of Sc^{46} in iron, 0=20787
Kogan,A.V.Reinov,N.M.Sokolov,I.A. and Stel'makh,M.F. A device for obtaining very low temperatures and orienting nuclei, 0=10857
Kogan,M.N. Flow at high thermal conductivity, 0=5053
Kogan,M.N. The plane flow of an infinitely conducting fluid with almost parallel velocity and magnetic field vectors, 0=12683
Kogan,Sh.M. On temperature quantum Green's functions, 0=18947
Kogan,Sh.M. On thermal quantum Green functions, 0=18949
Kogan,Sh.M. and Sandomirskii,V.B. Electronic theory of chemisorption on the real surface of a semiconductor,0=1634
Kogan,Sh.M. See Bonch-Bruevich,V.L., 0=2860
Kogan,Sh.M. See Bonch-Bruevich,V.L., 0=3463
Kogan,V.I. The role of the radiation of impurities in the energy balance of a plasma column, 0=1131
Kogan,V.S.,Lazarev,B.G. and Bulatova,R.F. Diffraction of X-rays by polycrystalline samples of hydrogen isotopes, 0=21187
Kogan,V.S. See Bulatova,R.F., 0=12099
Kogan,V.S. See Mikhailov,I.F., 0=16241
Kogarko,S.M. Investigation of detonation wave pressure by the method of crusher rod compression, 0=10351
Kogarko,S.M. Intensification of compression waves on interaction with the flame front, 0=14895
Koh,P.K.,Lewis,H.A. and Graff,H.F. Variation in orientation texture of ultrathin molybdenum permalloy tape, 0=3275
Koh,Y.,Miyatake,O. and Watanabe,Y. Angular correlation of internal bremsstrahlung and successive nuclear gamma-ray in the radiative K-capture, 0=9590
Kohane,T. and Sirvetz,M.H. Measurement of microwave resistivity by eddy current loss in spheres, 0=5243
Kohin,B.C. Molecular rotation in crystals of N_2 and CO, 0=15804
Kohl,D.A. See Bonham,R.A. 0=15778
Kohl,H. Vertical drift in the E-layer of the ionosphere during geomagnetic disturbances, 0=21359
Kohler,D. Promotion of cubic growth in 3% silicon iron by control of annealing atmosphere composition, 0=12007
Kohler,H.J.,Pettig,M. and Scheler,G. A high-resolution nuclear magnetic resonance spectrometer, 0=3865
Köhler,H.S. Electromagnetic corrections to the ratio $\sigma(p+d \rightarrow H^3+\pi^+)/\sigma(p+d \rightarrow He^3+\pi^0)$, 0=11170
Kohler,M. On rotation and deformation velocity in the theory of relativity, 0=2104
Kohlhaas,R. See Lange,H., 0=9853
Kohlmayr,G.F. The Green function for the integro-differential operator of the stationary neutron transport theory, 0=14546
Kohn,H.W. Colour centres produced by radiation in silica gel, 0=4299
Kohn,H.W. Paramagnetic studies of radiation damage in silica gel, 0=21078
Kohn,H. See Hofmann,F.W., 0=5217
Kohn,J.A. and Eckart,D.W. Aluminum boride, AlB_{12}, 0=6356
Kohn,J.A. See Artman,J.O., 0=13877
Kohn,W. Analytic properties of Bloch waves and Wannier functions, 0=521
Kohn,W. Theory of Bloch electrons in a magnetic field: the effective Hamiltonian, 0=1549
Kohn,W. and Luttinger,J.M. Ground-state energy of a many-fermion system, 0=8568
Kohn,W. and Nettel,S.J. Giant fluctuations in a degenerate Fermi gas, 0=16636
Kohn,W. and Vosko,S.H. Theory of nuclear resonance intensity in dilute alloys, 0=13891
Kohn,W. See Ambegaokar,V., 0=5260
Kohonen,T. Effect of pulse height selection on time resolution in scintillation counters, 0=17140
Köhrmann,W. The temporal development of Townsend discharges and the influence of space charges, 0=9022
Koički,A.M. See Koički,S.D., 0=17565
Koički,S.D. and Koički,A.M. Coincidence studies of gamma-radiations from Yb^{169} and Er^{171}, 0=17565
Koički,S.D.,Simić,J.M. and Kukoč,A.H. Gamma–gamma angular correlations in Tm^{169}, 0=20409
Koidan,W. Microphone diaphragm null method for sound pressure measurement, 0=6887
Koidan,W. Method for measurement of $|E'/I'|$ in the reciprocity calibration of condenser microphones, 0=8758
Koidan,W. See Burkhard,M.D., 0=6886
Koide,M. See Lal,D., 0=430
Koide,S. Calculations of Franck–Condon integrals, 0=7873
Koide,S. Intensity and fine structure of the main optical absorption bands in hydrated cobaltous salts, 0=16052
Koide,S.,Sinha,K.P. and Tanabe,Y. On the theory of super-exchange interaction, 0=21058
Koide,S. See Kasuya,T., 0=11670
Koikov,S.N. and Tsikin,A.N. Solution of the problem of thermal breakdown of dielectrics with asymmetrical boundary conditions, 0=3720
Kojima,H.,Tebble,R.S. and Williams,D.E.G. Variation with temperature of the magnetic susceptibility of some transition elements, 0=6221
Kojima,S.,Kato,K ,Hagiwara,S. and Matsuzaki,R. Oscillations in plasma. II, 0=19701
Kojo,E. See Lounasmaa,O.V., 0=5228
Kok,J.A. On superconductivity, 0=8925
Kok,J.A. Superconductivity, 0=8945
Kökeritz,P. See De Kowalewski,D.G., 0=4210
Kokin,A.A. and Skroyskii,G.V. Theory of paramagnetic resonance in systems containing two kinds of magnetic moments, 0=10219
Kokin,A.A. See Skrotskii,G.V., 0=1355
Kokin,A.A. See Skrotskii,G.V., 0=10191
Kokosh,G.V. and Sinani,S.S. Thermoelectric properties of alloys of the pseudobinary system Sb_2Te_3—Bi_2Te_3, 0=16001
Kokosh,G.V. and Sinani,S.S. The effect of impurities on the thermoelectric properties of a Sb_2Te_3–Bi_2Te_3 solid solution, 0=18079
Koks,H.L.T. See Zwietering,P., 0=4313
Kokurin,Yu.L. See Vitkevich,V.V., 0=21347
Kołakowski,B. The structure of etched surfaces of indium antimonide crystals, 0=13967
Kołakowski,B. See Auleytner,J., 0=13930
Kolb,A.C. See Griem,H.R., 0=1480
Kolb,E.D. and Tanenbaum,M. Uniform resistivity p-type silicon by zone leveling, 0=6330
Kolb,J. New developments in the physics and applications of ultrasound, 0=14758
Kolb,K. and Macherauch,E. Evidence for a macroscopic inhomogeneity of strength in the deformation by tension of pure nickel, 0=6307
Kolbe,C.L. and Martin,D.L. Hot working of Alnico 5 alloys, 0=10329
Kolchin,A.M. See Panchenkov,G.M., 0=276
Kolchin,A.M. See Panchenkov,G.M., 0=10934
Kol'chuzhkin,A.M. and Kolesnikov,N.N. Scattering and radiative capture of Λ-particles, 0=15453
Kolenko,E.A.,Protopopov,Kh.V.,Fleishman,D.G. and Yur'ev,V.G. Thermoelectric cooling of photo-multipliers, 0=3731
Kolenko,E.A.,Tauber,A.G.,Yur'ev,V.G. and Shcherbina,A.A. A thermoelectric high-vacuum trap for the N-5 pump, 0=16744
Kolenko,E.A. See Voitenko,R.M., 0=8284
Kolesnik,L.I. See Iglitsÿn,M.I., 0=18020
Kolesnikov,A.G. and Belyaev,V.I. The crystallization of super-cooled water clouds by freezing of drops, 0=3361
Kolesnikov,G.N. and Moiseev,A.I. The equivalence of the physical interpretation of the shape of the stress relaxation curves, 0=16221
Kolesnikov,N.N. and Krylova,A.P. The proton subshell Z = 100, 0=11316
Kolesnikov,N.N. See Kol'chuzhkin,A.M., 0=15453
Kolesnikov,N.N. See Voronkov,V.V., 0=20537
Kolesnikov,V.N. and Sobolev,N.N. Some features of arc discharges in an inert gas atmosphere, 0=3750

Kolesnikov-Svinarev,V.I. See Sakharov,V.N., 0=4067
Kolesnikova,E.N. See Grinberg,G.A., 0=15076
Kolesnikova,M.M. See Sokolov,A.A., 0=5503
Kolganova,E.D. See Vaisenberg,A.O., 0=13016
Kolkunov,V.A.,Okun',L.B. and Rudik,A.P. Singularities of some Feynman diagrams, 0=12876
Kollar,F. See Russell,R.D., 0=10987
Koller,A. and Beranek,M. A new result on the degradation of titanates in agreement with the exoemission, 0=10932
Koller,E.L. and Sachs,A.M. Panofsky ratio for negative pions absorbed in hydrogen, 0=2574
Koller,E.L. See Bjorkland,S., 0=11219
Kolmer,F. The measurement of the sound absorption coefficient in reverberation rooms, as dependent on the arrangement of the materials, 0=1022
Kolobkov,V.P. See Borgman,V.A., 0=13718
Kolobkov,V.P. See Zhmy̆reva,I.A., 0=10677
Kolobkov,V.P. See Zhmy̆reva,I.A., 0=15739
Kolobova,K.M. See Nemhohov,S.A., 0=1934
Kolobova,K.M. See Nemnonov,S.A., 0=18399
Kolomeets,E.V. Small effects of solar flares and the energy spectrum of primary variation of cosmic rays, 0=10502
Kolomenskii,A.A.Kuznetsov,A.B. and Rubin,N.B. Steering—focusing system for particle injection in a proton synchrotron, 0=10998
Kolomenskii,A.A. and Lebedev,A.N. Some properties of orbits in accelerators in conditions of similarity, 0=17058
Kolomenskii,A.A. See Barsukov,K.A., 0=9052
Kolomensky,A.A. See Veksler,V.I., 0=5369
Kolomiets,B.T. and Lin' Tszyun'-tin [Lin Chün-t'ing]. Spectral response of the internal photoeffect in the ZnSe—CdSe system, 0=15996
Kolomiets,B.T. and Lyubin,V.M. Properties and structure of ternary semiconductor systems. VI. Electrical and photoelectric properties of Sb_2S_3—Bi_2S_3 layers, 0=601
Kolomiets,B.T. and Lyubin,V.M. Certain features of the photoeffect in amorphous films of arsenic triselenide, 0=6136
Kolomiets,B.T. and Lyubin,V.M. The mechanism of photoconductivity in amorphous chalcogenide layers, 0=15949
Kolomiets,B.T.,Lyubin,V.M. and Tarkhin,D.V. Conductivity and photoconductivity of antimony triselenide layers, 0=599
Kolomiets,B.T. and Mal'kova,A.A. Properties and structure of ternary semiconducting systems. V. The limits of formation of ordered solid solutions in the CdSe—In_2Se_3 system and the electrical properties of $CdIn_2Se_4$, 0=18036
Kolomiets,B.T. and Mamontova,T.N. Glassy semiconductors. VI. Internal photoeffect [photoconductivity] in molten $4As_2Se_3.As_2Te_3$ glass, 0=15903
Kolomiets,B.T. and Nazarova,T.F. Glassy semiconductors. V. The role of impurities in the electrical conduction by glassy semiconductors, 0=15902
Kolomiets,B.T. and Nazarova,T.F. The effect of impurities on electrical conduction in vitreous As_2SeTe_2, 0=15944
Kolomiets,B.T. and Nazarova,T.F. The Hall effect in vitreous materials of the $Tl_2Se.As_2(Se, Te)_3$ system. II, 0=15964
Kolomiets,B.T. and Pavlov,B.V. Vitreous semiconductors. VIII. Optical properties of glasses based on the chalcogenides of thallium, arsenic and antimony, 0=13609
Kolomiets,B.T. and Pozdnev,V.P. Glassy semiconductors. VII. Viscosity of vitreous semiconductors in the As_2Se_3—As_2Te_3 system, 0=12062
Kolomiets,B.T.,Sheftel',I.T.,Kurlina,E.V. and Tekster-Proskuryakova,G.N. Electrical properties of cobalt and nickel oxide semiconducting mixtures, 0=15950
Kolomiets,B.T. and Zeinally̆,A.Kh. Photoconductivity of Sb_2Se_3, 0=620
Kolomiets,B.T. See Burdiyan,I.I., 0=11706
Kolomiets,B.T. See Goryunova,N.A., 0=13610
Kolomiets,B.T. See Ivanov-Omskii,V.I., 0=611
Kolomiets,B.T. See Ivanov-Omskii,V.I., 0=730
Kolomiets,B.T. See Ivanov-Omskii,V.I., 0=1726
Kolomiets,B.T. See Ivanov-Omskii,V.I., 0=15959
Kolomiitsov,Yu.V. Comparison of Rayleigh and Jamin interferometers, 0=14840
Kolomiitsova,T.S. and Novikova,I.V. Photoelectric recording of interference bands in white light, 0=16896
Kolomijez,B.T. See Gorjunova,N.A., 0=3263
Kolomin,L.G. See Miryasov,N.Z., 0=11885
Kolomoets,N.V. and Popova,E.A. Thermoelectric properties of the intermetallic compound $MnAl_3$, 0=20948
Kolomoitsev,F.J. and Izhak,I.A. The depolarization charge of barium titanate and its connection with the piezoelectric effect, 0=10019
Kolontsova,E.V.,Sorokina,Yu.G. and Telegina,I.V. Study of twinning in calcite crystals by means of an X-ray micro-beam and etch figures, 0=13937
Kolontsova,E.V. and Telegina,I.V. A possible mechanism of twinning in CsI and CsBr crystals, 0=12001
Kolontsova,E.V. and Telegina,I.V. Study of nonuniformity of plastic deformation in monocrystals by means of X-ray microbeams, 0=18258
Kołos,W. On the electron density distribution in molecules, 0=17792
Kolos,W. and Roothaan,C.C.J. Correlated orbitals for the ground state of the hydrogen molecule, 0=17811
Kolos,W. and Roothaan,C.C.J. Accurate electronic wave functions for the H_2 molecule, 0=17813
Kolos,W.,Roothaan,C.C.J. and Sack,R.A. Ground state of systems of three particles with coulomb interaction, 0=17806
Kolos,W. See Budzanowski,A., 0=5912
Koloskova,N.G. and Kopvillem,U.Kh. The profile of the nuclear acoustic resonance line, 0=13125
Koloskova,N.G. and Kopvillem,U.Kh. The influence of the internal electric field in non-conducting paramagnetic single crystals on the two-particle spin—spin interaction, 0=18213
Kolosnitsy̆n,N.I. See Kiselev,M.I., 0=11033
Kolosov,V.I. See Grishaev,I.A., 0=9202
Kolotov,O.S.,Lobanov,Yu.N. and Tulinova,N.I. The operation of a betatron with electron injection pulses of short duration, 0=11005
Kolotukhin,V.A. See Gorbunov,A.A., 0=13265
Koltoński,W. and Malecki,I. Ultrasonic method for the exploration of the properties and structure of mineral layers, 0=16798
Kol'tsov,V.V. A high-speed spectrometer with spectrum scanning by means of a rotating disk with a spiral cut serving as the exit slit, 0=16860
Komai,L.G. See Tamura,T., 0=1347
Komar,A.A. The scattering of spin 3/2 particles by a Coulomb field, 0=2508
Komar,A.B. See Bergmann,P.G., 0=10578
Komar,A.P. Soviet accelerators of heavy charged particles, 0=19839
Komar,A.P. and Korobochko,Yu.S. Two processes contributing to the trapping of electrons in the betatron acceleration range, 0=11002
Komar,A.P.,Korobochko,Yu.S. and Shchebolev,V.T. An investigation of the relative effectiveness of trapping electrons in a betatron for different parts of the injection impulse, 0=11001
Komar,A.P.,Korolyov,G.A. and Kocharov,G.E. Investigation of α-decay of U^{236}, 0=20379
Komar,A.P.,Krzhemenek,Ya. and Yavor,I.P. The photodisintegration of the nucleus N^{14}, 0=13257
Komar,A.P.,Makhnovskii,E.D. and Poddubnov,V.P. Relative escape and energy distribution of photo-deuterons from copper, 0=17619
Komar,A.P.,Mikheev,G.F.,Fominenko,V.P. and Chernov,N.N. A new method of investigating the process of injection of electrons in the betatron, 0=17061
Komar,A.P.,Savchenko,V.P. and Shrednik,V.H. Electron field emission microscopy of order—disorder alloys, 0=4700
Komar,A.P. and Stabnikov,M.V. Variation of the pressure in a diffusion cloud chamber during the formation of tracks and possibilities of its use, 0=11072
Komar,A.P.,Volkenshtein,N.V. and Fedorov,G.V. Change of sign of the Hall constant during the ordering of atoms in an alloy, 0=1619
Komar,A.P. See Bochagov,B.A., 0=20510
Komar,A.P. See Bogachov,B.A., 0=15186
Komar,A.P. See Denisov,S.G., 0=19860
Komar,A.P. See Ivanov,D.P., 0=9129
Komar,A.P. See Ivanov,D.P., 0=11003
Komar,A.P. See Ivanov,D.P., 0=11004
Komar,A.P. See Vorob'ev,A.A., 0=8991
Komar,A.P. See Vorob'ev,A.A., 0=11345
Komar,A.P. See Vorob'ev,A.A., 0=11348
Komar,A.P. See Vorob'ev,A.A., 0=20374
Komarov,V.V. and Popova,A.M. Energy distribution of reaction products with recoil of some particles, 0=7425
Komarov,V.V. and Popova,A.M. Direct interaction in reactions with emission of two nucleons, 0=13222
Komarov,V.V. and Popova,A.M. Investigation of the interaction between the products of reactions in which several particles are emitted, 0=17332

Komarov,V.V. and Popova,A.M. Investigation of the spectra of neutrons emitted in the disintegration of deuterons by protons, 0=20244

Komarov.V.V. See Vasil'ev.S.S., 0=9625

Komarovskikh,K.F. See Gross,E.F., 0=13700

Komatsubara,K. Change of surface recombination velocity of germanium by γ-ray irradiation, 0=4342

Komatsuzawa,A.,Nogami,Y. and Sugano,R. Effect of strange particles on the s-wave pion—nucleon scattering, 0=20200

Komatsuzawa,A.,Sugano,R. and Nogami,Y. Coupling constant of Kaon—Baryon interaction. I, 0=15427

Komatsuzawa,A.,Sugano,R. and Nogami,Y. Coupling constant of kaon—baryon interaction. II, 0=15428

Komatsuzawa,A.,Sugano,R. and Nogami,Y. Low energy kaon—nucleon reactions, 0=15433

Komel'kov,V.S. and Skvortsov,Yu.V. The expansion of a heavy spark channel in a liquid, 0=7104

Komesaroff,M.M. Ionospheric refraction in radio astronomy. I. Theory, 0=18655

Komissarov,L.V. and Tarabanko,V.A. Determination of the relative U^{235}—Pu^{239} conversion factors in lattices of natural uranium and ordinary water, 0=2702

Komkov,A.I. and Frank-Kamenetskii,V.A. X-ray determination of the orientation of a crystal, 0=13998

Komnik,S.N.,Startsev,V.I. and Tsirlin,Yu.A. The temperature dependence of γ-scintillations in caesium iodide crystals activated by thallium, 0=4459

Komnik,S.N. See Tsirlin,Yu.A., 0=1760

Komnik,Yu.F. See Palatnik,L.S., 0=1943

Komnik,Yu.F. See Palatnik,L.S., 0=19505

Komoda,T. First excited state in Ca^{42} and Ca^{44}, 0=13148

Komoda,T. See Ogawa,S., 0=21235

Kompaneets,A.S. The influence of space charge on auto-electronic emission, 0=3784

Kompaneets,A.S. Point detonation in an inhomogeneous atmosphere, 0=6863

Kompaneyets,A.S. Propagation of a strong electromagnetic-gravitational wave in vacuum, 0=6676

Komura,Y.,Tomiie,Y. and Nathans,R. Scattering factor for outer electrons in ordered Fe_3Al, 0=1915

Konakh,V.F. See Nedospasov,A.V., 0=14993

Konakhovich,Yu.Ya. and Panasyuk,I.S. A plane crystal neutron spectrometer, 0=5572

Kondaiah,E. and Bradrinathan,C. Spin of the first excited state of B^{12}, 0=7456

Kondilenko,I.I.,Korotkov,P.A. and Strizhevskii,V.L. The Raman scattering indicatrix, 0=19412

Kondilenko,I.I.,Korotkov,P.A. and Strizhevskii,V.L. The intensities of Raman lines. 0=19413

Kondo,I.Nagashima,K.Yoshida,S. and Wada,M. On worldwide cosmic-ray intensity increases associated with cosmic-ray storms, 0=11256

Kondō,I. See Kawabata,K., 0=15464

Kondo,I. See Kodama,M., 0=15494

Kondo,J. Band theory of superexchange interaction, 0=11920

Kondo,J. Superexchange interaction of MnO, 0=18207

Kondo,J. Superexchange interaction: the four electron model, 0=21059

Kondo,J. and Yamashita,J. Nuclear quadrupolar relaxation in ionic crystals, 0=3142

Kondo,K.[Ed.]. R.A.A.G. memoirs of the basic problems in engineering and physical sciences by means of geometry. Vol. II, 0=10548

Kondo,S. Difference between dynamic and static surface tensions, 0=70

Kondo,S. and Randolph,M.L. Effect of finite size of ionization chambers on measurements of small photon sources, 0=17136

Kondorskii,E.I. The causes of the anomalous physical properties of the invar-type alloys, 0=10185

Kondorskii,E.I. Theory of the stability of magnetic states of ferromagnetic materials in the magnetization process, 0=11813

Kondorskii,E.I.,Galkina,O.S. and Chernikova,L.A. On the maximum of the electric resistance of ferromagnetics at their Curie points at low temperatures, 0=11662

Kondorskii,E.I. and Sedov,V.L. Change of atomic magnetic moments of ferromagnetic metals under uniform compression, 0=11831

Kondorskii,E.I. and Smirnova,L.G. An investigation of the frequency dependence of the permeability of some Ni—Fe and Co—Fe alloys in the frequency range 10^5—10^7 c/s,0=4486

Kondorskij,E.I. and Sedov,V.L. Variation of saturation magnetization and the electrical resistance of Fe—Ni alloys under the effect of an isotropic compression at low temperatures, 0=13775

Kondorskij,E.I. See Cecernikov,V.I., 0=13757

Kondorsky,E.I. and Sedov,V.L. Antiferromagnetism of iron in face-centered crystalline lattice and the causes of anomalies in invar physical properties, 0=11912

Kondrashev, Yu.D. The crystal structure and composition of crednerite, $CuMnO_2$, 0=12050

Kondrat'ev,B.V. Electron beam in a spiral waveguide (taking account of the geometric dimensions of the spiral), 0=10947

Kondrat'ev,B.V. See Shestopalov,V.P., 0=11057

Kondrat'ev.L.N. See Balats.M.Ya., 0=20567

Kondrat'eva,E.V. Determination of the quantum yield of luminescence of the trivalent terbium ion in solutions, 0=943

Kondrat'eva,E.V. Variation of the duration of luminescence of trivalent gadolinium and terbium ions with the concentration of components in a sulphuric acid—water system, 0=10673

Kondrat'eva,E.V. and Lazeeva,G.S. Investigation of the duration and intensity of luminescence of trivalent gadolinium and terbium ions in solutions, 0=10674

Kondrat'eva,M.A. See Grigorov,N.L., 0=9472

Kondurar',V.T. Particular solutions of the general problem of the translational-rotational motion of a spheroid attracted by a sphere, 0=18874

Konenkov,Yu.K. Plate waves and flexural oscillations of a plate, 0=19256

Konev,V.N. See Arkharov,V.I., 0=17973

König,A. See Antal,J., 0=5060

König,F. The slow response of selenium barrier-layer photoelements, 0=2909

König,H. and Wänke,H. Estimation of uranium in meteorites by means of neutron activation via the mass 133 and 135 isotopes of xenon, 0=4883

König,H. See Wänke,H., 0=5683

König,L.A. See Everling,F., 0=9509

König,L.A. See Everling,F., 0=20570

König,L.A. See Hintenberger,H., 0=19786

Konijn,J.,van Nooijen,B. and Wapstra,A.H. Branching ratios of K capture to positon emission in non-unique first forbidden $2^- \rightarrow 2^+$ beta transitions, 0=13198

Konijn,J. See Girgis,R.K., 0=4066

Konin,A.D. See Zinov,V.G., 0=13001

Konisi,G. and Ogimoto,T. Quantum theory in pseudo-Hilbert space, 0=14516

Konisi,G. and Ogimoto,T. Quantum theory in pseudo-Hilbert space. II, 0=18955

Konisi,G. and Ogimoto,T. On Levinson's theorem in the theory of multi-channel scattering, 0=20071

Konitzer,J.D. and Markham,J.J. Experimental study of the shape of the F-band absorption in KCl, 0=6180

Konobeev,Yu.V. See Agranovich,V.M., 0=1742

Konobeevskii,S.T.,Pravdyuk,N.F.,Dubrovin,K.P.,Levitskii,B.M., Panteleev,L.D. and Golianov,V.M. An investigation of structural changes caused by neutron irradiation of a uranium molybdenum alloy, 0=10332

Kononovich,É.V. A nomogram for determination of the parameters of the emission-line profiles with self-absorption, 0=2231

Konopleva,R.F.,Mashovets,T.V. and Rÿvkin,S.M. The effect of defects produced by neutron irradiation on the process of recombination in germanium, 0=15925

Konopleva,R.F.,Rÿvkin,S.M. and Yaroshetskii,I.D. The cross-section of capture of holes by γ-ray produced defects in germanium, 0=15875

Konopleva,R.F. See Ryvkin,S.M., 0=20900

Konorov,P.P. and Romanov,O.V. The electrical conductivity of deposited germanium layers, 0=20897

Konorov,P.P. and Shevchenko,I.B. The electrical conductivity and photoelectric properties of cadmium and zinc telluride films, 0=15986

Konorova,E.A. Currents in alkali-halide crystals caused by the emission of electrons from a cathode under powerful electric fields, 0=20962

Konorova,E.A.,Krasnopevtsev,V.V. and Skanavi,G.I. On the temperature dependence of the pulsed dielectric strength of some polycrystalline dielectrics, 0=1709

Konorova,E.A. and Sorokina,L.A. The dependence of dielectric strength of the alkali-halide crystals KBr and KCl on temperature, 0=1707
Konovalenko,B.M. See Rȳvkin,S.M., 0=11708
Konowalow,D.D.,Hirschfelder,J.O. and Linder,B. Low-temperature, low-pressure transport coefficients for gaseous oxygen and sulfur atoms, 0=3565
Konozenko,I.D. and Ust'yanov,V.I. Crystal CdS gamma-ray [photoconductive] detectors, 0=313
Konozenko,I.D.,Ust'yanov,V.I. and Galushka,A.P. Conditions required for appearance of "γ-conductivity" in CdS monocrystals, 0=15983
Konstantinesku,K. Determination of the electron and hole capture cross-sections for atoms in ratios of the copper in germanium, 0=15922
Konstantinesku,K. See Kalashnikov,S.G., 0=6091
Konstantinov,A.A. Measurement of the activity of preparations which decay as a result of electron capture; 0=1374
Konstantinov,B.P. and Rȳlov,V.S. The separation of the isotopes of potassium by evaporation from molten potassium in vacuum, 0=7709
Konstantinov,I.E. See Kheiker,D.M., 0=12017
Konstantinov,O.V. and Perel',V.I. The possibility of electromagnetic waves through a metal in a strong magnetic field, 0=7228
Konstantinov,O.V. and Perel',V.I. Quantum theory of spatial dispersion of electric and magnetic susceptibilities, 0=9150
Konstantinov,O.V. and Perel',V.I. A graphical technique for computation of kinetic quantities, 0=20086
Kontorova,T.A. On the problem of melting of germanium and silicon, 0=11552
Kontorovich,N.P. See Giterman,M.Sh., 0=4327
Kontorovich,V.M. Reflection and refraction of sound by shock waves, 0=6872
Kontsevoi,Yu.A. The determination of the capture cross-sections for recombination at multiply-charged centres, 0=4330
Kontsevoi,Yu.A. See Iglitsȳn,M.I., 0=13592
Konuma,M.,Miyazawa,H. and Otsuki,S. Two-pion-exchange nuclear potential, 0=12864
Konyaev,Yu.S. See Zhokovskii,M.K., 0=3548
Konyukov,M.V. Effect of the processes of disappearance of negative ions on their concentration in a [positive] column, 0=7088
Konyukov,M.V. Nonlinear Langmuir electron oscillations in a plasma, 0=9051
Konyukov,M.V. and Terletskii,Ya.P. Relativistic motion of an electron in an axially symmetric field which moves along the axis of symmetry, 0=1159
Kooi,C.F. See Seiden,P.E., 0=11896
Koontz,R.L. See Greenfield,M.A., 0=12994
Koontz,R.L. See Greenfield,M.A., 0=12998
Kooy,C. and Enz,U. Experimental and theoretical study of the domain configuration in thin layers of $BaFe_{12}O_{19}$, 0=8049
Kopal,Z. Numerical problems of contemporary celestial mechanics, 0=16531
Kopaleishvili,T.I. See Mamasakhlisov,V.I., 0=9629
Kopaleishvili,T.I. See Mamasakhlisov,V.I., 0=13136
Kopaleishvili,T.I. See Vashakidze,I.Sh., 0=9661
Kopaleishvili,T.I. See Vashakidze,I.Sh., 0=13112
Kopaleishvili,T.I. See Vashakidze,I.Sh., 0=20492
Kopeć,Z. Investigation of the effective mass of current carriers in GaSb, 0=6119
Kopecký,J. and Kajfosz,J. The efficiency of a γ-ray summation spectrometer, 0=4039
Kopecký,J.,Kajfosz,J. and Urbanec,J. Radiative capture of thermal neutrons on nucleus. II, 0=13266
Kopecký,J. See Urbanec,J., 0=4124
Kopecký,M. See Blaha,M., 0=18759
Kopelev,Yu.F. See Vainshtein,E.E., 0=1739
Kopeliovich,B.L. See Fisher,I.Z., 0=19091
Kopfermann,H. See Bucka,H., 0=11304
Kopfermann,H. See Fricke,G., 0=401
Kopfermann,H. See Fricke,G., 0=1485
Kopfermann,H. See Guthöhrlein,G., 0=1356
Kopfermann,H. See v.Ehrenstein,D., 0=13121
Koppe,H. On the theory of particle size distribution in aerosols, 0=3331
Koppe,H. See Lieb,E., 0=1255
Koppelmann,G. The measurement of small differences in film thickness in non-metallic thin films, 0=12085
Koppelmann,G. The theory of multilayers consisting of weakly absorbing materials and their use as interferometer mirrors, 0=14838
Koppelmann,G. and Krebs,K. The optical properties of interference filters measured in a spectral range of finite width, 0=5172
Koppelmann,G. and Krebs,K. Multi-beam interference in convergent light, 0=5176
Koppelmann,J. and Landwehr,G. Elastic constants of germanium under hydrostatic pressures up to 12 000 kg/cm^2, 0=1844
Koprov,V.M. The Schwinger effect with a nucleus screened by a atomic electrons, 0=13224
Koptsik,V.A. Dielectric, piezoelectric and of single crystal resorcinol elastic properties, 0=633
Koptsik,V.A. and Ermakova,L.A. Investigation of the temperature dependence of the electric and elastic parameters of cancrinite, 0=11739
Koptsik,V.A. and Kobyakov,I.B. Dielectric, piezoelectric and elastic properties of cancrinite crystals, 0=634
Koptsik,V.A. See Chumakov,A.A., 0=641
Kopvillem,U.Kh. Spin—spin paramagnetic relaxation time in the absence of a static magnetic field for $Co(NH_4)_2(SO_4)_2.6H_2O$ at helium temperatures, 0=1831
Kopvillem,U.Kh. The second moment of a paramagnetic absorption line with allowance for fine and hyperfine structure, 0=6266
Kopvillem,U.Kh. Second moment of the paramagnetic absorption curve when the spin magnetism is not pure, 0=3124
Kopvillem,U.Kh. See Koloskova,N.G., 0=13125
Kopvillem,U.Kh. See Koloskova,N.G., 0=18213
Kopȳlov,G.I. Results of a model fo the p—p interaction at 100 GeV, 0=12932
Kopȳlov,G.I. Identification of particles in high-energy stars, 0=15203
Kopȳlov,G.I. and Lomakina,Z.D. On the question of direct construction of the elastic scattering amplitude, 0=15298
Kopȳlov,Yu.A. A study of the photoconductivity of ether solutions, 0=19151
Kopylova,D.K.,Korolevich,Yu.B.,Petukhova,N.I. and Podgoretskii,M.I. The mechanism of capture of stopped K^- mesons, 0=9690
Kopylova,D.K.,Korolevich,Yu.B.,Petukhova,N.I. and Podgoretskii,M.I. Determination of the capture frequency of slow mesons by light and heavy nuclei in photo-emulsions, 0=13003
Kopȳlova,D.K. See Bunyatov,S.A., 0=2597
Kopȳlova,D.K. See Dzhanelidze,L.P., 0=15445
Kopȳlovskii,B.D. See Vavilov,V.S., 0=20984
Korabliev,L.N. See Belovitsky,G.E., 0=12786
Korbel,Z. and Rob,L. The meson decay of light hyperfragments, 0=2628
Korbel,Z. See Rob,L., 0=5613
Korenchenko,S.M. See Zinov,V.G., 0=13001
Korenchenko,S.M. See Zinov,V.G., 0=13033
Korenchenko,S.M. See Zinov,V.G., 0=20196
Korenchenko,S.M. See Zinov,V.G., 0=20197
Korepanov,V.D.,Dautov,R.A. and Fadeev,V.M. Measurements of the transverse proton relaxation time in aqueous solutions of paramagnetic salts by the spin-echo method, 0=12428
Korevaar,B.M. The resistivity of ordered Au_3Cu, 0=17997
Korff,S.A. See Aponte,J.D., 0=9231
Korff,S.A. See Haymes,R.C., 0=20294
Korgueva,I. See Martalogu,N., 0=19995
Koritz,H. See Janes,G.S., 0=2310
Koritz,H. See Janes,G.S., 0=7322
Korkowski,V.J. See Overn,W.M., 0=2422
Kormer,S.B. and Urlin,V.D. Interpolated equations of state for metals under very high pressures, 0=11549
Kormer,S.B. See Al'tshuler,L.V., 0=11550
Kormer,S.B. See Al'tshuler,L.V., 0=11974
Korn,T.S. and Hougardy,J. Measurements of loud speakers in their operating positions, 0=16799
Kornbichler,H. See Brüchner,H.J., 0=7658
Kornblum,H.N. See Freden,S.C., 0=15446
Korneenko,I.A. Mean values of the parameters of inhomogeneous media, 0=10862
Korneev,E.I.,Skobkin,V.S. and Flerov,G.N. Fission of Th^{232} induced by thermal neutrons, 0=9701
Körner,H.J. See Bodenstedt,E., 0=7540
Körner,H.J. See Bodenstedt,E., 0=17481

Kornetzki,M.,Moser,E. and Röss,E. Manganese—zinc ferrites with spontaneous isoperm-loop, 0=18204
Kornetzki,M. See de Kienlin,A., 0=13822
Kornfel'd,M.I. Optical dispersion of germanium, 0=16044
Kornfel'd,M.I. Absorption of light in germanium, 0=16045
Kornfel'd,M.I. and Lemanov,V.V. Nuclear magnetic resonance in plastically deformed rock salt, 0=21086
Kornfel'd,M.I. and Lemanov,V.V. Quadrupole nuclear magnetic resonance effects in mixed $NaNO_3$—$AgNO_3$ crystals, 0=21091
Kornfel'd,M.I. and Mirlin,D.N. The temperature dependence of low frequency conductivity fluctuations in germanium, 0=7925
Kornfel'd,M.I. and Mirlin,D.N. The temperature dependence of low-frequency fluctuations of conductivity in tellurium, 0=15963
Kornfel'd,M.I. and Sochava,L.S. Conductivity fluctuations in solid and liquid Sb_2S_3, 0=600
Kornfel'd,M.I. and Sochava,L.S. Conductivity fluctuations in amorphous semiconductors, 0=615
Kornienko,L.S. and Prokhorov,A.M. Electron paramagnetic resonance of the Ti^{3+} ion in corundum, 0=13873
Kornilov,A.I. The effect of sunspot magnetic fields on the growth curve, 0=18738
Kornilov,E.A. See Kharchenko,I.F., 0=12619
Korobeinikov,V.P. and Karlikov,V.P. On the interaction of strong shock waves with an electromagnetic field, 0=19911
Korobochko,Yu.S. Investigation of electron-capture processes in the betatron, 0=11000
Korobochko,Yu.S. and Shilkov,K.S. Model of a cylindrical betatron without iron, 0=17062
Korobochko,Yu.S. See Denisov,S.G., 0=19860
Korobochko,Yu.S. See Ivanov,D.P., 0=9129
Korobochko,Yu.S. See Ivanov,D.P., 0=11003
Korobochko,Yu.S. See Ivanov,D.P., 0=11004
Korobochko,Yu.S. See Ivanov,D.P., 0=12658
Korobochko,Yu.S. See Komar,A.P., 0=11001
Korobochko,Yu.S. See Komar,A.P., 0=11002
Korol',I.P. Study of viscous flow of rubbers. I. Method of constant deformation, 0=10266
Korol',I.P. Study of viscous flow of rubbers. II. Flow of rubbers during constant deformation, 0=10267
Korol',I.P. Study of viscous flow of rubbers. III. Flow of concentrated solutions of some rubbers, 0=10268
Korol',I.P. Study of viscous flow of rubbers. IV. Flow of natural rubber and polyisobutylene as function of the molecular composition, 0=10269
Korolev,F.A.,Kozlov,B.A. and Odintsov,A.I. Investigation of the profile of the cadmium red line [6438 A], using an atomic beam, 0=11508
Korolev,F.A. and Kulikov,O.F. Investigation of the ratio of intensities of the polarized components of radiation emitted by a "luminous" electron, 0=11142
Korolev,N.V. See Agroskin,L.S., 0=3595
Korolev,V.A. See Vorob'ev,A.A., 0=8991
Korolev,V.A. See Vorob'ev,A.A., 0=11345
Korolev,V.A. See Vorob'ev,A.A., 0=11348
Korol'ev,V.A. See Vorob'ev,A.A., 0=20374
Korolevich,Yu.B. See Bunyatov,S.A., 0=2597
Korolevich,Yu.B. See Dzhanelidze,L.P., 0=15445
Korolevich,Yu.B. See Kopylova,D.K., 0=9690
Korolevich,Yu.B. See Kopylova,D.K., 0=13003
Korol'kov,D. See Gelfreich,G., 0=18636
Korolyov,G.A. See Komar,A.P., 0=20379
Korolyuk,A.P. See Bezuglÿi,P.A., 0=13501
Korolyuk,A.P. See Bezuglÿi,P.A., 0=19567
Korolyuk,A.P. See Galkin,A.A., 0=1567
Korolyuk,A.P. See Galkin,A.A., 0=11576
Korolyuk,A.P. See Galkin,A.A., 0=11577
Korolyuk,A.P. See Galkin,A.A., 0=20758
Korolyuk,G.F. See Kushta,G.P., 0=1938
Korolyuk,S.L. See Samoilovich,A.G., 0=1630
Koros,R.M.,Deckers,J. and Boudart,M. More experiments on liquid films, 0=14609
Korostÿleva,L.A. and Striganova,G.A. Isotopic shift in the uranium spectrum, 0=4176
Korotkov,P.A. See Kondilenko,I.I., 0=19412
Korotkov,P.A. See Kondilenko,I.I., 0=19413
Korovin,L.I. Calculation of the refractive index near the fundamental absorption edge of elemental semiconductors, 0=11668
Korovin,L.I. See Ansel'm,A.I., 0=13510
Korovin,Yu.I. and Lipis,L.V. Use of a hollow-cathode discharge for determination of impurities in ZrO_2. I, 0=1971
Körper,K. High-frequency heating of a plasma cylinder in an axial magnetic field, 0=10899
Körper,K. The impedance of a coil with a plasma as the dielectric, 0=10900
Körper,K. Oscillation of a plasma cylinder in an axial magnetic field. II, 0=10928
Korpusov,V.N. See Katasev,L.A., 0=18684
Korringa,J. Dispersion of electron waves in a random lattice, 0=9872
Korringa,J. See Torrey,H.C., 0=89
Korst,N.N. See Aleksandrov,I.V., 0=16189
Korsunskii,M.I.,Pastushuk,N.S. and Mokhov,G.D. The photoconductivity of layers of sulphur subjected to the action of mercury vapour, 0=18073
Korsunskii,M.I. and Zashkvara,V.V. On the possibility of reducing the aberration coefficients in analysers with non-uniform fields, 0=5364
Korsunskii,M.I. See Rumyantsev,I.A., 0=13421
Koryavov,V.I. See Andriankin,E.I., 0=993
Koseki,Y. See Imaeda,K., 0=12741
Kosenko,V.E. Diffusion and solubility of Cd in Ge, 0=553
Kosenko,V.E.,Miselyuk,E.G. and Khomenko,L.A. The effect of an electric field on the diffusion of silver in germanium, 0=15870
Kosenko,V.E. See Ignatkov,V.D., 0=16351
Kosevich,A.M. and Andreev,V.V. The quantum analogue of the collision integral for electrons in magnetic and electric fields, 0=11653
Kosevich,V.M. and Bashmakov,V.I. The elastic stages of twinning in metal monocrystals, 0=13936
Kosevich,V.M. and Bashmakov,V.I. Investigation of the formation of twins produced in metal crystals under the action of concentrated loads, 0=18272
Kosevich,V.M. See Palatnik,L.S., 0=738
Kosevich,V.M. See Palatnik,L.S., 0=13949
Kosevich,V.M. See Palatnik,L.S., 0=14080
Koshalyaev,G.V. See Vasil'ev,S.S., 0=9625
Koshiba,M. See Aizu,H., 0=1338
Koshiba,M. See Hayakawa,S., 0=17438
Koshino,S. On the electron—lattice interaction in non-polar semiconductors, 0=9957
Koshmarov,Yu.A. See Kosterin,S.I., 0=8683
Kosik,N.A. See Mikhailov,I.F., 0=16241
Koski,W.S. See Deal,R.M., 0=4221
Koslov,S. See Dickinson,H., 0=12618
Kosmachevsky,V.K. See Alikhanov,A.I., 0=9454
Kosman,M.S. and Abkevich,I.I. Long-lasting changes of the contact potential and conductivity of germanium caused by the action of light and a transverse electric field, 0=1637
Kosmarskaya,L.G. See Dmitriev,A.B., 0=5443
Kossanyi-Demay,P. See Bishop,G.R., 0=17519
Kostanashvili,N.I. and Shakhulashvili,O.A. Production of strange particles in the interaction between 9 BeV protons and emulsion nuclei, 0=13068
Kostanashvili,N.I. See Dzhanelidze,L.P., 0=15445
Kostelec,J. Reciprocity failure in ZnO and Se, 0=6956
Kosten,C.W. and Janssen,J.H. Acoustic properties of flexible and porous materials, 0=14725
Koster,G.F. See Aisenberg,S., 0=3133
Koster,G.F. See Rimai,L., 0=6269
Koster,G.F. See Statz,H., 0=4418
Koster,J.R. Radio star scintillations at an equatorial station, 0=2019
Koster,J.R. and Wright,R.W. Scintillation spread F, and transequatorial scatter, 0=16475
Köster,W. Conductivity and Hall constants. X. The detection of constitution and closeness of mixing, 0=9928
Kosterin,S.I. and Koshmarov,Yu.A., The turbulent boundary layer on a flat plate in a uniform stream of a compressible fluid, 0=8683
Kostić,V.N. A simple ten channel amplitude analyser, 0=17177
Kostin,A.G. See Shelkov,L.S., 0=3598
Kostin,M.D. Gas scattering in a strong focusing synchrotron, 0=19846
Kostkowski,H.J. See Garvin,D., 0=5931
Kostomarov,D.P. See Dnestrovskii,Yu.N., 0=278
Kostomarov,D.P. See Dnestrovskii,Yu.N., 0=279
Kostrÿgin,V.A. Investigation of the delayed discharge in thin single crystals of NaCl, 0=18107
Kostryukov,V.N. See Bykov,V.P., 0=5242
Kostyanitsÿn,Yu.B. Magnetostriction of hexagonal system ferromagnetics, 0=1801

Kostyshyn,B.,Brophy,J.E.,Oi,I. and Roshon,D.D.,Jr. External fields from domain walls of cobalt film, 0=8047
Kostyukova,E.P. See Rovinskii,B.M., 0=13978
Kosyachenko,L.A. See Pilat,I.M., 0=18401
Kosyak,Yu.G. See Kaipov,D.K., 0=15420
Kosyakov,V.I. See Isupov,V.A., 0=630
Kot,M.V. and Kretsu,I.V. Anisotropy of some electrical properties of zinc antimonide monocrystals, 0=15967
Kotadia,K.M. The intermediate layer of stratification ($F_{1.5}$) between F_1 and F_2 at Ahmedabad, 0=6462
Kotadia,K.M. Spread-F in the ionosphere over Ahmedabad during the years 1954-57, 0=21364
Kotadia,K.M. and Ramanathan,K.R. Variation with lunar phase of midday critical frequencies and heights of the F2 layer over Ahmedabad and other low latitude stations, 0=3346
Kotajima,K. and Morinaga,H. Isomers in N = 81 nuclei, 0=11336
Kotaka,T.,Kurata,M. and Tamura,M. Normal stress effect in polymer solutions, 0=3497
Kotani,M.,Mizuno,Y.,Kayama,K. and Ishiguro,E. Some problems in the theory of homonuclear diatomic molecules, 0=17819
Kotani,T. and Ross,M. Analaysis of K^- absorption in deuterium, 0=13056
Kotani,T. and Ross,M. The first forbidden β-decay, 0=15544
Kotel'nikov,I.V. See Yablonskii,S.V., 0=16513
Kotenko,L.P. See Alikhanyan,A.I., 0=9696
Kotenko,L.P. See Askar'yan,G.A., 0=20104
Kotenko,L.P. See Kirillov-Ugryumov,V.G., 0=2688
Kotenko,L.P. See Kirillov-Ugryumov,V.G., 0=3942
Kotenko,L.P. See Kirillov-Ugryumov,V.G., 0=9693
Kotenko,L.P. See Kirillov-Ugryumov,V.G., 0=20090
Kotera,Y. and Naraoka,K. The Gudden—Pohl effect of ZnS:Cu, 0=6209
Kothari,L.S. Scattering of thermal neutrons in aluminium, 0=20777
Kothari,L.S. and Singwi,K.S. Slowing down of neutrons in beryllium from 1.44 eV to thermal energy, 0=7360
Kothari,L.S. See Bhandari,R.C., 0=7359
Kothari,L.S. See Singwi,K.S., 0=7374
Kotlay-Gyarmati,B. See Gáspár,R., 0=7784
Kotlyar,B.I. See Vainshtein,E.E., 0=672
Kotlyar,Ya.M. Approximation of Reynolds' equation, 0=6742
Koton,M.M. See Adrova,N.A., 0=4447
Kotov,V.I. and Pushtarik,V.A. The effect of a space charge on the motion of particles in accelerators, 0=2408
Kotova,L.I. Theory of motion of a cylinder on a surface covered by a layer of viscoplastic lubricant, 0=14586
Kottler,F. Turbid media with plane-parallel surfaces, 0=6905
Kouris,M. See Ruck,H., 0=12014
Koutecký,J. and Tomášek,M. Study of the surface states of diamond and graphite by a simple MO-LCAO method, 0=20719
Kouvel,J.S. Exchange anisotropy in an iron-aluminum alloy, 0=2997
Kouvel,J.S. Exchange anisotropy in Cu—Mn and Ag—Mn alloys, 0=10121
Kouvel,J.S. and Graham,C.D.,Jr. Exchange anisotropy in disordered Ni_3Mn, 0=2996
Kouvel,J.S. and Graham,C.D.,Jr. Exchange anisotropy in disordered nickel—manganese alloys, 0=11841
Kouvel,J.S.,Graham,C.D.,Jr and Jacobs,I.S. Ferromagnetism and antiferromagnetism in disordered Ni—Mn alloys,0=13853
Kouvel,J.S. See Kasper,J.S., 0=11922
Kouvel,J.S. See Pry,R.H., 0=10125
Kovács,I. On the structure of multiplet Σ states in diatomic molecules. (With an application to the $^7\Sigma$ state of the MnH molecule), 0=496
Kovács,I. The role of the spin—spin interaction in the multiplet splitting of the $^4\Pi$ state of the O_2^+ molecule, 0=5965
Kovács,I. Intensities in $\Sigma - \Delta$ and $\Pi - \Delta$ transitions of diatomic molecules, 0=15746
Koval',A.G. See Fogel',Ya.M., 0=12579
Koval',A.G. See Fogel',Ya.M., 0=12640
Koval',I.K. Absolute photometry of Venus in the ultraviolet and infrared, 0=8490
Koval'chuk,D.S. See Rȳbakova,G.I., 0=20600
Kovalenko,E.S. A non-isotropic elliptical waveguide, 0=1211
Kovalenko,N.A. See Miloslavskii,V.K., 0=654
Kovalev,E.E. and Popov,V.I. Geometrical correction factor for cylindrical ionization chambers, 0=5445
Kovalev,E.E. and Popov,V.I. Allowance for multiple scattering in a cylindrical [γ-ray] source, 0=9591
Kovalev,E.E.,Popov,V.I. and Smirennyi,L.N. The field of radiation of a rectangular source, 0=7488
Kovalev,O.V. Possible changes of the symmetry O_h^7 in phase transitions of the second order, 0=16252
Kovalev,O.V. See Lyubarskii,G.Ya., 0=18343
Kovalev,V.P. and Stavinskii,V.S. Computing the spectra of fission neutrons, 0=2691
Kovalevsky,V.A. On the null modulation method for photometric measurements, 0=3596
Kovalichev,O.F. See Shishkin,N.I., 0=12061
Koval'skii,N.G.,Podgornȳi,I.M. and Stepanenko,M.M. Investigation of fast electrons in powerful pulsed discharges, 0=19650
Kovaly,J.J. See Hicks,B.L., 0=12700
Kovattana,T. and Barker,J.R. Solution of ladder networks containing non-linear resistances, 0=16963
Kovensky,I.I. See Frantsevich,I.N., 0=732
Kovitz,A.A. and Hoglund,R.F. Laminar parallel stream mixing with dissociation and recombination, 0=10684
Kovner,M.A. See Snegirev,B.N., 0=15720
Kovrizhnȳkh,L.M. Oscillations of an electron—ion plasma, 0=7125
Kovrizhnȳkh,L.M. Effect of inelastic collisions on the velocity distribution of electrons, 0=9044
Kovrizhnȳkh,L.M. Velocity distribution of electrons in a strong electric field, 0=9045
Kovrizhnȳkh,L.M. Stability of a hollow gas conductor in a [longitudinal] magnetic field, 0=9167
Kovrizhnȳkh,L.M. Motion of a plasma loop in an axially symmetric magnetic field, 0=15031
Kovrizhnȳkh,L.M. and Lebedev,A.N. Note on betatron capture, 0=9130
Kovrizhnȳkh,L.M. and Rukhadze,A.A. Instability of longitudinal oscillations of an electron—ion plasma, 0=12625
Kovrizhnȳkh,O.M. See Glagolev,V.L., 0=11376
Kovtun,N.M. and Tereshchenko,A.I. Calculation of propagation constants in an h-mode waveguide with transversely magnetized ferrite plate, 0=19935
Kowalchik,M. See Thurmond,C.D., 0=19119
Kowalewski,D.G.De. See De Kowalewski,D.G.
Kowalewski,L. On the theory of magnetic anisotropy of ferromagnetic crystals, 0=16132
Kowalewski,V.J. and de Kowalewski,D.G. Proton n.m.r. spectra of the n,n-dimethylformamide, n-methylformamide, and n,n-dimethylacetamide, 0=11538
Kowalewski,V.J.,Mayans,C.A. and Hammerschlag,M. On some properties of the radio frequency ion source with longitudinal magnetic field, 0=19772
Kowalski,K.L. Relativistic reaction systems and the asymmetry of time scales, 0=6658
Kowalski,S.B. See Baerg,A.P., 0=1451
Kowalski,T. See Hladky,J., 0=5636
Kowalski,T. See Krivsky,L., 0=20275
Koyasu,M. See Sato,K., 0=5117
Koyasu,M. See Sato,K., 0=19312
Koyl,R.Kh. [Cole,R.H.]. Dielectric relaxation in liquid alcohols, alkyl halides and solutions, 0=19139
Kozachenko,L.S. See Babkin,V.S., 0=10809
Kozai,Y. The motion of a close earth satellite, 0=6630
Kozai,Y. Note on the motion of a close earth satellite, 0=6631
Kozhevnikova,L.V. See Vasil'ev,D.M., 0=6304
Kozina,G.S.,Favorin,V.N. and Anisimova,I.D. Luminance (brightness) waves of electroluminescence under the conditions of simultaneous action of d.c. and a.c. fields, 0=16112
Kozina,G.S. and Poskacheeva,L.P. Total luminance of luminescence of ZnS:Cu and ZnS:Cu:Mn phosphors in pulsating fields, 0=16111
Kozina,G.S. See Favorin,V.N., 0=10081
Kozlenkov,A.I. An investigation of aberrations of a concave grating, 0=14843
Kozlov,B.A. See Korolev,F.A., 0=11508
Kozlov,V.F. See Fogel',Ya., 0=10877
Kozlov,V.F. See Fogel',Ya.M., 0=14978
Kozlova,M.V. See Rozanova,N.B., 0=1108
Kozlovskaya,V.M. Determination of the amount and composition of gases adsorbed on the surface of Ge and Si monocrystals by mass-spectrometry, 0=4750
Kozlovskii,M.I. Spiral growth and solution of crystals, 0=13957

Kozlovskii,M.I. Apparatus for microscopic investigation of the growth of crystals from solutions. 0=16269
ozlovskii,V.Kh. The problem of the existence of entropy of dynamical systems, 0=14905
Kozlovskii,V.Kh. A dynamic theory of deformable ionic lattices of ferroelectric crystals, 0=20955
Koz'minȳkh,M.D. See Mitsuk,V.E., 0=2352
Koz'minȳkh,M.D. See Mitsuk,V.E., 0=19669
Kozodaev,M.S.,Kulyukin,M.M.,Sulyaev,R.M.,Filippov,A.I. and Shcherbakov,Yu.A. Inelastic interaction of $\pi^{\pm}$-mesons with helium nuclei at an energy of about 300 MeV, 0=9697
Kozodaev,M.S.,Kulyukin,M.M.,Sulyaev,R.M.,Filippov,A.I. and Shcherbakov,Yu.A. Interaction between 630 MeV protons and He^4 nuclei, 0=12933
Kozȳrev,B.M. See Avvakumov,V.I., 0=8085
Kozyrev,P.T. The effect of pressure (up to 30000 atm) on the electrical conductivity of selenium. I, 0=613
Kozyrev,P.T. The effect of pressure on the electrical conductivity of oxygen-free selenium. II, 0=614
Kozýreva,M.S. and Renne,V.T. Use of infrared spectroscopy in the study of capacitor paper, 0=16396
Kraak,W. The influence of rate of flow values on the determination of the dynamic stiffness of porous damping materials, 0=1017
Kraak,W.,Jahn,G. and Fasold,W. A new large reflection-free room for soundwaves, 0=14744
Krachino,T.V. See Bol'shov,V.G., 0=7139
Kraemer,L.M. Cuprous halide films on alkali halide crystals, 0=20847
Kraev,M. Positronium in an external field, 0=17317
Kraev,M. Renormalization of the equation of the two-electron Green's function, 0=20018
Kraev,M. Analytical wave-functions and energy levels of the state $1S2p^3P$ of two-electron atoms, 0=20535
Kraft,L.G. See Pineo,V.C., 0=16432
Kraft,R.P. Color excesses for supergiants and classical cepheids. I. Calibration of the G-band photometry, 0=18792
Kraft,R.P. Color excesses for supergiants and classical cepheids. II. The period—colour relation for classical cepheids, 0=18793
Krag,W.E. Galvanomangetic effects in n-type silicon, 0=9969
Kragel'skii,I.V. On the criteria of wear of materials. 0=6323
Kraichman,M.B. Basic experimental studied of the magnetic field from electromagnetic sources immersed in a semi-infinite conducting medium, 0=7222
Krainik,N.N. Antiferroelectric and ferroelectric properties of the $NaNbO_3-PbZrO_3$ solid solutions, 0=11746
Krainik,N.N. Comparison of the internal fields acting in certain ferro- and antiferroelectric structures of the perovskite type, 0=13657
Krainik,N.N. and Agranovskaya,A.I. Antiferroelectric and ferroelectric properties of several solid solutions containing Pb_2MgWO_6, 0=7978
Krakau,J.A. See Protass,I.R., 0=12745
Kralina,A.A. See Esin,V.O., 0=18304
Kralina,A.A. See Esin,V.O., 0=18305
Krall,A.D. and Hooper,E.T.Jr, Ferromagnetic powders in waveguides at elevated temperatures, 0=10156
Krall,N.A. and Gerjuoy,E. Upper bound on total electron scattering cross sections in hydrogen, 0=17690
Krall,N.A. See Gerjuoy,E., 0=13401
Kramareva,S.A. and Stafeev,V.I. An investigation of certain "long" diode properties, 0=7921
Kramarov,O.P. Production of ferroelectric single crystals by the zone recrystallization method, 0=709
Kramarov,O.P. See Novosil'tsev,N.S., 0=708
Kramer,A. The internal mobility of the cyclohexane ring, 0=15708
Kramer,B. and Schön,M. The effects of infrared radiation on trapped electrons in excited ZnS-phosphors, 0=18139
Kramer,B. See Kallmann,H., 0=2906
Kramer,B. See Kallmann,H., 0=7959
Kramer,G. Deuteron photodisintegration and P-wave phase shifts in the medium energy range, 0=5624
Kramer,G. and Müller,D. Low-energy deuteron photodisintegration, 0=5623
Kramer,G. and Werntz,C. Deuteron photodisintegration in the medium energy range, 0=15460
Kramer,H. Dielectric absorption measurements on dilute solutions at millimetre wavelengths, 0=5026
Kramer,H. The intra-molecular flexibility of amines, 0=7735
Krämer,H. See Faessler,A., 0=1970
Kramer,H.H. and Blair,E.J. Digital pulse integrator for flash intensity measurements, 0=8789
Kramer,H.H. See Current,J.H., 0=10778
Kramer,J.J. See Foster,K., 0=10104
Kramer,V. See Bozorth,R.M., 0=10176
Kramer,V. See Bozorth,R.M., 0=13839
Kramer,V. See Debevec,L., 0=12124
Kramers,H.C. See Brewer,D.F., 0=8879
Krampe,C. Ephemeris for physical observations of Jupiter near conjunction, 0=12266
Kranendonk,J.Van. See Van Kranendonk,J.
Kranjc,A. Calculation of the orbits of double stars. I, 0=18799
Kranz,A.Z. See Bernstein,W., 0=1192
Kranz,A.Z. See Klein,D., 0=13339
Krasavina,L.D. See Lavrukhina,A.K., 0=7569
Krasavina,L.D. See Lavrukhina,A.K., 0=7633
Krasil'nikov,D.D. Increase of the barometric effect with the energy of extensive air showers, 0=393
Krasilnikov,D.D. On some properties of extensive air showers obtained by continuous recording of shower frequency near sea level, 0=9459
Krasil'nikov,K.G. See Ganichenko,L.G., 0=12114
Krasil'nikov,V.A. and Khatinov,D.V. The propagation of ultrasonic finite amplitude waves in a relaxing liquid, 0=995
Krasil'nikov,V.A. See Zarembo,L.K., 0=3582
Krasil'shchikov,L.B. See Brounshtein,A.M., 0=6990
Krasnitskaya,N.D. See Zhmȳreva,I.A., 0=10677
Krasnopevtsev,V.V. See Konorova,E.A., 0=1709
Krasnov,K.S. The vibration frequency of the TlI molecule, 0=9801
Krasnov,K.S. and Maksimov,A.I. Calculation of the vibration frequencies of diatomic mulecules using the reduced mass, 0=17727
Krasovskii,V.I.,Shklovskii,I.S.,Gal'perin,Yu.I. and Svetlitskii,E.M. Detection of ~10 keV electrons in the upper atmosphere by means of Sputnik 3, 0=1979
Krasovskii,V.P. and Fakidov,I.G. The thermoelectric properties of the phosphides of manganese, 0=10008
Krasovskii,V.P. See Fakidov,I.G., 0=1674
Krasovskii,V.P. See Fakidov,I.G., 0=10106
Krasovskii,Yu.P. Setting up of liquid waves of large amplitudes, 0=6766
Krasovskii,Yu.P. Existence of aperiodic flow with free boundary, 0=19050
Krassovsky,V.I. The nature of emissions of the upper atmosphere, 0=18510
Krassovsky,V.I.,Galperin,G.I.,Mironov,A.V.,Prokudina,V.S., Shefov,N.N.,Fedorova,N.I. and Bagariazky,B.A. Results from studies of the night airglow and aurorae in the U.S.S.R., 0=4808
Kratky,O. Does the non-conservation of parity give rise to the preferential formation of crystal enantiomorphs, 0=11995
Kratky,O.,Porod,G. and Skala,Z. Smearing and the removal of smearing effects in X-ray small-angle diagrams, 0=8190
Kratochvīl,P.,Lukáč,P. and Valouch,M. The influence of impurities on the fibrous substructure of zinc single crystals, 0=18303
Kratochvīl,P. See Boček,M., 0=11620
Kratochvīlova,E. See Míšek,K., 0=11872
Kraus,J. The dependence of the dielectric constant of ADP on the temperature, 0=11742
Kraus,J.D. The Ohio State University 360 ft radio telescope, 0=4877
Kraus,J.D. Apparent radio radiation at 11 m wavelength from Venus, 0=10479
Kraus,J.D. and Crone,W.R. Apparent observation of solar corpuscular clouds by direct continuous-wave reflection, 0=4896
Kraus,J.D.,Higgy,R.C. and Crone,W.R. The satellite ionization phenomenon, 0=12338
Kraus,J.D.,Higgy,R.C.,Scheer,D.J. and Crone,W.R. Observations of ionization induced by artificial earth satellites, 0=10540
Krause,B.,Hook,A.B.,Wawner,F. and Rosenwasser,H. X-ray powder diffraction studies of hafnium tetraiodide, 0=18358
Krause,B.H. See Thun,R.E., 0=13974
Krause,F.P. See Jackson,F.L., 0=20369
Krause,I.Y.,Schmidt-Ott,W.D.,Hoffmann,K.W. and Flammersfeld,A. Gamma spectrum of Se^{81}, 0=2658
Krause,I.Y. See Hoffmann,K.W., 0=414
Krause,I.Y. See Hoffmann,K.W., 0=17524

Krause,I.Y. See Schmidt-Ott,W.D., 0=5716

Krause,J.F. See Robinson,M.T., 0=13299

Krause,J.F. See Robinson,M.T., 0=13363

Krause,R. Acoustic research at boundary between solid and liquid bodies, 0=2198

Krauskopf,J.,Cornsweet,T.N. and Riggs,L.A. Analysis of eye movements during moncular and binocular fixation, 0=8448

Krauss,M. and Ransil,B.J. Some intra-atomic correlation correction studies, 0=17796

Krauss,M.,Reese,R.M. and Dibeler,V.H. Multiple ionization of rare gases by electron impact, 0=7070

Krauss,M. See Padgett,A., 0=4216

Krautkopf,D.W. Ultrasonic scattering and attenuation in polycrystalline copper and α-brass, 0=13503

Krautkramer,J. Determination of the size of defects by the ultrasonic impulse echo method, 0=5109

Krauze,Kh. See Gërlikh,P., 0=20142

Kravchenko,V. See Damburg,R., 0=13254

Kravchenko,V.Ya. See Damburg,P.Ya., 0=5325

Kravtsov,V.A. Empirical regularities in the nucleon pair production energies in nuclei, 0=9513

Krawinkel,G.H. On the phenomenon of the continuous circulation of a polar liquid dielectric in an inhomogeneous electric field, 0=3724

Kraybill,H.L. See Hannum,W.H., 0=9402

Krebs,K.,Rieseberg,H. and Soergel,V. Higher-order effects in the allowed β-decay of Li^8, 0=13197

Krebs,K. and Winkler,R. Hyperfine structure of Eu II, 0=17706

Krebs,K. See Honcia,G., 0=2237

Krebs,K. See Koppelmann,G., 0=5172

Krebs,K. See Koppelmann,G., 0=5176

Krecker,U. See Grote,C., 0=1312

Kregar,M. See Dular,J., 0=5767

Kreher,K. See Kleint,C., 0=7042

Kreielsheimer,K.S. See Currie,D.R., 0=21320

Kreiken,E.A. and Süer,B. Note on the H-R diagram of binary stars, 0=14443

Kreines,N.M. See Borovik-Romanov,A.S., 0=3103

Kreith,F. and Margolis,D. Heat transfer and friction in turbulent vortex flow, 0=6977

Krejči,V. The effect of the cathode region on the dynamic properties of a glow discharge in hydrogen, 0=3752

Kremer,H. and Kichenassamy,S. On the singular electromagnetic field in a theory of the Born—Infeld type, 0=6682

Kremheller,A. Microscopic observations on electroluminescent phosphors, 0=2966

Kremheller,A. Growth and heat treatment of zinc sulfide single crystals, 0=10287

Kremheller,A. Ferroelectric materials and their applications, 0=18094

Krempl,H. See Maierhofer,J., 0=14828

Krempl,H. See Späth,H., 0=5287

Krenske,G. See Auth,J., 0=6118

Kreplin,R.W. See Chubb,T.A., 0=16539

Kresin,O.M. See Iodko,M.G., 0=13212

Kresin,V.Z. The problem of thermal conductivity and absorption of sound in superconductors, 0=13500

Kresin,V.Z. See Geilikman,B.T., 0=19558

Kresnin,A.A. The polarization of the electrons in bremsstrahlung processes, 0=11147

Krestnikov,Yu.S.,Meshkovskii,A.G.,Shalamov,Ya.Ya., Shebanov,V.A. and Kobzarev,I.Yu. The $\mu \rightarrow e + \gamma$ and $\mu \rightarrow e + \nu + \bar{\nu} + \gamma$ decays, 0=11192

Krestovnikova,T. See Ouvarova,V.M., 0=12749

Kresze,G. See Schrader,B., 0=12484

Kretschmer,C.B. and Petersen,H.L. Recombination kinetics of atomic oxygen at room temperature, 0=18430

Kretsu,I.V. See Kot,M.V., 0=15967

Kretzschmar,M. Statistical weight for a many-particle system with arbitrary spin, 0=2137

Kretzschmar,M. Group-theoretical investigations in connection with the shell model. I. Mathematical theory of the Hamiltonian, 0=5647

Kretzschmar,M. Group-theoretical investigations in connection with the shell model. II. Translation—invariance problem, 0=7451

Kretzschmar,M. On the theory of the Wigner supermultiplet, 0=7482

Krichevskii,I.R. and Tsekhanskaya,Yu.V. Convective diffusion in liquid solutions in the region of turbulence, 0=78

Krieger,H.L. and Groche,D. Occurrence of scandium-46 and cesium-134 in radioactive fallout, 0=7501

Krieger,I.M. and Gans,P.J. First-order stochastic processes, 0=3401

Krieger,T.J. and Zweifel,P.F. Theory of pulsed neutron experiments in multiplying media, 0=13356

Krieger,T.J. See Keaveney,D.M., 0=13327

Krienen,F. The tuningfork frequency modulator of the Cern synchro-cyclotron. I. General design, 0=19854

Krienen,F. The tuningfork frequency modulator of the Cern synchro-cyclotron. II. Mechanics of tuningfork, 0=19855

Krienke,O.K.Jr, See Kerlee,D.D., 0=11264

Kriessman,C.J.,Belson,H.S. and Edelman,F.H. Anisotropy and coercivity in thin films, 0=3055

Kriessman,C.J. See Belson,H.S., 0=3110

Kriessman,C.J. See Belson,H.S., 0=4503

Kriessman,C.J. See Matcovich,T.J., 0=3076

Krigbaum,W.R.,Carpenter,D.K.,Kaneko,M. and Roig,A. Theory of dilute high polymer solutions. II, 0=16694

Krikorian,O.H. See Zalkin,A., 0=8211

Krimm,S. Note on the infrared dichroism of axially oriented polymer, 0=6166

Krimm,S. Approximate isotopic frequency rule and its application to the spectra of complex molecules, 0=15715

Krimmel,E. Coherent splitting of an electron beam by magnetic fields, 0=5348

Krinchik,G.S. Magneto-optical resonance in ferromagnetics. I. Visible region, 0=6171

Krinchik,G.S. A method of measuring the magnetic properties of a thin surface layer of a ferromagnetic, 0=18195

Krinchik,G.S. and Chetkin,M.V. The Faraday effect in yttrium garnet at infrared frequencies, 0=13677

Krinchik,G.S. and Chetkin,M.V. The problem of determining the permittivity and permeability tensors of a medium, 0=14946

Krinchik,G.S. and Nuralieva,R.D. Magneto-optical resonance in ferromagnetics. II. Near infrared region, 0=6172

Krinchik,G.S. and Nuralieva,R.D. Magneto-optical resonance in nickel at infrared frequencies, 0=10046

Krinchik,G.S. and Stroganova,I.S. Magneto-optical properties of iron, nickel and cobalt in the ultraviolet region, 0=6173

Krincik,G.S. See Cecernikov,V.I., 0=13757

Krisement,O. and Trömel,G. Optical observation of the transformation of cristobalite crystals and statistical evaluation, 0=1878

Krisement,O. and Trömel,G. The inversion of cristobalite, 0=4582

Krisement,O. and Trömel,G. Changes of the properties of SiO_2 cristobalite by means of fast-neutron irradiation and the introduction of foreign atoms, 0=15878

Krisher,L. See Thaddeus,P., 0=5921

Krisher,L.C. Microwave spectrum, barrier to internal rotation, and quadrupole coupling of acetyl bromide, 0=20630

Krisher,L.C. and Pierce,L. Second differences of moments of inertia in structural caclulations: application to methylfluorosilane molecules, 0=15777

Krisher,L.C. and Wilson,E.B.,Jr. Microwave spectrum of acetyl cyanide, 0=2763

Krisher,L.C. See Pierce,L., 0=2762

Krishna,B. and Srivastava,K.K. Experimental and theoretical aspects of Higasi's equation for a quick determination of electric dipole moment in solution, 0=5019

Krishna,M.G.P. See Venkateswarlu,K., 0=487

Krishna,V.G. and Goodman,L. Solvent effects on $n \rightarrow \pi^*$ transitions in pyrazine, 0=15742

Krishna Gopala,K.V. See Gopala Krishna,K.V.

Krishna Murti,G.S.R. Space group of cyclohexanone at −180°C, 0=18367

Krishna Murti,G.S.R. On the crystal structure of methanol at −180°C, 0=21204

Krishna Murty,G. Absorption of microwaves in certain vapours — ethyl formate, diethyl amine and methyl acetate, 0=19210

Krishna Rao,K.V. Simple method of determining the thickness or the refractive index of thin films, 0=6941

Krishna Rao,K.V. See Lonsdale,K., 0=8248

Krishnamoorthy,P.N. Inhibition of shrinkage in nuclear emulsions, 0=2468

Krishnamurthy,E.V. Digito-analogue computer for solving linear simultaneous equations and related problems, 0=18576

Krishnamurthy,E.V. See Ramachandran,G.N., 0=8465

Krishnamurti,D. The Raman spectra of crystalline sulphates of Ni and Mn, 0=2947

Krishnamurti,D. The Raman spectra of polycrystalline solids, 0=16072

Krishnamūrti,T.N. A vertical cross section through the "polar-night" jet stream, 0=10406

Krishnamurty,B. Dispersion of ultrasonic velocity in aqueous solutions of electrolytes, 0=941

Krishnamurty,B. Ultrasonic studies in electrolytes — effect of conduction on compressibility, 0=19128

Krishnan,A.A. See Rama Rao,P., 0=1841

Krishnan,K.S. Effect of specular reflexions on the radiation flux from a heated tube, 0=14877

Krishnan,K.S. and Sundaram,R. The distribution of temperature along electrically heated tubes and coils, 0=19474

Krishnan,R.S. and Balasubramanian,K. Raman spectrum of crystalline α-glycine, 0=4421

Krishnan,R.S.,Venkatasubramanian,V.S. and Rajagopal,E.S. Effect of sound intensity on dispersion and coagulation in ultrasonic emulsification, 0=4737

Krishnan,T.S. Raman spectrum of strontianite ($SrCO_3$), 0=2946

Krishnaswamy,R. See Umamaheswararao,G.V., 0=3335

Krishtal,M.A. Boundary and volume diffusion, 0=11638

Kristan,J. See Knop,L., 0=17680

Kristenson,H. The precise timing of the total solar eclipse June 30, 1954, 0=12

Kristianpoller,N. See Halperin,A., 0=2971

Kristianpoller,N. See Halperin,A., 0=4466

Kristofel',N.N. A quantum-mechanical calculation of a luminescence centre in KCl:Tl, 0=4448

Kristofferson,A.B. See Kincaid,W.M., 0=2061

Kritskaya,V.K.,Kurdyumov,G.V. and Osip'yan,Yu.A. On the nature of the variation of Young's modulus during thermal treatment of single-phase, nickel-base alloys, 0=6292

Kritskaya,V.K. See Batenin,I.V., 0=1917

Kritskaya,V.K. See Kurdyumov,G.V., 0=728

Kritz,A.H. and Mintzer,D. Propagation of plasma waves across a density discontinuity, 0=3767

Kritzinger,C.A.J. An apparatus for measuring the speed of pneumatically transported grains by means of radioactivity, 0=19041

Kritzinger,C.A.J. See Burgerjon,J.J., 0=19842

Krivitsky,V.V. See Ignatenko,A.E., 0=5370

Krivko,N.I. See Gubanov,A.I., 0=7940

Krivoglaz,M.A. The theory of phonon thermal conductivity of imperfect crystals near the critical point on the decay curve or a second-order phase transition, 0=15820

Krivoglaz,M.A. X-ray and thermal-neutron scattering near a second-order phase transition point, 0=16299

Krivsky,L.,Hladký,J.,Mokrý,P.,Chaloupka,P. and Kowalski,T. Solar flare connected with an increase of intensity of cosmic rays, 0=20275

Křivský,L. See Hladý,J., 0=20288

Křivský,L. See Kleczek,J., 0=16542

Kříž,J. See Husa,V., 0=2888

Krizhanskii,L.M.,Malyi,Ya.,Murin,A.N. and Preobrazhenskii,B.K. The yields of rare-earth isotopes from the fission of ^{239}Pu by pile neutrons, 0=7634

Kroebel,W. Dependence of the visibility of object on contrast, object size, and flux level of adaptation, 0=6520

Kroebel,W. and Vanselow,K. The recording of the fine-structure of the heat radiation of human bodies, 0=206

Kroening,J.L. Ion-density measurements in the stratosphere, 0=10401

Kröger,F.A.,Stieltjes,F.H. and Vink,H.J. Thermodynamics and formulation of reactions involving imperfections in solids, 0=4295

Krogh-Moe,J. The crystal structures of potassium pentaborate, $K_2O.5B_2O_3$, and the isomorphous rubidium compound, 0=4644

Krogh-Moe,J. The cation distribution in some crystalline and vitreous cesium borates, 0=4645

Krogh-Moe,J. On the structural relationship of vitreous potassium pentaborate to the crystalline modifications, 0=5360

Krogh-Moe,J. The relation of structure to some physical properties of vitreous and molten borates, 0=8252

Krogh-Moe,J. On the structure of boron oxide and alkali borate glasses, 0=8256

Kroh,J. See Collinson,E., 0=18438

Krohn,V.E. See Eggler,C., 0=12999

Krohs,A. See Görlich,P., 0=3790

Krohs,A. See Görlich,P., 0=3791

Kroitoru,N. and Chobanu,G. Hall constant and dependence on magnetic field of the electrical conductivity of thin metallic layers with dual conductivity, 0=17992

Krokhin,O.N. and Popov,Y.M. Retardation times of non-equilibrium current carriers in semiconductors, 0=20885

Krokhina,A.I. and Spivak,G.V. On the problem of the anisotropy of cathodic sputtering of dielectrics, 0=21245

Królikowski,W. A general equation for scattering amplitudes of particles in the field theory, 0=5525

Krolikowski,W. On the intrinsic Pauli principle, 0=17243

Królikowski,W. A possible explanation of the high-energy peaks in pion–nucleon cross-sections, 0=17388

Kromhout,R.A. See Emerson,M.T., 0=14117

Kromhout,R.A. See Grunwald,E., 0=14118

Kromminga,A.J. and McCarthy,I.E. Further interpretation of a medium energy (p,2p) experiment, 0=11404

Krone,R.W. and Singh,J.J. Properties of the excited states of Na^{22} from the $Ne^{21}(p,\gamma)$ reaction, 0=7568

Kronenberg,K.J. Magnetism of submicroscopical iron particles, 0=3046

Kronenberg,K.J. Transmission electron diffraction of Alnico V, 0=10158

Kronenberg,K.J. and Bohlmann,M.A. Long-term magnetic stability of alnico and barium ferrite magnets, 0=18199

Kroner,E. Treatment of quantum-mechanical many-body problems using two-body wave-functions, 0=9304

Kröner,E. and Hofelich,F. On the treatment of the quantum mechanical many-particle problem with the help of several-particle functions, 0=20087

Krongauz,A.N., Lyapidevskii,V.K. and Deev,Yu.S. The effect of simultaneous action of light of various wavelengths on the negative and positive photoconductivities of cuprite, 0=15988

Krongelb,S. and Strandberg,M.W.P. Use of paramagnetic-resonance techniques in the study of atomic oxygen recombinations, 0=2728

Kronmüller,H.,Seeger,A. and Schiller,P. Ferromagnetic viscosity due to interstitials in neutron irradiated nickel, 0=18185

Kronmüller,H. See Seeger,A., 0=11812

Kronrod,A.S. The numerical solution of the magnetic-field equation in saturated iron, 0=13778

Kronsbein,J. and Farber,E.A. Time retardation in static and stationary spherical and elliptic spaces, 0=42

Kropf,A.,Eyring,E.M.,Wahrhaftig,A.L. and Eyring,H. Mass spectrum of propane: Isotope effect and meta-stable ions, 0=3741

Kropschot,R.H. and Blatt,F.J. Thermoelectric power of cold-rolled pure copper, 0=1691

Kropschot,R.H. See Blatt,F.J., 0=10007

Kros,A. See Görlikh,P., 0=20142

Krotov,V.I. See Stavisskii,Yu.Ya., 0=12644

Krotov,V.V. Use of the strong-focusing principle for the shaping of electric deflectors, 0=10993

Krotova,N.A. and Morozova,L.P. Investigation of diffusion processes in the adhesion of polymers by luminescent method, 0=3162

Kroupa,F. The deformation of a whisker with an edge dislocation, 0=2817

Kroupa,F. Dependence of bending of a strip on position of edge dislocations, 0=8102

Kroupa,F. and Málek,Z. The influence of plastic deformation by cold rolling on coercivity, 0=6224

Krueger,H.H.A. See Berlincourt,D., 0=1700

Krueger,P.J. and Thompson,H.W. Vibrational band intensities and structural factors, 0=7750

Krug,W. Equi-densitometry. Method of two-dimensional photometry and image analysis, 0=5126

Krüger,A. See Hachenberg,O., 0=14214

Krüger,H. and Scheffler,K. Double resonance experiments on the excited state $4^2P_{1/2}$ of the atom Na^{23}. 0=20552

Krüger,H.G. A new direct reading mirror monochromator for ultraviolet and visible spectral lines, 0=5162

Kruger,J. and Ambs,W.J. Optical measurements on thin films of condensed gases at low temperatures, 0=740

Kruger,J. and Ambs,W.J. Reaction between copper and solid oxygen condensed at very low temperatures from a gas discharge, 0=14982

Krüger,L. Verifying parity conservation in strong interactions by means of $\beta-\gamma$ angular correlation and $\gamma-\gamma$ correlation, 0=2484

Kruglak,H. Evaluation of high school physics courses by college students, 0=24

Kruglov,S.P. and Lopatin,I.V. The relationship between energy absorption and ionization for γ-quanta with $E\gamma_{max}$ = 85 MeV, 0=11131

Kruglov,S.P. and Lopatin,I.V. Study of the energy leakage from a beam of bremsstrahlung radiation in an absorption calorimeter. I. 0=15324

Kruglÿkh,A.A.,Pavlov,V.S. and Tikhinskii,G.F. Recrystallization of beryllium, 0=16265

Kruh,R.F. See Sharrah,P.C., 0=3521

Krumholz,P. See Stammreich,H., 0=11528

Krupchinsky,P.A. The thermal neutron absorption cross-section and resonance absorption integral of ^{240}Pu, 0=7614

Krupicka,S. Magnetic after-effect due to electron diffusion in MgMn ferrites, 0=11892

Krupička,S. On the theory of permeability disaccommodation in an alternating field, 0=13785

Krupička,S. and Gerber,R. A contribution to studying the mechanism of permeability disaccommodation in ferrites, 0=13826

Krupička,S. and Závěta,K. The distribution of ions and their valencies in manganese ferrites. I. MnFe$_2$O$_{4+\gamma}$ ferrites, 0=3239

Krupička,S. See Brož,J., 0=3078

Krupička,S. See Brož,J., 0=11888

Kruse,H.W. See Reines,F., 0=3955

Kruse,P.W. Uncooled I.R. detectors for long wavelengths, 0=10800

Kruse,T.H.,Bent,R.D. and Lidofsky,L.J. Gamma radiations of Na^{23} and Ne^{20}, 0=13206

Kruse,U.E. and Arnold,R.C. Scattering of negative mesons by hydrogen at 130 and 152 MeV, 0=2579

Krushinskaya,N.P. See Baberkin,A.S., 0=18441

Kruskal,M.D. Maximal extension of Schwarzschild metric, 0=16588

Krutikov,A.S. See Bocharov,E.I., 0=82

Kryazhev,F.I. Sound field of a first-order plate wave in a layer of water, 0=19284

Kryazhev,F.I. See Grigor'ev,V.S., 0=19268

Krÿlov,V.D. Calculation of microdeformations and of block sizes by means of harmonic analysis of the shapes of the X-ray diffraction lines given by polycrystals, 0=16301

Krylova,A.P. See Kolesnikov,N.N., 0=11316

Krÿlova,T.N. Interference light-filters made of multilayer dielectrics, 0=3639

Krÿlova,T.N. See Sokolova,R.S., 0=3640

Krylow,J. See Grohman,A., 0=18322

Krynicki,K. See Hennel,J.W., 0=14579

Kryter,K.D. Scaling human reactions to the sound from aircraft, 0=813

Kryter,K.D. Speech bandwidth compression through spectrum selection, 0=8440

Kryuchkov,N.F. See Pavlov,V.A., 0=1847

Kryukova,L.N. See Gnedich,A.V., 0=13209

Krzhemenek,Ya. See Komar,A.P., 0=13257

Krzhizh,I. See Gusa,V., 0=706

Krzhizhanovskii,R.E. The ratio of the electron and phonon parts of the thermal conductivity in steels, 0=7861

Krzywicki,A. High-energy pion-nucleon collisions and isotopic properties of the pion-pion interaction, 0=17378

Krzywicki,A. On the cloud—cloud interaction in high-energy inelastic nucleon—nucleon collisions, 0=20123

Krzywicki,A. See Koba,Z., 0=17322

Krzywicki,A. See Koba,Z., 0=17323

Krzywoblocki,M.Z.v. See v.Krzywoblocki,M.Z.

Ksendzov,Ya.I. See Smolenskii,G.A., 0=16020

Ksendzov,Ya.M. Influence of admixtures on the electric properties of rutile, 0=1697

Kshnyakin,R.I. See Darevskii,V.M., 0=12387

Kshnyakin,R.I. See Darevskii,V.M., 0=19013

Ksoll,G. See Böer,K.W., 0=2355

Ku Dschi-Yü. See Burck,H., 0=16993

Kubal,J. Tanning development of nuclear emulsions, 0=192

Kubal,J. Some factors affecting the sensitivity of nuclear emulsions, 0=12735

Kubal,J.,Beneš,J. and Hrkal,Z. Effect of cadmium ions on the properties of nuclear emulsions, 0=3901

Kubanskii,P.N. The effect of acoustic streaming on the process of convective heat exchange, 0=138

Kubanskii,P.N. Theory of vortex formation near a resonator in an air stream, 0=6828

Kubanskii,P.N. The coagulation of aerosols by free-flowing gas jets, 0=10365

Kubarev,S.I. The absorption of light and luminescence of complex molecules, 0=9791

Kubarev,S.I. Certain problems in the spectroscopy of complex molecules, 0=20613

Kubie,G. and Spurný,K. Radioactive labelling of membrane filters for the assay of air-borne material, 0=20364

Kubikowski,J. The cooling of the [stellar] atmosphere behind the shock-wave front [in pulsating stars], 0=18798

Kubis,J.T. See Brueckner,K.A., 0=9286

Kubis,J.T. See Brueckner,K.A., 0=11123

Kubo,M. See Ito,K., 0=7807

Kubo,M. See Kimura,K., 0=15782

Kubo,M. See Nakamura,D. 0=4538

Kubota,H. New tables of the interference color, 0=19434

Kubota,H.,Miyamoto,K. and Murata,K. Some investigations on the transmission function, 0=19403

Kubota,H. and Saito,H. Further study on the diffraction images in the polarizing microscope, 0=16827

Kuchai,S.A. Optical properties of axially symmetrical magnetic fields with a centra source of charged particles, 0=10978

Kuchař,K. Remarks on the theory of electroluminescence in ZnS crystals, 0=4463

Kucher,T.I. Hole bands in NaCl, 0=2807

Kucherenko,E.T. and Fedorus,A.G. The energy distribution of ions from a high-frequency source, 0=1164

Kucherenko,E.T. and Nazarenko,O.K. Features of electron oscillation discharges in a magnetic field, 0=1112

Kucherov,R.Ya. and Rikenglaz,L.E. Hydrodynamic boundary conditions for evaporation and condensation, 0=8847

Kucherov,R.Ya. and Rikenglaz,L.É. Slipping and temperature discontinuity at the boundary of a gas mixture, 0=10691

Kucherov,R.Ya. and Rikenglaz,L.É. The rapid change of concentration in the case of slow evaporation of a mixture, 0=14889

Kucheryaev,A.G.,Szenov,Yu.K. and Gogichaishvili,Sh.M. Measurements of nuclear magnetic moments in the alkali earths by molecular beam magnetic resonance, 0=9516

Kuchin,V.D. Temperature dependence of dielectric strength of ionic crystals in an electric disruption, 0=1708

Kuchin,V.D. Further contribution to the temperature dependence of the electric strength of ionic crystalline dielectrics, 0=7987

Kuchin,V.D. The investigation of the temperature influence on electric strength of ionic crystals. I. One-electron model, 0=20963

Kuchinka,M.Yu. See Kishko,S.M., 0=1521

Kuchitsu,K. See Bartell,L.S., 0=20693

Kuchkov,E.M. The mass-spectrum line profile and the role of a pulse ion source in the radio-frequency mass-spectrometer, 0=17049

Küchle,M. Neutron temperature measurements in graphite, 0=12971

Kuchnir,M. See Dietzsch,O., 0=15535

Kuchowicz,B. First forbidden beta transitions for the universal Fermi interaction, 0=5548

Kuckes,A. See Calame,G., 0=19853

Kuczen,K.D. and Bump,T.R. Measurement of local heat transfer coefficients with sodium-potassium eutectic in turbulent flow, 0=12409

Kuczynski,G.C. Anomalous thermionic emission from UC and (ZrC)$_{0.8}$ (UC)$_{0.2}$, 0=17027

Kuczynski,G.C.,Matsumura,G. and Cullity,B.D. Segregation in homogeneous alloys during sintering, 0=18395

Kuczynski,G.C. See O'Brien,J.L., 0=16316

Kuddu,K.F. See Prokof'ev,A.M., 0=7102

Kuder,M.L. See Hammond III,H.K., 0=16858

Kudinov,B.S. See Melioranskii,A.S., 0=13149

Kudinov,E.K. Energy spectrum of holes in Bi$_2$Te$_3$, 0=7936

Kudinova,T.P. See Romanchuk,P.R., 0=18736

Kudintseva,G.A.,Polyakova,M.D.,Samsonov,G.V. and Tsarev,B.M. Preparation and some properties of yttrium hexaboride, 0=1879

Kudo,H. See Johnson,W., 0=6714

Kudrin,L.P. See Bat,G.A., 0=7640

Kudryashov,P.I. and Sveshnikov,B.Ya. The concentration depolarization of phosphorescence of organic phosphors, 0=16100

Kudryavtsev,E.M. See Faizullov,F.S., 0=102

Kudryavtsev,E.M. See Faizullov,F.S., 0=19212

Kudryavtsev,E.M. See Faizullov,F.S., 0=19213

Kudryavtsev,V.I. See Keimakh,R.Y., 0=19457

Kudryavtseva,L.A. See Vasil'ev,L.I., 0=13547

Kuebler,N.A. See Nelson,L.S., 0=17759
Kuehler,J.D. A new electron mirror design, 0=10964
uehner,J.A.,Almqvist,E. and Bromley,D.A. Distorted wave effects in stripping, 0=5753
Kuehner,J.A. See Almqvist,A., 0=13251
Kuehner,J.A. See Bromley,D.A., 0=1398
Kuehner,J.A. See Bromley,D.A., 0=5756
Kuehner,J.A. See Bromley,D.A., 0=9648
Kuethe,A.M.,Willmarth,W.W. and Crocker,G.H. Stagnation point fluctuations on a body of revolution, 0=16728
Kuether,F.W. and Lachman,J.C. How reliable are the two new high-temperature thermocouples in vacuum? 0=19516
uether,F.W. See Lachman,J.C., 0=14955
Kuffel,E. Electron attachment coefficients in oxygen, dry air, humid air and water vapour, 0=5277
Kugler,K. See Nikuradse,A., 0=10369
Kuhl,W. and Fischer,H. Vertical, horizontal and inverted microscope in conjunction with a film camera, with a rapid change of function and small weight, 0=1031
Kuhl,W. and Schröder,F.K. Damping of elastically mounted beams, 0=16755
Kuhl,W. and Schröder,F.K. Investigations of the damping of structure-borne sound in elastically mounted building structures, 0=19336
Kuhl,W. and Zosel,J.M. Investigations into pseudostereophony and stereophony with a sphere-loudspeaker and "room-presence" equipment, 0=19320
Kuhlmann-Wilsdorf,D. Frictional stress acting on a moving dislocation in an otherwise perfect crystal, 0=17945
Kuhn,B. Oscillographic measurements on high current sparks, 0=249
Kuhn,E. and Dresner,L. The effect of fluctuations in the reaction widths on resonance integrals, 0=7376
Kuhn,H.,Huber,W.,Handschig,G.,Martin,H.,Schäfer,F. and Bär,F. Nature of the free electron model. The simple case of the symmetric polymethines, 0=4234
Kuhn,H. See Bär,F., 0=4235
Kuhn,H.G. and Lucas-Tooth,H.J. A modification to the method of recording interference fringes, 0=16878
Kuhn,H.G. and Ramsden,S.A. Channelled spectra in the double etalon technique, 0=16845
Kuhn,P.M. See Suomi,V.E., 0=10799
Kühne,C. New method of testing dividing circles, 0=14573
Kühne,K. See Görlich,P., 0=11759
Kuhnkies,R. See Gobrecht,H., 0=2901
Kuiper,G.P. The Moon, 0=10488
Kukabadze,G.M. See Gorshkov,V.K., 0=7648
Kukavadze,G.M. See Anikina,M.P., 0=11363
Kukavadze,G.M. See Ivanov,R.N., 0=11455
Kukhtevich,V.I.,Kazanskii,Yu.A.,Nikolaishvili,Sh.S. and Tsypin,S.G. The passage of gamma-rays through water, 0=9327
Kukin,V.D. and Frenkin,A.R. "Illusory" states and the condition for crossing symmetry, 0=15277
Kukoč,A.H. See Koički,S.D., 0=20409
Kukuda,N.,Wada,Y. and Otake,S. Gauge invariance and the Meissner effect, 0=14926
Kukudzhanov,S.N. See Darevskii,V.M., 0=700
Kulakov,B.A. See Viryasov,N.M., 0=9364
Kulakova,A.F. and Rozman,I.M. Temperature quenching in certain organic scintillators, 0=10077
Kulakovskii,E.K. See Anton'eva,N.M., 0=7530
Kul'chitskii,L.A. and Presperin,V. Fast photoneutrons from Be^9, C^{12} and Al^{27}, 0=7598
Kulenkampff,H. A simple derivation for the prematureness (Voreilung) of the intensity maximum of X-ray bremsstrahlung, 0=5536
Kulenkampff,H.,Scheer,M. and Zeitler,E. Generalization of Sommerfeld's theory of continuous X-radiation (Bremsstrahlung), 0=3949
Kuleshova,L.V. See Al'tshuler,L.V., 0=20730
Kulhanek,J. On the Hamiltonian formalism in space-time, 0=14488
Kuliev,A.A. The diffusion of certain impurities in Bi$_2$Se$_3$ and ZnSb, 0=6056
Kuliev,A.A. See Shakhtakhtinskii,M.G., 0=19201
Kulik,I.O. and Zil'berman,G.E. Controlled crystallization of melts containing impurities. I, 0=13955
Kulik,I.O. See Zil'berman,G.E., 0=11719
Kulikov,G.B. See Vernov,S.N., 0=15478
Kulikov,G.S. See Boltaks,B.I., 0=11699
Kulikov,G.V. See Dmitriev,V.A., 0=9467
Kulikov,G.V. See Dmitriev,V.A., 0=11270
Kulikov,G.V. See Vernov,S.N., 0=9466
Kulikov,G.V. See Vernov,S.N., 0=9473
Kulikov,G.V. See Vernov,S.N., 0=20263
Kulikov,O.F. See Korolev,F.A., 0=11142
Kulikov,S.A. See Gromova,I.I., 0=3623
Kulikova,N.M. See Sobolev,N.N., 0=8854
Kulikovskii,A.G. and Lyubimov,G.A. Magnetohydrodynamic shock waves which ionise a gas, 0=1197
Kulikovskii,A.G. and Lyubimov,G.A. The simplest problems involving shock waves which ionize gases in an electromagnetic field, 0=3842
Kulkarni,P.V. See Chiplonkar,M.W., 0=14289
Kulkarni,V.M. Number of images produced by multiple reflection, 0=5136
Kul'kov,V.D. See Kogan,A.V., 0=2652
Kul'kov,V.D. See Kogan,A.V., 0=11299
Kul'kov,V.D. See Kogan,A.V., 0=20787
Kulp,B.A. and Kelley,R.H. Displacement of the sulfur atom in CdS by electron bombardment, 0=11648
Kulp,J.L. See Eckelmann,W.R., 0=9553
Kulp,M. See Geiger,W., 0=11763
Kulshreshtha,A.P. See Dey,K.K., 0=19938
Kulsrud,R.M. See Bernstein,I.B., 0=7118
Kulyukin,M.M. See Kozodaev,M.S., 0=9697
Kulyukin,M.M. See Kozodaev,M.S., 0=12933
Kulyukina,L.A. See Van Gan-Chan, 0=9415
Kumabe,I.,Ching Ling Qang,Kawashima,M.,Yada,M. and Ogata,H. Excitation functions and angular distributions of the reactions Al^{27}(p,α)Mg^{24} at 12.7 ~ 14.1 MeV and Cr^{52}(p,α)V^{49} at 9.0 ~ 14.2 MeV, 0=20435
Kumabe,I. and Fink,R.W. The angular and energy distribution of protons from Ni^{58} reactions induced by 14.8 MeV neutrons, 0=9682
Kumabe,I.,Poularikas,A.D.,Preiss,I.L.,Gardner,D.G. and Fink,R.W. (n,He^3) reactions of medium weight nuclei induced by 14.8 MeV neutrons, 0=7610
Kumagai,H. See Suwa,S., 0=19856
Kumamoto,J. See Ibers,J.A., 0=21201
Kumamoto,J. See Snyder,R.G., 0=20987
Kumar,R.C. The grain diameter and the grain density of Ilford K5 and L5 emulsions, 0=12761
Kumar,R.C. The question of the existence of (Λ^0P), (Σ^+ P) and (Σ^-n) hyperfragments, 0=17511
Kumar,R.C. and Stannard,F.R. A search for (Σ^+p) hypernuclei, 0=2625
Kumar,R.C. See K$^-$-collaboration, 0=1308
Kumar Mahapatra,P. and Charan Ray,B. On the variation of compressibility of water and electrolytic solutions with temperature, 0=6793
Kume,S. See Kawai,N., 0=14163
Kumekin,Yu.P.,Meshcheryakov,M.G.,Nurushev,S.B. and Stoletov,G.D. Triple scattering of 660 MeV protons. II. Angular dependence of depolarization, 0=20205
Kümmel,H. See Coester,F., 0=17456
Kümmel,U. and Palme,D. A switch free of insulating material, 0=14938
Kümmel,U. See Böer,K.W., 0=1664
Kümmel,U. See Böer,K.W., 0=1768
Kümmel,U. See Böer,K.W., 0=2355
Kümmel,U. See Böer,K.W., 0=13662
Kümmel,U. See Böer,K.W., 0=18109
Kunchur,N.R. See Shankar,J., 0=3248
Kund,G.G. See Zhiglinskii,A.G., 0=13418
Kündig,W. See Debrunner,P., 0=17554
Kundt,U.,Lanius,K. and Lewin,K. On the interpretation of the K$^-$-meson interaction in nuclear emulsion, 0=5606
Kundt,U. See Grote,C., 0=1312
Kundu,M.R. Structure and properties of sources of solar activity on centimetre waves, 0=4852
Kundu,M.R. and Haddock, F.T. A relation between solar radio emission and polar cap absorption of cosmic noise, 0=12257
Kundu,S.K. Effect of strange particles on nucleon magnetic moment, 0=5554
Kundu,S.K. Anomalous magnetic moments of proton and neutron, 0=5555
Kundu,S.K. Meson production in meson—nucleon interaction, 0=15373
Kuni,F.M. See Fok,V.A., 0=9319
Kunin,N.F. and Afanas'yeva,L.I. The dynamic effect of the [plastic-deformation] induced thermo-e.m.f. of copper, aluminium, and mild steel, 0=15999

Kunin,N. F. and Usov,A.Ya. The effect of the deformation temperature on the variation of microhardness and deformation-induced thermo-e.m.f., 0=15998
Kunz,P.D. See Henley,E.M., 0=9548
Kunze,C. Investigations of Cs—Sb layers, 0=11709
Kunze,J.F.,Romanowski,T.A. and Burgers,A. Recoil proton polarization from 225 MeVπ^--p scattering, 0=5589
Kunzler,J.E.,Walker,L.R. and Galt,J.K. Adiabatic demagnetization and specific heat in ferrimagnets, 0=16143
Kunzler,J.E. See Boyle,W.S., 0=16123
Kuo,H.L. Finite-amplitude three-dimensional harmonic waves on the spherical earth, 0=6830
Kupcik,V. and Durovic,S. Influence of the size of the halogen atom on the difference between lattice constants of copper dipyridine dichloride and dibromide, 0=3257
Kuper,C.G. Mechanism of superfluid flow, 0=8867
Kuper,C.G. On the properties of helium films and superleaks, 0=8868
Kuper,C.G. On the properties of the helium film, 0=8897
Kuperus,J.,Smulders,P.J.M. and Endt,P.M. Energy measurements of proton resonances in light nuclei, 0=9627
Kupperian,J.E.,Jr,Byram,E.,Chubb,T.A. and Friedman,H. Extreme ultraviolet radiation in the night sky, 0=4805
Kupperian,J.E.,Jr.,Byram,E.T. and Friedman,H. Molecular oxygen densities in the mesosphere at Fort Churchill, 0=14199
Kuppermann,A. and Burton,M. Decomposition of n-butane in an electric discharge, 0=975
Kupriyanova,K.P. See Dzhelepov,B.S., 0=9602
Kuranov,I.F. See Efros,D.A., 0=14587
Kurata,M.,Stockmayer,W.H. and Roig,A. Excluded volume effect of linear polymer molecules, 0=15791
Kurata,M. See Kotaka,T. 0=3497
Kurata,M. See Yamakawa,H., 0=14629
Kurath,D. Magnetic moment calculation for Li^8, 0=1358
Kurath,D. Enhancement of E2 transition probability, 0=4022
Kurath,D. Gamma width in Be^8 pertinent to a test of the conserved vector current theory, 0=7531
Kurbatov,L.N. See Erofeichev,V.G., 0=18050
Kurchatov,I.V. On the possibility of producting thermonuclear reactions in a gas discharge, 0=7676
Kurchatov,I.V. Research on controlled thermonuclear reactions at the Atomic Energy Institute of the USSR Academy of Sciences, 0=7677
Kurchatova,L.N. See Borisova,N.I., 0=9621
Kurdgelaidze,D.F. Wave solutions of nonlinear generalizations of relativistic invariant equations [for fundamental particles], 0=2491
Kurdgelaidze,D.F. On the nonlinear theory of elementary particles, 0=9280
Kurdgelaidze,D.F. Phenomenological generalization of the Thomas—Fermi—Dirac (TFD) equation in the case of the theory of metals and its periodic solutions, 0=13462
Kurdyumov,G.V.,Kritskaya,V.K.,Lataiko,P.A. and Osip'yan,Yu.A. The variations of interatomic bond strength in a single-phase solid solution of nickel and aluminium, 0=728
Kurdyumov,G.V. See Kritskaya,V.K., 0=6292
Kurdyumov,V.N. On reaction forces caused by Cherenkov radiation in crystals, 0=20103
Kurdyumova,R.N. See Pinsker,Z.G., 0=14017
Kurepin,A.B. and Neudachin,V.G. Comparison of the differential cross-sections for the (d,p) and (d,t) reactions, 0=11417
Kurgaev,E.F. On the viscosity of suspensions, 0=14578
Kuri,Z.,Ueda,H. and Shida,S. Effects of gases on irradiated polyvinyl chloride as studied by electron spin resonance, 0=4732
Kurilko,V.I. On reflection of electromagnetic waves from a moving surface, 0=15141
Kurilko,V.I. See Fainberg,Ya.B., 0=11022
Kurilo,P.M. See Baranskii,P.I., 0=11733
Kurioka,Y. See Nayatani,Y., 0=14785
Kurita,Y. and Ito,K. Variational calculation of diamagnetic susceptibilities, chemical shifts and electronic polarizabilities, 0=15772
Kurita,Y. See Nakamura,D., 0=4538
Kuritsȳn,V.N. Arbitrary incidence of a plane electromagnetic wave on a conducting disk, 0=15145
Kurki-Suonio,K. Determination of the atomic scattering amplitudes in crystals on the basis of experimentally determined structure amplitudes, 0=12025
Kurkjian,C.R. and Douglas,R.W. The viscosity of glasses in the system $Na_2O—GeO_2$, 0=8255
Kurlina,E.V. See Kolomiets,B.T., 0=15950
Kurlina,E.V. See Sheftel',I.T., 0=2900
Kurnick,S.W. and Powell,J.M. Optical absorption in pure single crystal InSb at 298° and 78°K, 0=1727
Kurnick,S.W.,Zitter,R.N. and Williams,D.B. Attenuation of infrared radiation by fogs, 0=10452
Kuroboshi,E. and Hara,Y. On the exchange magnetic moments, 0=13122
Kuroboshi,E. See Fujita,J., 0=13189
Kurochkin,A.I. See Zolotov,V.A., 0=1965
Kuroda,H. Absorption spectra of photo-oxide of mesonaphthodianthrene, 0=21289
Kuroda,H. and Flood,E.A. Effect of oxygen on semiconductivities of mesonaphthodianthrene and mesonaphthodianthrone, 0=18056
Kuroda,K. See Ôno,K., 0=4103
Kuroda,P.K. Nuclear fission in the early history of the earth, 0=14323
Kuroda,S.T. See Kato,T., 0=4945
Kuropatenko,V.F. A method of calculation of [the propagation of] shock waves, 0=19278
Kurosawa,T. Defects in ionic crystals. II. An analysis of F and V_1 centers, 0=20831
Kurov,G.A. A further contribution on the structure of thin layers obtained by evaporation of indium antimonide in vacuo, 0=735
Kurova,I.A. and Kalashnikov,S.G. The electrical conductivity of germanium at low temperatures, 0=6108
Kurova,I.A. See Kalashnikov,S.G., 0=20898
Kurshev,A.K. See Gol'dman,A.G., 0=1677
Kurskii,Yu.A. and Selivanenko,A.S. The theory of luminescence quenching in liquid solutions, 0=16708
Kursunoğlu,B. Relativity and quantum theory, 0=14492
Kurt,V.G. See Shklovskii,I.S., 0=18889
Kurth,R. Mass—luminosity relation, 0=16549
Kurth,R. Some remarks on the pulsating gas sphere, 0=16554
Kurti,N. Experimental determination of the hyperfine coupling in ferromagnetic metals and alloys, 0=2991
Kurti,N. Some aspects of the nuclear orientation work at Oxford, 0=8963
Kurti,N. High energy coil magnets, 0=9145
Kurti,N. The determination of the hyperfine coupling in ferromagnetic metals by nuclear orientation and low temperature specific heats, 0=13756
Kurti,N. The lowest temperature in the world, 0=19530
Kurti,N. See Grace,M.A., 0=20786
Kurtz,A.D. and Yee,R. Diffusion of boron into silicon, 0=6058
Kurtz,A.D. See Allen,R.B., 0=6059
Kurtze,G. Structure-borne sound damping using granular materials, 0=19340
Kurtze,G. and Neumann,E.G. A dipole absorber for centimetre waves with reduced reflection for oblique incidence, 0=19933
Kurushin,A.I. Paramagnetic absorption of rotation of plane of polarization for certain salts in the microwave band, 0=11945
Kurylenko,C. Technique for obtaining absorption and emission spectra of X-rays. II, 0=3952
Kurylenko,C. Technique for obtaining absorption and emission spectra of X-rays. K, L, M,... absorption edges of X-rays, 0=9331
Kurylenko,C. Fringes in the proximity of the K-discontinuity of X-rays in zinc. I. Transition probability of the electrons to the perturbed and unperturbed brillouin zones, 0=17915
Kurylenko,C. Contribution to the study of titanium. I. Emission and K absorption spectra of X-rays of titanium, 0=20595
Kurylenko,C. Technique for obtaining absorption and emission spectra of X-rays, 0=20596
Kurylenko,C. Contribution to the study of titanium. II. Oxides of titanium, 0=20967
Kurylenko,S. Isolated fringes close to the X-ray K discontinuity of copper, 0=13470
Kusch,W. Measurements of absorption in graphite of electrons from meson μdecay, 0=15333
Kusemegi,A. See Harting,D., 0=15419
Kushida,T. See Benedek,G.B., 0=10249
Kushinskii,E.V. See Bessonov,M.I., 0=6315
Kushiro,I. $\gamma-\alpha$ transition in Fe_2O_3 with pressure, 0=18376
Kushnir,R.M.,Palyukh,B.M. and Sena,L.A. A study of resonance neutralization in monatomic gases and metal vapours, 0=7703
Kushnir,Yu.M. See Borovskii,I.B., 0=20763

Kushta,G.P.,Mikhailyuk,I.P. and Korolyuk,G.F. The influence of alloying additions on the strength of interatomic binding in the aluminium lattice. I. The influence of copper, 0=1938
Kussmann,A. See Bialas,D., 0=8214
Kustaanheimo,P. Time derivatives of the components of proper motion of stars, 0=12290
Kusumegi,A. See Harting,D., 0=368
Kusumoto,H.,Lawrenson,I.J. and Gutowsky,H.S. Proton magnetic resonance studies of some silicones, 0=5998
Kusumoto,O. See Kaneko,S., 0=9452
Kutasov,V.A. See Vinogradova,M.N., 0=6089
Kutateladze,S.S.,Borishanskii,V.M. and Novikov,I.I. Heat transfer in liquid metals, 0=8825
Kutateladze,S.S. and Moskvicheva,V.N. Hydrodynamics of a two-component layer as related to the theory of crises in the process of boiling, 0=8848
Kutikov,I.E. See Apalin,V.F., 0=4137
Kutikov,I.E. See Erozolimsky,B.G., 0=4135
Kutikov,I.E. See Sosnovskii,A.N., 0=2546
Kutikov,I.E. See Sosnovskii,A.N., 0=12937
Kutikov,I.E. See Spivak,P.E., 0=4134
Kutikov,I.G. See Spivak,P.E., 0=4133
Kutsaeva,L.S. See Kuz'minov,B.D., 0=9713
Kutsaeva,L.S. See Kuz'minov,B.D., 0=11457
Kutsaeva,L.S. See Smirenkin,G.N., 0=11458
Kutsenko,A.V. See Belovintsev,K.A., 0=7181
Kutsenko,A.V. See Goldansky,V.I., 0=20137
Kuttruff,H. Optical analogue of stationary diffusivity in reverberating rooms, 0=16808
Kuttruff,H. Properties and evaluation of reverberation curves, 0=19319
Kuttruff,H. See Meyer,E., 0=2178
Kutuzov,A.A. See Broder,D.L., 0=3971
Kutuzov,V.A. Paramagnetic absorption in parallel fields at 9.3×10^9 c/s in the salts $Fe(NH_4)(SO_4)_2 . 12H_2O$ and $Fe(NO_3)_3 . 9H_2O$, 0=3130
Kuvshinskii,E.V. See Aèro,É.L., 0=21093
Kuvshinskii,E.V. See Bessonov,M.I., 0=6315
Kuvshinskii,E.V. See Bessonov,M.I., 0=16217
Kuvshinskii,E.V. See Lebedev,G.A., 0=8117
Kuvshinskii,E.V. See Sidorovich,A.V., 0=8261
Kuvshinskii,E.V. See Sidorovich,A.V., 0=10324
Kuwabara,G.,Misu,A.,Watanabe,T. and Nishiyama,Y. Photoconductivity and luminescence of the F and M centers in potassium chloride, 0=20937
Kuwabara,S. Accurate determination of hydrogen positions in NH_4Cl by electron diffraction, 0=21189
Kuwahara,K. Magnetoresistance effect in aluminium-iron, 0=4316
Kuzmak,G.E. The spatial motions of an axially symmetric solid body about a fixed point. Subject to couples which
Kuzmiak,M. See Skrivanek,J., 0=2381
Kuz'michev,Yu.M. and Makarov,V.I. Ultrasonic excitation of a cylindrical shell, 0=1005
Kuz'min,A.D. See Vitkevich,V.V., 0=16557
Kuz'min,A.D. See Vitkevich,V.V., 0=18637
Kuz'min,R.N. X-ray diffraction study of the structure of IrSb, 0=14016
Kuz'min,R.N. See Zhdanov,G.S., 0=14009
Kuzmin,V.N. See Jdanov,A.P., 0=12738
Kuz'min,Yu.N. Diffraction of electromagnetic waves on a finite paraboloid (axially symmetric fields), 0=9209
Kuz'minov,B.D.,Kutsaeva,L.S. and Bondarenko,I. The number of prompt neutrons from the fast fission of ^{235}U, ^{238}U, ^{232}Th and ^{237}Np, 0=11457
Kuz'minov,B.D.,Kutsaeva,L.S.,Nesterov,V.G.,Prokhorova,L.I. and Smirenkin,G.P. Some features of the spontaneous fission of U^{238}, 0=9713
Kuzminskii,A.S.,Nikitina,T.S. and Karpov,V.L. Some aspects of the vulcanization of rubber by irradiation, 0=6419
Kuznetsov,A.A. The mechanical stresses in fixed and in rotating cylinders carrying a uniform electric current, 0=17068
Kuznetsov,A.A. The mechanical stresses due to radial electromagnetic forces in a multilayer coil carrying a uniform current, with rectangular cross-section of the winding conductor, 0=17071
Kuznetsov,A.A. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358
Kuznetsov,A.A. See Van Gan-Chan [Pang Kang-Chang], 0=15455
Kuznetsov,A.B. See Kolomenskii,A.A., 0=10998
Kuznetsov,A.Ya. Semiconducting tin dioxide, 0=15965
Kuznetsov,B.I. See Dorin,V.A., 0=602
Kuznetsov,E.P. See Alikhanyan,A.I., 0=9696
Kuznetsov,E.P. See Askar'yan,G.A., 0=20104
Kuznetsov,E.P. See Kirillov-Ugryumov,V.G., 0=2688
Kuznetsov,E.P. See Kirillov-Ugryumov,V.G., 0=3942
Kuznetsov,E.P. See Kirillov-Ugryumov,V.G., 0=9693
Kuznetsov,E.P. See Kirillov-Ugryumov,V.G., 0=20090
Kuznetsov,E.V. See Ivanovskaya,I.A., 0=20222
Kuznetsov,M.I. See Protopopov,A.N., 0=9702
Kuznetsov,V.A. Modification of a pickup for measuring the dynamic viscous-elastic parameters of synthetic rubber, 0=10270
Kuznetsov,V.A.,Aksenov,V.I. and Klevtsova,M.P. Zero-charge potentials in Te—Tl alloys, 0=10355
Kuznetsov,V.D.,Surnacheva,A.I. and Rozhkova,L.P. Influence of the parameters of cyclic heat-treatment on the mechanical and physical properties of zinc, 0=4569
Kuznetsov,V.P. On electromagnetic corrections in μ—e decay, 0=11193
Kuznetsov,V.V. See Van Yun-vui, 0=20436
Kuznetsova,M.Ia.,Mekhedov,V.N. and Khalkin,V.A. Secondary nuclear reactions induced in tin by fast protons, 0=9633
Kuznetsova,M.Ya. See Borisova,N.I., 0=9621
Kuznetsova,M.Ya. See Van Yun-yui Wang [Yung-yü], 0=20436
Kvartskhava,I.F.,Kervalidze,K.N. and Gvaladze,Yu.S. Some magnetohydrodynamic effects observed on impulsive compression of a plasma, 0=15039
Kvartskhava,I.F.,Meladze,R.D. and Suladze,K.V. Experiments on the electrodynamic acceleration of a plasma, 0=15037
Kvasnica,J. A remark on Bopp-Podolsky electrodynamics, 0=12817
Kvasnica,J. Radiation losses in completely ionized plasma, 0=15026
Kvifte,G. Nightglow observations at Ås [Norway] during the I.G.Y., 0=789
Kvifte,G. Auroral and nightglow observations at Ås, Norway, 0=14274
Kvitka,S.S. The determination of the orientation of single crystal from Laue diagrams, 0=13977
Kvitka,S.S. See Gerasimova,É.A., 0=13997
Kwak,N. See Davis,D.F., 0=5607
Kwak,N. See Davis,D.F., 0=5608
Kwei,G.H. and Curl,R.F.,Jr. Microwave spectrum of O^{18} formic acid and structure of formic acid, 0=13439
Kwei,G.H. and Herschbach,D.R. Stark effect and dipole moment of $CH_3 CHF_2$, 0=9808
Kwiek,M. and Karaśkiewicz,E. Investigations on the optimum reverberation time, 0=6898
Kwon,S.I. See Shin,H.M., 0=21300
Kycia,T.F.,Kerth,L.T. and Baender,R.G. Interaction of K^+ mesons with protons, 0=9431
Kyhl,R.L. See Strandberg,M.W.P., 0=10215
Kyle,H.L. and Merzbacher,E. Long range forces between atoms, 0=9754
Kynch,G.J. Sedimentation and effective viscosity, 0=4740
Kynch,G.J. Sedimentation and effective viscosity, 0=10366
Kyner,W.T. On a free boundary value problem for the heat equation, 0=6960
Ky̆nev,S. and Vateva,E. The inner photoeffect and photodesorption of oxygen in zinc oxide, 0=18074
Kyrala,A. Matter and point set theory, 0=6643
Kytin,G. See Brandt,N.B., 0=11804

Laberrig-Frolova [Laberrigue-Frolow,J.V.],Balandin,M.P. and Otvinovskii,S.Z. Absorption of π^+ mesons with an energy of about 50 MeV by carbon nuclei, 0=9694
Laberrigue,A. Scattering of electrons by thermal motion of atoms in a crystal, 0=3204
Laberrigue-Frolow,J. See Yuasa,T., 0=7527
Laberrigue-Frolow,J. See Yuasa,T., 0=7528
Laberrigue-Frolow,J.V. See Laberrig-Frolova,J.V.
Labes,M.M.,Sehr,R. and Bose,M. Organic semiconductors. I. Some characteristics of the β-phenylenediamine-chloranil complex, 0=13621
Labes,M.M.,Sehr,R. and Bose,M. Organic semiconductors. II. The electrical resistivity of organic molecular complexes, 0=15969
Labeyrie,J. See Jehanno,C., 0=21325
Labin,E. See Aries,R., 0=14809
Labois,E. See Chonex,A., 0=2412
LaBonte,A.E. See Muckenhirn,O.W., 0=11866
Laborde,G. See Michard,R., 0=18768

LaBudde,C.D. and Sahni,R.C. Study of molecular integrals. II. Three-center one-electron and two-electron integrals, 0=20674

LaBudde,C.D. See Sahni,R.C., 0=20673

Laby,J.E. See Lim,Y.K., 0=9246

Labzin,V.A. and Likhtman,V.I. Creep in single crystals of zinc in the presence of a surface-active low melting-point metallic melt, 0=6311

Lacam,A. See Legrand,M., 0=6188

Lachman,J.C. and Kuether,F.W. Stability of rhenium/tungsten thermocouples in hydrogen atmospheres, 0=14955

Lachman,J.C. See Kuether,F.W., 0=19516

Lacombe,P. See Calais,D., 0=10260

Lacombe,P. See Coulomb,P., 0=17970

LaCoste,L. See Nettleton,L.L., 0=8346

Lacoste,R. and Paillère,P. The validity of the concept of specific surface resistance and its measurement, 0=7058

Lacour,J. See Droulers,Y., 0=7364

Lacroix,R. See Emch,G., 0=13869

Lacroix,R. See Sierro,J., 0=10226

Ladányi,K. Second-order four-component wave equation in the symmetrical theory, with pseudoscalar coupling, 0=5514

Ladányi,K. On the statistical approximation of the many-body problem of quantum mechanics. I, 0=7305

Ladányi,K. On the statistical approximation to the wave-mechanical many-body problem. II, 0=11118

Ladányi,K. See Gombás,P., 0=7693

Ladányi,K. See Gombás,P., 0=9742

Ladányi,K. See Gombás,P., 0=9745

Ladányi,K. See Gombás,P., 0=9747

Laddell,J. and Parrish,W. Determination of spectral contamination of X-ray tubes, 0=2524

Ladefoged,P. See Broadbent,D.E., 0=4823

Ladell,J. and Lowitzsch,K. Automatic single crystal diffractometry. I. The kinematic problem, 0=8177

Ladell,J. and Spielberg,N. Laue spectrometer for multichannel X-ray spectrochemical analysis, 0=3338

Ladell,J. See Spielberg,N., 0=16296

Ladenbauer,I.M. and Winsberg,L. Interaction of high-energy protons and alpha particles with iodine-127, 0=15572

Laderman,A.J. See Hecht,G.J., 0=18436

Laderman,A.J. See Stern,R.A., 0=3680

Ladesteyn,D.van. See van Ladesteyn,D.

Ladik,J. The ground state of the hydrogen molecule on the basis of the relativistic quantum mechanics with the aid of the Wang wave function. I. Breit equation of the hydrogen molecule, calculation of the relativistic correction terms of the kinetic energy, 0=5961

Ladik,J. See Náray-Szabó,I., 0=21137

Ladnar,I. See Gusa,V., 0=706

Lafferty,W.J. See Danti,A., 0=17755

Lafon,J.C. Phonetic recognition and its measurement, 0=6494

Lafont,R. Contribution to the study by the Raman effect of crystalline sulphates of the magnesium series, $MSO_4.7H_2O$ [M = Mg or Zn], 0=4422

Lafore,P. See de Gennes,P.G., 0=3268

Lafore,P. See De Gennes,P.G., 0=18404

Laforgue,A. A cybernetic view of quantization, 0=10598

Laforgue,A. The variation of dipole moment with interatomic distance, 0=11542

Laforgue-Kantzer,D. See Chao-Ortega,F., 0=14612

Lafoucrière,J. See Bastard,C., 0=19756

Lafourcade,L.,Larroque,P. and Nguyen Quat Ti. Formation of twins by condensation of a metallic vapour on the (111) face of a single crystal of copper. I. Deposition of copper, 0=733

Lafourcade,L.,Larroque,P. and Nguyen Quat Ti. Formation of twins by condensation of a metallic vapour on a (111) face of a single crystal of copper. Gold deposition, 0=734

Lafourcade,L. See Couderc,J.J., 0=4595

Lafourcade,L. See Couderc,J.J., 0=8157

Lafourcade,L. See Garigue,J., 0=13999

Lagarde,A. Application of the method of harmonic excitation to the measurement of the mechanical and photoelastic characteristics of a plastic material, 0=12063

Lagarde,A. and Jacquesson,R. Measurement of the mechanical and photoelastic characteristics of a plastic material submitted to sinusoidal forces at low frequency (less than 50 c/s), 0=8109

Lagarrigue,A. The proton synchrotron "Saturne". Heavy liquid bubble chamber of the Physics Laboratory of Ecole Polytechnique, 0=2412

Lagarrigue,A. See Rousset,A., 0=1099

Lagemann,R.T. and Knowles,C.H. Velocity of compressional waves in liquid hydrogen fluoride and some thermodynamic properties derived therefrom, 0=3524

Lagercrantz,C. Homodyne detector for reproduction of periodic wave forms, 0=5399

Lagerqvist,A.,Nilsson,N.E.L. and Wigartz,K. Rotational analysis of the $A^1\Pi-X^1\Sigma$ system of SnO, 0=9800

Lagorsse,J. See Rüfenacht,J., 0=12787

LaGow,H.E. See Horowitz,R., 0=12196

Lagrenaudie,J. Optical and electrical properties of bismuth telluride Bi_2Te_3, 0=4353

la Guillaume,C.Benoit à. See Benoit à la Guillaume,C.

Lagunova,T.S. See Emel'yanenko,O.V., 0=13612

La Harpe,A.de. See de La Harpe,A.

La Harpe,G.de. See de La Harpe,G.

Lahiri,J. See Sengupta,A.K., 0=17501

Laidler,K.J. See Gill,E.K., 0=8302

Laidler,K.J. See Gill,E.K., 0=9798

Laikin,M. Automatic computation of dielectric films, 0=10779

Lailheugue,J. See Durante,C., 0=7189

Laird,M.J. Magneto-hydrostatics of stellar atmosphere. I. The stability of the axially symmetric case, 0=18853

Laird,M.J. Magneto-hydrostatics of stellar atmospheres. III. The axially symmetric equilibrium configurations (Continued), 0=18855

Lajzerowicz,Ja. and Lajzerowicz,Jo. Information theory and the determination of crystal structures, 0=18338

Lajzerowicz,Jo. See Lajzerowicz,Ja., 0=18338

Lakshman,S.V.J. Rotational analysis of the B—X band system of the SbO molecule, 0=7759

Lakshman,S.V.J. The band system of SbO: a new doublet system, 0=7773

Lakshmana Rao,S.K. Addition of axially symmetric motions of viscous liquids, 0=2150

Lakshmana Rao,S.K. See Bhatnagar,P.L., 0=2149

Lakshmi Bai,C. Application of the generalized magneto-ionic theory to the propagation of radio waves at the magnetic dip-poles of the earth, 0=296

Lal,D.,Arnold,J.R. and Honda,M. Cosmic-ray production rates of Be^7 in oxygen and P^{32}, P^{33}, S^{35} in argon at mountain altitudes, 0=11282

Lal,D.,Goldberg,E.D. and Koide,M. Cosmic-ray-produced Si^{32} in nature, 0=430

Lal,D.,Malhotra,P.K. and Peters,B. On the production of radioisotopes in the atmosphere by cosmic radiation and their application to meteorology, 0=2041

Lal,D.,Rama and Zutshi,P.K. Radioisotopes P^{32}, Be^7, and S^{35} in the atmosphere, 0=14321

Lal,D. and Schink,D.R. Low background thin-wall flow counters for measuring beta activity of solids, 0=7241

Lal,D. See Honda,M., 0=11407

Lal,P. and Bhatnagar,P.L. Shock relations in a Fermi—Dirac gas, 0=8693

Lalevic,B. Criteria for the choice of a superconducting bolometer, 0=12528

Lall Sehgal,M. Branching ratio for slow neutrons, 0=5795

Lallemand,A.,Duchesne,M.,Wlerick,G.,Augard,R. and Dupre,M.F. The actual possibilities of electronic photography, 0=18591

Lam,D.G.,Jr. See Wachtman,J.B.,Jr, 0=13899

Lamarche,G. See Gaudet,G., 0=17999

Lamb,J. Ultrasonic relaxation du to rotational isomers, isomers, 0=19126

Lamb,J. See Andreae,J.H., 0=16790

Lamb,J. See Barlow,A.J., 0=8597

Lamb,W.E. and Wilcox,L. The application of density matric techniques to some problems of double resonance, 0=16167

Lamb,W.E.,Jr and Sanders,T.M.,Jr. Fine structure of short-lived states of hydrogen by a microwave-optical method. I, 0=17708

Lamb,W.E.,Jr. See Wilcox,L.R., 0=17709

Lambe,J. Radioactive preparation of defects in solids, 0=20855

Lambe,J.,Baker,J. and Kikuchi,C. Photosensitive spin resonance in CdS, 0=536

Lambe,J. and Kikuchi,C. Spin resonance of V^{2+}, V^{3+}, V^{4+} in $\alpha-Al_2O_3$, 0=10238

Lambe,J. and Kikuchi,C. Paramagnetic resonance of CdTe:Mn and CdS:Mn, 0=13872

Lambe,J. and Klick,C.C. Electronic processes in cadmium sulphide, 0=20914

Lambe,J. See Makhov,G., 0=9197

Lambe,J. See Terhune,R.W., 0=8092

Lambeck,M. See Boersch,H., 0=4494

Lambeck,M. See Boersch,H., 0=13794
Lambert,J.D.,Clarke,J.S.,Duke,J.F.,Hicks,C.L.,Lawrence,S.D., Morris,D.M. and Shone,M.G.T. The second virial coefficients of mixed polar vapours, 0=8701
Lambert,J.D. and Salter,R. Vibrational relaxation in gases, 0=9789
Lambert,J.D. See Blythe,A.R., 0=6839
Lambert,M. Excess properties of H_2—D_2 liquid mixtures, 0=14638
Lambert,M.,Berge,P.,Mazières,C. and Guinier,A. New proofs of the precipitation of metallic lithium in the salts of lithium irradiated with thermal neutrons, 0=4728
Lambert,M. See Barjon,R., 0=9630
Lambert.R.F. See Eichler.E.G.. 0=14720
Lambert,R.F. See Smith,M.W., 0=6894
Lambert,R.F. See Smith,M.W., 0=12463
Lambert,R.S.J. See Giletti,B.J., 0=3341
Lambert,W.D. Note on the paper of A.H.Cook, "The external gravity field of a rotating spheroid to the order of e^3". 0=21304
Lamberts,R.L. Device for maintaining the flat-field relation in a finite-conjugate lens bench, 0=8779
Lamberts,R.L. See Higgins,G.C., 0=19397
Lambertson,G.R. See Armenteros,R., 0=17338
Lambie,R. Improved smoke density recorder, 0=8329
Lamble,J.H. and Dahmouch,E.S. Photoelastic properties of plasticised polymethyl methacrylate in the glassy state, 0=4398
Lamborizio,C. See Dascola,G., 0=15525
La Mer,V.K. See Robbins,M.L., 0=10371
Lamkin,J.C. See Hubbell,J.H., 0=16916
Lämmermann,H. Shift of absorption lines of single crystals on transition to small film thicknesses, 0=2942
Lämmermann,H. See Friederich,A., 0=10047
Lamoral,R. The acoustics of large halls, 0=5115
Lamoral,R. Measurement of [acoustic] diffusion and application to the acoustics of rooms, 0=16811
Lamotte,M.De. See De Lamotte,M.
Lampert,M.A. A simplified theory of two-carrier, space-charge-limited current flow in solids, 0=2863
Lancaster,B.J. See Huey,R.M., 0=8969
Land,E.H. Color vision and the natural image. I, 0=3372
Land,E.H. Color vision and the natural image. II, 0=3373
Land,E.H. Experiments in color vision, 0=3374
Land,E.H. Experiments in color vision, 0=3376
Land,E.H. Some comments on Dr. Judd's paper, 0=6523
Landau,A.I. Oscillatory character of the distribution of an impurity along the length of a growing singlecrystal, 0=1882
Landau,A.I. See Palatnik,L.S., 0=4706
Landau,C.S. Some aspects of the rheology of milk gel, 0=4746
Landau,L.D. On analytic properties of vertex parts in quantum field theory, 0=5469
Landau,L.D. The analytic properties of vertex parts in quantum field theory, 0=9254
Landau,L.D. and Lifshitz,E.M. Fluid mechanics, 0=915
Landaud,G. and Mabboux,C. The application of a random function X(t) = ±1 to the study of the laws of disintegration of decay chains of radio-elements, 0=13167
Landauer,R. Parametric amplification along nonlinear transmission lines, 0=7214
Landauer,R. Pyroelectric effect in the cubic ZnS structure, 0=13663
Landauer,R. See Drougard,M.E., 0=1699
Landel,R.F. and Stedry,P.J. Stress as a reduced variable: Stress relaxation of SBR rubber at large strains, 0=18244
Lander,J.J. See Lynch,R.T., 0=710
Lander,R.L.,Powell,W.M. and White,H.S. Parity conservation in hyperon production by 1.15 BeV/c K^- mesons on propane, 0=383
Lander,R. L. See Agnew,L.E.,Jr., 0=11172
Landergard,O. See Persson,R., 0=4140
Landesman,A. A study of the relaxation of a paramagnetic ion by observation of nuclear resonance signals, 0=16713
Landesman,H. See Shapiro,I., 0=21271
Landgraf,W.C. See Piette,L.H., 0=8314
Landis,C. See Lloyd,V.V., 0=6518
Landmark,B. The fading of radio waves reflected from the E layer, 0=1221
Landmark,B. See Bjelland,B., 0=4796
Landovitz,L. and Marshall,L. Effect of pion-pion resonances on π^- p interactions, 0=13021
Landovitz,L. See Behrends,R.E., 0=3941
Landovitz,L.F. and Margolis,B. Strong-coupling theory of the S = −1 hyperons: the Λ^0 as a bound state, 0=1313
Landovitz,L.F. and Marshall,L. Parity of the second pion resonance, 0=1302
Landovitz,L.F. and Marshall,L. Gravitational red shift of hydrogen 21-cm. Radiation as a method to measure galactic gravitational potential, 0=18911
Landovitz,L.F. See Durand,L.,III, 0=15379
Landovitz,L.F. See Goldberg,I., 0=17420
Landrock,P. See Hauser,I., 0=15496
Landsberg,E.G. The influence of geometrical dimensions of samples in measurements of the diffusion length using the photomagnetic method, 0=15906
Landsberg,L.G. See Balats,M.Ya., 0=20567
Landsberg,P.T. The entropy of a non-equilibrium ideal quantum gas, 0=6703
Landsberg,P.T. See Beattie,A.R., 0=2869
Landsberg,R. Heat and mass transfer on the surfaces of cold liquids, 0=5211
Landshoff,P.V. See Fowler,M., 0=20080
Landsman,A.P. See Gliberman,A.Ya., 0=20938
Landwehr,G. See Koppelmann,J., 0=1844
Landwehr,R. Micro-interference as an aid to testing the shape of aspherical surfaces, 0=60
Lane,A.M. Reduced widths of individual nuclear energy levels, 0=20346
Lane,A.M. and Lynn,J.E. Theory of radiative capture in the resonance region, 0=17570
Lane,A.M. and Lynn,J.E. Anomalous radiative capture in the neutron resonance region: Analysis of the experimental data on electric dipole transitions, 0=17571
Lane,A.M. and Parker,K. The nuclear surface in an excited nucleus, 0=11309
Lane,A.M. and Pendlebury,E.D. On the existence of octupole vibrations in nuclei, 0=5660
Lane,G.H. and Everhart,E. Calculations of total cross sections for scattering from Coulomb potentials with exponential screening, 0=5865
Lane,R.O. and Monahan,J.E. Differential cross sections for neutron resonance scattering from Na^{23}, 0=9681
Lane,R.O. See Huddleston,C.M., 0=5791
Lanford,O.E.,III. See Green,T.A., 0=16605
Lang,A.R. Studies of individual dislocations in crystals by X-ray diffraction microradiography, 0=1587
Lang,A.R. and Meyrick,G. Dislocation structures observed in high-purity recrystallized aluminium by X-ray diffraction, 0=20804
Lang,D.W. and Le Couteur,K.J. Pairing energy effects in excited nuclei, 0=5662
Lang,D.W. See Le Couteur,K.J., 0=5736
Lang,I.G. The role of two-phonon processes in scattering of conduction electrons in ionic crystals, 0=15824
Lang,I.G. See Ansel'm.A.I., 0=528
Láng,J. See Gombay,L., 0=15900
Langdon,F. and Frazer,B.C. Automatic control and programing system for single crystal diffractometry, 0=3196
Lange,H. and Kohlhaas,R. The true specific heats of iron, nickel and chromium at high temperatures. New methods for the measurement of the true specific heats of metals at high temperatures, 0=9853
Lange,H. See Böer,K.W., 0=1768
Lange,J.N. See Biesterfeldt,H.J., 0=10707
Lange,P.W.de. See de Lange,P.W.
Lange,W.,Pippel,W. and Bendel,F. The self-diffusion in liquid zinc, 0=5008
Langenberg,D.N. and Moore,T.W. Cyclotron resonance in copper, 0=539
Langer,J.S. Theory of impurity resistance in metals, 0=17985
Langer,J.S. and Vosko,S.H. The shielding of a fixed charge in a high-density electron gas, 0=4275
Langer,J.S. See Brown,G.E., 0=9730
Langer,L.M. and Smith,D.R. Shape of beta spectra of once forbidden transitions in the decays of Ga^{72}, La^{140}, Eu^{152}, Eu^{154}, and Sb^{124}, 0=15546
Langer,S. See Wood,S.E., 0=10668
Langer,L.M. See Hamilton,J.H., 0=13195
Langer,R.E. Ed. Frontiers of numerical mathematics, 0=12232
Langeron,J.P. See Renucci,L., 0=562
Langevin,M. A study of the excitation and auto-ionization of an electron cloud accompanying the K-capture of Ge^{71}, 0=9738
Langevin,M. See Bussière de Nercy,A., 0=7533

Langevin-Joliot,H. and Marty,N. Longitudinal polarization of β-rays. A study of Sr^{90} and S^{35}, 0=9564
Langham,E.J. and Mason,B.J. The heterogeneous and homogeneous nucleation of supercooled water, 0=8153
Langhoff,H. Linear polarization of the annihilation radiation of positrons, 0=17312
Langhoff,J. See Herr,W., 0=12273
Langkau,R. The scintillation behaviour of some inorganic phosphors at low temperature, 0=10078
Langleben,M.P. Some physical properties of sea ice. II, 0=1975
Langmann,H.J. A relative measurement of the cross-section for bremsstrahlung production for 14.5 MeV electrons in gold, tantalum and silver, 0=20102
Langstroth,G.F.O. See Bradford,H.M., 0=253
Langton,N.H. and Matthews,D. Permittivity of mixtures of zinc oxide and rubber, 0=6151
Langton,N.H. and Matthews,D. The dielectric constant of zinc oxide over a range of frequencies, 0=7973
Laniepce,B. See Colombani,A., 0=21253
Laniesse,J.,Englander,M. and Mériel,P. Neutron study of the texture of drawn uranium rods in the α-phase, 0=6394
Laniesse,J.,Meriel,P. and Englander,M. Neutron [diffraction] study of the crystalline texture of uranium bars, 0=18416
Lanius,K. and Meier,H.W. On the direct production of an electron pair by a high energy α-particle, 0=354
Lanius,K. See Bozoki,G., 0=2603
Lanius,K. See Grote,C., 0=1312
Lanius,K. See Hauser,I., 0=15496
Lanius,K. See Kundt,U., 0=5606
Lanning,D.D. See Donahue,D.J., 0=13326
Lannutti,J.E. See Button,J., 0=13067
Lanou,R.E.,Jr. See Birge,R.W., 0=17159
Lanou,R.E.,Jr. See Whitehead,M.N., 0=9433
Lantelme,F. and Pauly,J. A study of the allotropic transformation of CsCl by measuring the speed of release of S^{35} produced by neutron irradiation, 0=3171
Lantz,P.M. See Smith,E.C., 0=1444
Lanzi,G.,Siragusa,G. and Zanotti,L. Hyperfine structure of e.s.r. signals in phenothiazine perchlorate (semiquinone) and phenothiazine perbromide (quinone), 0=17774
Lanzi,G. See Bonera,G., 0=1226
Lanzi,G. See Bonera,G., 0=16718
La Padula,A.R. See Bartholomew,C.Y., 0=9003
LaPaz,L. Magnetic damping of rotation of the Vanguard I satellite, 0=4910
Lapeyre,R. and Laudet,M. Numerical integration of the paraxial ray equation in electron optics, 0=19742
Lapidus,A. See Rotenberg,A., 0=15615
Lapidus,I.R. and Pietenpol,J.L. Classical interaction of an electric charge with a magnetic monopole, 0=29
Lapidus,L.I. On the problem of testing the invariance of an interaction under time reversal, 0=2488
Lapidus,L.I. and Chou Guan-chao,[Chou Kuang-chao] Scattering of gamma quanta by nucleons near the meson production threshold, 0=5533
Lapidus,L.I. and Chzhou Guan-Chzhao [Chou Kuang-Chao]. Dispersion relations for scattering of γ-quanta on nucleons, 0=7319
Lapidus,L.I. and Chzhou Guan-Chzhao [Chou Kuang-Chao]. The problem of investigating the interaction between π-mesons and hyperons, 0=9394
Lapidus,L.I. and Chzhou Guan-Chzhao [Chou Kunag-Chao]. Dispersion relations and the analysis of the cross-section dependence near the thresholds of new reactions, 0=20077
Lapin,A.D. The scattering of sound waves in irregular waveguides, 0=133
Lapin,Yu.V. Friction and heat exchange in a compressible turbulent boundary layer at the surface of a plate with matter being injected, 0=19181
Laplaca,S. See Talley,C.P., 0=10310
Lapluye,G.,Morinet,G. and Palla,P. The properties of barium titanates of nearly stoichiometric composition, 0=4381
Lapluye,G.,Morinet,G. and Palla,P. Effects on the properties of a barium titanate of adding metallic oxides, 0=6156
Lapluye,G.,Morinet,G. and Palla,P. The effect of the addition of Fe_2O_3, V_2O_5 and SnO_2 on the dielectric properties of ceramic barium titanate, 0=7982
Laponsky,A.B. and Whetten,N.R. Dependence of secondary electron emission on crystal orientation, 0=1154
Laponsky,A.B. and Whetten,N.R. Dependence of secondary electron emission from MgO single crystals on angle of incidence, 0=19730
Lapteva,F.S. See Ershler,V., 0=5812
Larach,S. and Shrader,E. Electroluminescence of polycrystallites, 0=2969
Laranjeira,M.F. See de Vries,A.E., 0=14690
Lardinois,J. Nuclear shape effect on isomeric shift, 0=7721
Lardinois,J. See Demeur,M., 0=17630
Lardner,R.W. See Fowler,M., 0=20080
Large,M.I. The radio interference produced by corona discharge, 0=252
Large,M.I. and Pierce,E.T. The dependence of point-discharge currents on wind as examined by a new experimental approach, 0=1116
Large,M.I. See Mathewson,D.S., 0=18665
Larichev,V.N. See Zolotarev,V.F., 0=20934
Larin,L.A. See Burshtein,R.Kh., 0=9059
Larin,L.A. See Burshtein,R.Kh., 0=10368
Larin,L.A. See Burshtein,R.Kh., 0=16395
Larionov,O.V. See Berlovich,É.E., 0=9586
Larionova,V.G. See Adamovich,M.I., 0=13046
Lark,N.L. and Perlman,M.L. K-electron excitation accompanying K capture in Cs^{131}, 0=17539
Larkin,A.I. Passage of particles through a plasma, 0=10906
Larkin,A.I. See Vedenov,A.A., 0=10895
Larkin,B.K. See Bailey,H.R., 0=14106
Larmore,L. Infrared photography, 0=8812
Larmore,L. Range equation for passive-infrared devices, 0=8842
Larrabee,R.D. High-field effect in boron-doped silicon, 0=1655
Larrabee,R.D. and Steele,M.C. The oscillistor — new type of semiconductor oscillator, 0=18057
Larroque,P. See Lafourcade,L., 0=733
Larroque,P. See Lafourcade,L., 0=734
Larsen,S.H.H. On the scattering of ultraviolet solar radiation in the atmosphere with the ozone absorption considered, 0=18518
Larsen,S.H.H. Measurements of atmospheric ozone at Spitzbergen (78° N) and Tromsö (70° N) during the winter season, 0=18527
Larsh,A.E.,Gordon,G.E. and Sikkeland,T. Use of silicon p—n junction detectors in studies of nuclear reactions induced by heavy ions, 0=20508
Larsh,A.E. See Gordon,G.E., 0=13306
Larsh,A.E. See Gordon,G.E., 0=20516
Larson,A.C. See Cromer,D.T., 0=4638
Larson,C.L. Heat transfer in a cross flow nuclear reactor, 0=13357
Larson,H.V. and Myers,I.T. Precision capacitor divider method for measuring high voltages, 0=2295
Larsson,E. See Rundqvist,S., 0=18347
Larsson,K.E. Present status of neutron source calibrations, 0=7382
Larsson,K.E.,Dahlborg,U.,Holmryd,S.,Otnes,K. and Stedman,R. The slow chopper and time of flight spectrometer in theory and experiment, 0=7387
Larsson,K.E. and Otnes,K. A study of the temperature dependence of the elementary excitations in helium II by the use of cold neutrons, 0=7021
Larsson,K.E. and Otnes,K. A study of the excitations in liquid helium by use of slow neutrons, 0=8918
Larsson,K.E.,Stedman,R. and Palevsky,H. Slow-neutron spectrum measurements from the Swedish heavy-water reactor, R1, 0=7654
La Rue,R.E.De. See De La Rue,R.E.
Las,R.A. See Stearns,C.A., 0=6306
Lasch,J.E. See Schmitt,R.A., 0=14402
Lascombe,J.,van Huong,P. and Josien,M.L. Vibrational—rotational structure in the spectra of some simple molecules in solution, 0=4199
Lasheen,M.A. The magnetic susceptibilities and the paramagnetic relaxation of a $MnCl_2.4H_2O$ single crystal, 0=10230
Lasheen,M.A.,van den Broek,J. and Gorter,C.J. The magnetic susceptibility and relaxation of a $MnCl_2.4H_2O$ single crystals in the paramagnetic and antiferromagnetic states, 0=10095
Lasher,G.J. See Smith,W.V., 0=1832
Lasher,G.J. See Sorokin,P.P., 0=10224
Lashkarev,V.E.,Bondarenko,R.N.,Dobrovol'skii,V.N.,Zubrin,G.P., Litovchenko,V.G. and Strikha,V.I. Electrical and recombination properties of germanium with beryllium impurity, 0=15927
Lashkarev,V.E.,Miselyuk,E.G. and Glinchuk,K.D. The effect of annealing on the state of some impurities in germanium, 0=15863
Lashuk,A.I. See Androsenko,A.L., 0=2682

Lasich,W.B. A simple finder attachment to a microscope. Useful in the examination of grid-backed nuclear emulsion plates, or glass slides, 0=15209
Lasich,W.B. See K^--collaboration, 0=1308
Lasich,W.B. See K^--Collaboration, 0=15430
Laslett,L.J. Field of a linear electrostatic multipole, 0=5250
Laslett,L.J. See Daniel,H., 0=19759
Laslett,L.J. See Kerst,D.W., 0=19837
Lassen,K. Existence of an inner auroral zone, 0=4809
Lassen,L. A simple generator for the production of monodisperse aerosols in the dimensional range 0.15 - 0.7μ (particle radius), 0=10364
Lassettre,E.N. See White,D., 0=3329
Lassila,A. See Kelly,A., 0=21133
Lassila,K. See Breit,G., 0=11157
Last,G.A. See Fraser,M.C., 0=14070
László,Z. Alternating current electro-osmosis, 0=2313
Lataiko,P.A. See Kurdyumov,G.V., 0=728
Latham,R. Thermonuclear research in Great Britain, 0=1458
Latham,R. and Nation,J.A. Report on linear pinch devices, 0=19659
Latham,R.,Nation,J.A.,Curzon,F.L. and Folkierski,A. Growth of surface instabilities in a linear pinched discharge, 0=15012
Latham,R. See Curzon,F.L., 0=19655
Latham,V. See Jennison,R.C., 0=16530
Lathrop,J.,Lundy,R.A.,Penman,S.,Telegdi,V.L.,Winston,R., Yovanovitch,D.D. and Bearden,A.J. Measurement of the muon mass by critical mesic X-ray absorption. II. Proportional counter spectrometry, 0=20173
Lathrop,J.,Lundy,R.A.,Telegdi,V.L.,Winston,R. and Yovanovitch,D.D. Measurement of the muon mass by critical mesic X-ray absorption. I. Scintillation spectrometry, 0=20172
Lathrop,J.F.,Lundy,R.A.,Swanson,R.A.,Telegdi,V.L. and Yovanovitch,D.D. Further experimental evidence concerning the Fermi—Teller "Z-law". 0=15375
Latière,H.J. See Trompette,J., 0=8189
Latos,E.J. See Katz,S., 0=12606
Latrémolière,C. Electromagnetic induction in general relativity, 0=16583
Latrémolière,C. Pure radiation in the presence of electromagnetic induction, 0=18931
Latsh,V.V.,Minaev,N.G. and Somin,B.Kh. Application of the CoKα radiation in an X-ray investigation of the constitution of Ni—Zn ferrites, 0=16326
Latsh,V.V.,Minaev,N.G.,Somin,B.Kh. and Stepina,N.É. Solubility of excess ferric oxide in NiZn ferrites, 0=21232
Latta,G.E. See Brenner,J.L., 0=18876
Latty,J.E. and Clark,W.C. Forces between titanium dioxide pigment particles, 0=1874
Lau,A. The emission spectrum from quartz vapour, 0=1525
Lau,E. Sensitometric measurements with double exposure (using equi-density lines), 0=5190
Lau,E. Over compensation of perspective distortion of shape and size, 0=14349
Lau,E. See Hodam,F., 0=3601
Laubitz,M.J. Design of gradientless furnaces, 0=818
Laubitz,M.J. Thermal and electrical properties of Armco iron at high temperatures, 0=13498
Laudet,M. Method of calculating the flux density and its derivatives on the axis of a magnetic electron lens with axial symmetry, 0=7156
Laudet,M. See Durandeau,P., 0=19745
Laudet,M. See Lapeyre,R., 0=19742
Laue,M.von. See von Laue,M.
Lauer,E.J. See Gibson,G., 0=7123
Lauer,E.J. See Gibson,G., 0=7197
Lauer,E.J. See Gibson,G., 0=19654
Lauer,W.E. See Trurnit,H.J., 0=2162
Laughlin,J.S. See Woodley,R.G., 0=7250
Laukien,G. and Noack,F. A comparison of the magnetic interactions of protons and deuterons, 0=14666
Launay,J.de. See de Launay,J.
Laurance,N. Transport number in solid cesium bromide, 0=9948
Laurance,N. Self-diffusion of the chloride ion in sodium chloride, 0=17974
Laurence,D.J.R. See Butler,J.A.V., 0=7822
Laurenson,L. See Holden,J., 0=5064
Laurenson,L. See Holland,L., 0=977
Laurenson,L. See Holland,L., 0=16742
Laurent,B.E. On a generally covariant quantum theory, 0=4943
Laurent,B.E. Remarks on the functional integration quantization of gravitation, 0=6651
Laurent,B.E. A variational principle and conservation theorems in connection with the generally relativistic Dirac equation, 0=6652
Laurent,B.E. Equations for a mixed tensor field, 0=6678
Laurie,V.W. Microwave spectrum and internal rotation of ethyl cyanide, 0=4211
Laurie,V.W. Microwave spectrum of trans-crotononitrile, 0=13438
Laurie,V.W. and Lide,D.R.,Jr. Microwave spectrum and internal rotation of 1-chloro-2-butyne, 0=1528
Laurie,V.W. See LeBlanc,O.H.,Jr, 0=15738
Laurie,V.W. See Norris,J.A., 0=13431
Laurie,V.W. See Norris,J.A., 0=20604
Lauriente,M. and Lynn,G.E. Characteristics of supermendur at 500°C, 0=10109
Laurikainen,K.V. A table of "hard core integrals"

$$\int_a^\infty \frac{e^{-ax}(1-e^{-x})^p}{x^{q+1}(x+x_0)^r}\,dx$$ for central potentials, 0=325

Laurila,E. The influence of radioactive decay energy of fission products on the automatic control of nuclear power plants, 0=17643
Laurila,E. On the behaviour of magnetic powder in a rotating magnetic field, 0=18193
Lauritzen,J.I.,Jr and Hoffman,J.D. Formation of polymer crystals with folded chains from dilute solutions, 0=8160
Lauritzen,J.I.,Jr and Hoffman,J.D. Theory of formation of polymer crystals with folded chains in dilute solution, 0=8161
Laush,G. See Gardner,D.G., 0=821
Lauterbach,U. See Kaul,W., 0=16971
Lauterjung,K.H. and Gruhle,W. An apparatus for the rapid recording of distributed radiation, 0=20363
Lauterjung,K.H. and Vater,O. The spreading of discharges in quenched counter tubes, 0=1228
Lauterjung,K.H. See Ball,W., 0=1292
Lautz,G. and Pilkuhn,M. Noise measurement in germanium single crystals in the region of the collision ionization effect between 5° and 10°K, 0=11684
Lauwers,R.R. and Ruyssen,R. Foam formation and foam stability, 0=4747
Lavakare,P.J. See Biswas,S., 0=9489
Lavakare,P.J. See Biswas,S., 0=15468
Lavakare,P.J. See Daniel,R.R., 0=20258
Laval,J. Properties of restoring forces extended on the atoms of a crystal. (Statics of the crystalline medium). 0=9837
Laval,J. Thermal agitation of atoms in a crystalline medium. II, 0=13487
Laval,J. Thermal stresses in the crystalline medium, 0=17889
Lavatelli,L. See Bergia,S., 0=15402
Lavergne,J. See Duchene,J., 0=3882
Laves,F. See Brunner,G., 0=4416
Laves,F. See Pfenninger,H.H., 0=13551
LaVilla,R.E. and Bauer,S.H. Molecular structure of iodine heptafluoride, 0=15775
Laville,G. and Maillet,J. Measurement of the sound velocity in thin films of plastic materials. Utilisation in the interferometric determination of the velocity of sound in liquids, 0=6859
Laville,G. and Vogel,T. Wave impedance and specific impedance in acoustics, 0=6871
Lavine,M.C. See Gatos,H.C., 0=3175
Lavine,M.C. See Gatos,H.C., 0=10291
Lavine,M.C. See Gatos,H.C., 0=11624
Lavine,M.C. See Gatos,H.C., 0=11996
Lavine,M.C. See Moody,P.L., 0=18312
Lavine,M.C. See Warekois,E.P., 0=13941
Lavrenchik,V.N. See Spivak,P.E., 0=4134
Lavrenchik,Y.N. See Spivak,P.E., 0=4133
Lavrent'ev,F.F. See Startsev,V.I., 0=12000
Lavrov,A.V. See Blazhevich,A.I., 0=16106
Lavrukhina,A.K. On the question of $(p,\pi^{\pm})$ reactions, 0=7558
Lavrukhina,A.K. and Krasavina,L.D. Fission of heavy nuclei by high-energy particles, 0=7633
Lavrukhina,A.K.,Moskaleva,L.P.,Krasavina,L.D. and Grechishcheva,I.M. The formation of ^{24}Na and ^{32}P by the interaction of high energy protons with complex nuclei, 0=7569

Lavrukina,A.K.,Moskaleva,L.P.,Malȳshev,V.A.,Satarova,L.M., Su Khun-Gui [Su Hung-Kuei]. Angular distribution of Na^{24} nuclei and decay fragments in the interaction of high-energy protons with gold and uranium, 0=13298

Lavrukhina,A.K. and Pozdnyakov,A.A. Disintegration of hafnium by 660 MeV protons, 0=4095

Lavrukhina,A.K. See Pavlotskaya,F.I., 0=5805

Law,C.A. See Craig,D.N., 0=19582

Law,J.T. See Allen,F.G., 0=9967

Law,M. See McGuire,J.H., 0=6998

Lawrance,R. Cadmium sulphide photoconductive layers, 0=9989

Lawrence,D.J.,Stewart,A.T. and Guptill,E.W. Thermal conductivity of solid argon at 80°K, 0=1576

Lawrence,H. and Warner,R.M.,Jr. Diffused junction depletion layer calculations, 0=11696

Lawrence,L.G. See Dearnaley,G., 0=12235

Lawrence,P.E. See Jacobs,I.S., 0=13841

Lawrence,P.E. See Rodbell,D.S., 0=11798

Lawrence,R.S. See Little,C.G., 0=14224

Lawrence,R.S. See Storey,L.R.O., 0=834

Lawrence,S.D. See Lambert,J.D., 0=8701

Lawrenson,I.J. See Kusumoto,H., 0=5998

Lawrie,J. Rapid fluctuations during magnetic disturbance, 0=14177

Lawrie,J.A.,Gerard,V.B. and Gill,P.J. Magnetic effects resulting from two high-altitude nuclear explosions, 0=4770

Lawson,A.W. Relation between the Eyring and Doolittle diffusion equations, 0=554

Lawson,A.W. Diffusion of impurities in amorphous polymers, 0=3264

Lawson,A.W.,Rice,S.A.,Corneliussen,R.D. and Nachtrieb,N.N. On the dynamical theory of diffusion in crystals. III. Some model calculations and relation to continuum theory, 0=4304

Lawson,A.W. and Smith,G.E. High-pressure microwave window, 0=2445

Lawson,A.W. See Eckstein,Y., 0=16199

Lawson,A.W. See Jamieson,J.C., 0=3195

Lawson,R.D. and Goeppert-Mayer,M. Harmonic oscillator wave functions in nuclear spectroscopy, 0=4025

Lawson,R.D. and Rotenberg,M. Branching ratios for the decay of p-shell Λ-hypernuclei, 0=17510

Lawson,W.D.,Smith,F.A. and Young,A.S. Influence of crystal size on the spectral response limit of evaporated PbTe and PbSe photoconductive cells, 0=11727

Lawton,E.J.,Balwit,J.S. and Powell,R.S. Paramagnetic-resonance studies of irradiated high-density polyethylene. I. Radical species and the effect of environment on their behavior, 0=16176

Lawton,E.J.,Balwit,J.S. and Powell,R.S. Paramagnetic-resonance studies of irradiated high-density polyethylene. II. Effect of irradiation dose on the radical species trapped at room temperature, 0=16177

Lax,B. Pulsed magnetic fields, 0=9145

Lax,B. [111] direct transition exciton and magneto-reflection in germanium, 0=13527

Lax,B.,Mavroides,J.G.,Zeiger,H.J. and Keyes,R.J. Infrared magnetoreflection in bismuth. I. High fields, 0=20968

Lax,B. and Wright,G.B. Magnetoplasma reflection in solids, 0=4392

Lax,B. See Brown,R.N., 0=20969

Lax,B. See Calawa,A.R., 0=18047

Lax,B. See Zwerdling,S., 0=7933

Lax,B. See Zwerdling,S., 0=11765

Lax,E. Acoustic attenuation in aluminum due to electron—lattice interaction, 0=1569

Lax,M. Fluctuations from the non-equilibrium steady-state, 0=6692

Lax,M. Cascade capture of electrons in solids, 0=15917

Layzer,A.J. New theoretical values for the Lamb shift, 0=15647

Layzer,D. On a screening theory of atomic spectra, 0=5873

Lazarev,A.I. See Kiselev,K.A., 0=16905

Lazarev,B.G. and Fedorova,M.F. A vacuum adsorption pump, 0=8721

Lazarev,B.G. and Fedorova,M.F. A high-capacity vacuum adsorption pump, 0=16741

Lazarev,B.G.,Semenenko,E.E. and Sudovtsov,A.I. Polymorphic transformations of lithium, sodium and potassium in films condensed on a cold substrate, 0=21252

Lazarev,B.G.Sudovtsov,A.I. and Semenenko,E.E. Superconductivity of beryllium and its low temperature polymorphism, 0=10846

Lazarev,B.G.,Sudovtsov,A.I. and Smirnov,A.P. An apparatus for measuring changes in length of iron at the γ–α change-point, 0=14572

Lazarev,B.G. See Garber,R.I., 0=13950

Lazarev,B.G. See Gindin,I.A., 0=3170

Lazarev,B.G. See Kogan,V.S., 0=21187

Lazarev,V.B. and Pugachevich,P.P. Temperature dependence of the surface tension of Ge, 0=19089

Lazarev,V.G. See Bulatova,R.F., 0=12099

Lazarev,V.P. See Toporov,Yu.P., 0=4573

Lazarev,Yu.A. See Bazhulin,P.A., 0=17746

Lazareva,L.E. See Burgov,N.A., 0=11431

Lazarovici,C. See Toţia,H., 0=7386

Lazazzera,V.J. See Edwards,D.F., 0=18119

Lazeeva,G.S. See Kondrat'eva,E.V., 0=10674

Lazenby,R. See Cooke,A.H., 0=8068

Lazeyras,P. See Bouyer,P., 0=19234

Lazeyras,P. See Cassignol,C., 0=19782

Lazorenko-Manevich,R.M.,Aladzhalova,N.A. and Veselovskii,V.I. Electrochemical and photoelectrochemical processes on p- and n-Ge in the range of cathodic polarization, 0=21281

Lazukin,V.N. Oscillations of a plasma in a magnetic field at frequencies close to the cyclotron frequency, 0=10925

Lazukin,V.N. Determination of the g-factor from the comparison of the frequencies of the paramagnetic and cyclotron resonances of electrons, 0=11923

Lazurkin,Yu.S. See Vasil'ev,G.Ya., 0=1759

Leach,D.F. and Neilson,J.M.M. Design of a single electrode capacitor for use with moisture meters and similar apparatus, 0=8976

Leachman,R.B. and Schmitt,H.W. The cross-section for U^{238} fission by fission neutrons, 0=2695

Leachman,R.B. See Blumberg,L., 0=1456

Leadabrand,R.L. Radar astronomy symposium report, 0=14382

Leadabrand,R.L.,Dyce,R.B.,Fredriksen,A.,Presnell,R.I. and Schlobohm,J.G. Radio frequency scattering from the surface of the moon, 0=16526

Leadabrand,R.L.,Presnell,R.I.,Berg,M.R. and Dyce,R.B. Doppler investigations of the radar aurora at 400 Mc, 0=10442

Leadabrand,R.L. See Dyce,R.B., 0=10443

Leadabrand,R.L. See Presnell,R.I., 0=10440

Leadabrand,R.L. See Schlobohm,J.C., 0=10441

Leadbeater,A.J. See Flubacher,P., 0=17892

Leadbetter,A.J. See Flubacher,P., 0=11581

Leadbetter,A.J. See Flubacher,P., 0=15812

Leader,E. See Amati,D., 0=15341

Leaf,B. See Prigogine,I., 0=19882

Leaf,B. See Résibois,P., 0=18963

Leane,J.B.,Richards,R.E. and Schaefer,T.P. High-resolution nuclear resonance apparatus, 0=3866

Learner,A. and Robson,B.A. Irregular Coulomb wave functions, 0=6685

Learson,J.M. The nuclear matrix element ratio in the $0^- \rightarrow 0^+$ beta transition of Pr^{144}, 0=5701

Leaver,V.M. See Hall,J.A., 0=5220

Lebedev,A.E. and Petrun'kin,V.A. The production of π-mesons in π N-collisions, 0=15418

Lebedev,A.I. Level widths of π-mesic atoms, 0=2719

Lebedev,A.N. Theory of injection in high-current orbital accelerators, 0=10992

Lebedev,A.N. See Kolomenskii,A.A., 0=17058

Lebedev,A.N. See Kovrizhnȳkh,L.M., 0=9130

Lebedev,B.P. and Tikhomirov,V.G. Experimental investigation of the combustion of two-phase mixtures in a turbulent stream, 0=18437

Lebedev,G.A. and Kuvshinskii,E.V. Mechanism of deformation in solid amorphous polymethylmethacrylate and polyvinylacetate on cold drawing, 0=8117

Lebedev,N.N. and Skal'skaya,I.P. A new method for solving the problem of the diffraction of electromagnetic waves by a thin ideally conducting disk, 0=7226

Lebedev,N.N. and Skal'skaya,I.P. Distribution of current densities on the edges of an ideally conducting rectangular wedge placed in the field of a plane electromagnetic wave, 0=9207

Lebedev,N.N. and Skal'skaya,I.P. Electrostatic field of an electron lens consisting of two coaxial cylinders, 0=15075

Lebedev,P.I. See Balats,M.Ya., 0=9493

Lebedev,P.I. See Balats,M.Ya., 0=20567

Lebedev,P.P.,Zisin,Yu.A.,Klintsov,Yu.S. and Stsiborskii,B.D. Neutron yield from 14 MeV non-elastic interactions and the (n,2n) cross-section, 0=20486

Lebedev,R.M. See Barashenkov,V.S., 0=3966
Lebedev,R.M. See Barashenkov,V.S., 0=4088
Lebedev,R.M. See Bogachev,N.P., 0=11400
Lebedev,S.V.,Mandel'shtam,S.L. and Rodin,G.M. Shortwave radiation from a vacuum spark, 0=9010
Lebedev,S.Ya. See Stavisskii,Yu.Ya., 0=12644
Lebedev,V.I. See Kalashinikov,V.I., 0=2693
Lebedev,V.I. See Kalashnikova,V.I., 0=7645
Lebedinets,V.N. See Kashcheev,B.L., 0=18718
Lebedinets,V.N. See Kashcheev,B.L., 0=18719
LeBlanc,F.J. See Tanaka,Y., 0=7779
LeBlanc,F.J. See Tanaka,Y., 0=7780
Leblanc,J.M.,Coté,R.E. and Bollinger,L.M. On the splitting of the peak in the neutron strength function near A = 55, 0=5649
Le Blanc,J.M. See Goldberg,M.D., 0=17428
LeBlanc,M.A.R. See Daniels,J.M., 0=4285
LeBlanc,O.H., Jr. Hole and electron drift mobilities in anthracene, 0=15997
LeBlanc,O.H., Jr,Laurie,V.W. and Gwinn,W.D. Microwave spectrum, structure, and dipole moment of formyl fluoride, 0=15738
Le Bot,J. The Debye absorption of electromagnetic waves in cement, 0=7227
Lebovitz,N.R. The equilibrium stability of a system of disk dynamos, 0=11023
Lebowitz,J.L. Asymptotic value of the pair distribution near a wall, 0=3510
Lebowitz,J.L.,Frisch,H.L. and Helfand,E. Nonequilibrium distribution functions in a fluid, 0=10650
Lebowitz,J.L. See Helfand,E., 0=19095
Lebowitz,J.L. See Reiss,H., 0=3507
Lebowsky,F. See Steubing,W., 0=476
Lecar,H. See Thaddeus,P., 0=5921
Leck,J.H. See Carter,G., 0=5061
LeClaire,A.D. See Mortlock,A.J., 0=20846
Lecocq,A. Experimental determination of the equations of state of argon up to 1000°C and 1000 kg/cm^2, 0=16733
Lecocq,A. See Saurel,J., 0=14910
Lecomite,C. See Cunningham,R.L., 0=8173
Lecomte,J.,Le Gardeur,R.J. and Taillet,J. The proton synchrotron "Saturne". Accelerating cavity, 0=2412
Lecomte,J. See Dagai,M., 0=2412
Lecomte,J. See Duval,C., 0=20625
Lecomte,J. See Vincent-Geisse,J., 0=14802
Lecomte,J. See Vincent-Geisse,J., 0=14803
Le Corre,Y. Determination of crystalline potential with the aid of fine structure in electron diffraction, 0=3205
Le Corre,Y. Optical and dielectric study of boracite, 0=4377
Le Corre,Y. Density couples and pseudo-rotations in the theory of elasticity of Laval, 0=11962
Le Couteur,K.J. Integral representation of a double commutator, 0=15237
Le Couteur,K.J. The vertical motion of particles through the regenerative beam extractor of a synchrocyclotron, 0=19857
Le Couteur,K.J. The structure of a non-relativistic S-matrix, 0=20070
Le Couteur,K.J. and Lang,D.W. Neutron evaporation and level densities in excited nuclei, 0=5736
Le Couteur,K.J. See Lang,D.W., 0=5662
LeCraw,R.C.,Fletcher,R.C. and Spencer,E.G. Electron spin relaxation in ferromagnetic insulators, 0=10220
LeCraw,R.C. and Spencer,E.G. Surface-independent spin-wave relaxation in ferromagnetic resonance of yttrium iron garnet, 0=3113
LeCraw,R.C. See Fletcher,R.C., 0=6258
LeCraw,R.C. See Spencer,E.G., 0=3090
Le Craw,R.C. See Spencer,E.G., 0=6260
LeCraw,R.C. See Van Uitert,L.G., 0=3072
Leder,L.B. and Suddeth,J.A. Characteristic energy losses of electrons in carbon, 0=15332
Lederhandler,S.R. Infrared studies of birefringence in silicon, 0=1723
Lederman,L.M. See Charpak,G., 0=17366
Ledinegg,M. Approximate method of calculating the surface leakage in reactors, 0=4145
Ledley,B. See Booth,N.E., 0=17358
Ledley,B. See Crewe,A.V., 0=1277
Ledley,B. See Crewe,A.V., 0=9355
Leduc,B. See Bernard,M., 0=13594
Lee,B.W. Kπ interaction in the double dispersion representation, 0=20229
Lee,B.W. and Vaughn,M.T. P-wave resonance in pion—pion scattering, 0=13031
Lee,C.A. and Kaminsky,G. Investigation of the temperature variation of noise in diode and transistor structures, 0=1636
Lee,C.A. and Kaminsky,G. Preparation and electrical properties of alloyed p—n junctions of InSb, 0=6122
Lee,C.A. and Kaminsky,G. Anomalous barrier capacitance in p—n junctions of InSb, 0=18045
Lee,C.A. See Chynoweth,A.G., 0=9961
Lee,D.H. and Roberts,D.H. New infra-red detectors for the 1 to 7 micron region, 0=19499
Lee,D.M. and Fairbank,H.A. Density and expansion coefficient of liquid He^3 below 1°K, 0=225
Lee,D.M. and Fairbank,H.A. Heat transport in liquid He^3, 0=3701
Lee,E.W. A study of ferromagnetic domains in Perminvar possessing a rectangular hysteresis loop, 0=13799
Lee.E.W. and Lynch,A.C. Soft magnetic materials, 0=11879
Lee,E.W. See Birss,R.R., 0=11876
Lee,E.W. See Jackson,R.C., 0=8039
Lee,I.K. The application of the vibrating wire measuring principle to the measurement of earth pressure, 0=12399
Lee,J. and Samios,N.P. Search for rare decay modes of the μ^+ meson, 0=9390
Lee,J. and Walsh,A.D. The vacuum ultra-violet absorption spectra of the halogen molecules. I. Chlorine, 0=497
Lee,J.A.,Evans,J.P.,Hall,R.O.A. and King,E. Some physical properties of neptunium metal. III. The electrical resistivity and thermoelectric power of neptunium metal in the range 300-900°K, 0=11657
Lee,J.A.,Mardon,P.G.,Pearce,J.H. and Hall,R.O.A. Some physical properties of neptunium metal. II. A study of the allotropic transformations in neptunium, 0=12056
Lee,J.A.,Meaden,G.T. and Mendelssohn,K. Low temperature resistivity of plutonium and neptunium, 0=1084
Lee,J.K.,Musgrave,B. and Rowland,F.S. Intermolecular isotope effect in recoil tritium reactions with hydrogen, 0=10347
Lee,J.R. Liquidus—solidus relations in the system iron—aluminium, 0=6383
Lee,K. and Inglis,D.R. Nuclear deformation in the spheroidal shell model, 0=20318
Lee,L.L., Jr,Meyer-Schutzmeister,L.,Schiffer,J.P. and Vincent,D. Nuclear resonance absorption of gamma rays at low temperatures, 0=412
Lee,L.L., Jr. and Mooring,F.P. Resonance detection of neutron energy groups from the $Mn^{55}(p,n)Fe^{55}$ reaction, 0=433
Lee,L.L., Jr. See Huddleston,C.M., 0=5791
Lee,L.L., Jr. See Schiffer,J.P., 0=1416
Lee,M.R. See Crawford,J.M., 0=8351
Lee,P.M. and March,N.H. Strain scattering by vacancies and impurities in metals, 0=9904
Lee,R.H. See Boischot,A., 0=6556
Lee Sang Soo. Ageing effect in evaporated films of zinc sulphide, 0=3638
Lee Sang Soo. Photoelectric double-slit interferometer for investigation of transparent thin solid films, 0=3641
Lee,T.D. Elementary particles, 0=20088
Lee,T.D. and Yang,C.N. Many-body problem in quantum statistical mechanics. II. Virial expansion for hard-sphere gas, 0=897
Lee,T.D. and Yang,C.N. Many-body problem in quantum statistical mechanics. III. Zero-temperature limit for dilute hard spheres, 0=3457
Lee,T.D. and Yang,C.N. Many-body problem in quantum statistical mechanics. IV. Formulation in terms of average occupation number in momentum space, 0=3458
Lee,T.D. and Yang,C.N. Many-body problem in quantum statistical mechanics. V. Degenerate phase in Bose—Einstein condensation, 0=4948
Lee,T.D. and Yang,C.N. Theoretical discussions on possible high-energy neutrino experiments, 0=9332
Lee,T.D. and Yang,C.N. Implications of the intermediate boson basis of the weak interactions: existence of a quartet of intermediate bosons and their dual isotopic spin transformation properties, 0=15252
Lee,T.H. Energy distribution and cooling effect of electrons emitted from an arc cathode, 0=9069
Lee,V.J. and Parravano,G. Sintering reactions of zinc oxide, 0=1958
Lee,W. See Goldhaber,G., 0=17339
Lee,W.T.,Sen,D.C.,Ho,T.H.,Chen,J.M. and Tzo,H.Y. The mean life time ratio of K$^+$-meson and hyperons and their branching ratios of different decay modes, 0=5602
Lee,Y.C. See Ferrell,R.A., 0=9396

Lee,Y.J. See Allen,J.E., 0=20185
Lee Yang-kou. See Yü Min, 0=1350
Lee,Y.W. Statistical filtering and prediction, 0=2126
Lee-Whiting,G.E. A compton-electron γ-spectrometer with two-directional focusing, 0=11135
Leech,J.W. Anharmonic forces and the Einstein model of a crystal, 0=1555
Leech,J.W. and MacDonald,D.K.C. Some remarks on thermoelectricity, 0=1687
Lees,A. See Jason,A.C., 0=5219
Lees,R.B. See Neubert,T.J., 0=11649
Leeser,D.O. See Billington,D.S., 0=20849
Lefebvre,R. A method of determining self-consistent molecular orbitals, 0=9824
Lefebvre,R. Estimation of force constants from the electronic energy, 0=11513
Lefebvre,R. Paramagnetic electron resonance of organic radicals in solution, 0=13447
Lefebvre,R.,Dearman,H.H. and McConnell,H.M. Spin densities in odd alternant hydrocarbon radicals, 0=4233
Lefebvre,R. See McLachlan,A.D., 0=15680
Lefebvre-Brion,H. and Moser,C.M. Calculation of the magnetic hyperfine structure coupling constants of NO, 0=9828
Lefebvre-Brion,H.,Moser,C.M. and Nesbet,R.K. The $^1\Sigma^+$ excited states of carbon monoxide, 0=17764
Lefebvre-Brion,H. See Bessis-Mazloum,N., 0=20550
Lefebvre-Brion,H. See Lorquet,J.C., 0=7789
Lefever,R.A. and Chase,A.B. Substitutional incorporation of divalent iron in yttrium iron garnet, 0=13836
Lefever,R.A. See Wickersheim,K.A., 0=2941
Lefever,R.A. See Wickersheim,K.A., 0=16033
Lefèvre,F. and Authier,A. Influence of dislocations on the integrated intensities of X-ray reflections by germanium crystals, 0=21186
Lefèvre,H. Derivation of a formula of Townes—Dailey type for the calculation of the electric field gradient at the nucleus, including overlap, 0=4220
Leffert,C.B. See Garabedian,H.L., 0=13352
Lefkowitz,I. Radiation-induced changes in the ferroelectric properties of some barium titanate-type materials, 0=4384
Lefort,M.,Simonoff,G. and Tarrago,X. Cross-sections for production of Astatine isotopes 206 to 211 by secondary (α,xn) reactions following 150 MeV proton bombardment of bismuth, 0=7580
LeFort,M.,Simonoff,G. and Tarrago,X. Secondary reactions of spallation, 0=20437
Lefort,M.,Simonoff,G.,Tarrago,X and Bibron,R. Production of tritium in thorium by 135 MeV protons, 0=17595
LeFort,M. and Tarrago,X. Radiation dosimetry using plastic materials. I, 0=20367
LeFort,M.,Tarrago,X. and Viaux,M. Installation of an irradiation arrangement for one kilocurie of radiocobalt, 0=20368
Lefort,M. See Deutsch,C., 0=15570
Le Gardeur,R.J. See Lecomte,J., 0=2412
Legay,F. Intensities of lines in a vibration—rotation band, 0=11519
Legay,F. Analysis of the (1, 0) band of the $^3\Pi_i - {}^3\Sigma^-$ system of PH, 0=11520
Legay,F. and Barchewitz,P. Measurement of the refractive indices of gases in the infrared using a Michelson interferometer, 0=16820
Legay,F. See Durie,R.A., 0=5947
Legendre,R. A hydraulic analogue for studying supersonic flow, 0=16725
Legen'kov,A.P. Plane free oscillations of a perfect uniform liquid in an infinite canal of variable cross section, 0=922
Le Gentil,M.C. and Morand,M. The theory of the latent image produced by charged particles and the effect of fluctuations of the specific energy loss on the grain formation in the region of minimum ionization, 0=12780
Le Gentil,M.C. See Morand,M., 0=2716
Legg,V.E. See Alley,R.E.Jr, 0=10166
Legget,R.F. and Northwood,T.D. Noise surveys of cocktail parties, 0=2217
Legouix,J.P. and Tarab,S. Experimental study of bone conduction in ears with mechanical impairment of the ossicles, 0=2046
Legoux,Y. See Gusakow,M., 0=15571
Legrand,J.P. and Helary,A. Local increase of intensity of cosmic radiation, 0=17448
Legrand,J.P. See Bonpas,M., 0=7496
Legrand,J.P. See Fréon,A., 0=9481
Legrand,M.,Lacam,A. and Grosjean,M. Simple apparatus for the measurement of the emission of luminescent powders, excitable by u.v., 0=6188
Legros,M. See Cocconi,V.T., 0=17582
Legvold,S. See Amme,R.C., 0=15787
Legvold,S. See Colvino,R.V., 0=18002
Legvold,S. See Curry,M.A., 0=6080
Legvold,S. See Hall,P.M., 0=2843
Legvold,S. See Hall,P.M., 0=6079
Legvold,S. See Liu,S.H., 0=2981
Legvold,S. See Valley,L.M., 0=17737
Legvold,S. See Valley,L.M., 0=19208
Lehembre,M. Contribution to the study of the angular oscillations of a cylinder in a viscous fluid, 0=8598
Lehiste,I. See Peterson,G.E., 0=12218
Lehman,C. See Hefferlin,R., 0=15666
Lehman,G.W. Effect of spin—orbit coupling on the energy levels in the 6d band for actinide metals, 0=2803
Lehman,G.W. Statistical potential for actinide metal energy band calculations, 0=7869
Lehman,G.W. and Shapiro,K.A. Approximate analytic approach to the classical scattering problem, 0=17686
Lehmann,H. Scattering matrix and fields operators, 0=3912
Lehmann,I. Velocities of longitudinal waves in the upper part of the earth's mantle, 0=4776
Lehmann,P.,Lévêque,Barloutaud,R. and Grjebine,T. Collective description of Ne^{19} and F^{17}, 0=9502
Lehmann,P. See Barloutaud,R., 0=9536
Lehmann,P. See Barloutaud,R., 0=13145
Lehmann,P. See Gaillard,J.M., 0=1298
Lehmann,R. and Brun,P. A study of the acoustic field in anechoic rooms, 0=19331
Lehmann,R. See Chavasse,P., 0=6885
Lehmann,W. Voltage dependence and particle size distribution of electroluminescent phosphors, 0=2967
Lehmann,W.J.,Wilson,C.O.,Jr and Shapiro,I. Infrared spectra of trimethylborane-d_9 and triethylborane-d_{15}, 0=1532
Lehmann,W.J.,Wilson,C.O.,Jr and Shapiro,I. Infrared spectra of alkyldiboranes. I. Monomethyldiboranes, 0=7760
Lehmann,W.J.,Wilson,C.O.,Jr and Shapiro,I. Infrared spectra of alkylboranes. II, 0=15732
Lehmann,W.J.,Wilson,C.O.,Jr and Shapiro,I. Infrared spectra of alkydiboranes. III. 1,2-dimethyl- and 1,2-diethyldiboranes, 0=20634
Lehner,G. See Fünfer,E., 0=1140
Lehner,G. See Fünfer,E., 0=16999
Lehnert,B. A note on the confinement of charged particles by a magnetic field, 0=255
Lehnert,B. Plasma physics on cosmical and laboratory scale, 0=2358
Lehnert,B. Confinement and energy balance in a rotating plasma, 0=19667
Lehnert,B. See Bonnevier,B., 0=5315
Lehnert,B. See Ekman,C., 0=19668
Lehnert,B. See Hoh,F.C., 0=15023
Lehr,P. See Renucci,L., 0=562
Leibenberg,D.H. See Anderson,O.T., 0=3697
Leibfried,G. Defects in dislocations produced by focusing collisions in f.c.c. lattices, 0=1585
Leibfried,G. A remark on neutron thermalization theory, 0=12987
Leibfried,G. and Ludwig,W. Equilibrium conditions in lattice theory, 0=17881
Leibfried,G. See Holmes,D.K., 0=9922
Leibler,K. Dielectric properties of disperse systems: solid dielectrics—conductors, 0=3722
Leiby,C.C.,Jr and Chen,C.L. Diffusion coefficients, solubilities, and permeabilities for He, Ne, H_2, and N_2 in Vycor glass, 0=5051
Leidenfrost,W. See Kestin,J., 0=8673
Leidenfrost,W. See Kestin,J., 0=8676
Leidenfrost,W. See Kestin,J., 0=16722
Leidenfrost,W. See Kestin,J., 0=16723
Leigh,J.J. See Blair,J.M., 0=9632
Leighly,H.P.,Jr. Apparatus for the study of recrystallization rates, 0=13945
Leikin,A.Ya. A maser time and frequency standard, 0=18892

Leikin,G.A. A probe for the measurement of density and temperature during supersonic motion in a highly rarified medium, 0=951
Leinbach,H. See Reid,G.C., 0=9479
Leinhos,R. Age dependence of the pupillary diameter, 0=4830
Leipnik,R. See Green,H.S., 0=8559
Leipp,É. Elastic modulus and density: significant parameters of the spectrum of an isolated harmonic string, 0=134
Leipp,E. The modulus of rigidity and the tension per unit area of cross section, essential parameters controlling the musical response of a vibrating harmonic string, 0=1010
Leipp,É. Humidity of the ambient air: an important factor in the response of a gut string, 0=5111
Leipp,É. The "octave vibration", sensitive parameter in the spectrum of stringed instruments, 0=5112
Leipp,E. and Moles,A.A. The use of the "sonograph" in the determination of the quality of stringed instruments, 0=2215
Leipuner,L.B. See Haas,R., 0=2684
Leipunskii,O.I. Radioactive hazard resulting from the explosions of a "clean" hydrogen bomb and of a conventional fission bomb, 0=10455
Leipunskii,O.I. On the danger from radioactivity arising from an unbroken series of atomic bomb trials, 0=10457
Leipunskii,O.I. Possibility of a magnetic effect of high-altitude explosions of atom bombs, 0=12143
Leiss,J.E. See Schrack,R.A., 0=15412
Leitner,J. and Lichtman,S. Pion—momentum spectrum from K^- absorption in helium, 0=15410
Leitner,J.,Nordin,P.,Jr,Rosenfeld,A.H.,Solmitz,F.T. and Tripp,R.D. Sigma spin and parity conservation in $K^- + p \rightarrow \Sigma^+ + \pi^-$, 0=384
Leitner,J. See Block,M.M., 0=1372
Leitner,J. See Block,M.M., 0=17416
Leitner,J. See Fairbank,W.M., 0=315
Leizerzon,M.S. See Zevin,L.S., 0=18362
Lejay,P. Ionospheric irregularities, 0=21342
Leksin,G.A. See Bayukov,Yu.D., 0=15399
Leksina,I.E. and Novikova,S.I. Thermal expansion of Fluoreplast IV between -190 and 325°C, 0=6376
Leland,W. See Nagle,D.E., 0=462
Leliak,P. Manipulation of cesium, 0=8458
Leman,G. Influence of boundary conditions on the electron density in a periodic lattice, 0=15830
Lemanov,V.V. Second-order quadrupole effects in sodium nitrate, 0=21092
Lemanov,V.V. See Kornfel'd,M.I. , 0=21086
Lemanov,V.V. See Kornfel'd,M.I., 0=21091
Lemberg,I.Kh. See Alkhazov,D.G., 0=2567
Lemberg,I.Kh. See Alkhazov,D.G., 0=2622
Lemberg,I.Kh. See Alkhazov,D.G., 0=7587
Lembra,Yu.Ya. Design of a regenerative deflector, 0=10994
Lembra,Yu.Ya. Evaluation of the change of amplitude of vertical betatron oscillations in high-current accelerators with the help ofa regenerative deflector, 0=15098
Lemke,C.E. See Charnes,A., 0=8575
Lemmer,R.H. Single particle motion in a deformed, nonlocal potential well, 0=7444
Lemmer,R.H. and Green,A.E.S. Single-particle states in deformed nonlocal diffuse boundary potentials, 0=13108
Lemmer,R.H.,Tang,Y.C. and Frahn,W.E. Scattering of high-energy nucleons by a nonlocal potential, 0=9295
Lemmer,R.H. See Tang,Y.C., 0=1344
Lemmon,R.M. See Strohmeier,W., 0=1505
Lemmon,R.M. See Strohmeier,W., 0=1506
Lemons,J.F. See Jackson,J.A., 0=3546
Le Montagner,S. Experimental study of the variations of dielectric constant associated with a phase change, 0=11738
Lempicki,A. The reflection spectrum of CdS, 0=6185
Lempicki,A. Polarization of luminescence in ZnS and CdS single crystals, 0=11782
Lenard,A. On Bogoliubov's kinetic equation for a spatially homogeneous plasma, 0=15018
Lend'el,V.I. See Lomsadze,Yu.M., 0=9349
Lenk,A. A convenient classification of the electromechanical transducer with regard to its design and its electrical and mechanical characteristics, 0=16783
Lenk,P.A. and Slobodrian,R.J. Excitation function for the $Al^{27}(d,\alpha p)Na^{24}$ reaction between 0 and 28.1 MeV, 0=2667
Lennon,J.J. and Sexton,M.C. Recombination in xenon and krypton afterglows, 0=2345
Lennon,J.J. See Sexton,M.C., 0=5295
Lennuier,M.R. See Tardy,O., 0=10884
Lennuier,R. Construction of interferometric mirrors for the U.V. range ($\lambda > 2500$ Å), 0=16882
Lenoble,J. On the distribution of light in a diffusing medium illuminated by a point source, 0=10783
Lenoble,J. Study of the ultraviolet radiation of the sky. I. Spectrophotometer with polarimeter for the zenith sky, 0=21387
Lenoir,M. On the spherically symmetric solutions of the unified field theory, 0=6672
Lenz,F. See Noven,H., 0=2390
Léonard,A. See Van Meerssche,M., 0=3254
Leonard,B.E. See Waltner,A.W., 0=20518
Leonard,B.R.Jr,Seppi,E.J. and Friesen,W.J. The width of the 1 eV resonance in plutonium-240, 0=13282
Leonard,L. Energy radiated by a point charge in hyperbolic motion, 0=19886
Leonhard,F.,Cook,C.F.,Jr and Anderson,F.R. Full and partial particle replication technique for electron microscopy, 0=21262
Leonov,G.S. See Zaitsev,A.A., 0=10921
Leontic,B. See Fischer,J., 0=1291
Leontovich,M.A. and Osovets,S.M. On the mechanism of current constriction in high-current gas discharges, 0=5302
le Pair,C. See de Bruyn Ouboter,R., 0=19543
Le Pape,M. See Gratot,I., 0=5689
Lepechinski,D. See Consoli,T., 0=10913
Lepechinski,D. See Consoli,T., 0=12616
Lepechinsky,D. and Taieb,C. True height determinations of ionization at high latitudes, 0=16436
Lepekhin,F.G. See Berkovich,I.B., 0=9539
Lepekhin,F.G. See Berkovich,I.B., 0=9540
Lepeshinskaya,V.N. and Belogurov,V.N. Change of work function of molybdenum by deposition of thin layers of sodium and caesium, 0=9062
Lepeshinskaya,V.N. and Stuchinskii,G.B. Inelastic scattering of electrons and secondary electron emission of activated Cu—Al—Mg alloy in the primary electron energy-range 0.5 to 20 keV, 0=15060
Lepeshinskaya,V.N. See Spivak,G.V., 0=15063
Lepie,M.P. See Kingery,W.D., 0=10261
Lepore,J.V. Commutation relations of quantum mechanics, 0=14513
Lepore,J.V. See Cook,L.F.,Jr, 0=20217
Leppert,G. See Jordan,D.P., 0=13359
Lepri,F. See Castagnoli,C., 0=17164
Leproux,G. See Glaude,V., 0=2412
Lepson,B. See Beach,L.A., 0=12960
Lequeux,J.,Le Roux,É. and Vinokur,M. Variable spacing two aerial interferometer of the radio—astronomy station of Nancay, 0=826
Le Quinio R. See Armand,G., 0=2412
Le Quinio,R. See Consoli,T., 0=19769
Leray,J. and Scheibling,G. Photoelectric determination of the position of the neutral lines and the phase difference of a weakly birefringent medium, 0=19454
Lerman,N. See Sitte,K., 0=11241
Lerond,P. and Thulin,A. Sensitive recording magnetic fluxmeter, 0=3825
Lerond,P. See Chonez,A., 0=2412
Le Roux,É. See Lequeux,J., 0=826
Leroux,J.P. and Thureau,P. On a pyrometric application of the photoluminescence of a zinc cadmium sulphide activated by manganese and gold, 0=1062
Leroux,J.P. See Fauré,J., 0=14870
Leroux,J.P. See Thureau,P., 0=16095
Leroy,J. See Blaise,S., 0=9708
Leroy,J.L. Polarization of the light from sunspots, 0=4893
Leroy,J.L. Observations of a persistent coronal jet, 0=14425
Leroy,J.L. See Dollfus,A., 0=4894
Lertes,K. See Hahn,D., 0=1761
Leruste,P. Quantization of the motion of the Nakano rotator, 0=3451
Leruste,P. Lagrangian representation of a perfect fluid, 0=8646
Leś,Z. and Niewodniczański,H. Intensity ratios of spectral lines in Cd I triplets at different conditions of excitation, 0=17703
Leschen,J.G. Digest of literature on dielectrics. Ceramic insulation, 0=2300
Lescroel,Y. See Delyon,G., 0=2412

Lesk,I.A. The diffused shot-melting technique for making germanium and silicon p—n junction devices, 0=11695
Leslie,P.R.R. See Baldwin,J.E., 0=18664
Leslie,P.R.R. See Elsmore,B., 0=830
Leslie,W.C.,Fisher,R.M. and Sen,N. Morphology and crystal structure of carbides precipitated from solid solution in alpha iron, 0=16325
Lessler,R.M. and Michel,M.C. Isotopes Np^{240} and Np^{241}, 0=9603
Lessoff,H.,Kersey,Y. and Horne,R.A. Thermoelectric properties of some mixed oxides, 0=2914
Lesueur,R. See Koch,L., 0=9234
Le-Thanh-Phong. Poynting vector in general relativity, 0=6661
Le-Thanh-Phong. The asymptotic behaviour of a class of metrics of type II, 0=16585
LeTourneau,B.W. See Grimble,R.E., 0=13358
Leupold,H. See Boorse,H.A., 0=19565
Leutz,H. Decay of Gd^{153}, 0=17543
Leutz,H. See Egelkraut,K., 0=17534
Levanyuk,A.P. See Ginzburg,V.L., 0=20974
Levchenko,A.A.,Mityushov,V.A.,Adakhovskii,A.P. and Palatnik,L.S. Spark-discharge-induced structural changes in platinum—silver alloys, 0=16352
Levchenko,A.A. See Palatnik,L.S., 0=16985
Levchenko,V.G. See Zhokovskii,M.K., 0=3548
Levchenko,Yu.Z. See Fogel',Ya.M., 0=12579
Levdik,V.A. See Býkov,V.N., 0=3041
Levelt,J.M.H. Some aspects of molecular physics, 0=3555
Levelt,J.M.H. and Hurst,R.P. Quantum mechanical cell model of the liquid state. I., 0=3506
Levelt,J.M.H. See Michels,A., 0=6838
Levengood,W.C. and Vong,T.S. Dislocation type defects in glass, 0=1924
Levengood,W.C. and Vong,T.S. Spiral dislocations on glass fracture surfaces, 0=13541
Levenson,L.L. See Bevans,J.T., 0=2184
Levenstein,H. See MacRae,A.U., 0=11683
Lévêque,A. See Barloutaud,R., 0=9536
Lévêque,A. See Barloutaud,R., 0=13145
Lévequê,A. See Gaillard,J.M., 0=1298
Lévêque,A. See Lehmann,P., 0=9502
Lever,R.C. See Yamartino,E.J., 0=3038
Levey,H.C. The back effect of a wall on a jet, 0=19077
Levi,A.C. See Catino,A., 0=6929
Levi,C. and Papineau,L. New experimental data (obtained from radioactivity and nuclear reactions) on molybdenum isotopes. An attempt to interpret certain excited levels, 0=9533
Levi,F.A. Mechanical properties of irradiated solids, 0=4545
Levi,F.P. Permanent magnets obtained by drawing compacts of parallel iron wires, 0=15107
Levi,L. Response of a loaded idealized piezoelectric plate to an electric signal, 0=12460
Levi Setti,R. and Slater,W.E. A possible experimental method for the production and detection of heavy hyper-fragments, 0=5672
Levi Setti,R. See Ammar,R., 0=415
Levi Setti,R. See Ammar,R., 0=13154
Levialdi,A. See Arduino,H.A., 0=4453
Levich,V.G. and Dogonadze,R.R. The adiabatic theory of electron [transfer] processes in solutions, 0=19171
Levikov,S.I. and Shishatskaya,L.P. Hydrogen and mercury-helium lamps for SF-4 spectrophotometers, 0=161
Levin,A.A. The possibilities of structural analysis of crystals, 0=12031
Levin,A.A. The determination of the parameters of the anisotropic temperature factor, 0=13981
Levin,A.A. and Porai-Koshits,M.A. X-ray structure calculations on the "Strela" universal computer, 0=12034
Levin,B.R. The energy spectrum of the indefinite integral of a stationary random process, 0=14522
Levin,B.Ya. See Zhurkov,S.N., 0=21135
Levin,B.Yu. and Maeva,S.V. Some calculations on the thermal history of the moon, 0=14396
Levin,E.R. and Offenbacher,E.L. Theory of dielectric constants of LiF, 0=10011
Levin,V.V. See Broder,D.L., 0=3971
Levine,D. Angular variation of exposure for a Lambertain source, 0=3597
Levine,H. Diffraction by an infinite slit, 0=1207
Levine,H. A corner effect in plane diffusion theory, 0=6694
Levine,H.B. Diagram expansions in quantum statistics, 0=8567
Levine,H.S. and MacCallum,C.J. Grain boundary and lattice diffusion in polycrystalline bodies, 0=7901
Levine,H.S. See Cook,J.C., 0=19523
Levine,I. See Daniel,E.D., 0=2222
Levine,I. See Daniel,E.D., 0=3592
Levine,L. and Lichtman,D. Analysis of gas evolution from a titanium hydride gas generator, 0=12440
Levine,L.P. and Berry,H.W. H_1^- production by hydrogen positive ion bombardment of a tungsten surface, 0=8986
Levine,M.A. See Chace,W.G., 0=12530
Levinger,B. and Frankl,D.R. Power-induced shifts of cyclotron resonances in the valence band of germanium, 0=17917
Levinger,J.S.,Razavy,M.,Rojo,O. and Webre,N. Perturbation theory applied to the nuclear many-body problem, 0=12886
Levinger,J.S. See Paranjape,B.V., 0=18012
Levinger,J.S. See Rustgi,M.I., 0=11236
Levinson,I.B. See Gutman,A.M., 0=20582
Levinson,J. Fusion of complex flicker II, 0=14345
Levinstein,H. Impurity photoconductivity in germanium, 0=7960
Levinstein,H. See Johnson,L., 0=6140
Levintov,I.I.,Miller,A.V. and Shamshev,V.N. Measurement of the polarization of (D + T)-neutrons at deuteron energies of 1800 keV, 0=2549
Levitan,E.S. Forced oscillation of a spring—mass system having combined Coulomb viscous damping, 0=19243
Levitin,R.Z. See Belov,K.P., 0=10256
Levitin,R.Z. See Belov,K.P., 0=11918
Levitin,R.Z. See Belov,K.P., 0=11971
Levitov,V.I.,Lyapin,A.G. and Popkov,V.I. Probe investigations of the field of an a.c. corona, 0=7100
Levitskii,B.M. See Konobeevskii,S.T., 0=10332
Levitskii,S.M. and Shashurin,I.P. Checking the applicability of the probe method to the measurement of the charge concentration in a high-frequency discharge, 0=1111
Levitskii,S.M. and Shashurin,I.P. Measurement of the concentration of charges in a plasma by the method of a s.h.f. probe, 0=15028
Levitt,R. See Honig,A., 0=18035
Levkov,A.N. and Noskov,M.M. Magneto-optical rotation in alloys of nickel with palladium, 0=4400
Levoy,M. Uranium isotope separation by nozzles, 0=13397
Levshenkova,L.A. See Kesaev,I.G., 0=16987
Levshin,V.L. and Faizi,N.Kh. Investigation of the thermal activation energy of a luminescence flash and the localization levels in CaS-based phosphors, 0=16077
Levshin,V.L.,Gutan,V.B. and Karzhavina,E.N. On the possibility of recombination processes in luminescence of tungstates and uranyl compounds, 0=1753
Levshin,V.L. and Orlov,B.M. Investigation of the energy of thermal activation of the optical flash in ZnS:Cu:Pb phosphors, 0=10089
Levshin,V.L. and Rebane,V.N. A comparative study of light-sum storage and temperature quenching in a ZnS:Ag phosphor excited with β-rays and light, 0=4461
Levshin,V.L. and Ryzhikov,B.D. Formation and action of localization levels in ZnS:Mn phosphors, 0=4455
Levshin,V.L. and Tunitskaya,V.F. Thermoluminescence and localization levels of ZnS:Mn phosphors, 0=16118
Levskii,L.K. See Gerling,É.K., 0=6579
Levstek,I. See Blinc,R., 0=11957
Levy,A. See Kircher,J.F., 0=18440
Levy,B. See Fritsch,A.R., 0=13373
Levy,B. See Glaude,V., 0=2412
Levy,B.R. and Keller,J.B. Diffraction by a spheroid, 0=2442
Lévy,F. See Berthelot,A., 0=4090
Levy,H.A.,Agron,P.A. and Danford,M.D. X-ray diffractometry with slightly absorbing samples, 0=3193
Levy,H.A.,Danford,M.D. and Agron,P.A. X-ray diffraction study of bismuth polymer in aqueous perchlorate solution, 0=4247
Levy,H.A. and Ellison,R.D. The polarization correction for upper level geometry using crystal monochromatized radiation, 0=10298
Lévy,J. Positional astronomy and general relativity, 0=10469
Lévy,J. A modified version of Einstein's unified field theory, 0=18933
Lévy,M. On the validity of the exponential law for the decay of an unstable particle, 0=1287
Lévy,M. See Gell-Mann,M., 0=15386

Levy,P.W. Method for obtaining a component of approximately collimated fast neutrons in a reactor, 0=15622
Levy,P.W. Reactor and gamma-ray induced coloring of corning fused silica, 0=16073
Levy,P.W. See Shuskus,A.J., 0=17919
Levy-Mandel,R.,Maillet,R. and Winter,S.D. The proton synchrotron "Saturne". Introduction, 0=2412
Lew,H. and Title,R.S. Note on the hyperfine structure of the $2s^22p\ ^2P_{1/2}$ state of boron 10 and 11, 0=13411
Lew,H. See Green,G.W., 0=5914
Lewin,B.H. See Fessler,H., 0=12385
Lewin,K. See Grote,C., 0=1312
Lewin,K. See Kundt,U., 0=5606
Lewis,A. and Young,I.R. Use of radial gratings in a small inclinometer, 0=4983
Lewis,D. X-ray microbeam study of deformation bands in aluminium, 0=6393
Lewis,D.C., Jr and Taussky,O. Some remarks concerning the real and imaginary parts of the characteristic roots of a finite matrix, 0=12234
Lewis,E.A.,Harvey,R.B. and Rasmussen,J.E. Hyperbolic direction finding with sferics of transatlantic origin, 0=16484
Lewis,F.A. and Schurter,W.H. Absorption of hydrogen by palladium silver alloys, 0=12117
Lewis,F.A. See Carson,A.W., 0=236
Lewis,G.M. and Azuma,R.E. On the measurement of π^+ meson photoproduction from hydrogen near threshold, 0=3996
Lewis,H.A. See Koh,P.K., 0=3275
Lewis,H.R. and Albers,J.R. Polarization of conversion electrons following beta decay, 0=5706
Lewis,H.R.,Cochran,J.F.,Frauenfelder,H.,Mapother,D.E. and Peacock,R.N. A method for measuring magnetic fields in superconductors, 0=5232
Lewis,H.R. See Gerritsen,H.J., 0=9196
Lewis,H.R. See Gerritsen,H.J., 0=13879
Lewis,H.R. See Gerritsen,H.J., 0=16180
Lewis,H.W. Superconductivity: a solved problem? 0=1072
Lewis,H.W.,Bevington,P.R.,Rolland,W.W.,Rummel,R.L. and Wilenzick,R.M. Twofold pulsing of Van de Graaff beams for time-of-flight measurements, 0=2476
Lewis,H.W. and Reitz,J.R. "Open-circuit" voltages in the plasma thermocouple, 0=2311
Lewis,H.W. and Reitz,J.R. Efficiency of the plasma thermocouple, 0=9040
Lewis,H.W. See Vorona,J., 0=4032
Lewis,J. See Figgis,B.N., 0=21022
Lewis,N. See Halperin,A., 0=13720
Lewis,R.R. See Colegrove,F.D., 0=2732
Lewis,T.J. Molecular structure and the electrical strength of liquid hydrocarbons, 0=12424
Lewis,T.J. See Swan,D.W., 0=12423
Lewis,T.J. See Ward,B.W., 0=12425
Lewis,W.B. and Goin,R.W. Safer packages for shipping fuel, 0=20530
Lewowski,T. Excitation of photostimulated co-exo-electron emission by anodic oxidation of aluminium, 0=9065
Lewowski,T. and Sujak,B. Molybdenum oxide filament formation, 0=6332
Lewowski,T. and Sujak,B. Behaviour of open air point counters at high temperatures, 0=17130
Leymonie,C. See Coulomb,P., 0=17970
Li,C.H. See Johnston,T.L., 0=21145
Li,C.H. See Stokes,R.J., 0=21143
Li Chih-Tsien. See Li Chzhi-tszyan', 0=604
Li Chih-Tsien. See Li Chzhi-Tszyan', 0=605
Li Chzhi-tszyan' [Li Chih-Tsien]. Investigation of the inter-crystal energy barriers in thin CdS layers by means of bombardment with low-energy electrons, 0=604
Li Chzhi-tszyan' [Li Chih-Tsien]. Electron energy dependence of induced conductivity of cadmium sulphide and cadmium selenide films bombarded with slow electrons, 0=605
Li,J.C.M. The interaction of parallel edge dislocations with a simple tilt dislocation wall, 0=15840
Li,J.C.M. and Kiang,H.S. Thermodynamic inequalities for elastic solids, 0=13906
Li,J.C.M. and Needham,C.D. Some elastic properties of a screw dislocation wall, 0=13533
Li,J.C.M. See Keh,A.S., 0=17932
Li,J.C.M. See Rao,R.V.G., 0=6780
Li Men Kha [Li Meng Ha]. Cherenkov radiation of a particle possessing a charge and intrinsic magnetic moment, 0=12903
Li Meng Ha . See Li Men Kha, 0=12903
Li,T.Y. See Nagamatsu,H.T., 0=5045
Libby,W.F. Optical transparency and resistance to flash heating, 0=19487
Libby,W.F. See Joy,H.W., 0=21265
Liberman,A.M.,Ingemann,F.,Lisker,L.,Delattre,P. and Cooper,F.S. Minimal rules for synthesizing speech, 0=810
Liberman,I. See Frerichs,R., 0=1766
Libert,R. See Franeau,J., 0=11070
Libowitz,G.G. The nature and properties of transition metal hydrides, 0=18289
Lichnérowicz,A. Antisymmetric propagators in general relativity. Quantization of the electromagnetic field in vacuo, 0=869
Lichnerowicz,A. On the quantization of the gravitational field for a space-time of constant curvature, 0=2098
Lichnerowicz,A. Quantization of the gravitational field, 0=10563
Licht,A.L. Properties of the solar wind during sunspot minimum, 0=14418
Lichten,W. and Schultz,S. Cross sections for the excitation of the metastable 2s state of atomic hydrogen by electron collision, 0=2717
Lichten,W. Metastable hydrogen molecules, 0=20645
Lichten,W. See Faust,W., 0=17664
Lichten,W.L. See McDermott,M.N., 0=13413
Lichtenberg,A.J. See Birdsall,C.K., 0=1135
Lichtenberg,D.B. Effects of two additional particles on the symmetries in strong interactions, 0=7280
Lichtenstein,M. and Boucher,R. Minimum detectable dark interval between trains of perceptually fused flashes, 0=8453
Lichtenstein,P.G. See Gardner,M.E., 0=17066
Lichtin,N.N. See Sang Up Choi, 0=14133
Lichtman,D. Use of the omegatron in the determination of parameters affecting limiting pressures in vacuum devices, 0=12436
Lichtman,D. See Levine,L., 0=12440
Lichtman,S. See Leitner,J., 0=15410
Licklider,J.C.R. See Green,D.M., 0=814
Lide,D.R., Jr. Microwave spectrum, structure, and dipole moment of propane, 0=20688
Lide,D.R., Jr. Structure of the isobutane molecule; change of dipole moment on isotopic substitution, 0=20689
Lide,D.R., Jr and Mann,D.E. Microwave spectrum and structure of N_2F_4, 0=2752
Lide,D.R., Jr. See Kivelson,D., 0=4236
Lide,D.R., Jr. See Laurie,V.W., 0=1528
Lidiard,A.B. Anion diffusion in alkali halide crystals, 0=1603
Lidiard,A.B. The influence of solutes on self-diffusion in metals, 0=20840
Lidiard,A.B. See Tharmalingam,K., 0=20839
Lidofsky,L.J. See Kruse,T.H., 0=13206
Lidwell,O.M. Impaction sampler for size grading air-borne bacteria-carrying particles, 0=4742
Lieb,E. Hard sphere Bose gas: an exact momentum space formulation, 0=16629
Lieb,E. and Koppe,H. Mathematical analysis of a simple model related to the stripping reaction, 0=1255
Liebenberg,D.H. See Anderson,O.T., 0=3697
Lieber,E. Investigation of the natural tone positions (frequencies) of metal wind instruments, 0=14762
Lieberman,D.S. See Gelman,J.J., 0=21146
Lieberman,P. Some acoustic correlates of word stress in American English, 0=6497
Lieberman,R.M. See Yeniscavich,W., 0=8332
Liebes,S., Jr and Franken,P. Magnetic moment of the proton in units of the Bohr magneton; the magnetic moment of the electron, 0=2537
Liebhafsky,H.A. The fuel cell and the Carnot cycle, 0=3695
Liebhafsky,H.A. See Douglas,D.L., 0=14126
Liebl,H. Particle spectrographs of high intensity: dispersion and resolving power, 0=1168
Liebl,H. and Ewald,H. Point-focusing aberration-free mass-spectrometer, 0=1167
Liebl,H. and Wachsmuth,H. Earthing of one side of the deflection condenser in mass spectrometers, 0=1170
Liebl,H. See Wachsmuth,H., 0=1169
Liebmann,G. Solution of some nuclear reactor problems by the resistance-network analogue method. II. Representation of two velocity groups, 0=7655
Liebson,M. Directed glow discharge, 0=113

Lied,F. Quantitative measurements of absorption in the auroral zone, 0=2037
Lied,F. See Bjelland,B., 0=4796
Liehr,A.D. Semiempirical theory of vibronic interactions in some simple conjugated hydrocarbons, 0=17841
Lielpeter,Ya. The thermal processes in electromagnetic induction pumps, 0=10792
Lielpeter,Ya.,[Lielpeteris,J.]. The turbulent regime of operation of an electromagnetic induction pump, 0=17079
Lielpeter,Ya., [Lielpēteris,J.]. Unsteady flow of liquid metal in an electromagnetic induction pump, 0=19896
Lielpēteris,J. See Lielpeter,Ya., 0=19896
Liemohn,H. See Kellogg,P.J., 0=3777
Lien Chih-ch'ao . See Lyan' Chzhi-chao, 0=15958
Lien,H. Probability density measurement with an electrode mounted in the face of a cathode-ray tube, 0=2386
Lien,W.H. and Phillips,N.E. Heat capacity of sodium and potassium at temperatures below 1°K, 0=9858
Lienard,P. Abacs for the calculation of the [low frequency] acoustic absorption of perforated walls, 0=14774
Lieshout,R. Van. See Van Lieshout,R.
Liess,M. See Bilwes,R., 0=17055
Liess,M. See Magnac-Valette,D., 0=9113
Lietzke,M.H. See McCarroll,B., 0=10671
Lifson,S. and Oppenheim,I. Neighbor interactions and internal rotations in polymer molecules. IV. Solvent effect on internal rotations, 0=15790
Lifshits,I.M. and Kaganov,M.I. Electron resonance in crossed electric and magnetic fields, 0=11596
Lifshits,I.M. and Slezov,V.V. Theory of coalescence of solid solutions, 0=4687
Lifshits,I.M. See Aleksandrov,B.N., 0=1883
Lifshitz,E.M. and Khalatnikov,I.M. Singularities of cosmological solutions of the gravitational equations. I, 0=18914
Lifshitz,E.M. See Dzyaloshinskii,I.E., 0=8641
Lifshitz,E.M. See Landau,L.D., 0=915
Lifshitz,I.M. High-pressure anomalies of electron properties of a metal, 0=20764
Lifshitz,J. See Gall,R., 0=13078
Ligda,M.G.H. The radar observation of lightning, 0=803
Lighthill,M.J. Shock waves, 0=2202
Liid'ya,G.G. See Lushchik,Ch.B., 0=20996
Liid'ya,G.G. See Yaék,I.V., 0=11771
Likhachev,A.I. The diurnal sunlit component of F2 layer ionization during the first half of the day, 0=21378
Likhter,A.I. Dependence of the Hall effect on pressure in p-germanium of 50 ohm cm resistivity, 0=585
Likhter,A.I. and D'yakonova,T.S. Determination of the pressure (up to 10000 kg/cm^2) dependence of the Hall effect in n-type germanium, 0=584
Likhter,A.I. See Sekoyan,S.S., 0=20913
Likhtman,V.I. See Bryukhanova,L.S., 0=6316
Likhtman,V.I. See Kochanova,L.A., 0=16239
Likhtman,V.I. See Labzin,V.A., 0=6311
Likhtman,V.I. See Shchukin,E.D., 0=689
Liley,B.S. The circuit dynamics of plasma, 0=5303
Lilienzin,J.O. See Lindner,R., 0=16389
Lille,Dzh.S. [Lilley,J.]. See Fremlin,Dzh.G.[J.H.], 0=13248
Lillethun,E. See Crewe,A.V., 0=1277
Lillethun,E. See Crewe,A.V., 0=9355
Lim,T.G. and van Breeman,P.G. Sign of the nuclear potential for the K^+-meson, 0=20232
Lim,Y.K.,Laby,J.E. and Hopper,V.D. Efficiency in area-scanning for events in nuclear emulsions, 0=9246
Limber,D.N. The universality of the initial luminosity function, 0=6612
Limentani,S. See Ammar,R., 0=415
Limentani,S. See Ammar,R., 0=13154
Lin,C.C. Theory of the fine structure of the microwave spectrum of NO_2, 0=2761
Lin,C.C. On the interactions of nuclear spin with electrons in neighboring molecules, 0=7455
Lin,C.C. Hyperfine structure of the microwave spectra of the NO molecule and the nuclear quadrupole moment of nitrogen, 0=13443
Lin,C.C. On a theory of dispersion by continuous movements, 0=14539
Lin,C.C. On a theory of dispersion by continuous movements. II. Stationary anisotropic processes, 0=19000
Lin,C.C.,Hijikata,K. and Sakamoto,M. Electronic structure and hyperfine structure constants of NO molecule, 0=17800
Lin,C.C. and Swalen,J.D. Internal rotation and microwave spectroscopy, 0=5913
Lin,C.C. See Benney,D.J., 0=14600
Lin,C.R. See Hsieh,S.H., 0=454
Lin Chün-t'ing . See Lin' Tszyun'-tin, 0=15996
Lin Chzhan-Da [Ling Chang-Ta]. See Belov,K.P., 0=13830
Lin,S.T. Some new magnetic phenomena of hematite single crystal, 0=3018
Lin,S.T. Magnetic properties of hematite single crystals. I. Magnetization isotherms, antiferromagnetic susceptibility, and weak ferromagnetism of a natural crystal, 0=3019
Lin,S.T. Magnetic behavior in the transition region of a hematite single crystal, 0=11845
Lin' Tszyun'-tin [Lin Chün-t'ing]. See Kolomiets,B.T., 0=15996
Lin,Wei-guan. Step and taper waveguide sections with rounded corners, 0=7231
Lincoln,K.A. Automatic recording electromagnetic balance, 0=8588
Lind,E.L. See Bube,R.H., 0=1681
Lind,E.L. See Bube,R.H., 0=15989
Lind,S.C. See Rudolph,P.S., 0=12108
Lind,S.C. See Rudolph,P.S., 0=16384
Lindberg,L.,Witalis,E. and Jacobsen,C.T. Experiments with plasma rings, 0=7115
Lindberg,M.L. and Christ,C.L. Crystal structures of the isostructural minerals lazulite, scorzalite and barbosalite, 0=3230
Lindblad,P.O. On tidal interaction between galaxies, 0=18824
Lindblad,P.O. The development of spiral structure in a galaxy approached by numerical computations, 0=18825
Lindblad,P.O. See Elvius,A., 0=10473
Linde,J.O. Electrical resistivity properties of noble metal alloys, 0=7908
Linde,J.O. See Giansoldati,A., 0=4483
Linde,L. van der. See van der Linde,L.
Lindemann,W.W. and Mueller,R.K. Grain-boundary photoresponse, 0=18063
Linden,R.J. Method of determining the dynamic constants of liquid-containing membrane manometer systems, 0=5042
Lindenbaum,S.J. and Sternheimer,R.M. Extension of the isobaric nucleon model for pion production in pion–nucleon and nucleon–nucleon collisions, 0=17403
Lindenberger,K.H. and Scheer,J.A. Relative measurement of the integrated effective cross-sections for the nuclear photo-effect: reactions on Ca^{40}, 0=2678
Lindenberger,K.H. See Dosch,H.G., 0=20475
Linder,B. Continuum-model treatment of long-range intermolecular forces. I. Pure substances, 0=16687
Linder,B. See Konowalow,D.D., 0=3565
Linderberg,J. and Shull,H. Electronic correlation energy in 3- and 4-electron atoms, 0=17651
Lindern,L. von. See von Lindern,L.,
Lindgren,E.R. Liquid flow in tubes. I. The transition process under highly disturbed entrance flow conditions, 0=8621
Lindgren,E.R. Liquid flow in tubes. II. The transition process under less disturbed inlet flow conditions, 0=8622
Lindgren,E.R. Liquid flow in tubes. III. Characteristic data of the transition process, 0=8623
Lindgren,I. Investigation of a beta-ray spectrometer with a triangular field, 0=2396
Lindgren,I. Atomic beam resonance apparatus with sixpole magnets for radioactive isotopes, 0=17685
Lindgren,I. and Johansson,C.M. Nuclear magnetic dipole and electric quadrupole moments of radioactive bismuth isotopes, 0=7457
Lindgren,I. See Axensten,S., 0=5652
Lindgren,I. See Cabezas,A.Y., 0=20328
Lindgren,S. See Sandström,A.E., 0=5635
Lindgren,S. See Sandström,A.E., 0=20289
Lindley,D.H. and Banbury,P.C. Recombination relaxation effects in germanium surfaces, 0=4345
Lindley,P.B. See Gent,A.N., 0=3159
Lindner,M. and Turkevich,A. Competition between fission and neutron emission in excited heavy nuclei, 0=15607
Lindner,R. and Matzke,H. The diffusion of Xe-133 in uranium oxides of different oxygen contents, 0=1607
Lindner,R. and Matzke,H. Diffusion of radioactive noble gases in uranium oxides and uranium monocarbide, 0=4308

Lindner,R.,Reinhardt,H. and Liljenzin,J.O. Determination of the particle size of polonium radiocolloids, 0=16389
Lindner,R. See Matzke,H., 0=15874
Lindqvist,T. See Gerholm,T.R., 0=17142
Lindroth,H. See Westermark,T., 0=15527
Lindsay,P.A. and Parker,F.W. Potential distribution between two plane emitting electrodes, 0=7152
Lindsay,P.A. and Parker,F.W. Potential distribution between two plane emitting electrodes. II. Thermionic engines, 0=19732
Lindsay,R. See Banewicz,J.J., 0=4471
Lindsay,R. See Siksna,R., 0=7164
Lindsay,R.B. Influence of the environment on the wave transmission of energy: resonance and relaxation, 0=121
Lindsay,R.H. and Carr,R.J. He-ion induced reactions of aluminum and magnesium, 0=11425
Lindsey,J.P. Elimination of seismic ghost reflections by means of a linear filter, 0=8352
Lindskog,J.,Bashandy,E. and Gerholm,T.R. Determination of a 7 × 10^{-11} sec half-life for the first excited state in thallium 201, 0=11387
Lindskog,J. See Bäckström,G., 0=5712
Lindskog,J. See Bäckström,G., 0=7523
Lindskog,J. See Bashandy,E., 0=7478
Lindskog,J. See Bashandy,E., 0=15539
Lindstrem,I.S. See Markov,M.N., 0=10027
Lindstrem,I.S. See Markov,M.N., 0=11660
Lindström,G. See Atterling,H., 0=9122
Lindt,W. See Debrunner,H., 0=17445
Lines,A.W. Performance, control and guidance of satellite vehicles, 0=12342
Lineweaver,J.L. See Todd,B.J., 0=979
Linfoot,E.H. Informational considerations in the design of astronomical spectrographs, 0=18585
Linfoot,E.H. Contrast transmission functions at low spatial frequencies, 0=19366
Linfoot,E.H. Contrast transmission and the image evaluation problem, 0=19367
Ling Chang-Ta. See Lin Chzhan-Da., 0=13830
Lingafelter,E.C. and Stewart,J.M. Unidirectional integrating mechanism for the Buerger precession camera, 0=8182
Lingafelter,E.C. See Lyle,F.K.C., 0=3247
Lingafelter,E.C. See Morosin,B., 0=3243
Lingafelter,E.C. See Stewart,J.M., 0=4653
Lingelbach,R. and Vogt,E. On the magnetic behaviour of aluminium and aluminium solid solutions, 0=16125
Lingensjo,J. See Oberg,P., 0=3481
Linhardt,W. See Lottermoser,W., 0=14759
Linhart,J.G. Plasma confinement by external magnetic fields, 0=3763
Linhart,J.G. Accelerated self-constricted electron streams in plasma, 0=9027
Linhart,J.G. Theory of fusion reactions in an unconfined plasma, 0=20532
Linhart,J.G. and Schoch,A. Relativistic electron beam devices foı fusion, 0=19670
Link,F. The ionospheres of planets, 0=18624
Link,R. and Seiwert,R. The temperature dependence of the luminescence of CdS crystals. I. Crystals without foreign without foreign activators, 0=4438
Linkova,N.V.,Osokina,R.M.,Ratner,B.S.,Amirov,R.Sh. and Akindinov,V.V. Photoprotons from Cu^{65}, 0=13263
Linn,D.F. See Geschwind,S., 0=13861
Linner,L.R.,George,R.I. and McQuistan,R.B. Automatic vacuum control in the 760 to 1 × 10^{-8} torr range, 0=12442
Linnett,J.W. A general discussion on ions of the transition elements. General introduction, 0=20727
Linnett,J.W. See Dickens,P.G., 0=21272
Linnett,J.W. See Greaves,J.C., 0=510
Linnett,J.W. See Greaves,J.C., 0=511
Linnett,J.W. See Greaves,J.C., 0=512
Linschitz,H. See Blauer,G., 0=18434
Lions,J.L. See Gårding,L., 0=3912
Liot,R. See Jean,R., 0=2407
Liotta,R.S. Remarks on the covariant Hamiltonian formalism for vectorial fields, 0=2480
Liotta,R.S. On the quantum conditions in field theory. IV, 0=20009
Lipaeva,G.A. and Skanavi,G.I. The temperature dependences of ϵ' and ϵ'' of strontium—bismuth titanate and of barium titanate at 9400 Mc/s. 0=16025
Lipis,L.V. See Korovin,Yu.I., 0=1971
Lipkin,A.A. Binding and decay of a Mott exciton taking into account the exact Coulomb functions, 0=20778
Lipkin,H.J. Collective motion in many-particle systems. I. The violation of conservation laws, 0=7310
Lipkin,H.J. Some simple features of the Mössbauer effect, 0=7461
Lipman,N.H. See Ashkin,J., 0=13005
Lipman,N.H. See Ashkin,J., 0=15389
Lipman,N.H. See Cocconi,V.T., 0=17582
Lipman,N.H. See Culligan,G., 0=19993
Lipmanov,É.M. Two types of neutrino, lepton isotopic spin and universal four-fermion interaction, 0=11102
Lipmanov,E.M. Analogy between weak and electromagnetic interactions, 0=12834
Lipnik,A.A. The dissociation of an exciton by phonons in atomic semiconductors, 0=532
Lipnik,A.A. Formation and decomposition of Mott excitons, 0=15835
Lipnik,P. See Deutsch,J.P., 0=2655
Lipperheide,R. and Saxon,D.S. Determination of the forward scattering amplitude from the optical-model potential in the high-energy limit, 0=20428
Lippert,W.K.R. Sound propagation in ducts with side branches, 0=6857
Lippert,W.K.R. A property of multi-terminal acoustical junctions, 0=14724
Lippert,W.K.R. Measurement of sound transmission through an orifice in a duct with an application to a resonator, 0=16761
Lippert,W.K.R. Criterion and new method of classification for symmetrical filters with losses. 0=16796
Lippincott,E.R.,Weir,C.E. and van Valkenburg,A. Infrared studies of dense forms of ice, 0=6178
Lippincott,E.R. See Powell,F.X., 0=17754
Lippincott,E.R. See Steele,D., 0=20626
Lippincott,E.R. See Vanderslice,J.T., 0=17734
Lippincott,S.L. Astrometric analysis of Lalande 21185, 0=18788
Lippincott,S.L. Parallax and orbital motion of Hu 575 = ADS 9352 from photographs taken with the 24-inch Sproul refractor, 0=18806
Lippmann,B.A.,Mittleman,H. and Watson,K.M. Scattering of electrons by neutral atoms, 0=2724
Lippmann,B.A. See Johnson,M.H., 0=15136
Lippmann,B.A. See Killeen,J., 0=16998
Lippmann,F. Preparation and crystallographic data of $CaCO_3.H_2O$, 0=1907
Lippmann,H. and Johnson,W. Temperature development based on technological analysis: fast rolling as an example, 0=13910
Lipps,F.W. A Farside-type rocket experiment for the measurement of the gravitational time effect. 0=16581
Lipscomb,W.N. and Britton,D. Valence structure of the higher borides, 0=13515
Lipsett,F.R. See Rolfe,J., 0=2300
Lipskii,Yu.N. See Barabashov,N.P., 0=6568
Lipsky,S. and Burton,M. Comparison of high-energy and ultraviolet-radiation induced luminescence in liquid systems, 0=2176
Lipson,H. The application of optical diffraction methods to crystal structure problems, 0=12036
Lipson,J. See Corfield.W.. 0=19793
Lipworth,E.,Garvin,H.L. and Green,T.M. Atomic-beam measurement of the hyperfine structure and nuclear moments of iodine-131, 0=17484
Lipworth,E.,Green,T.M.,Garvin,H.L. and Nierenberg,W.A. Hyperfine structure and nuclear moments of 17 hr bromine-76, 0=13120
Lipworth,E.. See Cabezas,A., 0=9514
Lipworth,E. See Garvin,H.L., 0=17480
Lipworth,E. See Garvin,H.L., 0=1352
Lisgarten,N.D. See Blackman,M., 0=287
Lisgarten.N.D. See Blackman,M., 0=8051
Lisitsa,M.P. and Maevskii,V.M. Semi-empirical method of determination of the thickness along a thin wedge-shaped layer, 0=3483
Lisitsa,M.P.,Maevskii,V.M. and Tsvelȳkh,N.G. Thin-layer optics. III. The properties of selenium, 0=7992
Lisitsa,M.P. and Tsvelȳkh,N.G. Optics of thin films. II. Properties of tellurium, 0=4396
Lisitsa,M.P. and Tsvelȳkh,N.G. Thin-layer optics. IV. The properties of germanium, 0=7993

Lisitsa,M.P. and Tsvelÿkh,N.G. Thin-layer optics. V. Properties of silicon, 0=20975
Lisker,I.S. See Kaganov,M.A., 0=1688
Lisker,K.E. See Aleksandrov,L.A., 0=13645
Lisker,L. See Liberman,A.M., 0=810
List,G. On two forms of the bushel discharge originating in the breakdown of positive point corona in atmospheric air, 0=1122
List,G. A spark gap for very high gas pressures, 0=2340
Liszka,L. A type of variation of the signal strength from 1958δ 2 (Sputnik 3), 0=19
Liszka,L. and Niewodniczański,H. Intensity ratio in the "forbidden" doublet λ2958 and λ2972 Å. U. in the spectrum of atomic oxygen, 0=15663
Lit,A. Magnitude of the Pulfrich stereophenomenon as a function of target thickness, 0=6516
Lit,A. Effect of target velocity in a frontial plane on binocular spatial localization at photopic retinal illuminance levels, 0=18563
Litherland,A.E. and McCallum,G.J. An illustration of a type of triple correlation measurement which can be easily interpreted, 0=15583
Litherland,A.E. See Almqvist,E., 0=20347
Litherland,A.E. See Batchelor,R., 0=11383
Litherland,A.E. See Bromley,D.A., 0=1398
Litovchenko,V.G. and Lyashenko,V.I. An investigation of fast surface states in germanium, 0=1639
Litovchenko,V.G. and Lyashenko,V.I. A study of the kinetics of fast surface states of germanium, 0=18021
Litovchenko,V.G. and Snitko,O.V. The surface properties of silicon, 0=15938
Litovchenko,V.G. and Snitko,O.V. Long-term variations of the field effect in silicon, 0=15939
Litovchenko,V.G. See Lashkarev,V.E., 0=15927
Litovitz,T. See Meister,R., 0=8651
Litovitz,T.A. See Clark,A.E., 0=17736
Litovitz,T.A. See Higgs,R.W., 0=16696
Litshits,I.M. and Peschanskii,V.G. Galvanomagnetic properties of metals with open Fermi surfaces. II, 0=6076
Litt,M. See Friedlander,S.K., 0=6397
Littauer,R.M. and Walcott,C. Pulse-height analyzer for neuro-physiological applications, 0=3362
Littauer,R.M. See Jackson,H.E., 0=15415
Little,A.G. See Twiss,R.Q., 0=12468
Little,A.G. See Twiss,R.Q., 0=18663
Little,C.G. and Lawrence,R.S. The use of polarization fading of satellite signals to study the electron content and irregularities in the ionosphere, 0=14224
Little,C.G. See Chapman,S., 0=309
Little,C.G. See Garriott,O.K., 0=16427
Little,E.M. See Boyer,K., 0=13385
Little,E.M. See Jahoda,F.C., 0=13386
Little,K. Investigation of nylon "texture" by X-ray diffraction, 0=8250
Little,V.I. Electrometer for measuring the variation with concentration of the low frequency dielectric constant of aqueous ionic solutions, 0=5258
Little,W.J. and McCarthy,K.A. On the observation of macroscopic spirals on gallium arsenide surfaces, 0=13958
Littlejohn,C. See Hanna,S.S., 0=5663
Littlejohn,C. See Hanna,S.S., 0=7463
Littlejohn,C. See Perlow,G.J., 0=7466
Littlejohn,C.S. and Morrison,G.C. Coulomb excitation of nuclei by Li^6 and Li^7 projectiles, 0=4107
Littler,D.J. See Aitken,K.L., 0=4125
Littlewood,A.B. Compensated Wheatstone's bridge circuit for gas-chromatographic catharometry, 0=10379
Littmann,M.F. and Ward,C.E. Progress in ultrathin Mo-permalloy tapes with square hysteresis loops, 0=3276
Litvin,D.F. Construction of a lead crystal monochromator for neutron diffraction studies, 0=13976
Litvinenko,A.S. See Grishaev,I.A., 0=11146
Litzman,O. Moments of frequency spectrum and thermodynamic functions of crystals with defects, 0=2785
Liu,C.Y. See Kestin,J., 0=16722
Liu,D.T. Wave propagation in a liquid layer, 0=6764
Liu,L. See Dalitz,R.H., 0=2629
Liu,S.H.,Behrendt,D.R.,Legvold,S. and Good,R.H.,Jr. Interpretation of magnetic properties of dysprosium, 0=2981
Liu Vi-Cheng. On the motion of a projectile in the atmosphere, 0=14566
Livey,D.T. See Williams,L.S., 0=6533
Livingston,A. See Slutsky,L.J., 0=6017
Livingston,J.D. Etch pits at dislocations in copper, 0=12013
Livingston,J.D. and Bean,C.P. Anisotropy of superparamagnetic particles as measured by torque and resonance, 0=2999
Livingston,J.D. See Bean,C.P., 0=4470
Livingston,J.D. See Bean,C.P., 0=13809
Livingston,L.G. See Albrecht,H.O., 0=2177
Livingston,M.S. Early development of particle accelerators, 0=284
Livingston,M.S. History of the cyclotron. I, 0=5368
Livingston,P.M. and Curtiss,C.F. Kinetic theory of nonspherical molecules. IV. Angular momentum transport coefficient, 0=3558
Livingston,R. and Weinberger,A.J. Atomic and molecular hydrogen yields from irradiated acids, 0=14137
Livingston,R. See Holmberg,R.W., 0=13881
Livingston,R. See Zeldes,H., 0=6257
Livshits,B.G. See Avraamov,Yu.S., 0=1933
Livshits,B.L. Speeding up Mayants' method of making the roots of secular [characteristic] equations more precise, 0=18570
Livshits,B.L. The method of perturbations for an operator of simple structure, 0=18571
Livshits,L.D. See Ryabinin,Yu.N., 0=1856
Livshits,L.D. See Ryabinin,Yu.N., 0=10459
Livshits,M.S. On a mathematical problem connected with the theory of longitudinally polarized particles, 0=15260
Livshits,M.S. Intermediate systems in quantum electrodynamics, 0=20019
Llewellyn,J.P. and Smith,T. The magnetic susceptibility of iron ditelluride I, 0=4481
Llewellyn,J.P. See Finlayson,D.M., 0=4482
Lloyd,D.G. See Charlesby,A., 0=3322
Lloyd,J.A. See Anthony,A., 0=806
Lloyd,J.C. and Smith,R.S. Structural and magnetic properties of permalloy films, 0=3052
Lloyd,J.L. On the efficiency of the neon flash tube, 0=9240
Lloyd,J.L. and Wolfendale,A.W. Large-angle scattering of fast μ mesons, 0=3982
Lloyd,R.C.,Clayton,E.D. and Richey,C.R. Variation of graphite diffusion length with temperature, 0=12958
Lloyd,S.P. See Frisch,H.L., 0=20773
Lloyd,V.V. and Landis,C. Role of the light-dark ratio as a determinant of the flicker-fusion threshold, 0=6518
Lobachev,A.N. See Vainshtein,B.K., 0=14036
Lobachev,M.V. See Berkovich,S.L., 0=3633
Lobanov,Yu.N. See Kolotov,O.S., 0=11005
Lobanov,Yu.V. See Druin,V.A., 0=9712
Lobashev,V.M.,Nazarenko,V.A. and Rusinov,L.I. Polarizational $\beta-\gamma$ correlation in the γ- decay of Co^{60}, 0=13200
Lochak,G. On the non-linear theory of waves, 0=10595
Lochak,G. A model non-linear equation which admits a plane-wave solution, 0=12358
Löcherer,K.H. An observation on the paper "theoretical probability treatment of anode current variations in electron tubes", 0=15071
Lochet,R. See Courpron,C., 0=11774
Lochner,J.P.A. and Burger,J.F. The subjective masking of short time delayed echoes by their primary sounds and their contribution to the intelligibility of speech, 0=14330
Lochner,J.P.A. and Burger,J.F. The intelligibility of re-inforced speech, 0=18531
Lochner,J.P.A. and Keet,W. De V. Stereophonic and quasi-stereophonic reproduction, 0=6506
Lochner,J.P.A. and Meffert,P. Sound energy integrator with an electrostatic squaring device, 0=3591
Lock,C.J.L. See Davidge,P.C., 0=7665
Lockett,E.E. See Aitken,K.L., 0=4125
Lockhart,L.B.Jr. Atmospheric radioactivity levels at Yokosuka, Japan, 1954-1958, 0=10449
Lockhart,L.B.,Jr.,Baus,R.A.,Patterson,R.L.,Jr and Saunders,A.W.,Jr. Radiochemical analysis of fission debris in the air along the 80th Meridian, West, 0=14322
Lockwood,G.E.K. See James,J.C., 0=8408
Lockwood,G.J. See Ziemba,F.P., 0=13407
Lockwood,J.A. On the long-term variation in the cosmic radiation, 0=11277
Lockwood,J.A. and Calawa,A.R. On the barometric pressure coefficient for cosmic-ray neutrons, 0=394
Lockwood,J.A. See Henkel,J.E., 0=9487
Lockwood,W.H. See Davis,H.M., 0=10753

Locque,R. See Debraine,P., 0=2412
Loctionov,A.A. See Takibayev,Zh.S., 0=9449
Lodding,A. The temperature dependence of the isotope effect of current flow in liquid alkali metals, 0=5858
Lodding,A. See Lundén,A., 0=1959
Lodding,A. See Lundén,A., 0=11495
Lodding,W. and Hammell,L. High-temperature pressure-vacuum furnace, 0=2062
Lodén,L.O. On some different methods for photographic measurements of stellar polarization, 0=6548
Lodge,A.S. Low-compliance diaphragm-capacitance gauge for measurement of liquid pressures of the order of 1 in. water, 0=19042
Lodge,J.,Anderson,F.,Brucker,E.B.,Pevsner,A. and Strand,R. The mass of the Λ^0 hyperon, 0=20241
Loeb,M. and Riopelle,A.J. Influence of loud contralateral stimulation on the threshold and perceived loudness of low-frequency tones, 0=8442
Loebl,E.M. Quantum theory and specific heats, 0=219
Loebner,E.E. Solid-state optoelectronics, 0=2929
Loedel Palumbo,E. The clock paradox, 0=12353
Loeffler,A.L.Jr. Heat transfer in fully developed flow between parallel plates with variable heat sources, 0=12517
Loehlin,J.H. See Waugh,J.S., 0=5911
Loewe,W.E. See Brown,H.D., 0=13333
Loewenstein,W.B. See Meneghetti,D., 0=12952
Loewenstein,W.B. See Meneghetti,D., 0=13276
Löffler,K.H. See Boersch,H., 0=5355
Löfgren,T. A simple and accurate technique for the correction of X-ray intensities for angle factors in the equi-inclination method, 0=6348
Lofquist,K. Flow and stress near an interface between stratified liquids, 0=8609
Lofthus,A. A new predissociation in nitrogen, 0=13435
Lofthus,A. A determination of the electronegativity parameter in molecular orbital calculations on heteronuclear molecules containing nitrogen, 0=20682
Logachev,Yu.I. See Vernov,S.N., 0=395
Logachev,Yu.I. See Vernov,S.N., 0=10397
Logan,J.K. See van Dijk,H., 0=7036
Logan,J.K. See van Dijk,H., 0=8878
Logan,R.A. and Peters,A.J. Diffusion of oxygen in silicon, 0=1601
Logan,R.A. and Peters,A.J. Impurity effects upon mobility in silicon, 0=1652
Logan,R.A. See Chynoweth,A.G., 0=9961
Logan,R.A. See Chynoweth,A.G., 0=11715
Logan,R.A. See Chynoweth,A.G., 0=18048
Loges,F. An approximates solution for the diffraction of a plane monochromatic wave at a slit, 0=12493
Loginov,V.A. Determination of molecular constants from band spectra using the method of parabolic interpolation, 0=492
Loginov,V.A. Accuracy of determination of wavelengths with various interpolation formulae for work with a diffraction-grating spectrograph DFS-3, 0=1035
Loginov,V.A. An estimate of the error in interpolation along the normals of the spectrum intervals lying on Rowland's circle, 0=14831
Logunov,A.A. See Bogolyubov,N.N., 0=9258
Loh,E. See Ozaki,S., 0=13292
Loh,S.C. The radiation characteristics of a sinuate antenna, 0=2452
Loh,W.H.T. Hydraulic analogue for one dimensional unsteady gas dynamics, 0=8678
Lohff,J. and Raether,H. Electron emission during the oxidation of metal surfaces, 0=260
Lohmander,U. Treatment of data from capillary measurements on non-Newtonian liquids, 0=12402
Lohmann,A. See Fleischmann,R., 0=14814
Lohmann,W. Apparatus for the development of nuclear emulsion plates, 0=19986
Lohrmann,E. See Schein,M., 0=2559
Lohrmann,E. See Schein,M., 0=9448
Lohse,P. See Becker,E.W., 0=20709
Loinger,A. See Albertoni,S., 0=16615
Lojkin,O.V. See Perfilov,N.A., 0=12736
Lokanathan,S.,Robinson,D.K. and St.Lorant,S.J. Hypernucleus studies. I. Mesonically decaying hypernuclei, 0=7484
Lokanathan,S. See Wilkinson,D.H., 0=418
Loken,M.K. See Marvin,J.F., 0=21402
Loktionov,A.A. and Takibaev,Zh.S. Production of pions by high-energy cosmic-ray alpha particles, 0=11281
Lolić,B. See Popović,D., 0=20520
Lomakina,G.A. See Vodakov,Yu.A., 0=7937
Lomakina,G.A. See Vodakov,Yu.A., 0=11723
Lomakina,G.A. See Vodakov,Yu.A., 0=15948
Lomakina,Z.D. See Kopȳlov,G.I., 0=15298
Lomask,M. and Frassetto,R. Acoustic measurements in deep water using the Bathyscaph, 0=14755
Lomax,R.J. Exact electrodes for the formation of a curved space-charge beam. II, 0=17034
Lomax,R.J. Transient space-charge flow, 0=19733
Lombardi,E. and Sogo,P.B. NMR study of acetaldehyde—water mixtures, 0=6819
Lombardi,E. See Strohmeier,W., 0=1505
Lomer,J.N. and Rosenberg,H.M. The measurement of dislocation densities from the lattice heat conductivity of copper—zinc alloys, 0=1579
Lomer,J.N. and Rosenberg,H.M. The lattice heat conductivity of copper-zinc alloys, 0=9865
Lomer,J.N. and Rosenberg,H.M. The detection of dislocations by low temperature heat conductivity measurements, 0=20801
Lomer,W.M. Solid state physics, 0=6003
Lomkatsi,G.S. Polarization of hydrogen nuclei in a free radical, 0=15773
Lommel,J.M. See Barrett,C.S., 0=21156
Lomnev,S.P. See Belyaev,V.B., 0=7828
Lomon,E.L. See Stabler,R.C., 0=15351
Lomont,J.S. Decomposition of direct products of representations of the inhomogeneous Lorentz group, 0=12807
Lomont,J.S. and Moses,H.E. Dirac-like wave equations for particles of nonzero rest mass, and their quantization, 0=9270
Lomont,J.S. and Moses,H.E. Uniqueness of the orbital angular momentum operators, 14518
Lomsadze,Yu.M. Does a pseudospinor exist? 0=6657
Lomsadze,Yu.M.,Lend'el,V.I. and Érnst,B.M. The anomalous magnetic moment of nucleons in Chew's method, 0=9349
Lonchamp,J. See Pfohl,R., 0=20470
Lonchamp,J.P. and Gegauff,C. Identification of tracks by measurement of their width, 0=200
Lonchamp,J.P. See Gegauff,C., 0=15205
Loncke,P. Theoretical study of triplet scattering and depolarization parameters in elastic proton-nucleus collisions, 0=20448
London,H.,Mendoza,E. and Clarke,G.R. Thermodynamic properties of superfluid ^{3}He—^{4}He solutions, 0=8888
London,J.,Ruff,I. and Tick,L.J. The relationship between geomagnetic variations and the circulation at 100 mb, 0=10393
Lonergan,G.A. See Doyle,W.P., 0=20977
Long,C.A. Digest of literature on dielectrics. Engineering applications, 0=2300
Long,D. and Myers,J. Ionized-impurity scattering mobility of electrons in silicon, 0=1653
Long,D. and Myers,J. Hall effect and impurity levels in phosphorus-doped silicon, 0=1654
Long,D. and Myers,J. Scattering anisotropies in n-type silicon, 0=18034
Long,H.M. and Di Paolo,F.S. Condensed phase diagram of the system: argon—nitrogen, 0=8845
Long,R.A. See Dyce,R.B., 0=10443
Long,R.J. and Elsmore,B. Radio emission from Jupiter at 408 Mc/s, 0=18639
Long,R.R. The motion of fluids with density stratification, 0=12154
Long,T.R. Electrodeposited memory elements for a non-destructive memory, 0=9138
Long,W.M.,Williams,Q. and Weatherly,T.L. Microwave spectrum of $CFCl_3$, 0=15737
Longchamp,J.P. See Gegauff,C., 0=12778
Longequeue,J.P. Scintillation pair spectrometer for γ-rays of energy up to 20 MeV, 0=12894
Longerinas,C. See Escande,L., 0=6763
Longini,R.L.,Bennett,A.I. and Smith,W.J. Growth of atomically flat surfaces on germanium dendrites, 0=12010
Longini,R.L. See Bennett,A.I., 0=1891
Longo,M.J.,Helland,J.A.,Hess,W.N.,Moyer,B.J. and Perez-Mendez,V. High energy total cross sections for positive pions and protons on hydrogen, 0=3984

Longstaff,J.V.L. and Singer,K. Gaussian wave functions for the hydrogen molecule, 0=15751
Longstaff,J.V.L. and Singer,K. The use of Gaussian (exponential quadratic) wave-functions in molecular problems. II. Wave-functions for the ground states of the hydrogen atom and of the hydrogen molecule, 0=20655
Longuet-Higgins,H.C. and Salem,L. The alternation of bond lengths in long conjugated chain molecules, 0=9835
Longuet-Higgins,H.C. See Golden,S., 0=18975
Longuet-Higgins,M.S. The focusing of radiation by a random surface when the source is at a finite distance, 0=8769
Longuet-Higgins,M.S. Reflection and refraction at a random moving surface. I. Pattern and paths of specular points, 0=14788
Longuet-Higgins,M.S. Reflection and refraction at a random moving surface. II. Number of specular points in a Gaussian surface, 0=14789
Longuet-Higgins,M.S. Reflection and refraction at a random moving surface. III. Frequency of twinkling in a Gaussian surface, 0=14790
Lonsdale,K. Intermolecular distances and diamagnetic anisotropy in crystals as measures of the polarity of benzene and borazole substituents, 0=3256
Lonsdale,K. The structure of ice, 0=8206
Lonsdale,K. Experimental studies of atomic vibrations in crystals and of their relationship to thermal expansion, 0=13482
Lonsdale,K. and Milledge,H.J. An X-ray study of rigid-body and internal vibrations of organic molecules, 0=4622
Lonsdale,K.,Milledge,H.J. and Krishna Rao,K.V. Studies of the structure, thermal expansion and molecular vibrations of di-p-xylylene, $C_{16}H_{16}$, at 93 and 291°K, 0=8248
Lonsdale,K. and Toor,E.W. Diamagnetic anisotropy of symm. $C_6H_3Br_3$, $C_6H_3Cl_3$ and of $B-B_3N_3H_3Cl_3$, 0=2978
Lönsjö,O. See Andersen,S.L., 0=5744
Lontie-Bailliez,M. and Meessen,A. Effect of temperature on photomultipliers, 0=2380
Looney,D.H. Recent advances in magnetic devices for computers, 0=2418
Lopatin,I.V. Kruglov,S.P., 0=11131
Lopatin,I.V. See Kruglov,S.P., 0=15324
Lopez-Campillo,M.A. The overvoltage of hydrogen, 0=8308
Łopuszański,J. On the modification of the Feynman's "integral-over-all-paths" method, 0=14368
Łopuszanski,J. The Ruijgrok—Van Hove model of field theory in terms of "dressed" operators, 0=15238
Lorang,R. See Perny,G., 0=9951
Lord,H. See Parker,R., 0=7945
Lord,J.J. See Kerlee,D.D., 0=11264
Lord,R.C. See Aronson,J.R., 0=20635
Lord,R.C. See Danti,A., 0=17755
Lord,S.S.,Jr. See Beukelman,T.E., 0=8338
Lorenz,A. A new design of mechanical vacuum pump, 0=3569
Lorenz,E. See Westmeyer,H., 0=18425
Lorenz,F.R. See Goodwin,J.G., 0=15635
Lorenz,M.R. See Janz,G.J., 0=2161
Loriers,J. See Berteaud,A.J., 0=13859
Loriers,J. See Villers,G., 0=13827
Lörinczy,A. and Szebeni,P. On the magnetoresistance of germanium, 0=13599
Lorquet,J.C. Ionization potential of ammonia — some implications concerning Koopman's theorem, 0=17828
Lorquet,J.C. and Lefebvre-Brion,H. The electronic structure of the NH_3^+ ion, 0=7789
Lorrain,P. See St Pierre,C., 0=457
Lortie,Y. Absorption and fluorescence spectra of radicals obtained by high frequency discharge in some aromatic vapours, and fixed at low temperature, 0=6199
Lory,J. The formation of excitons in AgBr by the passage of an ionizing particle, 0=14861
Los',F.S. On the phase of the scattered wave (a reply to V.V.Malyarov), 0=15297
Loscoe,C. See Mette,H., 0=7969
Losenický,Z. The dependence of the thermal conductivity of gases and liquids on the pressure and temperature, 0=6981
Losenický,Z. Application of the principle of corresponding states to the thermal conductivity of the gaseous state, 0=10694
Losev,S.A. and Generalov,N.A. Measurement of the gas temperature behind a shock wave, 0=10727
Losev,S.A.,Generalov,N.A. and Terebenina,L.B. Absorption of ultraviolet radiation behind a shock wave in air, 0=19211
Loshack,S. See Sandler,S.R., 0=19969
Loshak,Zh. Characteristic functions for the betatron oscillations in a ring synchrotron, 0=9127
Loskutov,J.M. See Sokolov,A.A., 0=3919
Loskutov,J.M. See also Loskutov,Yu.M.
Loskutov,Yu.M. See Sokolov,A.A., 0=1267
Loskutov,Yu.M. See Sokolov,A.A., 0=2492
Lostis,P. See Elias,C., 0=14824
Lo Surdo,C. The use of the spherical harmonics method in the The use of the spherical harmonics method in the group study of the transport equation, 0=4955
Lotgering,F.K. Topotactically crystal-oriented ferromagnetics, 0=6336
Lotgering,F.K. See Smit,J., 0=10179
Lothe,J. The elastic constants of alkali halide crystals at absolute zero. A review and discussion, 0=696
Lothe,J. Acoustic radiation force on a uniformly moving smooth body, to the first order in the velocity, 0=2212
Lothe,J. Bordoni relaxation — a critique of Donth's theory, 0=2838
Lothe,J. Aspects of the theories of dislocation mobility and internal friction, 0=4289
Lothe,J. Theory of dislocation climb in metals, 0=9896
Lotkin,M. The calculation of heat flow in melting solids, 0=12516
Lotkova,É.N. See Sobolev,N.N., 0=8854
Lotova,M. Estimating the angle of scattering of radio waves, 0=19932
Lott,K.A.K. See Carrington,A., 0=21069
Lottermoser,W. The equalization relation of violins and its relation to the resonance curve, 0=14760
Lottermoser,W. and Linhardt,W. Part of the acoustic testing of violins and violas, 0=14759
Lottermoser,W. and Meyer,F.J. Masking effect in organ spectra, 0=19326
Loubser,J. See Thaddeus,P., 0=4213
Loubser,J. See Thaddeus,P., 0=5921
Louchard,G. Stochastic study of the history of neutron in a moderator, 0=20152
Louck,J.D. Generalized orbital angular momentum and the n-fold degenerate quantum-mechanical oscillator. II. The n-fold degenerate oscillator, 0=9786
Louck,J.D. Generalized orbital angular momentum and the n-fold degenerate quantum-mechanical oscillator. III. Radial integrals, 0=9787
Louck,J.D. and Shaffer,W.H. Generalized orbital angular momentum and the n-fold degenerate quantum-mechanical oscillator. I. The twofold degenerate oscillator, 0=9785
Louckes,F.I. See Stiller,B., 0=12788
Loudon,R. One-dimensional hydrogen atom, 0=463
Loudon,R. Broadening of spin—phonon resonance lines by exchange and magnetic dipole interactions, 0=13509
Loudon,R. See Judd,B.R., 0=7686
Loudon,R. See McLean,T.P., 0=11607
Loughhead,R.E. and Bray,R.J. Observations of faculae bordering small sunspots near the limb, 0=6587
Loughhead,R.E. and Bray,R.J. The lifetime and cell size of the granulation in sunspot umbrae, 0=18739
Loughhead,R.E. See Bray,R.J., 0=4891
Loughhead,R.E. See Bray,R.J., 0=6586
Loughnan,C.J. Motion of geomagnetic field lines, 0=12137
Loughran,E.D. and Mader,C. Appearance potential study of tetrafluorohydrazine, 0=13427
Lounasmaa,O.V. Application of Ehrenfest equations to liquid—vapor and liquid—solid mixtures of He^4, 0=14914
Lounasmaa,O.V. The parameters of the Benedict-Webb-Rubin equation of state for helium-4, 0=16932
Lounasmaa,O.V. Spontaneous vibrations of helium gas in a 0.3 mm tube at temperature between 10 and 20°K, 0=19203
Lounasmaa,O.V. and Kaunisto,L. Direct measurements of $(\partial p/\partial T)_V$ of liquid helium near the λ-curve, 0=16933
Lounasmaa,O.V. and Kojo,E. The specific heat C_v of liquid helium near the λ-curve at various densities, 0=5228
Lounasmaa,O.V. See Hill,R.W., 0=19532
Lounasmaa,O.V. See Hill,R.W., 0=20749
Lounsbury,M. See Davies,J.A., 0=19804
Louwerse,P. See Michels,A., 0=6838
Lovas,I. Annihilation of polarized positrons in magnetized material, 0=17316

Lovberg,R.H. The use of magnetic probes in plasma diagnostics, 0=3760
Lovchikova,G.N. Angular distribution of elastically scattered neutrons, 0=20503
Love,H.M. See McCracken,G.M., 0=17976
Love,T.A. See Peelle,R.W., 0=7244
Love,W.F. See Bender,P.A., 0=13580
Lovegrove,E. See Michell,D., 0=21124
Lovejoy,D.R. Absorbing filters and high-temperature optical pyrometry, 0=10812
Lovell,A.C.B. Concluding lecture [Part I—moon and planets], 0=18627
Lovell,A.C.B. and Wells,H.W. The spectrum of the Cygnus (19N4A) and Cassiopeia (23N5A) radio sources below 30 Mc/s. 0=18667
Lovell,A.C.B. See Davies,J.G., 0=3428
Lovell,A.C.D. Radioastronomical measurements from earth satellites, 0=10543
Lovelock,J.E. An ionization detector for permanent gases, 0=14156
Loveluck,G.D. See Davies,M., 0=14656
Lovera,G. See Aliverti,G., 0=429
Lovera,G. See Demichelis,F., 0=17513
Loveridge,D.J. See Kobak,J., 0=14139
Loveridge,W.D. See Standil,S., 0=2459
Lovett,S. Automatic range-changing of a linear ratemeter, 0=17175
Lovreček,B. and Bockris,J.O'M. The potential of the semiconductor—solution interface in the absence of net current flow: germanium, 0=14124
Lovtsov,V.M. and Smirnov,A.S. An oscillographic investigation of the secondary emission of dielectric films, 0=3794
Low,B.W. and Shoemaker,C.B. Insulin...preliminary X-ray studies of two types of sulphate crystals, 0=4663
Low,C.A.,Jr. See Martin,J.P., 0=17604
Low,F.E. A Lagrangian formulation of the Boltzmann—Vlasov equation for plasmas, 0=1138
Low,F.E. Proposal for measuring the π^0 lifetime by π^0 production in electron-electron or electron-positron collisions, 0=17375
Low,F.J. and Rorschach,H.E. Nuclear spin relaxation in liquid helium 3, 0=19541
Low,F.J. See Squire,C.F., 0=9842
Low,J.J. See Hambleton,K.G., 0=7951
Low,J.R.,Jr. See Stein,D.F., 0=6042
Löw,K. See Edvarson,K., 0=7650
Low,M.J.D. The influence of temperature on the kinetics of chemisorption of hydrogen on zinc oxide, 0=750
Low,M.J.D. and Taylor,H.A. The rates of adsorption of water and carbon monoxide by zinc oxide, 0=752
Low,W. Paramagnetic and optical spectra of ytterbium in the cubic field of calcium fluoride, 0=11938
Low,W. Optical spectra of Eu^{2+} and Gd^{3+} in CaF$_2$, 0=18126
Low,W. Absorption lines of Cr^{3+} in ruby, 0=20979
Low,W. and Rosenberger,U. Paramagnetic resonance of S-state ions in strontium chloride, 0=3132
Low,W. and Suss,J.T. Paramagnetic resonance spectrum of manganese in corundum, 0=11942
Low,W. and Weger,M. Paramagnetic resonance and optical spectra of divalent iron in cubic fields. I. Theory, 0=10228
Low,W. and Weger,M. Paramagnetic resonance and optical spectra of divalent iron in cubic fields. II. Experimental results, 0=10229
Low,W. See Dvir,M., 0=11937
Low,W. See Dvir,M., 0=16169
Low,W. See Friedman,E., 0=18220
Low,W. See Stahl-Brada,R., 0=3131
Low,W. See Stahl-Brada,R., 0=11038
Lowan,A.N. On the propagation of round-off errors in the numerical integration of the heat equation, 0=12508
Lowan,A.N. On the numerical treatment of heat conduction problems with mixed boundary conditions, 0=14863
Lowde,R.D. and Umakantha,N. Neutron small-angle scattering by spin waves in iron, 0=13805
Lowder,W.M. See O'Brien,K., 0=12892
Löwdin,P.O. Expansion theorems for the total wave function and extended Hartree—Fock schemes, 0=17832
Löwdin,P.O. See Hirschfelder,J.O., 0=20687
Löwe,G. See Junge,C., 0=171
Lowe,L.F. See Cali,J.P., 0=5690
Lowen,J. and Rediker,R.H. Gallium-arsenide diffused diodes, 0=2895
Lowenthal,G.C. and Harper,A.F.A. Resistance—temperature relationship of platinum at low temperatures and its influence on precision thermometry, 0=7002
Lowenthal,G.C.,Kemp,W.R.G. and Harper,A.F.A. A temperature scale down to 20°K using platinum resistance thermometers, 0=214
Lowes,F.J. See Herzenberg,A., 0=18459
Lowitzsch,K. See Ladell,J., 0=8177
Lowry,E.S. Geometrical representation of the Maxwell field in Minkowski space, 0=7196
Lox,F.E.M. and Van Der Kelen,G.P. Study of the phenomenon of dterioration of self-quenching Geiger—Müller counters, 0=19963
Lozhkin,O.V.,Perfilov,N.A.,Rimskii-Korsakov,A.A. and Fremlin,Dzh.[J]. Nuclear disintegrations in a photographic emulsion produced by 930 MeV protons, 0=20434
Lozhkin,O.V. See Perfilov,N.A., 0=9622
Lozinskaya,T.A. See Vitkevich,V.V., 0=18641
Lozovskii,V.N. Relaxation polarization and losses in alkali halide single crystals, 0=20959
Lu,D.C. Accurate method for measuring internal conversion coefficients, 0=13202
Lu,D.C. See Holloway,J.T., 0=4037
Lu,D.C. See Stewart,M.G., 0=5667
Lü Min. Mean free path of nuclear interaction in Pb and Al of secondary particles of cosmic ray showers, 0=5640
Lu Ting. Boundary layer over a flat plate in presence of shear flow, 0=3498
Lu Ting. On the diffraction of an arbitrary pulse by a wedge or a cone, 0=15144
Lubchenko,A.F. The connection between the polarization and the strength of the electromagnetic field in the region of exciton absorption, 0=531
Lubchenko,A.F. On optical characteristics of molecular crystals in the exciton absorption region, 0=1716
Lubchenko,A.F. Theory of the Faraday effect in the region of exciton absorption of light by molecular crystals, 0=10033
Lubchenko,A.F. Theory of the linear Kerr effect in the region of exciton absorption of light by molecular crystals, 0=10034
Lubchenko,A.F. See Brodin,M.S., 0=4263
Lübcke,E. Evaluation of noises, 0=10740
Lubimov,A.L. See Viryasov,N.M., 0=9364
Lubimov,V.B. See Bogachev,N.P., 0=11400
Lubitz,K. See Böer,K.W., 0=6117
Lubkin,E. Depolarization of a muon by hyperfine interaction, 0=13423
Lubkin,E. TCP as a space reflection, 0=15223
Lubkin,E. Angular distributions, 0=15310
Luborsky,F.E. and Mendelsohn,L.I. Shape anisotropy in a wide-range gaussmeter, 0=2415
Luborsky,F.E. and Paine,T.O. Angular variation of the magnetic properties of elongated single domain iron particles, 0=10122
Luborsky,F.E. and Paine,T.O. Coercive force and remanence of 25-A to 2000-A diameter cobalt, iron, and iron-cobalt alloy, 0=10133
Luborsky,F.E. See Paine,T.O., 0=10117
Lucas,H.F.,Jr. See Moses,H., 0=14320
Lucas-Tooth,H.J. See Kuhn,H.G., 0=16878
Lucasson,A. Contribution to the study of zinc, gallium, germanium and alloys of copper by X-ray spectrography, 0=13469
Lucasson,P. Low-temperature irradiation of transition metals in an atomic pile, 0=2831
Lucey,J.A. See Brimble,R.V., 0=5940
Luckey,D. An approximate lens for high energy particles, 0=7157
Luckey,D. The use of electrostatic generators as injectors for electron synchrotrons, 0=19818
Luckey,P.D.,Osborne,L.S. and Russell,J.J. Photoproduction of neutral mesons from hydrogen near threshold, 0=373
Lucovsky,G. Photoeffects in nonuniformly irradiated p—n junctions, 0=11721
Lucovsky,G. and Cholet,P.H. GaAs,A sensitive photodiode for the visible, 0=16830
Lüders,G. Moments of inertia according to Inglis and the Bohr—Van Leeuwen theorem, 0=15510
Luders,G. See Grawert,G., 0=321
Ludwig,G.H. and Whelpley,W.A. Corpuscular radiation experiment of Satellite 1959 Iota (Explorer VII), 0=15465

Ludwig,G.W. and Woodbury,H.H. Electronic structure of transition metal ions in a tetrahedral lattice, 0=17960
Ludwig,G.H. See Van Allen,J.A., 0=10428
Ludwig,G.H. See Yoshida,S., 0=14265
Ludwig,G.W. and Woodbury,H.H. Magnetic moment of Fe^{57}, 0=7458
Ludwig,G.W. See Woodbury,H.H., 0=4514
Ludwig,G.W. See Woodbury,H.H., 0=7459
Ludwig,G.W. See Woodbury,H.H., 0=17959
Ludwig,H. See Van Allen,J.A., 0=8398
Ludwig,W. Dielectric studies on polycrystalline selenium, 0=10012
Ludwig,W. See Leibfried,G., 0=17881
Luebke,E.A. See Sampson,J.B., 0=13315
Luebke,W.R. See Dunn,D.A., 0=3801
Luft,K.F. See Gade,M., 0=3337
Lugt,W.van der. See van der Lugt,W.
Luhman,W.J. and Gorum,A.E. The effect of impurities on the strength of silver chloride, 0=21097
Lührs,G. See Mayer-Böricke,C., 0=7476
Luibimov,V.A. See Alikhanov,A.I., 0=4050
Lukáč,P. See Kratochvíl,P., 0=18303
Lukasik,S.J. See Grosch,C.E., 0=14603
Łukaszuk,L. Note on symmetry of strong interactions. 0=9263
Lukeš,F. A new method of measuring the reflection coefficient, 0=10754
Lukeš,F. Optical constants of thin germanium films, 0=13668
Lukeš,F. The temperature dependence of the refractive index of silicon, 0=16032
Lukin,Yu.T.,Takibaev,Zh.S. and Shalagina,E.V. The energy spectrum of mesons from nuclear disintegrations produced 9 BeV protons, 0=13042
Lukirskii,A.P. and Karpovich,I.A. Determination of the absolute sensitivity of some photographic materials to ultra-soft X-radiation, 0=8815
Lukirskii,A.P. and Omel'chenko,Yu.A. Use of the "total external reflection" phenomenon in filtering of the continuous spectrum in the ultra-soft X-ray region, 0=17293
Lukman,F.J. See Stumpf,F.B., 0=19289
Lukomskaya,A.I. An approximate analysis of stressed conditions in rubber samples tested for tearing by different methods, 0=1864
Lukomskaya,A.I. See Reznikovskii,M.M., 0=1865
Lukyanov,S.Yu. and Podgorny,I.M. Hard X-rays accompanying a gas discharge, 0=5540
Luk'yanov,S.Yu. and Podgornȳi,I.M. A magnetic trap with field increasing towards the periphery, 0=15009
Lukyanov,S.Yu. and Sinitsyn,V.I. Spectroscopic studies of a high-power pulsed discharge in hydrogen, 0=5318
Luk'yanov,S.Yu. and Sinitsȳn,V.I. Spectroscopic investigation of an intense pulsed discharged in hydrogen. III. Determination of the parameters of a high-temperature plasma, 0=10914
Lukyanov,S.Yu. See Artsimovich,L.A., 0=5317
Lulka,V. See Ivanenko,D., 0=17508
Lumbroso,H. and Rossetti,P. Description of an apparatus for the precise measurement of dielectric constants of liquids, 0=6799
Lumbroso,R. See Petit,J., 0=21302
Lund,I.A. A method for estimating conditional probabilities, 0=14186
Lund,L.H. X-ray scattering by a cell-model liquid, 0=19116
Lundberg,J.L. and Nelson,L.S. Initiation of thermal reactions by the flash illumination of absorbing bodies, 0=1962
Lundberg,J.L.,Wilk,M.B. and Huyett,M.J. Solubilities and diffusivities of nitrogen in polyethylene, 0=12066
Lundby,A. The Cern Symposium 1956. III, 0=19813
Lundby,A. See Fischer,J., 0=1291
Lundby,A. See Fischer,J., 0=2471
Lundén,A. A comparison of the results of two methods of measuring the isotope effect by electromigration in molten nitrates, 0=4717
Lundén,A. The isotope effect in the electrolytic transport of lithium ions in solid lithium sulphate, 0=11496
Lundén,A.,Christofferson,S. and Lodding,A. The isotopic effect of lithium ions in counter-current electromigration in molten lithium bromide and iodide, 0=1959
Lundén,A. and Lodding,A. Isotope enrichment with bromine by electrolytic conduction in molten zinc bromide, 0=11495
Lundén,A. See Almén,O., 0=19795
Lundgren,G. See Aronsson,B., 0=18359
Lundgren,T.S. See Chang,C.C., 0=1199
Lundgren,T.S. See Chang,C.C., 0=3552
Lundqvist,S.O. Cluster development of the density matrices in the Jastrow method for many-fermion systems, 0=7308
Lundqvist,S.O.,Lundström.V.,Tenerz,E. and Waller,I. On the lattice vibrations and specific heat of KCl and NaCl at low temperatures, 0=4261
Lundqvist,S.O. See Berggren,T., 0=7344
Lundqvist,S.O. See Egardt,L., 0=7564
Lundsten,R.H. See Pasnak,M., 0=2989
Lundström,V. See Lundqvist,S.O., 0=4261
Lundy,R.A. See Lathrop,J.F., 0=15375
Lundy,R.A. See Lathrop,J., 0=20172
Lundy,R.A. See Lathrop,J., 0=20173
Lunel,M. Effect of temperature on the response of a lead sulphide cell, 0=7965
Lun'kin,Yu.P. The parameters of a gas beyond a shock wave, 0=8740
Lun'kin,Yu.P. Shock waves in real gases, 0=12454
Lun'kin,Yu.P. See Gubanov,A.I., 0=19651
Luova,P. See Kantola,M., 0=16323
Lupinski,J.H. See Bennema,P., 0=21290
Lur'e,B.G. See Banasevich,S.N., 0=6062
Lur'e,B.G. See Makarov,L.L., 0=6063
Lur'e,K.A. Diffraction of a plane electromagnetic wave by a perfectly conducting disk, 0=11051
Lur'e,K.A. A class of plane problems of magneto-hydrodynamics, 0=19891
Lur'e.K.A. See Vandakurov.Yu.V., 0=10911
Lur'e,M.S. Thin ferroelectric films of $Pb(Ti,Zr,Sn)O^3$, 0=2919
Lur'e,M.S. and Ignat'eva,I.V. The effect of a surface charge layer on polarization of polycrystalline barium titanate, 0=16013
Luria,S.M. Absolute visual threshold and age, 0=2058
Luria,S.M. and Schwartz,I. Effect of differential binocular adaptation on scotopic acuity, 0=3381
Luria,S.M. and Schwartz,I. Effect of red vs white adaptation and target illumination on the temporal course of scotopic acuity, 0=18559
Lurié,D. and Power,E.A. Parity non-conservation in pion production, 0=5593
Lurié,D. On the Pauli group, 0=15268
Lurié,D. See Bowcock,J., 0=15408
Lurio,A. and Stern,E. Dielectric behavior of single crystals of tri-glycine sulfate (TGS) from 1 kc to 2500 Mc. 0=16011
Lurio,A. and Stern,E. Measurements of the dielectric constant of $BaTiO_3$ single crystals in the paraelectric region at X band, 0=18101
Lurio,A.,Weinreich,G.,Drake,C.W.,Hughes,V.W. and White,J.A. Atomic g_J values for neon and argon in their metastable $^3P_2$ states; evidence for zero spin of $_{10}Ne^{20}$, 0=17669
Lüscher,E. See Sherwin,C.W., 0=10569
Lushchik,Ch.B.,Liid'ya,G.G.,Yaek,I.V. and Tiisler,E.S. The mechanism of the recombination luminescence of activated alkali halide crystals, 0=20996
Lushchik,Ch.B. See Kark,V.Ya., 0=10072
Lushchik,Ch.B. See Lushchik,N.E., 0=16104
Lushchik,N.E. and Lushchik,Ch.B. Spectroscopy of the luminescence centres in alkali-halide crystals activated with homologous series of ions, 0=16104
Lüst,R. Some theoretical aspects of magneto-hydrodynamics and thermonuclear fusion, 0=3757
Lüst,R. Notes on some theoretical investigations of the physics of high temperature plasmas, 0=19665
Lüst,R. and Martensen,E. Many-valued nature of the scalar magnetic potential in the hydromagnetic stability problem of a plasma, 0=17012
Lüst,R. and Zirin,H. Condensation of prominences from the corona, 0=6593
Lüst,R. See Biermann,L., 0=2078
Lustig,C.D. See Bowers,K.D., 0=9821
Lustig,H. Extension of the Blatt—Biedenharn formalism for resonance reactions, 0=7543
Lustig,H. Resonance reactions with generalized one-level approximation, 0=17569
Luszczynski,K.,Kail,J.A.E. and Powles,J.G. Molecular motion in liquid glycerol by proton magnetic relaxation, 0=6779
Luszczynski,K. and Powles,J.G. Proton magnetic resonance in liquid iso-butyl bromide, 0=5039
Luszczynski,K. and Powles,J.G. Nuclear spin pulse apparatus, 0=5430

Luszczynski,K. See Powles,J.G., 0=7810
Lüthi,B. Magnetoresistance of metals in high magnetic fields, 0=9936
Lüthi,B. Variation of the resistance of metals in high magnetic fields, 0=11663
Lutsch,A. Ultrasonic barium titanate adhesion and paste transducers, 0=8749
Lutsch,A. An apparatus for measuring and recording the velocity of sound and temperature versus depth in sea water, 0=16765
Lutsenko,É.A. See Kharchenko,I.F., 0=12619
Lutsenko,V.N. See Groshev,L.V., 0=4115
Lutsenko,V.N. See Groshev,L.V., 0=7628
Lutsenko,V.N. See Groshev,L.V., 0=9674
Lutsik,V.A. See Val'ter,A.K., 0=20431
Luttik,C. See Schuringa,A., 0=14653
Luttinger,J.M. Fermi surface and some simple equilibrium properties of a system of interacting fermions, 0=14538
Luttinger,J.M. and Thomas,R.B.,Jr. Variational method for studying the motion of classical vibrating systems, 0=16614
Luttinger,J.M. and Ward,J.C. Ground-state energy of a many-fermion system. II, 0=10607
Luttinger,J.M. See Kohn,W., 0=8568
Lüty,F. Higher excited states of colour centres, 0=17965
Lutz,J. See Armand,G., 0=2412
Lutz,K. Flow measurement with suspended-body flowmeters, 0=6767
Lutz,O. Thermo-gas dynamics of flow in a cylindrical tube, 0=5044
Lutze,E. and Bösnecker,D. Hyperfine structure of dissolved copper ions in paramagnetic resonance, 0=3544
Lutze,E. See Bösnecker,D., 0=16714
Luyten,W. On the completion of the Carte Du Ciel, 0=12305
Luyten,W. The luminosity function, 0=12306
Luyten,W.J. Astrometric problems in the southern hemisphere, desiderata on parallaxes and proper motions, 0=12299
Luzhinskaya,M.G.,Fremderman,L.O. and Shur,Ya.S. On the dependence of the effect of thermomagnetic treatment on the initial properties of permalloy, 0=18187
Luzyanin,I.D. See Kel'man,V.M., 0=10959
L'vov,A.N. See Tutakin,P.M., 0=7567
Lyamichev,I.Ya. and Orlov,I.N. The effect of electrical prehistory of an electroluminescence phosphor on the characteristics of its emission when excited with short voltage pulses, 0=10086
Lyamshev,L.M. Theory of sound radiation by thin elastic shells and plates, 0=19281
Lyamshev,L.M. and Rudakov,S.N. Experimental investigation of non-specular reflection of sound by thin finite rods in water, 0=1001
Lyan' Chzhi-chao [Lien Chih-ch'ao] and Nasledov,D.N. The influence of electric fields on the electrical conductivity, Hall coefficient and magnetoresistance of n-type InSb at low temperatures, 0=15958
Lyapidevskii,V.K. Diffusion cloud chambers, 0=3895
Lyapidevskii,V.K. See Krongauz,A.N., 0=15988
Lyapin,A.G. See Levitov,V.I., 0=7100
Lyashenko,S.P. See Miloslavskii,V.K., 0=16036
Lyashenko,V.I. and Chernaya,N.S. The nature of relaxation processes in the field effect, 0=6094
Lyashenko,V.I. and Chernaya,N.S. The energy distribution of electron states on a germanium surface at various temperatures, 0=15926
Lyashenko,V.I.,Snitko,O.V. and Sȳtenko,T.N. Combined investigation of the surface properties of germanium. I. The effect of an external electric field on the electrical conductivity, Hall constant and magnetoresistance of germanium, 0=15923
Lyashenko,V.I.,Snitko,O.V. and Sȳtenko,T.N. Combined investigation of the surface properties of germanium. II. The effect of an external electric field on the photoconductivity, minority-carrier lifetime and capacitor photo-e.m.f., 0=15924
Lyashenko,V.I. See Litovchenko,V.G., 0=1639
Lyashenko,V.I. See Litovchenko,V.G., 0=18021
Lyast,I.Ts. The polarization of ionic crystals containing relaxing defects, 0=16022
Lyast,I.Ts. Interaction of ions in a perovskite lattice, 0=16023
Lyast,I.Ts. The question of the relaxational polarization in crystals with the rutile and perovskite structure. I., 0=18098
Lyatovskaya,N.M. See Gorshkov,G.V., 0=16404
Lykos,P.G. On the electron spin resonance spectra of hydrocarbon radicals, 0=5969
Lyle,F.K.C.,Morosin,B. and Lingafelter,E.C. Anhydrous bis-salicylaldehydato-nickel, 0=3247
Lynbimov,V.B. See Bannik,B.P., 0=7546
Lynch,A.C. See Lee,E.W., 0=11879
Lynch,D.W. Diffusion and ionic conductivity in cesium bromide and cesium iodide, 0=9917
Lynch,D.W. Midwest Solid-State Physics Conference, 0=20713
Lynch,F.J.,Holland,R.E. and Hammermesh,M. Time dependence of resonantly filtered gamma rays from Fe^{57}, 0=17488
Lynch,F.J. See Holland,R.E., 0=7464
Lynch,G.R.,Orear,J. and Rosendorff,S. Muon decay in nuclear emulsion at 25 000 gauss, 0=9388
Lynch,G.R. See Button,J., 0=13067
Lynch,R.T. and Lander,J.J. Growth of single crystals of BaO, 0=710
Lynden-Bell,D. Can spherical clusters rotate? 0=18816
Lyness,J.N. A method for calculating scattering phase shifts, 0=20063
Lynn,G.E. See Lauriente,M., 0=10109
Lynn,J.E. and Rae,E.R. The analysis of neutron spectrometer resonance data, 0=5571
Lynn,J.E. See Lane,A.M., 0=17570
Lynn,J.E. See Lane,A.M., 0=17571
Lynn,N. See Bates,D.R., 0=8997
Lynton,E.A. Superconductivity, 0=19547
Lynton,E.A. and Serin,B. The effect of impurities on the critical temperature of aluminum and indium, 0=8957
Lyon,A.J. See Appleton,E., 0=766
Lyon,D.N. See Giauque,W.F., 0=7192
Lyon,G.F. The association of visible auroral forms with radar echoes, 0=6478
Lyon,R.H. On the prediction of forced-choice and phenomenal-report thresholds by statistical detection theory, 0=8441
Lyon,R.H. On the vibration statistics of a randomly excited hard-spring oscillator, 0=10711
Lyon,R.H. Response of a nonlinear string to random excitation, 0=14704
Lyon,R.H. Equivalent linearization of the hard spring oscillator, 0=16757
Lyon,W.S. Isotopic analysis: cerium-141 and cerium-144, 0=13166
Lyon,W.S. See Wright,H.W., 0=13178
Lyons,B.J. See Black,R.M., 0=10359
Lȳsak,L.I. and Tikhonov,L.V. Imperfections of the crystal structure of heavily deformed niobium, 0=13529
Lȳsanov,Yu.P. The problem of surface resonance on a sinusoidal surface, 0=19305
Lȳsov,B.A. Polarization effects in the direct transition of $\mu^+\mu^-$ into an electron—positron pair, 0=11191
Lytle,E.A. and Hunten,D.M. Dawn enhancement of auroral N_2^+ emission, 0=6473
Lytle,E.A. and Hunten,D.M. The ratio of sodium to potassium in the upper atmosphere, 0=14194
Lyttleton,R.A. and Bondi,H. On the physical consequences of a general excess of charge, 0=3406
Lyttleton,R.A. See Bondi,H., 0=5522
Lyubarskii,G.Ya. and Kovalev,O.V. Second-order phase transitions in crystals of symmetry T_h^6, 0=18343
Lyubarskii,G.Ya. and Polovin,R.V. A problem about a piston in magnetohydrodynamics, 0=1190
Lyubarskii,G.Ya. and Polovin,R.V. The splitting of a small discontinuity in magnetohydrodynamics, 0=2433
Lyubarskii,G.Ya. and Polovin,R.V. The disintegration of unstable shock waves in magnetohydrodynamics, 0=9177
Lyubarskii,G.Ya. and Povzner,A.Ya. Theory of wave propagation in variable cross-section waveguides, 0=7230
Lyubarskii,G.Ya. See Akhiezer,A.I., 0=9164
Lyubimov,G.A. See Kulikovskii,A.G., 0=1197
Lyubimov,G.A. See Kulikovskii,A.G., 0=3842
Lyubimov,V.A. and Alikhanov,A.I. The influence of a magnetic field on the resonance absorption of γ-rays, 0=15519
Lyubimov,V.A. and Vishnevskii,M.E. Measurement of the polarization of internal conversion electrons, 0=2649
Lyubimov,V.A. See Alikhanov,A.I., 0=2644
Lyubimov,V.A. See Alikhanov,A.I., 0=13010
Lyubimov,V.A. See Alikhanov,A.I., 0=20176
Lyubimov,V.A. See Vishnevsky,M.E., 0=17545
Lyubimov,V.A. See Vishnevsky,M.E., 0=20399
Lyubimov,V.B.,Markov,P.K.,Tsȳanov,É.N.,Chzhen Pu-In [Cheng P'u-Ying] and Shafranova,M.G. Elastic scattering of 8.5 BeV protons on protons, 0=11167
Lyubimov,V.B. See Bogachev,N.P., 0=9354

Lyubimov,V.B. See Gramenitskii,I.M., 0=1401
Lyubin,V.M. See Kolomiets,B.T., 0=599
Lyubin,V.M. See Kolomiets,B.T., 0=601
Lyubin,V.M. See Kolomiets,B.T., 0=6136
Lyubin,V.M. See Kolomiets,B.T., 0=15949
Lyuboshits,V.L. Polarization phenomena in radiative collisions of two electrons, 0=7338
Lyubov,B.Ya. and Roitburg,A.L. Temperature conditions on the surface of a growing martensite crystal, 0=13940
Lyudvigov,R.B. See Kazarov,R.E., 0=5634
Lyul'ka,V.A. π^--meson decays of the $H^3\Lambda$ hyperfragment, 0=20360
Lyul'ka,V.A. Energy and angular distributions in hypernuclear decays, 0=20361
Lyul'ka,V.A. and Filimonov,V.A. Contribution of three-particle forces to the binding energy of hypernuclei, 0=9538

Maa Dah-You. Frequency and directional distribution of normal modes of vibration in a rectangular room, 0=144
Maass,O. See Miller,C.G., 0=19137
Mabboux,C. See Landaud,G., 0=13167
Mabboux,C. See Robin,J., 0=14684
MacAdam,D.L. Small-field chromaticity discrimination, 0=185
McAdam,W.B. See Edge,D.O., 0=829
MacArthur,J.D. See Johns,M.W., 0=4018
McBride,P.I. See Wulfeck,J.W., 0=8451
McCaig,D.A. See Vonnegut,B., 0=16492
McCaig,M. and Wright,W. Variation of permanent-magnet properties with crystal orientation in columnar crystal alloys, 0=11822
McCalden,J.O. Interaction between arsenic and aluminum in germanium, 0=1640
McCaldin,J.O. and Harada,R. Influence of arsenic pressure on the doping of gallium arsenide with germanium, 0=20915
McCall,D.W. and Anderson,E.W. Dielectric properties of linear polyamides, 0=4246
McCall,D.W. and Douglass,D.C. Self-diffusion in the primary alcohols, 0=14632
McCall,D.W. and Douglass,D.C. Nuclear magnetic resonance in solid adamantane, 0=16192
McCall,D.W.,Douglass,D.C. and Anderson,E.W. Diffusion in liquids, 0=3513
McCall,D.W. See Gutowsky,H.S., 0=4540
MacCallum,C.J. See Levine,H.S., 0=7901
McCallum,F.L. See Muirhead,J.C., 0=189
McCallum,G.J. The neutron total cross-sections of uranium-234 and uranium-236, 0=7646
McCallum,G.J.,Ferguson,A.T.G. and Mani,G.S. A study of energy levels in Sc^{43}, Ti^{45}, V^{47}, V^{49}, V^{50} and Zn^{65}, 0=17504
McCallum,G.J.,Mani,G.S. and Ferguson,A.T.G. Neutron total cross-sections in the 12 to 21 MeV region, 0=11440
McCallum,G.J. See Litherland,A.E., 0=15583
McCammon,R.D. See MacCrone,R.K., 0=18283
MacCamy,R.C. See Heins,A.E., 0=19303
McCarroll,B. and Lietzke,M.H. Indium sulfate: Raman spectra and incomplete dissociation, 0=10671
McCarroll,W.H. See Bube,R.H., 0=7961
McCarthy,I.E. and Prowse,D.J. Question of nucleon clusters in the nuclear surface, 0=11294
McCarthy,I.E. and Prowse,D.J. A model for the interpretation of K^--meson captures at rest in complex nuclei, 0=20507
McCarthy,I.E. See Baker,G.A.,Jr, 0=17470
McCarthy,I.E. See Kromminga,A.J., 0=11404
McCarthy,K.A. and Ballard,S.S. Thermal conductivity of eight halide crystals in the temperature range 220°K to 390°K, 15822
McCarthy,K.A. See Little,W.J., 0=13958
Macartney,E. See Metson,G.H., 0=263
Macartney,E. See Metson,G.H., 0=7138
McCartney,J.T. See Ergun,S., 0=20992
McCarty,L.V. Electrical properties of high-purity silicon made from silicon tetraiodide, 0=4349
McCarty,M.,Jr and Robinson,G.W. Environmental perturbations on foreign atoms and molecules in solid argon, krypton and xenon, 0=20661
McCaulley,J.W. and Hough,W.S. A relationship between the lower ionosphere and the [OI] 5577 nightglow emission, 0=12201
McCaulley,J.W.,Roach,F.E. and Matsushita,S. A study of local geomagnetic influence on the [O I] 5577 nightglow emission at Fritz Peak, 0=14293
McCaulley,J.W. See Roach,F.E., 0=14294
McClain,E.F. and Sloanaker,R.M. Preliminary observations at 10 cm wavelength using the N.R.L. 84 foot radio telescope, 0=18625
McClain,W.C. See Rinehart,J.S., 0=19260
McClellan,A.L. On twisted organic crystals, 0=8148
McClellan,L.W. See Brugger,R.M., 0=12940
McClelland,J.D. See Rasor,N.S., 0=12531
McClintock,F.A. Contribution of interface couples to the energy of a dislocation, 0=17935
McClintock,F.A. and Sukhatme,S.P. Travelling cracks in elastic materials under longitudinal shear, 0=19029
McClintock,R.M. and Gibbons,H.P. Mechanical properties of structural materials at low temperatures. A compilation from the literature, 0=16206
McClure,F.T.,Hart,R.W. and Bird,J.F. Acoustic resonance in solid propellant rockets, 0=8735
McClure,F.T. See Bird,J.F., 0=10808
McClure,F.T. See Bird,J.F., 0=19251
McClure,G.W. Similitude and anode material effects in H_2 and D_2 discharges below the critical pressure, 0=9020
McClure,J.W. Theory of diamagnetism of graphite, 0=13730
McClure,J.W., See Anderson,J.D., 0=458
McClure,J.W. See Broudy,R.M., 0=18005
McClure,J.W. See Wong,C., 0=1276
McColgin,F.H. Movement thresholds in peripheral vision, 0=14344
McColm,D.W. See Hughes,V.W., 0=17365
McCombie,C.W. Fluctuations in photon streams, 0=5123
McCombie,C.W. See Karo,A.M., 0=13554
McCone,A.,Jr. See Hirschfelder,J.O., 0=210
McConkey,E.A.G. See Barker,R.S., 0=16074
McConkey,G. See Prock,A., 0=3520
McConnell,H.M. Theory of singlet—triplet splittings in large biradicals, 0=15771
McConnell,H.M. and Fessenden,R.W. Carbon-13 hyperfine splitting in $CH(COOH)_2$, 0=5968
McConnell,H.M.,Heller,C.,Cole,T. and Fessenden,R.W. Radiation damage in organic crystals. I. $CH(COOH)_2$ in malonic acid, 0=13571
McConnell,H.M. See Sternlicht,H., 0=16101
McConnell,H.M. See Cole,T., 0=503
McConnell,H.M. See Heller,C., 0=13572
McConnell,H.M. See Lefebvre,R., 0=4233
McCool,W.J. and Otis,D.R. Calibration of ORNL lid-tank fission plates, 0=13342
McCormick,B.H. See Klein,A., 0=17321
McCoubrey,A.O. See Phelps,A.V., 0=13394
McCoubrey,J.C. and Singh,N.M. Intermolecular forces in quasi-spherical molecules. II, 0=2753
McCoubrey,J.C. See Arnold,J.W., 0=7817
McCoyd,G.C.,Milford,S.N. and Wahl,J.J. Born cross sections for inelastic scattering of electrons by hydrogen atoms, I. 3s, 3p, 3d states, 0=13403
McCracken,G.M. and Love,H.M. Diffusion of lithium through tungsten, 0=17976
McCracken,K.G. The production of cosmic radiation by a solar flare on August 31, 1956, 0=391
McCracken,K.G. A correlation between the emission of white light and cosmic radiation by a solar flare, 0=392
McCracken,K.G. Energy dependence of transient changes in the primary cosmic-ray spectrum, 0=7435
McCracken,K.G. See Palmeira,R.A.R., 0=17451
McCrea,D. and McKirgan,T.V.M. Electron excitation of atomic hydrogen in the 2p-level, 0=5852
McCrea,W.H. The interpretation of cosmology, 0=16522
McCrea,W.H. The formation of population I stars. I. Gravitational contractions, 0=18864
McCrea,W.H. and McNally,D. The formation of population I stars. II. The formation of molecular hydrogen in interstellar matter, 0=18865
McCrea,W.H. See Bondi,H., 0=16570
McCrea,W.H. See Crampin,J., 0=14497
McCrea,W.H. See Davidson,W., 0=18606
MacCrone,R.K.,McCammon,R.D. and Rosenberg,H.M. The fatigue of metals at 1.7°K, 0=18283
McCubbin,T.K.,Jr. See Rank,D.H., 0=155
McCubbin,T.K.,Jr. See Rank,D.H., 0=17710
McCulloch,D.S. Vacuole disappearance temperatures of laboratory-grown hopper halite crystals, 0=8149

McCullough,H. See Corfield,W., 0=19793
McCullough,J.D.,Chao,G.Y. and Zuccaro,D.E. The structure of the compounds of iodine with 1,4 diselenane and 1,4 dithiane, 0=3245
McCurley,E.P. and Blake,C. Simple null-indicating saturable-core magnetometer for the detection of static magnetic fields, 0=7186
McCusker,C.B.A. Measurement of primary directions in extensive air showers, 0=1330
McCusker,C.B.A.,Page,D.E. and Reid,R.J. Directional properties of an extensive air shower array, 0=1331
McCutchen,C.W. TIM; a brushless generating magnetometer, 0=3827
McDade,P.J. See Ingham,H.S.,Jr, 0=17938
McDaniel,B.D.,Joos,P.,McLeod,D.,Richert,S. and Zipoy,D. Polarization of Λ^0 from photoproduction in hydrogen, 0=5616
McDaniel,B.D.,Silverman,A.,Wilson,R.R. and Cortellessa,G. Photoproduction of K^+ mesons, 0=382
McDaniel,R.E. See Alumkal,A., 0=17575
McDaniels,D.K.,Blair,J.S.,Chen,S.W. and Farwell,G.W. Alpha-particle excitation of quadrupole and octupole surface modes in Ti, Fe, Ni, Zn and Sr, 0=20469
McDaniels,D.K. See Blair,J.S., 0=17608
McDermott,L.C.,Jones,K.W.,Smotrich,H. and Benenson,R.E. Elastic scattering of alpha particles by O^{16}, 0=9645
McDermott,M. See Faust,W., 0=17664
McDermott,M.N. and Lichten,W.L. Hyperfine structure of the 6 $^3P_2$ state of $_{80}Hg^{199}$ and $_{80}Hg^{201}$. Properties of metastable states of mercury, 0=13413
McDiarmid,I.B. Search for $550m_e$ particles in the sea-level cosmic radiation, 0=390
McDiarmid,I.B. and Rose,D.C. High-altitude cosmic ray measurements at Fort Churchill, 0=9485
Macdonald,A.D. See Bradford,H.M., 0=253
MacDonald,D.K.C. Some remarks on lattice thermal conductivity, 0=15818
MacDonald,D.K.C.,Mooser,E.,Pearson,W.B.,Templeton,I.M. and Woods,S.B. On the possibility of thermoelectric refrigeration at very low temperatures, 0=19569
MacDonald,D.K.C.,Pearson,W.B. and Templeton,I.M. Thermo-electricity at low temperatures. VII. Thermo-electricity of the alkali metals between 2 and 20°K, 0=2916
MacDonald,D.K.C.,Pearson,W.B. and Templeton,I.M. Thermo-electricity at very low temperatures, 0=10003
MacDonald,D.K.C.,Pearson,W.B. and Templeton,I.M. Measurements of thermoelectricity below 1°K. III., 0=18076
MacDonald,D.K.C. See Barron,T.H.K., 0=9935
MacDonald,D.K.C. See Gold,A.V., 0=20945
MacDonald,D.K.C. See Leech,J.W., 0=1687
McDonald,F.B. Primary cosmic-ray intensity near solar maximum, 0=1335
McDonald,F.B. and Webber,W.R. Changes in the low-rigidity primary cosmic radiation during the large Forbush decrease of May 12, 1959, 0=15483
MacDonald,G.J.F. See Knopoff,L., 0=8353
MacDonald,G.J.F. See Knopoff,L., 0=16758
MacDonald,G.J.F. See Munk,W.H., 0=16555
McDonald,J.E. Direct absorption of solar radiation by atmospheric water vapor, 0=14409
Macdonald,N. Even nuclei without an axis of symmetry, 0=4029
MacDonald,N. The effect of multiple scattering in the photoproduction of charged mesons at deuterium, 0=17395
Macdonald,N. See Douglas,A.C., 0=4084
Macdonald,N.J. and Roberts,W.O. Further evidence of a solar corpuscular influence on large-scale circulation at 300 mb, 0=14187
McDonald,T.R.R. The electron density distribution in ammonium bifluoride, 0=8205
McDonald,W.J. See King,J.D., 0=17620
McDonald,W.J. See King,J.D., 0=20480
McDonell,J.A.,Sargood,D.G.,Moroney,J.R. and Prescott,J.R. Measurements of n—γ coincidences in the reaction $^{10}B(d,n\gamma)^{11}C$, 0=20455
McDowell,C.A. See Frost,D.C., 0=7739
McDowell,M.R.C. and Peach,G. Electron loss from fast negative ions of atomic hydrogen passing through atomic hydrogen, 0=5278
McDowell,M.R.C. See Bates,D.R., 0=775
McDowell,M.R.C. See Bates,D.R., 0=782
McDowell,M.R.C. See Bates,D.R., 0=18503
McDowell,R.S. See Jones,L.H., 0=5898
MacDowell,S.W. Analytic properties of partial amplitudes in meson—nucleon scattering, 0=2554
MacDowell,S.W. Form factors in $K\mu_3$ and K_{e_3} decay, 0=2590
Macduffee,C.C. Arc lengths in special relativity, 0=10576
McDuffie,G.E.Jr,Cunningham,J.R.Jr, and Anderson,E.E. Inital permeability characteristics of mixed yttrium-gadolinium iron garnets, 0=10137
McDuffie,G.E. See Anderson,E.E., 0=3089
Mace,D. and Thomas,L.H. An extrapolation formula for stepping the calculation of the orbit of an artificial satellite several revolutions ahead at a time, 0=14471
McEachran,R.P. and Fraser,P.A. d-wave contribution to electron—hydrogen atom scattering, 0=7335
McEachran,R.P. See Nicholls,R.W., 0=11518
McElhinny,M.W. Temperature variations in the region of the ionosphere during the solar eclipse of 25 December, 1954, 0=2004
McElhinny,M.W. Some further analyses of E-layer measurement in South Africa during the solar eclipse of 25 December, 1954, 0=6456
MacEwan,J.R.,MacEwan,J.U. and Yaffe,L. Self-diffusion in polycrystalline nickel, 0=2826
MacEwan,J.R.,MacEwan,J.U. and Yaffe,L. Diffusion of Ni^{63} in iron, cobalt, nickel, and two iron—nickel alloys, 0=2827
MacEwan,J.U. See MacEwan,J.R., 0=2826
MacEwan,J.U. See MacEwan,J.R., 0=2827
McEwan,R.J. See Gibson,J.E., 0=18621
McEwen,J.E. See Dickey,D.E., 0=9723
McEwen,J.G. Nuclear interactions at energies over 1000 BeV, 0=1342
McEwen,J.G. and Hebert,J. Use of a microscope with a scanning beam in the analysis of nuclear emulsions, 0=12790
McEwen,J.G. See Gibson,W.M., 0=201
McEwen,J.G. See Van Heerden,I.J., 0=19983
McEwen,K.L. Electronic structures and spectra of nitro-methane and nitrogen dioxide, 0=15712
Macfadyen,K.A. and Helliwell,G.C. Electrical conduction in liquid dielectrics under pulse conditions, 0=3527
McFarland,R.H. See Anderson,R.A., 0=15660
MacFarlane,A.J. Unitarity conditions for binary processes involving particles of arbitrary spin, 0=20055
Macfarlane,M.H. and French,J.B. Stripping reactions and the structure of light and intermediate nuclei, 0=20454
Macfarlane,M.H. See Rietjens,L.H.T., 0=17605
McFarlane,W. See Atkinson,J.R., 0=17286
McFarlane,W.K. See Homer,R.J., 0=17334
McFarling,J.L. See Kircher,J.F., 0=18440
McFee,J.H.,Marcus,P.M. and Estermann,I. Possible application of molecular beam techniques to the measurement of surface temperatures, 0=19521
McFee,R.H. Infrared search system design considerations, 0=14810
McFee,R.H. Electrical and optical techniques in the operation of infra-red detectors, 0=19498
McGee,J.D. See Mims,W.B., 0=13885
McGee,R.X. and Murray,J.D. Neutral hydrogen gas in the Taurus—Orion region observed with multichannel 21 cm line receiver, 0=4906
MacGillavry,C.H. See Eichhorn,E.L., 0=4654
McGinn,J.H. and MacWaters,J.T. Ballistic particle size separator, 0=10363
McGinnies,R.T. X-ray attenuation coefficients from 10 keV to MeV, 0=20106
McGinnis,E.A. See Weber,A., 0=7763
McGlashan,M.L. See Guggenheim,E.A., 0=20580
McGlashan,M.L. See Peña,M.D., 0=12400
McGlynn,S.P.,Boggus,J.D. and Elder,E. Energy transfer in molecular complexes. II. The anthracene-sym-trinitrobenzene complex, 0=4434
McGowan,F.K. and Stelson,P.H. Coulomb excitation of states in Pt^{195}, 0=1407
McGowan,F.K. See Robinson,R.L., 0=15563
McGowan,F.K. See Stelson,P.H., 0=1394
McGowan,F.K. See Stelson,P.H., 0=11428
McGowan,W. and Kerwin,L. Some sensitivities of ion gauges, 0=8722
McGowan,W. and Kerwin,L. Some oxygen ions formed at high pressures in a mass spectrometer, 0=10875
McGrath,J.W. and Silvidi,A.A. Proton-magnetic-resonance study of barium bromide monohydrate, 0=16190
McGrath,J.W.,Silvidi,A.A. and Carroll,J.C. Proton magnetic resonance study of lithium sulfate monohydrate, 0=4536
McGrath,J.W. See Silvidi,A.A., 0=6281

McGrath,W.D. The production of vibrationally excited S_2 in the isothermal flash photolysis of S_2Cl_2. 0=16382

McGrath,W.D. and Norrish,R.G.W. Studies of the reaction of excited oxygen atoms and molecules produced in the flash photolysis of ozone, 0=8319

MacGregor,M. See Ball,W.P., 0=17141

MacGregor,M.H. and Moravcsik,M.J. Modified analysis of nucleon—nucleon scattering p--p phase shifts at 210 MeV, 0=12931

MacGregor,M.H.,Moravcsik,M.J. and Stapp,H.P. Modified analysis of nucleon—nucleon scattering. II. Completed analysis of p—p scattering at 310 MeV, 0=2543

McGregor,R.R. Transistor cup anemometer, 0=10398

McGuire,A.D. See Craig,P.P., 0=411

McGuire,A.D. See Reines,F., 0=3955

McGuire,J.C. and Kempter,C.P. Preparation and properties of scandium dihydride, 0=21270

McGuire,J.H. and Law,M. The performance of spark guards, 0=6998

McGuire,J.H. and Wraight,H. Radiometer for field use, 0=8835

McGuire,T.R. and Happel,R.J.,Jr. The magnetic susceptibility of an MnO single crystal, 0=13850

McGuire,T.R, and Heikes,R.R. Magnetic properties of the $Li_xMn_{1-x}Se$ system, 0=11832

Machacek,M. and Scherr,C.W. Simple configuration interaction wave functions. III. Three-electron atomic system: an analytic study, 0=15643

McHargue,C.J. See Dunn,C.G., 0=18291

Macherauch,E. See Kolb,K., 0=6307

Machida,S. Pion—nucleon scattering and the structure of the pion, 0=11209

Machida,S. See Goto,S., 0=12917

Machin,K.E. See Beament,J.W.L., 0=5221

Machlin,S. and Murray,G.T. Effect of atmosphere conditions on the brittleness of NaCl, 0=1872

Machlup,S. See Finfgeld,C., 0=5227

Machta,L. See Hagemann,F., 0=1980

McHugo,J.W. See Penny,F.D., 0=4840

Machwe,M.K. See St Pierre,C., 0=457

McIldowie,J.E.G. See Meads,R.E., 0=5730

McIldowie,J.E.G. See Meads,R.E., 0=5697

McIlhagger,D.S. See Girvan,S.B., 0=5244

McIlwain,C. See Rothwell,P., 0=1323

McIlwain,C.E. See Rosen,A., 0=9490

McIlwain,C.E. See Rothwell,P., 0=14264

McIlwain,C.E. See Van Allen,J.A., 0=8398

McIlwain,C.E. See Van Allen,J.A., 0=10428

McIlwain,R.L. See Fetkovich,J.G., 0=9695

McInnes,B. and Robertson,K.A. Latitude distribution and seasonal variation of aurora over the British Isles during 1957 and 1958, 0=18505

MacInnes,D.A. and Pray,A.R. A redetermination of the value of the Faraday with the iodine coulometer (progress report), 0=21278

McInteer,B.B. and Reisfeld,M.J. Thermal-diffusion-column shape factors for the Lennard-Jones (12-6) potential, 0=14689

McIntosh,H.V. On accidental degeneracy in classical and quantum mechanics, 0=43

McIntosh,J.S.,Park,S.C. and Turner,J.E. Elastic scattering of heavy nuclei, 0=7586

McIntosh,R. See Hodgson,C., 0=12118

McIntyre,D. See O'Mara,J.H., 0=14658

McIntyre,J.A.,Baker,S.D. and Watts,T.L. Elastic scattering of O^{16} from nuclei, 0=2671

McIntyre,J.A.,Wang,K.H. and Becker,L.C. Analysis of alpha-particle elastic scattering experiments, 0=7579

McIntyre,J.A.,Watts,T.L. and Jobes,F.C. Neutron transfer and the tunneling mechanism in the bombardment of gold by nitrogen, 0=15584

McIntyre,J.D. See Davies,J.A., 0=19804

McIrvine,E.C. Quantum-mechanical approach to thermal transport phenomena in metals, 0=1537

McIrvine,E.C. and Overhauser,A.W. New quantum-mechanical representation, 0=1536

Mack,D.J. See Wahlin,H.B., 0=20723

Mack,J.E. See Chamberlain,J.W., 0=2029

Mack,J.E. See Hirschberg,J.G., 0=16841

Mack,L.M. See Wegener,P.P., 0=2269

Mackay,A.L. An axial retigraph, 0=8178

Mackay,A.L. See Bullen,G.J., 0=16287

Mackay,A.L. See Dasgupta,D.R., 0=21198

Mackay,B.H. See Algie,J.E., 0=11655

Mackay,D.M. Monocular "rivalry" between stabilized and unstabilized retinal images, 0=10458

McKay,K.G. See Chynoweth,A.G., 0=1648

Mackay,K.J.H. See Ferrier,R.P., 0=8243

McKay,M.H. and Keane,A. A correction to the effective resonance integral in heterogeneous nuclear reactors to allow for fuel geometry, 0=13316

McKay,M.H. See Keane,A., 0=20151

McKay,R.W. Reversible component of magnetization, 0=3086

McKay,R.W. and Smith,K.C. Effect of previous history on switching rate in ferrites, 0=10173

McKeag,A.H. See Hunt,B.E., 0=4444

McKeague,R. See England,J.B.A., 0=11419

McKee,J.S.C. See Aguilar,J.; 0=7583

McKee,J.S.C. See Aguilar,J., 0=20463

McKee,J.S.C. See Bredin,D.J., 0=9447

McKee,J.S.C. See Bredin,D.J., 0=20250

McKellar,A.M. Some topics in molecular astronomy, 0=14378

McKenna,S.M.P. See Ellison,M.A., 0=18764

McKenna,S.M.P. See Ellison,M.A., 0=18765

McKennell,R. The influence of viscometer design on non-Newtonian measurements, 0=19044

Mackenzie,A.C. See Walsh,J.B., 0=12392

MacKenzie,D.R. See Ewan,G.T., 0=2647

Mackenzie,J.D. Structure of glass forming halides. I. Liquid beryllium fluoride, 0=6777

MacKenzie,J.D. and Murphy,W.K. Structure of glass-forming halides. II. Liquid zinc chloride, 0=14626

McKenzie,J.M. and Bromley,D.A. Gold-germanium junctions as particle spectrometers, 0=1234

Mackenzie,K.V. Formulas for the computation of sound speed in sea water, 0=989

Mackenzie,K.V. Reflection of sound from coastal bottoms, 0=2207

McKeown,M. See Kane,W.R., 0=17564

McKerrow,C.A. Some measurements of atmospheric noise levels at low and very low frequencies in Canada. 0=16486

McKey,M.J. See Green,D.M., 0=814

Mackie,A.G. and Weir,D.G. The propagation of shock waves of constant strength, 0=6861

McKim,F.R. See Cooke,A.H., 0=8068

McKim,F.R. See Cooke,A.H., 0=13734

McKinley,D.W.R. See McNamara,A.G., 0=14388

McKinley,W.A. Search for a fundamental length in microscopic physics, 0=862

McKinley,W.A. See Scarfone,L.M., 0=20039

McKinney,J.E. and Bowyer,C.S. Determination of piezoelectric properties as a function of pressure and temperature, 0=1714

Mackinnon,J.A. See Dowell,T.M., 0=8101

Mackinnon,J.A. See Dowell,T.M., 0=16197

Mackinnon,L. and Myers,A. Ultrasonic absorption in superconducting and normal mercury, 0=8954

Mackinnon,L.,Myers,A. and Taylor,M.T. The effect of the direction of a transverse magnetic field on the electronic component of ultrasonic absorption in a lead single crystal, 0=9849

MacKinnon,N.L. See Sarkes,L.A., 0=11388

McKinsey,C.R. and Faulring,G.M. A new intermediate phase in the niobium-aluminium system, 0=3221

McKirgan,T.V.M., 0=5852

Macklin,R.L. Graphite sphere neutron detector, 0=17356

McLachlan,A.D. Spin densities in dimesitylmethyl, 0=11541

McLachlan,A.D. Valence-bond resonance structures for a triplet state, 0=17790

McLachlan,A.D. Dangers of the "average energy approximation" in perturbation theory, 0=17797

McLachlan,A.D. The pairing of electronic states in alternant hydrocarbons, 0=20649

McLachlan,A.D.,Dearman,H.H. and Lefebvre,R. Theory of hyperfine interactions in aromatic radicals, 0=15680

McLain,W.H. See Rabinovitch,B.S., 0=4711

McLaren,E.H. and Murdock,E.G. The freezing points of high purity metals as precision temperature standards. V. Thermal analyses on 10 samples of tin with purities greater than 99.99+% , 0=2271

McLaren,E.H. and Murdock,E.G. The freezing points of high purity metals as precision temperature standards VI. Thermal analyses on five samples of lead with purities greater than 99.999+%, 0=10803

McLaren,G.A. See Parker,D.J., 0=16716

McLaughlin,D.B. Neon absorption lines in a Nova spectrum, 0=14460
McLean,A.D. LCAO-MO-SCF ground state calculations on C_2H_2 and CO_2, 0=13450
McLean,A.D.,Ransil,B.J. and Mulliken,R.S. Charge distribution, hybridization and bonding in acetylene and carbon dioxide, 0=17802
McLean,A.D.,Weiss,A.W. and Yoshimine,M. Configuration interaction in the hydrogen molecule — the ground state, 0=17812
McLean,D. and Hale,K.F. Dislocation-free precipitates, 0=18389
McLean,D.J. Solar radio emission of spectral type IV and its association with geomagnetic storms, 0=8475
McLean,T.P. and Loudon,R. Exciton energy levels in germanium and silicon, 0=11607
McLennan,J.A.,Jr. Statistical mechanics of the steady state, 0=891
McLennan,J.A.,Jr. Statistical mechanics of transport in fluids, 0=14548
McLeod,D. See McDaniel,B.D., 0=5616
McLeod,J.H. Axicons and their uses, 0=2232
McMahon,P.E. See Schug,J.C., 0=17784
McMahon,R.E. See Tancrell,R.H., 0=11006
McManus,H. See Kerman,A.K., 0=5739
McManus,H. See Vogt,E., 0=13252
McMaster,W.H. Polarization phenomena for positron annihilation-in-flight, 0=17311
McMath,R.R.,Mohler,O.C. and Dodson,H.W. Solar features associated with Ellerman's solar hydrogen bomb, 0=8496
McMillan,B. A descriptive introduction to the statistical theory of communication, 0=2119
McMillan,D.E. See Gaerttner,E.R., 0=13302
McMillan,E.M. History of the cyclotron. II, 0=5368
McMillan,F.N. See Hock,D.C., 0=12334
McMillan,J.A.,Matheson,M.S. and Smaller,B. Paramagnetic resonance of gamma-irradiated single crystals of ice at 77°K, 0=16168
McMillan,M. and Opechowski,W. On the temperature dependence of the shape of paramagnetic resonance lines. 0=16156
McMillan,R.C. See King,G.J., 0=8083
Macmillan,R.S.,Rusch,W.V.T. and Golden,R.M. A new antenna to eliminate ground wave interference in ionospheric sounding experiments, 0=2003
McMillan,W.G. See Porter,R.A., 0=5718
McMullan,R. and Jeffrey,G.A. Hydrates of the detra n-butyl and tetra i-amyl quaternary ammonium salts, 0=3255
McMullen,A.I. See Kinloch,C.D., 0=3713
McMullen,C.W. Transistorized distributed amplifier, 0=2299
McMurry,H.L.,Cazier,G.A. and Goin,R.W. Calculation of MTR fuel loadings, 0=13368
McNally,D. See Crampin,J., 0=14497
McNally,D. See McCrea,W.H., 0=18865
McNally,J.R.,Jr and Kessler,K.G. Supplementary Zeeman data for the first spectrum of ruthenium (Ru I), 0=7730
McNamara,A.G. An analysis of some statistical properties of auroral radar reflections and their relationships to the detection capabilities of the radar, 0=6479
McNamara,A.G. and McKinley,D.W.R. The effect of trail irregularities on the interpretation of meteor echoes, 0=14388
McNamee,J.M. See Butcher,A.C., 0=1422
McNarry,L.R. Distribution of flares on the solar disk associated with noise, 0=4899
McNeill,K.G. Interrelationship of physical quantities, 0=4924
McNeill,K.G. See Storey,R.S., 0=425
McNesby,J.R.,Scheer,M.D. and Klein,R. Isotope effect in the hydrogen atom—formaldehyde reaction, 0=14114
McNesby,J.R. See Gordon,A.S., 0=746
Macnichol,E.F. An analog computer to simulate systems of coupled bimolecular reactions, 0=6410
McNicol,R.W.E. and Thomas,J.A. Measurements of changes in the phase path of radio waves reflected from the ionosphere at normal incidence, 0=19941
McNicol,R.W.E. See Thomas,J.A., 0=18495
McNicol,R.W.E. See Thomas,J.A., 0=19942
McNish,A.G. Geomagnetic effects of high-altitude nuclear explosions, 0=12142
McNulty,J.,Silver,M. and Witte,R.S. Production of alkali halide single crystal filaments and points, 0=18315
McNulty,J.S. See Kircher,J.F., 0=18440
McPhail,M.K. See Buckholz,E.E., 0=6489
MacPhee,J. The kinetics of circulating fuel reactors, 0=13329
McPherson,A.I. and Forbes,V.M. The absorption of cosmic rays in lead measured with nuclear emulsions, 0=13090
McPherson,D.A. See Gates,D.C., 0=9243
McPherson,D.H. and Jones,A.V. A study of the latitude dependence of OH rotational temperatures for Canadian stations, 0=14284
McPherson,D.H. See Jones,A.V., 0=2032
Macpherson,P.A. and Thrasher,D.B. High-frequency calibration of an ADP crystal microphone, 0=14751
Macq,P.C. See Gonze,A., 0=15094
Macq,P.C. See Vervier,J.F., 0=17143
McQuarrie,D.A. See Robinson,D.W., 0=4194
McQueen,R.G. and Marsh,S.P. Equation of state for nineteen metallic elements from shock-wave measurements to two megabars, 0=11548
McQuistan,R.B. See Linner,L.R., 0=12442
MacRae,A.U. and Levenstein,H. Surface-dependent 1/f noise in germanium, 0=11683
McRae,E.G. A vibrational effect on the polarization of molecular crystal fluorescence, 0=18133
McReynolds,A.W. and Riste,T. Critical scattering of neutrons from CoO, 0=13806
McShane,I.E. See Johnson,W., 0=6713
McSkimin,H.J. Performance of high-frequency barium titanate transducers for generating ultrasonic waves in liquids, 0=129
McSkimin,H.J. Empirical study of the effect of diffraction on velocity of propagation of high-frequency ultrasonic waves, 0=19298
McSkimin,H.J. and Fisher,E.S. Temperature dependence of the adiabatic elastic moduli of single-crystal alpha uranium, 0=16204
Macurdy,L.B. See Bowman,H.A., 0=3486
McVicar,D.D. See Smith,R.D., 0=5810
McVoy,K.W. Effects of a nuclear octupole moment on neutron scattering, 0=11305
McVoy,K.W. and Fano,U. Bremsstrahlung and the photoelectric effect as inverse processes, 0=2516
McVoy,K.W. See Fano,U., 0=2513
McVoy,K.W. See Fano,U., 0=2515
MacWaters,J.T. See McGinn,J.H., 0=10363
McWeeny,R. The density matrix in many-electron quantum mechanics. I. Generalized product functions. Factorization and physical interpretation of the density matrices, 0=9728
McWeeny,R. Some recent advances in density matrix theory, 0=17833
McWeeny,R. and Ohno,K.A. A quantum-mechanical study of the water molecule, 0=7786
McWeeny,R. See Peacock,T.E., 0=4277
McWhirter,R.W.P. Ionization times of impurities in hydrogen plasmas, 0=10902
McWhirter,R.W.P.,Palit,P. and Bellamy,E.H. Distinguishing between He^3 and He^4 particles by 'dE/dx' and "E" measurements, 0=2456
McWhorter,A.L. See Calawa,A.R., 0=18047
Maczuk,J. See Schwan,H.P., 0=3316
Madansky,L. See Tilley,D.R., 0=1389
Madaule,F. See Bishop,G.R., 0=9604
Madden,R.P. See Berning,P.H., 0=8797
Maddever,R.S. See Jones,O.C., 0=4784
Maddever,R.S. See Jones,O.C., 0=14957
Maddison,R.N. See Buck,B., 0=20427
Maddocks,F.S. See Behrndt,K.H., 0=3060
Madella,G.B. On the class of "Reciprocity Methods", 0=3588
Madelung,O. Hall effect in semiconductors with p—n transitions, 0=4336
Mader,C. See Loughran,E.D., 0=13427
Mader,C.L. See Zinn,J., 0=5200
Madey,R. and Barge,D.A. Anti-coincidence circuit for use in the milli-microsecond region, 0=15218
Maecker,H. On the characteristics of cylindrical arcs, 0=5289
Maecker,H. The measurement and interpretation of arc characteristics (A, N_2), 0=9013
Maeda,H. Geomagnetic disturbances due to nuclear explosion, 0=12141
Maeda,H. Geomagnetic distortion of the F2 region on the magnetic equator. II, 0=14256
Maeda,H. Horizontal winds and ionization drifts in the ionosphere, 0=21340
Maeda,H. See Hirono,M., 0=8378
Maeda,H. See Uyeda,H., 0=16412
Maeda,K. Distortion of the magnetic field in the outer atmosphere due to the rotation of the earth, 0=14180

Maeda,K. Origin of local high electric field in electroluminescence, 0=16108
Maeda,K.,Kato,S. and Tsuda,T. A theory of ionospheric radio wav scattering under the influences of ion production and recombination, 0=2011
Maeda,K. and Kimura,I. Calculation of the propagation path of whistling atmospherics, 0=8428
Maeda,K. See Hayashi,T., 0=13882
Maeda,S. See Mikami,I., 0=21040
Maeder,D. Photographic recording methods in nuclear pulse spectrometry, 0=17182
Maehlum,B. See Becken,J., 0=14237
Maenhout-van Der Vorst,W. Luminescence of pure and silver-activated alkali-halides, 0=8010
Maestro,M. See Scrocco,E., 0=1508
Maeva,S.V. See Levin,B.Yu., 0=14396
Maevskii,V.M. See Lisitsa,M.P., 0=3483
Maevskii,V.M. See Lisitsa,M.P., 0=7992
Maeyer,L.de. See de Maeyer,L.
Maga[Magat]M. and Bro,K. [Brot,C.]. Dielectric polarization of some aliphatic alcohols, 0=19140
Magalinskii,V.B. The evaluation of coordinate probabilities for nonlinear systems by Gibbs' method, 0=10610
Magalinskii,V.B. Dynamical model in the theory of Brownian motion, 0=10612
Magalinskii,V.B. and Terletskii,Ya.P. An equation for the diffusion in phase space for nonlinear systems, 0=10613
Magalinskij,V.B. and Terletskij,Ja.P. On the statistical theory of nonequilibrium processes, 0=6687
Magarshack,J.M. See Axson,M., 0=8591
Magat,M. See Maga,M., 0=19140
Magee,J.L. and Hamill,W.H. Comparison of hot and thermal reactions, 0=3297
Mageru,V.,Blǎnariu,D. and Gabe,I. On the distribution of activity in radioactive residues from atmospheric precipitates, 0=2630
Mageru,V.,Blǎnariu,D. and Gabe,I. New fission products in the atmosphere, 0=16496
Maggs,F.A.P. and Schwabe,P.H. Recording calorimeter for the measurement of heats of wetting, mixing, or solution, 0=7009
Maggs,F.A.P.,Schwabe,P.H. and Williams,J.H. Adsorption of helium on carbons: influence on measurement of density, 0=14148
Maglić,B.C. Direct reading of the vertical component of particle tracks in nuclear emulsion, 0=17167
Maglić,B.C. See Button,J., 0=13067
Maglieri,D.J. See Hubbard,H.H., 0=16806
Magnac-Valette,D.,Suffert,M.,Liess,M. and Cüer,P. A 340 kV accelerator for the study of reactions induced by tritons, 0=9113
Magnac-Valette,D. See Bilwes,R., 0=17055
Magnasco,V. and Rossi,C. Statistics of isotactic deformable chains with interdependent internal rotations, 0=20697
Magnusson,M. Further properties of the energy-momentum complex in general relativity, 0=12360
Mágori,E. See Gombás,P., 0=13100
Magot-Cuvrû,P. See Serruys,M., 0=10722
Maguire,C.R. The development and calibration of quartz accelerometers, 0=16663
Maguire,C.R. See Jackson,R.S., 0=18235
Magun,S. See Walz,E., 0=4565
Magun,S. See Woerner,S., 0=3146
Mah,W. See Forsyth,P.A., 0=12199
Mahadevan,P. See Hasted,J.B., 0=2727
Mahan,A.I. and Bone,L.P. Far-field diffraction properties of a plane-parallel plate when placed partially in front of a rectangular diffracting aperture, 0=10780
Mahan,B.H. Perturbation of molecular distribution functions by chemical reaction, 0=4708
Mahan,B.H. Photolysis of carbon dioxide, 0=21287
Mahanty,J.,Maradudin,A.A. and Weiss,G.H. Vibrational thermodynamic properties of lattices with defects. I. The linear lattice, 0=11570
Mahapatra,P.Kumar. See Kumar Mahapatra,P.
Mahendroo,P.P. See Nolle,A.W., 0=16720
Mahl,H. and Weitsch,W. Evidence of fluctuating charges in thin collodion films during electron irradiation, 0=3785
Mahl,H. and Weitsch,W. Investigation of fluctuating [electric] charges in insulating films with electron radiation, 0=14093
Mahl,H. and Weitsch,W. Small-angle diffraction with electron beams, 0=16294
Mahl,H. See Gütter,E., 0=19754
Mahler,W. and Muetterties,E.L. F^{19} spectra of phosphorus (V) fluorides, 0=17781
Mahlman,H.A. Activity concept in radiation chemistry, 0=1963
Mahlman,H.A. Hydrogen formation in the radiation chemistry of water, 0=4730
Mahmoud,K.A. See Kamel,R., 0=17975
Mai,G. See Schoffa,G., 0=11837
Maier,W. and Dörr,F. Some results of resonance Raman spectroscopy, 0=7765
Maier,W. and Saupe,A. A simple molecular-statistical theory of the nematic liquid crystalline phase, 0=5007
Maier,W. and Saupe,A. A simple molecular-statistical theory of the nematic liquid crystalline phase. II, 0=14625
Maier,W. See Rudolph,H.D., 0=9807
Maier,W. See Rudolph,H.D., 0=20627
Maier-Leibnitz,H. See Guilino,G., 0=16470
Maierhofer,J. and Krempl,H. Photoelectric emission analysis with prism spectrographs of medium dispersion. Determination of silicon and phosphorus in iron, 0=14828
Maiko,V.I. See Pilat,I.M., 0=18401
Maillet,J. See Laville,G., 0=6859
Maillet,R. and Florent,R. The proton synchrotron "Saturne". Analysis of cost, 0=2412
Maillet,R. See Levy-Mandel,R., 0=2412
Maillot,J.P. See Jurain,G., 0=18455
Maiman,T.H. Maser behavior: temperature and concentration effects, 0=3849
Maiman,T.H. Optical and microwave-optical experiments in ruby, 0=13670
Maiman,T.H. Stimulated optical radiation in ruby, 0=20988
Maimi,R. See Cordier,H., 0=10794
Main,R.M. See Hubbard,E.L., 0=9647
Mainstone,J.S. The calculation of meteor velocities from continuous-wave radio diffraction effects from trails, 0=14403
Mairy,C. See Adda,Y., 0=11664
Maisch,W.G. See Vanderslice,J.T., 0=4245
Maisch,W.G. See Vanderslice,J.T., 0=17734
Maisonnier,C. See Bineau,M., 0=19663
Maissel,L. Thermal expansion of silicon, 0=2799
Maissel,L.I. Selective pressure broadening and the Stark effect, 0=5874
Majer,J.R. See Hardy,R., 0=8331
Majkowski,R.F. See Schreiber,T.P., 0=10773
Major,J.V. See Allen,J.E., 0=20185
Majourel,M.T. See Jaffray,J., 0=12012
Majumdar,D.K. and Basu,S. Charge transfer and fluorescence quenching, 0=19162
Majumdar,S.D. A supplement to the paper on "The problem of three bodies in quantum mechanics", 0=2144
Majumdar,S.D. The Clebsch—Gordan coefficients, 0=15270
Majumdar,S.D. Note on energy levels of polyatomic molecules, 0=15697
Majumdar,S.K. A note on magnetohydrodynamics of a finite rotating disk, 0=17085
Mak,A.A. Temperature of a spark discharge channel in air, 0=14996
Mak,A.A. See Ermakov,B.A., 0=3631
Mak,A.A. See Vanyukov,M.P., 0=170
Mak,A.A. See Vanyukov,M.P., 0=7105
Mak,A.A. See Vanyukov,M.P., 0=14998
Mak,S. and Cormack,D.V. Spectral distributions of scattered X-rays at points lying off the beam axis, 0=12904
Makarin,V.K. See Barkov,L.M., 0=3973
Makarin,V.K. See Barkov,L.M., 0=7362
Makar'ina,L.A. See Varfolomeev,A.A., 0=355
Makar'ina,L.A. See Varfolomeev,A.A., 0=7324
Makarov,E.S. and Tobelko,K.I. Crystalline structure of metatorbernite, 0=8227
Makarov,L.L.,Lur'e,B.G. and Maly̆shev,V.N. Investigation of the density of mixed KCl—RbCl crystals and diffusion of rubidium ions in them, 0=6063
Makarov,L.O. Note on the operational characteristics of a rod concentrator, 0=10717
Makarov,M.M. See Arifkhanov,U.R., 0=13234
Makarov,M.M. See Perfilov,N.A., 0=9622
Makarov,V.I. Visualization of ultrasonic pulses with a high-frequency carrier, 0=1004
Makarov,V.I. See Kuz'michev,Yu.M., 0=1005
Makarov,Yu.V. See Glagolev,V.L., 0=11376
Makaryunas,K.V. and Starodubtsev,S.V. Investigation of the (α,α'), (α,p) and (α,t) reactions on lithium nuclei, 0=9644

Makaryunas,K.V. See Starodubtsev,S.V., 0=13246
Makhnovskii,E.D. The (γ,p) reaction on Au^{197}, 0=5768
Makhnovskii,E.D. See Komar,A.P., 0=17619
Makhov,A.F. The universal nature of electron penetration in solids, 0=10971
Makhov,A.F. Penetration of electrons into solids. I. Intensity of the electron beam. Transverse paths of electrons, 0=19765
Makhov,A.F. Penetration of electrons into solids. II. Depth distribution of electrons, 0=19766
Makhov,A.F. Penetration of electrons into solids. III. Absorption of the energy of the electron beam, 0=19767
Makhov,A.F. See Vyatskin,A.Ya., 0=15082
Makhov,G.,Cross,L.G.,Terhune,R.W. and Lambe,J. Effect of nuclear polarization on the behaviour of a solid state masers, 0=9197
Makhov,G. See Terhune,R.W., 0=8092
Maki,A.G.,Stair,R. and Johnston,R.G. Apparatus for the measurement of the normal spectral emissivity in the infrared, 0=16917
Maki,A.H. and Geske,D.H. Electron-spin resonance of electrochemically generated free radicals. Isomeric dinitrobenzene mononegative ions, 0=17776
Makin,M.J. and Minter,F.J. The mechanical properties of irradiated niobium, 0=16232
Makin,M.J. See Whapham,A.D., 0=18268
Makin,S.M. and Nunley,A.E. An autoradiographic method for determining the distribution of iron on recording tape, 0=12668
Makin,S.M. and Rogers,G.T. Precision microphotometer for use with a Vickers projection microscope, 0=3594
Makinson,R.E.B. and Roberts,A.P. Zone theory of liquids, 0=19094
Makogon,M.B. Nature of the dependence of the mechanical properties of solid solutions on their concentrations, 0=1930
Makolagwa,S. Effect of potassium ions on the reaction and final properties of Mn—Zn ferrite, 0=11890
Makovetskii,P.V. The antiradiant of a meteor stream, 0=18713
Maksimenko,V.M. Statistical interpretation of experimental data on multiple production of particles at energies of 1-20 BeV, 0=2588
Maksimenko,V.M. Peripheral collisions of high-energy nucleons, 0=9613
Maksimenko,V.M. The problem of the resonance in $\pi-\pi$ interactions, 0=15398
Maksimenko,V.M. See Zhdanov,G.B., 0=9618
Maksimov,A.I. See Krasnov,K.S., 0=17727
Maksimov,M.Z. Range—energy relation for various substances, 0=9320
Maksimov,M.Z. Break-up of charged particles by a nuclear Coulomb field, 0=13223
Maksyutenko,B.P. Relative yields of delayed neutrons in fission of U^{238}, U^{235}, and Th^{232} by fast neutrons, 0=2694
Makushkin,V.P. and Mishuev,A.V. Spherical barium titanate pressure receivers of air shock waves, 0=130
Malach,R.J. See Burnham,R.W., 0=18558
Malamud,E. and Silverman,A. Magnetic measurements on the Cornell alternate gradient synchrotron, 0=19850
Malaviya,S.C. Solution of Cauchy's problem for the wave equation $(\partial^2/\partial t^2 - \nabla^2 + k^2)\psi = 0$, 0=822
Malčić,S.S. The crystal structure of sodium trichloromercurate (II) dihydrate, 0=21197
Maldonado,E. See Escobar,I., 0=15485
Male,J.C. and Prior,J.R. Intrinsic recombination radiation in diamond, 0=16082
Malecki,I. The acoustic properties of room absorbers, 0=1020
Malecki,I. and Kaliski,S. The vibration of plates, 0=983
Malecki,I. See Koltoński,W., 0=16798
Maleev,E.N. An incandescent lamp with a mica window for use in the infrared region, 0=16867
Maleev,S.V. Use of the Mössbauer effect for the investigation of localized atomic oscillations in solids, 0=20789
Málek,Z. A study of the influence of dislocations on some of the magnetic properties of permalloy alloys, 0=3063
Málek,Z.,Schüppel,W.,Stemme,O. and Andrä,W. The uniaxial magnetic anisotropy of thin films and its time dependence, 0=6234
Málek,Z. See Andrä,W., 0=10153
Málek,Z. See Kroupa,F., 0=6224
Maletskii,I. See Abramchik,M., 0=6896
Malevskaya,L.A. and Nurmukhamedov,G.M. Temperature dependence of ferromagnetic resonance in yttrium ferrite garnets, 0=11929
Malevskaya,L.A. See Belov,K.P., 0=13835
Maley,L.E. Ionization detector for gases and vapors, 0=8340
Malhotra,P.K. See Daniel,R.R., 0=12923
Malhotra,P.K. See Lal,D., 0=2041
Malicskó,L. See Domokos,G., 0=4586
Malik,F.B. and Trefftz,E. Elastic scattering of low energy electrons by atomic hydrogen, 0=15675
Malinge,A.,Blum,E.J.,Ginat,M. and Parise,M. The north—south arm of the large interferometer at Nancay, 0=827
Malinge,A.M. Relation between the position and the sense of polarization of solar radio storms, 0=6559
Malinge,A.M. A relationship between solar radio noise storms and chromospheric eruptions, 0=14422
Malinge,A.M. See Blum,E.J., 0=18645
Malinskii,Yu.M. See Tikhomirova,N.S., 0=12064
Malitskaya,G.I. See Rumanova,I.M., 0=14034
Mal'kova,A.A. See Kolomiets,B.T., 0=18036
Malkovich,R.Sh. See Boltaks,B.I., 0=11699
Mallet,L. and Constans,H. Radioluminescent dosimeter, 0=314
Mallick,D. Motion induced by a sphere vibrating along the axis of rotation of an infinite rotating liquid, 0=6746
Mallick,D.D. Secondary flow in a rotating elliptic pipe, 0=8624
Mallmann,C.A. and Kerman,A.K. Comparison of asymmetric quadrupole rotor energy level predictions for even nuclei with experimental results, 0=11320
Mallon,H.D. and Runciman,I.G. Optical properties of bismuth, 0=13667
Mallon,H.D. and Wilson,C.G. Determination of orientation of bismuth single crystals using back-reflexion technique, 0=10294
Malm,J.G. See Weinstock,B., 0=4202
Malmfors,K.G. On the possibility of applying trochoidal orbits in beta-spectroscopy, 0=19757
Malmfors,K.G.,Kjellman,J. and Nilsson,A. The time-of-flight technique applied to fast neutrons, 0=17349
Malone,D.P. See Greenberg,J.S., 0=20382
Malos,J. The absorption of air showers, 0=11243
Malovetskaya,V.,Vavilov,V.S. and Galkin,G.N. The reflection coefficients of anti-reflection coated surfaces of silicon photo-cells, 0=10031
Maltby,P. Correlation between the intensity of the umbra of sunspots and enhanced radiation on 200 Mc/s, 0=4892
Maltby,P. See Steen,O., 0=6588
Mal'tsev,É.I. See Ivanovskaya,I.A., 0=20222
Mal'tsev,V.M. Calculation of the efficiencies of lead converters, 0=1236
Maltsev,V.M. See Barashenkov,V.S., 0=3964
Mal'tsev,V.M. See Barashenkov,V.S., 0=3966
Maltsev,V.M. See Barashenkov,V.S., 0=4088
Mal'tsev,V.M. See Barashenkov,V.S., 0=9350
Mal'tsev,V.M. See Barashenkov,V.S., 0=11168
Mal'tsev,V.M. See Barashenkov,V.S., 0=11212
Maltsev,V.M. See Barashenkov,V.S., 0=15312
Mal'tsev,Yu.V. Positions of extrema in the functions describing scattering of light by spherical particles, 0=3649
Mal'tsev,Yu.V. Comparison of the functions representing scattering of light by spherical particles, 0=14849
Malumyan,V.G. Observations of the region of the centre of the galaxy at 33.3 cm wavelength with the large radio-telescope of the Chief Astronomical Observatory, 0=12259
Malurkar,S.L. Relation of first impulses in horizontal and vertical magnetograms at Alibag (Bombay), 0=8356
Malurkar,S.L. Solar flares, concurrent cosmic ray bursts and subsequent geomagnetic storms, 0=8497
Malvano,R. See Emma,V., 0=17616
Malvano,R. See Farinelli,U., 0=19862
Malvano,R. See Ferrero,F., 0=7599
Malville,J.M. Antarctic auroral observations, Ellsworth Station, 1957, 0=10434
Malville,J.M. Artificial auroras resulting from the 1958 Johnston Island nuclear explosions, 0=12195
Malville,J.M. Type-B aurora in the Antarctic, 0=14280
Malyarov,V.V. Remarks on a note by F.S.Los' "Phase of a scattered wave", 0=2498
Malyi,Ya. See Krizhanskii,L.M., 0=7634
Malÿshev,G.M.Skidan,V.B.Fradkin,É.E. and Chaika,M.P. Resolution of a monochromator with photoelectric recording, 0=10774

Malȳshev,G.M. See Kaliteevskii,N.I., 0=3634
Malȳshev,G.M. See Sobolev,N.N., 0=8854
Malyshev,I.F. See Veksler,V.I., 0=5369
Malȳshev,V.A. See Lavrukina,A.K., 0=13298
Malȳshev,V.N. See Makarov,L.L., 0=6063
Malyughinetz,G.D. The Sommerfeld integral and the solution of diffraction problems for wedge-shaped regions, 0=12696
Malyuzhinets,G.D. The scattering of sound caused by unevennesses of a discontinuity layer in the sea, 0=132
Malyuzhinets,G.D. The excitation, reflection and radiation of surface waves at a wedge with given impedance faces, 0=298
Mamakov,A.A. See Vinogradov,G.V., 0=916
Mamaladze,Yu.G. and Matinyan,S.G. Damping of disk oscillations in rotating helium II, 0=7024
Mamaladze,Yu.G. and Matinyan,S.G. Damping of the oscillations of a cylinder [immersed] in rotating liquid helium II, 0=12551
Mamalui,Yu.A. See Borovik,E.S., 0=18203
Mamasakhlisov,V.I. and Kopaleishvili,T.I. Inelastic scattering of nucleons on Mg^{24} and Si^{28} nuclei, 0=9629
Mamasakhlisov,V.I. and Kopaleishvili,T.I. Rotational levels of Li^7, 0=13136
Mamasakhlisov,V.I. See Vashakidze,I.Sh., 0=13112
Mamedov,K.P. Anisotropy in the electron densities of atoms in diamond-type crystals, 0=16309
Mamontova,T.N. See Kolomiets,B.T., 0=15903
Man,L.I. See Semiletov,S.A., 0=16330
Manacher,G.K. and Wolfenstein,L. Contribution of nucleon currents to radiative muon capture by a proton, 0=2563
Managan,W.W. See Mann,H.W., 0=19975
Managan,W.W. See Sola,A., 0=15621
Mănăilă,R. Improvement in resolving power of a spectrograph by interference with the intermediary image, 0=14825
Manaila,R. See Grigorovici,R., 0=16826
Manasse,R. Maximum angular accuracy of tracking a radio star by lobe comparison, 0=16529
Mandel,G.,Bauman,R.P. and Banks,E. Electronic transitions of rare earth ions in the infrared region, 0=13698
Mandel,G. and Collins,F.C. Brownian motion in liquids, 0=14619
Mandel,L. Fluctuations of photon beams: the distribution of the photo-electrons, 0=5124
Mandel,L. Image fluctuations in cascade intensifiers, 0=8785
Mandel,L. Photographic sensitivity of image intensifiers with thin end windows, 0=19467
Mandel,M. See Goldsborough,J.P., 0=3123
Mandel,M. See Goldsborough,J.P., 0=19952
Mandelbrojt,J. Critical study and simplified soluble form of Tomonaga's intermediate coupling approximation, 0=2487
Mandelbrot,B. Grand canonical ensembles of Gibbs; proof of their uniqueness, based on the infinite divisibility of their random energy, 0=894
Mandelkern,L. See Posner,A.S., 0=8251
Mandelkorn,J. Analysis of low-level semiconductor lifetime decay waveshapes, 0=7922
Mandelkorn,J. Electrical characteristics of some gallium phosphide devices, 0=9974
Mandel'shtam,S.L. and Mazing,M.A. Broadening and shift of spectrum lines in the plasma of a gas discharge, 0=17702
Mandel'shtam,S.L. See Lebedev,S.V., 0=9010
Mandel'shtam,S.L. See Mazing,M.A., 0=13417
Mandel'shtam,S.L. See Sukhodrev,N.K., 0=3747
Mandel'shtam,S.L. See Tskhai,N.S., 0=4174
Mandelstam,S. Analytic properties of transition amplitudes in perturbation theory, 0=1256
Mandelstam,S. Construction of the perturbation series for transition amplitudes from their analyticity and unitarity properties, 0=1257
Mandelstam,S. Unitarity condition below physical thresholds in the normal and anomalous cases, 0=7281
Mandelstam,S. Some rigorous analytic properties of transition amplitudes, 0=15280
Mandelstam,S. See Chew,G.F., 0=13019
Mandelstam,S. See Chew,G.F., 0=13020
Mandeville,C.E. See Albrecht,H.O., 0=2177
Mandeville,C.E. See Nath,N., 0=4121
Mandeville,C.E. See Nath,N., 0=5798
Mandl,V. See Giannelli,G., 0=12801
Mandò,M. See Ademollo,M., 0=17521
Mandò,M. See Bocciolini,M., 0=17563
Mandritskaya,K.V. See Dzhanelidze,L.P., 0=15445
Manduchi,C. and Russo-Manduchi,M.T. Beta-decay of Sr^{89}, 0=17533
Manenc,J. The existence of several stages of precipitation with Ti-hardened Cu-alloys, 0=21228
Manenkov,A.A. and Fyodorov,V.B. Investigation of the line width and profile in the paramagnetic resonance spectrum of the Cr^{+++} ion in corundum single crystals, 0=11941
Manenkov,A.A. and Prokhorov,A.M. Spin—lattice relaxation in chromium corundum, 0=11940
Manenkov,A.A. See Piskunov,A.K., 0=21077
Manfredini,A. See Amaldi,E., 0=5561
Manfredini,A. See Baroni,G., 0=12924
Manfredini,A. See Baroni,G., 0=15357
Manfredini,A. See Bellettini,G., 0=12748
Manfredini,A. See Castagnoli,C., 0=12775
Mang,H.J. On the theory of α-decay, 0=13182
Mang,H.J. Calculation of α-transition probabilities, 0=13185
Mangelsdorf,P.C., Jr. Role of thermal diffusion in the elctrolytic separation of isotopes in liquid metals, 0=3516
Mangelsdorf,P.C., Jr. Transport processes in liquid alloys. II. The electrical force on an ion, 0=19112
Mangelsdorf,P.C., Jr and Washington,E.L. Packing of mixtures of hard spheres, 0=21223
Mangum,B.W. See Hutchison,C.A., Jr, 0=10231
Mani,A.,Venkataraman,C.N. and Huddar,B.B. Radiation and lag errors of the F-type radiosonde, 0=1984
Mani,G.S. On the slowing down relaxation time for neutrons in moderators, 0=7371
Mani,G.S. See Iyengar,S.B.D., 0=9374
Mani,G.S. See Iyengar,S.B.D., 0=9375
Mani,G.S. See McCallum,G.J., 0=11440
Mani,G.S. See McCallum,G.J., 0=17504
Maniawski,F. See Budzanowski,A., 0=5912
Man'ko,V.I. See Baldwin,S.A., 0=13232
Man'ko,V.I. See Karadzhev,K.V., 0=20451
Man'kovskii,V.S. On the localization of an apparent sound source in two-channel stereophonic transmission, 0=1025
Manley,D.M.J.P. Change of size of air bubbles in water containing a small dissolved air content, 0=6769
Manley,D.M.J.P. New technique for measurement of low dissolved-air content of water, 0=21264
Manley,O.P. A method of evaluating diffusion coefficients in crystals, 0=13558
Manley,O.P. Conductivity and structure of Bi_2Te_3, 0=13607
Manley,O.P. and Rice,S.A. Dynamical theory of diffusion in crystals, 0=4305
Manley,R.St.J. See Ruck,H., 0=12014
Mann,A.K. See Reibel,K., 0=9526
Mann,D.B. and Birmingham,B.W. United States planning for the large scale liquefaction and transportation of helium, 0=8915
Mann,D.B. See Scott,L.E., 0=7039
Mann,D.E. See Lide,D.R., Jr, 0=2752
Mann,D.E. See White,D., 0=4192
Mann,D.E. See White,D., 0=4193
Mann,D.P.,Watson,W.W.,Chrien,R.E.,Zimmerman,R.L. and Schwartz,R.B. Total neutron cross section of xenon and krypton, 0=4126
Mann,E. and Seeger,A. Semi-empirical determination of the Born—Mayer constants of cubic closed-shell metals, particularly of copper, 0=11556
Mann,E. See Seeger,A., 0=11557
Mann,E.R. See Bettis,E.S., 0=13314
Mann,G.A. and Hause,C.D. Magnetic rotation spectra of nitric oxide in the near infrared, 0=20623
Mann,H.W. and Managan,W.W. Detection of minimum ionising particles in silicon p—n junctions, 0=19975
Mann,J.A., Jr and Hansen,R.S. Simple technique for the automatic recording of monolayer compression characteristics, 0=16394
Mann,J.B. See Blais,N.C., 0=10797
Mann,J.B. See Blais,N.C., 0=14967
Mann,P.A. See Fränz,K., 0=5416
Mann,W.B.,Seliger,H.H.,Marlow,W.F. and Medlock,R.W. Recalibration of the NBS carbon-14 standard by Geiger—Müller and proportional gas counting, 0=13159
Mannami,M. See Hashimoto,H., 0=20820
Mannari,I. Remarks on spin-wave theory for the ferromagnetic exchange problem, 0=11818
Mannari,I. Quantization of spin wave field, 0=13747
Mannari,I. Electrical resistance of ferromagnetic metals, 0=20860

Mannari,I. See Terasaki,F., 0=13865
Mannchen,W. and Bornkessel,K. The atomic heat C_p of pure magnesium, and magnesium containing hydrogen, between 12 and 300°K, 0=4268
Mannella,G. See Reeves,R.R., 0=6403
Mannella,G. See Reeves,R.R., 0=6405
Mannella,G.G.,Reeves,R.R. and Harteck,P. Surface catalyzed excitation with N and O atoms, 0=18428
Mannelli,I. See Bertanza,L., 0=11214
Männer,W. and Springer,T. Resonance flux measurement with activation probes, 0=7668
Mannheim,R. See Wilke,K.T., 0=8017
Mannkopff,R. See Anacker,F., 0=204
Manning,F.S. and Manning,W.P. Derivation of thermodynamic relations for three-dimensional systems, 0=19527
Manning,G. and Rogers,J.D. Measurement of g-factors of several short-lived nuclear states in odd-mass nuclei, 0=7472
Manning,G. See Gallagher,C.J.,Jr, 0=20388
Manning,J.R. Tracer diffusion in a chemical concentration gradient in silver—cadmium, 0=1606
Manning,J.R. Correlation effects in impurity diffusion, 0=4307
Manning,L.A. Oblique echoes from over-dense meteor trails, 0=4875
Manning,L.A. Air motions at meteoric heights, 0=12159
Manning,R. See Newkirk,G.A., 0=4897
Manning,R.E. See Cannon,M.R., 0=6729
Manning,W.M. See Diamond,H., 0=17512
Manning,W.P. See Manning,F.S., 0=19527
Mannino,G. See Braccesi,A., 0=18687
Mano,K. See Araki,G., 0=1470
Mano,K. See Araki,G., 0=2711
Mano,K. See Araki,G., 0=20547
Manova,G.A.,Dokuchaeva,O.D.,Vorontsov-Vel'yaminov,B.A. Photometry of the comet Arend-Roland, 0=18727
Manquenouille,R. See Gorodetsky,S., 0=15540
Manquenouille,R. See Gorodetzky,S., 0=17557
Manring,E.R. and Pettit,H.B. The 5577 A emission of [OI] in the night airglow from Sacramento Peak, New Mexico, 0=18513
Mansell,A.L. See Barrett,J., 0=15736
Mansfield,R. The magnetic susceptibility of bismuth telluride, 0=1770
Mansfield,W.K. Pre-breakdown conduction in continuously-pumped vacuum systems, 0=16748
Mansikka,K. See Hovi,V., 0=7841
Mansikka,K. See Hovi,V., 0=12072
Mansikka,K. See Hovi,V., 0=12073
Mansikka,K. See Hovi,V., 0=16346
Manson,N. See Brossard,J., 0=103
Mantica,E. See Morero,D., 0=4676
Mantica,E. See Morero,D., 0=4677
Mantrov,V.M. The decay time of the cathode spot in mercury, 0=16988
Mäntysalo,E. See Hovi,V., 0=11965
Manuel,G. See Stuart,J.E.A., 0=14944
Manus,C. See Bonnal,J.F., 0=12617
Many,A. and Bray,R. Lifetime of excess carriers in semiconductors, 0=20894
Manzano,J.R.,Roederer,J.G. and Santochi,O.R. Cosmic ray intensity variations during the magnetic storms in May 1959, 0=20285
Manzano,J.R. See Ghielmetti,H., 0=13093
Manzano,J.R. See Roederer,J.G., 0=20283
Manzano,J.R. See Roederer,J.G., 0=20284
Manzano,J.R. See Santochi,O.R., 0=20287
Maor,U. and Yekutieli,G. The excited nucleon's model of meson production, 0=15372
Maple,E. Geomagnetic oscillations at middle latitudes. I. The observational data, 0=10391
Maple,E. Geomagnetic oscillations at middle latitudes. II. Sources of the oscillations, 0=10392
Maple,E. See Jenkins,A.W.,Jr, 0=16407
Mapleton,R.A. Production of $H^-(1s^2)$ by hydrogen atom collisions, 0=5860
Mapother,D.E. See Finnemore,D.K., 0=8935
Mapother,D.E. See Lewis,H.R., 0=5232
Mapother,D.E. See Shaw,R.W., 0=12559
Mapother,D.E. See Shaw,R.W., 0=16951
Marable,J.H. See Fox,J.K., 0=13323
Maradudin,A.A. and Dixon,P.A. Effect of impurities on the low-temperature spontaneous magnetization of cubic ferromagnetic crystals, 0=11835
Maradudin,A.A. and Wallis,R.F. Lattice anharmonicity and optical absorption in polar crystals. I. The linear chain, 0=18122
Maradudin,A.A. and Weiss,G.H. Auxiliary integrals for lattice sums, 0=12035
Maradudin,A.A. and Weiss,G.H. Dispersion relations and vibrational frequency spectra, 0=13485
Maradudin,A.A. See Coldwell-Horsfall,R.A., 0=17904
Maradudin,A.A. See Gourary,B.S., 0=11755
Maradudin,A.A. See Mahanty,J., 0=11570
Marais,A. The "perminvar" effect on NiZn ferrites, rich in iron, containing a small proportion of cobalt, 0=10175
Marais,A. and Merceron,T. Diffusion lag in iron-rich nickel-zinc ferrites, 0=8061
Marasigan,V. Bifurcations in the F-region at Baguio, 1952-1957, 0=771
Marasigan,V. Height-gradient of electron-loss in the F-region, 0=2017
Marasigan,V. Spread-F in Baguio through half a solar cycle, 0=14244
Marasigan,V. Damping coefficient of vibrating electrons, 0=17116
Marasigan,V. Geomagnetic and sunspot influences on spread-F in Baguio, 0=21365
Marasigan,V. Single and double inflexions on the F-trace, 0=21371
Marathay,A.S. Geometrical-optical calculation of frequency response for systems with coma, 0=6909
Marboe,E.C. See Weyl,W.A., 0=10321
Marcazzan,G. See Colli,L., 0=20494
Marcazzan,M.G. See Colli,L., 0=15602
March,N.H. and Murray,A.M. Relation between Dirac and canonical density matrices, with applications to imperfections in metals, 0=18996
March,N.H. See Donovan,B., 0=4296
March,N.H. See Donovan,B., 0=15111
March,N.H. See Flower,M., 0=15802
March,N.H. See Lee,P.M., 0=9904
March,P.V. See Aguilar,J., 0=20463
March,P.V. See Bredin,D.J., 0=20250
March,R. See Crewe,A.V., 0=1277
March,R.H. and Stewart,A.T. Momentum distribution of annihilating electron—proton pairs in LiF, 0=3962
Marchais,J.C.,Romain,M.Y. and Rommel,G. The proton synchrotron "Saturne". Beam detection, 0=2412
Marchand,J.F. and Venema,A. Note on superconducting tantalum films, 0=2291
Marchand,N.,Faget,J. and Fert,C. Fresnel diffraction at the edge of a semitransparent phase-retarding screen, 0=14842
Marchuk,G.I. and Mikhailus,F.F. Resonance absorption of neutrons in an infinite homogeneous medium, 0=9373
Marchuk,P.M. See Borzyak,P.G., 0=11724
Marcinkowski,M.J. and Fisher,R.M. Direct observation of antiphase domain boundaries in the $AuCu_3$ superlattice, 0=18403
Marcinkowski,M.J.,Fisher,R.M. and Brown,N. Direct observation of superdislocations in a superlattice, 0=13531
Marcley,R.G. Apparatus drawings project. Report Number 1. Balmer series spectrum tube, 0=153
Marcley,R.G. Apparatus drawings project. Report Number 3. Air suspension gyroscope, 0=909
Marcley,R.G. Apparatus drawings project. Report Number 2. Magnetic field of a circular coil, 0=1179
Marcley,R.G. Apparatus drawings project. Report Number 4. Air suspension apparatus for measuring the resolution of forces, 0=4965
Marcley,R.G. Apparatus drawings project. Report Number 5. Small mass spectrometer, 0=5362
Marcley,R.G. Apparatus drawings project. Report Number 7. Versatile mass spectrometer, 0=7171
Marcley,R.G. Apparatus drawings project. Report Number 6. Bragg diffraction apparatus, 0=8176
Marcley,R.G. Apparatus drawings project. Report number 8. Driven linear mechanical oscillator, 0=14564
Marcley,R.G. Apparatus drawings project. Report number 10. Air-suspended pucks for momentum experiments, 0=16656
Marcley,R.G. Apparatus drawings project. Report number 9. Simple kinetic theory demonstration, 0=16730
Marcowitz,S. See Crewe,A.V., 0=1277
Marcowitz,S.M. Asymmetry in the elastic scattering of polarized protons by deuterium, 0=20136
Marcowitz,S.M. See Crewe,A.V., 0=9355

Marcus,A.B. See Cramer,W.H., 0=4168
Marcus,L. See Goldberg,J.E., 0=12444
Marcus,P.M. See McFee,J.H., 0=19521
Marder,L. Flat space-times with gravitational fields, 0=8537
Mardon,P.G. See Evans,J.P., 0=2789
Mardon,P.G. See Lee,J.A., 0=12056
Mardon,P.G. See Pearce,J.H., 0=3675
Maréchal,A. and Stroke,G.W. The origin of the effects of polarization and of diffraction in optical gratings, 0=2252
Maréchal,A. See Slansky,S., 0=14794
Marek,A. A paradox concerning thermal fluctuations in non-linear systems, 0=7064
Marek,I. and Ulegla,I. On the question of anomalous equations for spin-$\frac{1}{2}$ particles, 0=12848
Marel,L.C.van der. See van der Marel,L.C.
Marenkov,O.S. See Bonch-Bruevich,A.M., 0=16109
Marezio,M. See Walker,C.B., 0=16315
Marfaing,Y. Electric properties of InSb p-n junctions, 0=18043
Marfaing,Y. See Courrier,G., 0=18069
Marg,E. See Hebbard,F.W., 0=3384
Margenau,H. See Kelly,D., 0=16995
Margenau,N.,Dezlodzh,E. and Stillinger,D. Conductivity of weakly ionized air, 0=3730
Margolina,V.I. See Shur,Ya.S., 0=6232
Margolis,B. See Landowitz,L.F., 0=1313
Margolis,B. See Mossin-Kotin,C., 0=2681
Margolis,D. See Kreith,F., 0=6977
Margolis,J.S. See Satten,R.A., 0=4252
Margolis,L.Ya. See Enikeev,E.Kh., 0=11710
Margolis,L.Ya. See Vladimirova,V.I., 0=11718
Margoninski,Y. Effect of chemical etches on the fast germanium surface states. 0=13601
Margrave,J.L. Ionization potentials for C_2F_4,C_2F_3Cl, $C_2F_2Cl_2$ and the appearance potential of CF_2^+ from C_2F_4, 0=3735
Margrave,J.L. Ionization potentials of B_5H_9, B_5H_8I, $B_{10}H_{14}$, and $B_{10}H_{13}C_2H_5$ from electron impact studies, 0=14963
Margrave,J.L. and Wendt,R.P. Ratio (C_p/C_v) for perchloryl fluoride from velocity of sound measurements, 0=105
Margrave,J.L. See Green,J.W., 0=14972
Margrave,J.L. See Scheffee,R.S., 0=10689
Margrita,R. See Bastard,C., 0=19756
Marguin,G. The problem of processing a given volume of emulsion, 0=193
Marguin,P. and Moussa,M.A. Proton recoil proportional counter used in spectrometry of fast neutrons, 0=3880
Margulies,S. See DePasquali,G., 0=7465
Margulies,S. See Sherwin,C.W., 0=10569
Marhoeffer,C.J. See Meister,R., 0=8651
Mariani,F. On the general theory of thermal and gravitational excitation of atmospheric oscillations, 0=6439
Mariani,F. A new theoretical model of the composite F-layer, 0=14239
Mariani,F. and Molina,F. Geomagnetic, auroral, ionospheric, and cosmic ray perturbations: interdependence and relation to solar activity, 0=6442
Mariani,F. and Molina,F. Geomagnetic, auroral, ionospheric, and cosmic ray perturbations: interdependence and relation to solar activity, 0=6443
Marignan,R. Diffusion. Methods — possibilities. Application to the study of ionic interactions, 0=2164
Marikhin,V.A. See Zhurkov,S.N., 0=6318
Marikhin,V.A. See Zhurkov,S.N., 0=12065
Marin,P.,Movchet,J. and Poupaud,J. The reaction $Al^{27}(p,\gamma)Si^{28}$, 0=5741
Marin,P. and Vo-Xuan,B. Recombination column between positive ions and electrons in nitrogen, 0=14983
Marin,P.C. See Backenstoss,G.K., 0=15337
Marinace,J.C. Tunnel diodes by vapor growth of Ge on Ge and on GaAs, 0=18025
Marinace,J.C. Epitaxial vapor growth of Ge single crystals in a closed-cycle process, 0=18325
Marinace,J.C. See O'Rourke,M.J., 0=18023
Marinace,J.C. See Ruth,R.P., 0=11693
Marinaro,M. See Galzenati,E., 0=15307
Maringer,R.E. The effects of directional ordering on the damping of zone-melted iron, 0=10167
Marini,G. See Bachelet,F., 0=2609
Marini,G. See Bachelet,F., 0=15490
Marini,G. See Bachelet,F., 0=15491
Marinkov,L.,Mladjenović,M.,Stepić,R. and Župančić,M. L and M conversion ratios in Os^{192} and Pt^{192}, 0=20407
Marinković,M.D. On spectrochemical determination of thorium by d.c. arc, 0=21298
Marino,L.L. See Ewbank,W.B., 0=20327
Marino,L.L. See Petersen,F.R., 0=1353
Marinov,A. See Ofer,S., 0=17920
Marinov,M. On the phenomena of polarization in CdS crystal counters, 0=19974
Maris,T.A.J. See Hillman,P., 0=17587
Maris,T.A.J. See Jacob,G., 0=20447
Maris,T.A.J. See Tyrén,H., 0=11075
Marish,K.S. See Akimov,Yu.K., 0=9357
Marish,K.S. See Akimov,Yu.K., 0=11169
Mark,H. See Guerriero,L., 0=19981
Mark,H. See Jopson,R.C., 0=17149
Mark,H. See Kazi,A.H., 0=17283
Mark,H. See Walters,T.J., 0=7535
Mark,P. See Grey,D.S., 0=148
Markham,J.J. Interaction of normal modes with electron traps, 0=2806
Markham,J.J. and Hersh,H.N. Optical absorption of F bands in thallium-doped potassium halides, 0=16065
Markham,J.J. See Hersh,H.N., 0=6050
Markham,J.J. See Konitzer,J.D., 0=6180
Markin,B.I. An investigation of the electrical conductivity of ternary silver—thallium—boron glasses, 0=15881
Marklund,I.,Nathan,O. and Nielsen,O.B. 0+ states of Sm^{152} and Gd^{152}, 0=7526
Marklund,I.,Van Nooijen,B. and Grabowski,Z. 0+ levels of even nuclei in the rare-earth region, 0=7477
Markocki,W. The preparation of nuclear emulsions with an increased percentage of silver halide in gelatine, 0=12734
Markocki,W. and Gizejowska,E. The use of diphenyl iodonium nitrate as an aid in the development of emulsions for nuclear research, 0=12756
Markov,A.A. See Vasil'ev,G.Ya., 0=1759
Markov,M.N. and Lindstrem,I.S. Optical properties of evaporated bismuth in the 3-15μ spectral region, 0=10027
Markov,M.N. and Lindstrem,I.S. Resistivity of vacuum-deposited bismuth, 0=11660
Markov,P.K.,Tsȳganov,E.N.,Shafranova,M.G. and Shakhbazyan,B.A. Elastic scattering of 8.5 BeV protons on protons, 0=20134
Markov,P.K. See Barashenkov,V.S., 0=3966
Markov,P.K. See Barashenkov,V.S., 0=4088
Markov,P.K. See Bogachev,N.P., 0=11400
Markov,P.K. See Lyubimov,V.B., 0=11167
Markov,P.K. See Zhdanov,G.B., 0=9617
Marković,H. See Popović,D., 0=20519
Marković,H. See Popović,D., 0=20520
Marković,H. See Raišić,N., 0=20521
Markovskii,L.Ya. and Orshanskaya,N.S. Luminescence properties of zinc oxide activated with selenium, 0=21008
Marks,C.P. See Aldenkamp,A.A., 0=9132
Marks,G.W. Dependence of acoustic velocity in some aqueous hydroxide solutions on temperature and concentration, 0=5012
Marks,K.R. See Martin,L.H., 0=18504
Marlow,W.F. and Medlock,R.W. A carbon-14 beta-ray standard, benzoic acid-7-C^{14} in toluene, for liquid scintillation counters, 0=15529
Marlow,W.F. See Mann,W.B., 0=13159
Marmet,P. and Kerwin,L. An improved electrostatic electron selector, 0=10949
Marmet,P. and Kerwin,L. Experimentally measured vibrational levels in H_2^+, 0=17732
Marmier,P. See Saladin,J., 0=15569
Maroni,C. See Fuschini,E., 0=15550
Maroni,P. Discharge phenomena in Lorentz plasmas. Study of the electron distribution in the presence of a magnetic field, 0=2364
Maroni,P. Discharge phenomena in Lorentz plasmas. Study of the electron distribution in the magnetic field, 0=2365
Marovich,E. See Roach,F.E., 0=2034
Marovich,E. See Roach,F.E., 0=3358
Marovich,E. See Roach,F.E., 0=12197
Marovich,E. See Roach,F.E., 0=14294
Marquet,M. See Prugne,P., 0=2412
Marquez,L. See Cybulska,E.W., 0=1388
Marquez,L. See Cybulska,E.W., 0=5727
Marr,G.V. and Swarup,P. Spin—lattice relaxation effects observed in the continuous power saturation of paramagnetic lines, 0=6256

Marriott,F.H.C. Color naming experiments and the two-quanta theory, 0=815
Marrone,P.V. and Hartunian,R.A. Thin-film thermometer measurements in partially ionized shock-tube flows, 0=2274
Marrus,R.,Nierenberg,W.A. and Winocur,J. Hyperfine structure of americium-241, 0=20329
Marrus,R. See Cabezas,A., 0=9514
Marschall,H. See Von Behr,J., 0=5580
Marsden,D.G.H. Dissociation energies of SO and S_2, 0=2736
Marsden,P.L. and Begum,Q.N. The solar diurnal variation of the intensity of the nucleonic component of the cosmic radiation, 0=20290
Marseille,H. See Frischmuth-Hoffmann,G., 0=19721
Marsel,J. See Debevec,L., 0=12124
Marsh,D.M. Tensile testing machine for microscopic specimens, 0=4548
Marsh,D.M. See Gordon,J.E., 0=3261
Marsh,R.E. See Degeilh,R., 0=3251
Marsh,R.E. See Gerdil,R., 0=6369
Marsh,S.P. See McQueen,R.G., 0=11548
Marshak,H. See Patronis,E.T.,Jr, 0=1393
Marshak,H. See Shore,F.J., 0=16958
Marshak,R.E. Elementary particles of modern physics, 0=17273
Marshak,R.E. See de Swart,J.J., 0=17429
Marshak,R.E. See Hatsukade,S., 0=15423
Marshak,R.E. See Savlor,D.P., 0=20133
Marshall,B.J. See Claytor,R.N., 0=17895
Marshall,J. Performance of a hydromagnetic plasma gun, 0=9034
Marshall,L. See Courant,E.D., 0=5350
Marshall,L. See Landovitz,L.F., 0=1302
Marshall,L. See Landovitz,L., 0=13021
Marshall,L. See Landovitz,L.F., 0=18911
Marshall,R.R. Calculation of a "cosmic ray age" for the iron meteorite "Carbo", 0=3413
Marshall,R.R. Calculation of cosmic-ray ages in the iron meteorites "Carbo" and "Treysa", 0=8495
Marshall,S. Crystallographic orientation of semiconductors, 0=705
Marshall,S.A. and Van Ostenburg,D.O. Exchange effects in alkali ozonates, 0=4522
Marshall,S.A. and Reinberg,A.R. Paramagnetic resonance absorption of nickel in sapphire, 0=11948
Marshall,T.C.,Kawcyn,R.A. and Goldstein,L. Diamagnetic moment of gaseous plasmas measured by spin resonance technique, 0=19693
Marshall,T.C. See Gerson,R., 0=3721
Marshall,W. Specific heat of dilute alloys, 0=11583
Marshall,W. and Weiss,R.J. Electronic structure of transition metals, 0=2775
Marshall,W. See Schiffer,J.P., 0=3948
Marshall,W. See Sparks,J.T., 0=11913
Marshall,W. See Stuart,R., 0=18177
Marsicano,F.R. On the motion of a particle of variable mass under the action of a Newtonian central attraction, 0=4973
Martalogu,N.,Tsinte,F.,Dumitresku,R.,Korgueva,I. and Molya,M. Single-channel time-interval analyser for the spectrometry of fast particles with an application to the method of time-of-flight in the region of nanoseconds, 0=19995
Martegani,A. and Deconninck,G. Total cross-section measurements for neutrons between 2.1 and 3.1 MeV, 0=1438
Martegani,A. See Deconninck,G., 0=9532
Martegani,A. See Deconninck,G., 0=15594
Martel',F.E. and Pogorelov,V.I. On the connection between the auroral luminosities and their radar reflections, 0=799
Martell,A.E. See Nakamoto,K., 0=4204
Martelli,G. See Dowell,J.D., 0=1280
Martelli,G. See Dowell,J.D., 0=1281
Martelli,G. See Dowell,J.D., 0=7443
Martelly,J. A new multigroup treatment of neutron diffusion in reproducing media. Application to the correction of perturbations suffered by the thermal and fast fluxes in the neighbourhood of a reflector, a neutron source, or a different lattice. I. The combination $T = \Sigma_i \lambda_i \phi_i$; extended to all groups of neutrons satisfying the diffusion equation $\nabla^2 T + B^2 T = 0$ to an approximation of the second order, 0=7356
Martelly,J. A new multigroup treatment of neutron diffusion in reproducing media. Application to the correction of perturbations suffered by the thermal and fast fluxes in the neighbourhood of a reflector, a neutron source, or a different lattice. II. Practical application to the study of results.
Marr,R.B. See Durand,L.,III, 0=15379
Interpretation of measurements, with resonance and thermal neutrons, perturbed by the proximity of a reflector, a source, or another lattice, 0=7357
Martens,H.E. and Jaffe,L.D. Tensile strength of pyrolytic graphite up to 2750°C, 0=11981
Martensen,E. See Lüst,R., 0=17012
Martin,A. On the analytic properties of partial wave scattering amplitudes obtained from the Schrödinger equation, 0=2499
Martin,A. Analytic properties of $1 \neq 0$ partial wave amplitudes for a given glass of potentials, 0=12859
Martin,A. See Bowcock,J., 0=884
Martin,A. See Gourdin,M., 0=4000
Martin,A. See Gourdin,M., 0=13043
Martin,A. See Gourdin,M., 0=15400
Martin,A.E. Resolution of wide-range grating spectrometers, 0=5163
Martin,A.J. and Edwards,K.L. Linear voltage temperature furnace for thermal analysis, 0=4765
Martin,A.J. See Greetham,G., 0=8100
Martin,A.V.J. and Young,F.J. Magnetic confinement of thermonuclear reactions, 0=13383
Martin,C.E. See Wentink,T.,Jr. 0=12474
Martin,D.G. Dimensional changes in single crystals of synthetic sapphire after irradiation, 0=1895
Martin,D.H. See Dean,T.J., 0=8837
Martin,D.H. See Dean,T.J., 0=19495
Martin,D.L. The specific heat of copper from 20ˇ to 300°K, 0=2786
Martin,D.L. The specific heat of a lithium-magnesium alloy. The martensitic transformation, 0=2787
Martin,D.L. The specific heat of sodium from 20 to 3000°K: the martensitic transformation, 0=7851
Martin,D.L. The specific heat of lithium from 20 to 300°K: the martensitic transformation, 0=7852
Martin,D.L. Specific heats of lithium isotopes from 20° to 300°K, 0=15813
Martin,D.L. The specific heat of annealed and cold-worked copper from 0.4° to 1.5°K, 0=20746
Martin,D.L. See Kolbe,C.L., 0=10329
Martin,D.S.,Jr. See Reade,R.F., 0=20842
Martin,E.A. Experimental investigation of a high-energy density, high-pressure arc plasma, 0=5319
Martin,E.E.,Trolan,J.K. and Dyke,W.P. Stable, high density field emission cold cathode, 0=9067
Martin,E.E. See Barbour,J.P., 0=7839
Martin,H.,Harnisch,H. and Pohl,M. Attempt at exciting the decomposition of ClO_2 in a hot N_2 beam, and the energy of dissociation of nitrogen, 0=2760
Martin,H. See Bär,F., 0=4235
Martin,H. See Kuhn,H., 0=4234
Martin,H.A. and Priester,W. Measurement of solar and diurnal effects in the high atmosphere by artificial satellites, 0=12150
Martin,H.A. See Priester,W., 0=8374
Martin,H.J. See Freitag,W., 0=19322
Martin,J. See Gabet,A., 0=2412
Martin,J.L. Generalized classical dynamics, and the "classical analogue" of a Fermi oscillator, 0=8569
Martin,J.L. The Feynman principle for a Fermi system, 0=8570
Martin,J.L. See Dean,P., 0=9843
Martin,J.P.,Quisenberry,K.S. and Low,C.A.,Jr. Angular correlation study of the Mg^{24} (d,p) Mg^{25} stripping reaction as a test of the distorted-wave theory, 0=17604
Martin,L.H. Observations of "whistlers" and "chorus" at the South Pole, 0=21395
Martin,L.H.,Helliwell,R.A. and Marks,K.R. Association between aurorae and very-low-frequency hiss observed at Byrd Station, Antarctica, 0=18504
Martin,M. See Freymann,R., 0=505
Martin,M. See Schwartz,M., 0=3450
Martin,M.J.C. See Ahern,S.A., 0=1789
Martin,M.J.C. See Crangle,J., 0=21037
Martin,P.C. and Kadanoff,L.P. Knight shift in superconductors, 0=231
Martin,P.C. and Schwinger,J. Theory of many-particle systems. I, 0=896
Martin,R. The measurement of vibration amplitudes with interferometric methods, 0=5070
Martin,R. and Müller,H.W. The study of structure-borne sound in dwellings, 0=19338

Martin,R.L. High power effects in ferrite slabs at X band, 0=3861
Martin,R.L. See Van Uitert,L.G., 0=3072
Martin,S.B. Simple radiant heating method for determining the thermal diffusivity of cellulosic materials, 0=10796
Martin,T.W. and Melton,C.E. Hydrogen atom abstraction reactions by cyanide ion-radicals, 0=6407
Martin,W.C. New wavelengths for some helium (He I) lines, 0=2734
Martin,W.C. Value of the Rydberg constant, 0=4925
Martin,W.C. Energy levels and spectrum of neutral helium (^{4}He I), 0=7722
Martin,W.H. and Rixon,J. Apparatus for the measurement of specific heat of metals, 0=5223
Martin,W.J. See Smith,E.C., 0=1444
Martin,W.R.B. Laboratory magnetic elutriator for purification and isolation of ferrimagnetic mineral sands, 0=10326
Martinc,R. See Raišić,N., 0=20521
Martinek,J. See Yeh,G.C.K., 0=19247
Martinez,P. and Senftle,F.E. Effect of crystal thickness and geometry on the alpha-particle resolution of CsI(Tl), 0=17148
Martinot,H. A method for determining the complex permittivity of dielectrics at very low frequencies, 0=8970
Martinuzzi,S. See Coumat,F.J., 0=21285
Martius,U.M. See Bratina,W.J., 0=10165
Marty,C. See Benoist,P., 0=9353
Marty,N. Langevin-Joliot,H., 0=9564
Marty,W. Determining the specific resistance of solid and molten aluminium and its alloys, 0=4314
Martyn,D.F. Large-scale movements of ionization in the ionosphere, 0=12162
Martȳnov,G.A. Equation of the phase-transition curve, 0=6991
Martȳnov,G.A. The solution of the converse of Stefan's problem in the case of spherical symmetry, 0=14862
Martz,C. See Cohen,B.L., 0=9635
Marumori,T. See Hayakawa,S., 0=11297
Marumori,T. See Ikeda,K., 0=15504
Marumori,T. See Ikeda,K., 0=20314
Marumori,T. See Nagata,S., 0=13105
Marupov,R. See Al'perovich,L.I., 0=19158
Marvin,J.F.,Miller,W.D. and Loken,M.K. Transistorized ratemeter design, 0=21402
Marx,G. Selection rules in the one K meson theory, 0=7411
Marx,G. and Menyhárd,N. Cosmic neutrino radiation, 0=5631
Marx,G. and Nagy,K.L. The problem of the "anomalous" mass of muons, 0=7398
Marx,G. and Ziegler,M.A. Relativistic two-body problem in the classical theory of meson field, 0=5508
Marx,G. See Károlyházy,F., 0=5484
Marx,H. The Seidel eikonal introduced by Schwarzschild and the Staeble—Lihotzky isoplanatic condition, 0=3605
Marxen,M. Measurement of weak beta-radiation with a new kind of Geiger—Müller counter arrangement, 0=15181
Maryott,A.A. and Birnbaum,G. Microwave absorption in compressed oxygen, 0=5915
Maryott,A.A.,Estin,A. and Birnbaum,G. Nonresonant absorption in symmetric-top gases: Dependence of relaxation frequency on temperature, 0=10700
Marzetta,B. See Grün,F., 0=3512
Masani,A. See Cocito,G., 0=18586
Mascarenhas,S. Electrical effects observed with solid and gaseous CO$_2$, 0=8977
Mascarenhas,S. and Freitas,L.G. Influence of crystallographic orientation on the charge formation during phase changes in solids, 0=16005
Mase,S. Electronic structure of bismuth type crystals. II. 0=17910
Mase,S. Algebraic method to obtain irreducible representations of space groups with an application to white tin, 0=21178
Mašek,K. See Eckertová,L., 0=3783
Maserjian,J. Determination of avalanche breakdown in p—n junctions, 0=581
Masevich,A.G. The later stages of stellar evolution, 0=18848
Mash,D.H. An electroluminescent digital indicator with a silicon carbide coding matrix, 0=6644
Mash,D.I. The temperature and frequency dependence of the Faraday effect for millimetre wavelengths, 0=15140
Mash,D.I. and Nikol'skii,V.V. Measurement of the complex dielectric susceptibility and the magnetic susceptibility tensor of ferrites in the millimetre region, 0=10171
Mashkevich,V.S. Electrical, optical and elastic properties of diamond-type crystals. IV. Interaction between conduction electrons and lattice vibrations, 0=11593
Mashkevich,V.S. Electromagnetic waves in a medium with a continuous energy spectrum. I, 0=12705
Mashkevich,V.S. A higher approximation in Ewald's method, 0=15801
Mashovets,T.V. See Bitovskii,N.A., 0=4339
Mashovets,T.V. See Konopleva,R.F., 0=15925
Mašin,A. Labyrinth structure in martensite, 0=8267
Mašín,A. and Havel,V. On making visible dislocations at the sub-grain boundaries of Fe-Cr alloys by ion bombardment, 0=1927
Mašín,A. and Havel,V. On the characteristic disturbance of ageing iron during ionic bombardment, 0=7902
Masket,A.V. Solid angle subtended by a circular disk, 0=3396
Maslakovets,Yu.P. See Vodakov,Yu.A., 0=7937
Maslakovets,Yu.P. See Vodakov,Yu.A., 0=11723
Maslakovets,Yu.P. See Vodakov,Yu.A., 0=15948
Masland,C.H.,3rd. See Wood,S.E., 0=10667
Maslennikov,M.V. See Vereshchagin,L.F., 0=12404
Maslennikova,F.V. See Kandaurova,G.A., 0=6233
Maslova,L.V. See Ryvkin,S.M., 0=20900
Mason,B.J. and van den Heuvel,A.P. The properties and behaviour of some artifical ice nuclei, 0=10281
Mason,B.J. See Bryant,G.W., 0=6335
Mason,B.J. See Hallett,J., 0=8151
Mason,B.J. See Langham,E.J., 0=8153
Mason,B.J. See Maybank,J., 0=5212
Mason,C.M. See Gibson,F.C., 0=3312
Mason,D.E. and Taylor,D.F. Silicon junction diodes, 0=20912
Mason,E.A. Redetermination of the intermolecular potential for krypton, 0=14687
Mason,E.A.,Vanderslice,J.T. and Yos,J.M. Transport properties of high-temperature multicomponent gas mixtures, 0=957
Mason,E.A. and von Ubisch,H. Thermal conductivities of rare gas mixtures, 0=10696
Mason,E.A. See Fallon,R.J., 0=5982
Mason,E.A. See Fallon,R.J., 0=7716
Mason,E.A. See Fallon,R.J., 0=11525
Mason,E.A. See Fallon,R.J., 0=17733
Mason,E.A. See Vanderslice,J.T., 0=4245
Mason,E.A. See Vanderslice,J.T., 0=15785
Mason,E.A. See Vanderslice,J.T., 0=17734
Mason,E.A. See Vanderslice,J.T., 0=17837
Mason,E.A. See Weissman,S., 0=14688
Mason,F.C.P. See Elliott,K.W.T., 0=8677
Mason,I.B. and Knibbs,R.H. Variation with temperature of Young's modulus of polycrystalline graphite, 0=21095
Mason,P. The strain-dependence of rubber visco-elasticity. I. The region of moderate strain, 0=697
Mason,P. Longitudinal wave propagation in stretched polymers, 0=18251
Mason,P. See Cundy,D.C., 0=15201
Mason,R.G. and Vitousek,M.J. Some geomagnetic phenomena associated with nuclear explosions, 0=4771
Mason,S.G. and Rabinovitch,W. The diffusion of reaction products from a radioactive monolayer, 0=2165
Mason,S.G. See Charles,G.E., 0=8645
Mason,S.G. See Charles,G.E., 0=14610
Mason,W.P. Phonon viscosity and its effect on acoustic wave attenuation and dislocation motion, 0=6043
Masoud Anwar,M. Galileo's telescope, 0=8778
Massalski,T.B. and Cockayne,B. The lattice spacings and the stability of close-packed hexagonal Cu—Ga, Cu—Ge and Ag—Al alloys, 0=16314
Massal'skii,E.I. See Dmitriev,V.A., 0=9467
Massey,H.S.W. Space research, 0=3433
Massey,H.S.W. The excitation of molecular vibration and rotation by impact of slow electrons, 0=15694
Massey,H.[S.W]. and Moiseiwitsch,B.L. The excitation of the 2^3P state of helium by electron impact, 0=20563
Masson,D.B. Isothermal reversion of the B.C.C.→ H.C.P. transformation induced in β' AgCd by mechanical deformation, 0=18373
Masson,H. The use of plastic materials as low power insulators, 0=19500
Masson,H. See Salvador,O., 0=18478
Massoulier,A. New measurements of the depolarization factor [ρ] of Rayleigh scattering in vapours, 0=19450

Mast,C.B. and Strathdee,J. On the relativistic interpretation of astronomical observations, 0=8468
Masterov,E.P. Waveguide propagation of sound in layered inhomogeneous media, 0=6856
Masters,J.I. Instability of magnetic resonance in single crystal spheres of yttrium iron garnet, 0=10210
Masters,J.I. and Roberts,R.W.,Jr. Measurement of ferromagnetic relaxation by a modulation technique, 0=3069
Mastrup,F. Continuous emission of hydrogen plasmas, 0=479
Masuda,I. See Uehara,Y., 0=2954
Masuda,I. See Uehara,Y., 0=4445
Masuda,K. and Suita,T. Electron spin resonance study of the γ-ray radiation effects in high polymers, 0=6420
Masuda,K. See Shibata,T., 0=20965
Masuda,M. See Asada,T., 0=21009
Masumi,T. Dielectric susceptibility tensor of wurtzite cadmium sulfide, 0=20952
Masumi,T. and Tanaka,T. Elastic stiffness constants of cadmium sulfide, 0=21094
Matare,H. See Weinreich,O.A., 0=5397
Matarrese,L.M. and Hughes,F.L. Modification in technique for growing single crystals of ZnF_2:Mn, 0=21163
Matarrese,L.M. See Kikuchi,C., 0=13871
Matcovich,T.J. and Kriessman,C.J. Remagnetization experiments in Mn..Fe..O.. 0=3076
Mateichuk,V. See Dragomiresku,D., 0=17625
Matejec,R. See Klein,E., 0=3663
Matejec,R. See Klein,E., 0=4292
Máthé,G. See Berényi,D., 0=4070
Mather,J.W. and Williams,A.H. Some properties of a graded vacuum spark gap, 0=7107
Mather,R.L. See Cook,C.S., 0=20362
Matheson,M.S. and Dorfman,L.M. Detection of short-lived transients in radiation chemistry, 0=16383
Matheson,M.S. See McMillan,J.A., 0=16168
Matheson,R.M. See Morton,G.A., 0=19725
Mathews,J. See Gilinsky,V., 0=20565
Mathews,J. See Jacob,M., 0=5582
Mathews,M.V. See Denes,P., 0=21405
Mathews,P.M.,Shapiro,I.I. and Falkoff,D.L. Stochastic equations for nonequilibrium processes, 0=18982
Mathewson,D.S.,Large,M.I. and Haslam,C.G.T. A spectral analysis of the radio sources in Cygnus X at 1390 Mc/s and 408 Mc/s, 0=18665
Mathewson,D.S. See Christiansen,W.N., 0=18633
Mathewson,D.S. See Christiansen,W.N., 0=18732
Mathewson,R.C. See Hickman,R.S., 0=2477
Mathieson,A.McL.,Radoslovich,E.W. and Walker,G.F. Accuracy in structure analysis of layer silicates, 0=6362
Mathieson,R.T. Electron microscopy of oleophobic monolayers, 0=1947
Mathieson,R.T. Orientation of stearic acid monolayers on silver single crystals, 0=10372
Mathieu,J. See Blanc,D., 0=5444
Mathieu,M.V.,Sheppard,N. and Yates,D.J.C. Infrared band shapes and the rotational freedom of methyl bromide adsorbed on porous glass, 0=15731
Mathur,R.N. and Gill,P.S. A study on the cosmic ray nuclear interactions in lead at 9000 ft, 0=7436
Mathur,S.C. See Dayal,B., 0=8241
Mathur,S.C. See Mookherji,A., 0=21025
Mathur,V.S. The K_{e4} and $K\mu_4$ modes of K-mesons decay, 0=13049
Matijevic,E. See Kerker,M., 0=10784
Matinyan,S.G. Nonlocal effects in weak interactions of fermions, 0=2493
Matinyan,S.G. Nonconservation of parity in strong interactions between strange particles, 0=11234
Matinyan,S.G. and Okun',L.B. The K_{e3} and $K\mu_3$ decays, 0=11218
Matinyan,S.G. See Mamaladze,Yu.G., 0=7024
Matinyan,S.G. See Mamaladze,Yu.G., 0=12551
Matisoo,J. See Pugh,E.W., 0=11686
Matković,B. See Grdenić,D., 0=3246
Matossi,F. Effective charge and ionicity of a bond, 0=507
Mátrai,T. See Deézsi,I., 0=5943
Matsen,F.A. See Robinson,J.M., 0=7787
Matsen,F.A. See Silverman,J.N., 0=11481
Matsen,R.P. See Muller,F., 0=11220
Matskevich,T.L. Secondary electron emission of some polymers, 0=17032
Matskevich,T.L. and Mikhailova,E.G. Secondary electron emission of ice and anthracene films, 0=15058
Matsubara,T. See Blatt,J.M., 0=12383
Matsubara,T. See Blatt,J.M., 0=16638
Matsubara,T. See Blatt,J.M., 0=16945
Matsubara,T. See Blatt,J.M., 0=16947
Matsubara,T. See Murao,T., 0=11806
Matsuda,H. A lattice model of liquid helium. III. Equilibrium properties of liquid He^4 and mixtures of He^4 and He^3, 0=12544
Matsuda,K. See Hu,C., 0=20453
Matsuda,K. See Suwa,S., 0=19856
Matsugashita,T. and Shinohara,K. Electron spin resonance studies of the oxygen effect on irradiated polytetrafluoroethylene, 0=8320
Matsukawa,E. and Agu,B.N.C. Relative energy calibration of electron accelerators, 0=3816
Matsumara,S. See Naiko,T., 0=19147
Matsumoto,M. See Iwadare,J., 0=5625
Matsumoto,S. See Kaneko,S., 0=9452
Matsumura,G. See Kuczynski,G.C., 0=18395
Matsunobu,H. and Yoshida,S. Single particle transition in neutron inelastic scattering by deformed nuclei, 0=11444
Matsuo,S. See Narum,H., 0=15611
Matsushita,S. Geomagnetic and ionospheric phenomena associated with nuclear explosions, 0=4799
Matsushita,S. A study of the morphology of ionospheric storms, 0=8389
Matsushita,S. On artificial geomagnetic and ionospheric storms associated with high-altitude explosions, 0=10411
Matsushita,S. Studies on sudden commencements of geomagnetic storms using I.G.Y. data from United States stations, 0=14166
Matsushita,S. Some studies of the upper atmosphere in the auroral zone, 0=18497
Matsushita,S. The morphology of the lower ionospheric region in auroral latitudes, 0=21362
Matsushita,S. and Nakata,T. Infrared absorption of zinc oxide and of adsorbed CO_2. I, 0=8002
Matsushita,S. See McCaulley,J.W., 0=14293
Matsushita,S. See Steiger,W.R., 0=14198
Matsuura,Y. See Terazawa,K., 0=6850
Matsuyama,S. Determination of the pion—nucleon coupling constant by means of the nucleon—nucleon dispersion relation, 0=15395
Matsuyama,S. and Miyazawa,H. Dispersion relations in nucleon—nucleon scattering, 0=12919
Matsuyama,S. and Miyazawa,H. Dispersion relations in nucleon—nucleon scattering, 0=12920
Matsuzaki,R. See Kojima,S., 0=19701
Mattauch,J. The masses of the light nuclei, 0=20321
Mattauch,J. and Everling,F. Masses of atoms of $A < 40$. 0=20569
Mattauch,J.H.E. See Everling,F., 0=9509
Mattauch,J.H.E. See Everling,F., 0=20570
Matthei,W.G. See Ahlstrom,E., 0=622
Matthews,D. See Langton,N.H., 0=6151
Matthews,D. See Langton,N.H., 0=7973
Matthews,H.I. See Kerridge,J.F., 0=1589
Matthews,H.W. and Smith,F.B; Eveson,G.F. Interaction between two equal-sized equal-settling spheres moving through a viscous liquid, 0=8592
Matthews,J.E. See Blair,D.T.A., 0=10885
Matthews,J.W. A study of growth defects in face-centred cubic metal foils prepared by evaporation, 0=20796
Matthews,P.T. and Salam,A. Relativistic theory of unstable particles. II, 0=333
Matthews,P.T. and Uretsky,J.L. K^+—K^0 mass difference, 0=378
Matthews,P.T. See Feldman,G., 0=15284
Matthias,B. Superconductivity, 0=8946
Matthias,B. Relations between superconductors and ferromagnets, 0=10111
Matthias,B.,Compton,V.B.,Suhl,H. and Corenzwit,E. Ferromagnetic solutes in superconductors, 0=1079
Matthias,B.T. Superconductivity of AuBe, 0=5237
Matthias,B.T. and Suhl,H. Possible explanation of the "coexistence" of ferromagnetism and superconductivity, 0=7030
Matthias,B.T.,Suhl,H. and Corenzwit,E. Further experiments concerning the spin-electron interactions in superconductors, 0=12557
Matthias,B.T. See Blumberg,W.E., 0=18228

Matthias,B.T. See Blumberg,W.E., 0=19561
Matthias,B.T. See Bozorth,R.M., 0=1776
Matthias,B.T. See Peter,M., 0=13874
Matthias,B.T. See Suhl,H., 0=3703
Matthias,B.T. See Suhl,H., 0=13753
Matthias,E. See Bodenstedt,E., 0=7540
Matthysse,S.W. On the uncertainty principle, 0=16599
Matthysse,S.W. See Desloge,E.A., 0=51
Mattis,D.C. Steady-state distribution function in dilute electron gases, 0=17905
Mattis,D.C. See Ham,F.S., 0=9953
Mattler,J. Variation of the electro-enhancement effect with the frequency of the electric field, 0=4457
Mattler,J. See Messier,J., 0=16105
Mattuck,R.D. and Strandberg,M.W.P. Quadrupole selection rule in iron group spin-phonon interactions, 0=529
Mattuck,R.D. and Strandberg,M.W.P. Saturation of paramagnetic spins by 13 Mc/sec ultrasonic phonons, 0=3125
Mattuck,R.D. and Strandberg,M.W.P. Spin—phonon interaction in paramagnetic crystals, 0=13732
Matukura,Y. Germanium—silicon alloy junctions, 0=4347
Matukura,Y. Effects of heat treatment upon the electrical properties of silicon, 0=20910
Matulenko,Yu.A. See Virvasov,N.M., 0=9364
Matumoto,K.,Otsuki,S.,Shimodaira,H. and Yamada,E. On Puppi's determination of the pion—nucleon coupling constant, 0=13023
Matumoto,Z. and Yamada,M. Formulas the Fermi theory of beta-decay. I. Beta-spectrum, 0=11349
Matumoto,Z. See Fujita,J., 0=11356
Matumoto,Z. See Fujita,J., 0=13189
Matumura,O. On the Mn—activated phosphors, 0=1752
Matumura,O. On the colour scale for the sea water, 0=19462
Matuura,N. Some remarks on motion of ionospheric irregularity, 0=21335
Matuura,N. and Nagata,T. Turbulence in the upper atmosphere, 0=21332
Matveenko,I.I. See Gel'd,P.V., 0=18353
Matveev,O.A. See Ryvkin,S.M., 0=20900
Matveev,V.V.,Sokolov,A.D. and Shlyapnikov,R.S. The energy distribution of γquanta from a point source of γ radiation in an infinite sandy medium, 0=5532
Matveeva,N.A. The separation of binary mixtures of inert gases in a steady current discharge, 0=5281
Matyagin,V.S. An empirical formula for the characteristic curve of stellar focal images, 0=18795
Matyáš,M. A note on the magnetic susceptibility of semiconducting compounds of $A^{III}B^{V}$, 0=11803
Matyáš,M. The magnetic susceptibility of semiconducting compounds of the ternary system, 0=16128
Matyash,I.V. See Galkin,A.A., 0=12038
Matyash,V. See Galkin,A.A., 0=14150
Matȳsina,Z.A. and Smirnov,A.A. A theory of ordering of alloys with hexagonal close-packed lattice, 0=16306
Matzke,H. and Lindner,R. Diffusion of Xe^{133}, Rn^{222}, and I^{131} in thorium oxide, 0=15874
Matzke,H. See Lindner,R., 0=1607
Matzke,H. See Lindner,R., 0=4308
Maude,A.D. Theoretical evaluation of capillary viscometers for the measurement of the viscosity of suspensions of spheres, 0=6730
Maude,A.D. and Whitmore,R.L. A generalized theory of sedimentation, 0=8323
Mauer,F.A. See Bolz,L.H., 0=1914
Maurer,W.C. and Rinehart,J.S. Impact crater formation in rock, 0=11990
Maurer-Tison,F. Mathematical aspects of Einstein's unified field theory, 0=10585
Maushart,R. See Dannecker,A., 0=5691
Mavel,G. Comparative study of the infrared absorption spectra and of nuclear magnetic resonance (N.M.R.) of solutions of water in organic substances, 0=16719
Mavel,G. See Freymann,R., 0=505
Mavridés,S. The electromagnetic energy—momentum tensor in the presence of charged matter, 0=868
Mavridès,S. The phenomenon of the red-shift and the hypothesis of the ageing of light, 0=10475
Mavrodiev,G. See Ivković,V., 0=12643
Mavroides,J.G. See Brown,R.N., 0=20969
Mavroides,J.G. See Lax,B., 0=20968
Mawardi,O.K. See Gajewski,R., 0=17089
Mawdsley,J. Movement of auroral ionization, 0=16464
Mawdsley,J. and Ward,W.H. Field-aligned ionization, 0=16458
Mawer,P.A. See Dean,T.J., 0=8837
Mawer,P.A. See Dean,T.J., 0=19495
Maxey,J.D. See Bohan,W.A., 0=583
Maxson,D.R. See Bennett,E.F., 0=1413
Maxwell,A. See Boischot,A., 0=18643
Maxwell,A. See Swarup,G., 0=12255
Maxwell,A. See Thompson,A.R., 0=6558
Maxwell,E. and Chase,C.E. Determination of thermodynamic properties of helium from dielectric constant measurements, 0=8899
Maxwell,E. and Schmidt,A.F. Liquid helium cryostat with an integral super-conducting resonator, 0=295
Maxwell,E.L. See Watt,A.D., 0=12131
Maxwell,K.H. See Green,M., 0=12115
Maxwell,K.H. See Green,M., 0=12116
Maxwell,K.H. See Green,M., 0=14703
May,A.D. Magnetic resonance of the atomic levels of zinc excited by electron bombardment, 0=13880
May,A.D. See Stryland,J.C., 0=6932
May,A.N. A model of metal fatigue, 0=6320
May,B.R. The approaching descent of Sputnik 3 (1958δ 2), 0=8527
May,B.R. and Smith,D.E. The continued progress of satellite $1958\delta_2$ (Sputnik III), 0=4909
May,B.R. and Smith,D.E. The sudden discontinuity in the orbital period of Sputnik 4 satellite, 0=18887
May,B.R. and Smith,D.E. Final months and decent of satellite Sputnik 3, 0=18888
May,J. See Tolstoy,I., 0=10720
May,J.E. and Turnbull,D. Effect of impurities on the temperature dependence of the (110) [001] texture in silicon-iron, 0=3273
May,R.M. Pair correlations in the quasichemical equilibrium approach to superconductivity, 0=19555
May,R.M. and Schafroth,M.R. Meissner—Ochsenfeld effect in the Bogoljubov theory, 0=1076
May,R.M. and Schafroth,M.R. Susceptibility of superconducting spheres, 0=5375
May,R.M. and Schafroth,M.R. Long-range spin interaction and the Meissner—Ochsenfeld effect, 0=11611
May,R.M. See Blatt,J.M., 0=16947
May,W.D.,Morris,E.L. and Atack,D. Rolling friction of a hard cylinder over a visco-elastic material, 0=3477
Mayall,N.U. and Vasilevskis,S. Quantitative tests of the Lick Observatory 120-inch mirror, 0=14373
Mavans,C.A. See Kowalewski,V.J., 0=19772
Mayants,L.S. A method of numerical solution and analysis of a homogeneous system of linear algebraic equations of general order, 0=6535
Mayants,L.S. Calculation of derivatives of the frequencies and forms of normal vibrations of molecules in the symmetrical case, 0=15693
Mayaud,P.N. Concerning the application of the real magnetic field at altitude to the study of magnetic phenomena, 0=1990
Maybank,J. and Mason,B.J. The production of ice crystals by large adiabatic expansions of water vapour, 0=5212
Mayer,C.H. See Alsop,L.E., 0=18626
Mayer,H. Determination of characteristic quantities of electrons in metals by the method of thin films, 0=561
Mayer,H.M. See Budde,R., 0=2465
Mayer,J.E. Ensembles of maximum entropy, 0=18976
Mayer,J.W. Performance of germanium and silicon surface barrier diodes as alpha-particle spectrometers, 0=1644
Mayer,J.W. See Friedland,S.S., 0=5630
Mayer,J.W. See Friedland, S.S., 0=9237
Mayer,L. Domain pattern movements in silicon-iron observed by electron mirror microscopy, 0=3035
Mayer,L. Observations on MnBi films during heat treatment, 0=6237
Mayer,L. Nucleation experiments on thin magnetic MnBi films, 0=11862
Mayer,U. Observations of directional scintillation, 0=6608
Mayer,W.G. Interferometry analysis of even harmonic distortion of ultrasonic waves, 0=6883
Mayer,W.G. Determination of ultrasonic velocities by measurement of angles of total reflection, 0=16766
Mayer,W.G. and Hiedemann,E.A. A simple method for the harmonic analysis of an ultrasonic wave, 0=6882
Mayer,W.G. and Hiedemann,E.A. Light diffraction by two distorted ultrasonic waves, 0=10781

Mayer-Börick,C. and Lührs,G. Interpretation of the low-excited states of Po^{214} (RaC'), 0=7476
Mayer-Kuckuk,T.,Nierhaus,R. and Schmidt-Rohr,U. Demonstration of a Fermi component in the β-decay of A^{41} by means of polarization correlation measurements, 0=2634
Mayer-Kuckuk,T. and Zaidi,S.A.A. Parity conservation of the nuclear states in Rb^{85}, 0=17502
Mayers,D.F.,Brown,G.E. and Sanderson,E.A. Lamb shift and energy level of a tightly bound electron, 0=1471
Mayers,D.F. See Brown,G.E., 0=9731
Mayes,V. A possible example of the muon radiative decay with internal conversion of the γ-ray, 0=20168
Mayfield,E.B. and Rogers,J.W. Cratering and shock wave phenomena in steel plates at high impact speeds, 0=8741
Mayfield,J. Microcalorimetric technique for the study of damping and hysteresis in ferromagnetic films, 0=11007
Mayfield,J.R. Rotational hysteresis in thin films, 0=3059
Mayne,S. See Fender,D.H., 0=18548
Mayo,C.G. and Head,J.W. Fourier series associated with duty cycles, 0=7063
Mayo,D.W. See Harrah,L.A., 0=15783
Mayo,S. and Hamburger,A.I. Triton angular distributions from 14.8 MeV deuterons on C^{13}, 0=5751
Mayot,M. See Barbier,D., 0=14550
Mayrone,L. See Colombino,P., 0=15336
Maze,R. and Zawadzki,A. On an attempt of detection of primary cosmic photons of very high energy, 0=20257
Mazey,D.J. See Barnes,R.S., 0=4579
Mazières,C. See Lambert,M., 0=4728
Mazing,M.A. and Mandel'shtam,S.L. Broadening of spectral lines in a strongly ionized plasma, 0=13417
Mazing,M.A. See Mandel'shtam,S.L., 0=17702
Mazo,R. See Dupuis,M., 0=20748
Mazo,R.M. Partition function of an atom in a spherical box, 0=5047
Mazo,R.M. Temperature fluctuations in thermodynamic equilibrium, 0=7014
Mazumdar,A.S.Ghosh. See Ghosh Mazumdar,A.S.
Mazumdar,S.C. See Mitra,S.N., 0=307
Mazumder,B.R. See Sienko,M.J., 0=17922
Mazur,J. and Rubin,R.J. Quantum-mechanical calculation of the probability of an exchange reaction for constrained linear encounters, 0=3303
Mazur,P. On the theory of Brownian motion, 0=6696
Mazur,P. On the statistical basis of non-equilibrium thermodynamics, 0=16645
Mazur,P. On the statistical mechanical theory of irreversible behaviour, 0=16651
Mazur,P. and Montroll,E. Poincaré cycles, ergodicity, and irreversibility in assemblies of coupled harmonic oscillators, 0=4956
Mazur,P. and Postma,B.J. On the molecular theory of the Kerr effect, 0=6798
Mazur,P. See Vlieger,J., 0=8553
Mazurin,O.V. and Brailovskaya,R.V. The electrical conductivity of the $Na_2O-RO-SiO_2$ glasses, 0=15882
Mazzucato,U. See Foffani,A., 0=15740
Mdivani,O. The ordering of ternary alloys as a cooperative phenomenon, 0=6378
Mdivani,O.M. and Gachechiladze,T.G. The angular distribution of neutrons from the reaction C^{13}(α,n)O^{16}, 0=13245
Mdivani,O.M. See Abelishvili,T.L., 0=11418
Mead,C.A. Theory of the complex refractive index, 0=19216
Mead,C.A. Resonance broadening of spectral lines, 0=19217
Mead,J.B. and Cohen,B.L. Regularities of (d,α) reactions in heavy elements, 0=17596
Mead,J.B. See Cohen,B.L., 0=9635
Mead,W. See Sparks,J.T., 0=11913
Meaden,G.T. See Lee,J.A., 0=1084
Meadows,A.J. Solar rotation and isorotation, 0=10500
Meadows,A.J. Be stars in galactic clusters, 0=16550
Meadows,E.B. See Johnson,C.Y., 0=21333
Meadows,J.W. See Calame,G., 0=19853
Meadows,J.W. See Whalen,J.F., 0=2145
Meads,R.E. and McIldowie,J.E.G. The decay of arsenic 80, 0=5697
Meads,R.E. and McIldowie,J.E.G. γ-rays from 2$^+$ states in ^{18}O, 0=5730
Meakin,J.D. See Feltham,P., 0=18256
Mech,J.F. See Diamond,H., 0=17512
Mecke,R. See Beckmann,L., 0=2241
Meckel,B.B.,Schwartz,E.G.K. and Swalin,R.A. Microscopic study of neutron-irradiated germanium, 0=13565
Medd,W.J. See Broten,N.W., 0=18670
Medford,R.D.,Powell,A.L.T.,Herbert,J.D.,Pottinger,R.C. and Wright,J.K. "Prize": a pre-ionized "theta" pinch, 0=19635
Medhi,K.C. Intensity of Brillouin components in light scattered by some liquids, 0=14847
Medicus,H.A. See Grant,J.J., 0=12767
Medina,L. A spark gap with crossed cylinder electrodes for voltage measurements, 0=5286
Medina,M.A. See Skomal,E.N., 0=3852
Medlock,R.W. See Mann,W.B., 0=13159
Medlock,R.W. See Marlow,W.F., 0=15529
Mednets,V.V. See Boyarskaya,Yu.S., 0=13919
Mednikov,A.K. The removal of nickel from germanium, 0=12231
Mednikov,A.K. The effect of the treatment of germanium with lead on the non-equilibrium carrier lifetime, 0=15928
Mednis,I. See Chudars,Ya., 0=14153
Mednis,J. See Sjostrand,N.G., 0=5826
Medveczky,L. and Polster,A. A new nuclear emulsion "forte P/22", 0=17166
Medveczky,L. See Bujdosó,E., 0=7255
Medveczky,L. See Bujdosó,E., 0=7388
Medveczky,L. See Bujdosó,E., 0=17170
Medved',S.V. See Amaglobeli,N.S., 0=9407
Meedevev,V.S. See Broude,V.L., 0=4426
Meechan,C.J. Mechanisms of volume self-diffusion in α-Fe and γ-Fe, 0=9919
Meechan,C.J.,Sosin,A. and Brinkman,J.A. Thermally activated point defect migration in copper, 0=17925
Meechan,C.J.,Sosin,A. and Stern,R.M. Stored energy experiment in electron irradiated pure copper, 0=9924
Meehan,E.J. and Beattie,W.H. Preparation of replicas of silver bromide for electron microscopy, 0=14092
Meehan,S.J. See Fischell,R.E., 0=2424
Meeks,M.L. and James,J.C. Meteor radiant distributions and
Meem,J.L. See Bettis,E.S., 0=13314
Meeron,E. Nodal expansions. III. Exact integral equations for particle correlation functions, 0=12372
Meerssche,M.Van. See Van Meerssche,M.
Meessen,A. The effect of temperature on the efficiency of scintillation counters, 0=15191
Meessen,A. and Grenacs,L. Measurements of delayed coincidences in Sn^{116}, 0=20408
Meessen,A. See Lontie-Bailliez,M., 0=2380
Meetham,A.R. and Nicholls,J.A. Aneroid bomb calorimeter for determining the heat of combustion of thermochemical standard benzoic acid, 0=19524
Mefferd,W.L. See Allred,W.P., 0=4598
Meffert,P. See Lochner,J.P.A., 0=3591
Megaw,H.D. See Newnham,R.E., 0=8225
Meggers,W.F. Present experimental status of rare-earth spectra, 0=9772
Meggers,W.F. and Tech,J.L. The centennial of spectrochemistry — presented at the Washington Meeting of The Optical Society of America, April 7, 1960, 0=18454
Megill,L.R. Photometric observations of the twilight glow [O I] 5577 and [O I] 6300, 0=14288
Megill,L.R.,Jamnick,P.M. and Cruz,J.E. Seasonal variations in the twilight enhancement of [OI] 5577, 0=18517
Megill,L.R. See Roach,F.E., 0=2026
Megill,L.R. See Roach,F.E., 0=2027
Megill,L.R. See Roach,F.E., 0=2034
Mehendru,P.C. See Srivastava,S.S., 0=7986
Mehlhorn,W. The fine structure of the L-MM Auger electron spectrum of argon and of the K-LL spectra of nitrogen, oxygen and methane, 0=17715
Mehra,N.C. Expression of humidity in centigrade-gram-metre system, 0=947
Mehta,M.L. On the statistical properties of the level-spacings in nuclear spectra, 0=20343
Mehta,M.L. and Gaudin,M. On the density of eigenvalues of a random matrix, 0=20344
Mehta,M.L. and Warke,C.S. Cl^{35}(d,p)Cl^{36} in the unified model, 0=4101
Mei,C.C. Unsteady incompressible Couette flow in a uniform transverse magnetic field, 0=12681
Meichsner,L. Double beta decay, 0=7507
Meichsner,L. Double beta decay. II, 0=17536
Meier,D. See Brüllmann,M., 0=5563

Meier,D.A. Millimicrosecond magnetic switching and storage element, 0=3830
Meier,F. See Gerold,V., 0=1902
Meier,H. The action of hydrogen on the photoelectric effect in organic dyes, 0=1685
Meier,H. See Noddack,W., 0=1684
Meier,H.W. See Bozoki,G., 0=2603
Meier,H.W. See Grote,C., 0=1312
Meier,H.W. See Lanius,K., 0=354
Meier,R. and Günthard,H.H. Germanium polarizers for the infrared, 0=1045
Meijer,G. and Avinor,M. Excitation spectra of vanadium-activated zinc and cadmium sulphide and selenide phosphors, 0=13715
Meijer,G. See Avinor,M., 0=10058
Meijer,G. See Avinor,M., 0=11785
Meijer,P.H.E. A group theoretical proof of Kramers' theorem, 0=17872
Meijer,P.H.E. and Bowen,J.I. The solution of the steady state distribution in non-equilibrium processes, 0=16617
Meikleham,V. See Elliott,J.F., 0=10759
Meiklejohn,W.H. Magnetic field in a cavity, 0=13752
Meiklejohn,W.H. and Carter,R.E. Exchange anisotropy in rock magnetism, 0=8041
Meiklejohn,W.H. and Carter,R.E. Exchange anisotropy in rock magnetism, 0=10388
Meiklejohn,W.H. and Skoda,R.E. Dispersion hardening, 0=18266
Meinel,H. Musical instrument tuning and tone systems. Examples: Piano, grand piano, accordion, harmonium, bowed-string instruments, 0=12464
Meinke,W.W. Pneumatic tubes speed activation analysis, 0=4036
Meinke,W.W. See Gardner,D.G., 0=821
Meinke,W.W. See Wahlgren,M.A., 0=9568
Meiron,J. and Volinez,G. Parabolic approximation method for automatic lens design, 0=3600
Meissinger,H.F. Simulation of infrared systems, 0=14886
Meissner,H. Superconductivity of contacts with interposed barriers, 0=5235
Meissner,H. The paramagnetic effect in superconductors at low values of the external field, 0=8961
Meissner,H. See Callahan,W.R., 0=8962
Meissner,K.W. See Reader,J., 0=4170
Meissner,W. and Doll,R. The properties of the resistance hysteresis loops in the transition region to superconductivity, 0=2287
Meister,F.J. Standardization of speech audibility testing, speech audibility threshold and speech audibility loss reference threshold, 0=18532
Meister,R.,Marhoeffer,C.J.,Sciamanda,R.,Cotter,L. and Litovitz,T. Ultrasonic viscoelastic properties of associated liquids, 0=8651
Meister,R. and St.Laurent,R. Ultrasonic absorption and velocity in water containing algae in suspension, 0=8750
Mekhedov,V.N. See Borisova,N.I., 0=9621
Mekhedov,V.N. See Kuznetsova,M.Ia., 0=9633
Mekrasov,M.M. and Poplavko,Yu.M. Ferroelectric properties of solid solutions of the $\mathrm{Ba(Ti,Zr,Sn)O_3}$ ternary system, 0=16019
Meksyn,D. Plate thermometer, 0=19514
Meladze,R.D. See Kvartskhava,I.F., 0=15037
Melamed,V.G. Reduction of Stefan's problem to a system of ordinary differential equations, 0=208
Melankholin,I.M. and Slavnova,E.N. Uptake of Capri blue by growing lead nitrate crystals, 0=13954
Melbourne,W.G. Line-blanketing effects on A—G dwarfs, 0=14461
Melehan,J.B. See Holden,F.C., 0=8143
Meleka,A.H. Direct stress machine for combined fatigue and creep testing, 0=4567
Meleka,A.H. and Barr,W. A possible origin of exo-electron emission in plastically deformed metals, 0=19712
Melese,G. The efficiency of a longitudinal fin with variation of the heat-transfer coefficient along the fin length, 0=6976
Melese,G.B. On the use of dimensionless variables in reactor kinetics, 0=20526
Meligy,A.S. Isotope shift from non-uniform nuclear charge distributions, 0=4169
Meligy,A.S.,Tadros,S. and El-Wahab,M.A. Isotope shift and nuclear deformations, 0=11507
Melik-Adamyan,V.R. See Samsonov,G.V., 0=13468
Melik-Gaikazyan,V.I. and Melik-Gaikazyan,I.Ya. The question of the influence of pectin on the crystallization of ammonium chloride, 0=16262
Melik-Gaikazyan,I.Ya.,Zavadovskaya,E.K. and Treskina,M.N. The effect of annealing on the absorption spectra and the electrical conductivity of NaCl:Pb and KCl:Pb crystal phosphors, 0=20990
Melik-Gaikazyan,I.Ya. See Melik-Gaikazyan,V.I., 0=16262
Melik-Gaikazyan,I.Ya. See Zavadovskaya,E.K., 0=12075
Melioranskii,A.S.,Estulin,I.V.,Kalinkin,L.F. and Kudinov,B.S. Excited states of Cs^{134}, 0=13149
Melioranskii,A.S. See Kalinkin,L.F., 0=11381
Melioransky,A.S. See Estulin,I., 0=11325
Melissinos,A.C. See Kaplon,M.F., 0=4002
Melkanoff,M.,Prowse,D.J. and Stork,D.H. Optical model potential for K^- mesons, 0=7416
Melkanoff,M.A.,Prowse,D.J.,Stork,D.H. and Ticho,H.K. $T = 0$ K^+–nucleon phase shifts based on the optical model, 0=17417
Melkonian,E.,Perez-Mendez,V.,Melkonian,M.L.,Havens,W.W. Jr and Rainwater,L.J. Slow neutron velocity spectrometer studies of the total and fission cross sections of U^{235}, 0=13294
Melkonian,E. See Havens,W.W., Jr, 0=4138
Melkonian,M.L. See Melkonian,E., 0=13294
Mellish,C.E. See Cook,C.B., 0=10630
Mel'nik,I.G. See Gorodetsky,A.F., 0=595
Mel'nik,V.G. See Gorodetsky,A.F., 0=595
Mel'nikov,A.I.Morozov,A.V.Sobolevskaya,R.B. and Shul'man,A.R. Thermionic emission from barium tungstate, 0=10935
Mel'nikov,M.A. See Vorob'ev,A.V., 0=19632
Mel'nikova,M.V. See Troitskaya,V.A., 0=6436
Meloy,G.E. See Allen,W.A., 0=12394
Melton,C.E. Charge transfer reactions producing intrinsic chemical change: methyl, methylene, and hydrogen radicals produced from argon and methane reactions, 0=16976
Melton,C.E. and Rudolph,P.S. Negative ion mass spectra of hydrocarbons and alcohols, 0=3740
Melton,C.E. and Rudolph,P.S. Mass spectrometric studies of ionic intermediates in the alpha-particle radiolysis of ethylene, 0=8321
Melton,C.E. and Rudolph,P.S. Transient species in the radiolytic polymerization of cyanogen, 0=21291
Melton,C.E. See Martin,T.W., 0=6407
Melton,C.E. See Rudolph,P.S., 0=4734
Meltzer,B. Dense electron beams, 0=5326
Meltzer,B. A general relation among the parameters of multi-electrode valves, 0=10946
Meltzer,B. Triode Pierce guns, 0=17038
Meltzer,B. The stability of computation of the Pierce—Cauchy problem, 0=19740
Meltzer,C. See Block,M.M., 0=1372
Meltzer,C.M. See Block,M.M., 0=17416
Melville,A.W. Hydraulic oscillator for the dynamic calibration of pressure recording systems, 0=3587
Melvin,E.H. See Glass,C.A., 0=157
Melvin,M.A. Elementary particles and symmetry principles, 0=20089
Men',A.N. The frequency spectrum of a chain of atoms, taking account of interactions of any desired order, 0=7844
Men',A.N. The problems of the determination of the number of independent parameters of long-range order for many-component alloys, 0=12074
Men',A.N. Determination of the number of independent parameters of the short-range order in multi-component solid solutions. 0=14073
Men',A.N. and Orlov,A.N. The vibrational frequency spectrum for the simplest model of an ordering alloy. II, 0=1936
Men',A.N. See Orlov,A.N., 0=2772
Men',A.V.,Braude,S.Ya. and Gorbach,V.I. Fluctuations of phase-fronts in the propagation of ten-centimetre radio-waves over the sea-surface, 0=300
Mena,V. Rendondo. See Rendondo Mena,V.
Menard,J.P. See Rheinboldt,W.C., 0=14858
Menardi,S. See Ferrero,F., 0=7599
Mendel,E. and Weinig,S. Generation of dislocations by an electric field in MgO, 0=9897
Mendel,H. See van Panthaleon van Eck,C.L., 0=8666
Mendelsohn,L.I. Rictometer system for calibrating transmitters of remote indicating compasses, 0=11009
Mendelsohn,L.I. and Norman,R.S. Novel light-weight moldable permanent-magnet material, 0=3037

Mendelsohn,L.I. See Luborsky,F.E., 0=2415
Mendelssohn,K. Thermal conductivity of superconductors, 0=10843
Mendelssohn,K. Cryophysics, 0=14912
Mendelssohn,K.[Ed.]. Progress in cryogenics. Vol. I, 0=19572
Mendelssohn,K. and Shiffman,C.A. The thermal resistance of tin—indium alloys in the intermediate state, 0=7033
Mendelssohn,K. See Lee,J.A., 0=1084
Mendelssohn,K. See Bhagat,S.M., 0=8922
Mendez,R.(Collab.), see Arzeliès,H., 0=10573
Mendlowitz,H. Optical constants of aluminium, 0=11754
Mendlowitz,H. Optical transmissivity and characteristic energy losses, 0=21247
Mendoza,E. See London,H., 0=8888
Meneghetti,D. and Hummel,H.H. Effect of $(n, 2n)$ and (n,α) reactions on age calculations for beryllium, 0=13283
Meneghetti,D.,Hummel,H.H. and Loewenstein,W.B. Ten-group calculated equilibrium neutron spectrum and diffusion length in natural uranium, 0=12952
Meneghetti,D.,Hummel,H.H. and Loewenstein,W.B. Equilibrium spectrum and diffusion length in natural uranium, 0=13276
Menes,M. Buildup of a discharge in argon, 0=2333
Menes,M. See Bolef,D.I., 0=11963
Menes,M. See Bolef,D.I., 0=13897
Menichella,E. See Facchini,U., 0=15593
Menkes,J. On the stability of a plane deflagration wave, 0=8850
Menninger,J.R.,Snell,F.M. and Spangler,R.A. Voltage clamp for biological investigations, 0=10454
Mennrath,P. See Gorodetzky,S., 0=13150
Menold,R. The exo-electron emission (Kramer effect) of ZnO, 0=2375
Menon,M.G.K. See Durga Prasad,N., 0=13004
Menotti,P. Wigner's inequalities for relativistic scattering, 0=5501
Mentsel',D. See Chordash,L., 0=16331
Menyhárd,N. See Marx,G., 0=5631
Menyuk,N. and Dwight,K. Magnetic properties of nickel-iron ferrites, 0=3082
Menyuk,N.,Dwight,K. and Wickham,D.G. Magnetization reversal and asymmetry in cobalt vanadate (IV), 0=6246
Menyuk,N. See Dwight,K., 0=2300
Menyuk,N. See Dwight,K., 0=16146
Menzel,E. and Otter,M. Optical constants of undisturbed metal crystals, 0=4390
Menzies,D.C. See Balfour,D., 0=11438
Merat,P. Elementary particle interactions, 0=326
Mercea,I. See Bucur,R., 0=15668
Mercea,V. See Bucur,R., 0=15668
Mercer,A.McD. See Dennis,S.C.R., 0=6984
Mercereau,J.E. Ferromagnetic resonance g factor to order $(kR_0)^2$, 0=3112
Merceron,T. See Marais,A., 0=8061
Mercier,J. New considerations on the functioning of an organ pipe, 0=2214
Mercier,R.P. The propagation of fading waves, 0=19948
Mercouroff,W. and Picard,J.C. Experiments on cyclotron resonance in germanium and silicon, 0=7875
Meredith,E.A. See Thun,R.E., 0=13974
Meredith,R.E. and Tobias,C.W. Resistance to potential flow through a cubical array of spheres, 0=12403
Merekov,Iu.P. See Bogachev,N.P., 0=11400
Merekov,Yu.P. See Bogachev,N.P., 0=9354
Merekov,Yu.P. See Bogachev,N.P., 0=9619
Merekov,Yu.P. See Bogachev,N.P., 0=13233
Mériel,P. The application of neutron diffraction to the study of magnetic substances, 0=11848
Mériel,P. See Herpin,A., 0=1818
Mériel,P. See Herpin,A., 0=8063
Mériel,P. See Laniesse,J., 0=6394
Meriel,P. See Laniesse,J., 0=18416
Mériel,P. See Roche,F., 0=4623
Merkle,K. Ferromagnetic anisotropy and its quantum mechanical treatment by means of a one-electron model, 0=4478
Merkulov,L.G. and Kharitonov,A.V. The theory and computation of composite concentrators, 0=998
Merkulov,L.G. and Yakovlev,L.A. Absorption of ultrasonic waves in crystal quartz at frequencies up to 1000 Mc/s, 0=10733
Merkulov,L.G. See Verevkin,V.M., 0=8760
Merkulov,V.V. Field structure in cylindrical waveguides with a complex cross-section, 0=19271
Merle,M. See Canac,F., 0=6866
Merlin,M. See K^--collaboration, 0=1308
Merlin,M. See K^--Collaboration, 0=15430
Mermod,R. See Button,J., 0=11237
Mermoz,H. Calibration of underwater transducers by the free-field reciprocity method, 0=14734
Merrill,P.W. Motions in stellar atmospheres, 0=3423
Merrison,A.W. See Ashkin,J., 0=367
Merrison,A.W. See Ashkin,J., 0=15389
Merrison,A.W. See Ashkin,J., 0=13005
Merrison,A.W. See Cocconi,V.T., 0=17582
Merritt,F.R. See Smith,G.E., 0=16163
Merritt,J.S. See Ewan,G.T., 0=5709
Merritt,T.P. and Hall,F.F.,Jr. Blackbody radiation, 0=8829
Merryman,P.,Moser,C.M. and Nesbet,R.K. Lower excited electronic states of carbon monoxide, 0=5959
Merten,L. Phenomenological description of long wavelength optical vibrations in diatomic polar crystals of the trigonal, tetragonal and hexagonal systems (on an electrostatic basis), 0=7989
Merten,L. Lattice vibrations in crystals with the Wurtzite structure. I. Limiting vibrations ignoring Coulomb forces, 0=17879
Merten,L. Lattice vibrations in crystals with the Wurtzite structure. II. Effect of Coulomb forces on the limiting vibrations, 0=17880
Mertens,H. An energy theory of directional hearing and its applications in stereophony, 0=12223
Mertens,R. On the theory of the diffraction of light by two parallel ultrasonic waves, one being the N-th harmonic of the other, 0=19437
Mertz,L. Comment on interferometric spectral analyzers, 0=10764
Mertz,L. Multichannel stellar spectrometer, 0=16838
Merz,K.M. X-ray study of ferromagnetic domains in cobalt zinc ferrite, 0=1804
Merz,W.J. See Fatuzzo,E., 0=1694
Merz,W.J. See Nitsche,R., 0=11722
Merzari,F. See Colli,L., 0=15602
Merzari,F. See Colli,L., 0=20494
Merzbacher,E.,Crutchfield,P.W.,Jr and Newson,H.W. s- and p-wave neutron spectroscopy. I. Peak height analysis and level assignments, 0=5785
Merzbacher,E. See Herring,J.R., 0=14959
Merzbacher,E. See Kyle,H.L., 0=9754
Merzbacher,E. See Newson,H.W., 0=5786
Mescheryakov,M.G., See Azhgirey,L.S., 0=5742
Meschi,D.J.,Chupka,W.A. and Berkowitz,J. Heterogeneous reactions studied by mass spectrometry. I. Reaction of B_2O_3(s) with H_2O(g), 0=14099
Meschi,D.J. See Berkowitz,J., 0=14100
Meschonnic,M. See Philbert,G., 0=190
Meschonnic,M. See Philbert,G., 0=12779
Meshcheryakov,M.G. See Azhgirei,L.S., 0=13231
Meshcheryakov,M.G. See Kumekin,Yu.P., 0=20205
Meshcheryakov,V.A. The π-mesonic atom and corrections to the dispersion relations, 0=2583
Meshcheryakov,V.A. See Efremov,A.V., 0=20202
Meshii,M. and Kauffman,J.W. Recovery of quenched-in-resistivity at high temperatures in gold, 0=20863
Meshii,M. and Kauffman,J.W. The mechanism of quench-hardening and its recovery in gold, 0=21150
Meshkovskii,A.G. and Shalamov,Ya.Ya. Inelastic interactions between 80-300 MeV π^+-mesons and light nuclei, 0=11452
Meshkovskii,A.G. See Krestnikov,Yu.S., 0=11192
Mesler,R.B. Rapid assessment of neutron activation, 0=5782
Message,P.J. Some periodic orbits in the restricted problem of three bodies and their stabilities, 0=6549
Message,P.J. On Mr King-Hele's theory of the effect of the earth's oblateness on the orbit of a close satellite, 0=18878
Messel,H. See Butcher,J.C., 0=9461
Messel,H. See Butcher,J.C., 0=20264
Messerschmidt,W. The diurnal variation of cosmic radiation, 0=20291
Messerschmidt,W. Results of continuous recordings of cosmic rays with ionization chambers at Halle ($\varphi = 51.5^\circ$N, $\lambda = 12^\circ$E), 0=20303
Messier,J. and Mattler,J. Action of electric fields on the luminescence of scintillations, 0=16105
Messier,J. See Koch,L., 0=20886

Messner,D. and Smakula,A. Color centers in alkaline earth fluorides, 0=20837
Mestel,L. The magnetic and dynamical fields outside a protostar, 0=17090
Mestel,L. A note on the magnetic braking of a rotating star, 0=17091
Methfessel,S.,Middelhoek,S. and Thomas,H. Domain walls in thin Ni—Fe films, 0=10152
Methfessel,S.,Middlehoek,S. and Thomas,H. Domain walls in thin magnetic Ni—Fe films, 0=11865
Metsik,M.S. Theory of the cleavage of crystals of mica, 0=10292
Metsik,M.S. See Deryagin,B.V., 0=8174
Metskhvarishvili,R.Ya. See Kel'man,V.M., 0=424
Metskhvarishvili,R.Ya. See Kel'man,V.M., 0=2648
Metskhvarishvili,R.Ya. See Kel'man,V.M., 0=9588
Metson,G.H. and Holmes,M.F. The conductivity of oxide cathodes. IX. Thermo-electric power, 0=13641
Metson,G.H. and Macartney,E. The conductivity of oxide cathodes. VII. Solid semiconduction, 0=7138
Metson,G.H. See Macartney,E., 0=263
Mette,H.,Gärtner,W.W. and Loscoe,C. Nernst and Ettinghausen effects in silicon between 300°K and 800°K, 0=7969
Mette,H. See Brand,F.A., 0=13635
Metz,A. "Stationary" phenomena in the movements in closed circuit, 0=873
Metz,A. On the question of the relativistic metric on a rotating disc, 0=10557
Metz,A. Refraction and total reflection of waves in media in motion, 0=14741
Metz,A. Applications of total reflection in media in motion, 0=14742
Metz,A. The total reflection of waves in moving media, 0=16792
Metz,A. The aberration of stars and the deviation of waves by the movement of the medium of propagation, 0=18902
Metzger,F.E. See Deutch,B.I., 0=11380
Metzger,F.R.,Swann,C.P. and Rasmussen,V.K. Partial gamma ray widths for low lying levels in aluminium and magnesium, 0=13139
Metzger,F.R. and Todd,W.B. Lifetime of the 362 keV E1 transition in Tb^{159}, 0=5717
Metzger,F.R. See Rasmussen,V.K., 0=5726
Metzger,W. See Zeil,W., 0=5021
Metzner,A.W.K. and Morrison,P. The flow of information in cosmological models, 0=18603
Meunier,J.L. See Ahmad,I., 0=197
Meunier,R. and Teiger,J. A three-diode fast coincidence circuit, 0=19994
Meunier,R. See Bonpas,M., 0=7496
Meunier,R. See Fischer,J., 0=1291
Mevel,A. and Mevel,J. An apparatus for the study of polarization by diffraction of centimetric electromagnetic waves, 0=17105
Mevel,J. Contribution to the study of diffraction of electromagnetic waves by spheres, 0=12695
Mevel,J. See Mevel,A., 0=17105
Mey,J. See Boucherie,A., 0=9248
Meyer,A. Effect of lattice vibrational spectrum on intrinsic electrical and thermal resistivity of metals, 0=1554
Meyer,A.J.P. Magnetism of the compounds of the manganese—gold system, 0=13737
Meyer,A.J.P. Magnetic states of a uniaxial crystal with positive molecular field coefficients, 0=13762
Meyer,E. Measurements on the propagation of structure-borne sound by means of models, 0=19333
Meyer,E. and Burgtorf,W. On the time dependence of the sound directional distribution in rooms from impulsive excitation, 0=19341
Meyer,E.,Helberg,H.W. and Vogel,S. Reverberation-chamber measuring technique and the construction of a large reverberation chamber for electromagnetic waves, 0=17099
Meyer,E. and Kuttruff,H. On the phase relation between sonoluminescence and the cavitation process with periodic excitation, 0=2178
Meyer,E. and Thiele,R. Investigations into the acoustics of numerous concert halls and broadcasting studios, making use of new methods, 0=19342
Meyer,E.W. See Morgan,B.B., 0=4682
Meyer,F.J. See Lottermoser,W., 0=19326
Meyer,G. Scattering of electrons by protons in second Born approximation at incident energies of about 100 MeV, 0=15331
Meyer,H. and Harris,A.B. Specific heat of some rare earth iron garnets and YIG at low temperatures, 0=9855
Meyer,H.and Scott,T.A. Pure quadrupole resonance of N$_2$ in β quinol clathrates, 0=11961
Meyer,H. See Johnson,C.E., 0=10102
Meyer,H. See Rodrigue,G.P., 0=11931
Meyer,H.C., III and Holladay,W.G. Elementary particle reactions. II, 0=9441
Meyer,J. The proton synchrotron "Saturne". 3 litre hydrogen bubble chamber, 0=2412
Meyer,J. See Gaillard,J.M., 0=1298
Meyer,L. and Reif,F. Mobilities of He ions in liquid helium, 0=8902
Meyer,L. and Reif,F. Scattering of thermal energy ions in superfluid liquid He by phonons and He^3 atoms, 0=16939
Meyer,L. See Reif,F., 0=14913
Meyer,M.A.,Stoker,P.H. and De Villiers,J.A.M. Hodoscope system for experiments on the scattering of cosmic ray μ-mesons. I. Electronic circuits, 0=20253
Meyer,M.A. and De Villiers,J.A.M. Hodoscope system for experiments on the scattering of cosmic ray μ-mesons. II. Performance of the hodoscope, 0=20254
Meyer,M.F. Temporal irregularity of excitations : how much is accepted by the brain for reporting pitch, 0=4822
Meyer,M.F. "Exploring tones" : discredited by a siren experiment, 0=6508
Meyer,M.F. Does the hypothesis of the hydraulic functioning of the cochlea bear on the definition of masking? 0=14339
Meyer,M.F. Working model illustrating the cross-section of the cochlea mechanically, 0=16503
Meyer,N.J. Multiple vibrational relaxation in gaseous dibromomethane, 0=14695
Meyer,P. Primary cosmic-ray proton and alpha-particle intensities and their variation with time, 0=1333
Meyer,P. and Salzman,G. The $\mu \rightarrow e + \gamma$ decay and the intermediate charged vector boson theory, 0=13006
Meyer,P. See Benoist,P., 0=9353
Meyer,P. See Fan,C.Y., 0=17453
Meyer,P. See Fan,C.Y., 0=20295
Meyer,P. See Fan.C.Y., 0=20296
Meyer,V.,Eisberg,R.M. and Carlson,R.F. Total reaction cross sections of several nuclei for 61 MeV protons, 0=7552
Meyer,V. and Hintz,N.M. Charged particle and total reaction cross sections for protons at 9.85 MeV, 0=20432
Meyer,V. See Eder,F.X., 0=18254
Meyer,Y. See Courpron,C., 0=11774
Meyer-Arendt,J.R. Novel system for obtaining variable phase contrast, 0=2234
Meyer-Arendt,J.R. Deviation of zone lenses produced by polarization, 0=5179
Meyer-Berkhout,U. Inelastic scattering of 500 MeV electrons from Li^6 and Li^7, 0=1425
Meyer-Berkhout,U.,Ford,K.W. and Green,A.E.S. Charge distributions of nuclei of the 1p shell, 0=404
Meyer-Schützmeister,L. See Hanna,S.S., 0=410
Meyer-Schutzmeister,L. See Lee,L.L.,Jr, 0=412
Meyerhof,W.E.,Tanner,N.W. and Hudson,C.M. Radiative capture of protons by Be^9, 0=1404
Meyerhof,W.E. See Tanner,N.W., 0=2676
Meyerhofer,D. See Rosi,F.D., 0=11711
Meyerott,R.E. See Armstrong,B.H., 0=7120
Meyers,N.H. An analog solution for the static London equations of superconductivity, 0=19549
Meyerson,M.R.,Young,T.R. and Ney,W.R. Gage blocks of superior stability: initial developments in materials and measurement, 0=19037
Meynieux,R. Approximate calculations relating to the Γ-function and to Weber's equation. Application to a plane electromagnetic wave which propagates across an ionized layer, 0=5419
Meyrick,G. See Lang,A.R., 0=20804
Mezzetti,L. See Beneventano,M., 0=17398
Mezzetti,L. See Finocchiaro,G., 0=12724
Miąsek,M. The application of the tight binding method to the investigation of energy bands in hexagonal close-packed structure. I, 0=6027
Miąsek,M. The application of the tight binding method to the investigation of energy bands in hexagonal close-packed structure. II, 0=6028
Miąsek,M. The application of the tight binding method to the investigation of energy bands in hexagonal close-packed structure. III, 0=6029

Michael,I.,Berners,E.D.,Eppling,F.J.,Knecht,D.J.,Northcliffe,L.C., and Herb,R.G. New electrostatic accelerator, 0=2405
Michaels,A.S. See Bixler,H.J., 0=19227
Michaelson,S. See Suffczynski,M., 0=13669
Michailov,M. Electron microscope studies of photosensitive PbS layers, 0=18070
Michalczyk,J. See Ingarden,R.S., 0=19879
Michalov,J. See Hanic,F., 0=8247
Michard,R. The $H\alpha$ line in the chromosphere, 0=14421
Michard,R. Instrument profile and resolving power of the 9 metre spectrograph, 0=18587
Michard,R.,Servajean,R. and Laborde,G. Spectroscopy of solar eruptions in the French programme for the I.G.Y. I. Instruments and observations, 0=18768
Michard,R. Spectroscopy of solar eruptions in the French programme for the I.G.Y. II. Generalities on the spectra of the eruptions, 0=18769
Michaud,G.G. and Boucher,R.R. Neutron sources from the beryllium reduction of plutonium dioxide, 0=7379
Michel,L. Covariant description of polarization, 0=3912
Michel,L. See Bernstein,J., 0=9398
Michel,L. See Bernstein,J., 0=15243
Michel,M.C. See Hoff,R.W., 0=7508
Michel,M.C. See Lessler,R.M., 0=9603
Michel,R.E. The temperature-dependence of electron spin-lattice relaxation times in ruby, 0=13870
Micheletti,S. See Colli,L., 0=1439
Micheletti,S. See Colli,L., 0=1442
Micheletti,S. See Colli,L., 0=5792
Michelis,F.De. See De Michelis,F.
Michelitsch,M. Wetting and alloying studies on germanium, 0=14066
Michelitsch,M. On the current ratio I max/I min of tunnel diodes, 0=15971
Michell,D. and Lovegrove,E. Investigation of the annealing of nickel deformed by compression by X-ray and stored energy measurements, 0=21124
Michels,A.,de Graaff,W.,Wassenaar,T.,Levelt,J.M.H. and Louwerse,P. Compressibility isotherms of hydrogen and deuterium at temperatures between −175°C and +150°C (at densities up to 960 amagat), 0=6838
Michels,A.,de Graaff,W. and Wolkers,G.J. Thermodynamic properties of hydrogen and deuterium at temperatures between −175°C and 150°C and at densities up to 840 amagat, 0=14909
Michels,A.,De Kluiver,H.,Middelkoop,D. The influence of krypton on the 2536.52 A line of mercury, 0=7727
Michels,A.,Dumoulin,E. and van Dijk,J.J. Gas—liquid phase equilibrium below 0°C in the system $NH_3—N_2—H_2$ and in the system $NH_3—Kr$, 0=14639
Michie,R.W. See Burgess,A., 0=12250
Mickelwait,A.B.,Tompkins,E.H.Jr and Park,R.A. Three-dimensional interplanetary trajectories, 0=10535
Micu,M. Excitation of nuclei by the electric quadrupole moment of the projectile, 0=4083
Middelboe,V. See Rasmussen,E., 0=20553
Middelhoek,S. See Methfessel,S., 0=10152
Middelhoek,S. See Methfessel,S., 0=11865
Middelkoop,D. See Michels,A., 0=7727
Middelkoop,W.C. See Hillman,P., 0=2568
Middlemas,N. See Aitken,M.J., 0=5772
Middleton,R. See Hinds,S., 0=5755
Middleton,R. See Hinds,S., 0=5757
Middleton,R. See Hinds,S., 0=7475
Middleton,R. See Hinds,S., 0=7578
Middleton,R. See Hinds,S., 0=9642
Middleton,R. See Hinds,S., 0=11423
Middleton,R. See Hinds,S., 0=11424
Middleton,W.E.K. Random reflections on the history of atmospheric optics, 0=2023
Middleton,W.E.K. Diffusion of ultraviolet and visible light by ground surfaces of fused quartz, 0=14787
Midecke,P. Electron diffraction investigations of thin evaporated metal films and their interpretation by gas interference theory, 0=6388
Midwinter,G.G. See Hatherton,T., 0=4814
Midwinter,G.G. See Hatherton,T., 0=14273
Miedema,A.R.,Postma,H. and Steenland,M.J. Very low temperatures obtained by indirect cooling, 0=8966
Miedema,A.R.,Postma,H.,van der Vlugt,N.J. and Steenland,M.J. Some experiments on heat transfer below 1°K, 0=7039
Miedema,A.R.,van den Broek,J.,Postma,H. and Huiskamp,W.J. The magnetic behaviour of manganese- and cobalt ammonium tutton salt below 1°K, 0=13738
Miedema,A.R. See Beun,J.A., 0=8035
Miedema,A.R. See Postma,H., 0=9561
Miedema,A.R. See Postma,H., 0=15561
Mieher,R.L. Nuclear relaxation via quadrupole coupling, 0=6286
Mielczarek,E.V. and Frederikse,H.P.R. Thermal conductivity of indium antimonide at low temperatures, 0=547
Mielenz,K.D. Theory of grating spectroscopic instruments with rectangular apertures, 0=162
Mielenz,K.D. Measurements of (photographic) blackening of spectral lines, 0=2263
Mielenz,K.D. Use of Chebychev [Chebyshev] polynomials in thin film computations, 0=6940
Mielenz,K.D. Simple calculus for all-dielectric interference filters of the Fabry-Perot type, 0=16892
Mielenz,K.D. See Kaiser,H., 0=5164
Mielke,H. The dependence of static breakdown voltage on the cathode material (hydrogen; $p \approx 500$ Torr, $d = 1$ cm), 0=254
Mielke,H. The temporal variation of the current increase in the static breakdown of air hydrogen and oxygen, 0=9021
Mięsowicz,M. See Bartke,J., 0=13082
Mięsowicz,M. See Gierula,J., 0=20271
Mięsowicz,M. See Gierula,J., 0=20306
Migdal,A.B. Superfluidity and the moments of inertia of nuclei, 0=4011
Migdal,A.B. Superfluidity and the moments of inertia of nuclei, 0=9505
Mihailović,M.V. Bremsstrahlung cross section at the short-wave limit, 0=12896
Mihailović,M.V. Form factor for the ejection of electrons from the L-subshells by protons, 0=13398
Mihailović,M.V. See Dular,J., 0=5767
Mihelich,J.W. See Bichard,J.W., 0=1370
Mihelich,J.W. See Harmatz,B., 0=15538
Mihelich,J.W. See Jacob,K.P., 0=5714
Mihul,E.K. See Barashenkov,V.S., 0=3964
Mihul,I. and Tacu,G. Electric arc with glass electrodes, 0=10892
Mijatović,A.M. See Kiočki,S.D., 0=17540
Mika,J. and Zelazny,R. Polynomial approximation in neutron transport theory, 0=20149
Mikaélyan,A.L. and Stolyarov,A.K. Surface waves in ferrite waveguides, 0=1214
Mikaēlyan,L.A. and Spivak,P.E. Measurement of the degree of longitudinal polarization of beta particles, 0=15335
Mikaélyan,L.A. See Apalin,V.F., 0=4137
Mikaelyan,L.A. See Kalashnikov,V.I., 0=2693
Mikami,I.,Hirone,T.,Watanabe,H.,Maeda,S.,Adachi,K. and Yamada,M. On the magnetic anisotropy of a pyrrhotite crystal, 0=21040
Mikazan,P.S. Electromagnetic wave diffraction at the open end of a helical waveguide, 0=1215
Mikel'son,A. See Briskman,V., 0=6531
Mikesell,A.H. Star visibility in daylight at high altitudes, 0=843
Mikhail,S. Mixing of coaxial streams inside a closed conduit, 0=6753
Mikhailenko,I.E. and Spitsȳn,V.I. New data on the influence of a radioactive solid phase on heterogeneous processes of isotopic exchange, 0=14112
Mikhailov,A.A. The solar eclipse of 15 February, 1961, 0=18780
Mikhailov,A.A. The deflection of light by the gravitational field of the sun, 0=18913
Mikhailov,G.P. and Burshtein,L.L. Determination of effective dipole moments of polymers of homologous methacrylic esters in solution and in the highly elastic state, 0=7821
Mikhailov,G.V. The effect of pressure on the Raman spectrum of oxygen, 0=7764
Mikhailov,G.V. The influence of temperature and pressure on the Raman spectrum of nitrogen, 0=11527
Mikhailov,I.F.,Kogan,V.S. and Kosik,N.A. On the causes of brittleness of vacuum annealed tungsten, 0=16241
Mikhailov,I.G. and Shutilov,V.A. Diffraction of light on harmonics of an ultrasonic wave distorted in the process of propagation in a liquid, 0=140
Mikhailov,I.G. and Shutilov,V.A. A simple method for observing cavitation in liquids, 0=10641
Mikhailov,Yu.G.,Nikulin,E.I.,Reinov,N.M. and Smirnov,A.P. Superconductivity of iron films, 0=2290

Mikhailova,E.G. See Matskevich,T.L., 0=15058
Mikhailovskii,V.M. See Garber,R.I., 0=16254
Mikhailus,F.F. See Marchuk,G.I., 0=9373
Mikhailyuk,I.P. See Kushta,G.P., 0=1938
Mikhalenko,I.P. See Popov,M.M., 0=13193
Mikheev,G.F. and Chernov,N.N. Stabilization of the γ-radiation intensity in betatrons and synchrotrons, 0=19859
Mikheev,G.F. See Komar,A.P., 0=17061
Mikheev,V.L.,Skobelev,N.K.,Druin,V.A. and Flerov,G.N. Spontaneous fission of Am^{241}, 0=11465
Mikheev,V.S. See Fedotov,S.G., 0=4552
Mikheeva,M.N. See Alekseevskii,N.E., 0=12562
Mikhul,A. See Belovitskii,G.E., 0=9709
Mikhul,A. See Van Gan-Chan [Pang Kang-Chang], 0=15455
Mikhul,A.K. and Petrashku,M.G. Fission of uranium U^{238} by μ-mesons, 0=11464
Mikhul,É.K. The statistical weights of K^+- and K^--mesons produced in pion—nucleon collisions, 0=2594
Mikhul,E.K. See Barashenkov,V.S., 0=11168
Miklavžič,U. and Zupančič,Č. Measurement of the bremsstrahlung spectrum from a 30 MeV betatron with a Compton electron spectrometer, 0=12657
Mikoshiba,N. On magneto-acoustic resonance in metals, 0=1566
Mikoshiba,N. Acoustoelectric effect in metals, 0=20759
Miksch,E.S. See Pry,R.H., 0=10125
Mikumo,T. See Nonaka,I., 0=20466
Milano,U. See Schlömann,E., 0=11925
Milazzo,G. Apparatus for the measurement of vapour pressure, 0=14669
Milburn,R.H. See Minehart,R.C., 0=5459
Mileikowsky,C. See Bianchi,L., 0=2403
Miles,D.O. See Perls,T.A., 0=3586
Miles,J.W. Homogeneous solutions in elastic wave propagation, 0=12446
Miles,J.W. Scattering of elastic waves by small inhomogeneities, 0=12449
Miles,J.W. Low-frequency motion of bodies in an elastic wave field, 0=19033
Milevskii,L.S. The interaction of dislocations in silicon observed with the aid of shadowing, 0=13537
Milford,F.J. Hyperfine interaction and the Knight shift, 0=16185
Milford,F.J. See Brog,K.C., 0=7062
Milford,S.N. Approximate cross-sections for inelastic collisions of electrons with atoms. I. 0=7710
Milford,S.N. See Fisher,L., 0=13404
Milford,S.N. See McCoyd,G.C., 0=13403
Milgram,M. See Gibson,J.B., 0=20856
Millar,C.H.,Eastwood,T.A. and Roy,J.C. The decay of Bi^{208}, 0=426
Millar,C.H.,Sargent,B.W. and Horsman,J.C. Delayed-neutron monitors for the detection of sheath failures in reactor fuel rods, 0=13381
Millar,R.F. The scattering of a plane wave by a row of small cylinders, 0=2210
Millar,R.F. A note on diffraction by an infinite slit, 0=2440
Millard,D.J. Relationship between strength and porosity for coal compacts, 0=4568
Milledge,H.J. and Pant,L.M. Structures of 1 : 3 : 5-trichlorobenzene at 20°C and -183°C, and of 1 : 3 : 5-tribromobenzene at 20°C, 0=8246
Milledge,H.J. See Lonsdale,K., 0=4622
Milledge,H.J. See Lonsdale,K., 0=8248
Miller,A. Distribution of cations in spinels, 0=3073
Miller,A. Resolution of the ambiguity of valence states in spinels containing manganese and iron, 0=3240
Miller,A. Valence and distribution of manganese ions in ferrospinels, 0=12051
Miller,A. and Abrahams,E. Impurity conduction at low concentrations, 0=18013
Miller,A.V. See Levintov,I.I., 0=2549
Miller,B.L. e/m by the Hoag method, 0=5520
Miller,B.S. Identification of colloidal sodium in sodium azide, 0=16063
Miller,B.S. See King,G.J., 0=8083
Miller,C.A. See Champney,D.C., 0=6794
Miller,C.E. See Geller,S., 0=6359
Miller,C.E. See Geller,S., 0=8226
Miller,C.E. See Geller,S., 0=11895
Miller,C.G. and Maass,O. Determination of dielectric constant in binary organic systems, 0=19137
Miller,D. Coupled errors on scattering phase shifts, 0=3943
Miller,D. and Hobbie,R.K. High-energy neutron beam of 45% polarization, 0=11182
Miller,D. and Hobbie,R.K. Efficient neutron detector with a stable energy threshold, 0=11185
Miller,D. and Ring,J. Positive pion scattering from hydrogen at 24.8 MeV, 0=3990
Miller,D. See Dahl,O., 0=5617
Miller,D. See Dahl,O., 0=11327
Miller,D.H. Method for determining the orbital angular momentum in K^-—d capture, 0=13058
Miller,D.S. See Arajs,S., 0=3011
Miller,D.S. See Arajs,S., 0=11809
Miller,D.S. See Arajs,S., 0=11810
Miller,D.W. See Holm,G.B., 0=11323
Miller,G. See Fosque,H.S., 0=2426
Miller,G.A. The intermolecular force constants of radon, 0=17725
Miller,G.H.,Pritchard,G.O. and Weston,M. Greaseless mercury cutoff for differential pressure operation, 0=3551
Miller,G.H. See Utterback,N.G., 0=2322
Miller,J.,Schuhl,C.,Tamas,G. and Tzara,C. Preliminary results on a source of monochromatic photons produced by positron annihilation in flight, 0=7320
Miller,J.F.,Goering,H.L. and Himes,R.C. Preparation and properties of AlSb—GaSb solid solution alloys, 0=12079
Miller,J.F.,Reid,F.J. and Himes,R.C. Rare earth compound semiconductors, 0=4351
Miller,J.M. See Hunter,E.T., 0=435
Miller,J.S. It is important to know what questions to ask, 0=28
Miller,K.D.Jr. Distribution of spray from impinging liquid jets, 0=12412
Miller,L.G. See Moore,M.S., 0=9703
Miller,M.A. Reflection of electrons from a high-frequency potential barrier, 0=2397
Miller,M.A. Several possibilities associated with the separation of charged particles in an inhomogeneous high-frequency electromagnetic field, 0=2431
Miller,M.A. Acceleration of plasmoids by high-frequency electric fields, 0=10907
Miller,M.H. Comments on article by Cook, 0=9082
Miller,N.D. See Milne,G.G., 0=169
Miller,P.B. Surface impedance of superconductors, 0=10841
Miller,P.D. See Jones,C.M., 0=4005
Miller,P.D. See Phillips,G.C., 0=1408
Miller,R.A. Filamentary structure between sunspots photographed in integrated light, 0=6589
Miller,R.A. Observations on photospheric brightness surrounding sunspots, 0=8500
Miller,R.C. and Savage,A. Further experiments on the sidewise motion of 180° domain walls in $BaTiO_3$, 0=1701
Miller,R.C. and Savage,A. Motion of 180° domain-walls in metal electroded barium titanate crystals as a function of electric field and sample thickness, 0=7983
Miller,R.C. and Weinreich,G. Mechanism for the sidewise motion of 180° domain walls in barium titanate, 0=7984
Miller,R.C. See Savage,A., 0=1703
Miller,R.C. See Savage,A., 0=16015
Miller,R.H. Transistorized coincidence circuit for π-e experiment, 0=19997
Miller,R.H. See Anderson,H.L., 0=17374
Miller,S.L.,Nathan,M.I. and Smith,A.C. Pressure dependence of the current-voltage characteristics of Esaki diodes, 0=6104
Miller,W.D. See Marvin,J.F., 0=21402
Miller,W.F. and Snow,W.J. Energy loss spectra for gamma rays in NaI, 0=2511
Miller,W.F. and Snow,W.J. Response spectra for gamma rays in CsI, 0=16102
Miller,W.F. and Snow,W.J. Design calculations for NaI systems, 0=19970
Millett,W.E. See Chase,C.E., 0=10819
Millett,W.E. See Hatcher,C.R., 0=3959
Millikan,R.C. See Kaskan,W.E., 0=7767
Millington,R.J. Gas diffusion in porous media, 0=101
Millman,G.H. The geometry of the earth's magnetic field at ionospheric heights, 0=8358
Millman,P.M. Note on some observational characteristics of meteor radio echoes, 0=10486
Millman,P.M. Visual and photographic observations of meteors and noctilucent clouds, 0=21388
Millot,J.P. See de Gennes,P.G., 0=3268
Millot,J.P. See De Gennes,P.G., 0=18404

Mills,A.W. Lateralization of high-frequency tones, 0=3368
Mills,B.D., Jr. The fluid column, 0=6727
Mills,B.Y. The radio continuum radiation from the Galaxy, 0=4860
Mills,B.Y.,Slee,O.B. and Hill,E.R. A catalogue of radio sources between declinations $+10^{\circ}$ and -20°, 0=4869
Mills,B.Y. See Hill,E.R., 0=4861
Mills,C.B. See Ergen,W.K., 0=13313
Mills,D. See Bratina,W.J., 0=10165
Mills,F.E. See Kerst,D.W., 0=19837
Mills,I.M. See Randic,M., 0=5908
Mills,P.J. See Norkus,F.J., 0=16509
Mills,R.L.,Sessler,A.M.,Moszkowski,S.A. and Shankland,D.G. Superfluidity of nuclear matter, 0=1348
Mills,R.L. See Cooper,L.N., 0=8924
Mills,R.L. See Frantz,L.M., 0=5645
Mills,R.L. See Grilly,E.R., 0=228
Mills,R.L. See Sydoriak,S.G., 0=10820
Milne,A.R. Shallow water under-ice acoustics in Barrow Strait. 0=14726
Milne,G.G. and Miller,N.D. Photographic photometry of a flash tube using a high-speed streak camera, 0=169
Milne,J.G.C. See Davies,D.E., 0=5271
Milne,T.A. Ion—molecule reactions in mass spectrometric studies of alkali halide salts, 0=10876
Milnes,H.W. See Wallis,R.F., 0=5543
Milojević,A.B. Study of emission of light positive particles form negative beta emitters, 0=17529
Milone,C. Fine structure in the energy spectra of photoprotons from He^4, 0=20249
Milone,C. See Cortini,G., 0=1430
Milone,C. See Emma,V., 0=1431
Milone,C. See Emma,V., 0=5774
Milone,C. See Emma,V., 0=11435
Milone,C. See Emma,V., 0=17616
Miloslavskii,V.K. and Kovalenko,N.A. Absorption by zinc oxide in the infrared spectral region, 0=654
Miloslavskii,V.K. and Lyashenko,S.P. Optical and electrical properties of thin layers of tin dioxide, 0=16036
Milovanov,O.S. See Zorin,D.M., 0=10991
Milsted,J. See Carswell,D.J., 0=3281
Milsted,J. See Fields,P.R., 0=7498
Milsted,J. See Rosenblum,S., 0=4045
Milton,J.C.D. See Fraser,J.S., 0=17629
Mims,W.B. and Bowers,K.D. Paramagnetic relaxation in nickel fluosilicate, 0=10234
Mims,W.B. and McGee,J.D. Cross relaxation in ruby, 0=13885
Mimura,H. and Uemura,Y. On the electronic structure of the U_2-center in KCl crystals. I, 0=20832
Min Lü. See Lü Min.
Min Yü. See Yü Min.
Mina,P. See Garner,F.H., 0=2158
Mina,P. See Garner,F.H., 0=2159
Minaev,N.G. See Latsh,V.V., 0=16326
Minaev,N.G. See Latsh,V.V., 0=21232
Minami,S. Note on the K^-—deuteron collision, 0=2592
Minami,S. On the circuit for continual measurement of light intensity ratio, 0=6934
Minami,S. S-wave interaction in π—N systems and dispersion relation, 0=20204
Minami,S. and Yamaguchi,Y. Parity nonconservation and decay of hyperon, 0=9437
Minami,S. See Hayakawa,S., 0=369
Minami,S. See Ito,D., 0=11205
Minami,S. See Ito,D., 0=20051
Minami,S. See Ito,D., 0=20052
Minard,J. Experimental study by a new method of the absolute retardation in electric birefringence of liquids. Electrostriction, 0=6954
Minardi,E. See Ascoli,R., 0=12857
Minehart,R.C. and Milburn,R.H. Scintillation-bubble chamber, 0=5459
Minematsu,M. Nuclear quadrupole resonances of nitrogen in amino and amido compounds. 0=21087
Minguzzi,A. and Streater,R.F. Some remarks on the vertex function, 0=15285
Minguzzi,A. and Streater,R.F. A note on the proof of dispersion relations, 0=20076
Minguzzi,A. See Ascoli,R., 0=11081
Minguzzi-Ranzi,A. See Bergia,S., 0=15402
Minguzzi-Ranzi,A. See Block,M.M., 0=17416
Minin,I.N. A point source of light in an absorbing medium between parallel plane surfaces, 0=14793
Minin,I.N. On the solution of the integral equation for the coastal refraction of electromagnetic waves, 0=19939
Minina,R.M. See Yavor,S.Ya., 0=10960
Minkner,R. See Reinhold,G., 0=12655
Minkoff,G.J. Frozen free radicals, 0=19578
Minkoff,G.J. Frozen free radicals, 0=20659
Minkowski,J.M. Cross relaxation effect of chromium and iron in $K_3(Co,Cr,Fe)(CN)_6$, 0=16165
Minkowski,R. International cooperative efforts directed toward optical identification of radio sources, 0=8477
Minkowski,R. Cygnus loop and some related nebulosities, 0=10524
Minkowski,R. Problems of extragalactic spectroscopy, 0=18837
Minnhagen,L.,Petersson,B. and Stigmark,L. Continued experiments on the excitation of spectra by high frequency pulses, 0=12479
Minnis,C.M. Non-uniformity in the brightness of the sun's disk during the eclipse of 30 June 1954, 0=842
Minnis,C.M. The interpretation of changes in the E- and F1-layers during solar eclipses, 0=2016
Minnis,C.M. Ionospheric changes at Singapore during the solar eclipse of 14 December, 1955, 0=6451
Minnis,C.M. An estimate of the peak sunspot number in 1968, 0=10501
Minnis,C.M. and Bazzard,G.H. Some indices of solar activity base on ionospheric and radio noise measurements. 0=6452
Minnis,C.M. and Bazzard,G.H. A daily index of solar activity based on E-layer ionization (July 1957-December, 1958), 0=14230
Minnis,C.M. and Bazzard,G.H. The geographical distribution of ionization in the F2-layer, 0=16454
Minnis,C.M. and Bazzard,G.H. A monthly ionospheric index of solar activity based on F2-layer ionization at eleven stations, 0=18500
Minnis,C.N. and Bazzard,G.H. A world-wide semi-annual cycle in the E-layer of the ionosphere, 0=21357
Minomura,S. and Drickamer,H.G. Effect of pressure on the M center in alkali halide crystals, 0=13556
Minor,F.W. See Schwartz,A.M., 0=2156
Minter,C.C. Vacuum leak testing with liquids, 0=8723
Minter,F.J. See Makin,M.J., 0=16232
Mints,A.L. See Veksler,V.I., 0=5369
Minturn,R.E.,Datz,S. and Taylor,E.H. Thermal emission of alkali ion pulses from clean and oxygenated tungsten, 0=9093
Minturn,R.E. See Datz,S., 0=9094
Mintzer,D. and Tanenbaum,B.S. Spatial and temporal absorption in a viscous medium, 0=1000
Mintzer,D. See Kritz,A.H., 0=3767
Mintzer,D. See Tanenbaum,B.S., 0=14594
Minyatov,A.V. [The rate of] heating of an infinite cylinder which is enveloped in a film, 0=16013
Mira,J.K. and Dragica,Z.N. Investigation of the angular distribution of tritons produced by deuterons of about 0.9 MeV on beryllium, 0=17600
Miralles,L. See Catalá,J., 0=20468
Miranda,H.A., Jr and Schimmel,H. New liquid scintillation, 0=5032
Miranker,W.L. The wave equation in a medium in motion, 0=12443
Miranov,A.G. See Bonch-Bruevich,V.L., 0=17009
Mirić,P.D. See Brajović,V.M., 0=20493
Mirinskii,D.S. See Borzunov,V.A., 0=3490
Mirjasov,N.Z. See Cecernikov,V.I., 0=13757
Mirlin,D.N. See Kornfel'd,M.I., 0=7925
Mirlin,D.N. See Kornfel'd,M.I., 0=15963
Mirlin,D.N. See Sochava,L.S., 0=11685
Mironov,A.G. Theory of photoconductivity and photoelectromagnetic effect in the presence of adhesion levels, 0=1680
Mironov,A.V. See Krassovsky,V.I., 0=4808
Miroshnichenko,L.S. See Borzyak,P.G., 0=11725
Mirri,A.M. See Favero,P., 0=20629
Mirsepassi,T.J. Steady-state temperature distribution in solids undergoing certain change of property, 0=6961
Mirumyants,S.O. See Neporent,B.S., 0=20607
Miryasov,N.Z. Susceptibility$[\chi_p]$ of the para-process in a Fe—Ni alloy [61.18 atomic percent Fe] in the temperature range 77-290°K, 0=1787
Miryasov,N.Z. and Kolomin,L.G. Magnetic moments and Curie points of ferrites of the Cu—Cd system, 0=11885

Misarova,A. Ageing of barium titanate monocrystals, 0=16014

Misawa,S. See Morita,T., 0=14537

Misawa,T. Turn-on transient of p—n—p—n triode, 0=15977

Mišek,K. The inner attenuation of thin nickel layers in an alternating magnetic field, 0=4495

Míšek,K. Origin of the magnetomechanical effect in an alternating field, 0=13814

Míšek,K. and Kratochvílova,E. The "improper" ΔG-effect in nickel, 0=11872

Miselyuk,E.G. See Glinchuk,K.D., 0=6107

Miselyuk,E.G. See Kosenko,V.E., 0=15870

Miselyuk,E.G. See Vinetskii,R.M., 0=9963

Miselyuk,E.G. See Belyaev,A.D., 0=13536

Miselyuk,E.G. See Lashkarev,V.E., 0=15863

Mishakova,A.P. and Nikolskii,B.A. Angular distribution of shower particles in explosive showers produced by high-energy cosmic-ray particles, 0=7432

Mishakova,A.P. See Nikol'skii,B.A., 0=20267

Mishakova,A.P. See Tumanyan,V.A., 0=9344

Mishchenko,Kh.D. See Smirenkin,G.N., 0=11458

Mishkin,E. See Shmoys,J., 0=11026

Mishnev,S.I. and Nikol'skii,S.I. Rate of extensive air showers of cosmic rays near sea level, 0=15477

Mishra (Basu),N. and Sinha,M.S. Low energy spectrum of the sea level electrons and muons at 12°N, 0=17447

Mishuck,E. See Chaiken,R.F., 0=3309

Mishuev,A.V. See Makushkin,V.P., 0=130

Miskolczy-Fodor,F. Relation between loudness and duration of tonal pulses. II. Response of normal ears to sounds with noise sensation, 0=6510

Miskolczy-Fodor,F. Relation between loudness and duration of tonal pulses. III. Response in cases of abnormal loudness function , 0=6511

Misner,C.W. Wormhole initial conditions, 0=10588

Misner,C.W. and Putnam,P. Active gravitational mass, 0=2099

Misner,C.W. See Arnowitt,R., 0=2106

Misner,C.W. See Arnowitt,R., 0=6660

Misner,C.W. See Arnowitt,R., 0=10579

Misner,C.W. See Arnowitt,R., 0=10583

Misner,C.W. See Arnowitt,R., 0=16586

Misner,C.W. See Arnowitt,R., 0=18910

Misner,C.W. See Arnowitt,R., 0=18935

Misner,C.W. See Arnowitt,R., 0=18936

Misra,B.N. See Swarup,P., 0=16178

Misra,P. See Pradhan,T., 0=17020

Misra,S.P. Polarisation of a Dirac particle and proton—neutron scattering, 0=5565

Misra,S.P. Action principle and Lagrangian with higher order derivatives, 0=17203

Misra,S.P. Application of Schwinger's action principle to quantise a fourth order meson field, 0=17214

Mistry,N.B.,Murthy,G.T.,Ramana Murthy,P.V. and Sreekantan,B.V. Triggered spark counter arrays of large area (square meters) for experiments on very high energy cosmic ray particles, 0=17455

Misu,A. See Kuwabara,G., 0=20937

Mitani,S. See Watase,Y., 0=13038

Mitchell,A.C. See Benveniste,J., 0=20490

Mitchell,A.C.G. See Creager,C.B., 0=4057

Mitchell,A.C.G. See Kocher,C.W., 0=20389

Mitchell,A.M.J. and Sandbach,E. Measurement of the frequency of an ammonia maser in England and Australia, 0=11039

Mitchell,A.R. See Borwein,D., 0=18572

Mitchell,D.W. See Geller,S., 0=3232

Mitchell,D.W. See Gilleo,M.A., 0=3074

Mitchell,E.N. See Olmen,R.W., 0=3053

Mitchell,E.W.J.,Rigden,J.D. and Townsend,P.D. The anisotropy of optical absorption induced in sapphire by neutron and electron irradiation, 0=20989

Mitchell,E.W.J. See Bastin,J.A., 0=5134

Mitchell,E.W.J. See Clark,C.D., 0=16068

Mitchell,J.G. Sensitive detector of γ-radiation in liquid or gaseous effluents, 0=5448

Mitchell,J.T.D.,Whittle,H.R.,Jackson,E.M. and Clarke,P.B. The modification of Zeta in 1958, 0=5838

Mitchell,J.T.D. See Butt,E.P., 0=5837

Mitchell,J.W. Electronic conductivity of silver halide crystals, 0=20871

Mitchell,J.W. See Bartlett,J.T., 0=20807

Mitchell,J.W. See Bartlett,J.T., 0=20816

Mitchell,J.W. See Parasnis,A.S., 0=15847

Mitchell,P.V.,Wiegand,D.A. and Smoluchowski,R. F-centre growth curves, 0=4301

Mitchell,R.W. and Eisner,M. Nuclear spin—lattice relaxation in solutions, 0=14664

Mitchell,W.E.Jr. The absorption coefficient of the negative hydrogen ion, 0=9765

Mitchell,W.H. and Putley,E.H. Cryostat for measuring the electrical properties of high resistance semiconductors at low temperatures, 0=5241

Mitin,N.A. See Grigor'ev,E.L., 0=7409

Mitin,N.A. See Grigor'ev,E.L., 0=9411

Mito,I. and Ezawa, H. Ionization loss near the origin of an electron pair of very high energy, 0=11148

Mito,I. See Aizu,H., 0=1338

Mitoff,S.P. Electrical conductivity of single crystals of MgO, 0=2899

Mitoff,S.P. Comments on Dr. Schmalzried's letter, 0=21284

Mitra,A.K. Scattering of electron from five dimensional wave equation, 0=5546

Mitra,A.K. A note on the torsional vibration of a conical bar with varying rigidity and density, 0=14709

Mitra,A.N. Pion—pion effects in τ-decay, 0=20225

Mitra,A.N. and Narasimham,V.L. Role of spin—orbit force in nuclear interactions, 0=4015

Mitra,A.N. and Saxena,R.P. Nucleon—antinucleon interaction in the new Tamm—Dancoff approximation, 0=20121

Mitra,A.N. and Saxena,R.P. Renormalization for nucleon—antinucleon interaction, 0=20122

Mitra,A.P. Night-time ionization in the lower ionosphere. I. Recombination processes, 0=763

Mitra,A.P. Night-time ionization in the lower ionosphere. II. Distribution of electrons and positive and negative ions, 0=764

Mitra,A.P. Time and height variations in the daytime processes in the ionosphere, 0=8376

Mitra,A.P. See Rao,M.N., 0=6450

Mitra,B. Construction of a 14 MeV neutron generator utilizing $T^3(d, n)He^4$ reaction and measurement of fast neutron flux, 0=15365

Mitra,G.B. X-ray diffraction study of the heat treatment of kaolinite, 0=4666

Mitra,G.B. and Wilson,A.J.C. Variation with particle size of the effective X-ray absorption coefficient of heterogeneous slabs, 0=7329

Mitra,M. Propagation of elastic waves in an infinite plate of cylindrically aelotropic material, 0=14717

Mitra,M. Exact solution of the buried line source problem for a uniformly moving line source, 0=16657

Mitra,M.N. Determination of elastic, anelastic and plastic components of uniaxial tensile strain. II. Tests on brass, 0=18239

Mitra,M.N. and Dutta,S.N. Determination of elastic, anelastic and plastic components of uniaxial tensile strain. I. Tests on copper, 0=18238

Mitra,S.C. See Bose,A., 0=1778

Mitra,S.K. Upper atmosphere and space exploration with artificial satellites, 0=16419

Mitra,S.K. See Bhattacherjee,S.K., 0=13199

Mitra,S.N. Solar eclipse of 30th June, 1954, and its effect upon the ionosphere, 0=4794

Mitra,S.N. Some investigations on long-wave propagation, 0=5426

Mitra,S.N. and Mazumdar,S.C. Some measurements of ionospheric absorption at Delhi, 0=307

Mitra,S.N. and Narasinga Rao,B.C. Effect of annular solar eclipse of 19th April, 1958 (at sunrise) on the F_2 layer of the ionosphere, 0=18498

Mitra,S.N. and Vij,K.K. Geomagnetic field and ionospheric drift, 0=14221

Mitra,S.S. Use of reflection echelon with increased resolving power, 0=19441

Mitra,S.S. and Joshi,S.K. Infrared eigen frequency and Debye θ of ionic crystals, 0=17878

Mitra,S.S. See Joshi,S.K., 0=19429

Mitra,S.S. See Varshni,Y.P., 0=17853

Mitrani,L. See Hauser,I., 0=15496

Mitrenin,B.P. See Vinogradova,M.N., 0=18019

Mitrofanov,K.P. See Bedesku,A., 0=11386

Mitsek,I. See Turov,E.A., 0=11836

Mitskevich,N.V. A nonlinear vacuum effect in gravitation theory, 0=10558

Mitskevich,N.V. See Ivanenko,D.D., 0=10560

Mitsuishi,A.,Yamada,Y.,Fujita,S. and Yoshinaga,H. Polarizer for the far-infrared region, 0=6953
Mitsuk,V.E. and Koz'minykh,M.D. Electric field in a microwave plasma as a function of time, 0=19669
Mitsuk,V.E.,Koz'minykh,M.D. and Talalaeva,I.V. Measurement of the electric field in a very high-frequency plasma, 0=2352
Mittelstaedt,P. On the problem of rearrangement energy of nuclear matter, 0=17272
Mitter,H. Two-point function in nonlinear spinor theory, 0=17248
Mittleman,H. See Lippmann,B.A., 0=2724
Mittleman,M.H. and Watson,K.M. Effects of the Pauli principle on the scattering of high-energy electrons by atoms, 0=12906
Mittlestadt,V.R. See Oskam,H.J., 0=12585
Mittra,R. On the solution of an eigenvalue equation of the Wiener-Hopf type in finite and infinite ranges, 0=12233
Mittsev,M.A. See Ionov,N.I., 0=14964
Mityaev,Y.I. See Efimov,B.V., 0=5803
Mityushov,V.A. See Levchenko,A.A., 0=16352
Miya,K. and Kanaya,S. Radio propagation prediction considering scattering waves on the earth's surface, 0=15156
Miya,K.,Sasaki,T. and Ishikawa,M. Angles of arrival of a V.H.F. signal in ionospheric forward propagation, 0=19947
Miya,K.,Taguchi,Y. and Tabuchi,S. Radio observation of the earth satellite 1957α, 0=18488
Miyachi,Y. On the decay interactions of strange particles, 0=11232
Miyachi,Y. See Ikeda,M., 0=10584
Miyagawa,I. and Gordy,W. Electron spin resonance of an irradiated single crystal of alanine: second-order effects in free radical resonances, 0=3128
Miyagawa,N. On the discharge mechanism of Philips ionization gauge (P.I.G.), 0=19614
Miyahara,S. See Ohnishi,H., 0=1807
Miyake,K. Formation of cesium antimonide. I. Electrical resistivity of the film of cesium—antimony system, 0=1667
Miyake,K. See Barnes,S.W., 0=3986
Miyake,K. See Barnes,S.W., 0=3987
Miyake,S. An analysis of experimental data on extensive air showers, 0=9460
Miyake,S. An analysis of experimental data on extensive air showers, 0=15474
Miyake,S. Transition from dynamical to kinematical intensities of electron diffraction by crystals, 0=21179
Miyake,S.,Hinotani,K.,Katsumata,I. and Kaneko,T. A large multiplate cloud chamber for cosmic ray observation, 0=20252
Miyake,S.,Takagi,S. and Fujimato,F. The extinction rule for reflexions in symmetrical spot patterns of electron diffraction by crystals, 0=12019
Miyamoto,K. On Gabor's expansion theorem, 0=14791
Miyamoto,K. See Kubota,H., 0=19403
Miyamoto,S. See Fukai,Y., 0=15633
Miyamoto,Y. See Takayanagi,K., 0=9782
Miyata,N. See Funatogawa,Z., 0=21054
Miyatake,O. See Koh,Y., 0=9590
Miyatake,Y. Perturbational calculations of propagators of the elementary particles interacting with gravitational field, 0=12881
Miyatake,Y. Nonlocal interactions and dispersion relations, 0=17228
Miyatani,S. Ionic conduction in β-Ag_2Te and β-Ag_2Se, 0=20872
Miyatani,S. and Yokota,I. Galvano- and thermomagnetic effects in α-Ag_2Te, 0=20922
Miyauchi,A. See Imaeda,K., 0=12741
Miyazaki,S. See Takayama,K., 0=19698
Miyazaki,Y. On the continuous observation of cosmic-ray intensity by the standard neutron and meson monitors, 0=15493
Miyazaki,Y. and Takeuchi,H. Altitude dependence and time variation of the radiation intensity observed by U.S. satellite 1958α, 0=20299
Miyazaki,Y. and Takeuchi,H. Cosmic-ray observation by Kappa-VI rocket, 0=20300
Miyazaki,Y. See Kodama,M., 0=15489
Miyazaki,Y. See Kodama,M., 0=15494
Miyazawa,H.,Nakano,T. and Umezawa,H. On the strong interaction, 0=20045
Miyazawa,H. See Fujita,J., 0=13189
Miyazawa,H. See Konuma,M., 0=12864
Miyazawa,H. See Matsuyama,S., 0=12919
Miyazawa,H. See Matsuyama,S., 0=12920
Miyazawa,T. Perturbation treatment of the characteristic vibrations of polypeptide chains in various configurations, 0=15789
Miyazima,T. and Wada,Y. Nuclear moments of inertia, 0=15509
Miyoshi,Y. Development of space charge and growth of ionization in the transient Townsend discharge, 0=5288
Mizetskaya,I.B. See Vitrikhovskii,N.I., 0=7957
Mizuno,H. and Inoue,M. Diffusion of F centers into potassium chloride single crystals, 0=20838
Mizuno,J.,Ukei,K. and Sugawara,T. The crystal structure of $CoCl_2.6H_2O$, 0=4639
Mizuno,Y. and Izuyama,T. Remarks on Mayer's reduced density matrix method, 0=9302
Mizuno,Y. and Izuyama,T. Electron interaction in very long linear conjugated molecules. I. One-dimensional collective oscillation of π electron, 0=17859
Mizuno,Y. and Izuyama,T. Consideration on non-orthogonality catastrophe in the Heitler—London theory. I, 0=20686
Mizuno,Y.,Izuyama,T. and Shimizu,M. Molecular processes induced by $^-$ mesons in hydrogen bubble chamber. II. 0=17863
Mizuno,Y. See Kotani,M., 0=17819
Mizuno,Y. See Shimizu,M., 0=17862
Mizushima,M. Theory of the radio-frequency spectra of the H_2^+ molecule-ion, 0=17742
Mizushima,M. Theory of microwave absorption by compressed oxygen gas, 0=5916
Mizushima,S. See Suzuki,I., 0=3532
Mizushima,Y. and Oda,Z. Nonproportionality in Bayard—Alpert ionization gauge and the ultimate vacuum determination of diffusion pumps, 0=2188
Mizushima,Y. See Imai,T., 0=19714
Mizushina,T.,Iuchi,S.,Ito,R. and Yoshikawa,O. Thermal diffusion in liquids, 0=14630
Mladjenović,M. See Marinkov,L., 0=20407
Mladjenović,M.S. A large permanent magnet beta-ray spectrograph, 0=19755
Mladjenovic,M.S. See Novakov,T.M., 0=17516
Mnev,V.N. See Zaitsev,A.A., 0=19630
Möbius,P. Introduction of many-particle variables for the treatment of special translationally invariant many-body problems, 0=11119
Möbius,P. Treatment of special translationally invariant three-body problems by adapted coordinates, 0=17268
Moch,R. See Remmelts,J., 0=11984
Mochan,I.V. Obraztsov,Yu.N. and Smirnova,T.V. An investigation of the interactions of holes in p-type germanium with acoustical branch vibrations, 0=2873
Mochan,I.V. and Smirnova,T.V. Concerning methods of measuring the Nernst effect, 0=4328
Mochan,I.V. See Obraztsov,Yu.N., 0=15823
Mock,J.B. Broadband millimeter wave paramagnetic resonance spectrometer, 0=9225
Mock,J.B. See Peter,M., 0=10233
Modena,I. See Careri,G., 0=16935
Moe,G. See Chaiken,R.F., 0=3309
Moffat,J.W. Magnitude of the pion renormalization constants, 0=3929
Moffat,J.W. On the boson mass renormalization constants in pseudoscalar meson theory, 0=5507
Moffat,J.W. Resonance behaviour of scattering amplitudes in dispersion relations, 0=17390
Moffatt,J.W. Regularized vacuum expectation values in quantum field theory, 0=11076
Moffatt,J. and Stringfellow,M.W. The small-angle scattering of photons of about 100 MeV energy, 0=9663
Moffitt,W. See Witkowski,A., 0=17769
Mogilevskaya,L.Ya. See Golovin,B.M., 0=10001
Mohan,G. Re-arrangement collision matrix, 0=340
Mohan,M. Stresses due to a concentrated force in an infinite elastic parabolic plate not containing the focus, 0=4967
Mohanty,G.P. and Azároff,L.V. Distribution of electrons in cadmium sulfide crystals, 0=21193
Mohler,O.C. See Goldberg,L., 0=14431
Mohler,O.C. See McMath,R.R., 0=8496
Mohling,F. and Morita,M. Temperature dependence of the low-momentum excitations in a Bose gas of hard spheres, 0=18987
Mohling,F. and Sirlin,A. Low-lying excitations in a Bose gas of hard spheres, 0=10609
Mohling,F. See Sirlin,A., 0=10609

Mohorčič,G. See Vene,N., 0=14657
Mohr,C.B.O. Direct interaction with strong coupling in nuclear collisions, 0=4087
Mohr,W. Oscillatory cavitation with short sonic pulses, 0=14599
Mohyuddin,I. and Douglas,R.W. Some observations of the anelasticity of glasses, 0=18246
Moilliet,A. See Grant,H.L., 0=5000
Moiseev,A.I. See Kolesnikov,G.N., 0=16221
Moiseev,N.N. Contribution to the theory of elastic vibrations of a body containing liquid, 0=925
Moiseev,S.S. On the distribution function for dissipative processes in a rarefied relativistic gas, 0=12434
Moiseev,V.P. See Gorbunova,K.M., 0=16365
Moiseiwitsch,B.L. and Williams,A. The elastic scattering of fast electrons and positrons by hydrogen and helium atoms, 0=9753
Moiseiwitsch,B.L. See Arthurs,A.M., 0=7684
Moiseiwitsch,B.L. See Ferguson,A.F., 0=5279
Moiseiwitsch,B.L. See Kingston,A.E., 0=20560
Moiseiwitsch,B.L. See Kingston,A.E., 0=20561
Moiseiwitsch,B.L. See Massey,H.[S.W.], 0=20563
Moizhes,B.Ya. Non-central forces in the theory of vibrations of a crystal lattice, 0=2780
Moizhes,B.Ya. Removal of the edge effect in measuring the photomagnetic e.m.f. in semiconductors, 0=6132
Moizhes,B.Ya. The cut-off frequency of the drift transistor, allowance being made for the drift field variation and for the carrier mobility in the base, 0=9980
Moizhes,B.Ya. Theory of photoelements with a p—n junction, 0=11720
Moizhes,B.Ya. The influence of the temperature dependence of properties of materials on the efficiency of thermoelectric generators and refrigerators, 0=13639
Moizhes,B.Ya. and Pikus,G.E. On the theory of a plasma thermionic element, 0=15067
Moizhes,B.Ya. and Ravich,Yu.I. A possibility of discovering excitons in germanium and silicon, 0=6112
Moizhes,B.Ya. See Devyatkova,E.D., 0=10795
Moizhes,B.Ya. See Smirnov,I.A., 0=20947
Mojoni,A. See Bonfiglioli,G., 0=8172
Mokhnatkin,M.P. On specific heat jumps in relation to melting point formulae, 0=14887
Mokhov,G.D. See Korsunskii,M.I., 0=18073
Mokhov,V.N. See Gandel'man,G.M., 0=9689
Mokievskii,V.A. Dependence of the form of an indentation on the symmetry of the crystal faces in the determination of hardness by the penetration of a diamond pyramid, 0=13931
Mokrý,P. See Hladký,J., 0=5636
Mokry,P. See Hlady,J., 0=20288
Mokrý,P. See Krivsky,L., 0=20275
Molchanov,A.M. Finiteness of variation of the continuous solutions of the hydrodynamical equations, 0=6738
Molenaar,J. See Born,P., 0=7539
Moler,R.B. See Scobie,J., 0=2641
Moler,W.F. V.L.F. propagation effects of a d-region layer produced by cosmic rays, 0=15163
Moler,W.F. and Holden,D.B. Tropospheric scatter propagation and atmospheric circulations, 0=8364
Moles,A.A. See Leipp,E., 0=2215
Mølgaard,J. Fibre surface replication by rolling, 0=8263
Mølgaard,J. Technique for replicating fibre surfaces by rolling, 0=10323
Molière,G. Multiple scattering of electrons at large angles. I. Solutions for an infinite medium, 0=2398
Molina,F. See Mariani,F., 0=6442
Molina,F. See Mariani,F., 0=6443
Molinari,E. See Cimino,A., 0=16372
Moljk,A. See Drever,R.W.P., 0=17132
Moll,J. See Ehlers,H., 0=16739
Moll,J.L. See Shockley,W., 0=15916
Møller,A.R. Improved technique for detailed measurements of the middle ear impedance, 0=3371
Møller,C.K. The structure of caesium plumbo iodide CsPbI$_3$, 0=4636
Møller,C.K. The structure of perovskite-like caesium plumbo trihalides, 0=4637
Moller,C.K. On the structure of caesium hexahalogenoplumbates (II), 0=16328
Möller,E. Gamma rays from the 7.6 MeV state of O^{15}, 0=5729
Möller,F. Measurement of atmospheric radiation by a black ball, 0=785
Möller,K.D. Torsional vibrations of the two methyl groups in acetone, 0=20602
Möller,N.H. Calculation of atomic energy levels for electronic configurations with one electron outside a nearly closed shell and two holes in this shell for LS and pair coupling, 9=15638
Mollwo,E. See Andress,B., 0=6202
Molmud,P. Expansion of a rarefied gas cloud into a vacuum, 0=10682
Molnár,K. See Gáspár,R., 0=5847
Molotkov,I.A. See Buldy̆rev,V.S., 0=19300
Molozzi,A.R. See Tyas,J.P.I., 0=4847
Molya,M. See Martalogu,N., 0=19995
Molyneux,L. Acoustic gas analyser, 0=4751
Molyneux,L. and Schneider,E.E. Inexpensive graph plotter for five-track paper tape, 0=18577
Momo,L.R.,Myers,R.A. and Foner,S. Pulsed field millimeter wave masers, 0=9195
Momo,L.R. See Foner,L.R., 0=9194
Momose,K. See Nagata,T., 0=14179
Momota,T. See Sakai,M., 0=5665
Monahan,J.E. See Lane,R.O., 0=9681
Monahan,J.E. See Stanton,H.E., 0=14968
Monari,L. See Block,M.M., 0=17416
Monaro,S. See Ricci,R.A., 0=11385
Moncaster,M.E. See Harding,W.R., 0=17287
Mönch,W. and Sander, W. Measurement of disorder energy in quenched condensed Cu at low temperature, 0=3278
Monchamp,R.R., Bannister,E. and Cotton,F.A. High-sensitivity pressure gauge coupling two spoon gauges, 0=3550
Monchick,L. Collision integrals for the exponential repulsive potential, 0=956
Moncuit,C. Contribution to the study of the magnetization of fine wires under tensile stress, in weak alternating fields, 0=679
Moncuit,C. New data on the anomalous dispersion of magnesium platinocyanide, 0=6168
Mond,J.W.M.Du. See Du Mond,J.W.M.
Monfils,A. See Herinckx,C.H., 0=12574
Monin,A.S. Turbulence in shear flow with stability, 0=10640
Monin,A.S. On the similarity of turbulence in the presence of a mean vertical temperature gradient, 0=12170
Monin,A.S. The theory of locally isotropic turbulence, 0=19067
Monod-Herzen,G.,Nguyen-Chung-Tu and t'Kint de Roodenbeck,A. Fluorescence and phosphorescence of cadmium iodide, 0=13704
Monoszon,N.A. See Veksler,V.I., 0=5369
Monse,E.U. Calculation of equilibrium constants for several isotope exchange reactions involving N$_2$O$_4$. 0=16373
Monse,E.U.,Spindel,W.,Kauder,L.N. and Taylor,T.I. Enrichment of nitrogen-15 by chemical exchange of NO with liquid N$_2$O$_3$, 0=11497
Montalbetti,R. Photoelectric measurements of hydrogen emissions in aurorae and airglow, 0=8410
Montalbetti,R. and Jones,A.V. Hα emissions during aurorae over west-central Canada, 0=792
Montaldi,E. See Gulmanelli,P., 0=2478
Montalenti,G. A report on magnetic research carried out in Italy in the last few years, 0=13740
Montalenti,G. See Biorci,G., 0=1803
Montalenti,G. See Biorci,G., 0=13820
Montalenti,G. See Biorci,G., 0=18189
Montanet,L.,Newth,J.A.,Petrucci,G.,Salmeron,R.A. and Zichichi,Z. A cloud chamber study of nuclear interactions with energies of about 100 GeV, 0=15498
Monteith,J.L. Solarimeter for field use, 0=4781
Montel,E. Measurement of the mobilities of gaseous ions by the Paul Langevin analyser, 0=19619
Montel,M. See Ganson,A., 0=19390
Montet,G.L. Interstitial compounds of irradiated graphite, 0=13567
Montgomery,D. Nonlinear Alfvén waves in a cold ionized gas, 0=1193
Montgomery,D. Stability of large amplitude waves in the one-dimensional plasma, 0=9054
Montgomery,D.J. See Robertson,W.M., 0=4553
Montgomery,D.J. See Zimmerman,W.B., 0=18127
Montroll,E. See Mazur,P., 0=4956
Montroll,E.W. On the statistical mechanics of transport processes, 0=16648

Montroll,E.W. and Ward,J.C. Quantum statistics of interacting particles. II. Cluster integral development of transport coefficients, 0=7303
Moody,P.L.,Gatos,H.C. and Lavine,M.C. Growth of GaAs crystals in the ⟨111⟩ polar direction, 0=18312
Moody,P.L, See Gatos,H.C., 0=3175
Mook,C.P. A preliminary meteorological study of the origin of whistlers, 0=8427
Mook,C.P.[Ed.]. Symposium on sferics and thunderstorm electricity, 0=16481
Mookherji,A. and Mathur,S.C. Magnetic anisotropy of the Fe^{++} ion in siderite, 0=21025
Moon,P.B. Developments in gamma-ray optics, 0=11134
Moon,P.B. and Sood,B.S. Natural width and Doppler broadening in the ^{152}Sm 961 keV γ-ray resonance, 0=20336
Moon,P.B. See Cordey-Hayes,M., 0=15518
Moon,R.M. Internal structure of cross-tie walls in thin permalloy films through high-resolution bitter techniques, 0=3049
Mooney,R.W. Optical properties of tin- and lead-activated calcium metasilicate phosphors, 0=2952
Mooney,R.W. Tin-activated calcium orthosilicate phosphors, 0=4443
Mooney,R.W. See Ropp,R.C., 0=2955
Mooradian,A.J., Allison,G.M. and Palmer,J.G. Chalk river experience with fuel waterlogging, 0=5824
Moore,A.C. and Young,A.S. Some physical properties of thin magnetic films, 0=11853
Moore,A.J.W. See Hondros,E.D., 0=18328
Moore,A.F. and Kessler,J.O. Origin of the photomagnetism anomaly in germanium, 0=7929
Moore,C.B.,Vonnegut,B.,Stein,B.A. and Survilas,H.J. Observations of electrification and lightning in warm clouds, 0=16485
Moore,C.E. The spectra of rare-earths (August 1958), 0=9771
Moore,C.E. and Broida,H.P. OH in the solar spectrum, 0=6603
Moore,E.J. An analogy between the effects of fluctuating electric fields and steady magnetic fields in isotropic conductors when a universal relaxation time cannot be defined, 0=13574
Moore,H.R. See Herzberg,G., 0=1481
Moore,J.C. Measurement of surface stress in austenitic steel, 0=10254
Moore,K.H. Advanced placement grogram in physics, 0=4918
Moore,M.N. The determination of reactor transfer functions from measurements at steady operation, 0=13319
Moore,M.S.,Miller,L.G. and Simpson,O.D. Slow neutron
Moore,M.S. and Reich,C.W. Multilevel analysis of the slow neutron cross sections of U^{233}, 0=9704
Moore,N. Energy of interaction of two helium atoms, 0=15676
Moore,P. The other side of the moon, 0=8486
Moore,P. and Cattermole,P.J. The markings of Venus. Experiment with an illuminated globe, 0=8491
Moore,P. and Wilkins,H.P. Observations of the Russian moon rocket Lunik II, 0=3428
Moore,R.A., Seagondollar,L.W. and Smith,R.B. Radiofrequency induction vacuum furnace for clean target preparation, 0=111
Moore,R.B. and White,W. Tables of rotational energy levels of deformed even–even nuclei, 0=17490
Moore,R.D. See Stanford,R.W., 0=10456
Moore,R.G.,Jr. Nuclear reaction cross-section theory, 0=7600
Moore,R.G.Jr. See Bullock,R.E., 0=13134
Moore,T.W. See Langenberg,D.N., 0=539
Moore,W.H. See Bowen,T., 0=17426
Moore,W.H. See Bowen,T., 0=17427
Moore,W.J. See Cunningham,R.L., 0=8173
Moore,W.J. See Grønlund,F., 0=3810
Moore,W.J. See Grønlund,F., 0=10989
Moore,W.M.,Hammond,G.S. and Foss,R.P. Photochemical evidence for triplet state quenching by paramagnetic species, 0=14130
Moorhead,J.E. See Dreyfus,M.G., 0=5140
Moorhouse,G. See Bransden,B., 0=17230
Moorhouse,G. See Bransden,B., 0=20043
Mooring,F.P. See Huddleston,C.M., 0=5791
Mooring,F.P. See Lee,L.L., Jr, 0=433
Mooser,E. and Pearson,W.B. On the crystal chemistry of normal valence compounds, 0=3219
Mooser,E. See MacDonald,D.K.C., 0=19569
Mooser,E. See Busch,G., 0=565
Mora,S. See Dascola,G., 0=15525
Mora,S. See Quareni,G., 0=7417
Morais,C. Gaussian optics of systems with variable focal length, 0=2227
Morais,C. Paraxial properties of a system formed of two crossed plano-cylindrical lenses, 0=2228
Morais,C. (Reviewer). Modern geometrical optics (by Max Herzberger), 0=151
Morand,M.,Baudinet-Robinet,Y. and Winand,L. A study of long-range particles from polonium sources, 0=7581
Morand,M., Le Gentil,M.C.L. and Desprez-Rebaud,S. Collisions of an electron with a hydrogen atom, 0=2716
Morand,M. See Le Gentil,M.C., 0=12780
Morand,M. See Tsai-Chü, 0=17362
Morant,M.J. Equilibrium space charge at the contact of a metal and a pure highly insulating liquid and its influence on high-field conductivity, 0=14642
Morant,M.J. Photo-injection of charge into dielectric liquids, 0=16699
Moravscik,M.J. (Conf.Rep.). Nuclear forces and the few-nucleon problem, 0=3926
Moravcsik,M.J. Polarization in pion–nucleon scattering and the second and third pion–nucleon resonances, 0=13027
Moravcsik,M.J. See Cziffra,P., 0=1297
Moravcsik,M.J. See MacGregor,M.H., 0=2543
Moravisik,M.J. See MacGregor,M.H., 0=12931
Mørch,K.A. Measurement of total acoustic power of sources of sound in a reverberation chamber, 0=19311
Morchio,R. The biological system as a "stationary open system" after the theoretical model of L. von Bertalanffy, 0=805
Moreau,J. See Cagnet,M., 0=17968
Moreau,J.J. A method of "functional kinematics" in hydrodynamics, 0=16673
Moreau,R. See Grjebine,T., 0=10974
Moreau,R. See Phillips,G.C., 0=19773
Morehead,F.F.,Jr. The mechanism and efficiency of electroluminescence in ZnS phosphors, 0=11794
Morel,P. Semi-empirical calculation of the transition temperature of superconductors and of the effect of pressure on the transition, 0=3705
Morel,P. See Anderson,P.W., 0=19540
Morel,P. See Brueckner,K.A., 0=11124
Morelock,C.R. and Sears,G.W. Growth mechanism of copper whiskers by hydrogen reduction of cuprous iodide, 0=1888
Morero,D., Mantica,E., Ciampelli,F. and Sianesi,D. Infrared spectra of stereo-ordered polymers of monomeric vinyl aromatics. I. Isotactic polystyrene, 0=4676
Morero,D.,Mantica,E. and Porri,L. Infrared spectra of polybutadiene. I. Syndiotactic 1,2 polybutadiene, 0=4677
Moret-Bailly,J. Calculation of linear combinations of spherical harmonics forming bases of irreducible representations of the groups O$_h$ and T$_d$, 0=7741
Moret-Bailly,J. Study of the first terms in the series development of a totally symmetric function of an angular momentum [operator] in a problem with tetrahedral symmetry, 0=8466
Moret-Bailly,J. Introduction to the calculation of the vibration-rotation energy of molecules with spherical symmetry, 0=11516
Morewitz,H.A. and Valentine,R.F. A system of obtaining and reducing neutron flux data from a critical assembly, 0=13348
Morfee,R.G.S.,Staveley,L.A.K.,Walters,S.T. and Wigley,D.L. A heat capacity study of the movement of the ammonium ion in ammonium stannichloride and stannibromide by comparison of the heat capacities of the ammonium, rubidium and potassium salts, 0=11582
Morgan,A. See Bryant,F.J., 0=7502
Morgan,B.B. and Meyer,E.W. Multi-channel photoelectric scanning instrument for sizing microscopic particles, 0=4682
Morgan,D. See Businaro,U.L., 0=4148
Morgan,E. and Barrow,R.F. Rotational analysis of the C$^2\Sigma$-X$^2\Pi^+$ system of CaCl, 0=7754
Morgan,F.R. Apparatus for the measurement of the mechanical properties of fibres, 0=8098
Morgan,F.R. An electromicrobalance for weighing fibres, 0=8587
Morgan,G.H. See Ziemba,F.P., 0=13407
Morgan,I.L. See Prud'homme,J.T., 0=9667
Morgan,J.E.,Elias,L. and Schiff,H.I. Recombination of oxygen atoms in the absence of O$_2$, 0=18429
Morgan,J.V. and Kane,E.O. Observation of direct tunneling in germanium, 0=2880

Morgan,J.V. See Spencer,H.E., 0=20935
Morgan,K.Z. Maximum permissible internal dose of radionuclides: recent changes in values, 0=12215
Morgan,M.G. Whistlers, 0=12208
Morgan,P.G. The geometry of surface cracks, 0=14045
Morgan,S.P. Generalizations of spherically symmetric lenses, 0=5401
Morgan,T.D.N. See Evans,W.H., 0=3897
Morgan,W.W. Some characteristics of galaxies which bear on their use as a fundamental astrometric frame of reference, 0=12323
Morgan,W.W. Some vistas of astronomical discovery, 0=16517
Morgen,R.A. See Harding,R.H., 0=6939
Morgenshtern,Z.L. Luminescence of non-activated CsI monocrystals, 0=4440
Morgenshtern,Z.L. Luminescence of non-activated CsI crystals. II, 0=16081
Morgenthaler,F.R. Harmonic resonances in small ferrimagnetic ellipsoids, 0=3120
Morgenthaler,F.R. A survey of ferromagnetic resonance in small ferrimagnetic ellipsoids, 0=10201
Morgenthaler,F.R. See Stiglitz,M.R., 0=10177
Morgulis,N.D. Change of the work function of an electron escaping from metal, due to an adsorbed film of BaO molecules, 0=5327
Morgulis,N.D. and Naumovets,A.G. The application of thermionic emission for direct transformation of thermal into electric energy, 0=15051
Morgulis,N.D. and Naumovets,A.G. Kinetics of the formation and some properties of oxygen films adsorbed on tungsten, 0=21297
Morgulis,N.D.,Ptushinskii,Yu.G. and Chuikov,B.A. Partial adsorption of the components of residual gases in a very high vacuum, 0=18448
Morgulis,N.D. See Vedula,Yu.S., 0=9064
Mori,K. See Iso,C., 0=9290
Mori,K. See Iso,C., 0=20044
Morillon,B. See Bourot,J.M., 0=10360
Morinaga,H. and Nagatani,K. Lower excited states of W^{185}, 0=20418
Morinaga,H. See Kotajima,K., 0=11336
Morinaga,H. See Takahashi,K., 0=9562
Morinaga,H. See Yuta,H., 0=11352
Morinet,G. See Lapluye,G., 0=4381
Morinet,G. See Lapluye,G., 0=6156
Morinet,G. See Lapluye,G., 0=7982
Morino,Y., Nakamura,Y. and Iijima,T. Mean Square amplitudes and force constants of tetrahedral molecules. I. Carbon tetrachloride and germanium tetrachloride, 0=5897
Morino,Y. See Chiba,T., 0=6271
Morino,Y. See Kikuchi,Y., 0=2744
Morita,A. Electron capture by a lattice vacancy in Si, 0=4350
Morita,A. Theory of cohesive energies and energy-band structures of diamond-type valence crystals. The method of SLCO. II, 0=13477
Morita,A. and Takahashi,K. Theory of cohesive energy of LiH crystal. The method of semi-localized crystalline orbital (SLCO). I, 0=13476
Morita,M. γ_5 symmetries and relativistic corrections in beta decay, 0=5694
Morita,M. and Fujii,A. Theory of allowed and forbidden transitions in muon capture reactions, 0=9686
Morita,M. and Fujii,A. Muon capture in ^{12}C, 0=15385
Morita,M. and Greenberg,D. Theory of allowed and forbidden transitions in muon capture reactions. II, 0=13290
Morita,M. See Mohling,F., 0=18987
Morita,T. On the lattice model of liquid helium proposed by Matsubara and Matsuda, 0=12545
Morita,T. Bose—Einstein lattice gases equivalent to the Heisenberg model of ferro-, antiferro- and ferrimagnetism, 0=13748
Morita,T. Bose—Einstein lattice gas theory of ferromagnetism, 0=13749
Morita,T. Theory of classical fluids: Hyper-netted chain approximation. I. Formulation for a one-component system, 0=14616
Morita,T. Theory of classical fluids: hyper-netted chain approximation. II, 0=14617
Morita,T. Expansion formulae of the free energy and distribution functions in powers of the one particle distribution function, 0=16630
Morita,T. Cell theory of classical liquids. Phase transition between gas, liquid and solid. III. Yvon's method and its generalization, 0=19098
Morita,T. Cell theory of classical liquids. Phase transition between gas, liquid and solid. IV. F.C.C. lattice gases, 0=19099
Morita,T. Equation of state of high temperature plasma, 0=19656
Morita,T.,Abe,R. and Misawa,S. Ferromagnetism of a gas of hard sphere fermions with spin $\frac{1}{2}$, 0=14537
Morito,N. See Omura,I., 0=7706
Moriuchi,Y., Kawashima,K. and Yagi,T. The effective energy of the Ra gamma rays (filtered by 0.5 mm platinum) 0=1262
Moriya,T. Piezomagnetism in CoF_2, 0=4500
Moriya,T. Theory of magnetism of NiF_2, 0=4502
Moriya,T. Nuclear magnetic resonance frequency shift of ^{59}Ci in CoF_2, 0=6278
Moriya,T. Nuclear magnetic relaxation in liquid hydrogen, 0=8671
Moriya,T. New mechanism of anisotropy superexchange interaction, 0=11902
Moriya,T. Anisotropic superexchange interaction and weak ferromagnetism, 0=18205
Moriya,T. and Motizuki,K. Nuclear magnetic relaxation in solid hydrogen, 0=8091
Moriya,T. and Nakamura,T. The nuclear resonance relaxation and line width in the antiferromagnet, 0=10251
Morkowski,J. On the approach to equilibrium of spin waves system. I, 0=16129
Morland,L.W. See Cox,A.D., 0=12391
Morley,J.G. Strength of glass fibres, 0=4555
Morley,T.K. See Munden,D.L., 0=8589
Morlin,Z. The afterglow of NaCl recrystallized phosphors activated with TlCl, 0=8019
Morlin,Z. See Árkosi,K., 0=16366
Morokuma,K. See Fukui,K., 0=14102
Moroney,J.R. See McDonell,J.A., 0=20455
Morosin,B. and Lingafelter,E.C. The crystal structure of tetramethylammonium, tetrachlorozincate and tetrachlorocobaltate, 0=3243
Morosin,B. See Lyle,F.K.C., 0=3247
Moroz,E.M. and Rabinovich,M.S. An upper limit to frequency in a synchrotron, 0=9125
Moroz,E.M. and Rabinovich,M.S. The damping of oscillations in a synchrotron, 0=9128
Moroz,L.G. and Fedorov,F.I. The scattering matrix taking into account the Pauli interaction, 0=20074
Moroz,L.S. and Khesin,Yu.D. The anomalous growth of metal grains in vacuum, 0=14055
Moroz,V.I. The emission spectrum of night sky in the 1.2-3.4μ region, 0=2035
Moroz,V.I. Infrared spectrum of the night sky up to 3.4μ , 0=21384
Moroz,V.I. See Shklovskii,I.S., 0=18889
Morozov,A.I. Anisotropy of the surface breakdown of germanium in strong fields, 0=15931
Morozov,A.I. and Solov'ev,L.S. The integrals of drift equations, 0=1184
Morozov,A.I. and Solov'ev,L.S. Motion of particles in a toroidal corrugated magnetic field, 0=10980
Morozov,A.I. and Solov'ev,L.S. Motion of particles in a screw-form toroidal magnetic field, 0=10981
Morozov,A.I. and Solov'ev,L.S. Plasma acceleration in a coaxial system, 0=19653
Morozov,A.I. See Kalashnikob,S.G., 0=6106
Morozov,A.M. and Yampol'skii,P.A. New short-lived isomeric states as^{75m} and Ga^{70m} formed with fast protons, 0=1382
Morozov,A.V. See Mel'nikov,A.I., 0=10935
Morozov,Iu.M. See Popov,M.M., 0=13193
Morozov,V.A. See Dontsov,Yu.P., 0=15662
Morozov,V.P. See Rÿbakova,G.I., 0=20600
Morozova,L.P. See Krotova,N.A., 0=3162
Morphew,K.L. Ratiometer phase angle indicator, 0=14937
Morpurgo,G. A generalization of the Foldy—Wouthuysen transformation, 0=15263
Morris,D. See Mungall,A.G., 0=1209
Morris,D. See Mungall,A.G., 0=11047
Morris,D.M. See Lambert,J.D., 0=8701
Morris,E. See Bergmann,P.G., 0=4949
Morris,E. See Fürth,R., 0=3716
Morris,E.L. See May,W.D., 0=3477
Morrish,A.H. See Brown,W.F.Jr, 0=10198

Morrish,A.H. See Watt,L.A.K., 0=10149
Morrison,D.L. See Porile,N.T., 0=2669
Morrison,D.R.O. See Budde,R., 0=2465
Morrison,G.C. and Galey,J.A. Excited states of B^{13}, 0=4023
Morrison,G.C. See Littlejohn,C.S., 0=4107
Morrison,J.A. and Frisch,H.L. Bounds on the nonlinear diffusion controlled growth rate of spherical precipitates, 0=15871
Morrison,J.A. and Rudham,R. Anion diffusion in doped crystals of potassium chloride, 0=1604
Morrison,J.A. See Barr,L.W., 0=11622
Morrison,J.A. See Barron,T.H.K., 0=1556
Morrison,J.A. See Barron,T.H.K., 0=7849
Morrison,J.A. See Barron,T.H.K., 0=20745
Morrison,J.A. See Beaumont,R.H., 0=17893
Morrison,J.A. See Flubacher,P., 0=11581
Morrison,J.A. See Flubacher,P., 0=15812
Morrison,J.A. See Flubacher,P., 0=17892
Morrison,J.D.,Hurzeler,H.,Inghram,M.G. and Stanton,H.E. Threshold law for the probability of excitation of molecules by photon impact. A study of the photoionization efficiencies of Br_2, I_2, HI, and CH_3I, 0=17720
Morrison,J.D. and Nicholson,A.J.C. Probability of double ionization by electron impact for neon, argon, and xenon, 0=2317
Morrison,J.D. See Dorman,F.H., 0=2318
Morrison,J.D. See Dorman,F.H., 0=3736
Morrison,P. See Cocconi,G., 0=4846
Morrison,P. See Metzner,A.W.K., 0=18603
Morrison,W.L. See Wilner,L.B., 0=14606
Morriss,R.W. Anomalous winter absorption of radio waves, 0=18489
Morrow,C.T. Random vibration, 0=10706
Morse,P.M. Operations research, 0=18574
Morse,R.W. Ultrasonic attenuation in metals at low temperatures, 0=19581
Morse,R.W. and Bohm,H.V. Some ultrasonic measurements in normal and superconducting aluminium, 0=233
Morse,R.W.,Myers,A. and Walker,C.T. Fermi surfaces of gold and silver from ultrasonic attenuation, 0=13502
Mortensen,E.M. See Smith,R.P., 0=5978
Mortensen,E.M. See Smith,R.P., 0=5979
Mortenson,K.E. Parametric diode figure of merit and optimization, 0=12691
Mortenson,K.E. Comments on "Diode capacitors for parametric amplification" by R.C.Knechtli and R.D.Weglein, 0=13626
Mortlock,A.J.,Rowe,A.H. and LeClaire,A.D. The atomic diffusion of platinum in gold, 0=20846
Mortlock,A.J. and Tomlin,D.H. The atomic diffusion of chromium in the titanium—chromium system, 0=20844
Morton,D.C. Evolutionary mass exchange in close binary systems, 0=14445
Morton,G.A. Infrared photoemission, 0=9073
Morton,G.A. The scintillation counter, 0=17138
Morton,G.A. and Matheson,R.M. A fast photomultiplier and coincidence system for precise time measurements, 0=19725
Morton,G.A., Schultz,M.L. and Harty,W.E. Infrared photoconductive detectors using impurity-activated germanium—silicon alloys, 0=2911
Morton,J.R. See Douglas,A.E., 0=6551
Morton,J.Y. Irregular diffraction effects of subjects in a free field, 0=6500
Morton,J.Y. An artificial ear for insert earphones, 0=14331
Morton,J.Y. and Jones,R.A. The mechanical impedances of mastoids of some normal and deaf subjects, 0=4827
Morton,J.Y. and Jones,R.A. The acoustical impedance presented by some human ears to hearing-aid earphones of the insert type, 0=6498
Morton,K.W. Scaling neutron tracks in Monte Carlo shielding calculations, 0=7354
Morton,S.D. and Ferry,J.D. Translational friction of microscopic spheres in concentrated polymer solutions, 0=76
Morton,W.T. and Munir,B.A. Nuclear disintegrations produced by 900 MeV neutrons, 0=20484
Morton,W.T. See Walker,T.G., 0=7595
Mościcki,W. On the use of G.M. counters filled with a mixture of $CO_2 + CS_2$ for the measurement of the activity of natural carbon. I. Discussion of the techniques employed in the measurement of the activity of natural carbon, 0=15530
Mościcki,W. On the use of G.M. counters filled with a mixture of $CO_2 + CS_2$ for the measurement of the activity of natural carbon. II. Experiments with G.M.counters filled with $CO_2 + CS_2$ used for detection of ^{14}C in natural carbon, 0=15531
Moscowitz,A. Analysis of rotatory dispersion curves, 0=17842
Moseley,D.S. Contribution to the theory of radial extensional vibrations in thin disks, 0=14705
Moseley,R.D., Jr. See Hodges,P.C., 0=5541
Mosen,A.W. See Schmitt,R.A., 0=14402
Moser,C. See Brion,H., 0=7778
Moser,C.M. See Lefebvre-Brion,H., 0=9828
Moser,C.M. See Lefebvre-Brion,H., 0=17764
Moser,C.M. See Merryman,P., 0=5959
Moser,E. See Kornetzki,M., 0=18204
Moser,H. and Stieler,D. On the observation of Raman spectra of powdered crystals, 0=14817
Moser,J. Theory of depolarization of the light dispersed by solutions of macromolecular substances, 0=940
Moser,J. Contribution to the theory of diffraction of light by zone plates, 0=1043
Moser,J. A contribution to the quantum theory of central forces, 0=10594
Moser,J.B. and Whitmore,D.H. Kinetics of sintering of sodium chloride in the presence of an inert gas, 0=8463
Moser,J.B. See Whitmore,D.H., 0=16921
Moses,H.,Stehney,F. and Lucas,H.F.,Jr. The effect of meteorological variables upon the vertical and temporal distributions of atmospheric radon, 0=14320
Moses,H.E. See Lomont,J.S., 0=9270
Moses,H.E. See Lomont,J.S., 0=14518
Moses,K. See Gorowitz,B., 0=3577
Moses,V. and Fowler,J.F. Helium—butane gas mixtures as fillings for Geiger—Muller tubes, 0=12721
Mosharov,A.I. See Bovin,V.V., 0=9385
Mosher,H.S.,Souers,C. and Hardwick,R. Photochromotropism of gamma-(2.4-dinitrobenzyl)-pyridine in solution, 0=16381
Moshinsky,M. Transformation brackets for harmonic oscillator functions, 0=5517
Moshinsky,M. See Bargmann,V., 0=20082
Moshinsky,M. See Brody,T.A., 0=17469
Mosinger,E.M. See Aguilar,J., 0=20463
Mosinger,E.M. See Bredin,D.J., 0=20250
Moskalenko,S.A. Exciton absorption of light in Cu_2O crystals. I. The case of absence of constant external fields, 0=20983
Moskalev,A.N. See Dolginov,A.Z., 0=7289
Moskalev,S.S. See Erozolimsky,B.G., 0=4135
Moskalev,V.I. See Budagov,Yu.A., 0=7402
Moskalev,V.I. See Budagov,Yu.A., 0=9399
Moskalev,V.I. See Budagov,Yu.A., 0=13017
Moskalev,V.I. See Budagov,Yu.A., 0=13018
Moskalev,V.I. See Ermolov,P.F., 0=2532
Moskaleva,L.P. See Lavrukhina,A.K., 0=7569
Moskaleva,L.P. See Lavrukina,A.K., 0=13298
Moskvicheva,V.N. See Kutateladze,S.S., 0=8848
Moss,H. Planar diode flow and the Langmuir limit, 0=269
Moss,T.S. The extent of ionic binding in cadmium telluride, 0=7834
Moss,T.S. and Walton,A.K. Determination of the effective electron mass in GaAs by the infra-red Faraday effect, 0=7872
Moss,T.S. and Walton,A.K. Measurement of effective mass of electrons in InP by infra-red faraday effect, 0=18049
Moss,T.S. See Smith,S.D., 0=4361
Mössbauer,R.L. Nuclear resonance absorption of γ-rays in Ir^{191}, 0=1368
Mössbauer,R.L. and Wiedemann,W.H. Nuclear resonance absorption of non-Doppler-broadened gamma rays in Re^{187}, 0=9525
Mossin-Kotin,C., Margolis,B. and Troubetzkoy,E.S. Calculations of neutron capture cross-sections, 0=2681
Mostinskii,I.L. See Stȳrikovich,M.A., 0=6970
Mostovaya,T.A. See Mostovoi,V.I., 0=4136
Mostovoi,V.I., Mostovaya,T.A., Sovinskii,M. and Saltȳkov,Yu.S. The distribution of fission-fragment kinetic energy in ternary fission of U^{235} by thermal neutrons, 0=4136
Moszkowski,S.A. and Scott,B.L. Nuclear forces and the properties of nuclear matter, 0=20083
Moszkowski,S.A. and Sessler,A.M. Hole—hole interactions and the properties of nuclear matter, 0=20308
Moszkowski,S.A. See Kelly,P.S., 0=7513
Moszkowski,S.A. See Mills,R.L., 0=1348
Motchane,J.L. See Uebersfeld,J., 0=16717

Motizuki,K. Metamagnetism of methylamine chrome alum, 0=21030

Motizuki,K. See Moriya.T., 0=8091

Moţoc,C. The cohesive energy of metallic silver, 0=20722

Mott-Smith,H.M. Heating of positive ions in a thermonuclear plasma, 0=15027

Mott-Smith,H.M. Collision trajectories for inverse power intermolecular potentials, 0=19193

Mottelson,B.R. and Nilsson,S.G. The shape of the nuclear photo-resonance in deformed nuclei, 0=5766

Motulevich,G.P. The relationship between the optical constants of metals and their micro-characteristics, 0=6165

Motulevitch,G.P. See Golovashkin,A.I., 0=6077

Motz,H. and Wise,H. Diffusion and heterogeneous reaction. III. Atom recombination at a catalytic boundary. 0=16370

Motz,J.W. and Placious,R.C. Bremsstrahlung linear polarization. 0=15325

Motz,J.W. See Koch,H.W., 0=346

Motz,L. Gauge invariance and the Lorentz pondermotive force, 0=14508

Motzkus,F. See Bialas,D., 0=8214

Mouchitzky,G. Radii of "mirror" nuclei, 0=5648

Mougin,B. See Koch,L., 0=17151

Moulton,W.G. See Hasty,T.E., 0=2825

Mountain,R.D. See Klein,M.J., 0=19546

Moushegian,G. and Jeffress,L.A. Role of interaural time and intensity differences in the lateralization of low-frequency tones, 0=2051

Moussa,A. See Tousset,J., 0=9563

Moussa,A.H. The effect of polarization on elastic scattering of positrons by hydrogen atoms, 0=5550

Moussa,M.A. See Juillard,A., 0=10967

Moussa,M.A. See Marguin,P., 0=3880

Mouton,W.L. and Smith,P.B. Resonant absorption of the gamma-radiation from the $Ne^{22}(p,\gamma)\ Na^{23}$ reaction, 0=11311

Moutou,P.C. See Warnecke,M., 0=14700

Movchet,J. See Marin,P., 0=5741

Mower,L. Conductivity of a warm plasma, 0=1137

Mower,L. See Buchsbaum.S.J.. 0=17017

Mowery,A.L.,Jr. See Murray,R.L., 0=13351

Mowery,A.L.,Jr. See Murray,R.L., 0=13367

Moxon,M.C. See Bird,J.R., 0=4074

Moyer,E.J. See Adelson,H.E., 0=2466

Moyer,B.J. See Longo,M.J., 0=3984

Mozer,B. and Baranger,M. Electric field distributions in an ionized gas. II, 0=10870

Mozer,F.S. Generalized atomic mass law, 0=2720

Mozley,R.F. See Taylor,R.E., 0=5594

Mozumder,A. Energy states of a one-dimensional crystal with vacant lattice sites, 0=7870

Mrowec,S. and Werber,T. On the mechanism of sulphurization of copper, 0=21268

Mroz,E.A. See Swank,R.K., 0=2298

Muccini,G.A. See Henglein,A., 0=4707

Muccini,G.A. See Henglein,A., 0=16400

Muchnik,M. See Castagnoli,C., 0=15591

Muckenfuss,C. Bimodal model for shock wave structure, 0=10729

Muckenhirn,O.W.,LaBonte,A.E. and Besser,P.J. Annular uniaxially magnetized domains in thin Ni—Fe films, 0=11866

Muehlhausen,A. See Gifford,G., 0=10742

Mueller,C.R. and Ignatowski,A.J. Equilibrium and transport properties of the carbon tetrachloride—methylene chloride system, 0=10655

Mueller.M.H. See Shull.C.G.. 0=9684

Mueller,R.K. Dislocation acceptor levels in germanium, 0=4340

Mueller,R.K. See Lindemann,W.W., 0=18063

Mueller,W.M. Necessary and sufficient trajectory conditions for dense electron beams, 0=3802

Mueller,W.M. Comments on necessary and sufficient trajectory conditions for dense electron beams, 0=19738

Mueller,W.M. and Currie,M.R. Noise propagation on uniformly accelerated multivelocity electron beams. 0=1156

Muetterties,E.L. See Mahler,W., 0=17781

Mugglestone,D. A study of the determination of solar atmospheric abundances, 0=18744

Mugglestone,D. A comparison of solar atmospheric models by Stark effect in H-gamma: nitrogen abundance, 0=18746

Mugibayashi,N. An example of one-dimensional oscillatory motion in magnetohydrodynamics, 0=19905

Mugnoli,A. See Vaciago,A., 0=4581

Muha,G.M. and Vaughan,P.A. Structure of the complex ion in aqueous solutions of zirconyl and hafnyl oxyhalides, 0=14627

Mühe,W. Determination of the transfer functions of vibration meters and structure-borne sound pick-ups. 0=19324

Mühleisen,R. and Fischer,H.J. Measurement of the atmospheric electric field in the free atmosphere, 0=4785

Mühlethaler,K. Preparation technique for electron microscopy, 0=14090

Mühlschlegel,B. Ground state of the superconductor, 0=229

Muir,W.B. See Hedgcock,F.T., 0=6083

Muir,W.B. See Hedgcock,F.T., 0=7185

Muirhead,E.G. See Geller,K.N., 0=7175

Muirhead,E.G. See Geller,K.N., 0=11296

Muirhead,E.G. See Geller,K.N., 0=13261

Muirhead,H. See Astbury,A., 0=2687

Muirhead,J.C. and McCallum,F.L. Improvement in spark shadowgraph technique, 0=189

Mukai,T. Tensile deformation and tensile strength of aluminium single crystal coated with oxide film, 0=3148

Mukerji,A. See Nainan,T.D., 0=2395

Mukherjee,B. Space group and cell dimensions of a specimen of hollandite, 0=6364

Mukherjee,P. Direct determination of internal conversion coefficients, 0=9589

Mukherjee,P. See Dutt.I., 0=20320

Mukherjee,P.N.,Pal,M.K.,Banerjee,M.K. and Saha,A.K. Design of continuous baffle in a short lens beta-ray spectrometer, 0=7161

Mukherjee,P.N. See Sengupta,A.K., 0=17501

Mukherjee,S. and Gupta,A. On core-to-particle interaction from classical point of view, 0=5644

Mukherjee,S.K. See Dutt,P.K., 0=5062

Mukherji,A. See Sinha,S.K., 0=15757

Mukhin,A.I. See Ignatenko,A.E., 0=5370

Mukhin,K.N. See Barkov,L.M., 0=3972

Mukhin,K.N. See Barkov,L.M., 0=3973

Mukhin,K.N. See Barkov,L.M., 0=3974

Mukhin,K.N. See Barkov,L.M., 0=7362

Mukhovatov,V.S. See Dolgov-Savel'ev,G.G., 0=9029

Mukhtarov,A.I. and Gadzhiev,S.A. Radiative decay of $\pi^\pm$ mesons and effects of parity nonconservation, 0=2566

Mukhtarov,A.I. See Kerimov,B.K., 0=11200

Muki,R. and Sternberg,E. Steady-state heat conduction in a circular cone, 0=19479

Mulcahy,M.J. See Seton,M.C., 0=5295

Muldrew,D. See Hagg,E.L., 0=6459

Muldrew,D.B. An ionospheric ray-tracing technique and its application to a problem in long-distance radio propagation, 0=5420

Mulholland,H.P. See Asher,H., 0=14859

Mullaly,R.F. The calculation of group velocity in magneto-ionic theory, 0=308

Müllensiefen,A. See Dietz,K., 0=9424

Müllensiefen,A. See Höhler,G., 0=1574

Müllensiefen,A. See Höhler,G., 0=2585

Muller,B. and Bloom,M. On the study of diffusion using spin echoes, 0=19110

Müller,D. See Kramer,G., 0=5623

Müller,E.W. An observation of paired screw dislocations in iron whiskers, 0=3182

Muller,F.Birge,R.W.Fowler,W.B.Good,R.H.Hirsch,W.Matsen,R.P. Oswald,L.Powell,W.M.White,H.S. and Piccioni,O. Regeneration and mass difference of neutral K mesons, 0=11220

Muller,F. See Bizot,J.C., 0=13225

Muller,F.A. A fast scaling stage, 0=17193

Muller,H. Characterization of stationary motion in hydrodynamics, 0=16675

Müller,H. and Schopper,H. Test of parity conservation in strong interactions by the measurement of the $\beta-\gamma$ angular correlation of Xe^{133}, 0=17547

Muller,H. See Cremer,L., 0=19344

Müller,H. See Haase.G., 0=8813

Müller,H. See Hartmann.H., 0=20985

Müller,H.W. See Martin,R., 0=19338

Müller,J. and Risi,M. The entropy variation in superconductors with magnetic alloying, 0=19553

Muller,J. See Busch.G., 0=8958

Müller,K.G. See Ecker,G., 0=262

Müller,L. See Bally,D., 0=518

Muller,N. and Bracken,R.C. Microwave spectra and structure of H_3SiCN and D_3SiCN, 0=13437
Muller,N. and Pritchard,D.E. C^{13} splittings in proton magnetic resonance spectra. II. Bonding in substituted methanes, 0=4224
Müller,R. and Dörr,F. Absorption and phosphorescence spectra of the mono- and di-azanapthalenes[$\pi-\pi$ phosphorescence with n-π absorption by di-azanapthalene ,] 0=5949
Müller,R. See Witzmann,H., 0=4435
Muller,T. See Gorodetzky,S., 0=9587
Muller,T. See Gorodetzky,S., 0=19992
Müller,V. Inhomogeneous waves in the diffraction field close to a loss-free dielectric circular cylinder, 0=11050
Müller,W. and Rembser,J. Considerations on the construction
Müller,W.A. See Schedling,J.A., 0=4042
Müller-Uri,G. See Guttmann,W., 0=10766
Müller-Warmuth,W. and Parikh,P. The Overhauser-Abragam effect in the $(SO_3)_2$ NO = radical in intermediate fields, 0=6815
Müller-Warmuth,W. and Servoz-Gavin,P. High stability proton resonance magnetic field regulation with an electronic integrator, 0=19871
Müller-Warmuth,W. See Averbuch,P., 0=4527
Mulliken,R.S. Electron affinity of O_2, 0=1504
Mulliken,R.S. Research in the laboratory of molecular structure and spectra at Chicago, 0=9810
Mulliken,R.S. Some neglected subcases of predissociation in diatomic molecules, 0=15681
Mulliken,R.S. Self-consistent field atomic and molecular orbitals and their approximations as linear combinations of Slater-type orbitals, 0=17814
Mulliken,R.S. See Fraga,S., 0=17818
Mulliken,R.S. See McLean,A.D., 0=17802
Mullin,C.J. See Johnson,W.R., 0=15286
Mullin,C.R. A new approximate treatment of the energy-dependent Boltzmann equation, 0=15618
Mullin,J.B. See Hulme,K.F., 0=21154
Mullins,W.W. A simplified treatment of surface melting, 0=21213
Mulvey,J.H. See Engler,A., 0=7348
Mulvey,T. Electron-optical design of an X-ray micro-analyser, 0=3809
Mulvey,T. and Campbell,A.J. Proportional counters in X-ray spectro-chemical analysis, 0=3881
Mulvey,T. See Bernard,A., 0=4762
Mulyarchik,T.M. Interferometric measurement of the width of the 6300 A [O I] and 5198-5200 A [N I] emissions in the Aurorae Polaris, 0=8406
Muncey,R.W. See Nickson,A.F.B., 0=5118
Münch,G. Internal motions in the Orion nebula, 0=10521
Münch,G. Kinematics of the filaments in the Crab nebula, 0=10522
Münch,G. On the interpretation of the spiral structure in the galactic system, 0=18834
Münch,G. and Münch,L. On the rotation of the inner parts of the galactic system, 0=6613
Münch,L. See Münch,G., 0=6613
Munczek,H. See Jona-Lasinio,G., 0=3995
Munday,G.L. Ultra high vacuum technology, 0=19223
Munden,D.L. and Morley,T.K. Yarn-speed meter — a low-torque instrument for measuring the linear speed of low inertia systems, 0=8589
Munden,H.R. A vacuum desiccator, 0=19238
Munden,H.R. See Burge,R.E., 0=10340
Mundry,E. and Güth,W. Cinematographic investigations of oscillatory cavitation, 0=14598
Mundy,H.B. See Jones,W.M., 0=20143
Mungall,A.G. and Morris,D. Surface wave propagation over a sand-covered conducting plane, 0=1209
Mungall,A.G. and Morris,D. The group velocity of plane surface waves, 0=11047
Munir,B.A. See Morton,W.T., 0=20484
Munk,W.H. and MacDonald,G.J.F. Continentality and the gravitational field of the earth, 0=16555
Munschy,G. Solution of the Schrödinger equation of two-electron atoms. III. Continuation of the method. Symmetrical S-states, 0=7682
Munster,A. On the theory of critical fluctuations, 0=14659
Münster,A. Theory of fluctuations, 0=16642
Muradyan,R.M. On the azimuthal asymmetry in the scattering of Dirac particles, 0=20059
Muradyan,R.M. See Arutyunyan,V.M., 0=9269
Murai,Y. Discrimination between strong and weak interactions, 0=17225
Murakami,I., Isshiki,N. and Yamamura,H. Effect of the branching on dielectric property of polyvinyl acetate solution, 0=6801
Murakami,K. See Kawabata,K., 0=15464
Murakami,K. See Kodama,M., 0=15494
Murakami,M. Anisotropy energy in the paramagnetic region of iron sulfide, 0=18170
Murakami,M. Alpha-transformation mechanism of the anti-ferromagnetic iron sulfide, 0=18209
Murakami,M. and Hirahara,E. A certain anomalous behaviour of iron sulfides, 0=668
Murakawa,K. Multiplet structure and hyperfine structure of the spectrum of mercury, 0=20586
Murao,T. The magnetic properties of the praseodymium and the neodymium metals, 0=11807
Murao,T. Effect of covalency on the spin—orbit coupling constant of transition metal ions, 0=20643
Murao,T. Magnetic susceptibility of Ce—Th alloy, 0=21024
Murao,T. and Matsubara,T. On the magnetic properties of cubic cerium, 0=11806
Muraskin,M. Proposal for determination of $\Sigma\Lambda$ relative parity from Chew and Low analysis of reactions of the form $A + B \to C + D + E + \ldots$, 0=13066
Murata,K. An apparatus for measuring transmission functions of optical systems, 0=19404
Murata,K. See Kubota,H., 0=19403
Muratov,V.I. See Fogel',Ya.M., 0=14978
Muratov,V.R. See Vanyukov,M.P., 0=14998
Murav'eva,V.V. See Gnedich,A.V., 0=13209
Murbach,E.W. See Buyers,A.G., 0=12101
Murcray,D.G., Brooks,J.N., Murcray,F.H. and Williams,W.J. Atmospheric absorptions in the near infrared at high altitudes, 0=2025
Murcray,F.H. See Murcray,D.G., 0=2025
Murcray,W.B. Some properties of the luminous aurora as measured by a photoelectric photometer, 0=12191
Murcray,W.B. and Pope,J.H. Doppler-shifted cyclotron frequency radiation from protons in the exosphere, 0=4791
Murdoch,H.S. and Ogilvie,K.W. Coincidence counting with scintillation counters, 0=2457
Murdoch,H.S. and Rathgeber,H.D. Geiger counter hodoscope with automatic testing, 0=3911
Murdock,E.G. See McLaren,E.H., 0=2271
Murdock,E.G. See McLaren,E.H., 0=10803
Murgal,M.P. and Ray,A.K. Some experimental results on the impact sensitivity of mercury fulminate, 0=8305
Murin,A.N.,Nefedov,V.D.,Popov,D.K. and Baranovskii,V.I. Successive neutron capture in antimony, 0=7604
Murin,A.N. See Banasevich,S.N., 0=6062
Murin,A.N. See Kaliamin,A.V., 0=11408
Murin,A.N. See Krizhanskii,L.M., 0=7634
Murley,R.D. Mie theory of light scattering. Limitations on accuracy of approximate methods of computation, 0=19445
Muromkin,Yu.A. See Kikoin,I.K., 0=1620
Murota,T. See Amai,S., 0=11280
Murphy,A.T., Adler,F.T. and Penney,G.W. A theoretical analysis of the effects of an electric field on the charging of fine particles, 0=241
Murphy,J.C. See Artman,J.O., 0=13877
Murphy,J.W. and Wetmore,F.E.W. Molten salts. The density and electrical conductivity of the systems: $AgNO_3-Ba(NO_3)_2$,$-Ca(NO_3)_2$, and$-Mg(NO_3)_2$, 0=64
Murphy,P.G. See Cassels,J.M., 0=5583
Murphy,S.R. See Garrison,G.R., 0=2209
Murphy,W.K. See MacKenzie,J.D., 0=14626
Murphy,W.K. See Oriani,R.A., 0=16343
Murray,A.M. See Flower,M., 0=15802
Murray,A.M. See Karo,A.M., 0=13554
Murray,A.M. See March,N.H., 0=18996
Murray,C.A. The secular acceleration of the moon, and the lunar tidal couple, 0=18692
Murray,D. Inductance bridge for sensitive displacement measurements over long periods, 0=3482
Murray,G.T. See Machlin,E.S., 0=1872
Murray,J. See Dahl,O., 0=5617
Murray,J. See Dahl,O., 0=11327
Murray,J.D. See Goldstein,S., 0=3466
Murray,J.D. See Goldstein,S., 0=3467
Murray,J.D. See Goldstein,S., 0=3468
Murray,J.D. See McGee,R.X., 0=4906
Murray,J.J. See Horwitz,N., 0=7555

Murray,J.R. See Bannister,G.H., 0=18284
Murray,P. See Williams,L.S., 0=6533
Murray,R.B. Use of $Li^6I(Eu)$ as a scintillation detector and spectrometer for fast neutrons, 0=17354
Murray,R.B. and Schmitt,H.W. Cross-section for the $Li^6(n,\alpha)H^3$ reaction for $1.2 \leq E_n \leq 8.0$ MeV, 0=1441
Murray,R.B. See Schmitt,H.W., 0=4131
Murray,R.L.,Hasnain,S.A. and Mowery,A.L.,Jr. Reactor fuel cycle analysis by series methods, 0=13367
Murray,R.L.,Katzin,G.H. and Mowery,A.L.,Jr. Average flux in reactor test volumes, 0=13351
Murrell,J.N. Construction of hybrid orbitals, 0=5977
Murrell,J.N. The application of perturbation theory to the calculation of force constants, 0=13428
Murrell,J.N. See Forman,A., 0=2743
Murrmann,H. and Schwink,C. Homogeneous magnetic fields for the optical investigation of ferromagnetic specimens, 0=9147
Murtas,G.P. See Bologna,G., 0=7340
Murtas,G.P. See Bologna,G., 0=12899
Murtazin,F.Sh. See Berlovich,É.E., 0=9586
Murthy,C.R.K. and Spence,R.D. Nuclear magnetic relaxation in a strongly associated liquid, 0=16711
Murthy,G.T. See Mistry,N.B., 0=17455
Murty,C.R.K. On the calculation of relaxation times, 0=5009
Murty,C.R.K. Dipole moments of some substituted benzenes and pyridines. I. Fluorotoluenes, 0=5985
Murty,C.R.K. Dipole moments of some substituted benzenes and pyridines. II. Meta disubstituted benzenes, 0=5986
Murty,C.R.K. Determination of dipole moments from measurements on pure liquids, 0=20690
Murty,D.S.R. See Brini,D., 0=15313
Murty,D.S.R. See Fuschini,E., 0=17278
Murty,G.S. See Nayyar,N.K., 0=8618
Murty,J. Satyanarayana. See Satyanarayana Murty,J.
Murty,K. Sreerama. See Sreerama Murty,K.
Murty,M.V.R.K. Some more aspects of the Michelson interferometer with cube corners, 0=173
Murty,M.V.R.K. Modification of Michelson interferometer using only one cube-corner prism, 0=2246
Murty,M.V.R.K. Simulation of primary aberrations of a lens using a generalized Michelson interferometer, 0=19376
Murty,M.V.R.K. An interferometric method for producing variable-frequency sine-wave pattern, 0=19430
Murty,M.V.R.K. Spherical zone-plate diffraction grating, 0=19440
Murty,Y.S.N. Polarization characteristics of radio-wave propagation in the ionosphere, 0=2012
Murty,Y.S.N. and Khastgir,S.R. Group refractive index of the ionosphere at low frequency, 0=15159
Murty,Y.S.N.,Singh,R.N. and Khastgir,S.R. Ionospheric absorption and electron collisional frequency in the F region, 0=21367
Mürtz,H.J. See Ehrenberg,H., 0=12144
Murzin,V.S. See Alekseeva,K.I., 0=9494
Murzin,V.S. See Grigorov,N.L., 0=9492
Murzina,E.A.,Nikol'skii,S.I. and Yakovlev,V.I. Observation of nuclear-active particles of cosmic radiation with energy $\geq 10^{13}$ eV, 0=2602
Musalev,N.S. See Adrova,N.A., 0=4447
Musci,M. See Felcher,G.P., 0=5570
Musem,P. See Upton,E., 0=2090
Musen,P. Application of Hansen's theory to the motion of an artificial satellite in the gravitational field of the earth, 0=10537
Musen,P. The influence of the solar radiation pressure on the motion of an artificial satellite, 0=14472
Musen,P.,Bryant,R. and Bailie,A. Perturbations in perigee height of Vanguard I, 0=8531
Müser,H.E. Measurement of the dielectric non-linearity of Rochelle salt, 0=13653
Musgrave,B. See Dowell,J.D., 0=1280
Musgrave,B. See Dowell,J.D., 0=1281
Musgrave,B. See Dowell,J.D., 0=7443
Musgrave,B. See Lee,J.K., 0=10347
Musha,T. See Itoh,T., 0=10879
Mushinsky,V.P. Semiconducting properties of aluminium selenide, 0=1657
Mushkin,I.G. See Kaganov,M.A., 0=1688
Mushtari,Kh.M. and Teregulov,I.G. On the theory of shells of medium thickness, 0=3472
Musset,P. See Rousset,A., 0=1099
Mustafin,K.S. See Kagan,Yu.M., 0=16981
Mustafin,K.S. See Zakharova,V.M., 0=19690
Mustel',E.R. The principal source of solar corpuscular streams, 0=3422
Mustel,É.R. Statistical effects due to the connection between flocculi and geomagnetic disturbances, 0=21315
Mutch,R.E. and Raal,F.A. Electrical resistivity changes observed in a semiconducting diamond after heat treatment, 0=4357
Mutchler,G.S. See Bauer,R.W., 0=20326
Muto,J.,de S.Barros,F. and Jaffe,A.A. The reaction $B^{11}(t,p_0)B^{13}$ and the mass excess of B^{13}, 0=20462
Muto,T. and Sebe,T. Electrodisintegration of He^4 nucleus, 0=9445
Muto,T.,Sebe,T. and Izumo,K. Note on electrodisintegration of He^4, 0=20248
Muto,Y., Tawara,Y., Shibuya,Y. and Fukuroi,T. Electrical properties of dilute alloys of zinc with manganese at low temperatures, 0=6084
Muto,Y. See Shibuya,Y., 0=20868
Mutsuro,N.,Ohnuki,Y.,Sato,K. and Kimura,M. Photoneutron cross-sections for Ag^{107}, Mo^{92} and Zr^{90}, 0=20476
Mutter,W.E. See Barson,F., 0=15933
Mütze,B. See Bryrup,E., 0=9716
Muždeka,S.D. and Vidmar,M.I. A sensitive and inexpensive zero instrument, 0=19583
Myakota,V.I. See Grishaev,I.A., 0=9202
Myamlin,V.A. See Vdovin,Yu.A., 0=6101
Myasishcheva,G.G., Anikina,M.P., Gol'din,L.L. and Ershler,B.V. Measurements of the effective thermal neutron cross-section and the resonance absorption integral of ^{232}Th, 0=7616
Myasoedov,B.F. See Flevov,G.N., 0=7497
Myasoedov,B.F. See Guseva,L.I., 0=11429
Myasoedov,B.F. See Volkov,V.V., 0=9649
Mydansky,D. See Goldring,G., 0=17176
Myers,A. Some elastic and thermal properties of zirconium and tungsten, 0=21103
Myers,A. See Mackinnon,L., 0=8954
Myers,A. See Mackinnon,L., 0=9849
Myers,A. See Morse,R.W., 0=13502
Myers,I.T. See Larson,H.V., 0=2295
Myers,J. See Long,D., 0=1653
Myers,J. See Long,D., 0=1654
Myers,J. See Long,D., 0=18034
Myers,O.E. and Putzer,E.J. Measurement broadening in magnetic resonance, 0=1225
Myers,R.A. See Momo,L.R., 0=9195
Myers,R.J. and Wilson,E.B.,Jr. Application of symmetry principles to the rotation-internal torsion levels of molecules with two equivalent methyl groups, 0=15696
Myers,V.W. Some exact solutions of the time-dependent Schroedinger equation, 0=887
Myerson,A.L. See Bortner,M.H., 0=1961
Mykura,H. Determining grain orientation in f.c.c. metals by using twin-boundary or slip-line traces on one surface only, 0=13933
Mykura,H. An unusual grain boundary diffusion effect in impure nickel, 0=21224
Myl'nikova,I.E. and Bokov,V.A. Some dielectric properties of single crystals of $Pb_3NiNb_2O_9$, 0=18091
Myltseva,V.A. See Ouvarova,V.M., 0=12742
Myltseva,V.A. See Ouvarova,V.M., 0=12749
Myuller,L. See Balli,D., 0=20734
Myuller,R.L. The relationship between the electrical conductivity and viscosity of glasses, 0=3260
Myuller,R.L. Electrical conductivity of solid substances with ionic-atomic valency. IX. Degree of dissociation and cation mobility in glasses with ions of the same type, 0=17981

Naake,H.J. and Tamm,K. Sound propagation in plates and rods of rubber-elastic materials, 0=14722
Naake,H.J.,Tamm,K.,Dämmig,P. and Helberg,H.W. Formation of air bubbles in air-saturated water at reduced pressure and their indication by an acoustical measuring procedure, 0=16682
Naake,H.J.,Tamm,K.,Dämmig,P. and Helberg,H.W. Observation of the formation and growth of bubbles in water containing air, by optical methods, 0=16683
Nabarro,F.R.N. and Jackson,P.J. The climb of a dislocation in a twisted whisker, 0=550

abauer,M. The velocity of a cylindrical phase-boundary between normal- and superconductor in a circular magnetic field. By experiment and theory, 0=8951
abauer,M. and Schmeissner,F. Experimental techniques using cold neutrons, 0=7351
abélek,I. Acoustic impedance of human ears and some artificial ears, 0=12224
abitovich,I.D. See Andrievskii,A.I., 0=12086
aboikin,Yu.V.,Zadorozhnȳi,B.A. and Pavlova,E.N. Characteristics of luminescence of otho-disubstituted aromatic hydrocarbons. III. Fluorescence and absorption spectra of some carboxylic acids, 0=18140
Naboko,I.M. See Salamandra,G.D., 0=14108
Nachmias,J. Meridional variations in visual acuity and eye movements during fixation, 0=8447
Nachtigall,D. Change of some properties of polyvinylchloride under ionizing radiation, 0=4310
Nachtrieb,N.D. See Jamieson,J.C., 0=3195
Nachtrieb,N.H. See Lawson,A.W., 0=4304
Nadashkevich,I.I. See Kobelev,V.V., 0=6242
Nadeau,G. Concerning the classical interaction of an electric charge with a magnetic monopole, 0=17075
Nadjakov,E.G. See Barinsky,R.L., 0=20672
Nadjakov,G. and Andrejtschin,R. The contact potential photovoltaic effect, 0=20930
Nadjakov,G. and Andrejtschin,R. On the classification of photovoltaic effects and of the contact potential photovoltaic effect, 0=20931
Nadjakov,G.,Andrejtschin,R.,Balabanov,S. and Stanislavova,J. On the character of the contact for the photovoltaic barrier effect in evaporated cadmium sulphide layers, 0=20929
Nadjakov,G.,Vassilev,V. and Balabanov,S. On the work function of Au and Al during vacuum—air transition, 0=19706
Nadler,M.R. and Kempter,C.P. Lithium [crystal data], 0=4627
Nadler,M.R. See Kempter,C.P., 0=10349
Nadzhakov,E.G. and Barinskii,R.L. A new method for calculating X-ray K-absorption spectra, 0=7720
Naer,V.A. An experimental investigation of a thermoelectric evaporator, 0=5266
Nafe,J.E. See Brune,J.N., 0=10714
Nagae.M. On the recombination processes by the Auger effect, 0=13590
Nagae,M. On the Auger effect in the deep traps in Si, 0=13591
Nagahara,Y. See Hu,C., 0=20453
Nagai,H. See Narumi,H., 0=11301
Nagai,K. Local steric hindrances and configurations of linear macromolecules in solutions. I. Formulation, 0=2756
Nagamatsu,H.T. and Li,T.Y. Hypersonic flow near the leading edge of a flat plate, 0=5045
Nagamiya,T. Some recent advances in the study of magnetic compounds, 0=13759
Nagarajan,M.A. and Banerjee,M.K. Exchange effects in stripping reactions, 0=17598
Nagarajan,V. Observations on nuclear magnetic resonance: Variation of spin relaxation time with concentration of paramagnetic ion and viscosity of the medium, 0=18224
Nagasaki,M. See Eberle,E., 0=15586
Nagasaki,M. See Honda,T., 0=1417
Nagasaki,M. See Kawai,M., 0=9664
Nagasaki,M. See Kawai,M., 0=11391
Nagashima,K. Solar diurnal variation of cosmic rays, 0=11257
Nagashima,K. See Kondo,I., 0=11256
Nagata,C. See Fukui,K., 0=14102
Nagata,S.,Sasakawa,T.,Sawada,T. and Tamagaki,R. Tensor force of the pion-theoretical potential and the doublet splitting in n—He^4 scattering, 0=20311
Nagata,S.,Tamagaki,R.,Amai,S. and Marumori,T. On the collective mode of internal motion of the nucleus to be coupled with the irrotational surface motion, 0=13105
Nagata,S. See Eguchi,Y., 0=13062
Nagata,S. See Ikeda,K., 0=15504
Nagata,T. and Abe,S. Notes on the distribution of SC* in high latitudes, 0=14169
Nagata,T.,Oguti,T. and Momose,K. Preliminary report of geomagnetic observations at Prince Harald Coast, Antarctica, 0=14179
Nagata,T. and Uyeda,S. Exchange interaction as a cause of reverse thermo-remanent magnetism, 0=4773
Nagata,T. See Matuurà,N., 0=21332
Nagatani,K. See Morinaga,H., 0=20418
Nagel,B. Some topics in Coulomb scattering, 0=15279
Nagel,M.R. Illumination contrast, spectrum, and color conditions in an "average" outdoor scene as functions of ground reflectance, object orientation, and viewing direction, 0=3661
Nagel,M.R. See Bennett,H.E., 0=2024
Nageswara Rao,B.D. See Venkateswarlu,P., 0=20670
Naggir,V. See Szteinsznaider,D., 0=9677
Naghdi,P.M. See Kalnins,A., 0=5071
Nagibina,I.M. See Prokof'ev,V.K., 0=15658
Nagle,D,Craig,P.P,Dash,J.G. and Reiswig,R.R. Nuclear resonance fluorescence in Au^{197}, 0=11312
Nagle,D. See Craig,P.P., 0=411
Nagle,D.E.,Craig,P.P. and Keller,W.E. Ultra-high resolution γ-ray resonance in zinc-67, 0=13126
Nagle,D.E., Quinn,W.E., Riesenfeld,W.B. and Leland,W. Ion temperature in Scylla, as determined from the reaction D(d,p)T, 0=462
Nagle,D.E.,Quinn,W.E.,Ribe,R.L. and Riesenfeld,W.B. Velocity spectrum of protons and tritons from the d—d reaction in Scylla, 0=13387
Nagle,D.E. See Craig,P.P., 0=13128
Nagle,D.E. See Dash,J.G., 0=17489
Nagornaya,L.L. See Kilimov,A.P., 0=10762
Nagpaul,K.K. See Evans,D., 0=15431
Nagpaul,K.K. See K^--collaboration, 0=1308
Nagpaul,K.K. See K^--Collaboration, 0=15430
Nagumo,M. and Kakiuchi,Y. An abnormal saturation behaviour in high resolution proton magnetic resonance spectra, 0=19170
Nagy,E. On the thermal turnover of germanium rectifiers, 0=13623
Nagy,E. and Weiszburg,J. Electrical properties of electroluminescent SiC crystals, 0=18053
Nagy,K. Mass reversal and the interactions of elementary particles, 0=5483
Nagy,K. Relativistic equation of motion for spinning particles, 0=5485
Nagy,K. Angular correlation between neutrino and gamma quantum in L-capture, 0=5720
Nagy,K.L. On an equivalence theorem for integro-differential equations occurring in field theories, 0=5467
Nagy,K.L. γ_5 -invariance and the vanishing of the observable masses, 0=5486
Nagy,K.L. Probabilistically interpretable field theories with an indefinite metric, 0=7291
Nagy,K.L. On the equation for a distinguished component of the state vector, 0=8551
Nagy,K.L. Dipole ghost contributions to propagators, 0=17204
Nagy,K.L. Tripole ghosts in field theory, 0=17205
Nagy,K.L. Tomonaga's intermediate coupling theory using configuration space methods, 0=17250
Nagy,K.L. See Marx,G., 0=7398
Nagy,L. Shower production at small thicknesses of absorber, 0=17440
Nahmias,M.E. The total disintegration energies of β-emitters and shell models of nuclei, 0=15507
Nahmias,M.E. Nuclear shells and disintegration energies of β emitters, 0=15508
Naik,Y.G. and Balsara,E.M. Optical and electrical methods of measuring thicknesses of thin metallic films, 0=4979
Naiko,T.,Fujita,K. and Matsumara,S. Dielectric behaviour of two phase mixtures, 0=19147
Nainan,T.D., Deware,H.G. and Mukerji,A. Design and performance of a thin magnetic lens β-ray spectrometer, 0=2395
Nainan,T.D. See Kocher,C.W., 0=20389
Naish,V.E. See Turov,E.A., 0=18202
Naito,K. On the theory of the unstable particle in Lee's model, 0=7286
Naito,K. On the theory of the unstable particle. II, 0=9277
Nakada,K. See Hayashi,T., 0=13882
Nakada,M.P. See Anderson,J.D., 0=458
Nakada,M.P. See Dyce.R.B., 0=10426
Nakada,M.P. See Wong,C., 0=1276
Nakagaki,M. and Heller,W. Theoretical investigations on the light scattering of colloidal spheres. VIII. Angular location of intensity maxima and minima in the radiation diagram of colloidal spheres, 0=5182
Nakagaki,M. See Heller,W., 0=2255
Nakagawa,E. See Rikitake,T., 0=18471
Nakagawa,I. See Thorson,W.R., 0=20597
Nakagawa,M. Coupling constants in β-decay and nucleon structure, 0=20119

Nakagawa,S. Etch pits on the cleavage surface of NaCl crystal, 0=3187
Nakagawa,S. See Fujiwara,T., 0=3188
Nakagawa,Y. Experiments on the instability of a layer of mercury heated from below and subject to the simultaneous action of a magnetic field and rotation. II, 0=2169
Nakagawa,Y. Heat transport by convection, 0=3671
Nakagawa,Y. Heat transport by convection in presence of an impressed magnetic field, 0=3672
Nakagawa,Y. Experimental observations of overstable cellular convection, 0=8827
Nakahara,O. See Kato,Y., 0=20333
Nakahara,O. See Narumi,H., 0=13071
Nakahara,O. See Narumi,H., 0=20331
Nakai,S. Note on the isotopic spin of the antiparticle, 0=7312
Nakajima,S. On quantum theory of transport phenomena: steady diffusion, 0=14542
Nakajima,S. On the gauge-invariant Meissner effect, 0=14927
Nakajima,S. On critical magnetic fields of superconductors, 0=14930
Nakajima,S. On quantum theory of transport phenomena, 0=16635
Nakajima,S. On quantum theory of irreversible processes, 0=16650
Nakajima,S. A note on the electromagnetic response of superconductors, 0=19557
Nakajima,S. and Kasuya,T. A comment on Bardeen's theory of superconductivity, 0=10832
Nakamoto,K. and Martell,A.E. Infrared spectra of metal-chelate compounds. I. A normal coordinate treatment on bis-(acetylacetonato)-Cu(II), 0=4204
Nakamura,D., Uehara,Y., Kurita,Y. and Kubo,M. Nuclear quadrupole resonance of bromine and iodine in mercuric bromide and potassium tetraiodomercurate, 0=4538
Nakamura,J. Latitude effect of night airglow, 0=18511
Nakamura,J. See Huruhata,M., 0=14285
Nakamura,K. Impurity effect in superconductors, 0=14928
Nakamura,K. Two-body correlation of interacting fermions, 0=16637
Nakamura,K. Spin—spin interaction in superconductors, 0=19556
Nakamura,S.,Ohmura,T. and Taketani,M. A note on the nuclear reactions in stars, 0=14465
Nakamura,S. See Fujita,J., 0=11356
Nakamura,Se. The universal Fermi interaction and heavy mesons, 0=3927
Nakamura,Sh. and Sugata,E. The oxide cathode of a sandwich structure, 0=7133
Nakamura,Su. Nuclear magnetic relaxation of protons in liquid. I. Growth effects in nuclear magnetic resonance absorption, 0=6817
Nakamura,Su. Nuclear magnetic relaxation of protons in liquid. Supplement of Part I. Application of Jaynes theory to the growth effects in nuclear magnetic resonance, 0=6818
Nakamura,T. Indirect coupling of nuclear spins in antiferromagnet with particular reference to MnF_2 at very low temperatures, 0=11952
Nakamura,T. Etch pits corresponding to dislocations in ferroelectric guanidinium aluminum sulfate hexahydrate [GASH], 0=20818
Nakamura,T.,Takamatsu,K.,Fukunaga,K.,Yata,M. and Yasumi,S. Absolute cross-sections of the (γ,n) reaction for Cu^{63}, Zn^{64} and Ag^{109}, 0=20479
Nakamura,T. See Huruhata,M., 0=21381
Nakamura,T. See Moriya,T., 0=10251
Nakamura,T. See Tosima,S., 0=18226
Nakamura,Y. See Morino,Y., 0=5897
Nakanishi,N. General theory of infrared divergence, 0=11089
Nakanishi,N. A theory of clothed unstable particles, 0=12846
Nakanishi,N. A theory of clothed unstable particles. II, 0=15271
Nakanishi,N. A note on the physical state of unstable particles, 0=15274
Nakanishi,N. On the validity of dispersion relations in perturbation theory, 0=15294
Nakanishi,N. Ordinary and anomalous thresholds in perturbation theory, 0=17266
Nakanishi,N. See Hiida,K., 0=17319
Nakanishi,N. See Hiida,K., 0=20116
Nakanishi,N. See Hiida,K., 0=20117
Nakanishi,N. See Hiida,K., 0=20118
Nakano,H. A method of calculation of electrical conductivity, 0=7060
Nakano,T. Quantum field theory in terms of Euclidean parameters, 0=15228
Nakano,T. See Miyazawa,H., 0=20045
Nakasima,R. Note on heavy ion induced nuclear reactions, 0=13247
Nakasima,R. Nitrogen induced nuclear reactions in sodium, 0=15585
Nakasima,R. and Kikuchi,K. Interpretation of the ratio of emission probabilities for protons and neutrons, 0=13229
Nakasima,R. and Watanabe,H. Comment on (p,n) cross sections, 0=17590
Nakasima,R.,Yamasaki,S. and Yoshizawa,Y. Multipole mixing in odd mass spheroidal nuclei, 0=11375
Nakasima,R. See Kakudo,Y., 0=13025
Nakasima,R. See Kakudo,Y., 0=15343
Nakasima,R. See Kakudo,Y., 0=17329
Nakasima,T. See Kammuri,T., 0=9636
Nakata,T. See Matsushita,S., 0=8002
Nakayama,J. Surface cracks of sheet glass produced by sodium vapor treatment, 0=21217
Nakayama,K. Note on the strange particle effects in S-wave pion—nucleon scattering, 0=15405
Nakhman,M. See Grigoresku,L., 0=1718
Nakhutin,I.E. and Sutyagina,E.I. Absorption of hydrogen by palladium at low temperatures, 0=4749
Nalbandyan,N.A. See Alikhanov,A.I., 0=9454
Nall,J.C.,Baird,Q.L. and Haynes,S.K. Conversion, K-auger, and L-auger spectra of Hg^{199}, 0=11369
Namba,M. Optical properties of SiC in infrared region, 0=6164
Namba,O. Note on the excitation of the ionized helium in the solar chromosphere, 0=6596
Nambu,Y. Quasi-particles and gauge invariance in the theory of superconductivity, 0=5234
Nambu,Y. Axial vector current conservation in weak interactions, 0=9262
Nambu,Y. See Blankenbecler,R., 0=20215
Namikawa,T. Fluid motions in a sphere. IV. Thermal instability of a rotating fluid sphere heated within under a uniform magnetic field (2), 0=19900
Namiki,M. Semi-phenomenological interpretation of the optical model in nuclear reactions from the point of view of fluctuation-dissipation theorem, 0=20501
Namiki,M. and Iino,R. A new mathematical formulation of quantum mechanics in the framework of wave-packet theory, 0=45
Namiki,M. and Iso,C. Multiple production of particles and hydrodynamical aspect of quantum theory of fields, 0=9291
Namiki,M. See Iso,C., 0=9290
Namiki,M. See Iso,C., 0=20044
Namiot,A.Yu. Maximum of the solubility in a liquid of a component of a gaseous mixture, 0=6782
Nanda,R.S. Unsteady circulatory flow about a circular cylinder with suction, 0=6748
Nanda,V.S. See Trikha,S.K., 0=2283
Nanni,L.F. See Slade,J.J.,Jr, 0=8191
Naphtali,L.M. Complex chemical equilibria by minimizing free energy, 0=747
Naqvi,A.M. Energy levels of P XII, 0=2709
Naqvi,A.M. and Tandon,J.N. The identification of radio stars, 0=3409
Narahari Rao,K., Brim,W.W. and Hoffman,J.M. Wavelength calibrations in infrared. III. ν_1 of HCN at 14 microns, 0=4198
Narahari Rao,K. See Garing,J.S., 0=5934
Narahari Rao,K. See Hoffman,J.M., 0=13440
Narain Tandon,J. A note on the oscillations of an infinite cylinder subject to radial magnetic field, 0=3840
Naranan,S.,Raghavan,R.,Ramanamurthy,P.V.,Sreekantan,B.V. and Subramanian,A. Cloud chamber evidence for the presence of simultaneous high energy nuclear-active particles at mountain altitudes, 0=15467
Naraoka,K. See Kotera,Y., 0=6209
Narasimban,P.T. and Rogers,M.T. Proton nuclear magnetic shielding and the diamagnetic anisotropy of C—C and C—H bonds in propane, 0=2745
Narasimha,R. Nearly free molecular flow through an orifice, 0=14675
Narasimha Rao,D.V.G.L. Calculations of the dipole moments of trisubstituted benzenes. — 1, 2, 3-, 1, 2, 4- and 1, 3, 5-substitutions, 0=5987
Narasimha Rao,D.V.G.L. Calculations of the nuclear quadrupole coupling constant for I_2, 0=15758

arasimham,V.L.   See Mitra,A.N.,   0=4015
arasimhan,P.T. and Rogers,M.T.   Signs of the proton spin—spin coupling constants in pure ethyl alcohol,   0=4226
arasimhan,P.T. and Rogers,M.T.   Relative signs of the mercury—proton spin—spin coupling constants in mercury diethyl,   0=4228
arasimhan,P.T. and Rogers,M.T.   Nuclear magnetic resonance spectra of systems of the A_3B_2C type: Proton magnetic resonance spectra and the absolute signs of the proton-proton spin coupling constants in ethyl acetylene and ethyl mercaptan,   0=17783
Narasinga Rao,B.C.   See Mitra,S.N.,   0=18498
Narath,A. and Heimann,G.   The preparation of nuclear emulsions from dilute solutions,   0=12740
Narath,A. and Schimmel,G.   Photographic resolving power as a function of emulsion thickness and lens aperture,   0=12504
Naray,Z.   Application of delayed feedback in electronic circuits,   0=5248
Náray,Z. and Tóth,M.   The reflection of light on transparent photocathodes,   0=5130
Náray,Z.   See Jánossy,L.,   0=6942
Náray-Szabó,I.   Relation between the structure and physical properties of glasses. I,   0=18380
Náray-Szabó,I.   Relation between the structure and physical properties of glasses. II,   0=18381
Naráy-Szabó.I. and Ladik.J.   Strength of silica glass.   0=21137
Narayan,D.S. and Yodh,G.B.   On the N-component in extensive air showers,   0=15472
Narayana,B.L.   Relaxation times of some alcohols and esters,   0=19144
Narayana,J.V.   See Das,A.K.,   0=20268
Narbutt,K.I.,Barinskii,R.L. and Smirnova,I.S.   X-ray fluorescence analysis with a nuclear source of primary irradiation,   0=8343
Nardelli,G. and Repanai,A.   Preliminary results on the creation energy of a vacancy in solid argon.   0=9905
Nardelli,M.   See Cavalca,L.,   0=3218
Nardelli,M.   See Cavalca,L.,   0=6367
Nardone,M.C.   See Breene,R.G.,Jr,   0=20587
Nariai,H. and Ueno,Y.   On a new approach to cosmology,   0=14379
Nariai,H. and Ueno,Y.   On the tests of gravitational theories in terms of an artificial satellite,   0=14494
Narita,S., Ichinohe,S. and Enomoto,S.   Infrared spectra of vinyl chloride and vinyl chloride-d_3,   0=2764
Narlikar,V.V.   A brief survey of some problems in gravitation. II,   0=4930
Narlikar,V.V. and Rao,B.R.   The equations of motion of particles in the unified field theory of Einstein (1953),   0=2096
Narlikar,V.V. and Rao,B.R.   The problem of motion in general relativity,   0=2105
Narovskaya,N.P.   Magnetic anisotropy and crystal structure of a single crystal of magnetite at temperatures below the phase transition,   0=13771
Narumi,H.   A method of constructing spin functions and generalized character operators [in many-particle systems],   0=15302
Narumi,H. and Matsuo,S.   Note on a theory of nuclear fusion reactions in low temperature,   0=15611
Narumi,H. and Nagai,H.   Electric and magnetic moments of odd-neutron nuclei on the single configuration model,   0=11301
Narumi,H.,Watanabe,T.,Kato,Y. and Saika,A.   Evaluations of of nuclear quadrupole coupling integrals. II,   0=20332
Narumi,H.,Watanabe,T. and Nakahara,O.   Re-evaluation of the electric quadrupole moment of the deuteron,   0=13071
Narumi,H.,Watanabe,T.,Nakahara,O. and Kato,Y.   Evaluations of nuclear quadrupole coupling integrals,   0=20331
Näsänen,R.   See Hovi,V.,   0=16764
Nash,W.F.   See Ashton,F.,   0=9477
Nash,W.F.   See Ashton,F.,   0=9458
Nash,W.F.   See Bennett,H.W.,   0=15462
Nash,W.F.   See Cousins,J.E.,   0=5377
Nasledov,D.N.   Electrical properties of certain A^{III} B^{V} compounds,   0=18046
Nasledov,D.N. and Feltin'sh,I.A.   The electrical conductivity of gallium arsenoselenides at high temperatures,   0=15955
Nasledov,D.N.,Pronina,M.P. and Smetannikova,Yu.A.   Spectral distribution of photosensitivity in p-type indium antimonide.   0=16039
Nasledov,D.N. and Slobodchikov,S.V.   Electrical properties of n-type AlSb,   0=598
Nasledov,D.N. and Tsarenkov,B.V.   Spectral characteristics of GaAs photocells,   0=9994
Nasledov,D.N.,Pronina,M.P. and Radautsan,S.I.   Some optical properties of indium arsenoselenide and arsenotelluride solid solutions,   0=16057
Nasledov,D.N.,Smirnova,N.N. and Tsarenkov,B.V.   Point-contact gallium arsenide diodes,   0=15974
Nasledov,D.N.   See Agaev,Ya.,   0=15943
Nasledov,D.N.   See Dorin,V.A.,   0=602
Nasledov,D.N.   See Emel'yanenko,O.V.,   0=608
Nasledov,D.N.   See Emel'yanenko,O.V.,   0=6124
Nasledov,D.N.   See Emel'yanenko,O.V.,   0=13612
Nasledov,D.N.   See Lyan'Chzhi-chao [Lien Chih-ch'ao],   0=15958
Nasledov,D.N.   See Vinogradova,K.I.,   0=1669
Nasledov,D.N.   See Volokobinskaya,N.I.,   0=609
Nasledov,D.N.   See Volokobinskaya,N.I.,   0=15957
Nasledov,D.N.   See Zotova,N.V.,   0=6123
Nassau,J.J. and Stephenson,C.B.   Classification of spectra from objective-prism plates which include the ultraviolet region,   0=14462
Nassau,K. and van Uitert,L.G.   Prepatation of large calcium-tungstate crystals containing paramagnetic ions for maser applications,   0=18310
Nassef,A. and El-Sherbini,M.   Time-variations of the mesonic component of cosmic radiation,   0=20297
Nasser,E.   The spatial development of the discharge from a positive point in nonuniform fields in atmospheric air,   0=245
Nasser,E.   Temporal development of the discharge from a positive point in nonuniform fields in atmospheric air,   0=246
Nasuhoglu,R. and Ringo,G.R.   Transmission measurements with cold neutrons in hydrogenous liquids,   0=3523
Nataf,R.   Asymmetry of weak interactions.   0=9261
Nataf,R.   A note on present knowledge of the β-interaction,   0=9558
Nataf,R.   States of an isobaric pair,   0=15245
Natali,S.   See Camerini,U.,   0=381
Natanson,G.L.   The theory of volume recombination of ions,   0=12591
Natanson,G.L.   Towards a theory of the charging of non-microscopic aerosol particles as a result of the capture of gaseous ions,   0=14976
Nath,A., Venkateswarlu,K.S. and Shankar,J.   Kinetics of isothermal annealing of radiation damage in Szilard-Chalmers reaction with cobalt complexes. I. Tris-acetylacetone cobalt (III)—Section 1,   0=2837
Nath,B.K.   Response of astigmatic optical systems,   0=16819
Nath,N., Rothman,M.A., Van Patter,D.M. and Mandeville,C.E.   Inelastic neutron scattering in Nb^{93},   0=4121
Nath,N., Rothman,M.A., van Patter,D.M. and Mandeville,C.E.   Inelastic neutron scattering in Mn^{55},   0=5798
Nath,N.   See Saha,N.K.,   0=7492
Nathan,M.I.   See Koenig,S.H.,   0=11689
Nathan,M.I.   See Miller,S.L.,   0=6104
Nathan,O.   Multipole order of the 869 keV gamma ray in Sm^{152},   0=17548
Nathan,O.   See Marklund,I.,   0=7526
Nathans,R., Shull,C.G., Shirane,G. and Andresen,A.   The use of polarized neutrons in determining the magnetic scattering by iron and nickel,   0=4492
Nathans,R.   See Komura,Y.,   0=1915
Nathans,R.   See Pickart,S.J.,   0=1797
Nathans,R.   See Pickart,S.J.,   0=3043
Nathans,R.   See Pickart,S.J.,   0=11828
Nation,J.A.   See Curzon,F.L.,   0=19655
Nation,J.A.,   See Latham,R.,   0=15012
Nation,J.A.   See Latham,R.,   0=19659
Natta,G. and Corradini,P.   General considerations on the structure of crystalline polyhydrocarbons,   0=4668
Natta,G. and Corradini,P.   Structure and properties of isotactic polypropylene,   0=4669
Natta,G. and Corradini,P.   The crystal structure of cis, 1,4 polybutadiene,   0=4675
Natta,G., Corradini,P. and Bassi,I.W.   Crystal structure of isotactic poly-alpha-butene,   0=4670
Natta,G., Corradini,P. and Bassi,I.W.   Crystal structure of isotactic polystyrene,   0=4671
Natta,G., Corradini,P. and Bassi,I.W.   Crystal structure of poly-ortho-fluorostyrene,   0=4672
Nauenberg,M.   See Capps,R.H.,   0=9406
Naujoks,J.   Speech transmission with the ear microphone,   0=3363

Naumann,H. Old and new designations for Schott glasses, 0=5156
Naumkina,N.I., Tartakovskii,B.D. and Efrussi,M.M. Experimental investigation of some vibration absorbing materials, 0=1013
Naumov,G.P. See Vodakov,Yu.A., 0=7937
Naumov,G.P. See Vodakov,Yu.A., 0=11723
Naumov,G.P. See Vodakov,Yu.A., 0=15948
Naumov,V.A. See Akishin,P.A., 0=15774
Naumovets,A.G. See Morgulis,N.D., 0=15051
Naumovets,A.G. See Morgulis,N.D., 0=21297
Naundorf,W. The possibilities of the introduction of heat insulating filters and cooled mirrors in projectors, 0=5151
Nauta,E. and Perman,I. Increasing of sensitivity in copper spark method, 0=12122
Navalkar,M.P. See Ramanna,R., 0=3975
Navez,M. and Sella,C. Surface structure and internal structure of glass, 0=16339
Navez,M. and Sella,C. Study of thin glass fibres and films, 0=18422
Navias,L. See Sears,G.W., 0=1057
Nayatani,Y. and Kurioka,Y. Photometry of toroidal light source. I. Light distribution due to toroidal light source with finite thickness, 0=14785
Nayyar,N.K. and Murty,G.S. The stability of a dielectric liquid jet in the presence of a longitudinal electric field, 0=8618
Nayyar,N.K. See Auluck,F.C., 0=12687
Nazarchuk,G.K. Accelerations in the tail of the Comet 1956h (Arend-Roland), 0=18730
Nazarchuk,M.M. and Pol'skii,N.I. On the asymptotic behaviour of solutions of heat exchange problems, 0=5209
Nazarenko,O.K. See Kucherenko,E.T., 0=1112
Nazarenko,V.A. See Lobashev,V.M., 0=13200
Nazarenko,V.A. See Sakharov,V.N., 0=4067
Nazarov,N.I. See Sinel'nikov,K.D., 0=10924
Nazarova,T.F. See Kolomiets,B.T., 0=15902
Nazarova,T.F. See Kolomiets,B.T., 0=15944
Nazarova,T.F. See Kolomiets,B.T., 0=15964
Naze,J. Properties of linearized collision operators. Study of a special case, 0=18978
Naze,J. Properties of the linearized collision operators. Study of the general case, 0=19191
Neagu,D. See also Nyagu,D.
Neale,W.W. See Awunor-Renner,E.R.T., 0=15497
Nechaeva,L.M. See Veyngerov,M.L., 0=3622
Nechin,Yu.A. See Vernov,S.N., 0=9466
Nechin,Yu.A. See Vernov,S.N., 0=15478
Nedjalkov,I.P. See Kalitzin,N.S., 0=18923
Nedlin,G.M. See Bȳchkov,Yu.A., 0=10004
Nedlin,G.M. See Gurevich,L.E., 0=10005
Nedospasov,A.V.,Pankova,G.I. and Konakh,V.F. Investigation of striations in argon, 0=14993
Nedospasov,A.V. Velocity of striations in inert gases, 0=12596
Need,J.L. See Snell,A.H., 0=4052
Needham,C.D. See Li,J.C.M., 0=13533
Néel,L. Directional order and diffusion after effect, 0=2995
Néel,L. The effects of interactions between elementary ferromagnetic domains: tilting and creeping, 0=13791
Néel,L.,Pauthenet,R.,Rimet,G. and Giron,V.S. On the laws of magnetization of ferromagnetic single crystals and polycrystals. Application to uniaxial compounds, 0=10128
Neelakantan,K.A. See Biswas,S., 0=9489
Neelakantan,K.A. See Biswas,S., 0=15468
Neergaard,E.B. See Hooper,J.E., 0=15211
Nefedov,V.D. See Murin,A.N., 0=7604
Nefflen,K.F. See Gardner,I.C., 0=3644
Neganov,B.S.,Parfenov,L.B. and Tyapkin,A.A. Measurement of the relative nuclear activity of π-mesons near the point of creation, 0=15605
Neganov,B.S. See Azhgirei,L.S., 0=13231
Néganov,B.S., See Azhgirey,L.S., 0=5742
Negita,H.,Casabella,P.A. and Bray,P.J. N^{14} pure quadrupole resonances of acetonitrile and hydrocyanic acid, 0=6283
Neher,L.K. Notes on the design of glow discharge voltage stabilizers for photomultiplier tube power supplies, 0=19641
Nehlig,J.J. See Bilwes,R., 0=17055
Neidhardt,P. The practical effects of bandwidth limitation on colour TV images; 0=5858
Neighbours,J.R. and Alers,G.A. Magnetic effects on shear wave attenuation in single crystal copper, 0=523
Neighbours,J.R. See Alers,G.A., 0=3065
Neighbours,J.R. See Alers,G.A., 0=11874
Neilson,G.C., Dawson,W.K. and Johnson,F.A. Fast neutron time-of-flight spectrometer, 0=2552
Neilson,J.M.M. See Leach,D.F., 0=8976
Neimala,L. See Ozaki,S., 0=13292
Neiman,L.R. and Demirchyan,K.S. Inequality of partial-capacitance charges and resultant-field fluxes, 0=19590
Neizvestny,I.G. See Rzhanov,A.V., 0=2874
Nekrashevich,A.M. See Berezin,A.K., 0=9216
Nekrashevich,A.M. See Berezin,A.K., 0=9217
Nekrashevich,A.M. See Kharchenko,I.F., 0=5367
Nekrashevich,A.M. See Silenok,G.A., 0=9218
Nekrasov,F.M. The non-linear theory of steady-state processes in electron plasma, 0=7128
Nekrasov,F.M. The non-linear theory of electron—ion plasma oscillations, 0=19699
Nelipa,N.F. and Tsarev,V.A. Inverse dispersion relations for photoproduction of -mesons on nucleons, 0=9422
Nelkin,M. The diffusion cooling of neutrons in a finite moderator, 0=7373
Nelkin,M. Scattering of slow neutrons by water, 0=12941
Nelkin,M. Neutron thermalization. II. Heavy crystalline moderator, 0=12969
Nelkin,M.S. and Parks,D.E. Effects of chemical binding on nuclear recoil, 0=13131
Nelkin,M.S. See Hurwitz,H.Jr, 0=12968
Nelkin,M.S. See Hurwitz,H.Jr, 0=12980
Nelkowski,H. See Gobrecht,H., 0=1762
Nelson,C.H. See Whalen,J.F., 0=2145
Nelson,C.M. and Crawford,J.H.,Jr. Optical absorption in irradiated quartz and fused silica, 0=16060
Nelson,C.M. See Weeks,R.W., 0=15876
Nelson,D.F. See Collins,R.J., 0=21007
Nelson,J.H. See Hurwitz,L., 0=15103
Nelson,J.T. and Irvin,J.C. Visible light from a germanium reverse biased p-n junction, 0=2875
Nelson,L.S. and Kuebler,N.A. Kinetic absorption spectra recorded through flash-heated grids, 0=17759
Nelson,L.S. See Lundberg,J.L., 0=1962
Nelson,M.E. See Kerlee,D.D., 0=11264
Nelson,R.C. Sensitization of photoconductivity in glass by dyes, 0=20926
Nelson,R.S. Insulated terminals for high-vacuum systems using demountable glass-metal seals, 0=16743
Nelson,R.S. Determination of preferred orientation in polycrystalline metal foils using a sputtering technique, 0=18290
Nelson,S.M.,Newman,A.C.D.,Tomlinson,T.E. and Sutton,L.E. A dielectric study of the adsorption of water by magnesium hydroxide, 0=14945
Nelson,T.M. See Bartley,S.H., 0=3383
Német,L. See Dueprovskii,I.S., 0=20383
Németh,G. See Fogarassy,B., 0=15688
Németh,J. Modification of the form of potential in an excited nucleus and its effect on the barrier transmission coefficient, 0=11286
Nemets,O.F. and Prokopets,G.A. Inelastic scattering of protons and deuterons by Mg^{24}, 0=13235
Nemets,O.F. See Zaika,N.I., 0=7573
Nemets,O.F. See Zaika,N.I., 0=20458
Nemhohov,S.A. and Kolobova,K.M. The character of interatomic bond forces in Fe—Al alloys, 0=1934
Nemilov,A., Pisarevskii,A.N. and Soshin,L.D. The first excited state of Tb^{159}; 0=4035
Nemilov,Yu.A.,Belozerskii,G.N. and Pisarevskii,A.N. The α/β ratio of a liquid scintillator, 0=14660
Nemilov,Y.A.,Ovchinnikov,V.M.,Pisarevsky,A.N. and Teterin,E.D. Use of the photomultiplier FEU-12 in scintillation spectrometry, 0=3789
Nemilov,Yu.A.,Pisarevskii,A.N. and Soshin,L.D. Investigation of -rays from the decay of As^{78}, 0=4064
Nemilov,Yu.A. and Privalova,V.E. The effect of alkali metals on the properties of antimony photocathodes, 0=15056
Nemilov,Yu.A., Pisarevskii,A.N. and Soshin,L.D. Investigation of γ-rays from the decay of As^{78}, 0=4064
Nemilov,Yu.A. See Didenko,A.A., 0=15968
Nemiro,A.A. Reference stars in the southern hemisphere, 0=12307
Nemiro,A.A. and Zverev,M.S. A plan of U.S.S.R. participation in astrometric observations in the southerm hemisphere, 0=12303
Nemirova,É.K. The role of resonance effects in the measurement of meteor velocities, 0=18714
Nemirovskaya,S.A. See Geshkenbein,B.V., 0= 5702

emirovskii,P.E. and Fiveiskii,Yu.D. Influence of Coulomb attraction on the cross-section for absorption of anti-protons by nuclei, 0=20430
emnonov,S.A.,Finkel'shtein,L.D. and Kolobova,K.M. X-ray diffraction and X-ray spectroscopic investigation of the interatomic bonding forces in iron—aluminium alloys, 0=18399
emoda,D.S. Separation of fission products and corrosion
lements on aluminium oxide, 0=21301
enno,S. and Kaufman,J.W. Detection of equilibrium vacancy concentrations in aluminium, 0=20792
ensberg,E.D. See Smirnov,I.A., 0=20947
epomuceno,L.X. On the acoustic rectifier, 0=19272
Neporent,B.S. Recent development of molecular spectroscopy in the U.S.S.R., 0=9809
Neporent,B.S. and Bakhshiev,N.G. The role of universal and specific intermolecular interactions in the effect of a solvent on the electronic spectra of molecules, 0=15784
Neporent,B.S. and Mirumyants,S.O. A spectroscopic investigation of the processes of transformation of the vibrational energy of complex molecules during collisions. I. Determination of the amount of energy transferred and of the collision efficiency, 0=20607
Neporent,B.S. See Kiseleva,M.S., 0=4789
Neppiras,E.A. Very high energy ultrasonics, 0=6890
Neprimerov,N.N. See Imamutdinov,F.S., 0=2982
Nercy,A. Bussiere de. See Bussiere de Nercy,A.
Nerdel,F. See Schrader,B., 0=12484
Neretina,N.A. and Klyarfel'd,B.N. Anode region in a low-pressure gas discharge. II. Role of plasma electron temperature, anode surface temperature, and anode molecular accommodation coefficient, 0=9037
Neretina,N.A. See Klyarfel'd,B.N., 0=16984
Neronova,N.N. and Belov,N.V. Symmetry of ferroelectrics, 0=1695
Neronova,N.N. See Donnei,G., 0=16251
Nerurkar,N. See Escobar,V.,I., 0=11258
Nerurkar,N.W. An interpretation of the solar anisotropy of primary cosmic radiation, 0=5639
Nerurkar,N.W. See Escobar,I., 0=15485
Nervik,W.E. Spontaneous fission yields of Cf^{252}, 0=15609
Nesbet,R.K. Ground state electronic wave function of methane, 0=7811
Nesbet,R.K. Magnetic hyperfine structure of the ground state of lithium, 0=9744
Nesbet,R.K. Antiferromagnetic superexchange effect, 0=13851
Nesbet,R.K. Diatomic molecule project at Rias and Boston University, 0=17820
Nesbet,R.K. See Lefebvre-Brion,H., 0=17764
Nesbet,R.K. See Merryman,P., 0=5959
Nesbitt,E.A.,Heidenreich,R.D. and Williams,A.J. A necessary factor for heat treatment of the Permalloys in a magnetic field, 0=10330
Nesbitt,L.B. See Bean,C.P., 0=1088
Neshpor,V.S. The relationship between certain thermal parameters of solids, 0=9854
Nesmeyanov,A.N. and Dě Dȳk Man. Measurement of the vapour pressure of solid chromium by a radioactive tracer method, 0=13473
Nesmeyanov,A.N. See Belȳkh,L.P., 0=6997
Nesterenko,E.G. and Chuistov,K.V. Characteristics of the initial stages of decomposition of a supersaturated solid solution of titanium in copper, 0=16353
Nesterov,V.G. See Kuz'minov,B.D., 0=9713
Nesterov,V.S. Visco-inertial dispersion and attenuation of sound in highly concentrated suspensions, 0=6869
Nesterov,V.S. Conductance of a group of holes, 0=19257
Nesterov,V.S. See Byzova,N.L., 0=19294
Nethaway,D.R. and Winsberg,L. Interaction of high-energy protons with indium, 0=15573
Nethercot,A.H.,Jr. See Kaplan,R., 0=1080
Neto,J.R.P. See Porto,S.P.S., 0=16859
Neto,J.R.P. See Porto,S.P.S., 0=19415
Nettel,S.J. See Kohn,W., 0=16636
Nettleton,L.L., LaCoste,L. and Harrison,J.C. Tests of an airborne gravity meter, 0=8346
Nettleton,R.E. Relaxation theory of thermal conduction in liquids, 0=8824
Nettleton,R.E. Casimir coefficients and minimum entropy production, 0=14643
Nettley,P.T. See Berman,R., 0=9901
Neuberger,J. and Hatcher,R.D. Frequency spectrum for a two-dimensional lattice, 0=13484
Neubert,T.J. and Lees,R.B. Stored energy in neutron-bombarded graphite, 0=11649
Neudachin,V.G.,Shevchenko,V.G. and Yudin,N.P. Position of the giant resonance in the dipole absorption of γ-quanta by atomic nuclei, 0=20477
Neudachin,V.G., Smirnov,Yu.F. and Yudin,N.P. Clustering of nucleons in light nuclei, 0=7452
Neudachin,V.G.,Teplov,I.B. and Tulinov,A.F. Use of the (d,p) reaction to excite states with large spins, 0=9634
Neudachin,V.G. See Balashov,V.V., 0=9545
Neudachin,V.G. See Edakova,V.A., 0=13242
Neudachin,V.G. See Kurepin,A.B., 0=11417
Neuert,H. See Borman,M., 0=5771
Neuert,H. See Bormann,M., 0=13289
Neuert,H. See Warncke,J., 0=6203
Neufeld,E.L. See Davies,J.G., 0=8528
Neufeld,E.I. See Greenhow,J.S., 0=4788
Neufeld,E.L. See Greenhow,J.S., 0=8368
Neufeld,E.L. See Greenhow,J.S., 0=12175
Neufeld,E.L. See Greenhow,J.S., 0=14313
Neufeld,E.L. See Greenhow,J.S., 0=16466
Neufeld,J. Propagation of electromagnetic waves in a multi-stream medium at gyromagnetic resonance, 0=1208
Neufeld,J. Occurrence of Vavilov—Čerenkov radiation in a high-temperature plasma, 0=1268
Neufeld,J. Radiation produced by an electron beam passing through a dielectric medium, 0=2520
Neugebauer,C.A. Saturation magnetization of nickel films of thickness less than 100 A, 0=3062
Neugebauer,C.A. Tensile properties of thin evaporated gold films, 0=10331
Neugebauer,C.A. The temperature dependence of the saturation magnetization of nickel films of thickness less than 100A, 0=10159
Neugebauer,G.,Wales,W. and Walker,R.L. Photoproduction of negative and positive pions from deuterium for photon energies 500 to 1000 MeV, 0=15413
Neugebauer,H.E.J. and Bachynski,M.P. Diffraction by smooth conical obstacles, 0=12697
Neugebauer,J. Calculation of the unification of two photons of equal frequency in the presence of matter by using the Klein—Gordon equation, 0=7316
Neugebauer,M. Question of the existence of a lunar magnetic field, 0=4879
Neugebauer,T. On the problem of the elementary charge and the meson masses, 0=9271
Neuman,M. Statistical models for high energy nuclear reactions, I. 0=7541
Neuman,M. Statistical models for high-energy nuclear reactions. II, 0=15565
Neumann,A.W. and Sell,P.J. On the question of the formation of liquid lamellae in liquids, 0=8661
Neumann,E.G. See Kurtze,G., 0=19933
Neumann,G. See Justi,E., 0=2904
Neumann,H. and Valk,H.S. Non-spontaneous disintegration of hypernuclei in flight, 0=17509
Neumann,K. See Dittmar,W., 0=13961
Neumann,K. See Dittmar,W., 0=18309
Neumann,W., Peters,A., Rademacher,K. and Rompe,R. A description of an arrangement for the generation of an argon plasma stream with stable electrodes and the measurement of the temperature distribution in the plasma stream, 0=1125
Neumark,G. Efficiency of electroluminescence in ZnS, 0=2968
Neurath,P.W. Hysteresis and eddy losses in silicon iron as a function of sheet thickness, 0=3023
Neurath,P.W. Simple recording torque magnetometer, 0=11011
Neužilová,R. See Pátý,L., 0=3570
Neven,L. See de Jager,C., 0=847
Neves e Castro,M.,Francon,M. and Rousseau,M. Apparatus for the spectral study of fluorescence in microscopy, 0=14805
Nevitt,M.V. Magnetization of the compound TiFe, 0=1788
Nevitt,M.V. See Zegler,S.T., 0=14072
Nevstrueva,E.I. See Stȳrikovich,M.A., 0=10805
Nevyazhsky,I.Kh. See Veksler,V.I., 0=5369
Newby,N.D.Jr. Tensor force effects in odd—odd spherical nuclei, 0=13111
Newcomb,T.P. Transient temperatures attained in disk brakes, 0=6967

Newcomb,T.P. The radial flow of heat in an infinite cylinder, 0=6969

Newcomb,T.P. Flow of heat in a composite solid, 0=8820

Newcomb,T.P. Temperature reached in a bimetallic brake drum, 0=16915

Newcomb,W.A. Hydromagnetic stability of a diffuse linear pinch, 0=15014

Newell,G.F. Theory of oscillation type viscometers. V. Disk oscillating between fixed plates, 0=16671

Newell,G.F. See Azpeitia,A.G., 0=16669

Newell,G.F. See Azpeitia,A.G., 0=16670

Newell,G.F. See Beckwith,D.A., 0=16668

Newell,G.F. See Kestin,J., 0=16667

Newell,G.S. See Castner,T.,Jr, 0=6373

Newell,G.S. See Hicks,B.L., 0=12700

Newell,H.E. Capabilities for space research, 0=8523

Newell,H.E.,Jr. The space environment, 0=6438

Newell,H.E.,Jr. The United States programme in space research, 0=8522

Newell,J.A. and Wilks,J. The absorption of sound in liquid helium I under pressure, 0=19536

Newhouse,V.L. See Bremer,J.W., 0=1081

Newkirk,G.A.,Curtis,G.W.,Watson,D.K.,Manning,R. and Shelby,J. The inner solar corona during June, 1959, 0=4897

Newkirk,G.A.,Warwick,J.W. and Zirin,H. Backscatter of cosmic rays by the sun's H II sphere, 0=20279

Newkirk,H.L.,Haseltine,W.R. and Pratt,A.V. Stability of rotating space vehicles, 0=14476

Newkirk,H.W. See Brenden,B.B., 0=8821

Newman,A.C.D. See Nelson,S.M., 0=14945

Newman,A.C.D. See Stuart,J.E.A., 0=14944

Newman,E. and Steigert,F.E. Response of NaI(Tl) to energetic heavy ions, 0=11788

Newman,E.T. and Janis,A.I. Rigid frames in relativity, 0=3441

Newman,P. Optical, electromagnetic, and satellite observations of high-altitude nuclear detonations. I, 0=10431

Newman,R. and Chrenko,R.M. Effects of MnO and CoO on the 0.24 eV NiO absorption line, 0=653

Newman,R. and Chrenko,R.M. Infrared absorption from L.S. splittings in Co^{2+} salts, 0=1732

Newman,R.C. See Bullough,R., 0=7896

Newman,R.C. See Bullough,R., 0=20809

Newman,R.C. See Bullough,R., 0=20826

Newman,R.C. See Halliday,J.S., 0=6395

Newman,R.C. See Holmes,P.J., 0=590

Newmann,M.M. and Stevens,K.W.H. Magnetic susceptibilities of iron—chromium alloys, 0=4480

Newnham,R. See Shirane,G., 0=16148

Newnham,R.E. and Megaw,H.D. The crystal structure of celsian (barium felspar), 0=8225

Newport,R.W. See Alston,M.H., 0=15200

Newport,R.W. See Cundy,D.C., 0=15201

Newson,H.W.,Block,R.C.,Nichols,P.F.,Taylor,A.,Furr,A.K. and Merzbacher,E. s- and p-wave neutron spectroscopy. II. Even—even nuclei, 0=5786

Newson,H.W. See Bilpuch,E.G., 0=20487

Newson,H.W. See Merzbacher,E., 5785

Newson,H.W. See Nichols,P.F., 0=5788

Newson,H.W. See Weston,L.W., 0=20488

Newth,J.A. See Montanet,L., 0=15498

Newton,D.C.,Sanders,J. and Tyrrell,A.C. Isotopic analysis of silicon by solid-source mass spectrometry using negative ions, 0=17679

Newton,J.O. Auger transitions in Re^{185} and in the M3 isomer in Os^{189}, 0=7521

Newton,J.O. Decay of Os^{182} and Os^{183}. I. Gamma and beta spectroscopy, 0=7524

Newton,J.O. Decay of Os^{182} and Os^{183}. II. Coincidences, conversion coefficients, and decay schemes, 0=7525

Newton,J.O. See Ferguson,A.T.G., 0=17553

Newton,J.O. See Ferguson,A.T.G., 0=17561

Newton,R.G. Analytic properties of radial wave functions, 0=17254

Newton,R.G. and Fonda,L. Threshold discontinuities: Application to X-ray scattering, 0=11117

Newton,R.G. See Fonda,L., 0=5610

Newton,R.G. See Fonda,L., 0=15287

Newton,R.G. See Fonda,L., 0=17567

Newton,R.H.C. Comments on a paper by D.H.Trevena entitled "On space charge waves", 0=2385

Newton,R.R. Applications of Doppler measurements to problems in relativity, space probe tracking, and geodesy, 0=14479

Newton,T.D. On the axial symmetry of the Nilsson model nucleus, 0=11289

Nexsen,W.E. See Coensgen,F.H., 0=17000

Nexsen,W.E.,Jr, Cummins,W.F.,Coensgen,F.H. and Sherman,A.E. Collision of two plasma streams, 0=17013

Ney,E.P. See Blackwell,D.E., 0=8504

Ney,E.P. See Freier,P.S., 0=9482

Ney,J. See Bucka,H., 0=11304

Ney,W.R. See Meyerson,M.R., 0=19037

Neylan,A.A. An association between solar radio bursts at metre and centimetre wavelengths, 0=4856

Neylan,A.A. See Wild,J.P., 0=4855

Neyret,G. and Parain,J. The correction circuits of the "Saturne" synchrotron, 0=19849

Neyret,G. See Bronca,G., 0=2412

Neyret,G. See Bronca,G., 0=19851

Nezlin,M.V. The mechanism of space-charge oscillations in quasi-compensated ion beams, 0=10976

Nguen Din-Tŷ. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358

Nguen Din Ty. See Van Gan-Chan [Pang Kang-Chang], 0=15455

Nguyên Chung-Tú. Experimental studies of the luminescence of cadium iodide activated by lead, 0=16078

Nguyen-Chung-Tu. See Monod-Herzen,G., 0=13704

Nguyen Dinh Tu. See Van Gan-Chan, 0=9415

Nguyen-huu Doan. Intensity ratio of the D$_1$, D$_2$ lines of sodium emitted in the upper atmosphere at twilight and during the night, 0=787

Nguyen-Huu-Tri. On the range-energy relation for $_3$Li^6 ions in nuclear emulsions, 0=9108

Nguyen Phong Chau. On the conservation identities of [Tonnelat's] generalization of the asymmetric unifield field theory, 0=16591

Nguyen Phong Chau. Approximation to a generalization of the Einstein—Schrodinger theory, 0=16593

Nguyen Phong Chau. The projective invariance of a generalization of the non-symmetric unifield field theory, 0=16595

Nguyen Quat Ti. Evidence of two kinds of twins in copper layers by thermal evaporation on a (111) face of a copper single crystal, 0=4584

Nguyen Quat Ti. See Couderc,J.J., 0=8157

Nguyen Quat Ti. See Garigue,J., 0=13999

Nguyen Quat Ti. See Lafourcade,L., 0=733

Nguyen Quat Ti. See Lafourcade,L., 0=734

Nguyen-Trinh Dzoahn. Suppression of counter-emission in compressed air. Application to high-voltage generators and electrofilters, 0=10888

Nguyen-Trinh Dzoanh. Suppression of counter-emission in compressed air. Application to high-voltage generators and electrofilters, 0=7110

Nguyen-Van-Dang. Experimental results on creeping and tilting in hysteresis loops, 0=13792

Nguyen Van Dong and Barraud,A. Influence of fast neutrons on the recombination of electron—hole pairs in germanium, 0=4338

Nguyen Van Dong. and Barraud,A. Recombination centres produced in Ge by fast neutrons, 0=6110

Nguyen van Dong See Bomal,R., 0=17156

Nguyen Xuan Xinh. The electromagnetic energy-momentum tensor in the presence of charged matter, in the case of the non-linear coupling equations of the Born—Infeld theory, 0=7195

Nhan, Tran an. See Tran an Nhan, 0=240

Niblett,D.H. and Wilks,J. Dislocation damping in metals, 0=13532

Niblett,G.B.F. Rapid compression of a plasma with azimuthal current, 0=5307

Niblett,G.B.F. and Green,T.S. Radial hydromagnetic oscillations, 0=7211

Niblett,P.D. and Takayanagi,K. The calculation of some properties of hydrogen gas at low temperatures, 0=7815

Nicholas,J.F. Apparent activation energy and frequency factor for a process involving competing mechanisms, 0=1951

Nicholas,J.F. (Conf. rep). Summarized proceedings of a conference on solid state physics — Melbourne, August 1959, 0=6002

Nicholas,J.F. The dissipation of energy during plastic deformation, 0=16226

Nicholls,J.A. See Meetham,A.R., 0=19524

Nicholls,N.S. See Armstrong,R.J., 0=7153
Nicholls,R.W. Interpretation of intensity distributions in the N_2 Lyman—Birge—Hopfield and Co fourth positive band
Nicholls,R.W.,Fraser,P.A.,Jarmain,W.R. and McEachran,R.P. Vibrational transition probabilities of diatomic molecules: collected results. IV. BeO, BO, CH^+, CO, NO, SH, O_2, O_2^+, 0=11518
Nicholls,R.W. and Jarmain,W.R. On r-centroids of molecular transitions, equilibrium internuclear separations and oscillator turning points, 0=7793
Nicholls,R.W.,Reeves,E.M. and Bromley,D.A. Excitation of N_2 and O_2 by 1/2 and 1 MeV protons, 0=5942
Nicholls,R.W. See Broida,H.P., 0=6200
Nicholls,R.W. See Jarmain,W.R., 0=7776
Nicholls,R.W. See Parkinson,W.H., 0=12455
Nicholls,R.W. See Robinson,D., 0=15750
Nichols,B. Evidence of elongated irregularities in the ionosphere, 0=12163
Nichols,G.M. See Hayes,W., 0=6051
Nichols,I.A. See Williamson,D.E., 0=8799
Nichols,J.H. See Sloanaker,R.M., 0=12260
Nichols,L.W. Optical filtering, 0=14815
Nichols,P.F.,Bilpuch,E.G. and Newson,H.W. s- and p-wave neutron spectroscopy. IV. Experimental methods in the keV region, 0=5788
Nichols,P.F. See Newson,H.W., 0=5786
Nichols,S. and Clube,S.V.M. Interferometric measurements of wavelengths. VI. Measurements in the region 3940-4450 A, 0=19432
Nichols,W.A. See Praglin,J., 0=14942
Nicholson,A.J.C. See Dorman,F.H., 0=2318
Nicholson,A.J.C. See Dorman,F.H., 0=3736
Nicholson,A.J.C. See Morrison,J.D., 0=2317
Nicholson,K.P. See Egelstaff,P.A., 0=7615
Nicholson,R.B.,Thomas,G. and Nutting,J. The interaction of dislocations and precipitates, 0=17936
Nicholson,R.B.,Thomas,G. and Nutting,J. Electron-microscopic studies of precipitation in aluminium alloys, 0=21257
Nicholson,R.W. See Waugh,J.B.S., 0=19998
Nicholson,W.J. and Halpern,I. Direct-interaction effects in medium-energy fission of uranium, 0=1449
Nickerson,D. Light sources and color rendering, 0=182
Nickle,H. and Serber,R. Charged-scalar strong-coupling theory, 0=12867
Nicks,R. See Hage,W., 0=2703
Nickson,A.F.B. and Muncey,R.W. Some experiments in a room and its acoustic model, 0=5118
Nicolet,M. The thermosphere, 0=12151
Nicolet,M. Constitution of the atmosphere at ionospheric levels, 0=12152
Nicolet,M. and Aikin,A.C. The formation of the D region of the ionosphere, 0=14226
Nicolet,M. See Bates,D.R., 0=14200
Nicoll,D. See Fortescue,P., 0=5820
Nicoll,F.H. Properties of a single-element light amplifier using sintered cadmium selenide photoconductive material, 0=2973
Niegisch,W.D. and Swan,P.R. Hollow pyramidal crystals of polyethylene and a mechanism of growth, 0=21205
Niehl,E.W. See Riggs,L.A., 0=14347
Niehrs,H. The formulation of electron diffraction by means of a scattering matrix and its practical applicability, 0=273
Niehrs,H. Operators for electron diffraction by a crystal lattice, 0=3206
Niekisch,E.A. See Auth,J., 0=2910
Niekisch,E.A. See Auth,J., 0=6118
Nielsen,H.H. See Garing,J.S., 0=5934
Nielsen,H.H. See Hanson,H.M., 0=15689
Nielsen,H.L. See Sheline,R.K., 0=5650
Nielsen,H.L. See Sheline,R.K., 0=11415
Nielsen,J.R. and Holland,R.F. The b_{1u} methylene wagging and twisting fundamentals in crystalline polyethylene, 0=15792
Nielsen,J.R. See Klaboe,P., 0=5938
Nielsen,J.W. An improved method for the growth of yttrium-iron and yttrium-gallium garnets, 0=10286
Nielsen,J.W. See Dillon,J.F., 0=10211
Nielsen,J.W. See Dillon,J.F.,Jr, 0=18211
Nielsen,K.O. The development of magnetic ion sources for an electromagnetic isotope separator, 0=19777
Nielsen,K.O. and Skilbreid,O. Continuous scanning in two directions of the ion beam in an electromagnetic isotope separator, 0=19796
Nielsen,K.O. See Almén,O., 0=19778
Nielsen,O. See Bryrup,E., 0=9716
Nielsen,O.B. See Bjørnholm,S., 0=1363
Nielsen,O.B. See Marklund,I., 0=7526
Nielsen,O.B. See Toth,K.S., 0=428
Nielsen,O.B. See Toth,K.S., 0=1379
Nielsen,S. Reaction of indium solder with mercury telluride, 0=8462
Nielsen,S. See Rennie,A.E., 0=6325
Nielson,H.H. See Hoffman,J.M., 0=13440
Niemann,J. See Felbinger,K., 0=7327
Nier,A.O. Small general purpose double focusing mass spectrometer, 0=19792
Nier,A.O. See Bhanot,V.B., 0=17673
Nier,A.O. See Hoffman,J.H., 0=12271
Nierenberg,W.A. Atomic beam research on radioactive atoms, 0=472
Nierenberg,W.A. See Brink,G.O., 0=17682
Nierenberg,W.A. See Ewbank,W.B., 0=20327
Nierenberg,W.A. See Garvin,H.L., 0=1352
Nierenberg,W.A. See Lipworth,E., 0=13120
Nierenberg,W.A. See Marrus,R., 0=20329
Nierhaus,R. See Mayer-Kuckuk,T., 0=2634
Niese,H. The improvement of objective and subjective acoustic measuring techniques by the use of f.m. band noise, 0=14745
Niese,H. Dynamic behaviour of objective loudness measuring apparatus, 0=14764
Niese,H. Subjective measurements of the loudness of band pass noise, for equal and different bandwidths presented to each ear, to derive the laws of audibility measurement and their application to objective loudness measurement, 0=14765
Niewodniczański,H. See Kisiel,A., 0=14822
Niewodniczański,H. See Leś,Z., 0=17703
Niewodniczański,H. See Liszka,L., 0=15663
Nifontoff,N. See Gouskov,L., 0=1896
Nigam,A.N. See Gokhale,B.G., 0=20584
Nigam,L.N. Constant shear flow past two circular cylinders, 0=14590
Nigam,R.K. See Rastogi,R.P., 0=19502
Nigam,S.D. Appendix: rotation of an infinite plane lamina in non-Newtonian liquid: motion started impulsively from rest, 0=8616
Nihoul,J. See van Itterbeek,A., 0=5049
Nijboer,B.R.A. See Schram,K., 0=14533
Nijboer,B.R.A. See de Wette,F.W., 0=7837
Nikanorov,S.P. and Stepanov,A.V. Temperature dependence of the elastic constants of monocrystals of potassium bromide, 0=11968
Nikishov,A.I. A general formula for the electromagnetic scattering of two different particles of spin $\frac{1}{2}$, 0=12854
Nikishov,A.I. On the production of pion and muon pairs by the annihilation of high-energy positrons, 0=15417
Nikitin,A.A. The effect of self-ionization and its influence on the intensity of certain lines in stellar spectra, 0=846
Nikitin,A.A. One possible estimation of the temperatures of hot stars according to the character of their NIII emission spectrum, 0=16551
Nikitin,A.A. The investigation of the lines of heavy elements in the spectra of planetary nebulae, 0=18843
Nikitin,A.V. See Van Gan-Chan, 0=9415
Nikitin,A.V. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358
Nikitin,A.V. See Van Gan-Chan [Pang Kang-Chang], 0=15455
Nikitin,E.E. The band contours of forced rotational and vibrational spectra of non-polar molecules, 0=9790
Nikitin,E.E. A possible mechanism of electron excitation in slow atomic collisions, 0=15655
Nikitin,E.E. Mechanism of the intermolecular exchange of energy in the dissociation of diatomic gas, 0=14111
Nikitin,E.E. The interpretation of induced infrared spectra of compressed gases, 0=17700
Nikitin,E.E. Non-adiabatic vibrational excitation of molecules in molecular collisions, 0=19207
Nikitin,E.E. and Sokolov,N.D. Theory of thermal second-order decomposition of molecules, 0=3298
Nikitin,E.N. Investigation of the semiconducting properties of the Si—Mn systems, 0=2884
Nikitin,E.N. Investigation of the semiconducting properties in the silicon—cobalt system, 0=13604
Nikitin,L.P. See Kogan,A.V., 0=2652
Nikitin,L.P. See Kogan,A.V., 0=20787

Nikitin,V.A. See Dmitrievskii,O.D., 0=10776

Nikitin,V.A. See Dmitrievskii,O.D., 0=12487

Nikitina,N.I. See Aérov,M.É., 0=12514

Nikitina,T.S. See Kuzminskii,A.S., 0=6419

Nikitine,S. Experimental investigations of exciton. Spectra in ionic crystals, 0=16048

Nikitine,S. and Haken,H. On the possibility of causing a directed migration of excitons, 0=4283

Nikitine,S. and Reiss,R. Tentative interpretation of the photoluminescence emissions of copper iodide at low temperatures, 0=21000

Nikitine,S. See Reiss,R., 0=11761

Nikitinskaya,T.I. See Zakharov,G.M., 0=11654

Nikolaev,A.G. See Vernov,S.N., 0=10397

Nikolaev,F.A. See Burgov,N.A., 0=11431

Nikolaev,R.M. See Kharchenko,I.F., 0=5367

Nikolaev,R.M. See Kharchenko,I.F., 0=12619

Nikolaishvili,Sh.S. See Kukhtevich,V.I., 0=9327

Nikolič,M.,Eisenberg,Y.,Koch,W.,Schneeberger,M. and Winzeler,H. Interactions of K^--mesons at rest in nuclear emulsions. V. The multi-nucleon capture mode, 0=17413

Nikolič,M.,Koch,W.,Schneeberger,M. and Winzeler,H. An unusual double star from a K^--capture in emulsion, 0=9427

Nikolic,M. See Dyer,J., 0=5562

Nikolic,M. See Koch,W., 0=5612

Nikolic,M. See Koch,W., 0=17414

Nikolic,M. See Winzeler,H., 0=15346

Nikolić,M.M.,Povh,B. and Župančič,C. On the reaction $O^{17}(p,\gamma)F^{18}$, 0=17591

Nikolitch,K.,de la Garanderie,H.P. and Schlivitch,S. The fluorescence of certain halogenated complexes of manganese and pyridine, 0=16088

Nikolskaia,A.V. See Guérassimov,J.I., 0=1956

Nikol'skaya,A.V.,Geiderikh,V.A. and Gerasimov,Ya.I. Thermodynamic properties of indium antimonide, 0=10354

Nikol'skii,A.P. Solar protons as the cause of the morning and nocturnal magnetic disturbances at high latitudes, 0=1989

Nikol'skii,B.A. and Mishakova,A.P. Fluctuations in the angular distribution of secondary particles of explosive showers, 0=20267

Nikol'skii,B.A. See Ali-Zade,S.A., 0=15378

Nikol'skii,B.A. See Gurevich,I.I., 0=13009

Nikolskii,B.A. See Mishakova,A.P., 0=7432

Nikol'skii,G.M. Ultraviolet radiation and the excitation of oxygen lines in the chromosphere, 0=8507

Nikol'skii,G.M. The coronal emission line λ5694, 0=18776

Nikolskii,S.I. See Dovzhenko,O.I., 0=20265

Nikol'skii,S.I. See Mishnev,S.I., 0=15477

Nikol'skii,S.I. See Muzina,E.A., 0=2602

Nikol'skii,S.I. See Zatsepin,G.T., 0=9471

Nikol'skii,V.G. and Buben,N.Ya. Radiothermoluminescence of organic compounds, 0=21018

Nikol'skii,V.K. See Kats,M.L., 0=10065

Nikol'skii,V.V. See Mash,D.I., 0=10171

Nikolsky,Y.V. See Katkov,V.P., 0=2692

Nikshov,A.I. The statistical theory of multiple production of particles, 0=9323

Nikulin,E.I. See Mikhailov,Yu.G., 0=2290

Nikuradse,A. and Kugler,K. Influence of the molecular or atomic nature of the surface layer of a solid wall on the interaction between incident gas molecules and the wall, 0=10369

Nilsson,A. See Malmfors,K.G., 0=17349

Nilsson,J. The three-body K-meson decay, 0=3998

Nilsson,N.E.L. See Lagerqvist,A., 0=9800

Nilsson,R.,Olsson,I.,Berggren,A. and Siegbahn,K. S^{35} and Be^7 contents in rain and snow, 0=7500

Nilsson,R. See Berglung,S., 0=17645

Nilsson,S.G. See Mottelson,B.R., 0=5766

Nilsson,T. See Sjöstrand,N.G., 0=5826

Nilsson-Fröman,N. On the two-phonon scattering of X-rays in aluminium, 0=7864

Nine,H.D. Photosensitive ultrasonic attenuation in CdS, 0=11574

Nine,H.D. and Schubring,N.W. Photographic verification of ultrasonic plane wave scattering by cylinders, 0=12462

Ning Hu. Modified meson propagation function in pseudo-vector coupling theory, 0=339

Ning Hu. Symmetries in strong interactions and the KKππ-interaction, 0=11222

Ning Hu. See Hu,N.

Nira,K. Temperature dependence of the magnetization of dysprosium metal, 0=4473

Nisbet,J.S.,Brennan,J.N. and Tarpley,H.I. High-frequency strain gauge and accelerometer calibration, 0=2146

Nishi,M. and Hamamura,S. On the glow discharge through the vapors of benzene, toluene, and chlorobenzene, 0=9017

Nishi,M. See Hamamura,S., 0=7307

Nishida,M. See Amai,S., 0=11280

Nishida,M. See Hayashi,C., 0=8516

Nishida,M. See Hayashi,C., 0=14466

Nishida,M. See Hayashi,C., 0=18867

Nishida,Y. Elastic scattering of deuterons by heavy nuclei, 0=13236

Nishida,Y. and Tanaka,H. A note on the elastic scattering of high energy deuterons by complex nuclei, 0=15578

Nishijima,K. On the asymptotic conditions in quantum field theory, 0=11083

Nishijima,K. Asymptotic conditions and perturbation theory, 0=15300

Nishikawa,K. A jet shower with energy of 5×10^{13} eV found in emulsion chamber, 0=20272

Nishikawa,K. and Urakawa,K. An experiment of nucleate boiling under reduced pressure, 0=14891

Nishimura,A. See Tatsumoto,E., 0=3067

Nishimura,J. and Tanabe,Y. Synthesis of large CdS and ZnS crystals, 0=21165

Nishimura,J. See Aizu,H., 0=1338

Nishimura,J. See Kamata,K., 0=389

Nishimura,K. Spin and size of Λ^0 particle, 0=9440

Nishimura,K. Inelastic scattering of high-energy protons exciting a collective level of nucleus, 0=11409

Nishiyama,A. and Okada,T. The crystal structures of the compounds $(SnSe)_{1-x-y}(SnTe)_x(PbTe)_y$, 0=18364

Nishiyama,T. Electrostatic interactions in an electron—ion gas at high density, 0=13507

Nishiyama,T. Equivalent Hamiltonian of an electron gas at high density, 0=20762

Nishiyama,T.,Sekiya,T. and Watanabe,Y. Stationary fusion reactions at low temperatures, 0=11467

Nishiyama,Y. See Kuwabara,G., 0=20937

Nishiyama,Z. and Shimizu,K. Direct observation of substructures in martensite, 0=18418

Nisimura,K. See Suwa,S., 0=19856

Nisle,R.G. Neutron-absorption alignment chart, 0=9372

Nissan,A.H. The rheological behaviour of hydrogen-bonded solids. III. A theory of tensile strength, 0=13918

Nissan,A.H. and Higgins,H.G. A molecular approach to the problem of viscoelasticity, 0=6308

Nissan,A.H. See Brewster,D.B., 0=8627

Nissen,J. Observatory at San Juan, 0=12240

Nitkin,L.P. See Kogan,A.V., 0=11299

Nitsche,R. and Merz,W.J. Photoconduction in ternary V—VI—VII compounds, 0=11722

Nitsche,R. See Fatuzzo,E., 0=4380

Nitsche,R. See Fatuzzo,E., 0=6155

Nitsovich,M.V. On the theory of the diamagnetism of the electron gas in crystals, 0=6212

Nitsovich,M.V. See Samoilovich,A.G., 0=8029

Nitta,I. See Takaki,Y., 0=21203

Noack,F. See Laukien,G., 0=14666

Noakes,J.E. See Arrott,A., 0=3015

Nobel,D.de. See de Nobel,D.

Noble,F.W.,Hayes,J.E., Jr and Eden,M. Repetitive analog computer for analysis of sums of distribution functions, 0=4839

Noble,G.A. Paramagnetic resonance of F centres in potassium iodide, 0=1826

Noble,G.A. Saturation and recovery of a portion of the electron spin resonance of F centers in KCl at 4°K, 0=10236

Nobles,R.G. See Smith,A.B., 0=1454

Noch,R. and Hühn,H. Investigations of the influence of temperature variations on the readings of a comparator with large mechanical magnification, 0=4980

Noci,G. The partition function of neutral sodium, 0=20551

Noci,G. and Rigutti,G. Observations of prominences and the height of the solar chromosphere carried out in 1958, 0=18756

Nocilla,S. Interaction between a rigid body and a free molecule flow. I. Energy exchanges. II. Momentum exchanges, 0=19172
Noddack,W.,Meier,H. and Haus,A. The quantum yield of the internal photoeffect in organic dyes, 0=1684
Noderer,L.C. See Drawbaugh,D.W., 0=15617
Nodvik,J.S. and Saxon,D.S. Analysis of elastic cross-sections and polarization of 10 MeV protons, 0=7549
Noerdlinger,P.D. Stability of uniform plasmas with respect to longitudinal oscillations, 0=10929
Nogama,U.S. Fragmentation of glass plates, 0=2070
Nogami,Y. The $\Sigma-\Lambda$ relative parity and the $\bar{K}-N$ reaction, 0=17424
Nogami,Y. A note on the signs of the $K^{\pm}-p$ interactions, 0=20230
Nogami,Y. and Sugano,R. An interpretation of the peak in the cross-section of $\pi^- + p \longrightarrow K^0 + \Lambda$, 0=20189
Nogami,Y. See Hiida,K., 0=17319
Nogami,Y. See Hiida,K., 0=20116
Nogami,Y. See Hiida,K., 0=20117
Nogami,Y. See Komatsuzawa,A., 0=15427
Nogami,Y. See Komatsuzawa,A., 0=15428
Nogami,Y. See Komatsuzawa,A., 0=15433
Nogami,Y. See Komatsuzawa,A., 0=20200
Noggle,T.S. See Stiegler,J.O., 0=18423
Noggle,T.S. See Young,F.W.,Jr, 0=7883
Nolan,P.J. The equilibrium of ionization in the atmosphere and nuclear combination coefficients, 0=780
Nolan,P.J. See Keefe,D., 0=7073
Nöldeke,G. See Guthöhrlein,G., 0=1356
Nolle,A.W. Effect of pressure on the dynamic shear behavior of polyisobutylene, 0=18249
Nolle,A.W. and Mahendroo,P.P. Effects of pressure on proton spin-lattice relaxation in several degassed organic liquids, 0=16720
Nomoto,M. Pairing energy of nuclear particles, 0=11285
Nomoto,M. Pairing energy for deformed nuclei, 0=20323
Nomura,K.C. See Blakemore,J.S., 0=6143
Nomura,K.C. See Blakemore,J.S., 0=7954
Nomura,S. See Sawada,S., 0=639
Nonaka,I.,Yamaguchi,H.,Mikumo,T.,Umeda,I.,Tabata,T. and Hitaka,S. Angular distributions of protons from the reaction $^{12}C(\alpha,p)^{15}N$, 0=20466
Nonoyama,M. See Kamiya,Y., 0=21259
Nonweiler,T. Effect of a resisting couple on the rotational motion of a rigid body, 0=16658
Noorman,P. See Chabbal,R., 0=16850
Noothoven van Goor,J.M. See Bölger,B., 0=10223
Norbeck,E.,Blair,J.M.,Pinsonneault,L. and Gerbracht,R.J. Angular distribution of Li^8 from $Be^9(Li^7,Li^8)Be^8$, 0=4108
Norberg,R.E. See Sher,A., 0=9224
Norbury,J. See Booker,G.R., 0=4625
Norbury,J. See Booker,G.R., 0=10339
Nordberg,M.E.,Povh,B. and Barnes,C.A. Beta—alpha angular correlations in B^8 and Li^8, 0=5692
Nordby,H. See Bjørnholm,S., 0=19843
Norder,W.A. Induction apparatus for the continuous measurement of magnetic susceptibility, 0=15105
Nordin,P.,Jr. See Leitner,J., 0=384
Nordling,C. Energy shifts of L-levels in some 5th period elements due to oxidation and alloying, 0=7690
Nordling,C. K and L energy levels in some fourth and fifth period elements, 0=7691
Nordling,C. and Hagström,S. Electron binding eneries in uranium, 0=7692
Nordling,C. See Bergvall,P., 0=17717
Nordling,C. See Sokolowski,E., 0=7719
Nordö,J. See Trefall,H., 0=5632
Norinder,H. and Knudsen,E. Lightning discharges as a source of whistlers, 0=16479
Norinder,H. and Knudsen,E. Multiple lightning discharges followed by whistlers. 0=16480
Norkus,F.J.,Derbyshire,A.J.,Mills,P.J. and Carter,R.L. Frequency measure of the E.E.G, 0=16509
Norman,G.É. See Biberman,L.M., 0=19609
Norman,G.É. See Vainshtein,L.A., 0=15654
Norman,R.S. See Mendelsohn,L.I., 0=3037
Normand,C.E. See Yonts,O.C., 0=9110
Norment,H.G. and Henderson,P.I. Controlled atmosphere sample chamber for the Norelco diffractometer, 0=21180
Norment,H.G.,Henderson,P.I. and South,R.L. Twenty-one new X-ray diffraction powder patterns, 0=18355
Norment,H.G.,Jr. Unit cells and space groups for two etherates of sodium tridecayhdrodecaborate (1-), 0=3244
Norr,M.K. See Houston,B.B., 0=8171
Norris,J.A. and Laurie,V.W. Energy levels of a slightly asymmetric top, 0=13431
Norris,J.A. and Laurie,V.W. Erratum: Energy levels of a slightly asymmetric top, 0=20604
Norris,W.G. See James,T.C., 0=5935
Norris,W.G. See Klemperer,W., 0=20620
Norrish,R.G.W. and Oldershaw,G.A. The absorption spectrum of SO and the flash photolysis of sulphur dioxide and sulphur trioxide, 0=8318
Norrish,R.G.W. and Simons,J.P. The polymerization of styrene sensitized by molecules in the triplet state. II. Kinetics and mechanism, 0=8317
Norrish,R.G.W. See McGrath,W.D., 0=8319
Norrish,R.G.W. See Edgecombe,F.H.C., 0=10357
Northcliffe,L.C. See Michael,I., 0=2405
Northover,F.H. The propagation of electromagnetic waves in ionized gases (with special reference to "whistlers"). I-II, 0=15157
Northover,W.R. See Flaschen,S.S., 0=1923
Northrop,D.A. Translating device for an X-ray powder camera, 0=18336
Northrop,D.C. Conduction processes in condensed aromatic hydrocarbons, 0=6071
Northrop,D.C. See Harding,W.R., 0=17287
Northrop,J.A. and Gursky,J.C. Relative scintillation efficiencies of noble gas mixtures, 0=17147
Northrop,J.A.,Stokes,R.H. and Boyer,K. Measurement of the fission thresholds of Pu^{239}, U^{233}, U^{235} and U^{238} using the (d,p) reaction, 0=1415
Northrop,T.G. and Teller,E. Stability of the adiabatic motion of charged particles in the earth's field, 0=3837
Northwood,T.D. See Legget,R.F., 0=2217
Norton,K.A. Carrier-frequency dependence of the basic transmission loss in tropospheric forward scatter propagation, 0=15154
Norton,R.B. See Van Zandt,T.E., 0=16447
Norton,R.E. and Watson,W.K.R. Commutation rules and spurious eigenstates in soluble field theories, 0=3913
Norwood,M.H. See Briscoe,C.V., 0=6855
Norwood,M.H. See Huffman,D.R., 0=6018
Norwood,M.H. See Squire,C.F., 0=9842
Noskov,M.M. See Levkov,A.N., 0=4400
Noskov,M.M. See Zhuravleva,L.I., 0=8802
Noskova,N.I. and Pavlov,V.A. Investigation of the fine structure of Al-Mg and Ni-Cu solid solutions, 0=6380
Noskova,R.I. See Amenitskii,N.A., 0=18649
Nosov,V.G. Alpha-decay constants of non-spherical nuclei, 0=11337
Nosov,V.G. On the determination of nuclear deformation from the alpha-decay fine structure, 0=13186
Nosov,V.G. Theory of α-decay of nonspherical nuclei, 0=20373
Nosova,G.I. and Rozenberg,V.M. A study of the effect of a preliminary cold deformation on creeping, 0=6312
Nossek,R. The mean free path of conduction electrons in the alkali metals K, Rb and Cs, 0=1615
Notni,W. Results of centering measurements on optical systems and the influence of centering errors on the image quality of photographic objectives, 0=5144
Novák,M. A note on the theory of the successive production of moving striations in the plasma of inert gases, 0=2335
Novak,M. See Pekarak,L., 0=5292
Novák,M. See Pekárek,L., 0=10890
Novakov,T.M. and Mladjenovic,M.S. Preparation of thin beta-ray sources by evaporation and cathode sputtering, 0=17516
Noven,H. and Lenz,F. Theoretical investigation of the imaging aberrations in electron diffraction patterns, 0=2390
Novick,M. See Kittel,J.H., 0=13380
Novik,F.T. See Berlaga,R.Ya., 0=619
Novikov,B.V. See Gross,E.F., 0=7955
Novikov,B.V. See Gross,E.F., 0=15984
Novikov,I.I. A relationship for the viscosity and thermal conductivity of liquids and gases, 0=6734
Novikov,I.I.,Soloviev,A.N.,Khabakhnasheva,E.M.,Gruzdev,V.A., Pridantzev,A.I. and Vasenina,M.Ya. The heat-transfer and high-temperature properties of liquid alkali metals, 0=3526
Novikov,I.I. See Kutateladze,S.S., 0=8825

Novikov,M.T. See Pivovar,L.I., 0=17054
Novikov,N.N. See Gertsriken,S.D., 0=17955
Novikov,S.R. See Rȳvkin,S.M., 0=1628
Novikov,S.R. See Rȳvkin,S.M., 0=15905
Novikov,V.M. See Zaretsky,D.F., 0=4128
Novikov,V.M. See Zaretskii,D.F., 0=11491
Novikova,G.E. and Trapeznikova,O.N. A new type of crystalline structure in gutta-percha, 0=6342
Novikova,G.I.,Volkova,E.A.,Gol'din,L.L.,Ziv,D.M. and Tret'yakov,E.F. Radioactive decay of Ac^{227} and excited levels of Fr^{223} and Th^{227}, 0=11338
Novikova,G.I. See Gol'din,L.L., 0=13187
Novikova,G.I. See Tret'yakov,E.F., 0=11372
Novikova,I.V. See Kolomiitsova,T.S., 0=16896
Novikova,N.R. See Perfilov,N.A., 0=9244
Novikova,N.R. See Perfilov,N.A., 0=12736
Novikova,S.I. Thermal expansion of germanium at low temperatures, 0=7854
Novikova,S.I. Thermal expansion of diamond between 25° and 750°K, 0=15816
Novikova,S.I. and Strelkov,P.G. Thermal expansion of silicon at low temperatures, 0=13494
Novikova,S.I. See Astrov,D.N., 0=8073
Novikova,S.I. See Leksina,I.E., 0=6376
Novobatzky,K.F. Statistical derivation of quantized radiation and gas energy, 0=6702
Novogrudskii,V.N. See Gaidukov,L.G., 0=14065
Novogrudskii,V.N. See Vasil'eva,I.N., 0=566
Novosil'tsev,N.S.,Khodakov,A.L.,Sholokhovich,M.L.,Fesenko,E.G. and Kramarov,O.P. Experimental work on growing single crystals of ferroelectric substances, 0=708
Novototski-Vlasov,Yu.F. See Rzhanov,A.V., 0=2874
Novozhilov,Yu. On the construction of the S matrix for dressed particles, 0=7293
Novy,V. See Vickery,R.C., 0=11824
Nowak,M.J. The general critical reactor equations, 0=13324
Nowell,J.C. See Badessa,R.S., 0=12361
Nowick,A.S. and Roswell,A.E. Kinetics of vacancy precipitation in a silver—zinc solid solution, 0=18387
Nowick,A.S. See Bron,W.E., 0=11633
Nowicki,L. High performance laboratory electromagnet, 0=17064
Nowicki,L. Electrical relaxation in Ni-Zn ferrite, 0=18096
Nowinski,J. Cylindrically orthotropic circular plates with large deflections, 0=19025
Noxon,J.F.,Harrison,A.W. and Jones,A.V. The infra-red spectrum of the night airglow from 1.4μ to 4.0μ, 0=14295
Noya,H.Arima,A. and Horie,H. Nuclear moments and configuration mixing, 0=11300
Noyes,H.P. Energy dependence of the nucleon—nucleon phase shifts, 0=15340
Noyes,H.P. and Edwards,D.N. Puppi—Stanghellini discrepancy, 0=11207
Noyes,H.P. See Chew,G.F., 0=13020
Nozdrev,V.F. See Kal'yanov,B.I., 0=8652
Nozières,P. Effect of Coulomb interaction on elementary excitations in solids, 0=530
Nran'yan,A.A. The calculation of integrals in the method of equivalent orbits and the estimation of the parameters of the valency zones in semiconductors of the type A III BV, 0=11553
Nran'yan,A.A. See Gubanov,A.I., 0=6030
Nudel'man,S.L. A unified graphical method of indexing X-ray diffraction patterns of polycrystals. I. Orthorhombic system, 0=18339
Nudel'man,S.L. A unified graphical method of indexing X-ray diffraction patterns of polycrystals. II-III. Monoclinic and triclinic systems, 0=18340
Nudel'man,S.L. The lattice parameters of chrysotile, 0=18365
Numata,T. On the non-isothermal diffusion theory of rectifiers, 0=20881
Nundal,A. See Vegard,L., 0=794
Nunley,A.E. See Makin,S.M., 0=12668
Nunn,M. and Wynne,C.G. Lens designing by electronic digital computer. II, 0=5142
Nunnemann,E. See Rollnik,H., 0=17221
Nuovo,M. See Bordoni,P.G., 0=1590
Nuovo,M. See Bordoni,P.G., 0=5074
Nuovo,M. See Bordoni,P.G., 0=16800
Nuovo,M. See Bordoni,P.G., 0=17944
Nuralieva,R.D. See Krinchik,G.S., 0=6172
Nuralieva,R.D. See Krinchik,G.S., 0=10046
Nurmia,M. See Karras,M., 0=11346
Nurmukhamedov,G.M. See Malevskaya,L.A., 0=11929
Nurushev,S.B. Determination of the p—p scattering matrix at 90°, 0=15353
Nurushev,S.B. See Kumekin,Yu.P., 0=20205
Nussenzveig,H.M. Diffraction theory in the k-representation, 0=15142
Nussenzveig,H.M. Causality and dispersion relations for fixed momentum transfer, 0=17261
Nussenzveig,H.M. Solution of a diffraction problem. I. The wide double wedge. II. The narrow double wedge, 0=19930
Nussenzveig,H.M. See Beck,G., 0=14520
Nutant,J. See v.Krzywoblocki,M.Z., 0=5382
Nutt,C.W.,Botterill,J.S.M.,Thorpe,G. and Penmore,G.W. Theory and application of molecular-beam techniques for the design of collision-free sampling systems. I. Molecular-beam formation by multiple aperture collimating systems, 0=2758
Nutt,C.W.,Penmore,G.W. and Biddlestone,A.J. Theory and application of molecular-beam techniques for the design of collision-free sampling systems. II. Molecular-beam formation by adiabatic expansion of gas through apertures in thin diaphragms, 0=2759
Nutting,J. See Baker,R.G., 0=20825
Nutting,J. See Brandon,D.G., 0=4690
Nutting,J. See Brandon,D.G., 0=17943
Nutting,J. See Kelly,P.M., 0=21255
Nutting,J. See Nicholson,R.B., 0=17936
Nutting,J. See Nicholson,R.B., 0=21257
Nutting,J. See Thomas,G., 0=18390
Nyagu [Neagu],D. Problem of stereoscopy in the bubble chamber. Correction for refraction, 0=1232
Nyagu,D.V. and Salukvadze,R.G. The use of two-component systems in bubble chambers, 0=17161
Nyborg,W.L. See Gould,R.K., 0=10643
Nyborg,W.L. See Jackson,F.J., 0=19307
Nyholm,R.S. See Figgis,B.N., 0=21022

Oakes,D.A. See Schamp,H.W.,Jr, 0=3388
Oakland,L.J. and Rossing,T.D. Coincident-current non-destructive readout from thin magnetic films, 0=3831
Ōba,J. and Gotō,T. Proton—proton scattering in the GeV region, 0=15352
Obashev,S.O. An electromagnetic mechanism of heating solar prominences, 0=18758
Obayashi,H. On the possibility of the two-fermion interaction, 0=20038
Obayashi,T. The acceleration of particles in the outer atmosphere, 0=1981
Obayashi,T. Very low-frequency spectra of atmospherics propagated through the ionosphere, 0=2010
Obayashi,T. Measured frequency spectra of very-low-frequency atmospherics, 0=8426
Obayashi,T. Physical state of outer atmosphere and the origin of radiation belts, 0=14270
Obayashi,T. Geomagnetic pulsations and the earth's outer atmosphere, 0=18502
Obayashi,T. A possibility of the long distance h.f. propagation along the exospheric field-aligned ionizations, 0=19946
Obayashi,T. The S.I.D. effect on the v.h.f. scatter propagation associated with the great solar outburst of July 29, 1958, 0=21346
Obayashi,T. Entry of high energy particles into the polar ionosphere, 0=21352
Obayashi,T. Geomagnetic storms and the earth's outer atmosphere, 0=21379
Obayashi,T.,Coroniti,S.C. and Pierce,E.T. Geophysical effects of high-altitude nuclear explosions, 0=3343
Obayashi,T. and Hakura,Y. Enhanced ionization in the polar ionosphere caused by solar corpuscular emissions, 0=14223
Obayashi,T. and Hakura,Y. Enhanced ionization in the polar ionosphere associated with geomagnetic storms, 0=16435
Obayashi,T. See Uyeda,H., 0=16412
Obchinnikov,O.N. A laminar boundary layer on a plate situated in a non-uniform stream, 0=14591
Obenshain,F. See Reier,M., 0=12983
Oberg,P. and Lingensjo,J. Crystal film thickness monitor, 0=3481
Oberst,H. Materials of extremely high internal damping, 0=19290
Obert,W.J. See Aebischer-Néoschil, 0=19370

Obinyakov,B.A. See Sklyarevskii,V.V., 0=9673
Oboukhov,A.M. Scattering of waves and microstructure of turbulence in the atmosphere, 0=12176
Obraztsov,Yu.N.,Mochan,I.V. and Smirnova,T.V. Phonon [part of the] transverse thermomagnetic Nernst effect in p-type germanium, 0=15823
Obraztsov,Yu.N. See Mochan,I.V., 0=2873
O'Brien,B.J. Southern-hemisphere observations of sodium emission throughout twilight, 0=12200
O'Brien,B.J. and de La Harpe,G. Portable airglow photometer, 0=8416
O'Brien,J.L. and Kuczynski,G.C. X-ray study of the kinetics of ordering in AuCu, 0=16316
O'Brien,K.,Lowder,W.M. and Solon,L.R. A semiempirical method for calculating the energy absorption buildup factor with an application to a uniformly contaminated space having spherical boundaries, 0=12892
O'Brien,M.C.M. See Baker,J.M., 0=8088
Öbrink,K.J. See Bill,A., 0=12804
Obrowsky,W. B2-phases of aluminium with transition metals of groups VII and VIII of the periodic table, 0=6357
Obrowski,W. Studies of iron-ruthenium alloys, 0=6385
Obukhov,A.A. Non-linearity of some ferroelectrics at high frequencies, 0=10018
Obukhov,A.I. Determination of the momentum and excitation energy acquired by a heavy nucleus on interaction with fast nucleon, 0=2689
Obukhov,A.I. The asymmetric fission of uranium nuclei by high-energy protons, 0=13296
Obukhov,A.I. See Perfilov,N.A., 0=13297
Obukhov,Yu.V. See Balats,M.Ya., 0=9493
Obukhov,B.V. See Balats,M.Ya., 0=20567
Occhialini,G. See Heughebaert,J., 0=12753
Occhialini,G. See Igiuni,A., 0=12750
Occhialini,G. See K^--collaboration, 0=1308
O'Ceallaigh. See K^--collaboration, 0=1308
Ochkur,A.P. See Sokolov,M.M., 0=12121
Ochs,G.R. See Bowles,K.L., 0=18490
Ochsenfeld,R. An optical magnetostriction measuring device, 0=3824
Ockman,N. and Sutherland,G.B.B.M. Infra-red and Raman spectra of single crystals of ice, 0=10044
O'Connell,J.,Dyal,P. and Goldemberg,J. (γ,2n) reactions in light elements, 0=1432
O'Connor,A. See Frank,F.C., 0=16333
O'Connor,D. A simplified method of solution for a random walk problem of a few unequal steps, 0=4958
O'Connor,D. and Bońkowski,L. A universal double-crystal neutron spectrometer, 0=15369
O'Connor,J.R. Peltier coefficient at a solid—liquid interface, 0=19600
O'Connor,J.R. Silicon carbide, 0=20715
O'Connor,L.P. See Barry,J.F., 0=5800
O'Connor,P.V. and Wolfendale,A.W. The characteristics of a solid iron magnet for use in a cosmic ray spectrograph, 0=15463
Oda,Y.,Takeda,M.,Hu,C. and Kato,S. Scattering of protons by silicon and sulphur, 0=20452
Oda,Y. See Hu,C., 0=17607
Oda,Y. See Hu,C., 0=20453
Oda,Z. See Mizushima,Y., 0=2188
Odajima,A. Study of segmental motion in polymer solutions by nuclear magnetic resonance, 0=19166
Odehnal,M. Nuclear polarization by electron paramagnetic resonance in paramagnetic crystals, 0=4506
O'Dell,A.W. See Homer,R.J., 0=17334
Odescalchi,M.U. See Ascoli,A., 0=3174
Odgers,G.J. and Stewart,R.W. Possible mechanisms of single and multiple star formation, 0=10514
Odian,A.,Stoppini,G. and Yamagata,T. Low-energy neutral pion photoproduction in H_2 and He, 0=20209
Odian,A.C. See Stein,P.C., 0=13260
Odintsov,A.I. See Korolev,F.A., 0=11508
Odiot,S. Study of the correlations between the positions of electrons, 0=11484
Odqvist,F.K.G. Membrane creep of circular plates, 0=6310
Odqvist,F.K.G. Non-steady membrane creep of circular plates, 0=13911
Oechsner,H. See Fetz,H., 0=14980
Oehme,R. Some analytic properties of the vertex function, 0=5470
Oehme,R. Partial wave dispersion relations for meson—nucleon scattering, 0=9409
Oehme,R. See Bremermann,H.J., 0=7267
Oehme,R. See Goldberger,M.L., 0=15293
Oertle,D.H. See Radd,F.J., 0=18276
Oetinger,R. The excitation of hearing by sustained sounds and by short impulses, 0=3364
Oetinger,R. See Feldtkeller,R., 0=18533
Ofer,S.,Avivi,P.,Bauminger,R.,Marinov,A. and Cohen,S.G. Nuclear resonance absorption in Dy^{161} situated in Dy_2O_3 and dysprosium iron garnet, 0=17920
Ofer,S. and Schwarzschild,A. Nuclear resonance fluorescence with solid sources: Mg^{24}, Si^{28}, Cr^{52}, Sr^{88} and Ce^{140}, 0=413
Ofer,S. and Schwarzschild,A. Nuclear resonance fluorescence in Ce^{140}, 0=1367
Ofer,S. See Elwyn,A., 0=4100
Offenbacher,E.L. Visiting Foreign Staff Project (V.F.S.P.) at Temple University, 0=3429
Offenbacher,E.L. See Levin,E.R., 0=10011
Offergeld,G. and Van Cakenberghe,J. Determination of the composition at congruent fusion of binary semiconductors by differential thermal analysis. Application to Bi_2Te_3, Sb_2Te_3 and Bi_2Se_3, 0=12081
O'Friel,Z. See Alumkal,A., 0=17575
Oganesyan,K.O. See Kiselev,V.S., 0=2550
Oganesyan,Yu.Ts. The range-energy relation for the ions C^{12}, N^{14}, O^{16}, in aluminium, copper and gold in the energy interval 50-110 MeV, 0=1171
Oganesyan,Yu.Ts. See Flevov,G.N., 0=7497
Oganesyan,Yu.Ts. See Karnaukhov,V.A., 0=13250
Oganezov,K.A. See Shvangiradze,R.R., 0=15713
Ogata,H. Angular distributions of the reaction $F^{19}(p,\alpha)O^{16}$ at 8.0 ~14.2 MeV, 0=20443
Ogata,H. See Kumabe,I., 0=20435
Ogata,Y. See Tsukamoto,K., 0=21337
Ogawa,H. See Suwa,S., 0=19856
Ogawa,K. Preparation of anodic oscillator tube using glow discharge, 0=7090
Ogawa,K. See Terashima,Y., 0=13075
Ogawa,M. and Tanaka,Y. New emission bands of forbidden systems of nitrogen in the vacuum ultraviolet region, 0=5955
Ogawa,S. A possible symmetry in Sakata's composite model, 0=15255
Ogawa,S.,Watanabe,D.,Watanabe,H. and Komoda,T. Anti phase domains in gold—copper—zinc ordered alloys revealed by electron microscope, 0=21235
Ogawa,S. See Fukano,Y., 0=21238
Ogawa,S. See Ikeda,M., 0=20053
Ogawa,T. The structure of the atmospheric electric field, 0=18521
Ogawa,T. Types of diurnal variation of the air—earth current, 0=18522
Ogburn,F. See Reid,W.E., Jr, 0=4699
Ogden,H.R. See Holden,F.C., 0=8143
Ogg,R.A., Jr. See Ortenburger,I.B., 0=14969
Ogievetski,V.I. See Grishin,V.G., 0=20062
Ogievetskii,V.I. and Polubarinov,I.V. Wave-equations with zero and non-zero rest masses, 0=9301
Ogievetskii,V.I. See Chzhou Guan-chzhao [Chou Kuang-Chao], 0=11221
Ogievetskii,V.I. See Grishin,V.G., 0=20091
Ogilvie,G.J. The surface structure of silver crystals after argon-ion bombardment, 0=4311
Ogilvie,G.J. Bombardment of metals by inert-gas ions, 0=19803
Ogilvie,G.J. and Ridge,M.J. The cathodic sputtering of silver, 0=3815
Ogilvie,K.W. and Winn,M.M. Evidence for cosmic ray energy spectrum changes during a Forbush decrease, 0=5638
Ogilvie,K.W. See Herz,A.J., 0=854
Ogilvie,K.W. See Murdoch,H.S., 0=2457
Ogilvie,K.W. See Winn,M.M., 0=4928
Ogimoto,T. and Shimizu,T. On the heavy meson production in the π^-—proton reaction, 0=11204
Ogimoto,T. and Yamaguchi,Y. Some remarks on the charged mesic decay of ΛH^3, 0=13155
Ogimoto,T. See Konisi,G., 0=14516
Ogimoto,T. See Konisi,G., 0=18955
Ogimoto,T. See Konisi,G., 0=20071
Ogita,N. See Fukuda,H., 0=15475
Ogita,N. See Ueda,A., 0=11265

Ogita,N. See Ueda,A., 0=15473
Ogle,K.N. Blurring of the retinal image and contrast thresholds in the fovea, 0=6515
Ogloblin,A.A. See Vlasov,N.A., 0=9638
Ogloblin,A.A. See Vlasov,N.A., 0=9639
Ogloblin,A.A. See Vlasov,N.A., 0=9640
Ogryzlo,E.A. See Elias,L., 0=2332
Ogryzlo,E.A. and Schiff,H.I. Electrically discharged CO_2 as a source of oxygen atoms, 0=6404
Oguchi,H. Blunt body viscous layer with and without a magnetic field, 0=14671
Oguchi,T. Theory of spin-wave interactions in ferro- and antiferromagnetism, 0=2984
Oguchi,T. See Keffer,F., 0=1817
Oguchi,T. See Keffer,F., 0=1837
Oguchi,T. See Keffer,F., 0=6223
Oguey,H.J. Mechanical model for uniaxial magnetic anisotropy, 0=13810
Oguti,T. See Nagata,T., 0=14179
O'Hara,S. See Gibbons,T.B., 0=16211
Ohh,S. and Carroll,K.G. Thickness of anodic oxide films by electron microscopy, 0=3279
Ohkawa,T. See Kerst,D.W., 0=19837
Ohl,G. On techniques for linear and parabolic smoothing of observed data, 0=10549
Ohl,G. See Scheibe,A., 0=2092
Ohlendorf,W. See Weizel,W., 0=9016
Ohlin,P. and Händel,S. Experiments with a low inductance high vacuum X-ray flash tube set, 0=17295
Ohlin,P. See Berglung,S., 0=17645
Ohlsen,G.G. Electroproduction of pions from hydrogen and deuterium, 0=17402
Ohm,E.A. See De Grasse,R.W., 0=3855
Ohman,Y. Solar flares and surges observed at the Stockholm Observatory and the Swedish Astrophysical Station in Anacapri in the year 1958, 0=6599
Ohman,Y. On the possibility of measuring radiation by using thermomagnetic effects below and close to the Curie point, 0=19494
Ohmura,H. See Ohmura,T., 0=7076
Ohmura,H. See Ohmura,T., 0=9752
Ohmura,H. See Sakai,M., 0=5665
Ohmura,T. Minimum property in the Hulthén-type variational methods, 0=5498
Ohmura,T. Stationary expression for effective range, 0=5499
Ohmura,T. Effect of hard cores on the binding energies of H^3 and He^3. Corrected values, 0=17433
Ohmura,T.,Hara,Y. and Yamanouchi,T. Low energy electron—hydrogen scattering, 0=11503
Ohmura,T.,Hara,Y. and Yamanouchi,T. Note on the low energy electron—hydrogen scattering, 0=20578
Ohmura,T. and Ohmura,H. Free—free absorption coefficient of the negative hydrogen ion, 0=7076
Ohmura,T. and Ohmura,H. Electron—hydrogen scattering at low energies, 0=9752
Ohmura,T. See Nakamura,S., 0=14465
Ohnishi,H.,Teranishi,T. and Miyahara,S. On the transition temperature of copper ferrite, 0=1807
Ohno,K.A. See McWeeny,R., 0=7786
Ohnuki,Y. See Hara,O., 0=11202
Ohnuki,Y. See Hara,O., 0=15250
Ohnuki,Y. See Ikeda,M., 0=20053
Ohnuki,Y. See Ishii,C., 0=9326
Ohnuki,Y. See Mutsuro,N., 0=20476
Ohta,M. See Araki,G., 0=1470
Ohta,M. See Araki,G., 0=2711
Ohta,M. See Araki,G., 0=20547
Ohtsubo,A.,Haseda,T. and Kanda,E. Adiabatic demagnetization of $MnSiF_6.6H_2O$, 0=10096
Ohtsuka,M. See Ono,K., 0=3129
Ohyama,N. See Hayashi,C., 0=14466
Ohyama,N. See Hayashi,C., 0=18867
Ohyama,T. Interior regularity of weak solutions of the time-dependent Navier-Stokes equation, 0=16672
Ohzu,H. See Hübner,H.J., 0=5189
Oi,I. See Kostyshyn,B., 0=8047
Oishi,Y. and Kingery,W.D. Self-diffusion of oxygen in single crystal and polycrystalline aluminum oxide, 0=13562
Oishi,Y. and Kingery,W.D. Oxygen diffusion in periclase crystals, 0=15873
Oishi,Y. See Kikuchi,S., 0=12733
Okabayashi,T. New interpretation of hyperonic charge and its generalization to leptons, 0=15450
Okabayashi,T. A note on the fundamental symmetry of elementary particles, 0=17237
Okada,J. Effect of external illumination on carrier lifetime in semiconductors, 0=20882
Okada,M. and Watanabe,T. Grain boundary migration and dimensional change of low carbon steel, 0=1860
Okada,S. Symmetrical property of eigen-functions of an electron in a one-dimensional periodic potential
Okada,T. See Nishiyama,A., 0=18364
Okada,Y. See Sawaragi,Y., 0=984
Okai,S. A model for the inelastic scattering of nucleons, 0=11406
Okai,S. On the relations between spin polarizations and distorted wave theory of the direct reactions, 0=17574
Okamoto,H. Determination of molecular weight distributions of high polymers by fractionation, 0=20702
Okamoto,H. See Ōse,M., 0=8394
Okamoto,K. Effect of nuclear forces on the cross-sections of photonuclear reactions, 0=1427
Okamoto,S. and Ikebe,Y. The measurements of gamma ray dose rate, 0=431
Okamoto,S. and Takeuchi,K. On the dielectric loss of oxidised high-density polyethylene, 0=7985
Okamoto,T. See Tatsumoto,E., 0=3067
Okamoto,T. See Tatsumoto,E., 0=3068
Okamoto,T. See Tatsumoto,E., 0=6082
Okamoto,T. See Tatsumoto,E., 0=21049
Okamura,S. See Takeda,M., 0=17849
Okanishi,S. and Kanamori,H. Simplified representations on the firing characteristics of vibrational-ignitor tubes, 0=3748
Okaya,A. See Carter,D.L., 0=11951
Okaya,Y. See Vedam,K., 0=14032
Okazaki,B. See Yoshinaga,H., 0=6928
Okazaki,S. and Oki,H. Measurement of lifetime in Ge from noise, 0=9962
Oke,J.B. Standard stars for photoelectric spectrophotometry, 0=6617
O'Keefe,J.A. North-South asymmetry of the earth's figure, 0=4907
O'Keefe,J.A. Determination of the earth's gravitational field, 0=8519
O'Keefe,J.A. Zonal harmonics of the earth's gravitational field and the basic hypothesis of geodesy, 0=12125
O'Keefe,J.A.,Eckels,A. and Squires,R.K. The gravitational field of the earth, 0=6627
O'Keefe,T.W.,Rigby,M. and Worhalf,J.R. Search for the process $\mu^+ \to e^+ + \gamma$, 0=5578
Okhuysen,P.L. and Prud'homme,J.T. Compound-elastic scattering of 4.2-MeV neutrons in lead, 0=2685
Okhuysen,P.L. See Prud'homme,J.T., 0=9667
Oki,H. See Okazaki,S., 0=9962
Ōki,T. On the magnetohydrodynamic instability of a gaseous cylinder, 0=19903
Okonov,E.O. Some characteristics of the annihilation of an antiproton in the deuteron, 0=12936
Okonov,É.O.,Petrov.N.I.,Rozanova,L.M. and Rusakov,V.A. Four-prong decay of the long-lived K^0 meson, 0=20223
O'Konski,C.T. See Higuchi,W.I., 0=6425
Okorokov,V.V. See Kirpichnikov,I.V., 0=7635
Oksengorn,B. and Vodar,B. Perturbation of lines of the vibration—rotation band of hydrofluoric gas in the presence of compressed rare gases, 0=20632
Oksengorn,B. See Schuller,F., 0=20633
Oksman,Ya.A. and Burlakov,A.V. Investigation of photoconductivity of powdered semiconductors using the photodielectric effect, 0=20924
Oksman,Ya.A. and Burlakov,A.V. Photodielectric properties of polycrystalline cadmium selenide. I. High temperatures, 0=20953
Oksman,Ya.A. and Tikhomirov,G.P. Cathode conductivity of antimony sulphide films, 0=11707
Okubo,A. and Feldman,D. Some aspects of the covariant two-body problem. I. The bound-state problem, 0=3922
Okubo,S. Pion—pion and pion—kaon scattering, 0=9414
Okubo,S. Dispersion relation for the photoproduction of K-mesons, 0=11225

Okubo,S. Some aspects of particle mixture of strange particles, 0=15299
Okubo,S. The gauge properties of Green's functions in quantum electrodynamics, 0=15240
Okubo,S. Graphical analysis of infrared divergences, 0=20022
Okubo,S. and Feldman,D. Some aspects of covariant two-body problem. II. The scattering problem, 0=3923
Okubo,S. and Sato,S. Spin—orbit potential with pion scattering correction, 0=15296
Okubo,S. See Caianiello,E.R., 0=18953
Okubo,S. See Galzenati,E., 0=15307
Okubo,S. See Hatsukade,S., 0=15423
Okubo,S. See Sugawara,M., 0=5509
Okubo,S. See Sugawara,M., 0=5510
Okuda,S. See Hasiguti,R.R., 0=4559
Okuda,S. See Hasiguti,R.R., 0=6297
Okuda,T. and Yamamoto,K. Asymmetrical triple probe method for determining energy distribution of electron in plasma, 0=1134
Okuma,J. See Asada,T., 0=21009
Okumoto,T. See Takeya,Y., 0=1978
Okumura,M. See Asada,T., 0=21009
Okun',L.B. Properties of the axial vector interaction and $\Sigma \rightarrow \Lambda + e + \nu$ decay, 0=20239
Okun',L.B. and Pomeranchuk,I.Ya. Determination of the parity of the K-meson, 0=1307
Okun,L.B. and Rudik,A.P. On a method of finding singularities of Feynman graphs, 0=7276
Okun',L.B. and Rudik,A.P. The $\Sigma^0 \rightarrow \Lambda^0 + 2\gamma$ decay and the magnetic moment of the Σ^0-hyperon, 0=20240
Okun',L.B. and Shabalin,E.P. The K_{e4} decay, 0=7414
Okun,L.B. See Ioffe,B.L., 0=4149
Okun',L.B. See Kobzarev,I.Yu., 0=20092
Okun',L.B. See Kolkunov,V.A., 0=12876
Okun',L.B. See Matinyan,S.G., 0=11218
Okuzumi,H.,Perio,P. and Tournarie,M. Ordered structure of an alloy of composition near Au_3Cu, 0=3228
Olaf,J. Ultrasonic surface cleaning, 0=14358
Olcott,R.N. Homogeneous heavy water moderated critical assemblies. I. Experimental, 0=13335
Olde,G.L. and Brannen,E. Three-dimensional scintillation dosimeter, 0=2463
Oldekop,W. See Dušek,H., 0=13347
Oldershaw,G.A. See Norrish,R.G.W., 0=8318
Oldfield,L.F. See Edge,J., 0=11651
Olehy,D.A. See Schmitt,R.A., 0=14402
Olekhnovich,N.M. See Sirota,N.N., 0=13994
Oleksa,S. The variation of α of ${}_{92}U^{235}$ with energy in the intermediate-energy range, 0=5807
Olendzkaya,N.F. See Aleksandrov,D.D., 0=12435
Olesen,M.C. and Elbek,B. Inelastic scattering from odd-mass rare earths, 0=7559
Oliner,A.A. See Goldstone,L.O., 0=5413
Oliphant,T.A. and Tobocman,W. Gauge invariant formulation of the Bardeen—Cooper—Schrieffer theory of superconductivity, 0=12555
Oliphant,T.A. See Baker,G.A.,Jr, 0=3667
Oliver,A.J. The laboratory production of a fine-grain emulsion, 0=12737
Oliver,D.J. Nuclear magnetic resonance in gallium antimonide, 0=11954
Oliver,D.J.,Rayner,M.J. and Rhoderick,E.H. Speed of the superconducting-normal transition in tin films, 0=16950
Oliver,D.R. Sedimentation and effective viscosity, 0=10366
Oliver,D.R. and Ward,S.G. Studies of the viscosity and sedimentation of suspensions. V. The viscosity of settling suspensions of spherical particles. 0=4987
Oliver,D.W. See Spiegel,V.Jr, 0=12986
Oliver,J. Long earthquake waves, 0=12129
Oliver,J.,Pomeroy,P. and Ewing,M. Long-period seismic waves from nuclear explosions in various environments, 0=14158
Oliver,J.E. See Brune,J.N., 0=10714
Oliver,R.J. See Andreae,J.H., 0=6791
Ol'khovskii,I.I. Boundary conditions in generalized hydrodynamics, 0=96
Ol'khovskii,I.I. A particular case of a linear boundary problem in generalized hydrodynamics. A constribution to the theory of the ultrasonic interferometer, 0=97
Ol'khovskii,I.I. A generalized hydrodynamical theory of an ultrasonic interferometer, 0=6873
Olkowsky,B. See Grjebine,T., 0=10974
Olkowsky,B. See Phillips,G.C., 0=19773
Olkowsky,J. See Gratot,I., 0=5689
Ollendorff,F. Contribution to the knowledge of ion movement in semiconductors, 0=11677
Ollendorff,F. Electrodynamics of the image force, 0=17077
Olley,J. See Herz,A.J., 0=854
Olmen,R.W. and Mitchell,E.N. Slow domain wall motion in homogeneous vacuum-deposited iron-nickel films, 0=3053
Olness,J.W. See Vorona,J., 0=4032
Olovsson,I. and Templeton,D.H. The crystal structure of ammonia monohydrate, 0=4633
Olovsson,I. and Templeton,D.H. X-ray study of solid ammonia, 0=4634
Olsen,C.E. Magnetic properties of uranium digermanide, 0=11834
Olsen,D.A. See Person,W.B., 0=8003
Olsen,E.D. See Blaedel,W.J., 0=17515
Olsen,H.N. Thermal and electrical properties of an argon plasma, 0=1126
Olsen,H. See Budal,K., 0=141
Olsen,J.L. Magnetoresistance and size-effects in indium, 0=9941
Olsen,L.O. See Cunningham,D.E., 0=13400
Olsen,L.O. See Cunningham,D.E., 0=17691
Olsen,T. Lattice thermal conductivity in copper alloys, 0=6024
Olsen,T. Electronic structure of tin investigated by ultrasonic attenuation, 0=9847
Olson,F.C.W. Resonant frequency of a water-loaded circular plate, 0=6849
Olson,H.F.,Belar,H. and Timmens,J. Electronic music synthesis, 0=5114
Olson,R.A. Rapid scanning microspectrofluorimeter, 0=14826
Olsson,I. See De Vries,H., 0=17134
Olsson,I. See Nilsson,R., 0=7500
Olsson,P.O.M. On Coulomb wave functions, 0=4946
Olsson,P.O.M. On transition matrix elements between states in a Coulomb field. I-II, 0=4947
Olszak,W. and Perzyna,P. Variational theorems in general viscoelasticity, 0=4560
Olszewski,S. Pi-sigma interaction in the free-electron model. I. Theory, 0=5975
Olszewski,S. Nuclear charge effect on the free-electron model energy states, 0=15744
Olszewskii,S. On the Coulomb and exchange operators in the free-electron model, 0=15745
Olteanu,I. See Bally,D., 0=11186
Olteanu,I. See Bally,D., 0=15370
O'Malley,T.F. See Rosenberg,L., 0=9288
O'Malley,T.F. See Rosenberg,I., 0=13405
Oman,R.M. See Dillon,J.A.,Jr, 0=1898
O'Mara,J.H. and McIntyre,D. Temperature dependence of the refractive index increment of polystyrene in solution, 0=14658
Omarov,S.Z. The calculation of the combined effect of differential refraction and aberration, 0=18593
Omel'chenko,Yu.A. See Lukirskii,A.P., 0=17293
Omholt,A. Studies on the excitation of Aurora Borealis. I. The hydrogen lines, 0=791
Omholt,A. The red and near-infra-red auroral spectrum, 0=800
Omholt,A. Studies on the excitation of Aurora Borealis. II. The forbidden oxygen lines, 0=4810
Omholt,A. See Stoffregen,W., 0=14227
Omnès,R. Generalization of the proof of dispersion relations, 0=7270
Omura,I. and Morito,N. On the measurement of isotope abundance of lithium with mass spectrometer, 0=7706
Onak,T.P. and Shapiro,I. Nuclear magnetic resonance spectrum of the "diammoniate of diborane", 0=7808
Onaka,R. and Fujita,I. α and β bands in NaF, NaCl, and KCl, 0=16064
Oncescu,M. See Balea,E., 0=20307
Ondrejcin,R.S. See Albenesius,E.L., 0=20511
Oneda,S.,Pati,J.C. and Sakita,B. $|\Delta I| = \frac{1}{2}$ rule and the weak four-fermion interaction, 0=12839
Oneda,S. See Chadan,K., 0=377
Oneda,S. See Chadan,K., 0=13053
Oneda,S. See Pati,J.C., 0=17231
Oneda,S. See Pati,J.C., 0=20221
Oneda,S. See Sakita,B., 0=11231
O'Neill,P.L. See Cassels,J.M., 0=5583
Ong Sing Poen. Microprojection with X-rays, 0=7331

Onions,W.J. and Ellingham,B. Measurement of fibre diameter variation by optical diffraction, 0=4978
Onions,W.J.,Woods,H.J. and Woods,P.B. Meridional reflexions in the X-ray diffraction photographs of α-keratin, 0=10296
Onishchenko,I.N. See Grishaev,I.A., 0=11146
Onley,J.W. Analytical densitometry for color print evaluation, 0=2259
Ono,K. and Kuroda,K. Cross sections and angular distributions for the $B^{10}(\alpha,d)C^{12}$ reaction from 3.2 MeV to 3.8 MeV, 0=4103
Ono,K. and Ohtsuka,M. Paramagnetic resonance absorption in two copper salts at wavelengths of 5.4 mm and 6.6 mm, 0=3129
Ono,S. See Prigogine,I., 0=8565
Ono,S. See Prigogine,I., 0=10617
Ono,Y. See Sakashita,S., 0=14464
Ono,Y. See Yamazaki,H., 0=18870
Onsager,L. and Dupuis,M. The electrical properties of ice, 0=16652
Onsager,L. See Dupuis,M., 0=20748
Onsager,L. See Whitman,D.R., 0=4227
Onwumechilli,A. Fluctuations in the geomagnetic horizontal field near the magnetic equator, 0=14167
Onwumechilli,C.A. Possible asymmetry in the daily range of the geomagnetic vertical intensity around the magnetic equator, 0=2002
Onwumechilli,C.A. A study of the equatorial electrojet. I. An experimental study, 0=6444
Onwumechilli,C.A. A study of the equatorial electrojet. II. A model electrojet that fits H-observations, 0=6445
Onwumechilli,C.A. The relation between H- and Z-variations near the equatorial electrojet, 0=14164
Onwumechilli,C.A. and Alexander,N.S. Variations in the geomagnetic field at Ibadan, Nigeria. I. Solar variations, 0=14175
Onwumechilli,C.A. and Alexander,N.S. Variations in the geomagnetic field at Ibadan, Nigeria. II. Lunar and luni-solar variations in H and Z. 0=14176
Oort,J.H. Very accurate positions of selected stars, 0=12304
Oort,J.H. and Rougoor,G.W. The position of the galactic centre, 0=18658
Oort,J.H. See Rougoor,G.W., 0=8509
Ooshika,Y. A semi-empirical theory of the conjugated systems. III. Bond alternation and electron fixation, 0=20699
Oosterhoff,L.J. See Bennema,P., 0=21290
Oosterhoff,L.J. See Hameka,H.F., 0=506
Oosthuizen,J.C. See Blair,G.W.S., 0=14575
Opat,G.I. The electric dipole sum rule, 0=4110
Opechowski,W. On the calculation of the partition function of a ferromagnetic crystal, 0=8038
Opechowski,W. On the theory of the temperature dependence of the magnetization of an ideal ferromagnet at low temperatures, 0=10140
Opechowski,W. See McMillan,M., 0=16156
Opekunov,A.A. See Gonikberg,M.G., 0=3384
Ophel,T.R. Response curves of alkali halide scintillators with special reference to the $Li^6(n,\alpha)$ reaction in lithium iodide, 0=17146
Ophel,T.R. See Hwang,C.F., 0=12926
Ophel,T.R. See Thorndike,E.H., 0=12927
Öpik,E.J. Surface conditions on the nearest planets, 0=16533
Opik,E.J. The lunar surface as an impact counter, 0=18693
Öpik,E.J. and Singer,S.F. Distribution of density in a planetary exosphere. I, 0=835
Öpik,E.J. and Singer,S.F. Distribution of density in a planetary exosphere, 0=14399
Opinsky,A.J. See Seigle,L.L., 0=11650
Oppenheim,A.K. See Bevans,J.T., 0=2184
Oppenheim,A.K. See Hecht,G.J., 0=18436
Oppenheim,A.K. See Sleicher,C.A.,Jr, 0=10631
Oppenheim,A.K. See Stern,R.A., 0=3680
Oppenheim,I. and Bloom,M. Nuclear spin relaxation in low-temperature liquids, 0=5033
Oppenheim,I. See Bloom,M., 0=8719
Oppenheim,I. See Lifson,S., 0=15790
Oppenheim,U. See Jaffe,J.H., 0=83
Oraevskii,A.N. See Basov,N.G., 0=1201
Oraevskii,A.N. See Basov,N.G., 0=11040
O'Raifeartaigh,L.,Średniawa,B. and Terreaux,C. The proton—neutron mass-difference according to meson-theory, 0=1275
O'Raifeartaigh,L. See Arnous,E., 0=15234
Oranovskii,V.E. and Khmelinin,B.A. Investigation of electroluminescence of ZnS:Cu monocrystals, 0=10080
Oranovskii,V.E. and Trapeznikova,Z.A. Investigation of the electroluminescence and photoluminescence spectra of phosphors activated with rare-earth elements, 0=1767
Orbach,R. Antiferromagnetic magnon dispersion law and Bloch wall energies in ferromagnets and antiferromagnets, 0=1811, 3102
Orbach,R. Spin wave spectra for canted antiferromagnets and ferromagnets, 0=1822
Ordahl,D.D. Electrically-controlled demand-thrust rockets for satellite guidance, 0=12336
Ore,A. Quantum yield for energy transfer by resonance, 0=13701
Orear,J. See Lynch,G.R., 0=9388
O'Reilly,D.E. N.M.R. chemical shifts of aluminium: experimental data and variational calculation, 0=7803
Oren,Y. On the geomagnetic effect in extensive air showers, 0=2608
Oren,Y. See Sitte,K., 0=11241
Orfanov,I.V. See Yurasova,V.E., 0=10990
Orgel,L.E. Ferroelectricity and the structure of transition-metal oxides, 0=20954
Orgel,L.E. See Forman,A., 0=2743
Oriani,R.A. Heats of formation of liquid Na—Cs alloys, 0=21229
Oriani,R.A. and Hall,R.N. Endothermicity and positive excess entropy in solid solutions in germanium and silicon, 0=1641
Oriani,R.A. and Murphy,W.K. The heats of formation of solid nickel—copper and nickel—gold alloys, 0=16343
Orient,O. The work function of cathodes for electrons and the performance characteristics of Geiger—Müller counting tubes, 0=5438
Origlio,G.F. See Hyndman,D., 0=21225
Orlinskii,D.V. See Borzunov,N.A., 0=5306
Orlinsky,D.V. See Borzunov,N.A., 0=9041
Orlov,A.N. and Men',A.N. A statistical theory of the binding energy of spinel-type crystals, 0=2772
Orlov,A.N. See Men',A.N., 0=1936
Orlov,B.M. See Levshin,V.L., 0=10089
Orlov,I.N. See Golovin,B.M., 0=10001
Orlov,I.N. See Golovin,B.M., 0=13661
Orlov,I.N. See Lyamichev,I.Ya., 0=10086
Orlov,V.V. Screening of fuel elements at neutron absorption resonances in a close-packed lattice, 0=9720
Orlov,V.V. See Broder,D.L., 0=3971
Orlov,V.V. See Gordeev,I.V., 0=7375
Orlov,V.V. See Gromova,Z.I., 0=7667
Orlov,Yu.F. and Kheifets,S.A. Depolarization of electrons due to radiation in a magnetic field, 0=353
Orlov,Yu.V. Theory of the direct nuclear photo-effect, 0=9658
Orlova,I.V. See Godnev,I.N., 0=1498
Orlova,I.V. See Ushanova,N.I., 0=1496
Orlova,M.P. See Astrov,D.N., 0=8073
Orlova,N.N. See Sof'ina,V.V., 0=14024
Orlova,N.S. and Tuchkevich,V.M. The relationship between the magnetic field intensity and Hall effect in silicon, 0=1647
Orlyanskii,A.D. See Katasev,L.A., 0=18684
Orman,P.R. The pulse sampling oscilloscope, 0=17199
Ormestad,H.J.,Shankland,R.S. and Benade,A.H. Reverberation time characteristics of Severence Hall, 0=5116
Ormont,B.F. On the relationship between energetic, electro-physical and mechanical properties of semiconductors, 0=573
Orndoff,J.D. Prompt neutron periods of metal critical assemblies, 0=13307
O'Rourke,M.J.,Marinace,J.C.,Anderson,R.L. and White,W.H. Electrical properties of vapor-grown Ge junctions, 0=18023
O'Rourke,M.J. See Anderson,R.L., 0=18024
O'Rourke,R.C. See Beach,L.A., 0=12960
Orr,W.H. See Bachmann,L., 0=14046
Orshanskaya,N.S. See Markovskii,L.Ya., 0=21008
Orsini,C.Q. On the relative abundance of carbon, nitrogen and oxygen in the cosmic rays, 0=15469
Ortalli,I. See Dascola,G., 0=15525
Ortenburger,I.B.,Hertzberg,M. and Ogg,R.A.,Jr. Secondary reactions in a gas discharge, 0=14969
Ortenburger,I.B. See Rapp,D., 0=19623
Ortmann,H. Diffusion of activators in luminescent zinc sulphide, 0=655
Ortner,J. Around-the-world echoes observed on a transpolar transmission path, 0=15162

Ortner,J. See Egeland,A., 0=10444
Ortner,J. See Hultqvist,B., 0=2036
Orton,B.R.,Shaw,B.A. and Williams,G.I. An X-ray structure investigation of the liquids of sodium, potassium and sodium—potassium alloys, 0=16692
Orton,J.W.,Auzins,P. and Wertz,J.E. Double-quantum electron spin resonance transitions of nickel in magnesium oxide, 0=6270
Orton,J.W.,Auzins,P. and Wertz,J.E. Estimate of the nuclear moment of Ni^{61} from electron spin resonance, 0=15513
Orton,J.W. See Coles,B.A., 0=6274
Orton,J.W. See Griffiths,J.H.E., 0=6262
Orton,J.W. See Wertz,J.E., 0=21075
Orville-Thomas,W.J. Semiempirical calculation on the electronic structure of the nitrogen-containing heterocyclic molecules. III. Lower triplet levels of pyrazine, 0=5966
Orville-Thomas,W.J. A bond-order/bond-length relation for oxygen—oxygen bonds, 0=5980
Orzhevskii,O.B. See Fistul',V.I., 0=20880
Osada,J. and Fujino,H. Effect of the non-relativistic recoil of a source particle in quantum field theories, 0=12866
Osada,J. See Fujino,H., 0=11113
Osada,J. See Kobayashi,T., 0=11105
Osada,J. See Sawaguri,T., 0=11189
Osaka,Y. Exciton structures in alkali halides, 0=20780
Ōsaka,Y. Polaron state at a finite temperature, 0=20783
Osberghaus,O. See Ehrhardt,H., 0=20711
Osberghaus,O. See Paul,W., 0=9106
Osborn,A.B. 7kW plasma jet for laboratory use, 0=3779
Osborn,J.E. See Robinson,A., 0=16235
Osborn,R.K. Some characteristics of the thermal neutron scattering probability, 0=12946
Osborn,R.K. Transport in dilute gases and chemical forces, 0=14547
Osborne,D.G. and Thornton,S. Viscous properties of thixotropic materials, 0=6735
Osborne,D.V. See Brow,N.J., 0=226
Osborne,D.W. and Weinstock,B. The heat of vaporization and entropy of liquid ^{3}He, 0=8880
Osborne,D.W. See Burns,J.H., 0=15811
Osborne,L.S. See Luckey,P.D., 0=373
Ōse,M.,Aida,K. and Okamoto,H. Latitude dependence of f_0F2 over the range of 20°N to 69°S, obtained by ship-borne ionospheric sounder, 0=8394
Osgood,C.F. See Ajzenberg-Selove,F., 0=4096
Osherov,V.I. A contribution to the theory of chemical adsorption, 0=10367
Osherovich,A.L. and Petelin,G.M. Measurement of the lifetimes of the terms 3^1S_0, 3^3P_2, 3^3D_2, 3^1P_1 and 3^1D_2 of Ne by the method of delayed coincidences, 0=7702
Ōshima,H. See Yamaguchi,Y., 0=18472
Osiko,V.V. The low-temperature luminescence of zinc oxide in the red part of the spectrum, 0=10068
Osipenkov,V.T. See Ivanov,V.G., 0=11450
Osipov,A.I. Relaxation of periodic motion in an isolated system of harmonic oscillators, 0=6832
Osipov,B.D. The possibility of measuring the gravitational displacement of frequency in the field of gravitation of the sun, 0=14495
Osipov,B.D. See Basov,N.G., 0=491
Osipov,K.A. The structure and energy of grain boundaries in metals, 0=6040
Osipov,K.A. Grain growth and creep in metals, 0=6041
Osip'yan,Yu.A. See Kritskaya,V.K., 0=6292
Osip'yan,Yu.A. See Kurdyumov,G.V., 0=728
Oskam,H.J. and Jongerius,H.M. Helium—neon bands, 0=9813
Oskam,H.J. and Mittlestadt,V.R. Influence of negative ions on ambipolar diffusion of electrons, 0=12585
Oskam,H.J. See Jongerius,H.M., 0=7766
Oskotskii,V.S. The possibility of investigating the density of distribution of phonons in non-cubic crystals with the aid of incoherent neutron scattering, 0=13505
Osokina,R.M. See Linkova,N.V., 0=13263
Osovets,S.M. Dynamic stabilization of a plasma ring, 0=19673
Osovets,S.M. See Borzunov,N.A., 0=5306
Osovets,S.M. See Borzunov,N.A., 0=9041
Osovets,S.M. See Leontovich,M.A., 0=5302
Osredkar,M. and Stephenson,R. A low-power, high-thermal-flux experimental nuclear reactor, 0=7652
Ossowski,H.v. See v.Ossowski,H.,
Ostapkovich,P.L. and Ranaldi,M. Relation between optical orientation accuracy and etch time, 0=3186
Ostenburg,D.O.Van. See Van Ostenburg,D.O.,
Oster,L. Spectral and angular distribution of cyclotron radiation emitted by colliding particles, 0=2500
Oster,L. Linearized theory of plasma oscillations, 0=9048
Oster,L. Effects of collisions on the cyclotron radiation from relativistic particles, 0=15316
Osterberg,H. and Smith,L.W. Diffraction theory for images of disk-shaped particles with Köhler illumination, 0=6947
Osterberg,H. and Smith,L.W. Retrograde property of low reflecting monolayers, 0=8803
Osterberg,H. See Koester,C.J., 0=6920
Osterbrock,D.E. Proton flux during the great aurora of 3-4 September 1959, 0=4816
Osterbrock,D.E. Interstellar matter in elliptical galaxies, II. 0=18611
Osterbrock,D.E. and Stockhausen,R.E. Photoelectric photometry of diffuse nebulae, 0=6616
Ostriker,J.P. and Davey,J.E. Optical heating system for high vacuum annealing studies, 0=14900
Ostroukhov,A.A. A theory of non-stationary emission of a semiconducting thermionic cathode. II. 0=17025
Ostroukhov,A.A. and Tolpÿgo,K.B. Theory of the additional electrical conductivity and thermionic emission of a semiconductor, due to bombardment with fast electrons, 0=15901
Ostroukhov,A.A. and Tolpygo,K.B. A theory of non-stationary emission of a semiconducting thermionic cathode. I. The linear approximation, 0=17024
Ostroumov,G.A. Theory of thermal processes during liquid drawing of wire under steady-state conditions, 0=12534
Ostroumov,V.I. and Filov,R.A. Knock-on alpha particles produced by fast nucleons, 0=9620
Ostroumov,V.I.,Perfilov,N.A. and Filov,R.A. Energy spectrum of cascade α-particles in photographic emulsion stars produced by high energy protons, 0=20433
Ostroumov,V.I. See Ivanova,N.S., 0=7630
Ostroumov,V.I. See Perfilov,N.A., 0=9622
Ostrowski,K.W. Efficiency, stability, and characteristics of photosensitive g.m. counters, 0=14833
Ostrowski,K.W. and Turek,L. [Ultraviolet] radiation accompanying pulses in a Geiger—Müller counter, 0=15183
O'Sullivan,W. See Keffer,F., 0=1837
Oswald,F. Optical investigations of the semiconducting mixed-crystal series In(As$_y$P$_{1-y}$), 0=1717
Oswald,F. The accuracy of determination of absorption constants of semiconductors in the infrared region of the spectrum, 0=1734
Oswald,L. See Muller,F., 0=11220
Otake,S. See Kukuda,N., 0=14926
Otani,S. See Takano,Y., 0=3180
Othmer,D.F. and Zudkevitch,D. Correlating latent heats and entropies of vaporization with temperature, 0=1065
Otis,D.R. See McCool,W.J., 0=13342
Otnes,K. See Larsson,K.E., 0=7021
Otnes,K. See Larsson,K.E., 0=7387
Otnes,K. See Larsson,K.E., 0=8918
O'Toole,J.T. and Dahler,J.S. On the kinetic theory of a fluid composed of rigid spheres, 0=6698
O'Toole,J.T. and Dahler,J.S. Boltzmann equation and inverse collisions, 0=18977
O'Toole,J.T. and Dahler,J.S. Molecular friction in dilute gases, 0=19195
Otroshchenko,G.A. See Gokhberg,B.M., 0=1452
Otroshchenko,G.A. See Gokhberg,B.M., 0=4132
Otryashenkov,Yu.M. See Efimov,A.A., 0=18583
Otstavnov,P.S. Polarization of d—d neutrons, 0=9376
Otsuka,Y. See Uchiyama,F., 0=7194
Otsuki,S. Proton—proton scattering and pion theory of nuclear forces, 0=12929
Otsuki,S.,Tamagaki,R. and Watari,W. On the applicability of the pion-theoretical nuclear potential, 0=12872
Otsuki,S. See Hamada,T., 0=20072
Otsuki,S. See Hamada,T., 0=20126
Otsuki,S. See Iwadare,J., 0=5625
Otsuki,S. See Konuma,M., 0=12864
Otsuki,S. See Matumoto,K., 0=13023
Otsuki,T. See Hakura,Y., 0=21344

Ott,D.G.,Richmond,C.R.,Trujillo,T.T. and Foreman,H. Cab-O-Sil suspensions for liquid scintillation counting, 0=3889

Ott,D.G. See Birkeland,S.P., 0=16710

Ott,K. The effect of configuration mixing in the shell model study of C^{14}, N^{14} and O^{14} nuclei, 0=2618

Ottavi,H. See Benoit,H., 0=11066

Ottavi,H. See Benoit,H., 0=12672

Otte,H.M. and Cahn,R.W. Improved microbeam back-reflexion X-ray camera with arrangement for irradiating a preselected area, 0=4606

Ottelet,I. Study of non-radial oscillations of Roche's model, 0=18862

Ottens,E.,Eland,A.J. and Burgers,W.G. Influence of the irradiation temperature on the position of the F-band in mix-crystals of KCl and NaCl, 0=557

Ottens,E.,Eland,A.J.,Zeedijk,H.B. and Burgers,W.G. Absorption band at 420 Mμ in X-ray coloured KCl-crystals and in mix-crystals of KCl and NaCl, 0=558

Otter,M. The growth of nickel oxide on spherical single crystals of nickel with smooth, untouched surfaces, 0=1894

Otter,M. See Menzel,E., 0=4390

Otterman,J. See Bandeen,W.R., 0=14197

Otterson,D.A. On the presence of NaOH in crystalline NaCl, 0=13943

Ottewill,R.H. and Overbeek,J.Th.G. On the calculation of the mean effective pressure head for capillary viscometer, 0=63

Otto,A.N. See Bol'shakova,L.G., 0=788

Otto,J. and Thomas,W. Measurement of the thermal expansion of gases. Equation of state of gases, 0=5210

Otvinovskii,S.Z. See Laberrig-Frolova,J.V., 0=9694

Otvinovskii,S.Z. See Van Gan-Chan, 0=9415

Otvinovskii,S.Z. See Van Gan-Chan, 0=15358

Oualid,J. See Touchais,M., 0=19601

Ouchi,T. Selection rule imposed by mass reversal, 0=11082

Ouchi,T. Mass reversal and weak interactions, 0=15251

Oudemans,G.J. See Johnston,D.R., 0=19204

Outsu,J. and Iwai,A. Ionizations in the outer atmosphere inferred from whistling atmospherics, 0=1983

Ouvarova,V.M.,Krestovnikova,T.,Myltseva,V.A. and Romanovskaya,K.M. The photographic processing of thick films of NIKFI materials used for nuclear studies, 0=12749

Ouvarova,V.M. and Myltseva,V.A. Studies on improvement of the mechanical properties and the structure of photographic films for nuclear research, 0=12742

Ouvarova,V.M. See Bogomolov,C.S., 0=15216

Ouyang,M. Effect of corona on travelling waves, 0=7101

Ovadia,J. See Bess,L., 0=2406

Ovander,L.N. The anti-Stokes components of the Raman spectra of compounds with hydrogen bonds, 0=15718

Ovcharenko,N.N. See Geguzin,Ya.E., 0=6047

Ovchinnikov,V.M. See Nemilov,Y.A., 0=3789

Ovenall,D.W. Electron paramagnetic resonance at 4.2°K of γ-irradiated polymethyl methacrylate and polymethacrylic acid, 0=501

Overbeck,C.J. Robert Wichard Pohl: Oersted medalist for 1959, 0=14482

Overbeek,J.T.G. See Ottewill,R.H., 0=63

Overend,J. and Scherer,J.R. Transferability of Urey—Bradley force constants. I. Calculation of force constants on a digital computer, 0=11514

Overend,J. and Scherer,J.R. Transferability of Urey—Bradley force constants. II. Carbonyl halides and related molecules, 0=11515

Overend,J. and Scherer,J.R. Transferability of Urey—Bradley force constants. IV. Methyl halides. 0=15685

Overend,J. See Scherer,J.R., 0=15684

Overend,J. See Scherer,J.R., 0=17753

Overhauser,A.A. New mechanism of antiferromagnetism, 0=1810

Overhauser,A.W. Structure of nuclear matter, 0=11125

Overhauser,A.W. Mechanism of antiferromagnetism in dilute alloys, 0=11909

Overhauser,A.W. Giant spin density waves, 0=13513

Overhauser,A.W. and Arrott,A. Mechanism of antiferromagnetism in chromium, 0=11910

Overhauser,A.W. See Brailsford,A.D., 0=2844

Overhauser,A.W. See McIrvine,E.C., 0=1536

Overn,W.M. and Korkowski,V.J. Study of the residual states of ferrite cores in computer memory operation, 0=2422

Overseth,O.E.,Jr. and Peck,R.A.,Jr. Angular distributions of proton groups from the $Al^{27}(n,p)Mg^{27}$ reaction at 14 MeV, 0=460

Overton,W.C.,Jr. Solutions of the secular determinant on the Brillouin zone faces for face-centered cubic lattice vibrations, 0=2784

Ovshinnikov,Yu.V. See Igonin,L.A., 0=2927

Ovsyannikova,I.A. See Borovskii,I.B., 0=14934

Owada,S. A problem on high speed projectiles, 0=6719

Owen,G.E. See Bardes,R., 0=20457

Owen,J. Exchange interactions in antiferromagnetic salts of iridium, 0=13876

Owen,J. Experiments on charge transfer and exchange interactions, 0=21067

Owen,J. See Coles,B.A., 0=6274

Owen,J. See Cooke,A.H., 0=8068

Owen,J. See Griffiths,J.H.E., 0=8067

Owen,L.W. See Scott,V.D., 0=8280

Owen,R.B. Pulse-shape discrimination identifies particle types, 0=3909

Owen,R.B. The variation of phosphor decay time with specific ionization and its applications, 0=17150

Owsijenko,D.E. and Sosnina,E.I. Growing aluminium single crystals of known orientation from the melt, 0=13948

Owston,P.G. and Rowe,J.M. The crystal structure of the binuclear thiocyanate complex α-$[Pt_2(SCN)_2Cl_2(P(C_3H_7)_3)_2]$, 0=8237

Owston,P.G.,Partridge,J.M. and Rowe,J.M. The crystal structure of a complex hydride of platinum, $[Pt(C_2H_5)_3P)_2HBr]$, 0=8236

Owston,P.G. See Alderman,P.R.H., 0=8235

Oyama,I See Taoka,T., 0=21112

Ozaki,H.T. See Platzman,P.M., 0=17018

Ozaki,S. Latitude effect on extensive air showers of cosmic rays, 0=5633

Ozaki,S. On the consistency of quantization in quantum electrodynamics, 0=7272

Ozaki,S. On a non-adiabatic approximate method in the non-linear interaction theory, 0=12814

Ozaki,S.,Weinstein,R.,Glass,G.,Loh,E.,Neimala,L. and Wattenberg,A. π^- capture in complex nuclei and nuclear pair correlations, 0=13292

Ozaki,S. See Davidson,G., 0=2378

Ozaki,S. See Roe,B.P., 0=2531

Özdoğan,I. See Ferraro,V.C.A., 0=2020

Özemre,A.Y. Time-dependent neutron fluxes according to multigroup diffusion theory, 0=7355

Ozerov,R.P. The chemical crystallography of the oxygen-vanadium bronzes given by group-one elements. 0=14029

Ozerov,V.D. See Gringauz,K.I., 0=14381

Ozhogin,V.I. See Borovik-Romanov,A.S., 0=21039

Ozias,Y. See Brin,A., 0=1130

Ozima,M. See Donnelly,R.J., 0=12686

Paalassalo,P. See Hovi,V., 0=17899

Pac,P.Y. On the transformation properties of the Dirac equation, 0=17241

Pac,P.Y. Remarks on the transformation properties of the Dirac equation, 0=20047

Pacák,M. See Čermák,V., 0=2404

Pace,E.L. See Bockhoff,F.J., 0=5016

Pace,E.L. See Dininny,R.E., 0=4205

Pace,E.L. See Dininny,R.E., 0=5017

Pace,J.H.,Sampson,D.F. and Thorp,J.S. Spin—lattice relaxation times in ruby at 34.6 kMc/sec, 0=4513

Pacheva,I.Kh. See Kaliteevskii,N.I., 0=13123

Pacheva,I.Kh. See Kaliteevskii,N.I., 0=13420

Pachner,J. The unified field theory of gravitation and electricity, 0=4937

Pacholczyk,A.G. Magneto-gravitational instability of a compressible non-uniform medium in non-uniform rotation, 0=19889

Pack,A.R. See Stearns,C.A., 0=6306

Pack,J.L. See Phelps,A.V., 0=3350

Pack,J.L. See Phelps,A.V., 0=5862

Packer,D.M. See Purcell,J.D., 0=841

Padalka,V.G. and Shklyarevskii,I.N. A contribution to the technique of measuring the optical constants of metals at low temperatures, 0=20966

Padalka,V.G. See Shklyarevskii,I.N., 0=6078
Padday,J.F. Apparatus for measuring the spreading coefficient of a liquid on a solid surface, 0=5003
Paddi Reddy,S. and Tiruvenganna Rao,P. The band spectra of NiCl and NiBr in the visible, 0=5944
Paderno,Yu.B.,Serebryakova,T.I. and Samsonov,G.V. Compounds of terbium with boron and the electronic configuration of the terbium atom, 0=1502
Paderno,Yu.B. See Samsonov,G.V., 0=13468
Paderno,Yu.B. See Samsonov,G.V., 0=14020
Paderno,Yu.B. See Serebryakova,T.I., 0=16919
Padfield,D.G. and Dickinson,N.B. Stresses and strains in an infinite elastic sheet under a tension applied at two rigid pairs of square jaws, 0=6710
Padgett,A. and Krauss,M. Electronic structure of CH$_2$ and CH$_3$, 0=4216
Padgett,D.W. See Caswell,R.S., 0=12972
Padley,P.J. and Sugden,T.M. Photometric investigations of alkali metals in hydrogen flame gases. IV. Thermal and chemiluminescent effects produced by free radicals, 0=1518
Padmanaban,R.A. Ultrasonic relaxation due to rotational isomerism in organic liquids, 0=19125
Padmanabhan,S.C. See Chandrashekhar Aiya,S.V., 0=21398
Padmanabhan,V.M. See Amirthalingam,V., 0=8238
Padmanabhan,V. See Srivastava,S.S., 0=1061
Padmanabhan,V.M. See Shankar,J., 0=3258
Padmini,P.R.K.L.,Subba Rao,K. and Ramachandra Rao,B. Molar sound velocity in inorganic acids, 0=19133
Padmini,P.R.K.L.,Subba Rao,K. and Ramachandra Rao,B. Study of molar sound velocity in liquids, 0=19134
Padmini,P.R.K.L. See Rao,B.R., 0=16768
Paetzold,H.K. The fluctuations of the acceleration of satellites, 0=14474
Pafomov,V.E. Transition radiation and Cherenkov radiation, 0=11018
Page,D.E. See McCusker,C.B.A., 0=1331
Pagel,B.E.J. Note on collisional dissociation of the H$^-$ ion in the solar atmosphere, 0=18747
Pahl,M. The formation of molecular ions in static [electrical] discharges in the rare gases, 0=243
Pahor,J. See Blinc,R., 0=13433
Pahor,J. See Horvat,P., 0=11437
Pahor,S. and Strnad. Nusselt number for laminar flow in a cylindrical tube with constant wall temperature, 0=19061
Paic,M.,Thuro,G. and Turk-Zivkovic,M. A method of avoiding corrosion during fixing, 0=194
Paić,M. See Antolković,B., 0=19829
Paić,V. Film γ-ray dosimetry using a shielded device for calibration, 0=3892
Paige,E.G.C. The anisotropy of the conductivity of hot electrons and their temperature in germanium, 0=6111
Paillère,P. See Lacoste,R., 0=7058
Pailloux,H. Piezoelectricity. Calculation of the speeds of propagation, 0=10024
Paine,S.H. See Kittel,J.H., 0=12084
Paine,S.H. See Kittel,J.H., 0=14044
Paine,T.O. and Luborsky,F.E. "Interaction anisotropy" model of the structure of alnico magnet alloys, 0=10117
Paine,T.O. See Luborsky,F.E., 0=10122
Paine,T.O. See Luborsky,F.E., 0=10133
Pais,A. The many π-meson problem, 0=11199
Pais,A. and Uhlenbeck,G.E. On the quantum theory of the third virial coefficient, 0=903
Pais,A. See Goldhaber,G., 0=17339
Paix,D. See Weston,E.T., 0=19598
Pajak,Z. Dielectric investigation of perovskite type ferroelectrics. I. Ferroelectric systems with small temperature coefficient of permittivity, 0=13655
Pajak,Z. Dielectric investigation of perovskite type ferroelectrics. II. Ageing process in ferroelectrics, 0=13656
Pake,G.E. and Tuttle,T.R.,Jr. Anomalous loss of resolution of paramagnetic resonance hyperfine structure in liquids, 0=90
Pake,G.E. See Goldsborough,J.P., 0=3123
Pake,G.E. See Rogers,R.N., 0=19167
Pakhomov,V.I. See Stepanov,K.N., 0=19681
Pál,L..Bata,L. and Kiss,I. Investigations on the moderating parameters of "Dowtherm A" at different temperatures, 0=5825
Pál,L. See Békéssy,A., 0=312
Pal,M.K. Electron scattering by the quadrupole charge distribution of N^{14}, 0=5763
Pal,M.K. See Fallieros,S., 0=7593
Pal,M.K. See Ferrell,R.A., 0=9396
Pal,M.K. See Mukherjee,P.N., 0=7161
Pal,P.C. Some observations regarding the relation between the specific heat and the thermal conductivity of metals (solids) at ordinary temperature, 0=17897
Pal Puri,S. and Gill,P.S. Firing characteristics of halogen-quenched Geiger-Müller counters, 0=7239
Pal Varshni,Y. Range-energy relation for protons in various substances, 0=5557
Pal Varshni,Y. Spectroscopic constants of molecules. VI. Dependence of force constant on electronegativity, 0=5895
Pal Varshni,Y. See Sodha,M.S., 0=5861
Pal Varshni,Y. See Srivastava,G.P., 0=3528
Palacios,J. Revision of the theory of relativity, 0=10574
Palacios,J. The universal constants of physics, 0=18900
Palatnik,L.S. and Finkel',V.A. Some regularities in the structures of ternary metallic compounds, 0=14025
Palatnik,L.S. and Komnik,Yu.F. Kinetics of condensation of metals in vacuum, 0=1943
Palatnik,L.S. and Komnik,Yu,F. Investigation of the melting points of thin, vacuum-deposited tin and bismuth films, 0=19505
Palatnik,L.S. and Kosevich,V.M. Study of the crystallization of antimony in thin films. I. α- and β-transformations,0=13949
Palatnik,L.S. and Kosevich,V.M. Investigation of crystallization of antimony in thin films. II. Influence of different substrates, 0=738
Palatnik,L.S. and Kosevich,V.M. Study of the crystallization of antimony in thin films. III. Influence of various additions, 0=14080
Palatnik,L.S. and Landau,A.I. Heterogeneous mulcicomponent systems with a concentration matrix of non-maximum rank, 0=4706
Palatnik,L.S. and Levchenko,A.A. Electrical erosion on monocrystals, 0=16985
Palatnik,L.S. and Tananko,I.A. Ordering of the second kind produced in austenite by intermediate transformation, 0=18397
Palatnik,L.S. and Zorin,V.S. A theory of the nucleation of new phases on the decay of solid solutions, 0=1929
Palatnik,L.S. See Levchenko,A.A., 0=16352
Paleolog,E.N.,Fedotova,A.Z. and Tomashov,N.D. Electrode processes on germanium in solutions of sulphuric acid in the presence of oxidizing agents, 0=8310
Palev,Ch.D. See Patera,I., 0=13032
Palevsky,H. See Hughes,D.J., 0=80
Palevsky,H. See Hughes,D.J., 0=14649
Palevsky,H. See Parsson;K.E., 0=7654
Palevsky,H. See Seidl,F.G.P., 0=17348
Palinchak,S. and Bennett,B. Digest of literature on dielectrics. Rubber and plastic insulation, 0=2300
Palit,P. See McWhirter,R.W.P., 0=2456
Palko,A.A. and Drury,J.S. Separation of boron isotopes. IV. The methyl sulfide–BF$_3$ system, 0=17676
Palla,P. See Lapluye,G., 0=4381
Palla,P. See Lapluye,G., 0=6156
Palla,P. See Lapluye,G., 0=7982
Palladino,R.W. See Stix,T.H., 0=15046
Palma,M.U. See Ciccarello,I.S., 0=19465
Palma-Vittorelli,M.B. See Ciccarello,I.S., 0=19465
Palme,D. See Kümmel,U., 0=14938
Palmeira,R. See Sarabhai,V., 0=5637
Palmeira,R.A.R. and McCracken,K.G. Observation of a short-lived cosmic-ray solar flare increase with a high-counting-rate meson detector, 0=17451
Palmer,D.A. Moiré fringe reading head for use with a fine grating, 0=14844
Palmer,G.H. The thermal-emission ion source in solid source mass spectrometry, 0=9098
Palmer,G.H. See Aitken,K.L., 0=4125
Palmer,J.G. See Mooradian,A.J., 0=5824
Palmer,J.L. Laminar flow in magnetically-focused cylindrical electron beams, 0=5346
Palmer,L.D. See Poppendiek,H.F., 0=12513
Palmer,R.B.J. and Simons,H.A.B. The experimental determination of the range–energy relations for alpha particles in water and water vapour, and the stopping power of water and water vapour for alpha particles at energies below 8.78 MeV, 0=1322
Palmer,W. Kinetics of magnetic annealing in cobalt-substituted magnetite, 0=18188

Palyukh,B.M. See Kushnir,R.M., 0=7703
Panasyuk,I.S. See Konakhovich,Yu.Ya., 0=5572
Panasyuk,V.S. Motion of charged particles in the central region of a cyclotron, 0=9120
Panasyuk,V.S. Suggestions for the utilization of the ion beam modulation in a cyclotron for control purposes, 0=9121
Panattoni,C. See Frasson,E., 0=3252
Pancharatnam,S. Light propagation in absorbing crystals possessing optical activity — electromagnetic theory, 0=1046
Pancharatnam,S. Generalized theory of interference and its applications. II. Partially coherent pencils, 0=2242
Pancharatnam,S. Generalised theory of interference and its applications. III. Interference figures in transparent crystals, 0=2243
Pancharatnam,S. Generalised theory of interference and its applications. IV. Interference figures in absorbing biaxial crystals, 0=2244
Panchenko,V.V. Permittivity and dielectric losses of alkali-halide crystals, 0=11737
Panchenko,V.V. The thermal expansion, dielectric constant and losses of alkali halide crystals, 0=17900
Panchenkov,G.M. and Kolchin,A.M. The role of chemical reactions in thermionic emission, 0=10934
Panchenkov,G.M.,Kolchin,A.M. and Akishin,P.A. Mass-spectrometric investigations of the thermionic emission of caesium for various emitters, 0=276
Panchev,S. Intercorrelations between pressure and velocity at single points in isotropic turbulent flow, 0=19065
Panchev,S. Intercorrelations between pressure and velocity at two [different] points in isotropic, turbulent flow, 0=19066
Panchev,S. Mutual correlation between pressure and temperature in a turbulent stream, 0=19069
Pandey,S.N. Equations of Stephenson and spherical symmetry, 0=6667
Pandit,L.K. See Biswas,S.N., 0=5603
Pandit,L.K. See Dallaporta,N., 0=17226
Pandya,I.M. See Vaidya,P.C., 0=18932
Pandya,J.R. See Pandya,N.S., 0=4602
Pandya,N.S. and Bhatt,V.P. Etch figures on cleavage plane of bismuth, 0=18332
Pandya,N.S. and Pandya,J.R. Etching of calcite, 0=4602
Pandya,N.S. and Shah,C.J. Etch figures on tin and zinc, 0=18331
Pandya,N.V. See Pathak,P.D., 0=3192
Pandya,N.V. See Pathak,P.D., 0=6026
Pandya,S.P. Low lying levels of P^{32} and jj coupling, 0=9537
Pandya,S.P. Low level of some nuclei in the $d_{3/2}-f_{7/2}$ shell, 0=11324
Pandya,S.P. The unified model for Si^{29}, 0=15505
Pandya,S.P. See Thankappan,V.K., 0=20319
Panin,V.E. and Zenkova,É.K. On the problem of superstructure in aluminium bronze, 0=8270
Pankey,T. See Senftle,F.E., 0=18165
Pankey,T.,Jr. Anisotropy of the magnetic susceptibility of gallium, 0=18158
Pankova,G.I. See Nedospasov,A.V., 0=14993
Pankove,J.I. Radiative surface effect in germanium, 0=1642
Pankove,J.I. Influence of degeneracy on recombination radiation in germanium, 0=3879
Pankove,J.I. Optical absorption by degenerate germanium, 0=13683
Pankowski-Fern,R. See Bauwens,J.C., 0=6300
Pankratov,N.A. A selective optico-acoustic receiver with an electrodynamic microphone, 0=12527
Pankratov,N.A. and Vinogradova,L.M. The maximum possible sensitivity of a selective optico-acoustic receiver, 0=12526
Pankratov,N.A. See Veyngerov,M.L., 0=3622
Pannetier,G. See Guenebaut,H., 0=15699
Pannetier,P. Study of the emission of electrically charged particles produced by the pulverization of electrolytic solutions, 0=10666
Panofsky,H.A. On the structure of turbulence in electrically neutral, hydrostatically stable layers, 0=14196
Panofsky,W.K.H. See Alvarez,R.A., 0=9252
Panofsky,W.K.H. See Hand,L.N., 0=2401
Panov,A.A. See Sokolovsky,V.V., 0=7647
Panov,A.A. See Vladimirsky,V.V., 0=15595
Panov,D.A. See Bezrukov,L.S., 0=7574
Panov,Yu.N. See Adrova,N.A., 0=4447
Panova,V.P. See Belyaev,L.M., 0=13939
Panovkin,B.N. A model of the inner corona based on radio data, 0=18631
Panovkin,B.N. See Vitkevich,V.V., 0=18752
Pant,D.D. and Bist,H.D. Some luminescence phenomena in uranyl nitrate, 0=18138
Pant,D.D.,Khandelwal,D.P. and Bist,H.D. Temperature dependence of fluorescence bands of uranyl nitrate solutions, 0=3539
Pant,L.M. See Milledge,H.J., 0=8246
Pantchev,S. On the statistical theory of turbulence, 0=4999
Panteleev,L.D. See Konobeevskii,S.T., 0=10332
Pao,Yoh-Han and Bjorklund,R.F. Wave functions and energy eigenvalues for the polytetrafluoroethylene chain, 0=20700
Paoletti,A. and Pickart,S.J. Study of rhombohedral V_2O_3 by neutron diffraction, 0=6363
Paoletti,A. and Vicentini,M. Self diffusion in liquid In—Pb alloys, 0=2166
Paoletti,A. See Caglioti,G., 0=18335
Paoletti,A. See Vicentini,M., 0=12417
Paoluzzi,L. See Beneventano,M., 0=17398
Papa,T. See Cortini,G., 0=1430
Papadakis,E.P. Influence of grain structure on ultrasonic attenuation in steel, 0=726
Papadopoulos,V.M. Wave propagation in a coaxial system, 0=3860
Papadopoulos,V.M. The diffraction and refraction of pulses, 0=8752
Papadopoulos,V.M. A line source on an interface between a fluid and an elastic solid, 0=19263
Papadopoulos,V.M. Diffraction of a pulse by a resistive half-plane. I. Normal incidence, 0=19301
Papadopoulos,V.M. Diffraction of a pulse by a resistive half-plane. II. Oblique incidence, 0=19302
Papadoyannis,M. and Higham,J.B. Spark channels in liquids — interim report, 0=15002
Papapetrou,A. Representation of a weak radiation field in general relativity and in the Einstein—Schrödinger theory, 0=16584
Papapetrou,A. A field representation of electromagnetic radiation, 0=17072
Papazian,H.A. The colors of Jupiter, 0=3411
Papazian,H.A. Nitrogen chained compounds as intermediates in space the photolysis of solid HN_3, 0=4727
Pape,M.Le. See Le Pape,M.
Papineau,A. See Beurtey,R., 0=4092
Papineau,L. See Levi,C., 0=9533
Papp,G. Control of the thickness of evaporated layers during evaporation, 0=3280
Pappalardo,G. See Cuzzocrea,P., 0=15601
Pappalardo,R. Ligand field theory and the absorption spectra of $MnCl_2$ and $MnBr_2$, 0=1728
Pappalardo,R. On the low temperature optical absorption of $CoCl_2.6H_2O$ and $CoBr_2.6H_2O$, 0=16051
Pappalardo,R. Note on the optical absorption of $MnCl_2$ and $MnBr_2$, 0=16059
Pappert,R.A. LCAO treatment of exciton structure in alkali halide crystals, 0=13524
Paquin,R. See Weil,R., 0=4393
Parain,J. See Bronca,G., 0=2412
Parain,J. See Neyret,G., 0=19849
Paranichev,V.N. Spin—lattice relaxation of an exciton in an ionic crystal, 0=20781
Paranjape,B.V. and Levinger,J.S. Theory of the Ettingshausen effect in semiconductors, 0=18012
Parasnis,A.S. and Mitchell,J.W. Some properties of crystals of silver chloride containing traces of copper chlorides, 0=15847
Parbrook,H.D. and Tempest,W. Sound absorption in nitrogen and oxygen, 0=16737
Parbrook,H.D. See Tempest,W., 0=14739
Paré,V.K. See Thompson,D.O., 0=8103
Paré,X. See Averbuch,P., 0=4535
Parfanovich,D.M. See Flevov,G.N., 0=7497
Parfenov,L.B. See Neganov,B.S., 0=15605
Parfenov,V.A. A study of plastic deformation of metals under cyclic loading, 0=6302
Parfenova,V.P. Circular polarization of the internal bremsstrahlung accompanying K-capture in Fe^{55}, 0=7518
Parfianovich,I.A. The de-exciting action of X-rays, 0=1750
Parfianovich,I.A. and Shuraleva,E.I. The effect of an activator on the stability of F-centres, 0=9907
Parfitt,G.G. Recent studies of noise problems, 0=6891

argamanik,L.É. See Daich,A.R., 0=14807
Paria,B.N. Pair production on the basis of hole theory without Dirac matrices, 0=17314
Paria,B.N. See Kar,K.C., 0=17290
Paria,B.N. See Kar,K.C., 0=17302
Paria,G. Deformation of a porous visco-elastic body containing a fluid under steady pressures, 0=10622
Paria,G. Thin anisotropic elastic shells. I. Circular cylinder of cylindrical aeolotropy, 0=14562
Paria,G. Rotary flow of viscoplastic material of Bingham type. I. Flow between coaxial circular cylinders, 0=16227
Pariiskii,N.N. and Gindilis,L,M. New constant-brightness phosphors for spectrophotometry of faint [celestial] objects. Energy distribution in the spectrum of these phosphors, 0=18589
Pariiskii,Yu.N. Observations of the radio source Sag A with high resolving power, 0=10483
Pariiskii,Yu.N. See Apushkinskii,G.P., 0=18668
Parikh,P. See Müller-Warmuth,W., 0=6815
Parikh,V. The activities induced in beryllium, oxygen and fluorine by protons of 220 MeV to 362 MeV, 0=20439
Parikh,V. Absolute cross-sections of C^{12}(p,pn)C^{11} from 288 to 383 MeV, 0=20440
Parikh,V. Cross-sections for Al^{27}(p,3pn)Na^{24}, Al^{27}(p,5p5n)F^{18} and C^{12}(p,3p3n)Be^{7} relative to C^{12}(p,pn)C^{11}, 0=20441
Paris,C.H. See Piraino,D., 0=13147
Parise,M. See Malinge,A., 0=827
Parish,G.J. Apparent slip between metal and rubber-covered pressure rollers, 0=8134
Paritskii,L.G. and Rȳvkin,S.M. The influence of trapping levels on the relaxation of photoconductivity in CdS single crystals, 0=18067
Paritskii,L.G. See Arkad'eva,E.N., 0=15985
Paritskii,L.G. See Grinberg,A.A., 0=18060
Park,D. Relation between the parabolic and spherical eigenfunctions of hydrogen, 0=13390
Park,J.G. The principal g values of ytterbium ions in yttrium acetate a triclinic crystal, 0=1835
Park,J.G. See Griffiths,J.H.E., 0=8067
Park,R.A. See Mickelwait,A.B., 0=10535
Park,S.C. See McIntosh,J.S., 0=7586
Parke,S. Davies,R.O., 0=15798
Parker,D.J.,McLaren,G.A. and Conradi,J.J. Observation of the Overhauser effect on carbon-13 nuclear resonance signals, 0=16716
Parker,E. Extension of the solar corona into interplanetary space, 0=10504
Parker,E.N. The hydrodynamic treatment of the expanding solar corona, 0=14424
Parker,E.N. and Tidman,D.A. Radio emission from plasma shocks, 0=10480
Parker,E.N. See Dessler,A.J., 0=12138
Parker,F.W. See Lindsay,P.A., 0=7152
Parker,F.W. See Lindsay,P.A., 0=19732
Parker,G.W. See Dabbs,J.W.T., 0=11341
Parker,G.W. See Smith,E.C., 0=1444
Parker,H.M.,Bullock,B.W. and Dancy,W.H.,Jr. Measurements of rotational magnetic losses in ferrites at very low frequencies, 0=3080
Parker,H.M. See Jenkins,A.W., 0=2425
Parker,K. See Lane,A.M., 0=11309
Parker,P.D. See Bashkin,S., 0=2660
Parker,P.M. and Brown,L.C. Computation of asymmetric rotator constants from energy moments. III. First-order centrifugal stretching effects, 0=2740
Parker,R. and Lord,H. The electrical resistivity of oxygen deficient nickel ferrite, 0=7945
Parker,R.B. See Bixler,H.J., 0=19227
Parker,R.J. See Foy,J.E., 0=9143
Parker,W. An apparatus for the vacuum deposition of radio active materials, 0=17514
Parker,W. See Erman,P., 0=17288
Parker,W.E. See East,L.V., 0=19584
Parkhomenko,É.I. See Volarovich,M.P., 0=2928
Parkin,D.W. See Hunter,W., 0=6582
Parkin,P.H. Loudness of common noise, 0=6892
Parkin,P.H. and Scholes,W.E. Oblique air-to-ground sound propagation over buildings, 0=14769
Parkin,P.H. See Evans,E.J., 0=14775
Parkins,R.N. See Hardie,D., 0=21195
Parkinson,D. Atomic polarizabilities, 0=5849
Parkinson,D. See Dalgarno,A., 0=9736
Parkinson,R.W.,Jones,H.H. and Shapiro,I.I. Effects of solar radiation pressure on earth satellite orbits, 0=8530
Parkinson,W.H. and Nicholls,R.W. Spectroscopic temperature measurements in a shock tube using CN as a thermometric molecule, 0=12455
Parks,A.M. See Callinan,T.D., 0=18089
Parks,D.E. See Nelkin,M.S., 0=13131
Parks,J.M. and Parr,R.G. Theory of electronic excitation and reorganization in the formaldehyde molecule, 0=15710
Parkyn,D.G. Satellite orbits in an oblate atmosphere, 0=10539
Parmee,J.L. Preparation of high purity single crystal silicon. The floating-zone technique, 0=16268
Parmenter,R.H. High-current superconductivity, 0=3702
Parmenter,R.H. Theory of superconducting contacts, 0=10851
Parmenter,R.H. See Herman,F., 0=20891
Parnell,D.R. See Katz,R., 0=1258
Parnell,T.M. Film carrier for the analysis of oscillograms by means of a travelling microscope, 0=19391
Parodi,J.A. See Aven,M., 0=11998
Parolini,G. Radioluminescence from β radiation, 0=2962
Parr,J.G. See Yurko,G.A., 0=4648
Parr,R.G. Papers from the conference on molecular quantum mechanics, held at The University of Colorado, Boulder, Colorado, U.S.A., June 21-27, 1959, 0=17804
Parr,R.G. Three remarks on molecular orbital theory of complex molecules, 0=20678
Parr,R.G. See Parks,J.M., 0=15710
Parr,R.G. See Saturno,A.F., 0=15769
Parra,F. See Chanu,J., 0=8664
Parratt,L.G. See Wainfan,N., 0=14089
Parratt,M.E.M.L. See Gordon,J.E., 0=3261
Parravano,G. See Lee,V.J., 0=1958
Parravano,G. See Perakis,N., 0=4476
Parrent,G.B.,Jr. Studies in the theory of partial coherence, 0=19352
Parrent,G.B.Jr. and Roman,P. On the matrix formulation of the theory of partial polarization in terms of observables, 0=12675
Parrent,G.B.,Jr. See Edwards,S.F., 0=19359
Parrish,M.,Jr. See Bird,G.R., 0=14852
Parrish,W. See Ladell,J., 0=2524
Parry,G. See Dalton,A.W., 0=7577
Parry,G.S. See Cimino,A., 0=21196
Parry,J.V.L. See Essen,L., 0=21
Parry,J.V.L. See Essen,L., 0=6635
Parry,J.V.L. See Essen,L., 0=10547
Parsanov,A.P. See Cecernikov,V.I., 0=13757
Parsegian,V.L. Role of physics in revision of engineering curricula, 0=857
Parsons,D. Variation of magnetic moment with composition in the iron—vanadium sigma phase, 0=10134
Parsons,D.,Sucksmith,W. and Thompson,J.E. The magnetization of cobalt—aluminium, cobalt—silicon, iron—aluminium and iron—silicon alloys, 0=677
Parsons,R.W. The photodisintegration of manganese and rhodium, 0=1436
Parsons,R.W. See King,J.D., 0=2679
Parthasarathy,N.V. See Sanchi,I., 0=3624
Parthasarathy,R. See Swarup,G., 0=4851
Parthasarathy,S. and Bindal,V.N. Ultrasonic absorption in acetic acid at 450 kc/s by the calorimetric method, 0=5096
Parthasarathy,S. and Bindal,V.N. Ultrasonic propagation constants in supercooled salol, 0=10723
Partlová,M. and Eckertová,L. The thermoemission and photo-emission maxima in silver—caesium photocathodes, 0=5338
Partovi,F. Note on perturbation of a uniform magnetic field by a cube of magnetic material, 0=19874
Partridge,J.M. See Owston,P.G., 0=8236
Partridge,M.F. See Griffiths,J.H.E., 0=8067
Partridge,P.G. See Forsyth,P.J.E., 0=21168
Partridge,P.G. See Hirsch,P.B., 0=21117
Partridge,P.G. See Segall,R.L., 0=21118
Partridge,W.S. and Vanfleet,H.B. Similarities between lunar and high-velocity-impact craters, 0=6
Pasciutti,E.R. See Thun,R.E., 0=7005
Pasechnik,L.L. See Gabovich,M.D., 0=10922
Pasechnik,L.L. See Gabovich,M.D., 0=19697
Pasechnik,M.V. See Barchuk,I.F., 0=9679
Pasechnik,M.V. See Val'ter,A.K., 0=20450
Pashintsev,Yu.I. See Sirota,N.N., 0=1563

Pashley,D.W. A study of the deformation and fracture of single-crystal gold films of high strength inside an electron microscope, 0=8286
Pashley,D.W. The observation of dislocations in thin single crystal films of gold prepared by evaporation, 0=15839
Pashley,D.W. The preparation of smooth single crystal surfaces of silver by an evaporation technique, 0=16271
Pashley,D.W. and Presland,A.E.B. The observation of anti-phase boundaries during the transition from CuAu I to CuAu II, 0=21212
Pashley,D.W. See Bassett,G.A., 0=21246
Pashley,D.W. See Glossop,A.B., 0=8278
Paskievici,W. The principle of an analysis of complex experimental curves and its application to the measurement of the grain density of heavily ionizing tracks in nuclear emulsion, 0=5462
Paskin,A. Long-range magnetic interactions via conduction electrons, 0=11819
Paskin,A. See Chipman,D.R., 0=1920
Paskin,A. See Chipman,D.R., 0=1921
Paskin,A. See Chipman,D.R., 0=12026
Paslay,P.R. See Saunders,H., 0=10710
Päsler,M. New proof of a hydrodynamical minimum theorem and an extension of its range of validity, 0=2147
Pasnak,M. and Lundsten,R.H. Effects of high temperature on magnetic properties of core materials, 0=2989
Pasquarelli,A. See Bernardini,M., 0=2640
Passari,L. See Federighi,T., 0=17994
Passarini,C. See Casini,G., 0=15623
Passatore,G. See Böbel,G., 0=17692
Passatore,G. See Carrassi,M., 0=327
Passatore,G. See Carrassi,M., 0=15248
Passelecq,J. Change of total enthalpy in laminar motion, 0=221
Passoth,G. On the Jones-Ray effect and the surface tension of dilute solutions of electrolytes, 0=2160
Pasternak,R.A. Crystallographic evidence for the existence of B_7O, 0=1906
Pastiels,R. Contribution to the study of the problem of actinometric methods, 0=4780
Pastor,J. The tolerance solid of an optical system functioning at low spatial frequencies, 0=19401
Pastor,R.C. and Hoskins,R.H. Paramagnetic resonance in charred dextrose, 0=3310
Pastor,R.C. See Devor,D.P., 0=4507
Pastor,R.C. See Hoskins,R.H., 0=16159
Pastrnyak,I. The temperature dependence of the visible-light absorption coefficient in copper oxide crystals, 0=643
Pastrnyak,I. See Gross,E.F., 0=644
Pastrnyak,I. See Gross,E.F., 0=1678
Pastrnyak,I. See Gross,E.F., 0=1679
Pastrnyak,I. See Gross,E.F., 0=6162
Pastushuk,N.S. See Korsunskii,M.I., 0=18073
Pasÿnkov,V.V.,Kholuyanov,G.F. and Chirkin,L.K. Dynamic current—voltage characteristics of silicon carbide resistors, 0=15886
Pasyuk,A.S. See Flevov,G.N., 0=7497
Pataki,G. and Sebeni,P. Phenomena [observed] in heterogeneous semiconductors, 0=9950
Pátek,K. On the photo-electroluminescence of ZnS—Cu, 0=2964
Pátek,K. Temperature dependence of secondary peak of electroluminescence of ZnS—Cu, 0=4462
Patera,I. and Palev,Ch.D. A theoretical interpretation of elastic π^-—p scattering experiments on the J.I.N.R. O.I.Ya.I. synchrophasotron of the joint institute for nuclear research, 0=13032
Paterson,M.S. X-ray line broadening in plastically deformed calcite, 0=21130
Pathak,P.D. and Bhavsar,C.M. A gradientless furnace, 0=14899
Pathak,P.D. and Pandya,N.V. A small furnace for use with Seifert X-ray diffractometer, 0=3192
Pathak,P.D. and Pandya,N.V. Thermal expansion of caesium iodide by X-ray diffraction and the Grüneisen's parameters, 0=6026
Pathria,R.K. A note on the (relativistic) statistical mechanics of an assembly in mass-motion, 0=2138
Pathria,R.K. On the (relativistic) statistical thermodynamics of an assembly in mass-motion, 0=8571
Pati,J.C. and Oneda,S. An attempt at universal four-fermion interaction, 0=17231
Pati,J.C.,Oneda,S. and Sakita,B. On the leptonic and non-leptonic decay models of K-mesons, 0=20221
Pati,J.C. See Oneda,S., 0=12839
Patil,B.S. See Tawde,N.R., 0=17763
Patil,H.N. An optical method of measuring convective air velocity, 0=6986
Patla,N. An electronic apparatus for the study of X-rays with proportional counter, 0=17299
Patla,N. See Kiss,A.E., 0=5439
Paton,J. Aurorae seen in daylight, 0=12190
Patou,C. See Bermond,J., 0=19982
Patrakhin,N.P. The reasons for the development of a transverse temperature difference in a ferromagnetic carrying a longitudinal thermal current, 0=10138
Patrakhin,N.P. A theory of the transverse thermal galvanomagnetic effect in a ferromagnetic conductor, 0=19597
Pătraşcu,S. See Atanasiu,G., 0=9133
Pătraşcu,S. See Atanasiu,G., 0=19869
Patrick,L. See Choyke,W.J., 0=8012
Patrick,L. Polarization of the luminescence of donor—acceptor pairs, 0=8013
Patrick,R.M. High-speed shock waves in a magnetic annular shock tube, 0=1194
Patrick,R.M. Experimental dependence of the collision-free shock thickness upon Alfvén Mach number, 0=10904
Patrina,I.B. See Ioffe,V.A., 0=15942
Patronic,E.T.,Jr and Marshak,H. Low-energy capture gamma rays of Eu^{152} and Eu^{154}, 0=1393
Patskevich,V.M. See Vavilov,V.S., 0=9965
Patskevich,V.M. See Vavilov,V.S., 0=18030
Patten,C.G. See Gardner,M.E., 0=17066
Patten,C.G. See Jungerman,J.A., 0=5374
Patten,F. and Gordy,W. Temperature effects on free radical formation and electron migration in irradiated proteins, 0=20706
Pattenden,N.J. and Rainey,V.S. The slow neutron total cross-section of ^{240}Pu, 0=20497
Patter,D.M. Van. See Van Patter,D.M.
Patterson,D.A. Excitation and high-temperature absorption of KCl : Tl, 0=13709
Patterson,H.W. See Hess,W.N., 0=1326
Patterson,R.L.,Jr. See Lockhart,L.B.,Jr, 0=14322
Patterson,T.N.L. See Dalgarno,A., 0=20647
Patÿ,L. Cooling-water-flow alarm, 0=3500
Pátÿ,L. An experimental equipment for obtaining a very low pressure, 0=6841
Pátÿ,L. Pumping effect of a gas discharge high-vacuum pump, 0=8720
Paty,L. High vacuum gas-leak valves, 0=19236
Pátÿ,L. and Neužilová,R. A new construction of a high-vacuum high-speed ion pump, 0=3570
Paul,A. See Bibl,K., 0=15169
Paul,D.A.L. Possible chemical reaction of orthopositronium with oxygen, 0=3292
Paul,D.I. Theory of magnetism and the ground-state energy of a linear chain, 0=18175
Paul,D.I. Magnetism and the ground-state energy of a linear chain. II. Configuration interaction effects, 0=18176
Paul,E.Jr and Humphreys,C.J. Newly observed lines of argon I and krypton I in the lead-sulfide region, 0=478
Paul,E.Jr. See Humphreys,C.J., 0=477
Paul,E.,Jr. See Humphreys,C.J., 0=16854
Paul,E.B. See Clarke,R.L., 0=4098
Paul,E.B. See Phillips,G.C., 0=19773
Paul,H. See Ashkin,J., 0=367
Paul,H. See Ashkin,J., 0=13005
Paul,H. See Ashkin,J., 0=15389
Paul,H. See Fazzini,T., 0=19858
Paul,P. and Stierlin,U. Gamma resonance scattering on the 17.22 MeV level in C^{12}, 0=5770
Paul,W.,Benedek,G.B. and Warschaufer,D.M. Nonmagnetic high-pressure vessels, 0=3386
Paul,W.,Osberghaus,O. and Fischer,E. An ion cage, 0=9106
Paul,W. See Cardona,M., 0=18028
Paul,W. See Horlitz,G., 0=17162
Paul,W. See Hutson,A.R., 0=6085
Paul,W. See Koenig,S.H., 0=11689
Paulevé,J. and Dautreppe,D. Orientation superlattice formed by neutron irradiation in a magnetic field of a (50—50%) Fe—Ni alloy, 0=13769

aulevé,J.,Dreyfus,B. and Soutif,M. Ferrimagnetic resonance of ferrites and garnets at the compensation temperature, 0=13862
aulevé,J. See Cassayre,C., 0=20864
auli,G. See Cernigoi,C., 0=17137
auli,R. and Flinta,J. Pulsed high-intensity ion source. II, 0=19776
auli,W. and Touschek,B. Report and comment on F.Gürsey's "Group structure of elementary particles", 0=3912
aulus,M. $k\pi$ walls in ferrites, 0=6239
aulus,M. The elementary domains in a single crystal of magnetoplumbite ($6Fe_2O_3$. PbO), 0=10150
auly,H. Small-angle scattering in collisions between neutral atoms, 0=2723
auly,H. Scattering experiments on molecular beams at various beam velocities, 0=11499
auly,H. See Gersing,E., 0=5866
auly,J. See Lantelme,F., 0=3171
auncz,R. See Ritter,Z., 0=15642
auri,M. See Amar,V., 0=2501
autamo,Y. See Hovi,V., 0=18351
authenet,R. Magnetic properties of the rare earth garnets, 0=3088
authenet,R. Experimental results on the quenching of the magnetic moment of the rare earth ion in garnets, 0=13831
authenet,R. and Rimet,G. The variation of the magnetization of a single crystal of $PbO.6Fe_2O_3$ as a function of field, 0=675
authenet,R. and Rimet,G. Temperature variation of the anisotropy constants and spontaneous magnetization of magnetoplumbite, 0=4479
Pauthenet,R. See Bertaut,E.F., 0=13829
Pauthenet,R. See Néel,L., 0=10128
Pauthenet,R. See Villers,G., 0=13827
Pautova,G.N. See Bol'shov,V.G., 0=19716
Pauw,L.J. van der. See van der Pauw,L.J.
Pavlotskaya,F.I. and Lavrukhina,A.K. The isotopic composition of rare-earth elements formed by fission of uranium, thorium, and bismuth with 680 MeV protons, 0=5805
Pavlotskii,I.P. On the question of the existence of a two-fold spectral representation, 0=6540
Pavlov,B.V. See Kolomiets,B.T., 0=13609
Pavlov,K.B. Some properties of stationary flows in magnetogasdynamics, 0=19913
Pavlov,P.V. and Belov,N.V. The structures of herderite, datolite and gadolinite determined by direct methods, 0=14030
Pavlov,S.T. See Gurevich,L.É., 0=11020
Pavlov,V.A. Study of the defects of a crystal lattice by means of internal friction, 0=1582
Pavlov,V.A.,Kryuchkov,N.F. and Fedotov,I.D. New internal friction peaks at low temperatures, 0=1847
Pavlov,V.A. and Pereturina,I.A. The effect of alloying additions on the magnitude and temperature dependence of the yield point, 0=18259
Pavlov,V.A. See Grin', A.V., 0=1931
Pavlov,V.A. See Grin',A.V., 0=1932
Pavlov,V.A. See Noskova,N.I., 0=6380
Pavlov,V.P. See Vinogradov,G.V., 0=916
Pavlov,V.S. See Kruglykh,A.A., 0=16265
Pavlov,Yu.V. See Ivanov,N.S., 0=7630
Pavlova,E.N. See Naboikin,Yu.V., 0=18140
Pavlovic,D. and Foster,K. Study of heat treatments for low coercive force 14 to 17% aluminium iron alloys, 0=10131
Pavlovskaya,E.D.,Sokol'skaya,I.L. and Shishkin,Yu.G. Determination of the activation energy for the process of stabilization of the work function of the gold-barium system, 0=17023
Pavlovskaya,V.V. See Goldansky,V.I., 0=20137
Pavlovskii,E.S. See Gandel'man,G.M., 0=11551
Pavlovskii,M.N. See Al'tshuler,L.V., 0=20730
Pawlicki,G.S. See Smith,E.C., 0=1444
Pawsey,J.L. Radar observations of lightning on 1.5 metres, 0=804
Pawsey,J.L. The question of radio emission by the ionosphere, 0=12180
Pawsey,J.L. See Blaauw,A., 0=18582
Pawsey,J.L. See Christiansen,W.N., 0=18732
Pawsey,J.L. See Gum,C.S., 0=18657
Payne,H. On the correlation correction to the Fermi-Thomas-Dirac equation, 0=17648
Payne,J.A. See Cook,C.B., 0=10630
Payne,K.G. and Weinberg,F.J. A preliminary investigation of field-induced ion movement in flame gases and its applications, 0=8851
Payne,L.E. See Pell,W.H., 0=19054
Payne,R.M. and Kaufman,S. Physical measurements on heavy-current discharges, 0=5304
Payne,W.B. See Taylor,G.R., 0=11511
Payton,R.G. Transient interaction of an acoustic wave with a circular cylindrical elastic shell, 0=10716
Pazienza,G. The "divergence" attenuation in the propagation of sound in the sea, 0=5094
Peach,G. See McDowell,M.R.C., 0=5278
Peacock,D.E. See Johnson,A.A., 0=21106
Peacock,R.D. See Figgis,B.N., 0=21022
Peacock,R.N. See DePasquali,G., 0=7465
Peacock,R.N. See Lewis,H.R., 0=5232
Peacock,R.N. See Sherwin,C.W., 0=10569
Peacock,R.V. See Burfoot,J.C., 0=6150
Peacock,T.E. and McWeeny,R. A self-consistent calculation of the graphite π band, 0=4277
Pearce,J.H. and Mardon,P.G. Apparatus for combined thermal analysis and dilatometry, 0=3675
Pearce,J.H. See Lee,J.A., 0=12056
Pearce,R.M. and Walker,D.H. A direct measurement of the uranium metal temperature coefficient of reactivity, 0=13330
Pearce,R.M. See Critoph,E., 0=5829
Pearlstein,L.D. and Klein,A. Theory of the photodisintegration of the deuteron, 0=9443
Pearlstein,L.D.,Tang,Y.C. and Wildermuth,K. Energy levels of He^5 and Li^5, 0=17496
Pearlstein,L.D.,Tang,Y.C. and Wildermuth,K. Low lying levels of Li^7 and Be^8 in the cluster model, 0=17497
Pearlstein,S. Application of the absorption area method to three-group diffusion theory problems, 0=12985
Pearson,A.D. See Flaschen,S.S., 0=1923
Pearson,A.D. See Flaschen,S.S., 0=6105
Pearson,F.J. The theory of critical opalescence in binary mixtures, 0=10786
Pearson,G. See Burnham,J., 0=16938
Pearson,G.L. See Chynoweth,A.G., 0=9961
Pearson,I.M. and Garner,C.S. Exchange of radiochlorine between hydrogen chloride and carbon tetrachloride. "Red form" of solid hydrogen chloride, 0=8300
Pearson,J.M. and Preston,M.A. The electric quadrupole interaction in beta decay, 0=17530
Pearson,J.M. See Preston,M.A., 0=13194
Pearson,M.D. See Brady,J.J., 0=17101
Pearson,R.F. The magnetocrystalline anisotropy of cobalt-substituted manganese ferrite, 0=1808
Pearson,R.F. Magnetic anisotropy in ferrimagnetic crystals, 0=10180
Pearson,R.F. The magnetocrystalline anisotropy of gallium and aluminium substituted magnetite, 0=13828
Pearson,R.F. and Teale,R.W. A comparison of static and microwave measurements of magnetocrystalline anisotropy in cobalt manganese ferrite, 0=10119
Pearson,W.B. Interpretation of relative thermoelectric phenomena at low temperatures with special consideration of the effects of cold-work on copper, 0=13640
Pearson,W.B. The thermoelectric power of annealed and cold-worked silver and gold at low temperatures, 0=18081
Pearson,W.B. Experiments on the resistance minimum. The effects of certain solutes in copper, silver and gold, 0=20862
Pearson,W.B.,Rimek,D.M. and Templeton,I.M. The resistance minimum in dilute alloys of tin in copper, 0=20861
Pearson,W.B. See Gold,A.V., 0=20945
Pearson,W.B. See MacDonald,D.K.C., 0=2916
Pearson,W.B. See MacDonald,D.K.C., 0=10003
Pearson,W.B. See MacDonald,D.K.C., 0=18076
Pearson,W.B. See MacDonald,D.K.C., 0=19569
Pearson,W.B. See Mooser,E., 0=3219
Pease,M.C. Time-dependent electron flow, 0=1155
Pease,M.C. Conservation laws of an interacting electron beam, 0=19735
Pease,M.C. Conservation laws of uniform linear homogeneous systems, 0=19915
Pease,R.S. See Butt,E.P., 0=5837
Peaslee,D.C. Seven-dimensional charge space, 0=5479
Peaslee,D.C. and Vaughn,M.T. Boson Furry theorem, 0=12825
Peaslee,D.C. See King,R.W., 0=7336

Peavler,R.J. See Ananthanarayanan,N.I., 0=3274
Pebay-Peyroula,J.C. Magnetic resonance of atomic levels excited by electron bombardment. I, 0=20557
Pebay-Peyroula,J.C. Magnetic resonance of atomic levels excited by electron bombardment. II, 0=20558
Pebay-Peyroula,J.C. See Barrat,M., 0=17663
Pécheux,M. Pathological bound states in the Bosco—Stroffolini model of the meson—nucleon interaction, 0=9387
Pechhold,W. Method of measuring the complex shear modulus in frequency range 1-100 kc/s, 0=16195
Pechhold,W. Treatment of the excitation and perturbation problems in acoustic resonators, 0=16794
Pečijare,O. Specific electrical conductance of alloys of the system Al—Zn and its phase diagram, 0=2851
Pecile,C. See Foffani,A., 0=490
Peck,A.J. See de Vries,D.A., 0=5203
Peck,E.R. The method and results of wavelength measurements with a corner-reflector interferometer, 0=16846
Peck,E.R. The mean wave number of a narrow spectral distribution measured by a double-beam interferometer, 0=16847
Peck,R.A.,Jr,Eubank,H.P. and Howard,R.M. Distribution correlations in Sb(n,p)Sn, 0=1443
Peck,R.A.,Jr. See Overseth,O.E., 0=460
Pecker,C. Research into the resonance line of Fe X the solar ultraviolet spectrum, 0=14436
Pecker,C. See Divan,L., 0=14433
Pecker,J.C. Charts of the balance and abundances in the stellar and solar photospheres. I. The spectrum of neutral titanium — charts of local thermodynamic equilibrium, 0=14414
Pecker,J.C. The determinations of abundances and their experimental needs, 0=18859
Pecker,J.C. and Vogel,L. Charts of the balance and abundances in the stellar and solar photospheres. II. The case of neutral atoms of titanium, vanadium, and chromium in the solar atmosphere, 0=14415
Pecker,J.C. See Débarbat,S., 0=6555
Pecker,J.C. See Dumont,S., 0=14432
Pecker,J.C. See Eugène-Praderie,F., 0=14416
Pecoraro,R.P. See Bohan,W.A., 0=583
Pedenko,N.S. See Kharchenko,I.F., 0=12619
Pedersen,A.K. See Bryrup,E., 0=9714
Pedersen,A.K. See Bryrup,E., 0=9715
Pedersen,B. and Grønvold,F. The crystal structures of α-V_3S and β-V_3S, 0=4629
Pedko,A.V. See Belov,K.P., 0=10164
Ped'ko,A.V. See Belov,K.P., 0=11884
Pedos,F.Z.,Sventitskii,N.S. and Shlepkova,Z.I. A low-voltage pulse discharge in vacuo used for production of spectra, 0=3628
Pedretti,E. See Ascari,A., 0=2700
Pedrotti,L.S. and Reynolds,D.C. Change in structure of blue and green fluorescence in cadmium sulfide at low temperatures, 0=16080
Pedyash,E.M. See Subashiev,V.K., 0=9997
Peelaers,W. See Van Itterbeek,A., 0=13736
Peelaerts,G. Van Itterbeek,A., 0=10100
Peelle,R.W. and Love,T.A. Method for detecting non-proportionality of response for gamma-ray scintillators, 0=7244
Peet,C.S. See Gorton,H.C., 0=20916
Peet,C.S. See Wieber,R.H., 0=9915
Peetz,C.V. See Ellison,J.McK., 0=5135
Peeva,A. See Hauser,I., 0=15496
Pehland,H. and Hager,H. The theory of the determination of dry weight of biological objects using the interference microscope, 0=5149
Pehland,H. See Schwink,C., 0=5170
Peierls,R.E. Complex eigenvalues in scattering theory, 0=9293
Peierls,R.E. The atomic nucleus, 0=13099
Peierls,R.F. Higher resonances in pion—nucleon interactions, 0=9401
Peierls,R.F. Isotopic spin dependence of the pion-nucleon higher resonance, 0=17381
Peirson,D.H. Interpretation of γ-ray scintillation spectra from fission-product mixtures, 0=15610
Peirson,D,H,,Crooks,R.N. and Fisher,E.M.R. Radioactivity of the atmosphere due to distant nuclear test explosions, 0=11331
Peisakhson,I.V. Optical systems for focusing infrared radiation on to a receiver of small dimensions, 0=3607
Peisakhson,I.V. Determination of the parameters which give the true profiles of absorption bands, 0=12486
Peisakhson,I.V. See Chulanovskii,V.M., 0=12481
Peisakhson,I.V. See Chulanovskii,V.M., 0=12482
Peiser,H.S. See Bolz,L.H., 0=1914
Peisl,H. and Waidelich,W. Low-temperature camera for structure investigations with a counter goniometer, 0=4611
Pekar,S.I. The energy of excitons for very small quasi-moments, 0=1573
Pekar,S.I. Contribution to the theory of absorption and dispersion of light in crystals, 0=1730
Pekar,S.I. and Strizhevskii,V.L. A theory of temperature dependences of the optical dispersion and of the exciton absorption of light in crystals, 0=16042
Pekar,S.I. and Tsekvava,B.E. Dispersion of light in the exciton absorption region of cubic crystals taking account of the anisotropy in effective mass of the exciton, 0=13681
Pekar,S.I. See Brodin,M.S., 0=6176
Pekar,S.I. See Brodin,M.S., 0=13678
Pekar,S.I. See Dykman,I.M., 0=9988
Pekara [Piekara],A. Dielectric constant of dielectric liquids in strong fields, 0=19141
Pekarak,L. and Novak,M. Microphysical processes causing fast striation waves in neon glow discharges, 0=5292
Pekárek,L. The influence of external illumination on moving striations in a discharge in neon, 0=2334
Pekárek,L. Experimental verification of the theory of the successive production of striations in a glow discharge, 0=2336
Pekárek,L. The successive production of striations in a glow discharge in hydrogen, 0=3753
Pekárek,L. Low frequency waveform phenomena in the plasma of a glow discharge, 0=7089
Pekárek,L. and Novák,M. A new type of moving striations in neon [glow discharges], 0=10890
Peker,L.K. See Dueprovskii,I.S., 0=20383
Pekeris,C.L. $1\,^1S$ and $2\,^3S$ states of helium, 0=1469
Pekeris,C.L. See Alterman,Z., 0=8518
Pekerman,F.M. See Kazankin,O.N., 0=10083
Pelekhov,V.I. See Groshev,L.V., 0=4115
Pelekhov,V.I. See Groshev,L.V., 0=7628
Pelekhov,V.I. See Groshev,L.V., 0=9592
Pelekhov,V.I. See Groshev,L.V., 0=9674
Pelekhov,V.I. See Groshev,L.V., 0=13285
Pelenc,Y. Behaviour of air-break circuit-breakers when breaking short-circuit currents between two or three phases and earth, 0=5424
Peletier,L.A. See Broer,L.J.F., 0=19897
Peletminskii,S.V. Coupled magneto-elastic oscillations in antiferromagnetics, 0=10163
Peletminskii,S.V. See Akhiezer,A.I., 0=4497
Peletminskii,S.V. See Volkov,D.V., 0=10601
Peligry,C. Numerical calculation of the potential distribution due to a grid placed between two parallel plates, 0=14949
Pell,E.M. Ion drift in an n—p junction, 0=6103
Pell,E.M. Diffusion of Li in Si at high T and the isotope effect, 0=13560
Pell,E.M. Diffusion rate of Li in Si at low temperatures, 0=13561
Pell,E.M. Effect of Li—B ion pairing on Li^+ ion drift in Si, 0=15940
Pell,W.H. and Payne,L.E. The stokes flow about a spindle, 0=19054
Pellam,J.R. Evidence of the nature of rotating liquid helium, 0=19533
Pellegrini,C. and Stoppini,G. Remarks on neutral pion photoproduction in the high energy region, 0=17397
Pellegrini,C. and Tau,L. On the connection between scattering and photoproduction of pions at high energies, 0=17396
Pellegrini,F. See Facchini,U., 0=19966
Pellegrini,U. and Rispoli,B. Two pulse frequency dividers with high resolving power, 0=17200
Pellegrini,U. See Beneventano,M., 0=17285
Pelletier,C. See Awunor-Renner,E.R.T., 0=15497
Peña,M.D. and McGlashan,M.L. An apparatus for the measurement of the isothermal compressibility of liquids. The compressibility of mercury, of carbon tetrachloride, and of water, 0=12400
Pendlebury,E.D. See Lane,A.M., 0=5660
Penége,L. See Spighel,M., 0=3907

Penet,F. See Duvaux,Y., 0=2412
Penfold,A.S. and Garwin,E.L. Gamma rays from the nuclear photoeffect in carbon, oxygen, and copper, 0=1433
Penfold,A.S. and Garwin,E.L. Betatron energy calibration by magnetic field measurement, 0=3822
Penfold,A.S. See Garwin,E.L., 0=15320
Penfold,B.R. and Grigor,J.A. The crystal structure of iron (II) chloride tetrahydrate, 0=4643
Penfold,J. See Childs,B.G., 0=21029
Pengelly,A.E. Apparatus for the measurement of gas velocity in furnaces and models, 0=14680
Penman,S. See Garwin,R.L., 0=9392
Penman,S. See Lathrop,J., 0=20173
Penmore,G.W. See Nutt,C.W., 0=2758
Penmore,G.W. See Nutt,C.W., 0=2759
Penner,S. See Schrack,R.A., 0=15412
Penner,S.S. Radiant energy emission from excited harmonic oscillators, 0=6680
Penner,S.S. Oscillator strengths of the ultraviolet γ bands of NO, 0=9819
Penney,G.W. See Murphy,A.T., 0=241
Penning,P. Rate of diffusion-limited annihilation of excess vacancies, 0=2864
Penning,P. and de Wind,G. Plastic creep of germanium single crystals in bending, 0=13913
Penning,P. See Bloem,J., 0=11692
Pennington,K.S. and Petch,H.E. Nuclear magnetic resonance spectrum of B^{11} in inderite, 0=13889
Penny,F.D. and McHugo,J.W. Analogue computer for the solution of product integrals, 0=4840
Penoyer,R.F. and Shafer,M.W. On the magnetic anisotropy in manganese-iron spinels, 0=2998
Penrose,O. A variation principle for computations on the ground state of liquid ^{4}He, 0=8891
Penrose,O. Electrostatic instabilities of a uniform non-Maxwellian plasma, 0=9025
Penrose,O. A variational method for the ground state of a Bose fluid, 0=18985
Penrose,R. A spinor approach to general relativity, 0=14500
Penselin,S. Measurement of the Zeeman g_J factors for the two yttrium ground states $^2D_{3/2}$ and $^2D_{5/2}$ with the atomic beam resonance method, 0=1484
Penselin,S. See Fricke,G., 0=401
Penselin,S. See Fricke,G., 0=1485
Penselin,S. See Fricke,G., 0=9517
Penselin,S. See v.Ehrenstein,D., 0=13121
Penton,W.A. See Allan,A.H., 0=304
Penyaz'kova,V. See Briskman,V., 0=6531
Peperle,W. See Jaeckel,R., 0=11994
Pepinsky,R. and Vedam,K. Ferroelectric transition in rubidium bisulphate, 0=7980
Pepinsky,R. See Vedam,K., 0=14032
Pepperhoff,W. Optical pyrometry in polarized light, 0=12537
Perakis,N. and Parravano,G. Ferromagnetism reproducible at will in the region of stoichiometric impurity of nickel oxide, 0=4476
Percival,I.C. Effect of mutual distortion on phase shifts of colliding systems, 0=13399
Percival,I.C. and Seaton,M.J. The polarization of atomic line radiation excited by electron impact, 0=17699
Percival,I.C. See Burke,P.G., 0=3981
Percival.I.C. See Castillejo,L., 0=7715
Perdok,W.G. and Boom,G. Improved eye-piece graticule for measuring X-ray powder diffraction patterns, 0=8186
Peregud,B.P. See Kel'man,V.M., 0=9087
Peregud,B.P. See Kel'man,V.M., 0=10959
Perel,J. See Rubin,K., 0=4166
Perel',V.I. See Konstantinov,O.V., 0=7228
Perel',V.I. See Konstantinov,O.V., 0=9150
Perel',V.I. See Konstantinov,O.V., 0=20086
Perel',V.I. See Vandakurov,Yu.V., 0=8990
Perel',V.I. See Zakharova,V.M., 0=5283
Perel',V.I. See Zakharova,V.M., 0=19690
Perel'man,M.E. See Chavchanidze,V.V., 0=2525
Perelygin,V.P.,Donets,E.D. and Flerov,G.N. Experiments on the production of a new fermium isotope, 0=7592
Peres,A. On gravitational radiation, 0=34
Peres,A. Some gravitational waves, 0=3438
Peres,A. On electromagnetic radiation reaction, 0=5530
Peres,A. Null electromagnetic fields in general relativity theory, 0=10580
Peres,A. Gravitational radiation, 0=12352
Peres,A. Three-dimensional formulation of general relativity theory, 0=12357
Peres,A. On electromagnetic radiation reaction, 0=12673
Peres,A. Invariants of general relativity. I. Canonical formalism, 0=18927
Peres,A. Invariants of general relativity. II. Classification of spaces, 0=18928
Peres,A. Absence of bound states in a gravitational field, 0=20057
Peres,A. and Rosen,N. Nonlinear effects of gravitational radiation, 0=35
Peres,A. and Rosen,N. Quantum limitations on the measurement of gravitational fields, 0=8539
Peres,A. and Rosen,N. Gravitational radiation damping of non-gravitational motion, 0=12350
Peres,A. and Singer,P. On possible experimental tests for the paradox of Einstein, Podolsky and Rosen, 0=14517
Peresada,V.I. Thermodynamic averaging of the displacement function of atoms in an imperfect crystal lattice, 0=11571
Peressutti,G. See Furlan,G., 0=2527
Peressutti.G. See Furlan.G.. 0=15330
Peressutti,G. See Furlan,G., 0=17372
Perestoronin,I.G. See Soltamov,U.B., 0=7958
Peretti,J. Remark on dilute Bose systems, 0=3461
Peretti,J. Some remarks about frequency spectra of crystal lattices, 0=11567
Peretti,J. See Colin,L., 0=2135
Peretti,J. See Dreyfus,B., 0=11585
Peretti,J. See Garcia-Colin,L.S., 0=16628
Pereturina,I.A. See Grin',A.V., 0=1931
Pereturina,I.A. See Grin',A.V., 0=1932
Pereturina,I.A. See Pavlov,V.A., 0=18259
Perez-Mendez,V. See Atkinson,J.H., 0=2461
Perez-Mendez,V. See Devlin,T.J., 0=11206
Perez-Mendez,V. See Goodwin,L.K., 0=2581
Perez-Mendez,V. See Longo,M.J., 0=3984
Perez-Mendez,V. See Melkonian,E., 0=13294
Perez-Mendez,V. See Perkins,W.A., 0=9426
Perez-Mendez,V. See Perkins,W.A.,III, 0=11213
Perez-Mendez,V. See Swift,D.F., 0=2472
Perfilov,N.A.,Darovskikh, V.F.Denisenko,G.F. and Obukhov,A.I. Fission of uranium nuclei induced by 9 BeV protons, 0=13297
Perfilov,N.A.,Ivanova,N.S.,Lozhkin,O.V.,Makarov,M.M., Ostroumov,V.I.,Solov'eva,Z.I. and Shamov,V.P. Fragmentation of Ag and Br nuclei by 9 BeV proton energy, 0=9622
Perfilov,N.A.,Novikova,N.R. and Prokof'eva,E.I. Extra fine-grained nuclear research emulsions, 0=9244
Perfilov,N.A.,Prokofyeva,E.I.,Novikova,N.R.,Lojkin,O.V., Darovkikh,V.F. and Denissenko,G.F. The preparation and properties of ultra-fine grain emulsions for nuclear research, 0=12736
Perfilov,N.A. and Solov'eva,Z.I. Angular distribution of long-range alpha-particles; connected with the fission process, 0=15608
Perfilov,N.A. See Arifkhanov,U.R., 0=13234
Perfilov,N.A. See Darovskikh,V.F., 0=9623
Perfilov,N.A. See Lozhkin,O.V., 0=20434
Perfilov,N.A. See Ostroumov,V.I., 0=20433
Perio,P. and Tournarie,M. Diffraction by periodic antiphases of one and two directions of the AuCu$_3$ type, 0=3227
Perio,P. and Tournarie,M. Periodic antiphases of one direction in the system AuCu, 0=3229
Perio,P. See Okuzumi,H., 0=3228
Perkas,M.D. See Il'inskii,A.I., 0=18262
Perkas,M.D. See Kardonskii,V.M., 0=16253
Perkin,J.L. See Barry,J.F., 0=1446
Perkin,J.L. See Barry,J.F., 0=5800
Perkins,B.L. See Heckman,H.H., 0=4105
Perkins,D.H. See Fowler,P.H., 0=20101
Perkins,J.F. and King,R.W. Energy release from the decay of fission products, 0=13301
Perkins,J.F. See King,R.W., 0=7336
Perkins,M.H. See Giedd,G.R., 0=12533
Perkins,R.A. See Hickman,R.S., 0=2477
Perkins,W.A.,Caris,J.C.,Kenney,R.W.,Knapp,E.A. and Perez-Mendez,V. Pion production by pions, 0=9426
Perkins,W.A. III,Caris,J.C.Kenney,R.W. and Perez-Mendez,V. Pion production by pions, 0=11213
Perkins,W.H. See Shapira,J., 0=5687

Perl,M.L. and Jones,L.W. Recording particle tracks with the luminescent chamber, 0=15197

Perlin,Yu.E. Calculation of the polaron effect in the theory of multiphonon thermal ionization, 0=11605

Perlin,Yu.E. The energy spectrum of an F-centre in the continuum theory, 0=15858

Perlin,Yu.E. Impurity fluorescence in crystals, 0=20993

Perlin,Yu.E. Allowance for radiationless transitions in the theory of impurity fluorescence, 0=20994

Perlman,H.S. and Robson,B.A. Dirac continiuum rodial wave functions, 0=5542

Perlman,I. See Asaro,F., 0=5708

Perlman,I. See Asaro,F., 0=20372

Perlman,I. See Stephens,F.S., 0=13184

Perlman,I. See Stephens,F.S.,Jr, 0=448

Perlman,M.L. See Lark,N.L., 0=17539

Perlman,M.M. Decay of wax electrets, 0=5261

Perlmutter,A. See Blau,M., 0=2571

Perlmutter,A. See Blau,M., 0=7256

Perlow,G.J.,Hanna,S.S.,Hamermesh,M.,Littlejohn,C.,Vincent,D.H., Preston,R.S. and Heberle,J. Polarization of nuclear resonance radiation in ferromagnetic Fe^{57}, 0=7466

Perlow,G.J. See Hanna,S.S., 0=5663

Perlow,G.J. See Hanna,S.S., 0=7463

Perlow,G.J. See Hanna,S.S., 0=11827

Perlow,G.J. See Holland,R.E., 0=7464

Perman,I. See Nauta,E., 0=12122

Pernegr,J. Consequences of the two-centres model of particle emission in cosmic ray jets, 0=9453

Perona,G. See Brutto,E., 0=6965

Perls,T.A.,Miles,D.O. and Wilner,L.B. Sinusoidal pressure generator with wide amplitude and frequency ranges, 0=3586

Perls,T.A. and Wilner,L.B. Effects of pressure on dielectric relaxation in a chlorinated diphenyl, 0=16702

Perls,T.A. See Rule,E., 0=115

Perls,T.A. See Rule,E., 0=8757

Perls,T.A. See Rule,E., 0=14750

Perl'shtein,V.A. See Belyaev,L.M., 0=13939

Perneger,J. See Fenyves,E., 0=13096

Pernegr,J.,Šimák,V. and Votruba,M. On the momentum spectrum of particles in cosmic ray jets, 0=15480

Pernoux,E. An interpretation of "feather-like patterns" observed on an electron micrograph of MoO$_3$ crystals, 0=3286

Perny,G. Method for the rapid preparation of thin films of metal halides, 0=14081

Perny,G.,Brendle,M. and Lorang,R. Variation of the absolute absorption coefficient of thin films of semiconductors as a function of thickness, 0=9951

Perona,G. Non-destructive testing of solid fuel elements, 0=2697

Perova,L.Ya. Threshold sensitivity and noise spectrum of germanium junction photodiodes, 0=9995

Perović,B.D. See Ševarac,I.F., 0=19797

Perrier,F. See Dupouy,G., 0=11138

Perrin,A. and Chery,R. Construction of a stable gaseous scintillator using argon, without a wavelength shifter, 0=19967

Perrin,A. See Chery,R., 0=17031

Perrin,M. Interferometric measurements upon the green line of the night airglow, 0=10445

Perrin,N. Contributions to the study of nuclear spectroscopy by the coincidence method, 0=11334

Perrin,N. See Foucher,R., 0=5675

Perroud,P. and de La Harpe,A. Heat transfer by liquids carried along in a turbulent gas flow (theoretical study), 0=6978

Perry,C.H. See Dean,T.J., 0=8837

Perry,C.H. See Dean,T.J., 0=19495

Perry,J.E.,Jr. See Bame,S.J.,Jr, 0=20163

Perry,R.R. See Kashy,E., 0=7474

Perryman,E.C.W. Discussion of "shear along grain boundaries of an aluminium—10% zinc alloy deformed at room temperature", 0=18269

Pershan,P.S. Cross relaxation in LiF, 0=4521

Person,W.B. and Olsen,D.A. Infrared studied of crystal benzene. III. Assignment of 705 cm^{-1} band and crystal splitting of ν_{11}, 0=8003

Person,W.B. and Swenson,C.A. Infrared studies of crystal benzene. IV. Absolute intensities, 0=13691

Person,W.B. See Swenson,C.A., 0=2939

Person,W.B. See Swenson,C.A., 0=13690

Persson,R.,Wikdahl,C.E.,Landergård,O. and Cavallin,K. The Swedish zero-power reactor R0, 0=4140

Perthel,R. The ferrimagnetism of non-stoichiometric iron sulphides, 0=6245

Pertsov,N.V. See Goryunov,Yu.V., 0=1871

Pertsov,N.V. See Goryunov,Yu.V., 0=6313

Perzhnyanko,É.A. The wave impedance of a body in circular motion, 0=6765

Perzyna,P. See Olszak,W., 0=4560

Pescetti,D. See Biorci,G., 0=13780

Peschanskii,V.G. See Kaganov,M.I., 0=2848

Peschanskii,V.G. See Litshits,I.M., 0=6076

Peschel,M. The properties of a longitudinal wave at an interface, 0=14716

Peshkov,V.P. On processes of the transport of masses in the separation of helium isotopes, 0=471

Peshkov,V.P. Observations of boundaries between phases of liquid helium, 0=8921

Peshkov,V.P. Second sound in helium II, 0=12553

Peshkov,V.P.Zinov'eva,K.N. and Filimonov,A.I. He^3 cryostats, 0=10856

Peshkov,V.P. See Zinov'eva,K.N., 0=8862

Pesin,M.S. and Fabelinskii,I.L. Dispersion of sound velocity and the propagation of hypersound in liquids, 0=127

Pesin,M.S. and Fabelinskii,I.L. Fine structure of the Rayleigh line and the dispersion of hypersound in viscous liquids, 0=5011

Pesin,M.S. See Ablekov,V.K., 0=19360

Peski-Tinbergen,T.Van. See Van Peski Tinbergen,T.

Peskov,D.I. See Dmitriev,A.B., 0=3891

Pestaner,J.F. See Gevantman,L.H., 0=3324

Pesteil,L. The fluorescence spectra of naphthalene and of octodeuteronaphthalene solutions in pentane at 20°K, 0=6812

Pesteil,P. and Ciais,A. The fluorescence spectrum of naphthalene solution in octodeuteronaphthalene at 20°K, 0=6811

Pesteil,P. See Ciais,A., 0=8000

Petch,H.E. See Holuj,F., 0=8089

Petch,H.E. See Pennington,K.S., 0=13889

Petch,N.J. The ductile—brittle transition in the fracture of α-iron. I, 0=690

Petch,N.J. See Codd,I., 0=20811

Petch,N.J. See Heslop,J., 0=691

Petelin,M. See Osherovich,A.L., 0=7702

Peter,M. Paramagnetic resonance and crystal field in two nickel chelate crystals, 0=3135

Peter,M. and Matthias,B.T. Paramagnetic resonance in metallic europium and intermetallic compounds, 0=13874

Peter,M. and Mock,J.B. Paramagnetic resonance of Ni^{++}, V^{++}, and Cr^{+++} in ZnF$_2$, 0=10233

Peter,M.,Venkates,H.G.R. and Strandberg,M.W.P. Molecular trajectories in electric fields and state selection in a beam of sodium chloride, 0=7827

Peter,M. See Clogston,A.M., 0=6272

Peter,M. See Jaccarino,V., 0=18229

Peterkop,R. Ionisation of the hydrogen atom by slow electrons, 0=1101

Peterkop,R. Excitation of the S-levels of the hydrogen atom, 0=5853

Peterkop,R.K. On the inclusion of exchange in the theory of collisions, 0=13402

Peterlin,A. Short and long-range interactions in the linear macromolecule, 0=13457

Peterlin,A. Chain folding and free energy density in polymer crystals, 0=18293

Peterlin,A. Deviations from equipartition of energy with nonquadratic Hamiltonian, 0=18962

Peterlin,A. and Fischer,E.W. Thermodynamic stability of macromolecular crystals. I. Effect of the longitudinal oscillations of chain molecules, 0=14054

Peterlin,A.,Ribarič,M. and Herman,F. Albedo of non-homogeneous one-group neutron currents, 0=12965

Peterlin,A.,Ribarič,M. and Strnad,J. Albedo and transparency of reflectors in one-dimensional two-group diffusion theory, 0=12964

Peterlin,A. See Ribaric,M., 0=12963

Pétermann,A. and Ruegg,H. Meson group and parity conservation, 0=12870

Peters,A. See Neumann,W., 0=1125

Peters,A.J. See Logan,R.A., 0=1601

Peters,A.J. See Logan,R.A., 0=1652

Peters,B. Cosmic-ray produced radioactive isotopes as tracers for studying large-scale atmospheric circulation, 0=6441

Peters,B. Origin of cosmic radiation, 0=7428
Peters,B. See Lal,D., 0=2041
Peters,J.L. Mass spectrometer leak detector with improved sensitivity, 0=2191
Peters,J.L. Mass spectrometer tests tightness of seals, 0=14702
Petersen,D.H. See Pierce,L., 0=17744
Petersen,E.E. See Acrivos,A., 0=10633
Petersen,E.E. See Knott,R.F., 0=5201
Petersen,F.R.,Ehlers,V.J.,Ewbank,W.B.,Marino,L.L. and Shugart,H.A. Nuclear spin, hyperfine-structure separation, and magnetic moment of 22-hour potassium-43, 0=1353
Petersen,H.L. See Kretschmer,C.B., 0=18430
Petersen,R. See Arp,V., 0=517
Peterson,A.M. Optical, electromagnetic, and satellite observations of high-altitude nuclear detonations. II, 0=10432
Peterson,A.M. See Presnell,R.I., 0=10440
Peterson,D.L. See Taimuty,S.I., 0=5454
Peterson,F.L. See Kerst,D.W., 0=19837
Peterson,G.E. and Lehiste,I. Duration of syllable nuclei in English, 0=12218
Peterson,H.A. See Van Beyer,J.B., 0=6721
Peterson,J.,Steinrauf,L.K. and Jensen,L.H. Direct determination of the structure of L-cystine dihydrobromide, 0=8234
Peterson,J.L. See Jerger,J.F., 0=4826
Peterson,J.M.,Bratenahl,A. and Stoering,J.P. Neutron total cross sections in the 17 to 29 MeV region, 0=17623
Peterson,J.W. See Jones,L.M., 0=12160
Peterson,L. See Anderson,K.A., 0=9483
Peterson,L. See Winkler,J.R., 0=8402
Peterson,L.E. and Winckler,J.R. Gamma-ray burst from a solar flare, 0=8399
Peterson,M.A. and Gregor,H.P. Diffusion-exchange of exchange ions and nonexchange electrolyte in ion-exchange membrane systems, 0=4714
Peterson,R.E. See Allred,J.C., 0=13365
Peterson,V.K. Calculation of the scattering phase shifts, 0=20060
Petersson,B. See Minnhagen,L., 0=12479
Petiau,G. Some simple corpuscle-field models in the nonlinear theory of particles with spin, 0=11092
Petiau,G. Nonlinear generalizations of the wave-equations of wave mechanics, 0=12365
Petiau,G. Certain types of non-linear wave equations which generalize the equations of the theory of particles with spin, 0=15261
Petit,G. See Seyyedi,A., 0=19507
Petit,J. and Lumbroso,R. On the uranium-thorium separation with an ion exchange resin which is specific for the thorium ion, 0=21302
Petit,P. See Weil,L., 0=75
Petoshina,L.N. See Kazankin,O.N., 0=10083
Petralia,S. See Cevolani,M., 0=15596
Petraşcu,M.G. See Beşliu,C., 0=19989
Petrash,G.G. Selection of the scanning rate, optimum time constant and slit widths in spectrometric measurements, 0=3625
Petrash,G.G. The effect of scanning and selection of the optimum measurement conditions, 0=10770
Petrash,G.G. See Zubov,V.A., 0=3620
Petrashku,M.G. See Belovitskii,G.E., 0=9709
Petrashku,M.G. See Mikhul,A.K., 0=11464
Petrella,R.V. See Bockhoff,F.J., 0=5016
Petrenko,I.I. See Vetrov,B.M., 0=10686
Petrescu,V.,Babei,N.,Antoniu,M. and Vasilache,V. Permittivity and dielectric losses in some polar substances under the influence of a continuous electric field, 0=20950
Petrescu,V. See Iliescu,G., 0=10132
Petrescu,V. See Savin,G., 0=21043
Petrie,C.D.,Storm,M.L. and Zweifel,P.F. Calculation of thermal group constants for mixtures containing hydrogen, 0=12978
Petrie,D.P.R. See Chick,D.R., 0=19831
Petrie,L.E. See Fulton,B.J., 0=17118
Petritz,R.L. Fundamentals of infrared detectors, 0=8838
Petritz,R.L. See Pruett,G.R., 0=14883
Petrov,A.P. See Veingerov,M.L., 0=1055
Petrov,A.V. See Devyatkova,E.D., 0=10795
Petrov,A.V. See Gulmyayev,P.V., 0=1557
Petrov,D.A. Some problems of growth, structure and properties of semiconductor monocrystals, 0=13465
Petrov,D.A. See Potemkin,A.Ya., 0=2872
Petrov,G.V. Resonance absorption in a close-packed lattice, 0=7666
Petrov,Iu.I. Discriminator losses in proton-recoil fast-neutron dosimeters, 0=7249
Petrov,N.I.,Ivanov,V.G. and Rusakov,V.A. Inelastic scattering and absorption of 195 ± 15 MeV π^+-mesons by carbon and lithium nuclei, 0=11451
Petrov,N.I. See Ivanov,V.G., 0=11450
Petrov,N.I. See Okonov,É.O., 0=20223
Petrov,N.N. Secondary emission from metallic surfaces bombarded with positive ions, 0=12632
Petrov,N.N. Secondary emission from an incandescent metal due to the action of caesium and potassium ions, 0=15059
Petrov,N.N. The ejection of electrons from metals by ions, 0=15061
Petrov,N.N. Investigation of collision of ions with metal surfaces, 0=19806
Petrov,N.N. See Batanov,G.M., 0=10939
Petrov,V.M. Some properties of ferroelectrics at 3000 Mc/s, 0=16012
Petrov,Yu.I. Gamma radiation from U^{235} and Pu^{239} fission fragments, 0=4081
Petrov,Yu.I. See Gen,M.Ya., 0=14144
Petrov,Yu.V. Possibility of investigating the levels of the compound nucleus produced by interactions between slow neutrons and isomers, 0=15522
Petrova,G.N. On magnetic stability of rocks (The influence of the coercive force on the stability of rocks), 0=4774
Petrova,G.P. See Prokof'ev,V.K., 0=15658
Petrucci,G. See Montanet,L., 0=15498
Petrun'kin,V.A. See Lebedev,A.E., 0=15418
Petrus,H.M. See Fryburg,G.C., 0=6400
Petrusevich,V.A. The effect of surface treatment on the photoconductivity spectrum of n-type silicon, 0=6141
Petrusevich,V.A. The effect of surface treatment on the spectral response of the photoconductivity of n- and p-germanium, 0=15990
Petrusevich,V.A. See Subashiev,V.K., 0=13634
Petrusevich,V.A. See Subashiev,V.K., 0=18062
Petrzhak,K.A. See Dmitriev,V.M., 0=20515
Petržílka,V. Preliminary remarks on the consequence of the two-centers model of multiple meson production, 0=2557
Petržílka,V. See Fenyves,E., 0=13096
Petschek,H.E. See Kemp,N.H., 0=1195
Petter,P.J. See Blythe,A.R., 0=6839
Pettersson,A.V. The TiO-band 11032 A, 0=5936
Pettersson,B.G. See Gerholm,T.R., 0=17517
Pettersson,B.G. See Thun,J.E., 0=17549
Pettersson,R. See Fröman,P.O., 0=10237
Pettig,M. See Kohler,H.J., 0=3865
Pettit,G.D. See Keller,S.P., 0=2950
Pettit,H.B. See Manring,E.R., 0=18513
Pettit,R.M. See Burke,E.A., 0=20105
Pettus,W.G. See Dayton,I.E., 0=13274
Petty,C.M. and Breakwell,J.V. Satellite orbits about a planet with rotational symmetry, 0=18879
Petukhov,I.V. The numerical integration of equations for a laminar boundary layer, 0=14673
Petukhov,V.A. Measurement of the effect of electrostriction in sundry liquids, 0=934
Petukhov,V.A. On a possible mechanism of solar non-stable processes leading to neutron eruptions, 0=18767
Petukhov,V.A. See Veksler,V.I., 0=5369
Petukhova,N.I. See Bunyatov,S.A., 0=2597
Petukhova,N.I. See Dzhanelidze,L.P., 0=15445
Petukhova,N.I. See Kopylova,D.K., 0=9690
Petukhova,N.I. See Kopylova,D.K., 0=13003
Petz,J.I. See Sharrah,P.C., 0=3521
Petzel,B. Measurements of the secondary electron emission of KCl and KBr, 0=12628
Petzgold,J. The initial value problem of decaying states, 0=2140
Petzold,J. See Grawert,G., 0=11109
Pevsner,A. See Block,M.M., 0=1372
Pevsner,A. See Block,M.M., 0=17416
Pevsner,A. See Lodge,J., 0=20241
Pevzner,M.I.,Danelyan,L.S. and Adamchuk,Yu.V. The total neutron cross-section of Ra^{226}, 0=4123
Pevzner,M.I. See Erozolimsky,B.G., 0=4135

Pevzner,M.I. See Kalashnikov,V.I., 0=2693

Peyret,R. On a correspondence between certain magnetohydrodynamic flows and those of the dynamics of gases [in the absence of a magnetic field], 0=9157

Peyron,M.,Horl,E.M.,Brown,H.W. and Broida,H.P. Spectroscopic study of the products of electric discharge in nitrogen condensed to the solid state at very low temperature; tests in favour of the existence of triatomic nitrogen in the solid, 0=4419

Peyron,M. See Broida,H.P., 0=6195

Peyron,M. See Broida,H.P., 0=7770

Peyron,M. See Broida,H.P., 0=13711

Peyrou,C. See Budde,R., 0=2465

Pfahnl,A. Electronic switching of the exposure times in X-ray apparatus, 0=16500

Pfann,W.G. and Garrett,C.G.B. Semiconductor varactors using surface space-charge layers, 0=7952

Pfannenschmid,O. Distribution of atoms in liquid Hg, Ag and Au, 0=19123

Pfau,S. and Rutscher,A. The build-up of successive standing striations in glow discharges, 0=5291

Pfaue,J. and Raether,H. Oscillographic investigations of canal [discharge] build-up in vapours. I, 0=239

Pfefferkorn,G. See Dachselt,W.D., 0=16277

Pfeiffer,I. Surface energies of metal crystals, 0=4258

Pfeil,P.C.L. and Griffiths,L.B. The effect of inclusions on the arcing behaviour of metals, 0=9012

Pfeil,P.C.L. See Griffiths,L.B., 0=9007

Pfende,E. The making visible of nodes and the measurement of the amplitudes on vibrating metal plates using an interference microscope, 0=5069

Pfenninger,H.H. and Laves,F. Cationic movement and colour centre formation during the electrolysis of quartz plates perpendicular to the c-axis, 0=13551

Pfirsch,D. and Biermann,L. Cooperative phenomena and diffusion of a plasma in a transverse magnetic field. II, 0=5310

Pfirsch,D. See Biermann,L., 0=5309

Pfister,H. Measurements of the intensity of X-ray diffraction patterns with the aid of a GaAs barrier layer cell, 0=3198

Pfister,H. See Fleischmann,H., 0=4646

Pfister,H. See Folberth,O.G., 0=8224

Pfister,W. and Ulwick,J.C. Analysis of pulse-delay data from rockets for the determination of electron density, 0=14208

Pfohl,R.,Gegauff,C. and Lonchamp,J. A preliminary study of nuclear interactions induced by 200 MeV Ne^{20} ions in nuclear track emulsions, 0=20470

Pfotzer,G. See Sen Chaudhury,P.K., 0=1343

Phadke,K.R. See Chandrashekhar Aiya,S.V., 0=21398

Pham Mau Quan. On analytic particle dynamics in special relativity, 0=18921

Pham Tan Hoang. On the equations of motion in general relativity, 0=6659

Phaneuf,J.P. See Brash,M.P., 0=14834

Phansalkar,G.R. Specific heat of colloids. I, 0=18443

Phansalkar,G.R. Specific heat of colloids. II. Influence of colloid concentration, 0=18444

Phansalkar,G.R. Specific heat of colloids. III. Influence of temperature, 0=18445

Phan-Van-Loc. Source density and Huygen's principle in Dirac's electron theory, 0=1248

Phan-Van-Loc. Physical interpretation of the mathematical expression of Huygens' principle in the electron theory of Dirac, 0=9268

Phares,L. See Brown,J.L., 0=18553

Phariseau,P. On the diffraction of light by progressive supersonic waves, 0=2253

Phariseau,P. Diffraction of light by a three-dimensional system of ultrasonics, 0=8808

Phariseau,P. The diffraction of light by ultrasonic waves, 0=5180

Phariseau,P. The diffraction of light by two non-orthogonal ultrasonic waves, 0=16897

Phariseau,P. The diffraction of light by an amplitude modulated ultrasonic beam, 0=16898

Phariseau,P. Diffraction of light by a three-dimensional system of ultrasonics, 0=16899

Phelps,A.V. Role of molecular ions, metastable molecules, and resonance radiation in the breakdown of rare gases, 0=5300

Phelps,A.V. Propagation constants for electromagnetic waves in weakly ionized, dry air, 0=17117

Phelps,A.V. and McCoubrey,A.O. Experimental verification of the "incoherent scattering" theory for the transport of resonance radiation, 0=13394

Phelps,A.V. and Pack,J.L. Electron collision frequencies in nitrogen and in the lower ionosphere, 0=3350

Phelps,A.V.,Pack,J.L. and Frost,L.S. Drift velocity of electrons in helium, 0=5862

Philbert,G. Interaction between 1 GeV protons and heavy and light nuclei. I. Using dilute photographic emulsions. Interaction cross-sections. Reaction modes, 0=2659

Philbert,G. and Meschonnie,M. The properties and use of diluted nuclear emulsions, 0=190

Philbert,G.,van Rossum,L. and Meschonnic,M. Photometric measurements of particle tracks in diluted emulsions, 0=12779

Philbert,M. Applications of the interference strioscope to metrology, 0=19436

Philip,A.G.D. Effect of viscosity on the splash caused by a drop of water falling into a mixture of glycerol and water, 0=8644

Philip,J.R. A very general class of exact solutions in concentration-dependent diffusion, 0=6695

Philip,J.R. General method of exact solution of the concentration-dependent diffusion equation, 0=12367

Philip,J.R. The function inverfcθ, 0=12368

Philip,J.R. Atmospheric diffusion and natural radon, 0=14319

Philip,J.R. Aanalysis of turbulent boundary layers with zero pressure gradient, 0=19068

Philip,R. Effect of the speed of formation of a thin layer of gold on the charges of phase that a light wave undergoes when reflected by the metal into air or a quartz substrate, 0=1036

Philip,R. Changes in the optical properties of a thin layer of gold when it is examined first under vacuum and then under atmospheric pressure, 0=1722

Philip,R. Variation of the properties of thin gold films as a function of their speed of formation, 0=18114

Philip,R. Optical constants and phase variations of thin gold films, 0=18115

Philip,R. Variation of the optical constants and structure of a thin gold layer with the rate of formation, 0=18409

Philipp,H.,Taft,E.A. and Apker,L. Photoemission and valence band structure of alkali iodides, 0=17029

Philipp,H.R. and Taft,E.A. Optical constants of silicon in the region 1 to 10 eV, 0=18116

Philippot,J. Irreversibility in the theory of measurement, 0=4950

Philippot,J. Irreversibility in the space of angular variables, 0=4951

Philippot,J. Irreversibility in interacting spin systems, 0=16639

Phillip,H.R. See Taft,E.A., 0=1544

Phillips,C.A.,Jr. See Jenkins,A.W.,Jr, 0=16407

Phillips,D.L. See Fricke,H., 0=6421

Phillips,G.C. and Miller,P.D. Measurement of spin polarization by nuclear scattering, 0=1408

Phillips,G.C.,Paul,E.B.,Ferguson,A.T.G.,Whitehead,A.B., Grjebine,T.,Moreau,R. and Olkowsky,B. Natural modulation of high frequency ion source beams, 0=19773

Phillips,G.C. See Jones,C.M., 0=4005

Phillips,G.C. See Szteinsznaider,D., 0=9677

Phillips,G.C. See Tombrello,T.A., 0=13228

Phillips,G.C. See Young,T.E., 0=2624

Phillips,J.A. New type of search coil for metal-pipe location, 0=4833

Phillips,J.A. The (n, 2n) cross-section of ^{232}Th for fission neutrons, 0=7618

Phillips,J.C. Cyclotron resonance in metals, 0=538

Phillips,J.C. Optical absorption in germanium, 0=8005

Phillips,J.C. On the calculation of crystal field parameters, 0=11599

Phillips,J.C. and Kleinman,L. New method for calculating wave functions in crystals and molecules, 0=1538

Phillips,J.C. See Kleinman,L., 0=1629

Phillips,J.C. See Kleinman,L., 0=4354

Phillips,J.C. See Kleinman,L., 0=9970

Phillips,K. The scattering of fast charged particles. IV. On the measurement of the detour factor for 10 MeV electrons and positrons, 0=9336

Phillips,K. and Allen,K.R. The scattering of fast charged particles. V. Multiple scattering of fast electrons and positrons in xenon, 0=5764
Phillips,K. and Ambasankaran,C. The scattering of fast charged particles VI. The multiple scattering of 10 MeV electrons and positrons in nuclear emulsions, 0=7337
Phillips,K. See Allen,K.R., 0=16974
Phillips,N.E. Nuclear quadrupole and electronic heat capacities of bismuth, 0=9856
Phillips,N.E. See Lien,W.H., 0=9858
Phillips,N.J. The current sheet in a gas discharge, 0=7091
Phillips,N.J. Ionization by ion impact in a collapsing current sheet, 0=9030
Phillips,R. Selected-area diffraction in the electron microscope, 0=18420
Phillips,R.G. See Stubbs,H.E., 0=3673
Phillips,R.J.N. Nucleon polarization from charge-exchange reactions in deuterium, 0=3963
Phillips,R.J.N. Complex phase shifts in proton—proton scattering, 0=3968
Phillips,R.J.N. On the measurement of deuteron polarization, 0=7422
Phillips,V.A. Polyhedral holes in evaporated AuCu films, 0=8285
Phillips,V.A. Direct observation of defects in evaporated silver, 0=17927
Phillips,V.A. and Cannon,P. Dislocations in layer structures, 0=15843
Phillips,W.D. and Benson,R.E. Ligand spin densities and magnetic properties of some aminotroponeimine chelcates of nickel. 0=15762
Phillips,W.D.,Rowell,J.C. and Weissman,S.I. EPR studies of the tetracyanoethylene anion radical, 0=16715
Phillips,W.E. and Hopkins,J.I. Study of the gamma-ray and inner bremsstrahlung transitions in the decay of tin-113, 0=15564
Phillips,W.R. See Dietzsch,O., 0=15535
Phillips,W.R. See Johnson,C.M.P., 0=9560
Philp,S.F. Negative hydrogen and deuterium ion beam, 0=17047
Phipps,L.W. Semi-automatic control system for producing constant cooling rates, 0=3687
Phipps,T.E.Jr. Generalization of quantum mechanics, 0=12366
Piazza,R.S. Characteristic parameters of propagation in lined ducts, 0=16762
Picard,J.C. See Mercouroff,W., 0=7875
Piccioni,O. See Good,R.H., 0=19784
Piccioni,O. See Muller,F., 0=11220
Picherit,F. Faraday effect of various ferrite rods, 0=1806
Picht,J. Considerations on the theory of reflection by a mirror rotating with constant angular velocity, 0=2224
Pick,H. Colour centre associates in alkali halides, 0=11636
Pick,V.J. See Howarth,J.L., 0=8437
Pick-Gutmann,M. See Avignon,Y., 0=4858
Pick-Gutmann,M. On the structure of type IV bursts: the continuum storms, 0=10478
Pickart,S. See Bertaut,E.F., 0=13829
Pickart,S.J. and Nathans,R. Neutron study of the crystal and magnetic structures of $MnFe_2$-tCrtO_4, 0=1797
Pickart,S.J. and Nathans,R. Neutron diffraction investigation of a possible ferro-antiferromagnetic transition in $Mn_{0.2}Cr_{0.8}Sb$, 0=3043
Pickart,S.J. and Nathans,R. Magnetic-form factor of Fe_3Al, 0=11828
Pickart,S.J. and Turnock,A.C. Magnetic properties of solid solutions of Fe_3O_4 and Fe Al_2O_4, 0=11829
Pickart,S.J. See Paoletti,A., 0=6363
Pickart,S.J. See Shirane,G., 0=16148
Pickart,S.J. See Shirane,G., 0=21200
Pickett,J.M. Backward masking, 0=2054
Pickup,E.,Ayer,F. and Salant,E.O. Single pion production in 0.96 GeV π^--p interactions, 0=17405
Picou, J.L. See Barloutaud,R., 0=5661
Picou,J.L. See Barloutaud,R., 0=9662
Pidd,R.W.,Grover,G.M.,Salmi,E.W.,Roehling,D.J. and Erickson,G.F. Characteristics of a plasma thermocouple, 0=1139
Pidd,R.W. See Garvin,H.L., 0=15066
Piddington,J.H. The transmission of geomagnetic disturbances through the atmosphere and interplanetary space, 0=9180
Piddington,J.H. Geomagnetic storm theory, 0=12140
Piddington,J.H. A theory of polar geomagnetic storms, 0=21309
Piekara,A. The dielectric constant of liquid dielectrics in intense electric fields. A discussion of theory and experiment, 0=8663
Piekara,A. and Kielich,S. The theory of magnetic birefringence and other phenomena of molecular orientation in diamagnetic liquids, 0=6813
Piekara,A. and Kielich,S. A non-linear theory of the electric permittivity and refractivity of dielectric liquids in electric and magnetic fields, 0=14652
Piekara,A. See Kielich,S., 0=19152
Piekara,A. See Pekara,A., 0=19141
Pieper,G.F. A fast storage system for multichannel pulse height analysis, 0=17201
Pieraccini,F. See Quaranta,A.A., 0=1290
Pierce,E.T. The propagation of radio waves of frequency less than 1 kc, 0=7234
Pierce,E.T. Some e.l.f. [extremely low frequency] phenomena, 0=12212
Pierce,E.T. Atmospherics from lightning flashes with multiple strokes, 0=16482
Pierce,E.T. See Large,M.I., 0=1116
Pierce,E.T. See Obayashi,T., 0=3343
Pierce,J.R. and Walker,L.R. Waves in electron clouds, 0=19916
Pierce,L. Note on the use of ground-state rotational constants in the determination of molecular structures, 0=5984
Pierce,L. and Krisher,L.C. Microwave spectrum, internal barrier, structure, conformation, and dipole moment of acetyl fluoride, 0=2762
Pierce,L. and Petersen,D.H. Microwave spectrum, structure, dipole moment, and internal rotation of trimethyl silane, 0=17744
Pierce,L. See Krisher,L.C., 0=15777
Piercy,G.R. Point defects in platinum, 0=20798
Pierpaoli,V. See Diana,E., 0=11471
Pierre,J. Calibration systems in vacuum technique, 0=19232
Pierre,J. Fluid traps in vacuum technique, 0=19233
Pierrot,A. See Delyon,G., 0=2412
Pierroux,A.,Guében,G. and Govaerts,J. The standardisation of radioisotopes—measurement of decay-periods using a vibrating reed electrometer, 0=7495
Pierson,G. See Evans,M.H., 0=16903
Pierson,W.R. and Coryell,C.D. Decay of 6.3 min Br^{78}, 0=13174
Piesbergen,U. See Clusius,K., 0=1560
Piesbergen,U. See Clusius,K., 0=1562
Piesbergen,U. See Clusius,K., 0=12416
Piesbergen,U. See Clusius,K., 0=20752
Pietenpol,J.L. See Lapidus,I.R., 0=29
Pieterse,A.C. See Aten,A.H.W., Jr, 0=15558
Pietra,F. See Foffani,A., 0=490
Pietri,G. Study and design of a photomultiplier for the nanosecond region, 0=19723
Pietri,G. and Arvin,C. An apparatus for the measurement of the local sensitivity of photomultipliers, 0=19726
Pietrokowsky,P. and Youngkin,F.G. Ordering in the intermediate phases TiFe, TiCo and TiNi, 0=18352
Pietrzak,J. See Klimowski,J., 0=18103
Pietsch,P. See von Ehrenstein,D., 0=288
Pietsch,P. See v.Ehrenstein,D., 0=15671
Pietschmann,H. The explanation of the electron—muon mass difference, 0=15380
Piette,L.H. and Landgraf,W.C. Steady-state studies by e.p.r. on the photodissocation of some alkyl hydroperoxides, 0=8314
Piggott,W.R. A rapid method of obtaining accurate virtual heights from an ionogram, 0=6446
Piggott,W.R. The gyro-frequency in the E-layer above Slough, England, 0=21356
Piggott,W.R. and Bhattacharyya,J. On the mode of propagation in the E-layer, 0=15166
Pignanelli,M. See Colli,L., 0=1439
Pignanelli,M. See Colli,L., 0=1442
Pignanelli,M. See Colli,L., 0=5792
Pik-Pichak,G.A. Nucleon emission by a rotating nucleus, 0=13168
Pike,E.R. Introduction to soft X-ray spectroscopy, 0=4272
Pike,E.R. and Hughes,J.W. Monitored Geiger counter X-ray diffractometer with automatic recording, 0=4609
Pike,E.R. and Wilson,A.J.C. Counter diffractometer — the theory of the use of centroids of diffraction profiles for high accuracy in the measurement of diffraction angles, 0=8187
Pikel'ner,S.B. On the gravitational damping of sound, 0=8736

Pikel'ner,S.B. Structure of a magnetohydrodynamic shock wave in a partially ionized gas, 0=11034
Pikel'ner,S.B. and Gershberg,R.E. On the possibility of the formation of filamentary structures by twisting, 0=18821
Pikel'ner,S.B.,Shklovskii,I.S. and Ivanov-Kholodnyi,G.S. On possible mechanisms of emission of discrete galactic objects in the spectral region, 0=18839
Pikler,A.G. and Harris,J.D. Compensatory and pursuit tracking of loudness, 0=16508
Pikus,G.E. and Bir,G.L. The effect of deformation on the energy spectrum and electrical properties of p-type germanium and silicon, 0=587
Pikus,G.E. and Bir,G.L. The effect of deformation on the energy spectrum of holes in germanium and silicon, 0=11694
Pikus,G.E. and Bir,G.L. The influence of deformation on the electrical properties of p-type germanium and silicon, 0=13596
Pikus,G.E. and Fiks,V.B. Electrokinetic effects in liquid metals. I, 0=5268
Pikus,G.E. See Fiks,V.B., 0=4997
Pikus,G.E. See Fiks,V.B., 0=6096
Pikus,G.E. See Fiks,V.B., 0=14157
Pikus,G.E. See Moizhes,B.Ya., 0=15067
Pikus,G.E. See Zhuze,V.P., 0=2861
Pilant,W.L. See Knopoff,L., 0=12126
Pilar,F.L. Bond-order/bond-length and bond-energy/bond-length relations for carbon–oxygen bonds, 0=17852
Pilat,I.M.,Borodinets,G.S.,Kosyachenko,L.A. and Maiko,V.I. On some properties of the CdSb–ZnSb system, 0=18401
Pilat,I.M.,Iskra,V.D. and Shuman,V.B. Electrical properties of cadmium antimonide alloyed with indium, 0=1660
Pilbrow,J.R. Instrument for measuring liquid flows of less than a millilitre per hour, 0=4990
Pilipenko,D.V. See Fogel',Ya.M., 0=7079
Piliya,A.D. Excitation of rotational nuclear levels by charged particles, 0=9522
Piliya,A.D. Excitation of vibrational levels in nuclei by charged particles, 0=9614
Piliya,A.D. The nuclear interaction in the scattering of charged particles from nonspherical nuclei, 0=11392
Piliya,A.D. On the cross-section for compound nucleus formation by charged particles, 0=11402
Pilkuhn,M. See Lautz,G., 0=11684
Pillow,M.E. and Rowlatt,A.L. Intensities in the triplet system of CO bands, 0=9812
Pil'nik,G.P. Determination of the position of the collimation line, 0=18594
Pilod,P. A stable current source for a laboratory electromagnet, 0=15109
Pilon,A.M. Phosphorescence of solid nitrogen, 0=4456
Pilsäter,U. See Hulthén,E., 0=7757
Pilyankevich,A.N. Resolving power of titanium replicas used in electron microscopy, 0=3290
Pilyankevich,A.N. Scattering of electrons by light atoms, 0=11504
Pilyankevich,A.N. The question of electron scattering in the electron microscope, 0=11505
Pimenov,Yu.V. The plane problem of the diffraction of electromagnetic waves by two ideally conducting [infinitely thin] strips of finite width, located one below the other, 0=7225
Pimenov,Yu.V. The plane problem of diffraction of electromagnetic waves by an ideally conducting strip of finite width, 0=11052
Pimenov,Yu.V. See Grinberg,G.A., 0=9208
Pimentel,G.C. See Baldeschwieler,J.D., 0=21288
Pimentel,G.C. See Ewing,G.E., 0=5930
Pimentel,G.C. See Goldfarb,T.D., 0=13723
Pimentel,G.C. See Van Thiel,M., 0=3320
Pinaev,V.S. See Gandel'man,G.M., 0=11141
Pinajian,J.J. The exchange transfer reaction $Al^{27}(N^{14},Mg^{27})O^{14}$, 0=17610
Pinard,P. See Bernard,R., 0=1763
Pinchas,S.,Halmann,M. and Stoicheff,B.P. Fundamental vibration frequencies of D_2O^{18} vapor, 0=7755
Pincherle,L. Band structure calculations in solids, 0=20774
Pincus,P. Excitation of spin waves in ferromagnets: eddy current and boundary condition effects, 0=10212
Pincus,P. Theory of magnetic resonance in αFe_2O_3, 0=16153
Pindzola,D. See Cartier,R., 0=4588
Pine,C.,Zoellner,W.G. and Rohrbaugh,J.H. Measurement of the complex index of refraction of liquids below 5 mm wavelength, 0=81
Pine,J.,Davisson,R.J. and Greisen,K. Momentum spectrum and positive excess of μ-mesons, 0=13088
Pine,J. See Poirier,J.A., 0=3958
Pinel,J. Optics of the deflection of a beam of high energy charged particles. II, 0=10984
Pineo,V.C.,Kraft,L.G. and Briscoe,H.W. Ionospheric backscatter observation at 440 Mc/s, 0=16432
Pines,B.Ya. A more precise evaluation of longevity of a solid under tension, 0=3155
Pines,B.Ya. More on the theories of sintering, 0=3168
Pines,B.Ya. Mechanism of diffusion of chemical compounds in crystals and kinetics of reactive diffusion, 0=6055
Pines,B.Ya.,Chaikovskii,É.F. and Kaluzhinova,N.V. Dislocation and diffusion phenomena in recrystallization of deformed copper, 0=15855
Pines,B.Ya. and Grebennik,I.P. A new crystalline phase in thin films of Fe–Ni alloys, 0=14013
Pines,B.Ya. and Ivanov,I.G. "Aftereffect" in metal specimens which were subjected to diffusion creep at high temperatures, 0= 16224
Pines,B.Ya. and Ivanov,I.G. Diffusion spreading and the phenomenon of reactive condensation, 0=17972
Pines,B.Ya. and Sirenko,A.F. Temperature dependence of the mechanical properties and time-to-rupture characteristics of metalloceramic bodies, 0=1866
Pines,B.Ya. and Sirenko,A.F. The dependence of lifetime under load on applied stress for sintered specimens of iron in the alpha- and gamma-phases, 0=8126
Pines,B.Ya. and Sirenko,A.F. The question of the conditions of reversibility of the rupture process in metals under load, 0=11982
Pines,B.Ya. and Sirenko,A.F. Self-diffusion and heterodiffusion in non-homogeneous porous bodies. III. Occurrence of the Frenkel and Kirkendall effects in the sintering of specimens of powder mixtures of mutually diffusing metals, 0=12070
Pines,B.Ya. and Sirenko,A.F. The calculated and empirical values of the lifetime of metals and alloys under load, 0=16223
Pines,D. See Hugenholtz,N.M., 0=2132
Pings,C.J. Polynomial representation of thermodynamic tables, 0=2278
Pinkau,K. See Fowler,P.H., 0=20101
Pinkerton,P. See Gross,B., 0=10868
Pinkston,E.R. See Smithson,J.R., 0=18897
Pinkston,W.T. Shell-model theory of inelastic scattering on Be^9, 0=446
Pinkston,W.T. See Carter,J.C., 0=17500
Pinkston,W.T. See Warburton,E.K., 0=9531
Pinsker,Z.G. International symposium on electron diffraction at the Federov session, 1959, 0=18334
Pinsker,Z.G. and Abrosimova,L.N. Electron diffraction study of the isometric chromium nitride CrN, 0=14010
Pinsker,Z.G. and Kurdyumova,R.N. Nature of the chemical bond in crystalline LiH, 0=14017
Pinsker,Z.G. See Dvoryankina,G.G., 0=14014
Pinsker,Z.G. See Dvoryankina,G.G., 0=18344
Pinsker,Z.G. See Khitrova,V.I., 0=14022
Pinsker,Z.G. See Khitrova,V.I., 0=14023
Pinsker,Z.G. See Troitskaya,N.V., 0=12043
Pinsonneault,L. See Norbeck,E., 0=4108
Pinte,R. and Simon,R. The radial oscillations and stability of cylindrical plasma, 0=5323
Piotrowski,E.A. See Gilbert,R.L., 0=4207
Piper,T.S. and Carlin,R.L. Polarized visible spectra of crystalline trisoxalatometallates: the source of intensity, 0=16067
Piper,T.S. and Carlin,R.L. Axial crystal fields in the ionic model, 0=17870
Piper,T.S. and Koertge,N. Simultaneous electronic and vibrational transitions in the spectra of hydrated nickel(II) ion, 0=4415
Pipkin,A.C. and Rivlin,R.S. Electrical conduction in deformed isotropic materials, 0=16964
Pipkin,F.M. See Anderson,L.W., 0=1482
Pipkin,F.M. See Anderson,L.W., 0=7725
Pipkin,F.M. See Anderson,L.W., 0=20543
Pippard,A.B. Experimental criteria for the theory of superconductivity, 0=10834

Pippel,W. See Lange,W., 0=5008
Pippin,J.E. and Thiess,G.H. Initial permeability processes in nickel-cobalt ferrites of various densities, 0=3083
Piraino,D.,Paris,C.H. and Buechner,W.W. Excited states of P^{32}, 0=13147
Pirani,F.A.E. Gravitational waves in general relativity. IV. The gravitational field of a fast-moving particle, 0=8548
Pirani,F.A.E. See Bondi,H., 0=8547
Pirkin,I.A. See Tsenter,É.M., 0=13207
Pirkmaier,E. See Blinc,R., 0=13453
Pirogova,N.I. See Gol'din,L.L., 0=13187
Pirogova,N.I. See Tret'yakov,E.F., 0=11372
Pisareva,V.V. Fluctuations in the intensity of radio emissions scattered by coronal irregularities, 0=18648
Pisareva,V.V. Limits of applicability of the method of "smooth" perturbations in the problem of radiation propagation through a medium containing inhomogeneities, 0=19265
Pisarevskii,A.N. and Soshin,L.D. A device for automatization of a single channel scintillation gamma spectrometer, 0=4040
Pisarevskii,A.N. and Soshin,L.D. Optimum conditions for photomultipliers FÉU-13, 0=7143
Pisarevskii,A.N. See Nemilov,A., 0=4035
Pisarevskii,A.N. See Nemilov,Yu.A., 0=4064
Pisarevskii,A.N. See Nemilov,Yu.A., 0=14660
Pisarevskii,Yu.V. See Erkovich,S.P., 0=15753
Pisarevsky,A.N. See Nemilov,Y.A., 0=3789
Pisent,G. See Barducci,I., 0=14706
Pisent,G. See Barone,A., 0=6789
Piskovoi,U.N. See Buimistrov,V.M., 0=13685
Piskunov,A.K.,Manenkov,A.A. and Bagdasar'yan,Z.A. Paramagnetic resonance in potassium ozonide, 0=21077
Pistorius,C.W.F.T. Potential function of boric acid, 0=4180
Pistorius,C.W.F.T. Powder data, unit cell and space group for ferrous sulphate, 0=18357
Pistorius,C.W.F.T. and Haarhoff,P.C. Vibrational assignment and potential field of iron pentacarbonyl, 0=4188
Pistorius,C.W.F.T. See Haarhoff,P.C., 0=1501
Pitaevskii,L.P. Superfluidity of liquid He^3, 0=7020
Pitaevskii,L.P. Properties of the spectrum of elementary excitations near the disintegration threshold of the excitations, 0=10816
Pitaevskii,L.P. Attraction of small particles suspended in a liquid at large distances, 0=12113
Pitaevskii,L.P. See Dzyaloshinskii,I.E., 0=8641
Pitaevskii,L.P. See Dzyaloshinskii,I.E., 0=10861
Pitayevsky,L.P. See Ginzburg,V.L., 0=8892
Pitsch,W. The martensite transformation in thin films of iron alloys, 0=21209
Pitsch,W. The martensite transformation in thin foils of iron—nitrogen alloys, 0=21210
Pittelli,E. See Callen,H.B., 0=16152
Pitteway,M.L.V. The reflexion of radio waves from a stratified ionosphere modified by weak irregularities, 0=7232
Pitteway,M.L.V. The reflexion of radio waves from a stratified ionosphere modified by weak irregularities. II, 0=9221
Pitteway,M.L.V. Reflexion levels and coupling regions in a horizontally stratified ionosphere, 0=19943
Pitzer,K.S. and Clementi,E. Large molecules in carbon vapor, 0=509
Pitzer,K.S. See Clementi,E., 0=5960
Pitzer,K.S. See Sinanoğlu,O., 0=962
Pitzer,K.S. See Sinanoğlu,O., 0=10370
Pivovar,L.I.,Tubaev,V.M. and Novikov,M.T. Compact 1.5 MeV electrostatic accelerator, 0=17054
Pivovarov,V.M.,Kir'yanova,L.A.,Bobovich,Ya.S. and Tarkhov,G.N. Photoelectric recording of Raman spectra excited with the λ=5875 A line from a helium lamp, 0=3619
Piwkowski,T.R. Some semiconductive properties of dilute binary solid solutions of bismuth in tellurium and tellurium in bismuth, 0=4352
Pixley,R.E.,Kane,J.V. and Wilkinson,D.H. Isotopic spin selection rules. XIII. The 6.92 MeV state of ^{16}O revisited, 0=20352
Pixley,R.E.,Kane,J.V. and Wilkinson,D.H. Rare E2 transition in C^{13}, 0=20406
Pixley,R.E. See Alburger,D.E., 0=17558
Pixley,R.E. See Kane,J.V., 0=17551
Pixley,R.E. See Kane,J.V., 0=20353
Pixley,R.E. See Kane,J.V., 0=20442
Pizella,G. See Castagnoli,C., 0=17164
Pizio,A.S. See Rÿbalka,V.V., 0=20896
Plagemann,H.H. Surface problems with semiconductor rectifiers, 0=9981
Plakhov,A.G. See Babykin,M.V., 0=3886
Plakhov,A.G. See Zavoisky,E.K., 0=3893
Plakida,N.M. The spectrum of elementary excitations in a non-ideal Bose gas, 0=901
Plaksin,I.N. and Shafeev,R.Sh. The effect of certain semiconductor surface properties on the reaction of xanthate with galena, 0=15953
Plaksin,I.N. and Starchik,L.P. Separation of minerals in a stream of ions produced by α-radiation, 0=8457
Plaksina,K.V. See Atakhodzhaev,A.K., 0=3530
Plane,R.A. See Chantry,G.W., 0=4208
Plane,R.A. See Chantry,G.W., 0=16706
Plane,R.A. See Chantry,G.W., 0=17789
Plank,V.G. Convection and refractive index inhomogeneities, 0=21321
Planker,K.J. and Kauer,E. Determination of the effective mass of current carriers in semiconductors from infrared absorption, 0=18014
Plano,R.,Prodell,A.,Samios,N.,Schwartz,M. and Steinberger,J. Parity of the neutral pion, 0=2570
Plano,R.J. Momentum and asymmetry spectrum of μ-meson decay, 0=15376
Plante,E.R. See Cater,E.D., 0=12095
Plaskett,H.H. Motions in the sun at the photospheric level. VIII. Solar rotation and photospheric circulation, 0=18733
Plaskett,T.S. and Winegard,W.C. Cellular growth in tin alloys, 0=4587
Plaskett,T.S. and Winegard,W.C. Cell to dendrite transition in tin base alloys, 0=16338
Plass,G.N. The infrared radiation flux in the atmosphere, 0=8418
Plass,G.N. Selective radiators, 0=8718
Plass,G.N. Classical electrodynamic equations of motion with radiative reaction, 0=11016
Plass,G.N. Useful representations for measurements of spectral band absorption, 0=14818
Plass,G.N. See Stull,V.R., 0=2268
Platas,O. See Silverman,J.N., 0=11481
Platt,J.R. Possible cyclic Doppler shifts from spiraling ions in astronomical spectra, 0=12287
Platz,G.M. See Hersh,C.K., 0=14655
Platzman,P.M. and Ozaki,H.T. Scattering of electromagnetic waves from an infinitely long magnetized cylindrical plasma, 0=17018
Platzman,P.M. and Solt,E.H. Microwave breakdown of air in nonuniform electric fields, 0=14997
Platzman,P.M. See Iddings,C.K., 0=466
Platzman,P.M. See Iddings,C.K., 0=17263
Pleasonton,F. See Snell,A.H., 0=4052
Plebanski,J. Electromagnetic waves in gravitational fields, 0=10568
Plebański,J. and Bażański,S. The general Fokker action principle and its application in general relativity theory, 0=6662
Plendl,H.S. and Steigert,F.E. Low-lying energy levels in Sc^{41}, 0=4033
Plendl,J.N. Center law of the lattice vibration spectra, 0=16050
Pleshivtsev,N.V. Sputtering of copper by hydrogen ions possessing energies up to 50 keV, 0=9109
Pleshivtsev,N.V. See Yurasova,V.E., 0=10990
Pleskov,Yu.V. Role of minority current carriers in the process of anodic dissolution of n-type Ge, 0=20895
Plesner,I.W. Diffusion in a linear lattice, 0=15872
Pless,I. See Guerriero,L., 0=19980
Pless,I.A. See Guerriero,L., 0=19981
Pleve,A.A. See Karamyan,A.S., 0=9650
Plieth,K. and Stranski,I.N. On the polymorphism of arsenic, 0=2815
Plimmer,R.N.A. See Cook,G.E., 0=18877
Plint,C.A. See Theimer,O., 0=11618
Plishkin,Yu.M. On the shape of cracks in a microscopic model of a crystal, 0=18280
Plostnieks,J. See Saunders,M., 0=6276
Plotnikov,A.F. See Vavilov,V.S., 0=651
Plotnikov,R.I. See Ab,E.A., 0=6427

Plumb,H. See Ambler,E., 0=19517
Plumb,R.C. Analaysis of elliptically polarized light, 0=14855
Pluvinage,P. A comment on the preceding note, 0=15641
Plyavin',I.K. Kinetics of photo- and γ-luminescence in certain Tl-activated alkali-halide crystals, 0=4431
Plyukhin,B.I. Laws of the temperature emission of the flame, 0=10810
Plyler,E.K. and Blaine,L.R. Transmittance of materials in the far infrared, 0=6167
Plyler,E.K.,Danti,A.,Blaine,L.R. and Tidwell,E.D. Vibration—rotation structure in absorption bands for the calibration of spectrometers from 2 to 16 microns, 0=6938
Plyler,E.K. and Tidwell,E.D. The rotational constants of hydrogen chloride, 0=15701
Plyler,E.K.,Tidwell,E.D. and Blaine,L.R. Infrared absorption spectrum of methane from 2470 to 3200 cm^{-1}, 0=15735
Plyler,E.K. See Allen,H.C.,Jr, 0=1513
Plyler,E.K. See Allen,H.C.,Jr, 0=7761
Plyler,E.K. See Benedict,W.S., 0=4201
Poaps,G.E. See Hay,D.R., 0=1218
Poberovskaya,I.S. See Ioffe,V.A., 0=15942
Pócsik,G. On the integrals of motion of the generalized Dirac-equation of Rayski, 0=6679
Pócsik,G. Meson—fermion PV-interaction in the Thirring model, 0=7290
Pócza,E.F. A simple method for determination of the resolution of photographic films, 0=14860
Poddubnov,V.P. See Komar,A.P., 0=17619
Podgoretskii,M.I. See Bannik,B.P., 0=7546
Podgoretskii,M.I. See Barit,I.Ya., 0=9523
Podgoretskii,M.I. See Bogachev,N.P., 0=9354
Podgoretskii,M.I. See Bogachev,N.P., 0=11400
Podgoretskii,M.I. See Gol'danskii,V.I., 0=11332
Podgoretskii,M.I. See Gramenitskii,I.M., 0=1401
Podgoretskii,M.I. See Grishin,V.G., 0=13109
Podgoretskii,M.I. See Kopylova,D.K., 0=9690
Podgoretskii,M.I. See Kopylova,D.K., 0=13003
Podgorny,I.M. See Lukyanov,S.Yu., 0=5540
Podgornyi,I.M. See Artsimovich,L.A., 0=5317
Podgornȳi,I.M. See Koval'skii,N.G., 0=19650
Podgornȳi,I.M. See Luk'yanov,S.Yu., 0=15009
Podkopaev,Yu.N. See Dzhelepov,B.S., 0=9602
Podlubnȳi,L.I. On the multiple interaction in quantum field theory, 0=2494
Podlubnyi,L.I. The non-additivity of London—Van Der Waals forces, 0=11506
Podmoshenskii,I.V. and Shelemina,V.M. Determination of absorption of analytic spectral lines in an arc and in a spark, 0=3627
Podvigalkin,P.M. The relationship between the photoelectric properties of an electrophotographic layer and the properties of a "longitudinal" photoresistor, 0=11728
Poeverlein,H. Low-frequency reflection in the ionosphere. I, 0=1219
Poeverlein,H. Low-frequency reflection in the ionosphere. II, 0=1220
Poffe,J.P. Utilization of secondary electrons to improve the extraction and focusing of a beam of Li^+ ions emanating from a solid source, 0=7169
Pogodaev,K.N. Temperature dependence of the electrical conductivity of diamonds, 0=15951
Pogorelov,V.I. Radar echoes from the aurora, 0=798
Pogorelov,V.I. See Martel',F.E., 0=799
Pogrebov,I.S. See Davidenko,V.A., 0=7576
Pohl,H.A. Nonuniform field effects in poorly conducting media, 0=10665
Pohl,H.J. See Görlich,P., 0=3790
Pohl,H.J. See Görlich,P., 0=3791
Pohl,M. See Martin,H., 0=2760
Pohl,R. The diffusion of excess zinc in zinc oxide crystals. (Investigations concerning electrical conductivity), 0=569
Pohl,R.O. Influence of F centres on the lattice thermal conductivity in LiF, 0=11632
Pohl,R.W. Discovery of interference by Thomas Young, 0=14837
Pohlmann,G. and Ahrend,M. A simple method of evaluating electron microscope stereophotographs, 0=1945
Pohm,A.V.,Read,A.A.,Stewart,R.M.,Jr and Schauer,R.F. Operation of magnetic film parametrons in the 100 to 500 Mc regions, 0=9184
Poiani,C. See Cernigoi,C., 0=17137
Poiani,G. and Reina,I. On large angle pair production and the limits of validity of electrodynamics, 0=2485
Poiani,G. See De Pretis,M., 0=9691
Poincelot,P. The exactness of the solution of a problem of diffraction or of propagation, 0=1204
Poincelot,P. Generalization of the condition at an edge, 0=15143
Poindexter,E.H. Overhauser effect in asphalt solutions, 0=3545
Poirier,J.A.,Bernstein,D.M. and Pine,J. Scattering of 200 MeV positrons by electrons, 0=3958
Poirier,Y. See Crausse,E., 0=11031
Pokatilov,E.P. The resonance of charge carriers produced by an ultrasonic wave, 0=9851
Pokatilov,E.P. Resonance absorption of high-frequency sound energy by semiconductor current carriers in a magnetic field, 0=11667
Pokhil,P.F. See Ilyukhin,V.S., 0=16776
Pokhil,P.F. See Zaitsev,V.M., 0=14728
Pokrovskii,V.L.,Ulinich,F.R. and Savvinȳkh,S.K. The theory of waveguides of variable cross-section, 0=1212
Pokrovskii,Ya.E.,Kleshchevnikova,S.I. and Rumyantseva,E.I. Some improvements in the method of preparing pure silicon by thermal decomposition of silane, 0=819
Pol',E.Kh. See Görlikh,P., 0=20142
Polacco,E. See Battaglia,A., 0=5918
Polacka,B. Measurement of the emission anisotropy of fluorescent solutions, 0=19394
Polacka,B. See Glowacki,J., 0=2948
Polak,H.L. See Ythier,C., 0=15545
Poland,D.E. See Green,J.W., 0=14972
Polansky,T.S.,Donald,H.J. and Kinney,C.R. Structure of high-rank coals deduced from helium densities, 0=14058
Polanyi,J.C. Energy distribution among reagents and products of atomic reactions, 0=3294
Polanyi,J.C. See Charters,P.E., 0=19221
Polanyi,M.L. and Hehir,R.M. New reflection oximeter, 0=8435
Polev,I.M. See Amaglobeli,N.S., 0=9407
Polevoi,R.M. See Baranov,S.A., 0=7479
Polikanov,S.M. and Chuburkov,Yu.T. Formation of the Cd^{115m} isomer by fission of gold by heavy ions, 0=9711
Polikanov,S.M. See Druin,V.A., 0=9712
Polikanov,S.N. See Flevov,G.N., 0=7497
Politycki,A. and Fuchs,E. Electrolytic preparation of films of iron of thickness 20 to 50 A, 0=739
Polkinghorne,J.C. High-energy nuclear physics Conference, 0=19959
Polkinghorne,J.C. and Salam,A. On the possible existence of doubly strange heavy mesons, 0=15421
Polkinghorne,J.C. and Screaton,G.R. The analytic properties of perturbation theory. I, 0=12878
Polkinghorne,J.C. and Screaton,G.R. The analytic properties of perturbation theory. II, 0=12879
Polkinghorne,J.C. See Fairlie,D.B., 0=5643
Pollack,I. Message uncertainty and message reception, 0=811
Pollack,I. Message repetition and message reception, 0=812
Pollack,I. Temporal sampling parameters of interaural noise correlations, 0=14337
Pollack,I.,Rubenstein,H. and Decker,L. Analysis of incorrect responses to an unkown message set, 0=6509
Pollack,I. and Trittipoe,W. Interaural noise correlations: examination of variables, 0=2052
Pollak,M. See Keyes,R.W., 0=9977
Pollard,H.F. See Caddy,R.S., 0=14761
Pollehn,H. See Bormann,M., 0=13289
Pollet,J. See Desprez,R., 0=19396
Pollock,H.C. See Gow,J.D., 0=7380
Polluntier,W. See Van Itterbeek,A., 0=10100
Polmear,I.J. and Bainbridge,I.F. Fatigue deformation in the interior of aged ternary aluminium—magnesium—zinc alloys, 0=21240
Polovikov,F.I. The effect of alternating electric fields on the formation of electrets, 0=635
Polovikov,F.I. Permanent polarization of ebonite, 0=10022
Polovin,R.V. Contribution to the theory of simple magnetohydrodynamic waves, 0=19909
Polovin,R.V. Motion of a piston in a conducting medium, 0=19912
Polovin,R.V. and Tsintsadze,N.L. Theory of longitudinal oscillations in an electron—ion beam, 0=9053
Polovin,R.V. and Tsintsadze,N.L. Small oscillations of an electron beam, 0=10950
Polovin,R.V. See Akhiezer,I.A., 0=9163

Polovin,R.V. See Akhiezer,A.I., 0=9164
Polovin,R.V. See Akhiezer,A.I., 0=9165
Polovin,R.V. See Akhiezer,I.A., 0=11028
Polovin,R.V. See Lyubarskii,G.Ya., 0=1190
Polovin,R.V. See Lyubarskii,G.Ya., 0=2433
Polovin,R.V. See Lyubarskii,G.Ya., 0=9177
Pol'skii,N.I. See Nazarchuk,M.M., 0=5209
Polster,A. See Medveczky,L., 0=17166
Poltinnikov,S.A. See Subashiev,V.K., 0=13587
Polubarinov,I.V. See Ogievetskii,V.I., 0=9301
Polukarov,Yu.M. See Gorbunova,K.M., 0=16365
Polumordvinova,N.I. See Zinov,V.G., 0=20197
Polyak,B.T. See Kagan,A.S., 0=8192
Polyak,Yu.Ya. See Vonsovskii,S.V., 0=13750
Polyakov,L.M. See Garber,R.I., 0=11979
Polyakov,L.M. See Garber,R.I., 0=13546
Polyakov,L.M. See Garber,R.I., 0=16229
Polyakova,M.D. See Kudintseva,G.A., 0=1879
Polyakova,G.N. See Shklyarevskii,I.N., 0=8805
Polyanskaya,V.A. The field of a pulse emitter in an underwater sound channel, 0=122
Polykarov,Yu.M. See Alekseevskii,N.E., 0=10849
Pomanskii,A.A. See Zatsepin,G.T., 0=9471
Pomeranchuk,I.Ya. See Berestetskii,V.B., 0=11143
Pomeranchuk,I.Ya. See Galanin,A.D., 0=7343
Pomeranchuk,I.Ya. See Galanin,A.D., 0=9351
Pomeranchuk,I.Ya. See Galanin,A.D., 0=17324
Pomeranchuk,I.Ya. See Garibyan,G.M., 0=8573
Pomeranchuk,I.Ya. See Okun',L.B., 0=1307
Pomerantz,M. and Das,T.P. Theory of nuclear quadrupole interaction in beryllium metal, 0=11960
Pomerantz,M.A. See Bailey,D.K., 0=11275
Pomerantz,M.A.,Agarwal,S.P. and Potnis,V.R. Balloon flight investigations of primary cosmic rays during solar disturbances, 0=9480
Pomerantz,M.A.,Agarwal,S.P. and Potnis,V.R. Balloon flight investigations of primary cosmic rays during solar disturbances, 0=11248
Pomerantz,M.A.Potnis,V.R. and Agarwal,S.P. Cosmic ray investigation with an airborne neutron monitor, 0=11261
Pomerantz,M.A.,Potnis,V.R. and Agarwal,S.P. Cosmic ray investigations with an airborne neutron monitor, 0=15487
Pomerantz,M.A.,Sandström,A.E.,Potnis,V.R. and Rose,D.C. Solar disturbances and the cosmic rays equator, 0=11260
Pomerantz,M.A.,Sandström,A.E.,Potnis,V.R. and Rose,D.C. Solar disturbances and the cosmic ray equator, 0=20276
Pomerantz,M.A.,Shatas,R.A. and Schieve,W.C. Secondary electron emission of MgO crystals bombarded by relativistic electrons, 0=19729
Pomerantz,M.A. See Schieve,W.C., 0=7944
Pomerantz,M.A. See Wilson,B.G., 0=11274
Pomeroy,P. See Oliver,J., 0=14158
Pomilla,F.R. See Fisher,L., 0=13404
Pong,W. Subharmonic oscillation in Melde's experiment, 0=6847
Ponomarev,V.N. See Bulkin,P.S., 0=5296
Ponsan,M. See Blanc,D., 0=5444
Ponstein,J. Instability of rotating cylindrical jets, 0=6756
Pontekorvo [Pontecorvo],B. See Balats,M.Ya., 0=20567
Pontecorvo,B. See Ignatenko,A.E., 0=5370
Pontecorvo,B. See Pontekorvo,B., 0=7332
Pontecorvo,B. See Pontekorvo,B., 0=12838
Pontecorvo,B. See Pontekorvo,B., 0=15457
Pontecorvo,B.M. See Dzhelepov,V.P., 0=15305
Pontekorvo,[Pontecorvo],B. Electron and muon neutrinos, 0=7332
Pontekorvo [Pontecorvo],B. The universal Fermi interaction and astrophysics, 0=12838
Pontekorvo [Pontecorvo],B. On a new strange particle, 0=15457
Pontekorvo,B. See Zinov,V.G., 0=13001
Ponyatovskii,E.G. Melting point of potassium at pressures up to 30 000 kg/cm^2, 0=15808
Pool,M.L. See Wilson,R.G., 0=4059
Pool,M.L. See Wilson,R.G., 0=5725
Pool,M.L. See Wilson,R.G., 0=9569
Pool,M.L. See Wilson,R.G., 0=13172
Pool,M.L. See Wilson,R.G., 0=20391
Pool,M.L. See Wilson,R.G., 0=20393
Pool,M.L. See Wilson,T.G., 0=9570
Poole,M.J. Measurement of neutron spectra in moderators and reactor lattices. I. Aqueous moderators, 0=7657
Poole,M.J.,Dean,G. and Howe,W. Pulsed beam deflection system for a linear electron accelerator, 0=19825
Poole,M.J. and Rae,E.R. The Harwell neutron project, 0=9378
Poots,G. See Dennis,S.C.R., 0=6984
Pope,D.F.D. See Jones,D.A., 0=6263
Pope,J.H. Effect of latitude on the diurnal maximum of "dawn chorus", 0=10447
Pope,J.H. See Murcray,W.B., 0=4791
Pope,J.H. See Westcott,E.M., 0=10448
Pope,M. See Kallmann,H., 0=4371
Pope,M. See Kallmann,H., 0=9999
Pope,M. See Kallmann,H., 0=10000
Pope,M.I. and Gregg,S.J. Electrical conductivity of vitrain during carbonization, 0=4323
Pope,N.K. See Brockhouse,B.N., 0=937
Pope,R.A. See Hunt,S.E., 0=7557
Popescu,I. Kinetics of ions in gases, 0=3742
Popescu,I. See Badareu,E., 0=7081
Popescu,I. See Badareu,E., 0=19639
Popescu Iovitsu,I. and Ionescu-Pallas [Ionesku-Pallas],N. Resonant charge-exchange and the kinetics of ions [in their own gas], 0=9000
Popescu-Iovitzu,I. and Ionescu-Pallas,N.J. On resonant charge transfer for positive ions, 0=14977
Popić,R.V. See Brajović,V.M., 0=20493
Popkov,V.I. See Bogdanova,N.B., 0=5282
Popkov,V.I. See Levitov,V.I., 0=7100
Popkov,Yu.A. See Vlasenko,N.A., 0=11792
Poplavko,Yu.M. See Mekrasov,M.M., 0=16019
Pople,J.A. The Renner effect and spin—orbit coupling, 0=20612
Popoff,K. On the thermodynamics of irreversible processes, 0=19528
Poporelov,A.V. The elastic deformation of convex shells in the critical region, 0=19012
Popov,A.F. See Demirkhanov,R.A., 0=15043
Popov,D.K. See Murin,A.N., 0=7604
Popov,L.E. and Karpov,G.I. Effect of the quenching temperature on establishment of the short-range order, 0=8271
Popov,M.M.,Gagarinskii,Iu.V.,Senin,M.D.,Mikhalenko,I.P. and Morozov,Iu.M. The average beta energy and the decay constant of tritium, 0=13193
Popov,N.A. Transfer of ignition energy from the discharge on breaking [contacts] to a gas mixture, 0=14979
Popov,N.A. and Afanas'eva,E.A. Investigation of de-ionization with probes and by a photoelectric method, 0=10882
Popov,N.P. See Dolginov,K.Z., 0=20387
Popov,S.N. See Smolenskii,G.A., 0=629
Popov,S.N. See Smolenskii,G.A., 0=16020
Popov,V.I. The angular distributions of elastically and inelastically scattered 2.9 MeV neutrons, 0=9675
Popov,V.I. See Kovalev,E.E., 0=5445
Popov,V.I. See Kovalev,E.E., 0=7488
Popov,V.I. See Kovalev,E.E., 0=9591
Popov,V.S. Total cross-section of stripping and diffraction disintegration of fast deuterons on non-spherical nucleus, 0=1414
Popov,V.S. Theory of the relativistic transformations of the wave-functions and density matrix of particles with spin, 0=11100
Popov,V.S. Spin flip of a relativistic particle with a magnetic moment moving in an external field, 0=20054
Popov,Y.M. See Krokhin,O.N., 0=20885
Popov,Yu.M. Dependence of the light-sum stored at levels of various depth on the excitation intensity, 0=2958
Popov,Yu.M. The effect of fast electrons on the stored light-sum in cathodoluminescence, 0=10076
Popov,Yu.M. and Shabanskii,V.P. Effect of radiationless recombination on saturation in cathodoluminescence, 0=4460
Popov,Yu.M. See Basov,N.G., 0=11046
Popov,Yu.P. See Isakov,A.I., 0=15599
Popov,Yu.V. and Adrianova,I.I. Diffractional light modulator with opposed ultrasonic radiators, 0=12494
Popova,A.A. See Belov,K.P., 0=11665
Popova,A.M. See Komarov,V.V., 0=7425
Popova,A.M. See Komarov,V.V., 0=13222
Popova,A.M. See Komarov,V.V., 0=17332
Popova,A.M. See Komarov,V.V., 0=20244
Popova,A.M. See Vasil'ev,S.S., 0=9625
Popova,E.A. See Kolomoets,N.V., 0=20948

Popova,O.S. See Gorbunova,K.M., 0=16365
Popova,V.M.,Semashko,N.G. and Yagudina,F.R. Photoproduction of low-energy charged pions from complex nuclei, 0=9421
Popova,V.M. See Adamovich,M.I., 0=13046
Popova,V.M. See Gorzhevskaya,É.G., 0=15414
Popović,D.,Raišić,N.,Marković,H.,Takać,S.,Zdravković,Z. and Lolić,B. Measurement of M^2 and k_∞ for a heavy water—natural uranium assembly, 0=20520
Popović,D.,Takač,S.,Marković,H.,Raišić,N.,Zdravković,Z. and Radanović,Lj. Zero energy reactor "RB", 0=20519
Popović,D. See Raišić,N., 0=20521
Poppendiek,H.F. Turbulent liquid-metal heat transfer in channels, 0=14869
Poppendiek,H.F. and Palmer,L.D. Heat transfer in heterogeneous circulating-fuel reactors, 0=12513
Popper,B. and Reiner,M. Centripetal air-pump operated electromagnetically, 0=8686
Porai-Koshits,E. and Andreyev,N.S. Low-angle X-ray scattering by sodium borosilicate glasses, 0=10320
Porai-Koshits,E.A. See Vaipolin,A.A., 0=21199
Porai-Koshits,M.A. See Belov,N.V., 0=18286
Porai-Koshits,M.A. See Levin,A.A., 0=12034
Porat,D.I. and Ramavataram,K. The energy loss of helium and nitrogen ions in metals, 0=3814
Porat,D.I. See Ramavataram,K., 0=19039
Porbansky,E.M. See Trumbore,F.A., 0=12080
Porbansky,E.M. See Trumbore,F.A., 0=21164
Porembka,S.W. See Prus,L.G., 0=14057
Poretskii,L.B. See Gorbachev,V.M., 0=11445
Porfir'ev,V.V. The law of rotation of a polytropic gas sphere, 0=19179
Porfir'eva,N.N. The electrical conductivity and the Hall effect in a polar semiconductor taking into account the scattering of current carriers on the optical and acoustical lattice vibrations and on impurity ions, 0=580
Porgess,P.V.K. and Wilman,H. The dependence of friction on surface roughness, 0=10277
Porile,N.T. Excitation functions for alpha-induced reactions on zinc-64, 0=444
Porile,N.T. Momentum imparted to complex nuclei in high-energy interactions, 0=17593
Porile,N.T. and Morrison,D.L. Reactions of Cu^{63} and Cu^{65} with alpha particles, 0=2669
Poritsky,H. Helical fields, 0=1216
Poritsky,H. and Powell,R.A. Certain solutions of the heat conduction equation, 0=16910
Porod,G. See Kratky,O., 0=8190
Porokhin,A.G. See Solntsev,G.S., 0=5298
Porri,L. See Morero,D., 0=4677
Porsche,H. Investigations on optical reflection interference filters in the near ultraviolet, 0=2248
Port,E. The loudness of sound impulses of different duration, 0=4824
Port,M. See Gorodetzky,S., 0=9587
Port,M. See Gorodetzky,S., 0=19992
Porter,C.E. and Rosenzweig,N. Statistical properties of atomic and nuclear spectra, 0=17696
Porter,C.E. See Baker,G.A.,Jr, 0=911
Porter,C.E. See Baker,G.A.,Jr, 0=17470
Porter,G. and Smith,J.A. Mechanism of atom recombination, 0=5868
Porter,G. and Wooding,E.R. Simple light source of about 10μ sec duration, 0=5158
Porter,G.B. Photo-oxidation of biacetyl, 0=14127
Porter,G.B. and Connelly,B.T. Kinetics of excited molecules. II. Dissociation processes. 0=15683
Porter,J.G. The satellites of the planets, 0=12267
Porter,L.F. and Rosenthal,P.C. Effect of applied tensile stress on phase transformations in steel, 0=16337
Porter,N.A. The Dirac monopole as a constituent of primary cosmic radiation, 0=17439
Porter,N.A. See Bradley,E.F., 0=20266
Porter,R.A. and McMillan,W.G. Effect of compression on the decay rate of Tc^{99m} metal, 0=5718
Porter,R.F. Mass spectra of vapors in the $Al-AlF_3$ and $Al-LiF-AlF_3$ systems, 0=18427
Porter,R.F. and Spencer,C.W. Stabilities of the gaseous molecules, BiSe, BiTe, and SbTe, 0=5896
Porter,R.F. and Zeller,E.E. Mass spectra of aluminum (III) halides and the heats of dissociation of $Al_2F_6(g)$ and $LiF.AlF_3(g)$, 0=16732
Porter,R.F. See Bauer,S.H., 0=17854
Porter,R.F. See Schoonmaker,R.C., 0=3566
Portis,A.M. and Gossard,A.C. Nuclear resonance in ferromagnetic cobalt, 0=10246
Portis,A.M. and Teaney,D. Microwave Faraday rotation in antiferromagnetic MnF_2, 0=3098
Portis,A.M. See De Gennes,P.G., 0=1821
Portis,A.M. See Teaney,D.T., 0=16161
Portnoy,W.M. See Handler,P., 0=2878
Porto,S.P.S.,Szule,A.,Guimarães,W.O.N. and Neto,J.R.P. High-resolution grating spectrometer, 0=16859
Porto,S.P.S.,Szulc,A.,Neto,J.R.P. and Guimarães,W.O.N. Construction and performance of a high resolution grating spectrometer. 0=19415
Porto,S.P.S. See Jannuzzi,N., 0=15687
Posener,D.W. The shape of spectral lines: tables of the Voigt profile $\frac{a}{\pi}\int_{\infty}^{\infty}\frac{e^{-y^2}dy}{a^2+(v-y)^2}$ 0=5160
Posener,D.W. Hyperfine structure in the microwave spectrum of water. II. Effects of magnetic interactions, 0=20667
Poser,H. See Becherer,G., 0=1798
Poshkus,D.P. See Kiselev,A.V., 0=21296
Posik,L.N. The radiation field of a rectangular parallelepipedal self-absorbing source, 0=11329
Poskacheeva,L.P. See Favorin,V.N., 0=10082
Poskacheeva,L.P. See Kozina,G.S., 0=16111
Posner,A.S.,Mandelkern,L.,Worthington,C.R. and Diorio,A.F. Low angle X-ray diffraction of fibrous polyethylene, 0=8251
Posner,A.S. See Bienenstock,A., 0=14027
Posniakov,P.G. See Yaroslavskii,M.I., 0=14713
Post,B. See Binder,I., 0=8210
Post,B. See Talley,C.P., 0=10310
Post,E.J. Meaning and interpretation of acoustic momentum and acoustic radiation stress, 0=10715
Post,G.I. See Goldman,A., 0=3269
Post,R.F.,Ellis,R.E.,Ford,F.C. and Rosenbluth,M.N. Stable confinement of high-temperature plasma, 0=7122
Postma,B.J. See Mazur,P., 0=6798
Postma,H.,Miedema,A.R. and Smulders,M.C.Eversdijk. Angular distribution and linear polarization of gamma rays from aligned ^{166m}Ho nuclei. 0=15561
Postma,H.,Miedema,A.R. and Steenland,M.J. The β-asymmetry of polarized ^{52}Mn nuclei and the γ-anisotropy of aligned ^{166}Ho nuclei, 0=9561
Postma,H. See Miedema,A.R., 0=7038
Postma,H. See Miedema,A.R., 0=8966
Postma,H. See Miedema,A.R., 0=13738
Potapov,A.V. See Sobolev,N.N., 0=973
Potapov,L.I. See Dayon,M.I., 0=9457
Potapov,V.I. See Potemkin,A.Ya., 0=2872
Potekhina,N.D. Calculation of relaxation processes of a phototriode at small illumination intensities, 0=4367
Potekhina,N.D. A contribution to the theory of luminescence of impure crystal phosphors, 0=16086
Potekhina,N.D. See Rȳvkin,S.M., 0=1628
Potekhina,N.D. See Rȳvkin,S.M., 0=15905
Potemkin,A.Ya.,Potapov,V.I. and Petrov,D.A. The problem of studying the mobility of copper ions in germanium, 0=2872
Potnis,V.R. See Pomerantz,M.A., 0=9480
Potnis,V.R. See Pomerantz,M.A., 0=11248
Potnis,V.R. See Pomerantz,M.A., 0=11260
Potnis,V.R. See Pomerantz,M.A., 0=11261
Potnis,V.R. See Pomerantz,M.A., 0=15487
Potnis,V.R. See Pomerantz,M.A., 0=20276
Potoceanu,C. See Balea,E., 0=20270
Potoceanu,C. See Balea,E., 0=20307
Pott,G.T. See Siekman,J.G., 0=9554
Pottasch,S. The Nova outburst. I, 0=14448
Pottasch,S. The Nova outburst. II. The radiative cooling of an expanding shell, 0=14449
Pottasch,S. The Nova outburst. IV. The intensity of
Pottasch,S. The Nova outburst. V. The temperature and radius of the central exciting star and observation of elements other than hydrogen. 0=14452
Pottasch,S. See Jefferies,J., 0=14450
Pottasch,S.R. Use of the equation of hydrostatic equilibrium in determining the temperature distribution in the outer solar atmosphere, 0=6590
Pottasch,S.R. Bright rims in diffuse nebulae, 0=10525
Pottasch,S.R. The extent of H II regions, 0=18863

Pottasch,S.R. and Thomas,R.N. Departures from the Saha equation under varying conditions of Lyman continous opacity, 0=9763

Pottasch,S.R. and Thomas,R.N. Thermodynamic structure of the outer solar atmosphere. VI. Effect of departures from the Saha equation on inferred properties of the low chromosphere, 0=14417

Pottasch,S.R. and Varsavsky,C.M. The spectrum of RR Telescopii between May 1949 and August 1950, 0=14459

Potter,D.S. See Garrison,G.R., 0=2209

Potter,R. The transfer function of a steadily diverging reactor, 0=7669

Potter,R.L. Thermodynamic functions of some chlorine compounds, 0=964

Potter,R.L. and Vanderkulk,W. Computation of the equilbrium composition of burnt gases, 0=10348

Pottinger,R.C. See Medford,R.D., 0=19635

Potts,W.J. See Scherer,J.R., 0=7762

Pottsepp,L. and v.Krzywoblocki,M.Z. On the application of the stability theory of differential systems to the stability of a missile, 0=4977

Pottsepp,L. and v.Krzywoblocki,M.Z. On the application of the stability theory of differential systems to the stability of motion of a missile. II, 0=12395

Potÿlitsÿn,P.M. See Yablonskii,S.V., 0=16513

Poularikas,A. and Fink,R.W. Absolute activation cross-sections for reactions of bismuth, copper, titanium, and aluminium with 14.8 MeV neutrons, 0=456

Poularikas,A.D. See Kumabe,I., 0=7610

Pouleau,J. Study and construction of a correction system for residual aberrations of a wide-aperture spherical mirror, 0=16818

Poulet,H. See Zmerli,A., 0=18132

Pouliquen,J. See Segard,N., 0=5181

Poulis,N.J. and Gijsman,H.M. Phase transitions in antiferromagnetic $MnCl_2.4H_2O$, 0=10250

Poulis,N.J. See Gijsman,H.M., 0=16144

Poulis,N.J. See van der Lugt,W., 0=6280

Poulis,N.J. See Van der Lugt,W., 0=10247

Poulsen,N.O.R. See Bjørnholm,S., 0=19843

Pound,G.M. See Rapp,R.A., 0=12003

Pound,R.V. and Freeman,R. Frequency control of an oscillator by nuclear magnetic resonance, 0=3868

Pound,R.V. and Rebka,G.A.,Jr. Gravitational red-shift in nuclear resonance, 0=36

Pound,R.V. and Rebka,G.A.,Jr. Resonant absorption of the 14.4 keV γ-ray from 0.10 $^{-}\mu$ sec Fe^{57}, 0=3947

Pound,R.V. and Rebka,G.A.,Jr. Apparent weight of photons, 0=10570

Pound,R.V. and Rebka,G.A.Jr, Variation with temperature of the energy of recoil-free gamma rays from solids, 0=11313

Pound,R.V. and Rebka,G.A.,Jr. Attempts to detect resonance scattering in Zn^{67}; the effect of zero-point vibrations, 0=11315

Pound,R.V. See Freeman,R., 0=5431

Pounder,E.R. See Smith,M., 0=6048

Poupaud,J. See Marin,P., 0=5741

Povard,V.D. See Bortner,M.H., 0=1961

Povh,B. See Hebbard,D.F., 0=4077

Povh,B. See Nikolić,M.M., 0=17591

Povh,B. See Nordberg,M.E., 0=5692

Povzner,A.Ya. See Lyubarskii,G.Ya., 0=7230

Powell,A. Propagation of a pressure pulse in a compressible flow, 0=131

Powell,A. On the aerodynamic noise of a rigid flat plate moving at zero incidence, 0=1011

Powell,A. On the effect of missile motion on rocket noise, 0=10741

Powell,A. Aerodynamic noise and the plane boundary, 0=14768

Powell,A. Propagation of a pressure pulse in a compressible flow—coda, 0=16760

Powell,A.L.T. See Medford,R.D., 0=19635

Powell,C.F. Experiments on cosmic radiation by means of artificial satellites, 0=13074

Powell,C.F. "Cosmic radiation". The fifty-first Kelvin lecture, 0=17436

Powell,C.F. Photographic tracking of elementary particles, 0=19988

Powell,C.J. The characteristic electron energy loss spectra of aluminium—magnesium and aluminium—copper alloys, 0=19763

Powell,C.J. and Swan,J.B. Origin of the characteristic electron energy losses in aluminium, 0=274

Powell,C.J. and Swan,J.B. Origin of the characteristic electron energy losses in magnesium, 0=1273

Powell,C.J. and Swan,J.B. Effect of oxidation on the characteristic loss spectra of aluminum and magnesium, 0=9880

Powell,D.W. Stress-dependent magnetization in some quartz-dolerites, 0=21041

Powell,F.X. and Lippincott,E.R. Raman spectrum and structure of perchlorylfluoride, 0=17754

Powell,J.A. See Cressell,I.G., 0=21166

Powell,J.M. See Kurnick,S.W., 0=1727

Powell,M.J.D.,Gabriel,J.R. and Johnston,D.F. Ground-state splitting for d^5 ^6S ions in a cubic field, 0=17913

Powell,R.A. See Poritsky,H., 0=16910

Powell,R.L. and Bunch,M.D. The thermal e.m.f. of several thermoelectric alloys, 0=1686

Powell,R.L.,Bunch,M.D. and Gibson,E.F. Low-temperature transport properties of commerical metals and alloys. III. Gold-cobalt, 0=7858

Powell,R.L.,Hall,W.J. and Roder,H.M. Low-temperature transport properties of commercial metals and alloys. II. Aluminums, 0=7857

Powell,R.L.,Hall,W.J. and Roder,H.M. Transport properties of dilute alloys of copper, 0=9863

Powell,R.L.,Harden,J.L. and Gibson,E.F. Low-temperature transport properties of commercial metals and alloys. IV. Reactor grade Be, No, and W, 0=11588

Powell,R.S. See Lawton,E.J., 0=16176

Powell,R.S. See Lawton,E.J., 0=16177

Powell,R.W. Preliminary measurements of the thermal conductivity and expansion of ice, 0=9869

Powell,R.W. Criteria for the performance of infrared systems, 0=10810

Powell,R.W. and Challoner,A.R. The thermal conductivity of water. An investigation of a reported anomaly, 0=19121

Powell,R.W. and Tye,R.P. High alloy steels for use as a thermal conductivity standard, 0=6963

Powell,W.M. See Agnew,L.E.,Jr., 0=11172

Powell,W.M. See Lander,R.L., 0=383

Powell,W.M. See Muller,F., 0=11220

Power,E.A. and Zienau,S. Coulomb gauge in non-relativistic quantum electro-dynamics and the shape of spectral lines, 0=20025

Power,E.A. See Griffith,T.C.(Conf. Rep.), 0=3926

Power,E.A. See Lurié,D., 0=5593

Power,G. Theorem concerning anisotropic dielectrics, 0=7053

Power,G. Extremum methods for certain electrical problems involving homogeneous anisotropic material, 0=7057

Power,G. and Jackson,H.L.W. On problems associated with two-dimensional fields in homogeneous anisotropic media, 0=7054

Power,G. and Jackson,H.L.W. Sphere and circle theorems involving surface discontinuities of potential, 0=12347

Power,M. See Thomas,D.G., 0=13679

Powers,J. See Keedy,D.A., 0=20971

Powles,J.G. and Cutler,D. Proton resonance relaxation times in mobile liquids, 0=8672

Powles,J.G. and Hartland,A. Proton magnetic resonance in a series of dimethyl siloxane polymers. A specific long-chain effect? 0=10252

Powles,J.G. and Hartland,A. Molecular motion in liquid n-octyl bromide by proton magnetic resonance, 0=14667

Powles,J.G. and Kail,J.A.E. Nuclear magnetic resonance absorption in osi-butyl bromide as a crystal and as a supercooled liquid, 0=3139

Powles,J.G. and Kail,J.A.E. Nuclear resonance and dielectric relaxation in crystals of some long-chain secondary alcohols, 0=13894

Powles,J.G. and Łuszczynski,K. Nuclear magnetic resonance in polyisobutylene, 0=7810

Powles,J.G. See Luszczynski,K., 0=5039

Powles,J.G. See Luszczynski,K., 0=5430

Powles,J.G. See Luszczynski,K., 0=6779

Pöyhönen,J. Dilatometric investigation of NH_4Cl at 183.1°C and NH_4Br at 137.2°C, 0=16335

Pöyhönen,J. See Hovi,V., 0=17899

Pozdnev,V.P. See Kolomiets,B.T., 0=12062

Pozdnyakov,A.A. See Lavrukhina,A.K., 0=4095
Poze,R.A. See Kiselev,V.S., 0=2550
Pozhela,Yu.K. See Gashka,I.I., 0=4331
Pozsgay,G. See Gergely,G., 0=2963
Pozsgay,G. See Hangos,I., 0=18149
Pradhan,T. and Misra,P. Dielectric constant of a dense electron gas, 0=17020
Prager,I.A. See Shelkov,L.S., 0=3598
Prager,S. Diffusion in inhomogeneous media, 0=14541
Prager,W. Stress analysis in the plastic range, 0=16225
Praglin,J. and Nichols,W.A. High-speed electrometers for rocket and satellite experiments, 0=14942
Prakash,J. Dynamic mechanical properties of high polymers and the importance of their study, 0=18250
Prakash,P. Radiative correction to pion decay, 0=5581
Prakash,P. and Zimerman,A.H. Effect of non-locality in Fermi interactions due to vector mesons on the decays $\Sigma \rightarrow p + \gamma$ and $\mu \rightarrow e + \nu + \bar{\nu}$, 0=5611
Prakash,S. and Tandon,J.N. On the reflection and refraction of magneto-hydrodynamic waves, 0=9162
Prakash,Satya and Prakash,Sheo. Kinetics of the decolorization of Congo red under ultrasonic radiation, 0=1966
Prakash,Sheo. See Prakash,Satya, 0=1966
Prasad,A.N. Measurement of ionization and attachment coefficients in dry air in uniform fields and the mechanism of breakdown, 0=5270
Prasad,A.N. and Craggs,J.D. Ionization and attachment coefficients. Measurement in humid air in uniform fields, and mechanism of breakdown, 0=14961
Prasad,K.D. Colour centres in pentahydrate crystal of sodium thiosulphate, 0=6049
Prasad,S. Corner-driven coupled square loop antennas, 0=1217
Prasad Dubey,D. Some measurements on τ mesons, 0=5599
Pratt,A.V. See Newkirk,H.L., 0=14476
Pratt,G.W.Jr. Generalization of band theory to include self-energy corrections, 0=9884
Pratt,G.W.,Jr and Coelho,R. Optical absorption of CoO and MnO above and below the Néel temperature, 0=1725
Pratt,J.N. and Aldred,A.T. Torsion-effusion apparatus for the study of vapour pressures of alloys, 0=3678
Pratt,J.N. See Aldred,A.T., 0=13472
Pratt,P.L. See Kear,B.H., 0=15852
Pratt,P.L. See Kear,B.H., 0=20803
Pratt,R.H. Atomic photoelectric effect at high energies, 0=5892
Pratt,R.H. Photoeffect from the L shell, 0=15678
Pratt,R.H. See Eckstein,S.G., 0=5576
Pratt,W.W. and Cochran,R.G. Search for low-energy gamma rays in O^{16}, 0=4078
Pratt,W.W. and Cochran,R.G. Beta- and gamma-ray spectra of Pd^{111}, 0=11354
Prausnitz,J.M. See Cairns,E.J., 0=3307
Pravdyuk,N.F. See Konobeevskii,S.T., 0=10332
Pray,A.R. See MacInnes,D.A., 0=21278
Prchal,K. See Schüler,H., 0=10891
Predazzi,E. See De Alfaro,V., 0=2535
Predazzi,E. See Kita,H., 0=20175
Predel,B. See Heumann,T., 0=6994
Predeleanu,M. See Teodorescu,P.P., 0=10621
Predvoditelev,A.S. Theory of adsorption wave. Relation between the exhaustion of the catalyst bed and the gas velocity and bed thickness, 0=3326
Predvoditelev,A.S. Theory of adsorption wave. Relation between the concentration of exit gas and the time of exhaustion of the adsorbent, 0=3327
Pregl,G. See Dular,J., 0=5767
Preis,H. and Esenwein,A. A calibration procedure in the quantitative X-ray fluorescence analysis of systems with several components, 0=4763
Preis,H. See Esenwein,A., 0=4610
Preisa,M. See Delyagin,N.N., 0=11389
Preiss,I.L.,Estrup,P.J. and Wolfgang,R. A new isotope: cadmium 103, 0=20394
Preiss,I.L. and Fink,R.W. New isotopes of cobalt; activity cross-sections of nickel, cobalt, and zinc for 14.8 MeV neutrons, 0=7612
Preiss,I.L. See Kumabe,I., 0=7610
Prelec,K. See Antolković,B., 0=19829
Prelesnik,A. See Blinc,R., 0=4537
Prendergast,K.H. The motion of gas streams in close binary
Prendergast,K.H. and Burbidge,G.R. The persistence of spiral structure, 0=8508
Prener,J.S. See Apple,E.F., 0=11781
Prener,J.S. and Weil,D.J. The luminescent center in self-activated ZnS phosphors, 0=2951
Prentice,J.D.,Bellamy,E.H. and Williams,W.S.C. The spin of the neutral pion, 0=5584
Prentki,J. See d'Espagnat,B., 0=15391
Preobrazhenskii,B.K. See Berlovich,É.E., 0=11303
Preobrazhenskii,B.K. See Kaliamin,A.V., 0=11408
Preobrazhenskii,B.K. See Kel'man,V.M., 0=2648
Preobrazhenskii,B.K. See Kel'man,V.M., 0=9588
Preobrazhenskii,B.K. See Krizhanskii,L.M., 0=7634
Preobrazhenskii,N.G. The functional description of the spectral line profiles in the Cowan—Dieke and Bartels theories, 0=3636
Prepost,R. See Hughes,V.W., 0=17365
Prescott,J.R. See McDonell,J.A., 0=20455
Presland,A.E.B. See Pashley,D.W., 0=21212
Presnell,R.I.,Leadabrand,R.L.,Peterson,A.M.,Dyce,R.B., Schlobohm,J.C. and Berg,M.R. VHF and UHF radar observations of the aurora at College, Alaska, 0=10440
Presnell,R.I. See James,J.C., 0=8408
Presnell,R.I. See Leadabrand,R.L., 0=10442
Presnell,R.I. See Leadabrand,R.L., 0=16526
Presnov,V.A. and Sÿnorov,V.F. Investigation of the surface electrical conductivity of germanium monocrystals, 0=15929
Presnyakov,A.A. and Dautova,L.I. On anomalies in the properties of zinc, 0=13496
Presperin,V. See Kul'chitskii,L.A., 0=7598
Pressey,B.G. Signals from satellite 1958δ 2, 0=18
Pressman,W. and Keller,J.B. Equation of state and phase transition of the spherical lattice gas, 0=18997
Preston,D. See Farrow,G., 0=14052
Preston,D. See Farrow,G., 0=14782
Preston,D. See Farrow,G., 0=16289
Preston,J. and Ashman,L.E. Temperature-regulated ignition source, 0=3682
Preston,J.S. Absolute measurement of light intensities, 0=6901
Preston,M.A.,Keech,G.H. and Pearson,J.M. Beta-decay theory and the spectrum of Rb^{87}, 0=13194
Preston,M.A. See Pearson,J.M., 0=17530
Preston,R.S. See Hanna,S.S., 0=5663
Preston,R.S. See Hanna,S.S., 0=7463
Preston,R.S. See Hanna,S.S., 0=11827
Preston,R.S. See Perlow,G.J., 0=7466
Preston,W.M.,Wilson,R. and Street,J.C. Small-angle proton scattering at 3 BeV, 0=9628
Preston-Thomas,H.,Turnbull,L.G.,Green,E.,Dauphinee,T.M. and Kalra,S.N. An absolute measurement of the acceleration due to gravity at Ottawa, 0=10628
Preston-Thomas,H. See Dauphinee,T.M., 0=7003
Preston-Thomas,H. See Dauphinee,T.M., 0=7004
Preuss,L. See Bas,E.B., 0=15091
Preuss,L.E. A vacuum distillation camera using radioactive metal source, 0=5358
Prévé,J. and de Gaudemaris,G. Contribution to the study of the dosimetry of high fluxes of ionizing radiations, 0=15196
Prévot,F.,Hubert,P. and Gourdon,C. On the possibility of forming a thermonuclear plasma by injecting ions into a magnetic mirror configuration, 0=3762
Prevot,F. See Armand,G., 0=2412
Prevot,F. See Bineau,M., 0=19662
Prevot,F. See Bineau,M., 0=19663
Price,B.T. See Sanders,J.E., 0=7644
Price,C.F. See Dickerman,P.J., 0=7119
Price,F.P. Growth habit of single polymer crystals, 0=8159
Price,G. See Sastre,C., 0=13177
Price,O.R.,Stork,D.H. and Ticho,H.K. Interactions of 125 MeV K^+ mesons in nuclear emulsion, 0=15432
Price,P.B. Pyramidal glide and the formation and climb of dislocation loops in nearly perfect zinc crystals, 0=20808
Price,P.B. On the growth of cadmium crystals from the vapour, 0=21161
Price,P.B. Twinning in cadmium dendrites, 0=21169
Price,P.H. Alternative method of correlating forced convection heat transfer data, 0=6985
Price,P.J. Anisotropic conduction in solids near surfaces, 0=9926
Price,P.J. Intervalley noise, 0=11676
Price,R.E. See Cohen,B.L., 0=9635
Price,R.E. See Cohen,B.L., 0=13140
Price,R.E. See Cohen,B.L., 0=17493

Price,V.E. See Hitchcock,A., 0=7656
Price,W.C.,Sherman,W.F. and Wilkinson,G.R. Infra-red studies of water adsorbed on alkali halides, 0=10375
Price,W.C. See Isaacs,L.D., 0=19418
Price,W.J. Spectrum display comparator, 0=5159
Price,W.L. Anomalous ionospheric reflection during solar eclipses, 0=14211
Pridantzev,A.I. See Novikov,I.I., 0=3526
Priest,J.R.,Tendam,D.J. and Bleuler,E. Stripping effects in the reactions $C^{12}(He^3,p)N^{14}$ and $C^{12}(He^3,d)N^{13}$ at 13.9 MeV, 0=15579
Priest,J.R.,Tendam,D.J. and Bleuler,E. Angular distributions for $C^{12}(\alpha,p)N^{15}$ at 16.1-19.0 MeV and $F^{19}(\alpha,p)Ne^{22}$ at 18.9 MeV, 0=15582
Priester,W. and Martin,H.A. Solar and diurnal effects in the upper atmosphere deduced from observations of artifical earth satellites, 0=8374
Priester,W. See Martin,H.A., 0=12150
Priestley,E.F. New method for increasing the X-ray reflection power of lithium fluoride crystals, 0=8183
Priestley,M.G. Magnetoresistance of copper silver and gold, 0=15893
Priestley,M.G. See Gold,A.V., 0=20765
Prieto,F.E. Parity nonconservation in hyperon decays, 0=4004
Prigogine,I. New aspects of classical mechanics, 0=4964
Prigogine,I. and Bak,T.A. Diffusion and chemical reaction in a one-dimensional condensed system, 0=3296
Prigogine,I. and Balescu,R. Irreversible processes in gases. I. The diagram technique, 0=10614
Prigogine,I. and Balescu,R. Irreversible processes in gases. II. The equations of evolution, 0=10615
Prigogine,I. and Henin,F. On the general theory of the approach to equilibrium. I. Interacting normal modes, 0=16618
Prigogine,I. and Leaf,B. On the field—matter interaction in classical electrodynamics. I, 0=19882
Prigogine,I. and Ono,S. Quantum theory of Brownian motion, 0=8565
Prigogine,I. and Ono,S. On the transport equation in quantum gases, 0=10617
Prigogine,I. and Resibois,P. On the approach to equilibrium of quantum gases, 0=8687
Prigogine,I. See Résibois,P., 0=16612
Prikhot'ko,A.F. and Fugol',I.Ya. Luminescence of stilbene crystals at 20°K, 0=4450
Prikhot'ko,A.F. and Fugol',I.Ya. Luminescence of crystalline anthracene at T = 20.4°K, 0=10057
Prikhot'ko,A.F. See Brodin,M.S., 0=4403
Prikhot'ko,A.F. See Brodin,M.S., 0=4409
Prima,A.M. See Stepanov,B.I., 0=1499
Primak,W. A review of the gross structural effects of energetic atomic particles on vitreous and crystalline silica, 0=15877
Primak,W. Large temperature range annealing, 0=18386
Primakoff,H. Theory of muon capture, 0=366
Primakoff,H. See Bernardes,N., 0=14921
Primakoff,H. See Sher,A., 0=12378
Primas,H.,Arndt,R. and Ernst,R. The construction of high resolution nuclear resonance spectrographs. Ia - Ib, 0=7236
Prior,A.C. The field-dependence of carrier mobility in silicon and germanium, 0=4346
Prior,J.R. See Male,J.C., 0=16082
Prior,O. On the alpha decay of strongly deformed odd-A nuclei, 0=419
Pritchard,B.S. and Elliott,W.G. Two instruments for atmospheric optics measurements, 0=4783
Pritchard,D.E. See Muller,N., 0=4224
Pritchard,G.O. See Miller,G.H., 0=3551
Pritchard,H.O. See Cole,T., 0=503
Pritchard,J. See Culver,R., 0=18452
Pritchard,R.L. Mutual acoustic impedance between radiators in an infinite rigid plane, 0=12459
Privalova,V.E. See Nemilov,Yu.A., 0=15056
Prochukhan,V.D. See Goryunova,N.A., 0=10327
Prock,A. and McConkey,G. Inhomogeneous field method for the study of large polarizable particles, 0=3520
Procter,A.N. Newtonian theory of axial elasticity. I-II, 0=693
Procter,A.N. Newtonian theory of axial elasticity. III, 0=694
Procter,N.M. and Greening,J.R. On the adequacy of half-value layer as a criterion of X-ray quality in the calibration of dosemeters, 0=9232
Proctor,B.A. Strength of acid-etched glass rods, 0=18277
Proctor,D.G. and Voelker,W.H. Photodisintegration of Li^6, 0=9659
Proctor,D.G. See Heath,R.L., 0=11378
Proctor,T.M. X-ray induced electrical polarization in glass, 0=2926
Prodell,A. See Plano,R., 0=2570
Proebster,W.E. See Dietrich,W., 0=10157
Proebster,W.E. See Dietrich,W., 0=11857
Prohammer,F.G. See Kimel,W.R., 0=15630
Proisy,P. The effect of the curvature [of solar atmospheric layers] on the interpretation of the darkening of the solar disk, 0=4890
Prokesh,A. See Ivanovskaya,I.A., 0=20222
Prokhindeev,A.V. See Barchukov,A.I., 0=1227
Prokhorenko,V.K. and Fisher,I.Z. Fluctuations of atomic structure in liquid helium, 0=12543
Prokhorov,A.M. See Antonov-Romanovskii,V.V., 0=13713
Prokhorov,A.M. See Kaitmazov,S.D., 0=502
Prokhorov,A.M. See Kaitmazov,S.D., 0=13868
Prokhorov,A.M. See Kornienko,L.S., 0=13873
Prokhorov,A.M. See Manenkov,A.A., 0=11940
Prokhorov,A.M. See Zverev,G.M., 0=1854
Prokhorov,A.M. See Zverev,G.M., 0=8086
Prokhorov,A.M. See Zverev,G.M., 0=21074
Prokhorov,V.G. On the transformation from an ultrasonic to a visual image, 0=10735
Prokhorov,Yu.G. See Artsimovich,L.A., 0=5320
Prokhorova,L.I. See Kuz'minov,B.D., 0=9713
Prokhorova,L.I. See Smirenkin,G.N., 0=11458
Prokhovnik,S.J. The measurement of time in special relativity, 0=10575
Prokhvatilov,V.G. See Verbitskaya,T.N., 0=16018
Prokof'ev,A.M.,Kabardin,O.F. and Kuddu,K.F. Investigation of the initial stages of a high-frequency discharge from a point in air at atmospheric pressure, 0=7102
Prokof'ev,A.N. See Velyukhov,G.E., 0=1440
Prokof'ev,V.K.,Gurevich,D.B.,Belousova,I.M. and Snigirev,Yu.A. The time required for establishment of thermodynamic equilibrium in the plasma of an arc discharge, 0=3749
Prokof'ev,V.K.,Nagibina,I.M. and Petrova,G.P. Determination of the absolute values of the oscillator strengths from the spectral line widths, 0=15658
Prokof'ev,Yu.A. See Sosnovskii,A.N., 0=2546
Prokof'ev,Yu.A. See Sosnovskii,A.N., 0=12937
Prokof'eva,E.I. See Perfilov,N.A., 0=9244
Prokof'eva,I.A. See Ioffe,S.B., 0=2081
Prokofyeva,E.I. See Perfilov,N.A., 0=12736
Prokopalo,O.I. Methods of measuring a high-voltage polarization potential, 0=13659
Prokopenko,V.S. See Zaika,N.I., 0=7573
Prokopets,G.A. See Nemets,O.F., 0=13235
Prokopová,H. and Vaško,A. The transmissivity of arsenic glass in the 15μ to 25μ range, 0=6904
Prokoshkin,Yu.D. Production of π-mesons in pd-collisions and internal nuclear motion of nucleons, 0=9425
Prokoshkin,Yu.D. and Tan Syao-Vei [T'ang Hsiao-Wei], Measurement of energy of electrons and gamma-quanta with a counter of low efficiency, 0=3957
Prokoshkin,Yu.D. See Dunaitsev,A.F., 0=11163
Prokoshkin,Yu.D. See Dunaitsev,A.F., 0=12934
Prokudin,S.D. See Breger,A.K., 0=5678
Prokudina,V.S. See Krassovsky,V.I., 0=4808
Pronenko,L.Z. and Rivin,A.N. Absorbent linings of glass staple fibre for an acoustic test chamber, 0=8759
Pronik,V.I. See Gershberg,R.E., 0=18608
Pronina,M.P. See Nasledov,D.N., 0=16039
Pronina,M.P. See Nasledov,D.N., 0=16057
Propin,R.Kh. Calculation of the probability of self-ionization in helium and lithium atoms, 0=15656
Prosdocimi,A. See Casini,G., 0=15623
Proskurnin,M.A. See Baberkin,A.S., 0=18441
Prosperi,G.M. and Scotti,A. On the correspondence principle in quantum electrodynamics, 0=5472
Prosperi,G.M. and Scotti,A. Ergodicity conditions in quantum mechanics, 0=12373
Prosperi,G.M. and Scotti,A. An improved version of an ergodic theorem in quantum mechanics, 0=16598
Protas,J. A contribution to studies on the hydrated oxides of uranium, 0=4578
Protass,I.R.,Krakau,J.A. and Sidorenkova,P.T. A study of chemical sensitization of nuclear emulsions, 0=12745
Protić,R.M. See Ševarac,I.F., 0=19797

Protopopov,A.N.,Baranov,I.A. and Eismont,V.P. Angular anisotropy and energy characteristics of the fission process, 0=11454

Protopopov,A.N.,Baranov,I.A.,Selitskii,Yu.A. and Eismont,V.P. Influence of nuclear shells on the distribution of the kinetic energy of fragments in fission by fast neutrons, 0=13304

Protopopov,A.N. and Blinov,M.V. A determination of ν for the 14.8 MeV neutron-induced fission of ^{235}U, 0=11461

Protopopov,A.N. and Eismont,V.P. On the angular distribution of the light and heavy fragments from the fission of ^{238}U by 14 MeV neutrons, 0=11460

Protopopov,A.N. and Éismont,V.P. Dependence of the angular anisotropy of fission on the nuclear structure, 0=15606

Protopopov,A.N.,Kuznetsov,M.I. and Dermendzhiev,E.G. Th^{232} fission induced by 14.9 MeV neutrons, 0=9702

Protopopov,A.N.,Seletskii,Iu.A. and Solov'ev,S.M. 14 MeV fission cross-section of ^{232}Th and ^{237}Np, 0=11459

Protopopov,Kh.V. See Kolenko,E.A., 0=3731

Protopopov,O.D. See Gofman,I.I., 0=15048

Proud,J.M.,Jr,Beyer,R.T. and Tamarkin,P. Reflection of sound from randomly rough surfaces, 0=8751

Proverbio,E. Determination of the right ascension and semi-diameter of the planet Mars, 0=18703

Prowse,D.J. Strangeness of the cascade hyperon Ξ^-, 0=7419

Prowse,D.J. Question of the existence of strangeness 2 meson, 0=11188

Prowse,D.J. See Bredin,D.J., 0=9447

Prowse,D.J. See Johnston,R.H.W., 0=12769

Prowse,D.J. See K$^-$-Collaboration, 0=15430

Prowse,D.J. See McCarthy,I.E., 0=11294

Prowse,D.J. See McCarthy,I.E., 0=20507

Prowse,D.J. See Melkanoff,M., 0=7416

Prowse,D.J. See Melkanoff,M.A., 0=17417

Prowse,D.J. See Van Heerden,I.J., 0=7582

Prowse,D.J.J. See K$^-$-collaboration, 0=1308

Prud'homme,J.T.,Okhuysen,P.L. and Morgan,I.L. Nonelastic scattering of fast neutrons, 0=9667

Prud'homme,J.T. See Okhuysen,P.L., 0=2685

Pruett,G.R. and Petritz,R.L. Detectivity and preamplifier considerations for indium antimonide photovoltaic detectors, 0=14883

Prugger,H. and Ulmer,W. Measurement of rapidly changing oxygen content in gas mixtures by absorption spectroscopy in the Schumann region, 0=4755

Prugne,P. The proton synchrotron "Saturne". Construction programme for hydrogen bubble chambers at the high-energy-particles division of the Nuclear Research Centre, Saclay, 0=2412

Prugne,P.,Marquet,M. and Bougon.M. The proton synchrotron "Saturne". Liquid hydrogen targets, 0=2412

Prus,L.B.,Byron,E.S.,Von Plinsky,F.O. and Porembka,S.W. Enriched boron—titanium dispersions, 0=14057

Prutton,M. Observations of the magnetization reversal process in thin films of nickel—iron, using the Kerr magneto-optic effect, 0=13812

Prutton,M. Cross-tie walls in thin permalloy films, 0=18191

Prutton,M. The observation of domain structure in magnetic thin films by means of the Kerr magneto-optic effect, 0=21044

Prutton,M. and Bradley,E.M. The induced magnetic anisotropy in evaporated films of nickel—iron alloys, 0=11838

Prutton,M. See Bradley,E.M., 0=11859

Pruzhinina,V.I. See Aleksandrov,V.V., 0=9972

Pry,R.H. Development of metallurgical structures and magnetic properties in iron silicon alloys, 0=3272

Pry,R.H.,Kouvel,J.S. and Miksch,E.S. Exchange anisotropy in the system $Mn_{(1-x)}Cr_xSb$, 0=10125

Pry,R.H. See Fiedler,H.C., 0=3024

Pryamkova,I.A. See Spivak,G.V., 0=15063

Pryce,M.H. See Eisenstein,J.C., 0=7768

Pryce,M.H.L. Sign of g in magnetic resonance, and the sign of the quadrupole moment of Np^{237}, 0=403

Pryce,M.H.L. [Ions of the transition elements. Optical and magnetic properties. Introductory paper]. Physical properties of transition ions, 0=20728

Pryce,M.H.L. and Runciman,W.A. The absorption spectrum of vanadium corundum, 0=20991

Przibram,K. On the wide distribution of a bluish fluorescence of organic origin, 0=6189

Przibram,K. Do meteorites exist consisting predominantly of feldspar? 0=10499

Przybylski,A. The effect of blanketing on the structure of the solar atmosphere, 0=18745

Przybylski,A. On the mean absorption coefficient in the computation of model stellar atmospheres of solar type stars, 0=18852

Pshenai-Severin,S.V. The coagulation of aerosol particles in an acoustic field under the influence of Oseen's hydrodynamic forces, 0=139

Ptitsȳn,O.B. Hydrodynamics of polymer solutions. I. Diffusion and sedimentation of branched molecules, 0=8657

Ptitsȳn,O.B. and Éizner,Yu.E. Hydrodynamics of polymer solutions. II. Hydrodynamic properties of macromolecules in active solvents, 0=12405

Ptitsȳn,O.B. See Birshtein,T.M., 0=9833

Ptitsȳn,O.B. See Birshtein,T.M., 0=9834

Ptitsȳn,O.B. See Vol'kenshtein,M.V., 0=17857

Ptitsȳn,S.V. See Aleksandrov,D.D., 0=12435

Ptukha,T.P. Determination of the diffusion coefficient and the thermal conductivity of weak solutions of He^3 in helium II, 0=19539

Ptushinskii,Yu.G. See Morgulis,N.D., 0=18448

Pu Fu-Cho. Method of approximate calculation of magnetization of isotropic antiferromagnetic substances, 0=11905

Pu Fu-Cho [P'u Fu-Ch'uo]. An approximate method of calculating the ground state of an isotropic antiferromagnetic, 0=8064

P'u Fu-ch'o. See Pu Fu-Cho, 0=11905

P'u Fu-Ch'uo. See Pu Fu-Cho, 0=8064

Pučálka,V. The measurement of critical thickness of aluminium films, 0=6389

Pucherov,N.N. See Val'ter,A.K., 0=20450

Puchkin,B.I. See Gorodetskii,A.F., 0=16198

Pucker,N. Theory of the ion beam in electrostatic fields taking space-charge into account, 0=277

Pucker,N. Shift of the focal spot of a paraxial ion beam due to the effect of space charge in the region of the lens, 0=7168

Puff,H. See Auth,J., 0=2910

Puff,H. See Juza,R., 0=671

Pugachevich,P.P. See Lazarev,V.B., 19089

Pugh,E.M. See Dreesen,J.A., 0=20869

Pugh,E.W.,Boyd,E.L. and Freedman,J.F. Angle-of-incidence anisotropy in evaporated nickel-iron films, 0=10127

Pugh,E.W.,Matisoo,J.,Speliotis,D.E. and Boyd,E.L. Magnetic anisotropy in evaporated iron films, 0=11868

Pugh,E.W. See Ford,N.C.,Jr, 0=3026

Pugh,E.W. See Ryan,F.M., 0=2980

Pugh,H.G. See Gooding,T.J., 0=17584

Pugh,H.G. See Riley,K.F., 0=17585

Pujara,C.M. and Gatha,K.M. An investigation into the momentum distribution in light nuclei, 0=15503

Pujol,T. See Blanc,D., 0=5444

Pujolle,M.J. Acoustic insulation of building structure, 0=14772

Pullar,J.D. See Cairnie,A.B., 0=5222

Pullman,A. See Pullman,B., 0=17840

Pullman,B. and Pullman,A. Some electronic aspects of biochemistry, 0=17840

Pupke,H. and Wauschkun,G. Exo-electron emission after reversal of polarity in a counting tube, 0=3873

Pupko,V.Ya. See Stavisskii,Yu.Ya., 0=12644

Puppi,G. Fit to dispersion relation of pions—nucleon scattering, 0=7406

Puppi,G. See Block,M.M., 0=17416

Purcell,E.M. Nuclear spin relaxation and nuclear electric dipole moments, 0=5659

Purcell,J.D.,Packer,D.M. and Tousey,R. Lyman-alpha photographs of the sun, 0=841

Purcell,J.D. and Tousey,R. The profile of solar hydrogen-Lyman-α, 0=12277

Purcell,J.R. and Keeler,R.N. Sensitive thermal conductivity gas analyzer, 0=8341

Purdy,C.M. See Roach,F.E., 0=14294

Puri,D.D. See Srivastava,S.S., 0=7986

Puri,S.M. See Duggal,V.P., 0=5569

Purica,I. Predetermination of the behaviour of transient states of the 2000 kV reactor of the Bucarest Institute of Atomic Physics, 0=11468

Purica,I. Predetermination of the behaviour of the transient states of the 2000 kW reactor of The Institute of Atomic Physics of the Academy of the Roumanian Peoples Republic, 0=20522

Purkayastha,S. On Fermi theory and Sargent rule for β-decay, 0=17527

Purkayastha,S. Derivation of the wave functions for $j = 1 + \frac{1}{2}$, $j = 1 - \frac{1}{2}$ states and for "O" spin using Kar's linear Hamiltonian. 0=17652

Purlee,E.L. See Grunwald,E., 0=14118

Purser,K.H. A search for levels of ^{7}Li between 9.0 and 9.55 MeV excitation, 0=5670

Purser,K.H. and Titterton,E.W. The ^{58}Ni(n,p)^{58}Co, ^{58}Ni(n,2n)^{57}Ni, and ^{58}Ni(n,np)^{57}Co cross-sections at 14.1 MeV, 0=7613

Pursey,D.L. Theoretical survey of β-decay and γ-decay, 0=9311

Pursey,H. and Pyatt,E.C. Measurement of equivalent noise resistance of a noise thermometer amplifier, 0=5400

Purt,G. The influence of rolling texture on the electron emission of cold pure metal cathodes, 0=7150

Pusch,G. and Schnitger,H. Testing of type 2C39 disk-seal triodes in oscillator circuits, 0=4327

Pushkov,N.V. See Dolginov,S.Sh., 0=3340

Pushtarik,V.A. See Kotov,V.I., 0=2408

Pusterla,M. See Ferrari,F., 0=15437

Pustovalov,G.E. Energy levels and approximate wave-functions of mesic atoms, 0=11490

Pustovoit,V.I. Linear theories of gravitation, 0=10559

Putley,E.H. See Mitchell,W.H., 0=5241

Putnam,P. See Misner,C.W., 0=2099

Putnam,T.M. See Brolley,J.E.,Jr, 0=7423

Putner,T. Methods of cleaning glass by vapour degreasing and ultrasonically agitated solvents, 0=6529

Putner,T. See Holland,L., 0=5154

Putner,T. See Holland,L., 0=8783

Putseiko,E. Photoelectric sensitivity of chlorophyll and its analogues in various states, 0=1676

Putseiko,E.K. Optical sensitization of the photo-effect at the contact between a semiconductor and an organic eye, 0=6131

Putseiko,E.K. The kinetics of photoconductivity of phthalocyanins, 0=20936

Putten,J.D.van. See van Putten,J.D.

Puttick,K.E. Ductile fracture in metals, 0=21144

Putzer,E.J. See Myers,O.E., 0=1225

Puzei,I.M. The specific features of the temperature dependence of the energy of the magnetic anisotropy of crystals near the magnetically-isotropic state, 0=18182

Puzikov,L.D. and Smorodinskii,Ya.A. Polarization tensors in the Born approximation, 0=12851

Pyaskovskaya-Fesenkova,E.V. Certain data on the polarization of light by the atmosphere, 0=12202

Pyatt,E.C. See Pursey,H., 0=5400

Pyatt,K.D.,Jr, See Breit,G., 0=11157

Pykalov,A.P. See Kocharyan,N.M., 0=7441

Pyle,G.L. See Diamond,H., 0=17512

Pyle,G.L. See Fields,P.R., 0=13300

Pyle,R.V. See Hubbard,E.L., 0=9647

Pyne,A.C. Study of a dark cloud of the great rift in Cygnus, 0=12322

Pyzhov,N.M. See Zolototrubov,I.M., 0=17008

Quaranta,A.A.,Dore,U. and Pieraccini,F. On the determination of the mean life of μ^- mesons in Ca and Pb, 0=1290

Quareni,G.,Vignudelli,A.Q.,Dascola,G. and Mora,S. Experimental evidence for the decay mode $\Sigma^+ \rightarrow p + \gamma$, 0=7417

Quassiati,B. See Garelli,C.M., 0=2591

Quassiati,B. See Garelli,C.M., 0=13076

Quassiati,B. See Garelli,C.M., 0=15447

Quassiati,B. See Garelli,C.M., 0=20228

Quat Ti Nguyen. See Couderc,J.J., 0=4595

Quat Ti Nguyen. See Nguyen Quat Ti.

Quemada,D. See Delcroix,J.L., 0=2372

Quemada,D. See Delcroix,J.L., 0=3761

Quenby,J.J. and Thambyahpillai,T. Atmospheric temperature effects on the solar daily variation of cosmic ray intensity, 0=17444

Quenby,J.J. and Webber,W.R. Cosmic ray cut-off rigidities and the earth's magnetic field, 0=15492

Quenby,J.J. See Webber,W.R., 0=20305

Quercia,I.F. Electronic apparatus for the measurement of dynamic magnetic fields, 0=19866

Quercia,I.F. See Alberigi,A., 0=20004

Quercia,I.F. See Alberigi-Quaranta,A., 0=20002

Quercia,I.F. See Ghigo,G., 0=19848

Quercigh,E. See Gandolfi,E., 0=11326

Quere,Y. Quenching of vacancies in silver, 0=17954

Querzoli,R. See Bernardini,C., 0=2589

Quidort,J. See Barloutaud,R., 0=5661

Quidort,J. See Barloutaud,R., 0=9536

Quidort,J. See Barloutaud,R., 0=13145

Quinn,T.F.J. See Halliday,J.S., 0=18419

Quinn,W.E. See Boyer,K., 0=13385

Quinn,W.E. See Jahoda,F.C., 0=13386

Quinn,W.E. See Nagle,D.E., 0=462

Quinn,W.E. See Nagle,D.E., 0=13387

Quinton,A.R.,Anderson,C.E. and Knox,W.J. Fluorescent response of cesium iodide crystals to heavy ions, 0=664

Quinton,A.R.,Britt,H.C.,Knox,W.J. and Anderson,C.E. The fission of gold by oxygen nuclei, 0=17636

Quinton,A.R. See Anderson,C.E., 0=4104

Quisenberry,K.S. See Cohen,B.L., 0=9635

Quisenberry,K.S. See Martin,J.P., 0=17604

Qurashi,M.M. and Ahsanullah,A.K.M. Studies in the properties of heat insulating building materials. II. The thermal conductivity of binary mixtures with particular reference to cellular concrete, 0=19480

Qurashi,M.M. See Rauf,A., 0=19045

Raab,J. See Rabenhorst,H., 0=627

Raal,F.A. A strong absorption system in Type I diamonds, 0=4417

Raal,F.A. Alleged formation of an intermediate diamond structure on heating diamond, 0=12037

Raal,F.A. See Mutch,R.E., 0=4357

Raalte,T.L. Van. See Van Raalte,T.L.

Rabatin,J.G. and Card,C.S. Simple recording thermobalance for vacuum and pressure studies, 0=61

Rabaud,H. and Clastre,J. Crystal structure of 9-cyano-anthracene, 0=4657

Rabben,H.H. Type III solar bursts and their relation to eruptions, 0=2084

Rabben,H.H. See Kiepenheuer,K.O., 0=2076

Rabbiner,N. See Theissing,H.H., 0=1829

Rabe,E. On the formation of rapidly rotating asteroids, 0=6571

Rabenau,A. See Kauer,E., 0=4321

Rabenhorst,H. and Raab,J. Dielectric properties of semi-conductors, 0=627

Rabin,H. X-ray expansion and coloration of undoped and impurity-doped NaCl crystals, 0=2824

Rabin,H. and Klick,C.C. Formation of F centers at low and at room temperatures, 0=6052

Rabin,H. and Schulman,J.H. F-band structure in cesium bromide, 0=7894

Rabin,N.V. See Vaisenberg,A.O., 0=11198

Rabin,N.V. See Vaisenberg,A.O., 0=13016

Rabinovich,B.S.,Dills,D.H.,McLain,W.H. and Current,J.H. Unimolecular decomposition of chemically activated ethyl-d_2 radicals, 0=4711

Rabinovich,E.M. See Zel'dovich,Ya.B., 0=10608

Rabinovich,M.S. Theoretical aspects of the Soviet 10 GeV synchrotron, 0=7178

Rabinovich,M.S. and Iogansen,L.V. Coherent radiation of electrons in a synchrotron. III, 0=12662

Rabinovich,M.S. See Andryukhina,É.D., 0=16978

Rabinovich,M.S. See Danikin,I.S., 0=9126

Rabinovich,M.S. See Ioganesen,L.V., 0=9124

Rabinovich,M.S. See Moroz,E.M., 0=9125

Rabinovich,M.S. See Moroz,E.M., 0=9128

Rabinovich,M.S. See Veksler,V.I., 0=5369

Rabinovich,W. See Mason,S.G., 0=2165

Rabinovitch,B.S. See Harrington,R.E., 0=8301

Rabinovitch,B.S. See Harrington,R.E., 0=17739

Rabinovitch,B.S. See Harrington,R.E., 0=21274

Rabinovitch,B.S. See Schlag,E.W., 0=14101

Rabinovitch,W. Exponential transfer and diffusion, 0=19470

Rabinowitz,P. and Weiss,G. Tables for the calculation of lattice sums, 0=21152

Rabinowitz,P. See Dostrovsky,I., 0=13218

Rabl,H. A resonance phenomenon in a magnetically annealed Perminvar ferrite, 0=680

Rabl,H. See de Kienlin,A., 0=13822

Rabotkin,V.L. and Sokolov,V.A. "Anisotropy" of a luminance wave from a polarized electroluminescent cell, 0=16113

Rabotnikov,Yu.L. A study of the lattice vibrations of tellurium by the methods of group theory, 0=20737

Rabotnov,N.S. See Davÿdov,A.S., 0=13119
Rabotnov,N.S. See Davydov,A.S., 0=17476
Rabson,T.A.,Bonner,T.W.,Castillo-Bahena,R.,Harlow,M.V.,Jr, Haenni,H.P. and Ranken,W.A. Gamma-radiation from excited states of F^{18}, Na^{22}, and Ne^{22}, 0=20414
Rabuzin,T. See Smiljanic,G., 0=4759
Racah,G. Four dimensional orthogonal groups, 0=3912
Racah,G. Theory of Lie groups, 0=3912
Racah,G. Use of the Weizac in theoretical spectroscopy, 0=5165
Racah,G. Vector coupling and rotations in the rare-earth spectra, 0=9773
Racah,G. and Shadmi,Y. The configurations $(3d + 4s)^n$ in the second spectra of the iron group, 0=4171
Racah,G. and Shadmi,Y. Q correction in the spectra of the iron group, 0=13414
Racette,J.H. See Hall,R.N., 0=13628
Rachinger,W.A. Creep processes in polycrystalline aluminium, 0=16216
Rachinskaya,V.V. The hydraulic resistance of ion-exchange resins, 0=12067
Rackow,B. The spectrum of porphin—complexes as an example of a ring form of the Kuhn electron gas, 0=9814
Rackow,B. The spectra of bacteriochlorophyll and -pheophytin as examples of a net form of Kuhn electron gas, 0=9815
Rączka,R. See Koba,Z., 0=17322
Rączka,R. See Koba,Z., 0=17323
Radanović,Lj. See Popović,D., 0=20519
Radanovic,Lj. See Raišić,N., 0=20521
Radautsan,S.I. See Goryunova,N.A., 0=1939
Radautsan,S.I. See Goryunova,N.A., 0=9978
Radautsan,S.I. See Nasledov,D.N., 0=16057
Radchik,A.S. and Evdokimov,V.D. Bauschinger's effect during frictional slip, 0=21111
Radchik,A.S. See Evdokimov,V.D., 0=4571
Radchik,V.S. See Evdokimov,V.D., 0=4571
Radd,F.J. and Crowder,L.H. Solid state rheological study of the mechanism of paraffin-detergent interactions in aqueous systems, 0=3158
Radd,F.J. and Oertle,D.H. Strength impairment mechanism of glass in aqueous systems, 0=18276
Radelt,H. The temperature dependence of the absorption edge in CdS single crystals, 0=10039
Rademacher,K. See Junge,C., 0=171
Rademacher,K. See Neumann,W., 0=1125
Radford,H.E. Paramagnetic resonance in the free hydroxyl radical, 0=2747
Radford,H.E. and Rice,F.O. Green and purple sulfur: electron-spin resonance studies, 0=16175
Radhakrichnan,V. and Roberts,J.A. Polarization and angular extent of the 960 Mc/sec radiation from Jupiter, 0=12254
Radikov,D.N. An estimate of the effect of collisions of the second kind with CO molecules on the intensity of emission of N_2 bands in a glow discharge, 0=5994
Radin,P.D. See Senitzky,B., 0=1650
Radkevich,I.A.,Vladimirsky,V.V. and Sokolovsky,V.V. The total neutron cross-sections of Pd, Os, Ir, Mo, In, I, Ta, Th, and U^{238} in the resonance region, 0=5799
Radkevich,I.A. See Sokolovsky,V.V., 0=7647
Radkevich,I.A. See Vladimirsky,V.V., 0=15595
Radlova,L.N. and Shraronov,V.V. The colour discrimination threshold for visual observation of the moon's surface and the maximal colour differences of lunar objects, 0=8485
Rado,G.T. and Folen,V.J. Determination of molecular field coefficients in ferrimagnets, 0=1809
Rado,G.T. and Weertman,J.R. Spin-wave resonance in a ferromagnetic metal, 0=11615
Rado,G.T. See Schnitzler,A.D., 0=11927
Radok,J.R.M. Transcendental equation for the Schrodinger equation, 0=14509
Radoslovich,E.W. See Mathieson,A.McL., 0=6362
Radus,R.J. Magnetic field measurement using ultrasonics, 0=11010
Radzyminski,J.T. See Browne,C.P., 0=17503
Rae,E.R. and Bowey,E.M. Gamma-ray yields from the resonant capture of slow neutrons, 0=5789
Rae,E.R. and Firk,F.W.K. An application of magnetic tape recording to neutron time-of-flight spectroscopy, 0=17352
Rae,E.R. See Lynn,J.E., 0=5571
Rae,E.R. See Poole,M.J., 0=9378
Raes,A.C. Experiments in the measurement of [sound] insulation [of walls] in situ, 0=2220
Raether,H. See Lohff,J., 0=260
Raether,H. See Pfaue,J., 0=239
Raether,S. Electron conductivity and grain structure of anodically formed aluminium oxide films, 0=4698
Raffel,J.I. Operating characteristics of a thin film memory, 0=7190
Raghava Rao,R. and Ramachandra Rao,B. Horizontal drifts in the E-region at Waltair, 0=10420
Raghavan,R. See Naranan,S., 0=15467
Raghavendra Rao,C.S. Solar tidal effects in the F_2-region of ionosphere over Delhi, 0=6466
Ragle,J.L. Nuclear quadrupole coupling in chlorite iron, 0=4541
Rahman,A. See Khubchandani,P.G., 0=9783
Raievski,V. See Droulers,Y., 0=7364
Raimes,S. See Cooper,J.R.A., 0=15895
Raimes,S. See Cooper,J.R.A., 0=20726
Rainey,V.S. See Pattenden,N.J., 0=20497
Rainwater,J.,Havens,W.W.,Jr,Desjardins,J.S. and Rosen,J.L. Nevis synchrocyclotron slow neutron velocity spectrometer, 0=9381
Rainwater,J. See Rosen,J.L., 0=9685
Rainwater,L.J. See Havens,W.W.,Jr, 0=4138
Rainwater,L.J. See Melkonian,E., 0=13294
Rais,G.B. Fresnel's formulae for incidence of an ordinary wave on the twining plane of a transparent uniaxial crystal, 0=3654
Rais,G.B. Distortion of the crystal lattice on the grain boundary of a mechanically twinned calcite crystal, 0=11999
Rais,G.B. and Bromberg,M.I. Vacuum thermal etching of twinned zinc monocrystals, 0=16286
Raisen,E. See Katz,S., 0=12606
Raišić,N.,Popović,D.,Takač,S.,Marković,H.,Martinc,R. and Radanović,Lj. Measurement of safety-rod effectiveness of the zero energy reactor "RB", 0=20521
Raišić,N. See Popović,D., 0=20519
Raišić,N. See Popović,D., 0=20520
Raith,H. See Boersch,H., 0=4490
Raith,W. See Boersch,H., 0=4494
Raith,H. See Boersch,H., 0=19438
Raizer,M.D. and Grebenshchikov,S.E. Localization of a high-frequency induction discharge, 0=14986
Raizer,M.D. See Andryukhina,E.D., 0=16978
Raizer,Yu.P. Condensation of a vapour cloud expanding into vacuum, 0=6996
Raizer,Yu.P. Simple method for computing the mean range of radiation in ionized gases at high temperatures, 0=10915
Raizer,Yu.P. Residual ionization of a gas expanding in vacuum, 0=14958
Raizer,Yu.P. A simple method of calculating the degree of ionization and thermodynamic functions of a multiply ionized ideal gas, 0=19606
Raja Rao,K.S. Lunar daily variation of geomagnetic horizontal intensity at Alibag, 0=12136
Rajagopal,A.K. On the thermomagnetic effects of monovalent metals, 0=10139
Rajagopal,A.K. and Srinivisan,R. Lattice vibrations and specific heat of zinc blende, 0=7847
Rajagopal,E.S. Taylor instability and the dripping of liquids from horizontal surfaces, 0=932
Rajagopal,E.S. See Krishnan,R.S., 0=4737
Rajagopala Rao,P. and Subramanian,N. Effect of viscosity in the determination of surface tension by the drop-weight method, 0=19082
Rajan,N.S.,Waterstrat,R.M. and Beck,P.A. Temperature-dependence of the electrical resistivity of B.C.C. Cr—Fe alloys, 0=7910
Rajopadhye,V.Y. Nuclear interactions of 5.7 BeV protons in photographic emulsion, 0=17331
Raju,P.K. and Verma,Y.K. Reflection and refraction of hydromagnetic plane waves at the boundary of two compressible media, 0=12688
Rakavy,G. The angular distribution of β particles, 0=4046
Rakcheev,A.D. A new spectrophotometric apparatus for the examination of micro-crystals, 0=8792
Rakhimbaev,B.G. See Azimov,S.A., 0=13157
Rakhimov,R.R. See Arifov,U.A., 0=19805
Rakhmanova,E.P. See Kamenetskaya,D.S., 0=3173

Rakobol'skaya,I.V. See Dovzhenko,O.I., 0=20265
Rakobol'skaya,I.V. See Ivanovskaya,I.A., 0=15476
Ram,R.L. See Singh,B.N., 0=15171
Rama. Condensation processes for the extraction of radioactivity from air, 0=5681
Rama. See Lal,D., 0=14321
Rama Rao,P. and Krishnan,A.A. Determination of elastic moduli of sintered metal powder compacts using an ultrasonic method, 0=1841
Rama Varma,K.T. See Rastogi,R.P., 0=4688
Ramachandra Rao,B. and Bhagiratha Rao,E. Study of horizontal drifts in the F1- and F2-regions of the ionosphere at Waltair (17°43'N, 83°18'E, mag. lat. 9°30'N), 0=6464
Ramachandra Rao,B. and Subbarao,K. A variable frequency interferometer for measurement of ultrasonic velocities in liquids, 0=16767
Ramachandra Rao,B. See Gibbons,J.J., 0=776
Ramachandra Rao,B. See Gopala Rao,M.S.V., 0=14242
Ramachandra Rao,B. See Padmini,P.R.K.L., 0=19133
Ramachandra Rao,B. See Padmini,P.R.K.L., 0=19134
Ramachandra Rao,B. See Raghava Rao,R., 0=10420
Ramachandra Rao,B. See Satyanarayana Murty,J., 0=2254
Ramachandra Rao,B. See Srirama Rao M., 0=1985
Ramachandra Rao,B. See Subba Rao,K., 0=10658
Ramachandra Rao Pant P. See Gopala Rao,M.S.V., 0=14242
Ramachandran,G.N. and Krishnamurthy,E.V. "Lilâvati" — a new analogue computer for solving linear simultaneous equations and related problems. I. General principles and design of model I, 0=8465
Ramachandran,G.N. and Raman,S. Syntheses for the deconvolution of the Patterson function. I. General principles, 0=3214
Ramakrishna Rao,V. See Ramamurty,S., 0=5956
Ramakrishnan,A.,Ranganathan,N.R.,Vasudevan,R. and Srinivasan,S.K. A note on dispersion relations, 0=7297
Ramakrishnan,A. and Srinivasan,S.K. A note on cascade theory with ionisation loss, 0=2605
Ramakrishnan,A.,Srinivasan,S.K.,Ranganathan,N.R. and Vasudevan,R. Multiple processes in electron-photon cascades, 0=2606
Ramamoorthy,P. Superposability of two axi-symmetric flows under axi-symmetric magnetic fields, 0=9172
Ramamoorthy,P. See Chakraborty,B.B., 0=7209
Ramamurty,S. Predicted electronic shifts in fluorinated napthalenes, 0=5957
Ramamurty,S. Configurational interaction in molecular orbital theory as applied to indene, 0=5973
Ramamurty,S.,Jagannadha Rao,M. and Ramakrishna Rao,V. Analysis of the near ultraviolet absorption spectra of α and β-fluoronaphthalenes, 0=5956
Raman,C.V. Quantum theory and crystal physics, 0=2117
Raman,C.V. The specific heats of crystals. I. General theory. II. The case of diamond. III. Analysis of the experimental data, 0=2790
Raman,C.V. The specific heats of some metallic elements. I. Analysis of the experimental data, 0=2791
Raman,C.V. The specific heats of some metallic elements. II. Approximate theoretical evaluation, 0=2792
Raman,C.V. The specific heats of some metallic elements. III. The characteristic frequencies, 0=2793
Raman,C.V. The specific heats of some metallic elements. IV. The residual spectrum, 0=2794
Raman,C.V. The heat capacity of diamond between 0 and 1000°K, 0=2795
Raman,C.V. The specific heats of crystals and the fallacy of the theories of Debye and Born, 0=2796
Raman,C.V. Percussion figures in crystals, 0=3157
Raman,C.V. The diamond, 0=3169
Raman,C.V. The physics of crystals, 0=6001
Raman,S. Syntheses for the deconvolution of the Patterson function. II. Detailed theory for non-centrosymmetric crystals, 0=3215
Raman,S. See Bhattacherjee,S.K., 0=2646
Raman,S. See Ramachandran,G.N., 0=3214
Ramana Murthy,P.V. See Mistry,N.B., 0=17455
Ramanamurthy,P.V. See Naranan,S., 0=15467
Ramanathan,K.R. and Bhonsle,R.V. Cosmic radio noise absorption on 25 Mc/s and F scatter, 0=21366
Ramanathan,K.R. See Kotadia,K.M., 0=3346
Ramaniah,M.V. and Sugarman,N. Angular distribution of fragments from the fission of bismuth by 450-MeV protons, 0=9699
Ramanna,R. and Navalkar,M.P. On the determination of the slowing down length in ordinary water using a pulsed neutron source, 0=3975
Ramanna,R. See Deniz,V.C., 0=9369
Ramanna,R. See Iyengar,S.B.D., 0=9374
Ramanna,R. See Iyengar,S.B.D., 0=9375
Ramaseshan,S. See Viswamitra,M.A., 0=8165
Ramaswamy,M.K. A reinvestigation of the decay of Na-22, 0=15547
Ramaswamv.M.K. Nuclear structure effects in C^{133}, 0=17541
Ramaswamy,M.K. and Jastram,P.S. On the K-conversion coefficient of the 279 keV gamma ray in the decay of hG^{203}, 0=7519
Ramaswamy,M.K. and Jastram,P.S. Angular correlation of the 1.07-1.24 MeV gamma cascade in the decay of Ga^{66}, 0=11379
Ramaswamy,M.K. and Jastram,P.S. Decay of Y^{88}, 0=20396
Ramaswamy,M.K.,Skeel,W.L. and Jastram,P.S. Decay of Ba^{133}, 0=13170
Ramaswamy,M.K.,Skeel,W.L. and Jastram,P.S. The decay energy of Ba^{133}, 0=20381
Ramavataram,K. and Porat,D.I. Measurement of surface density of thin foils, 0=19039
Ramavataram,K. See Porat,D.I., 0=3814
Ramavataram,S. See Forsyth,P.D., 0=5754
Ramavataram,S. See Taylor,I.J., 0=11422
Rambidi,N.G. See Akischin,P.A., 0=5992
Rambidi,N.G. See Akishin,P.A., 0=14007
Rambidi,N.G. See Akishin,P.A., 0=17855
Ramm,W.J. See Bomke,H.A., 0=8369
Rammensee,H. and Zanker,V. Contribution on the connection between light absorption, decay time and absolute fluorescence quantum yield in organic dyestuff molecules, 0=11772
Ramšak,V. See Cilenšek,E., 0=12642
Ramšak,V. See Cilensek,E., 0=15084
Ramsay,D.A. See Ballik,E.A., 0=4215
Ramsay,D.A. See Dressler,K., 0=4214
Ramsay,D.A. See Durie,R.A., 0=5947
Ramsay,J.V. On the transfer function of a non-uniform atmosphere, 0=19361
Ramsden,S.A. See Kuhn,H.G., 0=16845
Ramsey,J.A. Exo-electron emission and the optical properties of oxide-coated metal surfaces, 0=9075
Ramsey,J.B. See Inami,Y.H., 0=2770
Ramsey,N.F. Resonances in successive oscillatory fields, 0=17861
Ramsey,N.F. See Furry,W.H., 0=10600
Ramsey,N.F. See Goldenberg,H.M., 0=19921
Ranade,J.D. See Rao,P.S., 0=5952
Ranaldi,M. See Ostapkovich,P.L., 0=3186
Ranc,G. See Cassignol,C., 0=19782
Ranc,G. See Cassignol,C., 0=20574
Ranc,G. See Gratot,I., 0=5689
Rançon,P. See Rousset,A., 0=1099
Rand,S. Electrostatic field about an ion moving slowly in a plasma, 0=1186
Rand,S. Wake of a satellite traversing the ionosphere, 0=9023
Rand,S. Damping of the satellite wake in the ionosphere, 0=15129
Randall,K.E. and Ward,F.L. Diffusion of sound in small rooms, 0=16812
Randall,R.H. A look at the "continental classroom", 0=4916
Randall,T. See Staveley,L.A.K., 0=21277
Randic,M. Out-of-plane CH vibrations in some poly-nuclear aromatic hydrocarbons, 0=17738
Randic,M. and Mills,I.M. G matrix for XY_3-UW_3 and $WZXY_3$ molecules, 0=5908
Randolph,M.L. Application of analog computers to e.s.r. spectroscopy, 0=17124
Randolph,M.L. See Kondo,S., 0=17136
Rang,O. and Demny,J. A double object chamber for the study of double diffraction of electrons by two crystal lattices, 0=10966
Rangan,L.K. See Seagondollar,L.W., 0=17594
Ranganathan,N.R. See Balachandran,A.P., 0=17260
Ranganathan,N.R. See Balachandran,A.P., 0=17412
Ranganathan,N.R. See Ramakrishnan,A., 0=2606
Ranganathan,N.R. See Ramakrishnan,A., 0=7297
Ranganathan,N.R. See Srinivasan,S.K., 0=2604

Rank,D.H. Precision measurement of the wavelengths of infrared absorption lines with diffraction gratings, 0=10767

Rank,D.H. Interferometric measurements of wavelengths of absorption lines in the near infrared, 0=16852

Rank,D.H.,Birtley,W.B.,Eastman,D.P. and Wiggins,T.A. Pressure-induced shifts of HCl lines due to foreign gases, 0=5926

Rank,D.H.,Birtley,W.B.,Eastman,D.P. and Wiggins,T.A. Pressure shifting of spectrum lines: some empirical generalisations, 0=5928

Rank,D.H.,Eastman,D.P.,Birtley,W.B.,Skorinko,G. and Wiggins,T.A. Echelle-type spectrograph for the near infrared, 0=14819

Rank,D.H.,Eastman,D.P.,Birtley,W.B. and Wiggins,T.A. Perturbation of molecular rotation—vibration energy levels by rare gases, 0=15726

Rank,D.H.,Eastman,D.P.,Birtley,W.B. and Wiggins,T.A. Shapes and breadth of some molecular rotation—vibration band lines perturbed by rare gases, 0=15727

Rank,D.H.,Eastman,D.P.,Skorinko,G. and Wiggins,T.A. Fine structure in the lines of the $2\nu_3$ band of methane, 0=17751

Rank,D.H.,Saksena,G.D.,Skorinko,G.,Eastman,D.P.,Wiggins,T.A. and McCubbin,T.K.,Jr. Five-meter vacuum spectrometer for the near infrared, 0=155

Rank,D.H.,Skorinko,G.,Eastman,D.P.,Saksena,G.D., McCubbin,T.K.,Jr and Wiggins,T.A. Hyperfine structures of some Hg I lines, 0=17710

Rank,D.H.,Skorinko,G.,Eastman,D.P. and Wiggins,T.A. Vibration—rotation spectra of HCN, 0=7756

Rank,D.H.,Skorinko,G.,Eastman,D.P. and Wiggins,T.A. Highly precise wavelengths in the infrared, 0=17745

Ranken,W.A. See Rabson,T.A., 0=20414

Ransil,B.J. Studies in molecular structure. I. Scope and summary of the diatomic molecule program, 0=17815

Ransil,B.J. Studies in molecular structure. II. LCAO-MOSCF wave functions for selected first-row diatomic molecules, 0=17816

Ransil,B.J. See Krauss,M., 0=17796

Ransil,B.J. See McLean,A.D., 0=17802

Ranz,W.E. Some experiments on the dynamics of liquid films, 0=931

Rao,B.R. and Padmini,P.R.K.L. A relation between ultrasonic velocity and latent heat of vaporization, 0=16768

Rao,B.R. See Narlikar,V.V., 0=2096

Rao,B.R. See Narlikar,V.V., 0=2105

Rao,B. Ramachandra. See Ramachandra Rao,B.

Rao,C.N.R.,Turner,A. and Honin,J.M. Some observations concerning the effect of impurities on the anatase—rutile transition, 0=7895

Rao,D.A.A.S.N. See Young,T.E., 0=2624

Rao,D.V.G.L. Narasimha. See Narasimha Rao,D.V.G.L.

Rao,G. Sivasankara. See Sivasankara Rao,G.,

Rao,K. Narahari. See Narahari Rao,K.

Rao,K. Suryanarayana. See Suryanarayana Rao,K.

Rao,K.V. Krishna. See Krishna Rao,K.V.

Rao,M.N. and Mitra,A.P. Effect of vertical drifts on the nocturnal ionization of the lower ionosphere, 0=6450

Rao,M. Srirama. See Srirama Rao,M.

Rao,P. Rama. See Rama Rao,P.

Rao,P.S. and Ranade,J.D. Theoretical calculations of transition probabilities in the first negative $(b^4\Sigma g \rightarrow a^2\Pi_u)$ bands of O_2^+, 0=5952

Rao,P.Tiruvenganna. See Tiruvenganna Rao,P.

Rao,R.V.G. and Li,J.C.M. A relation between vapour pressure and compressibility coefficient of liquids, 0=6780

Rao,V. Ramakrishna. See Ramakrishna Rao,V.

Raoult,G.,Fanguin,R. and Chabrier,A. Rotary magnetic polarization (Faraday rotation) in ferric and chromic paramagnetic salts at 100 000 Mc/s, 0=667

Raoult,G. See Berthet,G., 0=681

Rapaport,J. See González,L., 0=20495

Raper,O.F. See Current,J.H., 0=10778

Rapoport,I.D. Photographic method of detection of dense showers of charged particles, 0=1233

Rapoport,I.D. See Grigorov,N.L., 0=9492

Rapoport,L.P. and Kadmenskii,S.G. Distribution of the proton density in a nucleus with a given orbital momentum, 0=9519

Rapoport,V.O. See Getmantsev,G.G., 0=12708

Rapp,D. Complete classical theory of vibrational energy exchange, 0=7816

Rapp,D. and Johnston,H.S. Nitric oxide—fluorine dilute diffusion flame, 0=16374

Rapp,D. and Ortenburger,I.B. Interchange of charge between gaseous molecules, 0=19623

Rapp,D. See Herschbach,D.R., 0=4184

Rapp,R.A. New techniques in the attainment of high vacua, 0=106

Rapp,R.A.,Hirth,J.P. and Pound,G.M. On the condensation coefficient in the growth of silver from the vapor phase, 0=12003

Rappaport,P. See Wysocki,J.J., 0=7967

Rappaport,W. On the measurement of pitch distribution in German speech, 0=18529

Rappoport,R. The photovoltaic effect and its uitlization, 0=2312

Rappeneau,T. Study of the magnetization of thin nickel films, 0=6235

Rapsey,A.N. Wide range recording anemometer, 0=4778

Rarita,W. See Glauber,R., 0=17672

Rasetti,F. See Ascoli-Bartoli,U., 0=3778

Rashba,E.I. The energy band symmetry in wurtzite-type crystals. I. Band symmetry without taking into account the spin—orbit interaction, 0=1543

Rashba,E.I. Effect of resonance excitation transfer in the theory of a large radius exciton. 0=11609

Rashba,E.I. See Boiko,I.I., 0=11674

Rashbass,C. New method for recording eye movements, 0=12226

Raskin,Sh.Sh. and Sechkarev,A.V. Origin of some differences in the Raman spectra of acetamide and n-phenylenediamine in various phase states, 0=5948

Rasmussen,A.L. See Grimes,D.M., 0=11852

Rasmussen,E. and Middelboe,V. Optical hyperfine structure of neon-21, 0=20553

Rasmussen,J.E. See Lewis,E.A., 0=16484

Rasmussen,J.O. Alpha-decay barrier penetrabilities with an exponential nuclear potential: odd-mass nuclei, 0=1383

Rasmussen,J.O. Theory of E0 transitions of spheroidal nuclei, 0=20405

Rasmussen,J.O. See Asaro,F., 0=20372

Rasmussen,J.O. See Chasman,R.R., 0=1384

Rasmussen,J.O. See Faler,K.T., 0=9605

Rasmussen,J.O. See Toth,K.S., 0=11343

Rasmussen,J.O. See Unik,J.P., 0=1377

Rasmussen,N.C. See Kazi,A.H., 0=17283

Rasmussen,N.C. See Walters,T.J., 0=7535

Rasmussen,R.A. Resonance absorption in solid cyclohexane, 0=11572

Rasmussen,R.A. Low frequency wave filters employing thermistors, 0=12572

Rasmussen,V.K.,Metzger,F.R. and Swann,C.P. Mean life of the first excited state of Na^{23}, 0=5726

Rasmussen,V.K. See Metzger,F.R., 0=13139

Rasmussen,V.K. See Swann,C.P., 0=318

Raso,D.J. See Berger,M.J., 0=7318

Rasool,I. See Vassy,A., 0=14192

Rasor,N.S. Figure of merit for thermionic energy conversion, 0=7137

Rasor,N.S. and McClelland,J.D. Thermal property measurements at very high temperatures, 0=12531

Rassudova,G.N. and Gerasimov,F.M. Diffraction gratings for separation of spectral orders, 0=3647

Rastall,P. An approach to a theory of gravitation, 0=16567

Rastogi,B.P. The dependence of breeding gain and power on the level of ^{233}U in the blanket of a two-region homogeneous reactor, 0=7661

Rastogi,N.C. and Vachaspati. Solution of the Dirac equation for electromagnetic potentials, 0=20046

Rastogi,R.G. Geomagnetic influence on the F1- and F2-regions of the ionosphere — effect of solar activity, 0=6463

Rastogi,R.G. The diurnal development of the anomalous equatorial belt in the F2 region of the ionosphere, 0=8390

Rastogi,R.G. Abnormal features of the F_2 region of the ionosphere at some southern high-latitude stations, 0=14251

Rastogi,R.G. Asymmetry between the F_2 region of the ionosphere in the northern and southern hemispheres, 0=14253

Rastogi,R.G. A synoptic study of the F2-region of the ionosphere in the Asian zone, 0=21375

Rastogi,R.P.,Nigam,R.K. and Singh,S. Excess free energies for condensed phases at the maximum and minimum melting-points, 0=19502

Rastogi,R.P. and Rama Varma,K.T. Thermodynamic properties of binary alloys exhibiting miscibility in solid and liquid phases, 0=4688

Rastogi,R.P. and Srivastava,R.C. Generalized theory of thermal transpiration and thermal diffusion based on the thermodynamics of irreversible processes, 0=7016

Rastogi,R.P. and Srivastava,R.C. Entropy production in chemical reactions, 0=14098

Rastoix,G. See Charbonnier,R., 0=2412

Rastoix,G. See Chonez,A., 0=2412

Rastoix,G. See Dagai,M., 0=2412

Rastrepin,A.B. See Fogel',Ya.M., 0=9078

Ratcliffe,E.H. Thermal conductivities of fused and crystalline quartz, 0=7859

Ratcliffe,J.A. Ionizations and drifts in the ionosphere, 0=12161

Ratcliffe,J.A.,Robbins,A.R. and Thomas,J.O. Movements in the quiet F-layer over Slough, 0=8384

Rathenau,G.W. See Bosman,A.J., 0=13786

Rathenau,G.W. See de Vries,G., 0=13772

Rathgeber,H.D. See Murdoch,H.S., 0=3911

Ratho,T. X-ray small angle measurements on 1 solution of haemoglobin corpuscular protein, 0=19115

Ratliff,F. See Eisenberg,L., 0=12216

Ratnam,V.V. Long period afterglow of KCl:Tl phosphor under cathode-ray excitation, 0=21012

Ratner,A.M. Luminescence of impurity centres. II, 0=11769

Ratner,A.M. The temperature factor for scattering of X-ray beams in a rocksalt crystal, 0=14018

Ratner,A.M. and Zil'berman,G.E. Luminescence of impurity centres. I, 0=11768

Ratner,B.S. See Linkova,N.V., 0=13263

Ratner,E.S. The threshold sensitivity of radiation receivers, 0=19496

Ratti,S. See Fiorini,E., 0=15198

Ratti,S. See Fiorini,F., 0=11171

Rauch,C.J.,Stickler,J.J.,Zeiger,H.J. and Heller,G.S. Millimeter cyclotron resonance in silicon, 0=6037

Rauch,H. Application of equi-densitometry to the quantitative examination of smoke-plume photographs, 0=5191

Rauf,A. and Qurashi,M.M. The relationship between viscosity and molecular structure. III. Accurate measurements of the temperature dependence of the activation energy of viscous flow in ethylene glycol, 0=19045

Rauh,E.G. and Thorn,R.J. Thermionic properties of uranium, 0=3786

Rausch,W. See Huster,E., 0=17310

Rautenberg,T.H.,Jr and Johnson,P.D. Light production in the aluminum-oxygen reaction, 0=8790

Rautian,S.G. The echelette theory, 0=8806

Ravich,Yu.I. See Moizhes,B.Ya., 0=6112

Ravoux,J.P. See Doucet,Y., 0=3685

Raw,C.J.G. See Hawksworth,W.A., 0=4723

Rawer,K. Study of the transparency of the ionospheric layer caller sporadic-E, 0=8381

Rawer,K. Drift in the E-region, 0=12182

Rawer,K. True height and thickness of the E layer, 0=21353

Rawer,K. Irregularities and movements in the F-region, 0=21370

Rawer,K. and Taïeb,C. Determination of electron density profiles in the ionosphere. (Case where effect of magnetic field is neglected), 0=21368

Rawer,K. and Taïeb,C. Determination of electron density profiles in the ionosphere. (Case where effect of earth's magnetic field is taken into account), 0=21369

Rawer,K. See Bibl,K., 0=12165

Rawer,K. See Bibl,K., 0=15169

Rawlings,R. and Robinson,P.M. An internal friction peak due to slow moving dislocations in iron-nitrogen alloys, 0=16209

Rawlings,R. See Robinson,P.M., 0=21101

Rawson,H. The theory of stresses in two-component glass to metal tube seals, 0=19006

Rawson,H. See Elyard,C.A., 0=21216

Ray,A.K. See Murgal,M.P., 0=8305

Ray,B. See Woolley,J.C., 0=12083

Ray,E.C. On the theory of protons trapped in the earth's magnetic field, 0=14269

Ray,M. Flow of a compressible fluid around a corner, 0=2153

Ray,M. Note on the variation of temperature due to small steady disturbances in a compressible [two-dimensional non-adiabatic] flow, 0=8612

Ray,S. Effect of chemical treatment on the structure and properties of graphite, 0=20718

Rayburn,L.A. Differential elastic scattering of 14-MeV neutrons by Zn, Sn, Sb, Pb and Bi, 0=4172

Rayne,J.A. Temperature dependence of the absorptivity of copper in the near infrared, 0=1719

Rayne,J.A. Elastic constants of palladium from 4.2-300°K, 0=11966

Rayne,J.A. See Biondi,M.A., 0=1542

Rayner,C.B. Three remarks concerning a recent theorem, 0=871

Rayner,C.B. A simple form for the Ricci tensor under conditions of rigidity, 0=874

Rayner,C.B. A simplification of exterior Einstein equations for a group movement, 0=2109

Rayner,C.B. The concept of a rigid motion [in relativity], 0=6665

Rayner,J.H. See Gower,J.C., 0=8202

Rayner,M.J. See Oliver,D.J., 0=16950

Raynor,G.V. See Evans,D.S., 0=10311

Rayski,J. A six-dimensional Riemannian manifold, its applications to meso-electrodynamics, and a systematization of strongly interacting particles, 0=5475

Rayski,J. An attempt to geometrize mesoelectrodynamics, 0=15231

Rayski,J. On a possible relation between space and iso-space, 0=15256

Rayski,J. Interpretation of electrodynamics and baryon theory within a six dimensional manifold, 0=18937

Raz,B.J. See Yntema,J.L., 0=5759

Raz,J.B. Collective quadrupole effects in light nuclei, 0=17552

Razavy,M. See Levinger,J.S., 0=12886

Razbash,R.Ya. See Bogdanov,S.V., 0=12076

Razbirin,B.S. See Bansi-Griio [Bancie-Grillot],M., 0=1744

Razbirin,B.S. See Gross,E.F., 0=16047

Razbirine,B. See Gross,E., 0=18123

Razbirine,B.S. See Bancie-Grillot,M., 0=11775

Razgovorova,T.V. See Anufrieva,E.V., 0=4680

Razin,A.A. See Tarasova,L.V., 0=9006

Razinskaya,I.N. and Rȳlov,E.E. Some problems of the time dependence of the strength of "organic glasses", 0=16234

Razmadze,A.K. See Trofimenko,A.P., 0=18037

Razorenova,I.F. See Bogomolov,C.S., 0=12743

Razorenova,I.F. See Bogomolov,C.S., 0=12744

Razumova,T.K. See Arkhangel'skaya,V.A., 0=16829

Razumovskaya,I.V. See Bartenev,G.M., 0=16233

Razumtseva,G.P. See Rovinskii,R.E., 0=9011

Rea,D.G. On the theory of the resonance Raman effect, 0=15716

Rea,D.G. Effects of solvent on Raman band intensities, 0=15717

Read,A.A. See Pohm,A.V., 0=9184

Read,B.E. See Allen,G., 0=3160

Read,P.L. Ultralinear cathode follower, 0=16961

Reade,R.F. and Martin,D.S.,Jr. Diffusion of Ag^+, Cl^- and Cd^{++} in silver chloride single crystals, 0=20842

Reader,J.,Meissner,K.W. and Andrew,K.L. Improved Cu II standard wavelengths in the vacuum ultraviolet, 0=4170

Reagan,D. Transverse compression waves in a stabilized discharge, 0=3769

Reamer,H.H. and Sage,B.H. High pressure manometer, 0=6821

Reames,J.P. Cleaning of slides for vacuum deposition, 0=110

Reams,W. See Alder,G., 0=14135

Rebane,K.K. On the relaxational processes in crystal phosphors with complex spectra of capture levels, 0=1743

Rebane,K.K. The relationship between the recombination luminescence and conductivity under non-isothermal conditions, 0=16076

Rebane,K.S.K. On deep trapping states in ZnS phosphors, 0=6197

Rebane,K.S.K. and Sakarinen,É. The effect of temperature on infrared quenching, 0=16097

Rebane,T.K. Choice of the initial single-electron wave-functions for the solution of self-consistent field equations with exchange, 0=1463

Rebane,T.K. Variational principle for calculation of the correction to the electron energy in a molecule, quadratic with respect to the magnetic field strength, 0=13446

Rebane,T.K. Calculation of the polarizability of conjugated molecules, with allowance for the electrostatic interactions of π-electrons, 0=20652

Rebane,V.N. See Levshin,V.L., 0=4461

Reber,G. Radio interferometry at three kilometers altitude above the Pacific Ocean. I. Installation and ionosphere, 0=8482

Reber,G. Radio interferometry at three kilometers altitude above the Pacific Ocean. II. Celestial sources, 0=8483

Rebinder,P.A. See Goryunov,Yu.V., 0=1871

Rebinder,P.A. See Goryunov,Yu.V., 0=6313

Rebinder,P.A. See Khodakov,G.S., 0=12058

Rebinder,P.A. See Kochanova,L.A., 0=16239

Rebka,G.A., Jr. See Pound,R.V., 0=36

Rebka,G.A., Jr. See Pound, R.V., 0=3947

Rebka,G.A., Jr. See Pound,R.V., 0=10570

Rebka,G.A. Jr, See Pound,R.V., 0=11313

Rebka,G.A. Jr, See Pound,R.V., 0=11315

Rechen,J.B. See Ruby,L., 0=15368

Rechenmann,R. The particle latent image at high temperatures, 0=15214

Recknagel,E. Hyperfine splitting of the ${}^2S_{1/2}$ ground state and the nuclear magnetic dipole moment of Au^{197}, 0=9518

Recknagel,E. See Fricke,G., 0=9517

Redaelli,G. See Gatti,E., 0=5436

Redding,G.B. See Barnes,R.S., 0=20827

Reddish,V.C. On analysing the physical evolution of galaxies, 0=18822

Reddy,P.J. and Subrahmanyam,S.V. Dependence on temperature of elastic moduli of tin, 0=6295

Reddy,S.P. and Tiruvenganna Rao.P. The spectrum of iron monochloride in the visible, 0=5941

Reddy,S. Paddi. See Paddi Reddy,S.

Reder,F.H. and Bickart,C.J. Advantage of a cascaded-cavity NH$_3$ maser over the single cavity maser, 0=19923

Reder,F.H. and Winkler,G.M.R. Preliminary flight tests of an atomic clock in preparation of long-range clock synchronization experiments, 0=12344

Redfield,A.G. Spatial diffusion of spin energy, 0=1823

Redfield,A.G. and Anderson,A.G. Nuclear spin—lattice relaxation time in superconducting aluminium, 0=8950

Redfield,A.G. See Anderson,A.G., 0=3140

Redhead,P.A. The magnetron gauge: A cold-cathode vacuum gauge, 0=980

Redheffer,R. The dependence of reflection on incidence angle, 0=5408

Rediker,R.H. See Calawa,A.R., 0=18047

Rediker,R.H. See Lowen,J., 0=2895

Redington,R.W. Gain band-width product of photoconductors, 0=618

Redington,R.W.,Saum,G.A. and Van Heerdem,P.J. Electrostatic optics for camera tubes, 0=3803

Redman,R.O. See Griffin,R.F., 0=18846

Redmond,P.J. Some consequences for quantum electrodynamics of an essential singularity at α =O, 0=2486

Redmond,P.J. and Uretsky,J.L. In—out formalism for non-relativistic quantum mechanics, 0=3452

Redozubov,D.V. Solution of linear problems of [the conduction of] heat with boundaries moving uniformly in a semi-infinite range, 0=16912

Redshaw,S.C. Use of an electrical analogue for the solution of a variety of torsion problems, 0=16654

Redshaw,S.C. and Rushton,K.R. An electrical analogue solution for the stresses near a crack or hole in a flat plate, 0=19030

Ree,T. See Fueno,T., 0=19617

Ree,T. See Gabrysh,A.F., 0=17979

Ree,T. See Kim,W.K., 0=4988

Reeber,M.D. Superconductivity of dilute indium—mercury alloys, 0=7032

Reed,B. See Weinreich,O.A., 0=5397

Reed,N.M. See Schamp,H.W., Jr, 0=3388

Reed,R.I. See Brown,J.J., 0=12800

Reed,S.A. and Crowley,P.R. Sedimentation of thorium oxide slurries at elevated temperatures, 0=12112

Reed,S.G., Jr. N wave propagating into a stratified atmosphere, 0=6829

Reed,S.G. and Herzfeld,C.M. Theory of flame propagation in solid nitrogen at low temperatures, 0=3681

Reed,T.B. Determination of streaming velocity and the flow of heat and mass in high-current arcs, 0=19644

Reeh,H. Polarization potential for electrons in the field of an atom or atom core, 0=15649

Rees,M.H. Absolute photometry of the aurora · I. The ionized molecular nitrogen emission and the oxygen green line in the dark atmosphere, 0=6475

Rees,M.H. Absolute photometry of the aurora ·II. Molecular nitrogen emission in the sunlit atmosphere, 0=6476

Rees,M.H. and Reid,G.C. The aurora, the radiation belt and the solar wind: a unifying hypothesis, 0=4813

Rees,M.H. and Rense,W.A. Note on the cause of ionization in the F-region, 0=10421

Rees,M.H. See Roach,F.E., 0=2034

Rees,M.H. See Roach,F.E., 0=14291

Reese,R.M. See Krauss,M., 0=7070

Reese,W.E. See Turner,W.J., 0=6184

Reeves,C.G. See Bottomley,G.A., 0=8698

Reeves,E.M. See Nicholls,R.W., 0=5942

Reeves,H. and Salpeter,E.E. Nuclear reactions in stars. IV. Buildup from carbon, 0=3424

Reeves,L.W. See Gray,P., 0=17785

Reeves,R.R.,Mannella,G. and Harteck,P. Formation of excited NO and N$_2$ by wall catalysis, 0=6403

Reeves,R.R.,Mannella,G. and Harteck,P. Rate of recombination of oxygen atoms, 0=6405

Reeves,R.R. See Mannella,G.G., 0=18428

Reformatsky,I.A. See Gorshkov,V.K., 0=7648

Regel',V.R. and Berezhkova,G.V. The relation of orientation to kinking limit for monocrystals, 0=13542

Regel',V.R. and Stepanova,V.M. Experiments on the indication of dislocations in Zn single crystals by the etching method, 0=713

Regemorter,H.van. See van Regemorter,H.

Regge,T. Introduction to complex orbital momenta, 0=4944

Reggia,F. See Tompkins,J.E., 0=9220

Regier,R.B.,Burgus,W.H.,Tromp,R.L. and Sorensen,B.H. Ratio of asymmetric to symmetric fission of Pu^{239} and Pu^{241} as a function of neutron energy, 0=17634

Regirer,S.A. A non-stationary problem of magnetohydrodynamics for a half-plane, 0=1191

Regirer,S.A. [Stationary] convective motion of a conducting fluid between parallel vertical plates in a magnetic field, 0=9175

Regirer,S.A. Approximate theory of the flow of a viscous, incompressible liquid in tubes of permeable walls, 0=19056

Régnier,A. Introduction to the dynamic study of diffusion processes, 0=6693

Rehmann,G. The propagation of light and matter waves in Lorentz systems and its geometrical interpretation, 0=12465

Rehmann,G. Coordinate transformation and Huygens' principle, 0=19351

Rehn,V. and Dean,C. Side-band suppression for self-quenched superregenerative spectrometers, 0=5429

Rehwald,W. Elementary introduction to the Bessel, Neumann and Hankel functions. Essential properties of the cylinder-functions, with numerous examples of applications in physics and technology, 0=14365

Reibel,K. and Mann,A.K. Energy level parameters from nuclear resonance fluorescence at 7 MeV, 0=9526

Reich,C.W. See Heath,R.L., 0=11378

Reich,C.W. See Moore,M.S., 0=9704

Reich,H.A. See Garwin,R.L., 0=1069

Reich,H.A. See Garwin,R.L., 0=1085

Reich,H.E. See Garwin,R.L., 0=8882

Reich,H.J. See Boersch,H., 0=2400

Reich,I. Calculation of surface tensions of liquids from liquid density and vapor pressure, 0=5004

Reichard,T.W. See Spinner,S., 0=13905

Reichardt,W. New developments in the field of loudness measurement, 0=14766

Reichel,R. See Görlich,P., 0=3791

Reichel,R. See Görlich,P., 0=3790

Reichenbach,H. and Dreizler,H. The effect of shock waves of [shock-tube] cross-section variations and of grids in shock tubes, 0=5085

Reichenbaum,G. Improved semiconductor-to-copper soldered contact, 0=6129

Reichenbaum,G. See Donovan,B., 0=7938

Reichert,E. See Deichsel,H., 0=17033

Reichow,D. See Venzke,G., 0=19346

Reid,C.D. Nomographic-type slide rule for obtaining spectral blackbody radiation directly, 0=14879

Reid,C.D. See Harrison,J.A., 0=4754

Reid,F.J. See Miller,J.F., 0=4351
Reid,G.C. and Collins,C. Observations of abnormal v.h.f. radio wave absorption at medium and high latitudes, 0=5422
Reid,G.C. and Leinbach,H. Low-energy cosmic-ray events associated with solar flares, 0=9479
Reid,G.C. See Basler,R.P., 0=14477
Reid,G.C. See Rees,M.H., 0=4813
Reid,G.W. See Firk,F.W.K., 0=17350
Reid,J.H. An unusual flare of 1958 August 7, 0=840
Reid,J.H. Distribution of sightline velocities in solar disk and limb phenomena, 0=8502
Reid,J.H. See Ellison,M.A., 0=18764
Reid,J.H. See Ellison,M.A., 0=18765
Reid,J.M. See Atkinson,J.R., 0=17286
Reid,R.J. See McCusker,C.B.A., 0=1331
Reid,W.E.,Jr and Ogburn,F. The adhesion of electrodeposited nickel to chromium at elevated temperatures, 0=4699
Reid,W.H. One-dimensional equilibrium spectra in isotropic turbulence, 0=3501
Reid,W.H. The stability of non-dissipative couette flow in the presence of an axial magnetic field, 0=9173
Reid,W.H. The oscillations of a viscous liquid drop, 0=14611
Reid,W.H. and Harris,D.L. Streamlines in Bénard convection cells, 0=918
Reid,W.H. See Sykes,J.B. (Transl.), 0=915
Reidel,O. Self-quenching Geiger counters containing mixtures of permanent gases, 0=15180
Reier,M. The age of polonium—boron neutrons in water, 0=12982
Reier,M.,Obenshain,F. and Hellens,R.L. The age of polonium—beryllium neutrons in various metal-water mixtures, 0=12983
Reif,F. and Meyer,L. Study of superfluidity in liquid He by ion motion, 0=14913
Reif,F. See Meyer,L., 0=8902
Reif,F. See Meyer,L., 0=16939
Reiffel,L. Pressure effects and configuration coordinate models of KCl(Tl), 0=657
Reiffel,L. Low energy X-rays from interplanetary space, 0=6550
Reiffel,L. Observations on the general solar plasma instability, 0=6600
Reiffel,L. Erosion of meteorites in space and the density of interplanetary gas, 0=10497
Reiffel,L. and Kapany,N.S. Some considerations on luminescent fiber chambers and intensifier screens, 0=18150
Reikhrudel',E.M. See Smirnitskaya,G.V., 0=7092
Reilly,C.A. and Swalen,J.D. Nuclear magnetic resonance spectra of some simple epoxides, 0=11539
Reilly,C.A. See Hood,G.C., 0=3547
Reimer,L. Measurement of temperature dependence of the ferromagnetic Hall effect on evaporated films of nickel for the determination of the Curie temperature, 0=673
Reimer,L. On the decomposition of inorganic crystals in the electron microscope, 0=4705
Reimerov,L.I. Electron-relaxation processes in titanium dioxide, 0=9879
Rein,G.C. See Stergis,C.G., 0=777
Rein,G.C. See Stergis,C.G., 0=778
Reina,I. See Poiani,G., 0=2485
Reinberg,A.R. See Marshall,S.A., 0=11948
Reiner,A.S. See Bayman,B.F., 0=1364
Reiner,M. Cross stresses in the laminar flow of liquids, 0=10637
Reiner,M. and Blair,G.W.Scott. The flow of blood through narrow tubes, 0=4998
Reiner,M. See Popper,B., 0=8686
Reinert,K.E. The microwave spectrum and planarity of nitrobenzene, 0=7771
Reines,F.,Cowan,C.L.,Jr,Harrison,F.B.,McGuide,A.D. and Kruse,H.W. Detection of the free antineutrino, 0=3955
Reinet,Ya.Yu,Tammet,Kh,F. and Val't,L.O. Methods of unipolar ionization of air by means of aero-ionizers, 0=1097
Reinhardt,G.C. See Aull,L.B., 0=5777
Reinhardt,H. See Lindner,R., 0=16389
Reinhardt,P.W. See Davies,F.J., 0=12723
Reinhold,G.,Seitz,J. and Minkner,R. Improved versions of the cascade generator, 0=12655
Reinov,N.M. and Smirnov,A.P. The elasticity limits of tin and indium, 0=16214
Reinov,N.M. See Bogoroditskii,N.P., 0=2918
Reinov,N.M. See Gubanov,A.I., 0=7940
Reinov,N.M. See Kogan,A.V., 0=2652
Reinov,N.M. See Kogan,A.V., 0=10857
Reinov,N.M. See Kogan,A.V., 0=11299
Reinov,N.M. See Kogan,A.V., 0=20787
Reinov,N.M. See Mikhailov,Yu.G., 0=2290
Reisfeld,M.J. See McInteer,B.B., 0=14689
Reisfeld,R. See Glasner,A., 0=8001
Reiss,H.,Frisch,H.L.,Helfand,E. and Lebowitz,J.L. Aspects of the statistical thermodynamics of real fluids, 0=3507
Reiss,H. See Helfand,E., 0=19095
Reiss,K.H. The physical limitations of grids for the reduction of scattered X-radiation, 0=2523
Reiss,R. Contribution to the study of the optical properties of cuprous halides at low temperatures, 0=10029
Reiss,R. and Nikitine,S. Observation of new exciton lines in the absorption spectra of cuprous chloride at 4.2°K, 0=11761
Reiss,R. See Nikitine,S., 0=21000
Reissig,R. The overall stability of forced frictional oscillations, 0=6846
Reissner,E. On the solution of a class of problems in membrane theory of thin shells, 0=12389
Reiswig,R.D. See CraigmP.P., 0=411
Reiswig,R.R. See Nagle,D., 0=11312
Reiter,R.A.,Romanowski,T.A.,Sutton,R.B. and Chidley,B.G. Precise measurements of the mean lives of μ^+ and μ^- mesons in carbon, 0=17370
Reiter,R.A. See Bertram,W.J.,Jr, 0=17371
Reitz,D.C. and Weissman,S.I. Spin exchange in biradicals, 0=17722
Reitz,J.R. See Lewis,H.W., 0=2311
Reitz,J.R. See Lewis,H.W., 0=9040
Rekov,A.I. See Aleksandrov,V.V., 0=9972
Remaut,G. See Amelinckx,S., 0=7917
Rembser,J. See Müller,W., 0=19833
Remeika,J.P. $GeFeO_3$: A ferromagnetic-piezoelectric compound, 0=11825
Remeika,J.P. See Bozorth,R.M., 0=10176
Remmelts,J. and Moch,R. The tearing of notched aluminium foils, 0=11984
Remmington,T.A. See Bottomley,G.A., 0=8699
Rémy,E. and Winter,K. Fast coincidence circuit with time analyser, 0=9249
Remy,E. and Winter,K. A time-of-flight selector for fast neutrons, 0=9383
Renard,G.A. Internal bremsstrahlung and autoionisation lines of Y^{90} and P^{32} in low energy range, 0=2518
Renard,M. The critical magnetic field of rhenium down to 0.3°K, 0=12561
Renard,M. See Doulat,J., 0=3706
Renau,J. A theory of spread F based on a scattering-screen model, 0=8404
Renau,J. Theory of spread F based on aspect-sensitive backscattered echoes, 0=16449
Rendondo Mena,V. The problem of definition and depth of field in photographic lenses with long focal length and using auxiliary lenses, 0=152
Rene,M. and Vanderhaeghe,G. Mixtures of nuclear emulsions, 0=198
Réné,M. and Vanderhaeghe,G. Properties of emulsion mixtures, 0=12765
René,M. See K⁻-collaboration, 0=1308
René,M. See K⁻-Collaboration, 0=15430
Reneker,D. See Eckstein,Y., 0=16199
Reneker,D.H. and Geil,P.H. Morphology of polymer single crystals, 0=18292
Renne,V.T. See Kozÿreva,M.S., 0=16396
Renner,H. See Eberhardt,W.H., 0=5932
Rennie,A.E. and Nielsen,S. Controlling the habit of potassium cobalticyanide crystals, 0=6325
Renninger,M. Measurements without disturbing the measured object, 0=8535
Renouf,T.J. See Wilson,C.G., 0=3223
Rense,W.A. See Rees,M.H., 0=10421
Rense,W.A. See Violett,T., 0=10508
Renson,P. Charges, 0=15308
Rentzepis,P. See Harteck,P., 0=498
Renucci,L.,Langeron,J.P. and Lehr,P. The electrical conductivity of zone melted Zr at low temperature, 0=562
Renzoni,R. See Gatti,E., 0=5436
Repanai,A. See Nardelli,G., 0=9905
Repnikova,M.K. See Bolshov,V.G., 0=7139

Reppy,J. See Burnham,J., 0=16938
Rérat,C. Crystal structure of trimethylaminoxyd hydrochloride, 0=6365
Rérat,C. Crystal structure of piperidine hydrochloride, 0=6366
Résibois,P. Formal theory of classical scattering, 0=15288
Resibois,P. and Leaf,B. The independent perturbation solution of the Liouville equation, 0=18963
Résibois,P. and Prigogine,I. Analytical invariants in N-body systems, 0=16612
Resibois,P. See Prigogine,I., 0=8687
Rester,D.H. See Durham,F.E., 0=20398
Rethmeier,B.C. See Cohen,E.G.D., 0=8647
Retz-Schmidt,T. and Weil,J.L. Excitation curves and angular distributions for $N^{14}(d,n)O^{15}$, 0=13241
Reule,A. On the application of electrical image convertors as image amplifiers, 0=6913
Reulos,R. Remarks concerning the article "Fundamental spinor representations of the general Lorentz group and inversions of space time and the universe", 0=18906
Reulos,R. A reply to the remarks of R.Reulos; Complementary remark, 0=18907
Reus,N. See Savin,G., 0=21043
Reuschel,K. See Hoffmann,A., 0=11698
Reut,A.A. See Ignatenko,A.E., 0=5370
Reuter,B.,Jaskowsky,J. and Riedel,E. Vanadium spinels as valency semiconductors, 0=4366
Revel,D. See Gaillard,J.M., 0=1298
Revell,R.S.M. See Franks,A. (Conf. rep), 0=4678
Revnov,B.I. and Shvaikovskaya,E.O. Static and impact deformation in muscovite, 0=13544
Rey,C. See Crewe,A.V., 0=9355
Reynolds,C.A. See Burnham,J., 0=16938
Reynolds,C.A. See Shore,F.J., 0=16958
Reynolds,D.C. Temperature dependence of edge emission in cadmium sulfide, 0=10059
Reynolds,D.C. and Czyzak,S.J. Dislocations in two types of CdS crystals, 0=1584
Reynolds,D.C. See Pedrotti,L.S., 0=16080
Reynolds,D.C. See Warschauer,D.M., 0=658
Reynolds,D.C. See Warschauer,D.M., 0=16119
Reynolds,G.S. and Stevens,S.S. Binaural summation of loudness, 0=18539
Reynolds,G.T.,Swanson,R.A. and Scarl,D.B. $\pi^{\pm}$tracks in a filament scintillation chamber, 0=20178
Reynolds,G.T. See Bowen,T., 0=17426
Reynolds,G.T. See Bowen,T., 0=17427
Reynolds,H.L.,Goldberg,E. and Kerlee,D.D. Elastic scattering of heavy ions by gold and bismuth, 0=17612
Reynolds,J.H. Determination of the age of the elements, 0=4041
Reynolds,J.H. Isotopic composition of primordial xenon, 0=12272
Reynolds,J.M.,Good,B.J. and Schultis,W.J. The apparent mass of an object moving through liquid helium II, 0=8905
Reynolds,J.M. See Ali,S.A., 0=9944
Reynolds,J.M. See Balain,K.S., 0=13582
Reynolds,J.M. See Bergeron,C.J., 0=13581
Reynolds,M.B. The diffusion of fission krypton from metallic uranium, 0=11645
Reynolds,M.B. Fission gas behaviour in the uranium—aluminium system, 0=13371
Reynolds,S.A. See Wright,H.W., 0=13178
Reynolds,S.I. Measurement and influence of surface charges in high-voltage phenomena, 0=5254
Reynolds,S.I. See Devins,J.C., 0=2300
Reynolds,W.N. and Goggin,P.R. The annealing of electron irradiation damage in graphite, 0=20854
Reyssat,M. See Flambard,A., 0=15
Rez,I.S. See Gurevich,V.M., 0=13578
Rez,I.S. See Gurevich,V.M., 0=13658
Řezanka,I. Stray fields of conical pole pieces, 0=7191
Rezin,M. See Briskman,V., 0=6531
Rezneck,S. The education of an American scientist: H.A.Rowland,1848-1901, 0=856
Reznikova,I.I. See Zhmÿreva,I.A., 0=15739
Reznikovskii,M.M. and Lukomskaya,A.I. The relationship between rupture and tearing of rubber, 0=1865
Rheinboldt,W.C. and Menard,J.P. Mechanized conversion of colorimetric data to Munsell renotations, 0=14858
Rhoderick,E.H. Superconducting computer elements, 0=8932
Rhoderick,E.H. See Broom,R.F., 0=1082
Rhoderick,E.H. See Broom,R.F., 0=12564
Rhoderick,E.H. See Oliver,D.J., 0=16950
Rhodes,E. and Ubbelohde,A.R. Melting and crystal structure: effects of thermal transformations of ionic crystals on their ultra-violet absorption, 0=10038
Rhodes,E. See Frame,J.P., 0=13466
Rhodes,J.R. See Cameron,J.F., 0=3953
Rhodes,J.R. See Cameron,J.F., 0=8290
Rhodes,M.B. See Stein,R.S., 0=21221
Rhodin,T.N. See Bachmann,L., 0=14046
Ribarič,M. The three-stage radio frequency mass spectrometer, 0=12649
Ribarič,M. and Herman,F. Transparency of a plane slab of non-multiplying material for time dependent non-homogeneous currents, 0=12967
Ribarič,M. and Strnad,J. Albedo of non-stationary neutron currents, 0=12961
Ribarič,M. and Strnad,J. Albedo of non-stationary two-group neutron currents, 0=12962
Ribarič,M.,Strnad,J. and Peterlin,A. The time dependent two-group neutron flux in a homogeneous reflector, 0=12963
Ribarič,M. See Peterlin,A., 0=12964
Ribarič,M. See Peterlin,A., 0=12965
Ribe,F.L. See Nagle,D.E., 0=13387
Ribner,H.S. Energy flux from an acoustic source contained in a moving fluid element and its relation to jet noise, 0=16782
Ribnikar,S.V. Equilibrium constants for boron isotope exchange reactions, 0=17675
Ribnikar,S.V. and Knežević,Ž.V. Note on the feasibility of the boron fluoride monohydrate process of boron isotope separation, 0=20573
Ribrag,M. See Gewin,R., 0=20504
Ricamo,R. See Cuzzocrea,P., 0=15601
Ricateau,P. See Belna,R., 0=2412
Ricateau,P. See Bineau,M., 0=19662
Ricateau,P. See Bineau,M., 0=19663
Ricci,F.P. Quantum effect on the radial distribution function of liquids, 0=14623
Ricci,F.P. See Caglioti,G., 0=18335
Ricci,F.P. See Castagnoli,G.C., 0=16653
Ricci,F.P. See Cini-Castagnoli,G., 0=3514
Ricci,F.P. See Cini-Castagnoli,G., 0=14635
Ricci,R.A.,Chilosi,G.,Varcaccio,G.,Vingiani,G.B. and Van Lieshout,R. The gamma ray spectra of ^{65}Ni and ^{65}Zn; characteristics of the lower excited states of ^{65}Cu, 0=17560
Ricci,R.A.,Monaro,S. and van Lieshout,R. On the decay of Ru^{106}, 0=11385
Ricci,R.A. See Girgis,R.K., 0=4065
Ricci,R.A. See Girgis,R.K., 0=4066
Ricci,R.A. See Girgis,R.K., 0=4068
Ricci,R.A. See Girgis,R.K., 0=4072
Ricci,R.A. See van Lieshout,R., 0=15533
Ricci,R.A. See Ythier,C., 0=15545
Rice,F.O. See Radford,H.E., 0=16175
Rice,O.K. Gas of hard nonattracting spheres, 0=954
Rice,O.K. Note on the equation of state for hard spheres, 0=8562
Rice,S.A. On the dilational viscosity of simple dense fluids, 0=65
Rice,S.A. Some further remarks on the coefficient of self-diffusion in simple dense fluids, 0=19107
Rice,S.A. and Frisch,H.L. Dynamical theory of diffusion in crystals. IV. Some aspects of the introduction of irreversibility, 0=7862
Rice,S.A. and Kirkwood,J.G. On an approximate theory of transport in dense media, 0=904
Rice,S.A. See Allnatt,A.R., 0=13497
Rice,S.A. See Harris,R.A., 0=3469
Rice,S.A. See Harris,R.A., 0=18967
Rice,S.A. See Harris,R.A., 0=18968
Rice,S.A. See Helfand,E., 0=14543
Rice,S.A. See Lawson,A.W., 0=4304
Rice,S.A. See Manley,O.P., 0=4305
Rich,M. See Griffin,J.J., 0=1354
Rich,M. See Griffin,J.J., 0=9504
Rich,T.A. See Keefe,D., 0=7073
Richards,B. and Wolf,E. Electromagnetic diffraction in optical systems. II. Structure of the image field in an aplanatic system, 0=8787
Richards,E.J. Vibrations: Their effects and analysis, 0=8727
Richards,J.C.S. Simple apparatus for measuring dielectric constants and losses from 10 c/s to 50 kc/s, 0=3719
Richards,J.C.S. See Jones,R.V., 0=5150

Richards,J.L. Growth of gallium arsenide by horizontal zone melting, 0=8166
Richards,J.L. and Crocker,A.J. Etch pits in gallium arsenide, 0=11623
Richards,J.R. Vernier scale arrangement for the measurement of peak heights on mass spectrometer charts, 0=16662
Richards,P.L. and Tinkham,M. Far-infrared energy gap measurements in bulk superconducting In, Sn, Hg, Ta, V, Pb, and Nb, 0=14933
Richards,P.L. See Ginsberg,D.M., 0=1083
Richards,R.E. See Evans,B.A., 0=15108
Richards,R.E. See Leane,J.B., 0=3866
Richards,T.H. Analogy between the slow motion of a viscous fluid and the extension and flexure of plates: a geometric demonstration by means of moiré fringes, 0=8603
Richardson,A.C.B. Low scatter high current gas target for d—d neutrons, 0=20155
Richardson,D.A. See Barker,R.S., 0=16074
Richardson,E.G. See Brown,A.E., 0=19131
Richardson,F.M. and Beatty,K.O. Patterns in turbulent flow in the wall-adjacent regions, 0=928
Richardson,H. See Stearn,J.L., 0=14370
Richardson,J.F. and Vick,F.A. Evaporation and diffusion rate measurements on cathodes of sintered nickel containing alkaline-earth oxides, 0=7132
Richardson,J.M. and Brinkley,S.R.,Jr. Cell method in grand canonical ensemble, 0=19097
Richardson,J.M. See Gallet,R.M., 0=10916
Richardson,J.R. See Boom,R.W., 0=1409
Richardson,J.R. See Jacobi,T.H., 0=5699
Richardson,J.W. Improved molecular orbital wave functions and nuclear quadrupole coupling in CO, N_2 and Li_2, 0=17817
Richardson,W.H. See Tyler,J.E., 0=8766
Richartz,M. On the measurement of skylight polarizations, 0=6483
Richert,R. See Gorodetsky,S., 0=15540
Richert,R. See Gorodetzky,S., 0=17557
Richert,S. See McDaniel,B.D., 0=5616
Richey,C.R. See Lloyd,R.C., 0=12958
Richman,M.H.,Cohen,M. and Wilsdorf,H.G.F. Experimental evidence for martensitic embryos, 0=21208
Richman,M.H.,Thomas,D.A. and Cohen,M. The role of austenitizing temperature in the nucleation of pearlite, 0=18393
Richmond,C.R. See Ott,D.G., 0=3889
Richmond,I.J. Solid state devices, 0=2871
Richmond,R. See Sanders,J.E., 0=7644
Richter,E. Theory of force-free magnetic fields, 0=12689
Richter,E. See Böhm,K.H., 0=783
Richter,E. See Böhm,K.H., 0=14467
Richter,F.W. See Severiens,J.C., 0=5688
Richter,H. and Schneider,R. Temperature dependence of the conductivity of amorphous germanium evaporated layers, 0=2882
Richter,J. Ancillary apparatus for the direct recording if intensity curves with a microphotometer, 0=4844
Richter,K. Carrier multiplication of an avalanche with intrinsic space charge, 0=2349
Richter,K. The probability of streamer channel formation from a large electron avalanche, 0=7103
Rickard,C. See Fortescue,P., 0=5820
Rickayzen,G. Collective excitations in the theory of superconductivity, 0=230
Rickayzen,G. See Bardeen,J., 0=10838
Riddell,R.J.,Jr. See Cohen,S., 0=13434
Riddell,R.J.,Jr. See Cohen,S., 0=13458
Riddell,R.J.,Jr. See Cohen,S., 0=13459
Riddiford,L. and Williams,A. The interaction of 970 MeV protons with helium, 0=20139
Riddiford,L. See Batson,A.P., 0=1279
Riddiford,L. See Batson,A.P., 0=9356
Riddiford,L. See Dowell,J.D., 0=1280
Ridel',E.A. On the exchange coefficient in the lowest layers of the atmosphere, 0=2021
Ridge,M.J. See Ogilvie,G.J., 0=3815
Ridley,B.K. The effect of an electric field on the decay of excess carriers in semiconductors, 0=9956
Ridley,B.W. The measurement of electron—neutrino angular correlations, 0=9315
Ridley,E.C. Self-consistent fields without exchange for Pr^{3+} and Tm^{3+}, 0=5848
Ridley,R.G. See Isaacs,L.D., 0=19418
Rieck,G.D. and Bruning,H.A.C.M. Subcrystals in large vapour-grown crystals of tungsten, 0=18301
Riecke,W.D. and Sakaki,Y. Investigation of the reciprocal lattice of single crystals by means of Kikuchi patterns, 0=725
Riecke,W.D. and Stöcklein,F. An object chamber with universal movement of the specimen stage for electron diffraction experiments, 0=3289
Rieckhoff,K.E. See Daniels,J.M., 0=10232
Riedel,E. See Reuter,B., 0=4366
Riedel,G. Preparation of nuclear track emulsions for electron microscopy, 0=3904
Riedel,H. See Asselmeyer,F., 0=1901
Riedel,H.J. See Herrmann,G., 0=5679
Rieder,G. Internal stresses in infinite, laminated, anisotropic elastic media, with special reference to Weiss domains in laminated plates, 0=8046
Rieder,G. A contribution of dislocations to the initial susceptibility in a soft magnetic material, 0=18179
Rieger,C.J. and Carpenter,F.G. Light scattering by commercial sugar solutions, 0=6951
Riehl,N. and Sizmann,R. Production of extremely high concentrations of lattice defects by irradiation of solid bodies in reactors, 0=1610
Rieke,F.F.,DeVaux,L.H. and Tuzzolino,A.J. Single-crystal infrared detectors based upon intrinsic absorption, 0=8840
Rieseberg,H. See Krebs,K., 0=13197
Riesenfeld,W.B. See Nagle,D.E., 0=462
Riesenfeld,W.B. See Nagle,D.E., 0=13387
Rietjens,L.H.T.,Bilaniuk,O.M. and Macfarlane,M.H. $Ti^{46},^{48}(d,p)Ti^{47},^{49}$ reactions and the $1f_{7/2}{}^{n}$ and $1f_{7/2}{}^{n-1}2p$ configurations, 0=17605
Rietjens,L.H.T. and Braams,C.M. Detection of heavy particles in thermonuclear reaction experiments, 0=17639
Rietveld,A.O. and van Itterbeek,A. Viscosity of gas mixtures, 0=8675
Rietveld,A.O.,van Itterbeek,A. and Velds,C.A. Viscosity of binary mixtures of hydrogen isotopes and mixtures of He and Ne. 0=6820
Riezler,W. A nuclear reaction of the $(\alpha, \alpha + 3n)$ type, 0=7584
Riezler,W. and Kern,W. An electro-filter for the removal of radioactive aerosols, 0=2631
Rigamonti,A. See Bonera,G., 0=16718
Riganti,V. See Curti,R., 0=4662
Rigatti,G. See Giacometti,G., 0=15752
Rigby,B.J. Power law for creep, 0=11975
Rigby,M. See O'Keefe,T.W., 0=5578
Rigden,J.D. See Mitchell,E.W.J., 0=20989
Riggs,L.A. and Niehl,E.W. Eye movements recorded during convergence and divergence, 0=14347
Riggs,L.A. See Krauskopf,J., 0=8448
Riggs,L.P. See Bean,B.R., 0=4821
Riggs,L.P. See Bean,B.R., 0=15155
Riggs,R.D. See Arns,R.G., 0=5733
Righini,B. See Cevolani,M., 0=15596
Rigina,I.V. and Godnev,I.N. The theory of the use of dependent coordinates in the problem of molecular vibrations, 0=15691
Rigopoulos,R. See Harting,D., 0=368
Rigopoulos,R. See Harting,D., 0=15419
Rigrod,W.W. Power flow and stored energy in thin electron beams, 0=12636
Rigsby,G.P. Crystal orientation in glacier and in experimentally deformed ice, 0=21155
Rigutti,G. See Noci,G., 0=18756
Rigutti,M. Rotational analysis of the bands (0,0) and (1,0) of the red system of CN, 0=20618
Riihimaa,J. See Tuominen,J., 0=18671
Riihimaa,J. See Tuominen,J., 0=18672
Rikenglaz,L.E. See Kucherov,R.Ya., 0=8847
Rikenglaz,L.É. See Kucherov,R.Ya., 0=10691
Rikenglaz,L.É. See Kucherov,R.Ya., 0=14889
Rikitake,T. Electromagnetic induction in a hemi-spherical ocean by S_q. 0=14173
Rikitake,T.,Uyeda,S.,Yukutake,T.,Tanaoka,I. and Nakagawa,E. Preliminary report on the effect of the solar eclipse on April 19, 1958 on the geomagnetic field, 0=18471
Riley,B.J. See Beacom,S.E., 0=14125
Riley,K.F. $C^{12}(p,2p)B^{11}$ in the impulse approximation, 0=4091

Riley,K.F.,Pugh,H.G. and Gooding,T.J. Quasi-elastic scattering of 153 MeV protons by p-state protons in C^{12}. II. Theoretical, 0=17585
Rimai,L. and Bloembergen,N. Nuclear magnetic resonance in alkali alloy systems, NaK and NaRb, 0=14665
Rimai,L.,Statz,H.,Weber,M.J.,deMars,G.A. and Koster,G.F. Paramagnetic resonance of exchange coupled Cr^{3+} pairs in ruby, 0=6269
Rimek,D.M. See Pearson,W.B., 0=20861
Rimet,G. See Néel,L., 0=10128
Rimet,G. See Pauthenet,R., 0=675
Rimet,G. See Pauthenet,R., 0=4479
Rimmer,D.E. See Greenwood,G.W., 0=9903
Rimmer,D.E. See Hull,D., 0=21142
Rimmer,M.P. and Dexter,D.L., Optical constants of germanium in the region 0-10 eV, 0=7990
Rimmer,R. See Barker,R.S., 0=16074
Rimskii-Korsakov,A.A. See Lozhkin,O.V., 0=20434
Rindler,W. Hyperbolic motion in curved space time, 0=16579
Rindler,W. Remarks of Schrödinger's model of de Sitter space, 0=18930
Rinehart,J.S. and McClain,W.C. Experimental determination of stresses generated by an electric detonator, 0=19260
Rinehart,J.S. See Maurer,W.C., 0=11990
Ring,J.,Beer,R. and Hewison,V. Reflecting multilayers, 0=16883
Ring,J. and Woolf,N.J. The use of the Fabry—Perot interferometer in astronomy, 0=16516
Ring,J. See Barnes,S.W., 0=3986
Ring,J. See Geake,J.E., 0=18584
Ring,J. See Miller,D., 0=3990
Ringo,G.R. See Eggler,C., 0=12999
Ringo,G.R. See Nasuhoglu,R., 0=3523
Rinzivillo,R. See Castagnoli,C., 0=15591
Rinzivillo,R. See Cortini,G., 0=1430
Rinzivillo,R. See Emma,V., 0=1431
Rinzivillo,R. See Emma,V., 0=5774
Riopelle,A.J. See Fletcher,J.L., 0=6507
Riopelle,A.J. See Loeb,M., 0=8442
Riquelme,J. See Alvial,G., 0=12729
Risch,K. Auger spectrum of the L_{III} shell of bismuth, 0=9574
Rishbeth,H. Radio emission from the Vela—Puppis region, 0=4864
Rishbeth,H. The ionosphere of Jupiter, 0=8472
Rishbeth,H. and Barron,D.W. Equilibrium electron distributions in the ionospheric F2-layer, 0=16453
Rishkov,N. See Gelfreich,G., 0=18636
Risi,M. See Müller,J., 0=19553
Rispoli,B. Activities of the coordinating centre for electronics of C.N.R.N. [National Committee for Nuclear Research,] 0=3870
Rispoli,B. See Beneventano,M., 0=17285
Rispoli,B. See Diambrini,G., 0=15099
Risser,J.R. See Kashy,E., 0=7474
Ristau,O. See Schoffa,G., 0=11837
Riste,T. See Goedkoop,J.A., 0=8065
Riste,T. See McReynolds,A.W., 0=13806
Ristić,S. and Drašković,R. The use of the radioactive indicators in the study of the beryl crystal lattice, 0=21191
Ritow,H. The role of space charge in gas breakthrough between equal parallel plane electrodes below the Paschen PD minimum, 0=9004
Ritson,D.M. See Fazio,G.G., 0=2613
Ritter,Z. and Pauncz,R. Approximate analytical wave functions for the 1 sns ^1S states of He and He-like ions, 0=15642
Rittner,E.S. On the thory of the close-spaced impregnated cathode thermionic converter, 0=10943
Ritus,V.I. Angular and polarization analyses of reactions of the type $a + b \rightarrow a' + b' + c'$, 0=9297
Ritus,V.I. Relativistically covariant spin structure of the S-matrix, 0=20069
Ritz,V.H. Design of free-air ionization chambers for the soft X-ray region (20-100 kV), 0=5442
Ritz,V.H. Standard free-air chamber for the measurement of low energy X-rays (20 to 100 kilovolts-constant-potential, 0=7243
Rivet,P. See Awunor-Renner,E.R.T., 0=15497
Rivin,A.N. and Cherpak,V.A. Method for measuring and calculating the diffraction coefficient of [condenser] microphones, 0=6889
Rivin,A.N. See Pronenko,L.Z., 0=8759
Rivkind,A.I. Relaxation of deuterium nuclei in paramagnetic solutions, 0=2179
Rivlin,R.S. See Toupin,R.A., 0=6044
Rivlin,R.S. See Pipkin,A.C., 0=16964
Rixon,J. See Martin,W.H., 0=5223
Roach,F.E. The intensity of [O I] 5577 in the subauroral region as a function of magnetic activity, 0=14292
Roach,F.E.,McCaulley,J.W.,Marovich,E. and Purdy,C.M. A comparative study of absolute zenith intensities of [O I] 5577, 0=14294
Roach,F.E. and Marovich,E. A monochromatic low-latitude aurora, 0=3358
Roach,F.E. and Marovich,E. Aurora of October 22/23, 1958 at Rapid City, South Dakota, 0=12197
Roach,F.E.,Megill,L.R.,Rees,M.H. and Marovich,E. The height of nightglow 5577, 0=2034
Roach,F.E. and Rees,M.H. The absolute zenith intensity of [O I] 5577 at College, Alaska, 0=14291
Roach,F.E.,Tandberg-Hanssen,E. and Megill,L.R. The characteristic size of airglow cells, 0=2026
Roach,F.E.,Tandberg-Hanssen,E. and Megill,L.R. Movements of airglow cells, 0=2027
Roach,F.E. See McCaulley,J.W., 0=14293
Roach,F.E. See Tandberg-Hanssen,E., 0=3359
Roalsvig,J.P.,Haslam,R.N.H. and Bergsteinsson,J.L. A note of the reaction $Zn^{64}(\gamma,n)Zn^{63}$, 0=5778
Rob,L. and Korbel,Z. Protonic decay of a Σ^+ hyperon with an associated electron pair, 0=5613
Rob,L. See Korbel,Z., 0=2628
Robb,W. See Smit,J. van R., 0=4719
Robben,F.,Monson,P.R. and Allport,J.J. Correlation of experimental results for the vibrational relaxation of nitric oxide, 0=17735
Robbins,A. See Croom,S., 0=6465
Robbins,A. See Croom,S., 0=16425
Robbins,A. See Thomas,J.O., 0=2014
Robbins,A.B. and Greenlees,G.W. Polarization of 9 MeV protons elastically scattered from magnesium, 0=11411
Robbins,A.R. and Thomas,J.O. The disturbed F-layer over Slough, 0=8385
Robbins,A.R. See Ratcliffe,J.A., 0=8384
Robbins,H. and Schwartz,B. Chemical etching of silicon. II. The system HF, HNO_3, H_2O and $HC_2H_3O_2$, 0=4600
Robbins,M.L. and La Mer,V.K. The effect of the spreading solvent on the properties of monolayers, 0=10371
Robbins,R.F. See Scott,L.E., 0=7039
Robbrecht,G.G. See Verhaeghe,J.L., 0=7853
Robe,H. Study of the equatorial orbit of an artificial satellite assuming an ellipsoidal earth with three unequal [equatorial] axes, 0=4908
Robert,C. and Winter,J.M. Observation of the nuclear resonance of Fe^{57} in natural metallic iron in the absence of an external field, 0=13892
Robert,J. Calorimetric measurement of the half-life of Y^{90}, 0=17520
Robert,P.O. The extreme smallness of the maximum permissible intake of radionuclides makes present radiation detectors useless, 0=7251
Robert,P.O. Proposal of an expression of the relative danger or risk (H) of a radioisotope and of the danger or risk corresponding to a radioactivity (r) emitted by the radioisotope, 0=13162
Roberti,D.M.,Kalman,O.F. and Smyth,C.P. Microwave absorption and molecular structure in liquids. XXX. The anomalous dielectric relaxation of diphenyl ether and some similar molecules, 0=16700
Roberts,A. Čerenkov detector accurately measuring velocity and direction over a wide range, 0=9236
Roberts,A. See Chadwick,G.B., 0=15350
Roberts,A.C. See Adams,M.A., 0=16231
Roberts,A.P. See Makinson,R.E.B., 0=19094
Roberts,B.W. Magnetoacoustic oscillations and the Fermi surface in aluminum, 0=15810
Roberts,C.A.,Sisco,W.B. and Fiskin,J.M. Theory of equilibrium electron and particle densities behind normal and oblique hypersonic shock waves in air, 0=16775
Roberts,D.H. See Lee,D.H., 0=19499
Roberts,E. and Honeycombe,R.W.K. Movement of point defects during fatigue of aluminium crystals, 0=21121
Roberts,J.A. Solar radio bursts of spectral type II, 0=4853
Roberts,J.A. and Stanley,G.J. Radio emission from Jupiter at a wavelength of 31 centimetres, 0=6553
Roberts,J.A. See Bylander,E.G., 0=16969
Roberts,J.A. See Giovanelli,R.G., 0=4900

Roberts,J.A. See Radhakrishnan,V., 0=12254
Roberts,J.A. See Twiss,R.Q., 0=5316
Roberts,J.E. See Harris,G.M., 0=17007
Roberts,J.H. See Se Hee Ahn, 0=15603
Roberts,J.P. See Thompson,D.S., 0=8119
Roberts,L.D. See Dabbs,J.W.T., 0=11341
Roberts,L.D. See Walter,F.J., 0=12725
Roberts,M.S. A search for neutral atomic hydrogen in globular clusters, 0=10484
Roberts,M.S. Dust and gas in globular clusters, 0=18814
Roberts,P.H. Propagation of induced fields through the core, 0=5390
Roberts,R.W. See Greene,E.F., 0=6409
Roberts,R.W.,Jr. See Masters,J.I., 0=3069
Roberts,S. Optical properties of copper, 0=11753
Roberts,T.R. See Sydoriak,S.G., 0=8889
Roberts,T.R. See Sydoriak,S.G., 0=10822
Roberts,W.O. and Zirin,H. Recent progress in solar physics, 0=14407
Roberts,W.O. See Macdonald,N.J., 0=14187
Robertson,A.J.B. See Bassett,D.W., 0=7824
Robertson,D.S. and Elliott,D. Magnetic losses in cores of various shapes, 0=19878
Robertson,D.S.,Wadsworth,B.F. and Brown,S.E. Accurate high-speed voltage comparator, 0=2296
Robertson,H.H. See Bransden,B.H., 0=9352
Robertson,J.H. X-ray diffraction by single crystals at low temperatures: a cryostat for use with liquid hydrogen, 0=8184
Robertson,K.A. See McInnes,B., 0=18505
Robertson,W.D. See Dew-Hughes,D., 0=18264
Robertson,W.D. See Dew-Hughes,D., 0=18265
Robertson,W.M. and Montgomery,D.J. Elastic modulus of isotopically-concentrated lithium, 0=4553
Robertson,W.W. Comparison of the effects of high pressure and low temperature on the absorption spectra of some condensed-ring aromatics, 0=15733
Robin,J. Experimental study at very high pressures of the perturbation of the visible and ultraviolet absorption spectrum of oxygen, of nitric oxide and of the resonance lines of certain metals, 0=1533
Robin,J. The effect of high argon pressures on the resonance emission of the potassium spectrum and the satellite bands in the neighbourhood of the K, Rb and Cs lines, 0=5882
Robin,J.,Dewasnes,P. and Mabboux,C. Dynamic determination of the thermal conductivity of carbon dioxide at different temperatures, 0=14684
Robin,J. See Weitkamp,C., 0=5888
Robin,L. The spherical functions of Legendre and spheroidal functions, Volume III, 0=4836
Robin,S. and Robin,St. Direct determination of the optical constants of sodium and potassium in the ultraviolet, 0=16034
Robin,S. and Robin,St. Measurement of transmission and reflecting power of alkali metals in the far ultraviolet, 0=18117
Robin,St. See Robin,S., 0=16034
Robin,St. See Robin,S., 0=18117
Robin,V.A. Investigation of the mechanism of boiling a mixture of aluminum bromide and chloride, and a mixture of antimony bromide and chloride, 0=10807
Robin-Kandare,S. Absorption and reflectivity of several semiconductors in the general and the vacuum ultraviolet, 0=8004
Robin-Kandare,S.,Damany,M.H. and Tertian,L. Structure and reflecting power of silicon films obtained by vacuum evaporation, 0=19423
Robins,A.B. See Butler,J.A.V., 0=7822
Robinson,A.,Osborn,J.E. and Hsiao,C.C. Effect of orientation on strength of a model solid, 0=16235
Robinson,B.J. Diurnal variation of the electron distribution in the ionospheric E-layer, 0=16442
Robinson,B.J. See Bölger,B., 0=9193
Robinson,B.J. See Bölger,B., 0=17095
Robinson,B.L. and Fink,R.W. Recent experimental results on orbital electron capture, 0=5707
Robinson,D. and Nicholls,R.W. Intensity measurements on the CO^+ comet tail, and the BO α and β molecular band systems, 0=15750
Robinson,D.K. See Lokanathan,S., 0=7484
Robinson,D.K. See Wilkinson,D.H., 0=418
Robinson,D.W. The subjective loudness scale, 0=14763
Robinson,D.W. and McQuarrie,D.A. Far infrared spectra of some symmetric top molecules, 0=4194
Robinson,D.W. See Aronson,J.R., 0=20635
Robinson,D.Z. Methods of background description and their utility, 0=14884
Robinson,E.L. and Johnson,O.E. Decay of Si^{26}, 0=20417
Robinson,F.N.H. Nuclear resonance absorption circuit. I. Sensitivity considerations. II. Practical design, 0=3867
Robinson,G.W. See DiGiorgio,V.E., 0=5922
Robinson,G.W. See McCarty,M.,Jr, 0=20661
Robinson,G.W. See Wright,M.R., 0=18141
Robinson,H.G. See Hughes,V.W., 0=10561
Robinson,I. A solution of the Maxwell—Einstein equations, 0=37
Robinson,I. and Trautman,A. Spherical gravitational waves, 0=10567
Robinson,I. See Bondi,H., 0=8547
Robinson,J.M. Concise method for forming two-center integrals of operators, 0=17793
Robinson,J.M.,Stuart,J.D. and Matsen,F.A. Electronic structure of LiH. V. A radially correlated wave function, 0=7787
Robinson,K. See Bartholomew,G.A., 0=2632
Robinson,L.B. Elastic scattering of low-energy electrons by the Thomas—Fermi atom, 0=7713
Robinson,L.B. Frequency shifts in the hyperfine spectra of alkalis caused by foreign gases, 0=7723
Robinson,M.T. and Krause,J.F. The yields of the chemical elements in thermal neutron fission of U-235, 0=13299
Robinson,M.T.,Krause,J.F.,Green,F.P. and Weekes,D.F. Electronic analog simulation of an in-pile circulating fuel loop, 0=13363
Robinson,M.T.,Southern,A.L. and Willis,W.R. Diffusion of deuterium in deuteron-irradiated copper, 0=13559
Robinson,N.W. All-metal bakeable taps for high vacuum, 0=981
Robinson,P.M. and Rawlings,R. The influence of solute atoms on the damping due to dislocations in iron alloys, 0=21101
Robinson,P.M. See Rawlings,R., 0=16209
Robinson,R.J. See Brophy,J., 0=13608
Robinson,R.J. See Brophy,J.J., 0=4369
Robinson,R.J. See Brophy,J.J., 0=9991
Robinson,R.L.,McGowan,F.K. and Smith,W.G. Decays of Rh^{106} and Ag^{106}, 0=15563
Robinson,W.K. and Friedberg,S.A. Specific heats of $NiCl_2.6H_2O$ and $CoCl_2.6H_2O$ between 1.4° and 20°K, 0=4266
Robson,A.E. and Hancox,R. Choice of materials and problems of design of heavy-current toroidal discharge tubes, 0=5305
Robson,B.A. Scattering of high energy [220 MeV] polarized nucleons by complex nuclei, 0=5738
Robson,B.A. See Learner,A., 0=6685
Robson,B.A. See Perlman,H.S., 0=5542
Robson,J.M. See Clark,M.A., 0=11174
Rocard,Y. See Ecollan,J., 0=14303
Rocchiccioli,C. Study of pyrosulphites and pyroselenites by infrared absorption spectroscopy, 0=11526
Roch,J. Measurement of the susceptibilities of various vanadium oxides and their temperature variation, 0=10101
Roche,C. Quantization of the field in the linear approximation in the Jordan—Thiry theory, 0=12363
Roche,F. and Mériel,P. A programme for refining crystal structures on an electronic computer, 0=4623
Rochester,N. See Gelertner,H.L., 0=2129
Rockhold,C.T. See Alvarez,R.A., 0=9252
Rockmore,R.M. Effects of particle-particle interaction on the moment of inertia of many-fermion systems, 0=2131
Rockmore,R.M. Moment of inertia of superfluid many-fermion systems, 0=12375
Rockmore,R.M. See Frank,W.M., 0=7418
Rockmore,R.M. See Sawada,K., 0=4014
Roclawski-Conjeaud,M. See Szteinsznaider,D., 0=9677
Rodbell,D.S. Ferromagnetic resonance of iron whisker crystals, 0=3114
Rodbell,D.S. Microwave magnetic field near a conducting perturbation, 0=3833
Rodbell,D.S. and Lawrence,P.E. Metamagnetic behavior of manganese arsenide, 0=11798
Rodbell,D.S. See Bean,C.P., 0=13809
Rodberg,L.S. Relation between angular distribution and polarization in the optical model, 0=5734
Rodberg,L.S. Pion production and the pion-pion interaction, 0=9419
Rodberg,L.S. The optical model and inelastic scattering, 0=11288

Rodberg,L.S. and Teplitz,V.L. Approximate calculation of nuclear binding energy, 0=20322
Rodberg,L.S. and Thaler,R.M. Analysis of the scattering of K^+ mesons in emulsion, 0=11224
Rodberg,L.S. See Day,T.B., 0=17418
Rodberg,L.S. See Karplus,R., 0=380
Rode,V.E. See Cecernikov,V.I., 0=13757
Rodenberg,R. The ratio of the effective cross-sections for the (e,n) and (γ,n) processes, 0=2672
Roder,H.M. See Powell,R.L., 0=7857
Roder,H.M. See Powell,R.L., 0=9863
Rodigin,N.M. The pulse magnetization of permanent magnets, 0=5376
Rodin,G.M. See Lebedev,S.V., 0=9010
Rodin,G.M. See Sobolev,N.N., 0=8852
Rodin,G.M. See Sobolev,N.N., 0=8853
Rodin,G.M. See Sobolev,N.N., 0=8854
Rodionov,S.F. See Bol'shakova,L.G., 0=788
Rodionov,U.F. See Baranov,S.A., 0=7479
Rodot,H. Study of the properties of the system AgSbTe$_2$—PbTe, 0=2902
Rodot,H. See Rodot,M., 0=7868
Rodot,M. Calculation of transport effects for an almost energy independent relaxation time. Case of indium antimonide, 0=7941
Rodot,M. Properties of the semiconductor InSb, 0=13614
Rodot,M. and Rodot,H. Band structures and scattering mechanisms in monocrystalline mercury selenide and mercury telluride, 0=7868
Rodrigue,G.P.,Meyer,H. and Jones,R.V. Resonance measurements in magnetic garnets, 0=11931
Rodrigues,R.M.,West,H.I.,Jr and Ronchetto,J.J.Jr. Linearizing the bottom channels of the 256-channel pulse height analyser, 0=17180
Rodriguez,S. Electrodynamics of charge carriers of negative effective mass in crystals, 0=544
Rodriguez,S. Linear antiferromagnetic chain, 0=3106
Rodriguez,S. See Ruijgrok,T.W., 0=13842
Roe,B.P. and Ozaki,S. Direct pair production by muons, 0=2531
Roe,G.M. See Hughes,R.F., 0=3621
Roederer,J.G.,Santochi,O.R.,Anderson,J.C.,Cardoso,J.M. and Manzano,J.R. Preliminary report on cosmic ray intensity during magnetic storms in July 1959, 0=20283
Roederer,J.G.,Santochi,O.R.,Anderson,J.C.,Cardoso,J.M. and Manzano,J.R. Analysis of cosmic ray intensity time-dependence recorded at Mina Aguilar during July 1959, 0=20284
Roederer,J.G. See Ghielmetti,H., 0=13093
Roederer,J.G. See Manzano,J.R., 0=20285
Roederer,J.G. See Santochi,O.R., 0=20287
Roehling,D.J. See Pidd,R.W., 0=1139
Roellig,L.O. and Glaser,D.A. Elastic π — p and p—p scattering at 1.23 BeV/c, 0=2580
Roesler,F.L.,Fan,C.Y. and Chamberlain,J.W. Interpretation of rotational temperatures of auroral N$_2^+$ bands. I. Proton impact at intermediate energies, 0=1494
Roever,W.L. and Vining,T.F. Propagation of elastic wave motion from an impulsive source along a fluid/solid interface. I. Experimental pressure response, 0=19262
Rogenhagen,H. and Simon,K.H. An experimental investigation of the amplitude distribution of electrical noise, 0=19717
Roger,R.S. and Thomson,J.H. Faraday effect in the transmissions from fast spinning satellites, 0=12340
Rogers,E.H. See Foote,J.H., 0=5590
Rogers,G.L. Diffraction microscopy and the ionosphere, 0=757
Rogers,G.L. An experimental verification of diffraction microscopy, using radio waves, 0=758
Rogers,G.T. See Makin,S.M., 0=3594
Rogers,H.C. The mechanism of crack propagation in ductile metals, 0=18279
Rogers,J.D. See Manning,G., 0=7472
Rogers,J.L. See Baldwin,J.A.,Jr, 0=2423
Rogers,J.L. See Henry,W.G., 0=13731
Rogers,J.V. See Brown,H.A., 0=5437
Rogers,J.W. See Allen,W.A., 0=12394
Rogers,J.W. See Mayfield,E.B., 0=8741
Rogers,M.D. See Adam,J., 0=3225
Rogers,M.T. See Narasimhan,P.T., 0=2745
Rogers,M.T. See Narisimhan,P.T., 0=4226
Rogers,M.T. See Narasimhan,P.T., 0=4228
Rogers,M.T. See Narasimhan,P.T., 0=17783
Rogers,R.N. and Pake,G.E. Paramagnetic relaxation in solutions of VO^{++}, 0=19167
Rogerson,J.B.Spitzer,L. and Bahng,J.D. A high-dispersion photoelectric spectrophotometer, 0=10761
Rogerson,J.B.,Jr. The solar limb intensity profile, 0=10510
Rogge,W.H.,Yarger,F.I. and Dickey,F,P. Emission spectrum of the OH radical in an oxyacetylene flame in the 1.5-μ region, 0=15730
Roginskii,S.Z. On the origin of the pre-sorptive effect and certain other anomalies in the catalytic oxidation of CO on oxide semiconductors, 0=10345
Roginskii,S.Z. and Khait,Yu.L. The origin of the compensation effect in chemical kinetics, 0=10346
Roginskii,S.Z. See Enikeev,E.Kh., 0=11710
Rogowski,F. Electron diffraction studies of thin silicon layers, 0=12039
Rogozinski,A. The proton synchrotron "Saturne". 16 litre propane bubble chamber, 0=2412
Roh,P. See Hübel,H., 0=5534
Röhler,R. See Buchmann,F., 0=20111
Rohrbach,C. Resistance strain gauges — accuracy obtainable with gauge bodies made of synthetic materials and metals, 0=6287
Rohrbaugh,J.H. See Pine,C., 0=81
Rohrer,H. Volume changes in hard superconductors, 0=8956
Rohrer,H. Pressure dependence of the critical [magnetic] field in indium single crystals, 0=19563
Rohrlich,F. Self-energy and stability of the classical electron, 0=17301
Rohrlich,F. See Fulton,T., 0=10552
Roig,A. See Krigbaum,W.R., 0=16694
Roig,A. See Kurata,M., 0=15791
Roig,J. Thermal sweeping of Fabry—Perot rings, 0=16876
Roitburg,A.L. See Lyubov,B.Ya., 0=13940
Roitenberg,Ya.N. Motion of gyroscopic compass under the influence of ordinary forces, 0=19034
Roitsin,A.B. The paramagnetic resonance of foreign atoms in crystals of NaCl type, 0=18219
Roitsin,A.B. See Deigen,M.F., 0=8087
Roizen,S. See Fuchshuber,R., 0=16007
Rojkovsky,D.A. Statistical study of globules projected on stellar clouds, 0=10515
Rojo,O. See Levinger,J.S., 0=12886
Rokotyan,V.E. See Kadomtsev,B.B., 0=19676
Rolfe,J. and Lipsett,F.R. Digest of literature on dielectrics. Conduction phenomena in solid dielectrics, 0=2300
Roll,P.G. and Steigert,F.E. Characteristics of heavy ion tracks in nuclear emulsions, 0=11073
Roll,P.G. and Steigert,F.E. Energy loss of heavy ions in nickel, oxygen, and nuclear emulsion, 0=17051
Roll,P.G. and Steigert,F.E. Effective charge of heavy ions in various media, 0=19624
Rolland,W.W. See Bevington,P.R., 0=2476
Rollett,J.S. and Sparks,R.A. The correlation of intersecting layers of X-ray intensity data, 0=10299
Rollins,F.R.,Jr. See Bryant,P.J., 0=3181
Rollnik,H.,Stech,B. and Nunnemann,E. Quantum electrodynamics and asymptotic conditions, 0=17221
Rollnik,H. See Grawert,G., 0=321
Rolph,P.M. See Greenlees,G.W., 0=5746
Romain,M.Y. See Marchais,J.C., 0=2412
Roman,N.G. Vehicles and plans, 0=14371
Roman,N.G. See Yaplee,B.S., 0=18618
Roman,P. Decomposition of 3 × 3 matrices, 0=4835
Roman,P. A scalar representation of electromagnetic fields. III, 0=7200
Roman,P. On the steady-state theory of cosmology, 0=18601
Roman,P. and Wolf,E. Correlation theory of stationary electro-magnetic fields. I. The basic field equations, 0=19880
Roman,P. and Wolf,E. Correlation theory of stationary electromagnetic fields. II. Conservation laws, 0=19881
Roman,P. See Parrent,G.B.Jr, 0=12675
Romanchuk,P.R. and Kudinova,T.P. The east—west asymmetry of spot-formation activity of the sun, 0=18736
Romand,J. and Balloffet,G. Utilization of gliding sparks for spectrochemical analysis in the far ultraviolet. Possibility of detection and determination of phosphorus in copper and in the alloys of aluminium, 0=6428
Romand,J. See Balloffet,G., 0=16397
Romand,J. See Fabre,D., 0=7994

Romanenko,E.V. Experimental study of acoustic streaming in water, 0=19306
Romanenko,V.N. [Impurity] concentration distribution in a zone-levelled ingot, 0=10288
Romanenko,V.N. The effect of the concentration dependence of the segregation coefficient on redistribution of the components of a binary system during directional solidification, 0=14062
Romanenko,V.N. and Ivanov-Omskii,V.I. The thermodynamics of solid solutions of some semiconducting systems, 0=4685
Romani,J.D. and Bugard,P. Recent tests on the action of noises on the endocrinic system, 0=6501
Romani,J.D. See Bugard,P., 0=6502
Romankevich,V.N. See Geikhman,D.S., 0=1675
Romanov,O.V. See Konorov,P.P., 0=20897
Romanov,V.A.,Iodko,M.G. and Tuchkevich,V.V. Long-lived lutetium isotopes, 0=13211
Romanov,V.A. See Iodko,M.G., 0=13212
Romanov,V.A. See Kel'man,V.M., 0=2648
Romanov,V.A. See Kel'man,V.M., 0=9588
Romanov,Yu.A. and Chernavskii,D.S. Multiple production of jet particles in peripheral collisions, 0=12922
Romanov,Yu.F. See Dmitriev,V.M., 0=20515
Romanova,T.A. See Belovitskii,G.E., 0=9709
Romanovskaya,K.M. See Ouvarova,V.M., 0=12749
Romanovskii,E.A. Excitation of rotational states of non-axial nuclei in α-particle scattering, 0=9643
Romanovskii,E.A. Excitation of nuclear vibrational and rotational states in the scattering of charged particles, 0=11394
Romanovskii,E.A. See Edakova,V.A., 0=13242
Romanovskii,V.A. and Tarasov,V.V. The specific heats of the trisulphides of arsenic, antimony and bismuth in relation to their structural and physico-chemical properties, 0=13490
Romanovskii,V.A. and Tarasov,V.V. The low temperature specific heat and the entropy at 298.1°K of the sulphides of the fifth group of Mendeleev's periodic table, 0=13491
Romanow,W.J. See Brady,G.W., 0=5983
Romanowski,T.A. See Bertram,W.J.,Jr, 0=17371
Romanowski,T.A. See Kunze,J.F., 0=5589
Romanowski,T.A. See Reiter,R.A., 0=17370
Romantseva,A.S. See Varfolomeev,A.A., 0=355
Romantseva,A.S. See Varfolomeev,A.A., 0=7324
Romanyuk,N.A. See Vishnevskii,V.N., 0=16863
Romanyuk,N.A. See Zheludev,I.S., 0=13664
Römelt,G.,Geist,D. and Schlabitz,W. The temperature behavior of the magnetic susceptibility of InAs and InSb, 0=1772
Romer,R.H. Nuclear spin relaxation in liquid He^3, 0=1068
Romer,R.H. Nuclear spin relaxation in liquid He^3, 0=7022
Romero,R. See Escobar,I., 0=15485
Romick,G.J. and Elvey,C.T. Variations in the intensity of the hydrogen emission line $H\beta$ during auroral activity, 0=2038
Romig,M.F. Steady state solutions of the radiofrequency discharge with flow, 0=3755
Rommel,G. See Marchais,J.C., 0=2412
Romney,C. Amplitudes of seismic body waves from underground nuclear explosions, 0=10385
Rompe,R. See Böer,K.W., 0=6086
Rompe,R. See Junge,C., 0=171
Rompe,R. See Neumann,W., 0=1125
Rona,T.P. and Feldman,C.L. Optimization of frame rates for high-speed photography, 0=2262
Ronchetto,J.J.,Jr. See Rodrigues,R.M., 0=17180
Ronchi,L. Problems of vision in a p.p.i. radar field, 0=18567
Ronchi,L. See Bittini,M., 0=8449
Ronchi,V. Does the telescope enlarge or approach?, 0=19383
Rönnquist,A. See Fischmeister,H.F., 0=18361
Roof,R.B.,Jr. Reply to comments on "determination of atomic scattering factors", 0=12027
Roof,R.B.,Jr. An experimental determination of the characteristic temperature for PuO_2, 0=17898
Roof,R.B.,Jr. See Cromer,D.T., 0=3222
Roos,M. On the Fermi age of neutrons in iron and stainless steel, 0=7369
Roos,M. Approximate gamma ray flux calculations outside a reactor core, 0=13362
Roos,O. von. See von Roos,O.
Roosen,J. See de Feiter,L.D., 0=4898
Roósz,J. See Cornides,I., 0=19779
Roothaan,C.C.J. Self-consistent field theory for open shells of electronic systems, 0=17807
Roothaan,C.C.J.,Sachs,L.M. and Weiss,A.W. Analytical self-consistent field functions for the atomic configurations $1s^2$, $1s^22s$ and $1s^22s^2$. 0=17808
Roothaan,C.C.J. and Weiss,A.W. Correlated orbitals for the ground state of helium-like systems, 0=17810
Roothaan,C.C.J. See Kolos,W., 0=17806
Roothaan,C.C.J. See Kolos,W., 0=17811
Roothaan,C.C.J. See Kolos,W., 0=17813
Rootsaert,W.J.M. See Burgers,W.G., 0=11992
Ropp,R.C. and Mooney,R.W. Tin-activated alkaline-earth pyrophosphate phosphors, 0=2955
Rorschach,H.E. See Low,F.J., 0=19541
Ros,N.C.J. An analysis of critical simultaneous gas/liquid flow through a restriction and its application to flowmetering, 0=14604
Rosa,R.J. Experimental magnetohydrodynamic power generator, 0=9182
Rösch,J. Observations of the solar photosphere. I. A technique for photographic observations (23 cm objective), 0=14412
Rösch,J. Observations on the solar photosphere. II. Counts and photographic photometry of granules in the spectral domain 5900-6000 A, 0=14413
Rösch,J. and Hugon,M. Temporal development of photospheric granulation, 0=837
Rösch,S. On the colours of very thin plates. A contribution to ultra-microtomy, 0=2249
Rose,A. Photovoltaic effect derived from the Carnot cycle. 0=16968
Rose,A. Lifetimes of free electrons and holes in solids, 0=20892
Rose,A. and Bube,R.H. The role of space-charge currents in light amplifiers, 0=3795
Rose,A.M. See Booker,G.R., 0=4625
Rose,B. See Barnes,S.W., 0=3986
Rose,B. See Bird,L., 0=11166
Rose,B. See Hanna,R.C., 0=7622
Rose,D. See Fortescue,P., 0=5820
Rose,D.C. The sudden increase in cosmic ray intensity of May 4, 1960, 0=20286
Rose,D.C. See McDiarmid,I.B., 0=9485
Rose,D.C. See Pomerantz,M.A., 0=11260
Rose,D.C. See Pomerantz,M.A., 0=20276
Rose,D.C. See Wilson,B.G., 0=11274
Rose,D.J. Mobility of hydrogen and deuterium positive ions in their parent gases, 0=8994
Rose,F.W.G. A comparison of the theory of impact ionization with measurements on silicon p—n junctions, 0=596
Rose,H. Effective capture cross-sections in the fast reactor Zephyr, 0=5784
Rose,H. and Smith,R.D. Relayed neutron investigations with the Zephyr fast reactor. II. The delayed neutrons arising from fast fission in U^{235}, U^{233}, U^{238}, Pu^{239}, and Th^{232}, 0=5811
Rose,H.J. The decay modes of the 9.17-MeV excited state in N^{14}, 0=17562
Rose,M.E. Method for producing aligned deuterons, 0=1321
Rose,M.E. and Good,R.H.,Jr. Angular distribution of recoils from mu-meson capture, 0=7400
Rose,M.E. See Becker,R.L., 0=423
Rose,M.E. See Bhalla,C.P., 0=20380
Rose,M.E. See Good,R.H.,Jr, 0=2643
Rose,P.H.,Bastide,R.P.,Wittkower,A.B.,Webb,D.L.,Goldie,C.H. and Shaw,J. Injection of fast neutral beams into the three-stage tandem accelerator, 0=19830
Rose-Innes,A.C. Refrigeration of a superconducting memory for a computer, 0=5240
Rose-Innes,A.C. See Calverley,A., 0=7027
Roseberry,F.W. Equipment and method for photoelectric determination of image contrast suitable for using square wave targets, 0=6908
Rosell,F.A. Prism scanner, 0=8780
Rosen,A.,Sonett,C.P.,Coleman,P.J.,Jr and McIlwain,C.E. Ionizing radiation at altitudes of 3500 to 36 000 Kilometers. Pioneer I, 0=9490
Rosen,C.L. Null-point torsion effusion apparatus, 0=14892
Rosen,G. Burning rates of solid propellants, 0=3314
Rosen,G. Generalization of the laminar flame action principle for Arrhenius-type rate functions, 0=6401
Rosen,G. Entropy production and pressure waves, 0=8639
Rosen,G. Exact solutions for the one-dimensional viscous flow of a perfect gas, 0=8681

Rosen,G. Poincare's epistemological sum, 0=14486
Rosen,G. Turbulence theory and functional integration. I, 0=14592
Rosen,G. Turbulence theory and functional integration. II, 0=14593
Rosen,J.L.,Desjardins,J.S.,Rainwater,J. and Havens,W.W.,Jr. Slow neutron resonance spectroscopy. I. U^{238}, 0=9685
Rosen,J.L. See Havens,W.W.,Jr, 0=4138
Rosen,J.L. See Rainwater,J., 0=9381
Rosen,L. See Armstrong,A.H., 0=15212
Rosen,L. See Armstrong,A.H., 0=20500
Rosen,L. See Brolley,J.E.,Jr, 0=7423
Rosen,L. See Hautecler,S., 0=11529
Rosen,L. See Stewart,L., 0=15461
Rosen,N. and Singer,P. The photon as a composite particle, 0=3944
Rosen,N. See Erez,G., 0=3439
Rosen,N. See Peres,A., 0=35
Rosen,N. See Peres,A., 0=8539
Rosen,N. See Peres,A., 0=12350
Rosen,P. Scattering of electromagnetic waves by longitudinal plasma waves, 0=11053
Rosen,S.P. On the electron coincidence spectrum in double beta decay, 0=5696
Rosen,S.P. The "Catalytic" and "Photo" decay modes of the muon, 0=13007
Rosen,S.P. Neutrinos emitted in β-decay and μ capture. 0=15328
Rosenbaum,H.S. and Turnbull,D. Metallographic investigation of precipitation of silicon from aluminum, 0=16350
Rosenbaum,H.S.,Turnbull,D. and Alessandrini,E.I. On the orientation of silicon precipitating from an Al-rich solid solution, 0=21227
Rosenbaum,H.S. See Turnbull,D., 0=16347
Rosenberg,A.J. Activity coefficients of electrons and holes at high concentrations, 0=15914
Rosenberg,A.J. and Harman,T.C. Cd_3As_2 — a noncubic semiconductor with unusually high electron mobility, 0=603
Rosenberg,D. See Wehner,G.K., 0=1174
Rosenberg,G.A. Experimental investigation of unsteady flow of visco-plastic liquids, 0=4993
Rosenberg,H.M. The measurement of mechanical properties of metals at low temperatures, 0=19577
Rosenberg,H.M. See Hull,D., 0=1850
Rosenberg,H.M. See Hull,D., 0=16215
Rosenberg,H.M. See Lomer,J.N., 0=1579
Rosenberg,H.M. See Lomer,J.N., 0=9865
Rosenberg,H.M. See Lomer,J.N., 0=20801
Rosenberg,H.M. See MacCrone,R.K., 0=18283
Rosenberg,I.,Spruch,I. and O'Malley,T.F. Upper bounds on electron—atomic hydrogen scattering lengths, 0=13405
Rosenberg,L. and Spruch,L. Bounds on scattering phase shifts: Static central potentials, 0=17252
Rosenberg,L.,Spruch,L. and O'Malley,T.F. Upper bounds on scattering lengths when composite bound states exist, 0=9288
Rosenberg,L. See Spruch,L., 0=2496
Rosenberg,L. See Spruch,L., 0=4167
Rosenberg,L. See Spruch,L., 0=5863
Rosenberg,L. See Spruch,L., 0=17341
Rosenberg,R.L. See Wu Ta-You, 0=11492
Rosenberger,U. See Low,W., 0=3132
Rosenblatt,J. Optimum target orientation in nuclear reaction experiments, 0=9611
Rosenblatt,J. Three-dimensional space charge flow, 0=15065
Rosenblatt,J. Design of alternating gradient quadrupole lenses, 0=19751
Rosenblatt,J.and Slobodrian,R.J. The magnetic deflector of the Buenos Aires 180-cm synchrocyclotron beam, 0=15101
Rosenblum,S.,Valadares,M. and Milsted,J. The transmutation $Am^{241} \xrightarrow[\gamma]{\alpha} Np^{237}$, 0=4045
Rosenbluth,M.N. See Bernstein,I.B., 0=7118
Rosenbluth,M.N. See Bludman,S.A., 0=17004
Rosenbluth,M.N. See Drummond,W.E., 0=3773
Rosenbluth,M.N. See Post,R.F., 0=7122
Rosenbluth,M.N. See Rostoker,N., 0=3774
Rosenbluth,M.N. See Watson,K.M., 0=17003
Rosenbruch,K.J. See Rosenhauer,K., 0=1028
Rosenbruch,K.J. See Rosenhauer,K., 0=19373
Rosenbruch,K.J. See Rosenhauer,K., 0=19406
Rosendahl,F. See Kaiser,H., 0=5164
Rosendahl,G.R. General relation between object and image space in plane-mirror optics, 0=3603
Rosendahl,G.R. General relation between object and inverted image space in plane-mirror optics, 0=14792
Rosendorff,S. Upper limit for the intrinsic electric dipole moment of the proton and neutrino, 0=15345
Rosendorff,S. See Lynch,G.R., 0=9388
Rosenfeld,A.H. See Leitner,J., 0=384
Rosenfeld,L. Nuclear orientation, 0=7442
Rosenhauer,K. and Rosenbruch,K.J. Determination of the contrast transfer function from the image of an edge, 0=1028
Rosenhauer,K. and Rosenbruch,K.J. The optical image defects and the transmission function, 0=19373
Rosenhauer,K. and Rosenbruch,K.J. Measuring the transmission phase by means of the grating test method, 0=19406
Rosenson,L. See Guerriero,L., 0=19981
Rosenstock,H.B. and Klick,C.C. Vibrational modes near impurities, 0=13486
Rosenthal,M.W. An experimental study of transient boiling, 0=12535
Rosenthal,P.C. See Porter,L.F., 0=16337
Rosenwasser,H. See Krause,B., 0=18358
Rosenzweig,N. See Porter,C.E., 0=17696
Rosenzweig,W. Binding effect corrections in the energy-loss distribution functions for charged particles passing through thin absorbers, 0=1261
Roshon,D.D.,Jr. See Kostyshyn,B., 0=8047
Rosi,F.D.,Abeles,B. and Jensen,R.V. Materials for thermoelectric refrigeration, 0=2915
Rosi,F.D.,Meyerhofer,D. and Jensen,R.V. Properties of p-type GaAs prepared by copper diffusion, 0=11711
Rosi,F.D. See Abrahams,M.S., 0=2897
Rosina,M. See Dular,J., 0=5767
Ross,A.W. and ter Haar,D. On the influence of volume effects on order—disorder transitions, 0=6386
Röss,E. See Kornetzki,M., 0=18204
Ross,I.G. See Bennett,J.M., 0=9784
Ross,J. See Choi,S.-I, 0=18969
Ross,J. See Greene,E.F., 0=6409
Ross,M. See Kotani,T., 0=13056
Ross,M. See Kotani,T., 0=15544
Ross,M. See Steele,W.A., 0=14624
Ross,M. See Wong Wen-Nong, 0=371
Ross,M.H. and Shaw,G.L. Test of global symmetry in K^-—p reactions, 0=1310
Ross,M.H. and Shaw,G.L. Scattering length and effective range theory for multichannel processes, 0=11106
Rosser,W.G.V. Electromagnetism as a second-order effect. I. The definition of the ampere, 0=3835
Rosser,W.G.V. See Jakeways,R., 0=7512
Rossetti,C. On the photodisintegration of three-particle nuclei, 0=7426
Rossetti,P. See Lumbroso,H., 0=6799
Rossi,C. See Magnasco,V., 0=20697
Rossi,G. The role of emission spectroscopy in the nuclear field, 0=3336
Rossi,V. See Baroni,G., 0=15357
Rossing,T.D. See Oakland,L.J., 0=3831
Rossiter,J.R. On the application of relaxation methods to oceanic tides, 0=8632
Rössler,F. The temperature distribution in soot flames, 0=1059
Rössler,F. Temperature measurements of a sooty flame, 0=19515
Rossmann,M.G. The accurate determination of the position and shape of heavy-atom replacement groups in proteins, 0=8249
Rossow,V.J. On Rayleigh's problem in magnetohydrodynamics, 0=11024
Rossum,L. van. See van Rossum,L.
Rost,E. and Austern,N. Inelastic diffraction scattering, 0=20426
Rost,E. See Austern,N., 0=7377
Rostoker,N. and Rosenbluth,M.N. Test particles in a completely ionized plasma, 0=3774
Rostovskii,V.S. See Davȳdov,A.S., 0=11318
Rostovtsev,N.M. The effect of cavitation on ultrasonic machining of solids, 0=3390
Roswell,A.E. See Nowick,A.S., 0=18387
Rot,A. The basic equations of non-relativistic wave mechanics, 0=16600
Rotblat,J. See Aguilar,J., 0=7583

Rotblat,J. See Bredin,D.J., 0=9447

Rotenberg,A.,Lapidus,A. and Wetherell,E. A Monte Carlo calculation of thermal utilization, 0=15615

Rotenberg,B.A. The effect of pressure on piezoelectric properties of barium titanate, 0=11748

Rotenberg,M. See Lawson,R.D., 0=17510

Roth,B. and Wildermuth,K. Reduced widths in O^{16} and gamma-transition probabilities in F^{19}, 0=20354

Roth,D. See Klages,E., 0=2171

Roth,E.G. and Bigeleisen,J. Vapor pressures of the neon isotopes, 0=8700

Roth,L.M. g factor and donor spin—lattice relaxation for electrons in germanium and silicon, 0=11613

Roth,L.M. See Argyres,P.N., 0=11652

Roth,L.M. See Zwerdling,S., 0=7933

Roth,R.S. See Fang,P.H., 0=11900

Roth,W. Reply to "luminosity of shock waves in xenon", 0=15729

Roth,W.C. See White,J.G., 0=721

Roth,W.L. On the nature of defects in the magnetic structure of wüstite, 0=3094

Roth,W.L. Defects in the crystal and magnetic structures of ferrous oxide, 0=20790

Roth,W.L. Neutron and optical studies of domains in NiO, 0=21063

Roth,W.L. and Slack,G.A. Antiferromagnetic structure and domains in single crystal NiO, 0=11917

Rothe,E.W. and Bernstein,R.B. Total collision cross sections for the interaction of atomic beams of alkali metals with gases, 0=4162

Rothe,E.W. See Schumacher,H., 0=15795

Rothenstein,B. The distribution function for the activation fields of ferromagnetic domains, 0=6230

Rothenstein,B. The relaxation of ferromagnetic domain walls, 0=8052

Rothenstein,B. A magnetomechanical method for the study of the kinetics of magnetization processes, 0=11873

Rothenstein,B. The magnetic remanence due to Bloch wall motion and the kinetics of demagnetization, 0=13801

Rother,H. The theory of diffusion waves. I. Moving striations in low pressure discharges, 0=248

Rother,H. On the mechanism of diffusion-limited field instabilities in semiconductors at high fields, 0=4325

Rother,H. Field instabilities in gases, due to diffusion, below the static breakdown field strength, 0=5276

Rother,H. Theory of diffusion waves. II. Application conditions in low pressure discharges, 0=7080

Rother,W. Methods of spectrographic determination of high plasma temperatures, 0=19687

Rothhardt,L. and Ullrich,W. Discussion of the viscosity of mixtures of liquids, 0=8600

Rothman,M.A. See Nath,N., 0=4121

Rothman,M.A. See Nath,N., 0=5798

Rothstein,J. Self-supporting heating element, 0=7000

Rothwarf,F. and Steinberg,J. A variable sensitivity gas thermometer for use at low temperatures, 0=1060

Rothwell,P. and McIlwain,C. Satellite observations of solar cosmic rays, 0=1323

Rothwell,P. and McIlwain,C.E. Magnetic storms and the Van Allen radiation belts — observations from satellite 1958ε (Explorer IV), 0=14264

Rothwell,W.S. See Greenler,R.G., 0=10262

Roubique,C.J. See Crichlow,W.Q., 0=8429

Rouche,N. Transducers and their equivalent electric circuits; application to microphones, 0=5091

Rouditskaya,I.A. See Bogomolov,C.S., 0=12743

Rouditskaya,I.A. See Bogomolov,C.S., 0=12744

Rough,F.A. and Dickerson,R.F. Uranium monocarbide — fuel of the future, 0=20524

Roughton,J.E. Simple device for use with platform weighbridges in the accurate determination of burning rates, 0=6723

Rougoor,G.W. and Oort,J.H. Distribution and motion of interstellar hydrogen in the galactic system with particular reference to the region within 3 kilo-parsecs of the center, 0=8509

Rougoor,G.W. See Oort,J.H., 0=18658

Roulette,R.E. See Barton,G.W.,Jr, 0=19867

Round,G.F. Determination of fluid saturation in porous media by a radio-frequency method, 0=19083

Rousseau,M. See Neves e Castro,M., 0=14805

Roussel,J. See Apter,J., 0=19996

Rousselot,R.H. Analogue solution of the problem of cathode polarisation, 0=1960

Rousset,A.,Lagarrigue,A.,Musset,P.,Rançon,P. and Sauteron,X. Relativistic increase of ionization in xenon, 0=1099

Rousset,A. See Courpron,C., 0=11774

Roux,É. Le. See Le Roux,É.

Roux,J. Application of the photodielectric effect to the study of electron traps, 0=626

Roux,M. See Bratoz,S., 0=17836

Rovinskii,B.M. and Kostyukova,E.P. A simple method of precise determination of the lattice constants of polycrystalline substances without the use of standards, 0=13978

Rovinskii,R.E. and Razumtseva,G.P. The degree of transparency of a discharge in xenon at very high pressures, 0=9011

Rowe,A.H. See Mortlock,A.J., 0=20846

Rowe,E.M. See Kerst,D.W., 0=19837

Rowe,G.W. See Golden,J., 0=6322

Rowe,G.W. See Golden,J., 0=18285

Rowe,J.M. See Alderman,P.R.H., 0=8235

Rowe,J.M. See Owston,P.G., 0=8236

Rowe,J.M. See Owston,P.G., 0=8237

Rowe,P.C. See Greenlees,G.W., 0=9641

Rowell,J.C. See Phillips,W.D., 0=16715

Rowell,P.M. The thermal conductivity of some superconductors, 0=8938

Rowland,F.S. See Lee,J.K., 0=10347

Rowland,T.J. Nuclear magnetic resonance in copper alloys. Electron distribution around solute atoms, 0=13890

Rowland,W.R. See Sprangenberg,W.G., 0=16727

Rowlands,G. The method of images and the solution of certain partial differential equations, 0=4837

Rowlands,R.O. See Brown,J.L.,Jr, 0=1006

Rowlatt,A.L. See Pillow,M.E., 0=9812

Rowles,J.B. See Vincent,C.H., 0=19864

Rowlinson,J.S. Dipole interactions in fluids and fluid mixture, 0=935

Rowlinson,J.S. See Brown,W.B., 0=20696

Roy,A.K. Supersonic flow past a convex corner, 0=19186

Roy,D. Resistance on a circular cylinder due to any number of vortices lying in two rows, 0=16679

Roy,D. Resistance of a circular cylinder due to a pair of vortices moving symmetrically, 0=19073

Roy,J.C.,Bresesti,M. and Hawton,J.J. On the production of Be^7 in the N.R.X. reactor by the B^{10}(p,α)Be^7, Li^7(p,n)Be^7, and Li^6(d,n)Be^7 reactions, 0=20438

Roy,J.C. See Bresesti,M., 0=5723

Roy,J.C. See Millar,C.H., 0=426

Roy,J.K. Singlet→triplet transition in parachlorotoluene, 0=16099

Roy,M. Condensed thermodynamic theory of linear elasticity, 0=4542

Roy,M. On the concepts of flow and production of entropy and on Fourier's law, 0=4952

Roy,M. Slightly irreversible transformations and the Onsager relations. Thermal exchanges and passive resistances, 0=4953

Roy,S.B. Ultraviolet absorption spectra of solutions of pyridine in different solvents and at different temperatures, 0=6804

Roy,S.R. A relativistic analogue of a simple Newtonian result, 0=6645

Roy,T. A note on the radiative corrections to Compton scattering, 0=7317

Roy,T.C. Bound states in quantum electrodynamics, 0=7275

Roy,T.C. Cepheid variation, 0=12318

Roy,T.C. Bound states in quantum electrodynamics, 0=20030

Royan,J. See Hall,E.O., 0=720

Royce,B.S.H. See Dean,P.J., 0=7918

Roys,P.A. and Shure,K. Production cross section of N^{16} and N^{17}, 0=13278

Roys,P.A. See Shure,K., 0=12993

Rozanov,A.N. See Bichkov,Yu.F., 0=8105

Rozanov,A.N. See Bichkov,Yu.F., 0=8274

Rozanov,O.K. See Ilyukhin,V.S., 0=16776

Rozanova,L.M. See Okonov,É.O., 0=20223

Rozanova,N.B. and Kozlova,M.V. The flight of macroparticles of a substance on disruptive discharge in vacuo, 0=1108

Rozenberg,G.V. Optical conditions within a weakly absorbing scattering medium and certain possibilities in spectroscopy, 0=1044

Rozenberg,G.V. Optical conditions inside a medium with Rayleigh scattering, 0=8809

Rozenberg,L.D. and Sirotyuk,M.G. Apparatus for the generation of focused ultrasonics of high intensity, 0=999

Rozenberg,V.M. and Epshtein,I.A. Investigation of the displacement of the grain boundaries in creep, 0=13912

Rozenberg,V.M. See Nosova,G.I., 0=6312

Rozenblat,M.G. See Stauér,E.V., 0=10084

Rozenblyum,N.D. Use of the photogrammetric method in determining the spatial coordinates of points on a meteor trajectory, 0=18707

Rozenfel'd,A.M. The effect of the thickness of the focusing electrode on the optical properties of an electrostatic immersion objective, 0=10962

Rozenfel'd,L.A. See Tsvetaeva,N.E., 0=11353

Rozenshtein,L.D. See Vartanyan,A.T., 0=13619

Rozenthal',I.L. See Emel'yanov,A.A., 0=5528

Rozhanskii,V.N. The mechanism of formation of embryonic cracks during plastic deformation of crystals, 0=688

Rozhanskii,V.N. On phase precipitation of surface-active additions on crystal lattice defects in metals, 0=8269

Rozhkova,L.P. See Kuznetsov,V.D., 0=4569

Rozis-Saulgeot,A.M. The role of absorption lines in photoelectric wide pass-band photometry, 0=14440

Rozkoš,M.,Smrčka,M. and Jakubček,O. (γ, p) reaction on cadmium and tin, 0=13256

Rozman,I.M. On the damage done to plastic scintillators by ionizing radiations. II, 0=663

Rozman,I.M. The mechanism of scintillations in organic substances. I, 0=16107

Rozman,I.M. See Andreeshchev,E.A., 0=16098

Rozman,I.M. See Kulakova,A.F., 0=10077

Rozwadowski,M. See Bauer,R., 0=3538

Rschevkin,S.N. The design of resonant sound absorbers and their application for regulation of reverberation and sound absorption [in auditoria], 0=1015

Ru-tao Kyi. See Axe,J.D., 0=10235

Ruamps,J. Production and study of the optical spectra of diatomic metal molecules [Cu_2, Ag_2, Au_2, MgAu, AlAu] and contribution to the theoretical calculation of intensities, 0=5925

Ruane,T.F. and Storm,M.L. Epithermal hafnium parameters for the calculation of control rod worth in thermal reactors, 0=13378

Rubalcava,H.E. See Carroll,P.K., 0=1530

Rubanov,A.S. See Stepanov,B.I., 0=3674

Rubbino,A. See Emma,V., 0=11435

Rubbino,A. See Emma,V., 0=17616

Rubchinsky,S.M. See Veksler,V.I., 0=5369

Rubbino,A. See Emma,V., 0=1431

Rubega,R.A. See Ankerman,P.W., 0=6879

Rubenstein,H. See Pollack,I., 0=6509

Rubenstein,M. and Banks,E. Color centers in cadmium fluoride, 0=2823

Rubenstein,R. See Homer,R.J., 0=17334

Rubin,E.L. Phase transitions in two-component systems, 0=8649

Rubin,H. Auditory facilitation following stimulation at low intensities, 0=12220

Rubin,K.,Perel,J. and Bederson,B. Measurement of the total, differential, and exchange cross-sections for the scattering of low-energy electrons by potassium, 0=4166

Rubin,K. See Bederson,B., 0=15672

Rubin,N.B. See Kolomenskii,A.A., 0=10998

Rubin,R.J. Statistical dynamics of simple cubic lattices. Model for the study of Brownian motion, 0=17876

Rubin,R.J. and Shuler,K.E. On the dissociation of polyatomic molecules, 0=15682

Rubin,R.J. See Herman,R., 0=11543

Rubin,R.J. See Mazur,J., 0=3303

Rubin,S. Surface analysis by charged particle spectroscopy, 0=18457

Rubinov,V.M. See Kizel',V.A., 0=3529

Rubinow,S.I. See Keller,J.B., 0=3455

Rubinowicz,A. A not hitherto considered case in which Kirchhoff's formulation for the approximate description of diffraction phenomena fails, 0=6944

Rubinowicz,A. An experimental method for distinguishing the different forms of multipole radiation in the X-ray spectrum. I. Generalization of the reciprocity theorem for electromagnetic multipole sources, 0=19887

Rubinshtein,A.M. and Slinkin,A.A. Magnetic properties of Cr_2O_3—Al_2O_3 catalysts, 0=11805

Rubinstein,H.,Fuller,H.W. and Hale,M.E. Observation of Néel walls in thin films, 0=8053

Rubinstein,H. and Spain,R.J. Cross-tie walls in thin films, 0=11854

Rubinstein,H. See Fuller,H.W., 0=3050

Rubinstein,R. See Segar,A.M., 0=5575

Ruby,L. and Rechen,J.B. An efficient counting system for the detection of neutrons from low-yield pulsed neutron sources, 0=15368

Ruby,S.L. and Bolef,D.I. Acoustically modulated γ rays from Fe^{57}, 0=17883

Ruby,S.L.,Epstein,L.M. and Sun,K.H. Mössbauer effect in ferrocyanide, 0=9524

Rüchardt,H. See Carson,J.W., 0=11630

Ruck,H.,Kouris,M. and Manley,R.St.J. Influence of protective paper on X-ray diffraction photographs, 0=12014

Ruckenstein,E. On the mechanism of turbulent mass transfer in the immediate vicinity of a wall, 0=16678

Rucker,S.M. See Wall,F.T., 0=4181

Rudakov,L.I. Magnetic trap with rotating stoppers (mirrors), 0=17002

Rudakov,L.I. and Sagdeev,R.Z. Oscillations of an inhomogeneous plasma in a magnetic field, 0=9056

Rudakov,S.N. See Lyamshev,L.M., 0=1001

Rudakov,V.A. See Gringauz,K.I., 0=21350

Rudakov,V.N. and Bogorodskii,V.V. Measuring the thickness of glaciers by electromagnetic methods, 0=12130

Rudberg,E. and Hulthén,L. Report from the conference of the Swedish National Committee for Physics in 1959, 0=12345

Rudd,J.F. and Andrews,R.D. Photoelastic properties of polystyrene in the glassy state. III. Styrene derivatives and copolymers, 0=8257

Rudenko,N.S. See Bogoyavlenski,I.V., 0=9749

Rudenko,T.I. See Fomin,V.V., 0=4735

Ruderfer,M. First-order terrestrial ether drift experiment using the Mössbauer radiation, 0=18918

Ruderman,H. See Gomez,R., 0=17363

Ruderman,M.A. X-ray yields from μ-mesonic atoms, 0=13422

Rudham,R. See Morrison,J.A., 0=1604

Rudik,A.P. See Geshkenbein,B.V., 0=5702

Rudik,A.P. See Kobzarev,I.Y., 0=20238

Rudik,A.P. See Kolkunov,V.A., 0=12876

Rudik,A.P. See Okun,L.B., 0=7276

Rudik,A.P. See Okun',L.B., 0=20240

Rudin,H. See Baumgartner,E., 0=17431

Rudinger,G. Passage of shock waves through ducts of variable cross section, 0=10726

Rudkjøbing,M. The relativistic periastron motion of DI Her, 0=18802

Rudkjøbing,M. The continuous absorption coefficient of ionized hydrogen at radio wave lengths, 0=20592

Rudman,P.S. Long-range order in Fe rich Fe—Al alloys. I. A Zeroth approximation calculation of order with application to the phase diagram, 0=16348

Rudnevskii,N.K. On the possibility of control of non-uniformity of entry of alloys into the gaseous cloud of an arc by using the spectrum of the basic alloy component, 0=2344

Rudnick,P. Small signal detection in the DIMUS array, 0=14778

Rudolph,H.D.,Dreizler,H. and Maier,W. The microwave spectrum of methanol between 9 and 16 kMc/s, obtained with a carcinotron as radiation source, 0=9807

Rudolph,H.D.,Dreizler,H. and Maier,W. Microwave spectrum, structure and internal rotation barrier of dimethyl sulphide, 0=20627

Rudolph,H.D. See Dreizler,H., 0=513

Rudolph,P.S. and Lind,S.C. Alpha radiolysis of CO with and without Xe, 0=12108

Rudolph,P.S. and Lind,S.C. Kinetics of the alpha radiolysis of carbon monoxide, 0=16384

Rudolph,P.S. and Melton,C.E. Ion—molecule charge transfer reactions in the alpha radiolysis of various hydrocarbons in a mass spectrometer, 0=4734

Rudolph,P.S. See Melton,C.E., 0=3740

Rudolph,P.S. See Melton,C.E., 0=8321

Rudolph,P.S. See Melton,C.E., 0=21291

Rudy,E. and Benesovsky,F. On the electrical conductivity of hard carbides and carbide mixed crystals at high melting point, 0=17995

Rue,R.E. De La. See De La Rue,R.E.

Ruedl,E. Homogeneous and heterogeneous evaporated films in antimony, 0=18414

Ruegg,H. See Petermann,A., 0=12870
Rüfenacht,J.,Weill,R.,Gailloud,M. and Lagorsse,J. A device for the determination of the multiple scattering of fast charged particles in nuclear photographic emulsions, 0=12787
Ruff,I. See London,J., 0=10393
Rühl,W. On the influence of adsorbed gases on the superconductivity of thin thallium film, 0=5239
Rühl,W. Effect of adsorbed gases on the superconductivity and normal electrical conductivity of thin Tl films, 0=16953
Ruijgrok,T.W. Exactly renormalizable model in quantum field theory. III. Renormalization in the case of two V-particles, 0=5480
Ruijgrok,T.W. An exactly renormalisable model of quantum fields, 0=7267
Ruijgrok,T.W. and Rodriguez,S. Linear antiferromagnetic chain, 0=13842
Ruijgrok,T.W. See Falk,D.S., 0=17269
Ruina,J.P. See Hicks,B.L., 0=12700
Rukenshtein,E. Transmission of heat or matter in the turbulent regime, 0=3669
Rukhadze,A.A. Elastic scattering of high-energy particles by deuterons, 0=1320
Rukhadze,A.A. and Silin,V.P. The magnetic susceptibility of a relativistic electron gas, 0=13726
Rukhadze,A.A. See Agranovich,V.M., 0=16041
Rukhadze,A.A. See Bolotovskii,B.M., 0=9155
Rukhadze,A.A. See Kovrizhnÿkh,L.M., 0=12625
Rule,E. and Perls,T.A. Hand-held calibrator for pressure-measuring systems, 0=8757
Rule,E.,Suellentrop,F.J. and Perls,T.A. Second-order instrumentation systems with frequency-dependent stiffness and damping, 0=115
Rule,E.,Suellentrop,F.J. and Perls,T.A. Vibration sensitivity of condenser microphones, 0=14750
Rumanova,I.M. Normal and bounded generalized electron-density projections with the original phase, 0=12033
Rumanova,I.M. Generalized bounded electron density projections in structure analysis, 0=13995
Rumanova,I.M. and Malitskaya,G.I. Revision of the structure of astrakhanite by weighted phase projection methods, 0=14034
Rumer,Yu.B. Action as a space coordinate. X, 0=10553
Rumer,Yu.B. A simple model in the theory of superconductivity, 0=10835
Rummel,R.L. See Lewis,H.W., 0=2476
Rump,B. Preparation of the surface of a thermionic cathode prior to examination by electron diffraction, 0=3788
Rumsh,M.A.,Shuvalov,Yu.N. and Smirnov,L.A. The influence of illumination on the intensity of the X-ray reflections from a crystal of CdS, 0=12041
Rumsh,M.A. See Smirnov,L.A., 0=12040
Rumyantsev,I.A. and Korsunskii,M.I. Investigation of the L-spectra of Zn in the Cu—Zn alloys, 0=13421
Rumyantsev,V.V. See Zeitlenok,G.A., 0=9114
Rumyantseva,E.I. See Pokrovskii,Ya.E., 0=819
Runciman,I.G. See Mallon,H.D., 0=13667
Runciman,W.A. and Wybourne,B.G. Spectra of trivalent praseodymium and thulium ions, 0=5886
Runciman,W.A. See Pryce,M.H.L., 0=20991
Runcorn,S.K. On the theory of the geomagnetic secular variation, 0=4775
Runcorn,S.K. On the hypothesis that the mean geomagnetic field for parts of geological time has been that of a geocentric axial multipole, 0=6433
Runcorn,S.K. Statistical methods in rock magnetism, 0=21306
Rundle,H.N.,Hunten,D.M. and Chamberlain,J.W. Resonance scattering by atmospheric sodium. VII. Measurement of the vertical distribution in twilight, 0=14287
Rundle,H.N. See Blackwell,D.E., 0=8411
Rundle,R.E. See Atoji,M., 0=6361
Rundle,R.E. See Vossos,P.H., 0=12047
Rundqvist,S. An X-ray investigation of the nickel—boron system. The crystal structures of orthorhombic and monoclinic Ni_4B_3, 0=18346
Rundqvist,S. and Jellinek,F. The structures of Ni_6Si_2B, Fe_2P and some related phases, 0=18360
Rundqvist,S. and Larsson,E. The crystal structure of $Ni_{12}P_5$, 0=18347
Ruppel,W. and Smith,R.W. A CdS analog diode and triode, 0=2892
Ruppel,W. See Cardona,M., 0=18027
Rupprecht,G. and Klein,C.A. Energy levels in neutron-irradiated n-type silicon, 0=1656
Rupprecht,H.,Weber,R. and Weiss,H. The galvanomagnetic properties of InSb single crystals doped with Te, 0=20918
Rupprecht,H. See Hoffmann,A., 0=11698
Rupprecht,J. Photoelectric properties of anodically produced titanium and niobium oxide layers, 0=9998
Rupprecht,J. Structure-borne sound propagation in building elements made from homogeneous and heterogeneous building materials, 0=14723
Rusakov,S.V. See Belousov,A.S., 0=7311
Rusakov,V.A. See Ivanov,V.G., 0=11450
Rusakov,V.A. See Okonov,É.O., 0=20223
Rusakov,V.A. See Petrov,N.I., 0=11451
Rusby,J.S.M. Measurements of the total acoustic radiation impedance of rigid pistons in an array, 0=10731
Rusch,W.V.T. See Macmillan,R.S., 0=2003
Rush,J.J. See Sang Up Choi, 0=14133
Rushbrooke,G.S. On the hyper-chain approximation in the theory of classical fluids, 0=16685
Rushbrooke,G.S. and Eve,J. On noncrossing lattice polygons, 0=2771
Rushton,K.R. See Redshaw,S.C., 0=19030
Rusinov,L.I. See Golenetskii,S.V., 0=2633
Rusinov,L.I. See Golenetskii,S.V., 0=11339
Rusinov,L.I. See Karamyan,A.S., 0=11335
Rusinov,L.I. See Lobashev,V.M., 0=13200
Rus'kin,V.I. π^-—p interaction 1.4 BeV, 0=9403
Ruskin,V.I. and Usik,P.A. On the significance of strange particles in Fermi's statistical theory, 0=13070
Russek,A. See Kelly,R.E., 0=15146
Russek,A. See Ziemba,F.P., 0=474
Russell,B. See Wilson,D.V., 0=16220
Russell,B. See Wilson,D.V., 0=16345
Russell,J.A. A time-resolved spectrum of the terminal burst of a Perseid meteor, 0=6576
Russell,J.E. Regarding the reaction $K + p \rightarrow \Lambda^0 + 2\pi$, 0=15429
Russell,J.E. and Shaw,G.L. Collisional de-excitation of (π^-,p) atoms, 0=11488
Russell,J.J. See Luckey,P.D., 0=373
Russell,J.L.,Jr. See Johnston,H.F., 0=13377
Russell,P.C. See Hunt,N.A., 0=4982
Russell,R.D. and Kollar,F. Transistorized power supplies for a mass spectrometer, 0=10987
Russo-Manduchi,M.T. See Manduchi,C., 0=17533
Rust,H.H. Acoustic transmitters and receivers particularly for liquids. I, 0=12458
Rustad,B.M. See Safford,G.J., 0=9705
Rustad,B.M. See Safford,G.J., 0=15597
Rustgi,M.L. and Levinger,J.S. Magnetic dipole sum rules for photodisintegration of the deuteron, 0=11236
Rustgi,O.P. See Trikha,S.K., 0=8861
Rutgers,A.J. Ratio of nucleon mass and electron mass, 0=5553
Ruth,R.P.,Marinace,J.C. and Dunlap,W.C.,Jr. Vapor-deposited single-crystal germanium, 0=11693
Rutkevich,B.N. See Fedorchenko,V.D., 0=9154
Rutkevich,B.N. See Sinel'nikov,K.D., 0=10954
Rutkevich,B.N. See Sinel'nikov,K.D., 0=10955
Rutkevich,I.Ya.,Golovnya,V.Ya.,Val'ter,A.K. and Klyucharev,A.P. Angular distribution of protons, elastically scattered by isotopes of nickel, copper and cobalt at energy 5.45 MeV, 0=7563
Rutkevich,N.Ya. See Klyucharev,A.P., 0=7556
Rutllant,F. The observatory in Santiago, 0=12236
Rutscher,A. See Pfau,S., 0=5291
Ruyssen,R. See Lauwers,R.R., 0=4747
Ruytoor,M. See Septier,A., 0=3804
Ruytoor,M. See Septier,A., 0=5352
Ruzička,J. Heat transfer to boiling nitrogen, 0=1050
Ruzin.B.N. See Bresler.P.I.. 0=19214
Ruzin.B.N. See Bresler.P.I.. 0=19215
Ryabchikov,L.N. See Amonenko,V.M., 0=3677
Ryabenko,G.A. See Brandt,N.B., 0=10090
Ryabinin,Yu.N. The question of the origin of increased plasticity under the influence of high hydrostatic pressure, 0=1857
Ryabinin,Yu.N. Influence of pressure on some properties of solid bodies, 0=13495
Ryabinin,Yu.N. On the problem of the equation of state of solids under ultra-high pressures, 0=17866

Ryabinin,Yu.N. and Livshits,L.D. A piston piezometer with quasi-hydrostatic support for pressures up to 100 000 kg/cm^2, 0=10459
Ryabinin,Yu.N.,Livshits,L.D. and Vereshchagin,L.F. Plasticity of some alloys under high (hydrostatic) pressures, 0=1856
Ryabinkin,Yu.S. Electric field in the base of a junction transistor at low injection levels, 0=15979
Ryabtsova,G.P. See Blum,A.I., 0=624
Ryan,A. See Sweeney,E.J., 0=3382
Ryan,D. See Boakes,D., 0=4516
Ryan,F.M.,Pugh,E.W. and Smoluchowski,R. Superparamagnetism, nonrandomness, and irradiation effects in Cu–Ni alloys, 0=2980
Ryan,J.A. Effect of damping and vibration detector position in resonance measurements, 0=5075
Ryan,R.P. See Eby,R.K., 0=2196
Ryan,W.D. and Harrower,G.A. An apparent solar periodicity in radio star scintillation, 0=12210
Ryason,P.R. Proposed direct test of the uncertainty principle, 0=46
Ryazanov,A.N. The possibility of resolution of two light sources with strongly differing intensities, 0=8776
Ryazanov,M.I. On processes involving transfer of momentum to a medium, 0=12875
Ryazonov,A.N. The possibility of use of amplitude-phase objectives for resolution of two non-monochromatic sources of light, 0=16866
Rybakov,B.V. See Bogdanov,G.F., 0=7551
Rȳbakova,G.I.,Koval'chuk,D.S. and Morozov,V.P. The force constants and interaction constants of pyramidal hydrides, 0=20600
Rȳbalka,V.V. and Pizio,A.S. Recombination of electrons and holes on copper and nickel atoms in high-resistance germanium, 0=20896
Rȳbchinskii,R.E. See Gringauz,K.I., 0=14381
Ryde,H. See Alväger,T., 0=11373
Rydell,N.,Ambrosini,G. and Schmidl,H. Analogue computer studies of the Halden boiling water reactor, 0=4143
Ryder,D.A. See Forsyth,P.J.E., 0=21168
Ryder-Smith,S.C.,Guile,A.E. and Barrington,A.E. Direct measurement of $\int i^2 . dt$ by a method based on the Hall effect, 0=8980
Rydzewski,J.R. Experimental method of investigating stresses in buttress dams, 0=4972
Ryjkova,I.V. See Jdanov,A.P., 0=12738
Ryle,M. The nature of the cosmic radio sources, 0=10481
Ryle,M. and Hewish,A. The synthesis of large radio telescopes, 0=18685
Ryle,M. See Elsmore,B., 0=830
Ryley,D.J. Experimental determination of the atomising efficiency of a high-speed spinning disk atomiser, 0=6754
Ryley,D.J. Analysis of a polydisperse aqueous spray from a high-speed spinning disk atomizer, 0=6755
Rȳlov,E.E. See Razinskaya,I.N., 0=16234
Rȳlov,V.S. See Konstantinov,B.P., 0=7709
Rymer,T.B. The Physical Society's Exhibition — London, 1960, 0=8534
Rymer,T.B. The lattice constants of small crystals, 0=21182
Rymer,T.B. (Conf. rep.). Summarized proceedings of a conference on Solid State Memory and Switching Devices—London, September, 1958, 0=7188
Rymer,T.B. and Fayers,F.J. The intensity profiles of electron diffraction lines, 0=272
Rȳmko,N.P.,Tulinov,V.F. and Charakhch'yan,A.N. A case of a sharp increase in cosmic-ray intensity in the stratosphere, 0=11279
Rȳmov,S.M. The relative running time of a non-stationary chance process, 0=905
Rȳndin,G.M. See Bilen'kii,S.M., 0=7349
Rȳndin,R.M. See Azhgirei,L.S., 0=13231
Ryndin,R.M. See Azhgirey,L.S., 0=5742
Rȳndin,R.M. See Bilen'kii,S.M., 0=2596
Rȳndin,R.M. See Bilen'kii,S.M., 0=12855
Rȳndin,R.M. See Bilen'kii,S.M., 0=12938
Rynn,N. On the periodic coupling of propagating structures, 0=5415
Rȳskin,A.I. See Tolstoi,N.A., 0=16079
Ryter,C. Direct measurement of the electron density at the nucleus in metallic lithium at liquid helium temperature, 0=16170
Ryter,C. See Gueron,M., 0=1836
Rytz,A. Absolute determination of some alpha-particle energies, 0=13183
Rytz,A. Determination of the alpha particle energies from radium-223 and its decay products, 0=17525
Ryves,T.B. Use of a liquid scintillator counter for beta particles, 0=9341
Rȳvkin,M.S. A rectangular waveguide of variable cross-section, 0=1213
Rȳvkin,S.M.,Grinberg,A.A.,Ivanov,Yu.L.,Novikov,S.R. and Potekhina,N.D. Investigation of the diffusion of minority carriers in a magnetic field, 0=15905
Rȳvkin,S.M.,Ivanov,Yu.L.,Grinberg,A.A.,Novikov,S.R. and Potekhina,N.D. A new longitudinal magneto-concentration effect and its use in determining the relation between the concentrations of heavy and light holes, 0=1628
Ryvkin,S.M.,Konopleva,R.F.,Maslova,L.V.,Matveev,O.A., Strokan,N.B.,Tarkhin,D.V. and Khozov,G.V. Low-inertia germanium photodiodes, 0=20900
Rȳvkin,S.M. and Konovalenko,B.M. Dependence of the induced conductivity in cadmium sulphide on the energy of exciting electrons, 0=11708
Rȳvkin,S.M. See Arkad'eva,E.N., 0=6134
Rȳvkin,S.M. See Arkad'eva,E.N., 0=6135
Rȳvkin,S.M. See Arkad'eva,E.N., 0=15985
Rȳvkin,S.M. See Arkad'eva,E.N., 0=18061
Rȳvkin,S.M. See Berkovskii,F.M., 0=20899
Rȳvkin,S.M. See Bitovskii,N.A., 0=4339
Rȳvkin,S.M. See Grinberg,A.A., 0=18060
Rȳvkin,S.M. See Konopleva,R.F., 0=15875
Rȳvkin,S.M. See Konopleva,R.F., 0=15925
Rȳvkin,S.M. See Paritskii,L.G., 0=18067
Rȳzhanov,S.G. Asymmetric fission of heavy nuclei, 0=7631
Ryzhanov,S.G. Alpha-decay of RdAc according to the collective model and the spin of the AcX nucleus, 0=11344
Ryzhikov,B.D. See Levshin,V.L., 0=4455
Rȳzhov,O.S. and Shefter,G.M. Approximate representation of a particular class of (patterns of) unsteady nearsonic flow, 0=6826
Rȳzhov,O.S. and Shefter,G.M. On unsteady gas flows in Laval nozzles, 0=14676
Rżany,H. See Budzanowski,A., 0=5912
Rževkin,S.N. Resonant sound-absorbers, 0=5121
Rzewuski,J. On inversions of space and time, 0=4938
Rzewuski,J. Differential equations in the spinor space, 0=12348
Rzhanov,A.V. On the correlation between the capture cross-section ratio and the energy levels of the surface recombination centres in germanium, 0=1638
Rzhanov,A.V.,Novototski-Vlasov,Yu.F. and Neizvestny,I.G. The nature of surface recombination centres in germanium, 0=2874

Saada,G. Equilibrium shape of an edge-dislocation loop in the presence of a supersaturation of vacancies, 0=15841
Saada,G. On the interaction between a fixed dislocation and a mobile dislocation in its slip plane, 0=17937
Saakyan,G.S. Dispersion at very large densities and temperatures of the medium, 0=12709
Saakyan,G.S. One-photon annihilation and electron pair production in a medium, 0=20114
Saakyan,G.S. See Kocharyan,N.M., 0=11246
Saavedra,I. On the theory of the diffusion cloud chamber, 0=2464
Sabata,V. De. See De Sabata,V.
Sabato,J.A. Metallurgy in the development of atomic power, 0=4834
Sabbata,V. De. See De Sabbata,V.
Sabey,B.E. Skidding friction. The effect of hysteresis losses in tyre tread rubber, 0=2144
Sacerdote,C.B. Statistical distribution of time intervals, 0=14748
Sacerdote,C.B. Sound deadeners testing, 0=16804
Sacerdote,G.G. Researches on the singing voice, 0=6496
Sacerdote,G.G. See Ferrero,M.A., 0=16786
Sacerdote,G.G. See Ferrero,M.A., 0=16805
Sacerdote,G.G. See Gigli,A., 0=19248
Sacerdoti,G. Study of the non-relativistic motion of a charged particle in a [uniform] magnetic field in the presence of a plane electromagnetic wave propagated in the direction of the field, 0=289

acerdoti,G.C. See Beneventano,M., 0=17285
Sácha,J. See Burget,J., 0=4529
Sacharidis,E.J. See Homer,R.J., 0=17334
achs,A.M. See Harting,D., 0=368
Sachs,A.M. See Harting,D., 0=15419
achs,A.M. See Koller,E.L., 0=2574
achs,H.M. See Epstein,M., 0=7184
Sachs,L.M. Hyperfine splitting of the lithium ground state, 0=7697
Sachs,L.M. See Roothaan,C.C.J., 0=17808
achs,M. and Schwebel,S.L. Implications of parity nonconservation and time reversal noninvariance in electromagnetic interactions. II. Atomic energy levels, 0=11485
Sachs,R.G. See Ernst,F.J., 0=12915
Sachs,R.K. Propagation laws for null and type III gravitational waves, 0=2100
Sack,R.A. See Kolos,W., 0=17806
Sacton,J. Hyperfragment production of K^--meson absorptions at rest in nuclear emulsions. Mesic decays, 0=13153
Sacton,J. See Gaillard,J.M., 0=1298
Sadanaga,R. See Takéuchi,Y., 0=3234
Saddy,J. The decay of phosphorescence in zinc sulphide, 0=13721
Saddy,J. Photometer for for luminescence, 0=19392
Sadeh,D. Determination of the excited states of oxygen using the (γ,n) reaction, 0=4034
Sadeh,D. New "break" in the $O^{16}(\gamma,n)O^{15}$ reaction with a new system of measurement, 0=5775
Sadeh,D. "Breaks" in the photoneutron excitation curves of fluorine and nitrogen, 0=7596
Sadler,D.H. and Wilkins,G.A. Artificial satellites. I. The motions of artificial satellites, 0=18875
Sadler,E.Mc.B. Discussion of occultations observed in 1956 and 1957, 0=12315
Sadler,M.S. See Swoboda,T.J., 0=11916
Sadô,A. See Anno,T., 0=15706
Sadô,A. See Anno,T., 0=15707
Sadokov,V.P. Approximate solutions of the nonlinear equation for velocity vortices in medium troposphere, 0=21324
Sadȳkhov,F.S. and Kerimov,B.K. On pair-production by the collision of two circularly polarized gamma-ray quanta, 0=11150
Saëki,S. Calculation of the planar normal vibrations of p-dichlorobenzene and its deuterated derivative, 0=5910
Saenger,R.A. and Hudson,G.E. Periodic shock waves in resonating gas columns, 0=14730
Saenz,A.W. Magnetic scattering of neutrons by exchange-coupled lattices, 0=16138
Sáenz,A.W. Spin waves in complex exchange-coupled lattices and neutron scattering, 0=18174
Saermark,K. Acoustic forces and torques on a system of strips, 0=5097
Saermark,K. Transmission coefficient for a system of parallel slits in a thin, [perfectly conducting] plane screen, 0=5406
Saermark,K. See Jensen,H.H., 0=14749
Safant'evskii,A.P. See Gurevich,A.G., 0=6243
Safford,G.J. and Havens,W.W.,Jr. Fission parameters for U^{235}, 0=5809
Safford,G.J.,Havens,W.W.Jr and Rustad,B.M. Precision measurement of the total neutron cross section of U^{233} between 0.000818 and 0.0818 eV, 0=9705
Safford,G.J.,Taylor,T.I.,Rustad,B.M. and Havens,W.W.,Jr. Precision determination of the slow neutron absorption cross section B^{10}, 0=15597
Safina,I.N. See Zamyatnin,Yu.S., 0=9683
Safina,I.N. See Zamyatnin,Yu.S., 0=11442
Safronov,A.Ya. See Andryukhina,E.D., 0=16978
Safronov,B.G. See Sinel'nikov,K.D., 0=10955
Safronov,V.S. Gravitational instability in plane rotating systems with axial symmetry, 0=10565
Saftić,B. See Varićak,M., 0=2189
Sagan,C. Indigenous organic matter on the moon, 0=8487
Sagan,C. Biological contamination of the moon, 0=8488
Sagar,A. Experimental investigation of conduction band of GaSb, 0=2894
Sagar,A. Piezoresistance in n-type InP, 0=4362
Sagar,A. See Faust,J.W.,Jr, 0=6339
Sagar,F.H. Acoustic intensity fluctuations and temperature microstructure in the sea, 0=2213
Sagawa,T. See Hayasi,T., 0=9876
Sagdeev,R.Z. and Shafranov,V.D. The instability of a plasma with an anisotropic distribution of velocities in a magnetic field, 0=19677
Sagdeev,R.Z. See Rudakov,L.I., 0=9056
Sage,B.H. See Reamer,H.H., 0=6821
Saget,P. See Dormont,H., 0=15062
Sagnis,J.C.,Jr, Teig,M. and Ward,R.L. Effect of geometry on thick film toroids, 0=18197
Sah,C.T.,Sello,H. and Tremere,D.A. Diffusion of phosphorus in silicon oxide film, 0=11642
Sah,P. and Eisenschitz,R. Electrons in weak interaction with a chain of atoms, 0=10648
Saha,A.K. Ionospheric irregularities and propagation at frequencies above the "classical" m.u.f., 0=5424
Saha,A.K. See Mukherjee,P.N., 0=7161
Saha,N.K. and Kaila,K.L. Determination of the beta ray energy spectrum from the absorption curves of beta rays, 0=5703
Saha,N.K. and Nath,N. Determination of absolute rate of β-disintegration from a P^{32}-source using the 4π-counter technique, 0=7492
Sahai,B. See Bhattacherjee,S.K., 0=2646
Sahay,J.N. Behaviour of a mixture of nitrous oxide and hydrogen under spark discharge, 0=3746
Sahiar,A.B. See Awunor-Renner,E.R.T., 0=15497
Sahini,M. See Balea,E., 0=20307
Sahni,R.C. and LaBudde,C.D. Study of molecular integrals. I. Two-center exchange integrals, 0=20673
Sahni,R.C. See LaBudde,C.D., 0=20674
Saidov,M. See Semenchenko,V.K., 0=18261
Saiedy,F. and Goody,R.M. The solar emission intensity at 11μ, 0=18770
Saika,A. A molecular orbital estimate of indirect proton-proton spin coupling in ammonia, 0=7804
Saika,A. See Narumi,H., 0=20332
Sailor,V.L. See Domanic,F., 0=13287
Sailor,V.L. See Shore,F.J., 0=16958
Saimoto,S.,Griffiths,V. and Teghtsoonian,E. Growth kinks in copper whiskers, 0=18323
Sain Mittra,I. and Gill,P.S. Statistical distribution of cosmic ray stars in nuclear emulsions, 0=7434
Saint-Guilhem,R. The mathematical form of physical laws. Changes of units, invariance of the equations, dimensional analysis, 0=858
Saint-Guilhem,R. The mathematical form of physical laws. Changes of units, invariance of equations, dimensional analysis, 0=14484
St.John,R.M.,Bronco,C.J. and Fowler,R.G. Excitation function of helium 3^1P for electron collisions, 0=465
St.Laurent,R. See Meister,R., 0=8750
St Lorant,S.J. See Lokanathan,S., 0=7484
St-Lorant,S.J. See Wilkinson,D.H., 0=418
St Pierre,C.,Machwe,M.K. and Lorrain,P. Elastic scattering of 14 MeV neutrons by Al, S, Ti, and Co, 0=457
Saitô,B. See Hikosaka,T., 0=18482
Saito,H. See Kubota,H., 0=16827
Saito,K. Equatorial coronal streamers of the sun, 0=6594
Saitô,N. Theory of irreversibility, 0=6688
Saito,O. Effects of gamma-rays on aqueous solution of polyvinyl alcohol, 0=21292
Saito,O. Effect of impurity on molecular linking of irradiated polymer, 0=21293
Saito,T. See Kato,Y., 0=1997
Saito,T. See Kato,Y., 0=2000
Saito,Y. See Shibuya,Y., 0=20868
Saji,Y. See Suwa,S., 0=19856
Sakai,M.,Ikegami,H.,Yamazaki,T. and Sugiyama,K. Angular correlation of gamma rays from Xe^{126} and Te^{126}, 0=20419
Sakai,M.,Ohmura,H. and Momota,T. Note on the spin excited states of cadmium-110, 0=5665
Sakai,M. See Sugiyama,K., 0=20415
Sakai,T. and Inoue,S. New instruments and methods for speech analysis, 0=8439
Sakaki,Y. See Riecke,W.D., 0=725
Sakamoto,M. Quenching effect in KCl crystals, 0=20835
Sakamoto,M. See Lin,C.C., 0=17800
Sakamoto,Y. On the high energy proton ejected in the high energy n-d collision, 0=17340
Sakamoto,Y. A note on polarized cross section of high energy n-d elastic scattering, 0=17343
Sakamoto,Y. and Sasakawa,T. Elastic scattering in high energy and impulse approximation, 0=17342

Sakamoto,Y. and Sasakawa,T. High energy n—He^4 scattering, 0=20247
Sakarinen,É. See Rebane,K.S.K., 0=16097
Sakashita,S.,Ôno,Y. and Hayashi,C. The evolution of massive stars. I, 0=14464
Sakashita,S. See Yamazaki,H., 0=18870
Saker,E.W. See Cunnell,F.A., 0=20923
Sakharov,V.N.,Kolesnikov-Svinarev,V.I.,Nazarenko,V.A. and Zabidarov,E.I. The angular distribution of Au^{198} radiation scattered in the air above the ground, 0=4067
Sakipov,Z.B. See Ershin,S.A., 0=8682
Sakisaka,M. Be^9(n,2n)Be^8 and B^{11}(n,α)Li^8(β)Be^8 reactions by 14 MeV neutrons, 0=17627
Sakita,B. and Oneda,S. On the decay interaction of strange particles, 0=11231
Sakita,B. See Oneda,S., 0=12839
Sakita,B. See Pati,J.C., 0=20221
Saksena,G.D. See Rank,D.H., 0=155
Saksena,G.D. See Rank,D.H., 0=17710
Sakuma,T.,Furui,S. and Kanazawa,A. The dispersion relation and the pion—nucleon interaction cross section at very high energies, 0=15394
Sakuma,T. See Kanazawa,A., 0=12916
Sakuntala,M.,Clotfelter,B.E.,Edwards,W.B. and Fowler,R.G. Electromotive force in a highly ionized plasma moving across a magnetic field, 0=1129
Sakuntala,M. and von Engel,A. Nature of the light emission by hydrogen ions, 0=20646
Sakuntala,M.,von Engel,A. and Fowler,R.G. Ionic conductivity of highly ionized plasmas, 0=12586
Sakurai,J.J. Spin—orbit force and a neutral vector meson, 0=15275
Sakurai,J.J. Pion resonances, 0=15392
Sakurai,J.J. Useful symmetries of strong interactions, 0=1318
Sakurai,K. Motions of solar cosmic rays and the properties of the general magnetic field of the sun, 0=14408
Sakurai,K. Propagation of low energy cosmic ray particles associated with solar flares, 0=20278
Sakurai,K. The critical B-values in the geomagnetic effect of cosmic rays, 0=20304
Sakurai,T. High subsonic flow with normal shock wave at nearly critical Mach number, 0=19184
Sakurai,T.,Shirahase,R. and Anzai,T. Measurement of the displacement distribution of an ultrasonic vibrator by means of multibeam interferometry, 0=14753
Sala,O. See Dietzsch,O., 0=15535
Saladin,J. and Marmier,P. Polarization and scattering experiments with 4 MeV protons, 0=15569
Salam,A. Relation between scalar and pseudoscalar theories, 0=7267
Salam,A. Parity violation in strange-particle decays, 0=9317
Salam,A. An equivalence theorem for partially gauge-invariant vector meson interactions, 0=20064
Salam,A. See Matthews,P.T., 0=333
Salam,A. See Polkinghorne,J.C., 0=15421
Salam,A. See Feldman,G., 0=15284
Salam,E. See El Nadi,M., 0=19202
Salamandra,G.D.,Bazhenova,T.V. and Naboko,I.M. The formation of a detonation wave during the combustion of a gas in pipes, 0=14108
Salamandra,G.D. and Sevast'yanova,I.K. The interaction of weak shock waves with a flame front, 0=12105
Salandin,A. See K$^-$-collaboration, 0=1308
Salandin,A. See K$^-$-Collaboration, 0=15430
Salandin,G. See Braccesi,A., 0=18819
Salant,E.O. See Pickup,E., 0=17405
Sălceanu,C. and Huschitt,E. Variation with temperature of the velocity of sound in metal bars, 0=5081
Sălceanu,C. and Zăgánescu,M. Influence of the nature of the walls of an acoustic resonance tube for determining the speed of sound in liquids, 0=5082
Saleh,F.M. and Yousef,Y.L. Elasticity and internal friction of bismuth, 0=18240
Salem,L. See Longuet-Higgins,H.C., 0=9835
Salimäki,K.E. The thermal expansion coefficients of KCl, KBr and their solid solutions in the temperature interval −180 to 400°C, 0=15815
Salinger,G.L. See Berk,N., 0=4006
Salkoff,M. See Bauer,E., 0=20679
Salkovits,E. See Budó,A., 0=14661
Salkovitz,E.I. See Henry,W.E., 0=3008
Salkovitz,E.I. See Schindler,A.I., 0=3007
Salkovitz,E.I. See Schindler,A.I., 0=10168
Sall',A.O. On the theory of the optico-acoustic gas analyser, 0=968
Sall',A.O. On the sensitivity threshold of an optico-acoustic receiver of radiation. I. Low modulation frequency, 0=969
Sall',A.O. On the sensitivity threshold of an optico-acoustic receiver of radiation. II. A non-uniform liberation of heat in the selective-receiver chamber. High-frequency modulation, 0=970
Sall',A.O. On the sensitivity threshold of an infrared absorption gas analyser with gas modulation, 0=971
Sall',A.O. The threshold of sensitivity of selective optico-acoustic radiation receivers, 0=2265
Sall',A.O. The fluctuation threshold of microphone sensitivity, 0=6888
Sall',A.O. The sensitivity threshold of an optico-acoustic radiation receiver. III. The general case of a non-cylindrical selective receiver chamber, 0=8714
Sall',A.O. Selective modulation of radiation by periodic variation of gas temperature, 0=10380
Sall',A.O. The ratio of the signal due to the component being investigated to the signal of the total radiation flux in infrared gas analysers, 0=12489
Sall',A.O. Gas characteristics of an optico-acoustic gas analyser, 0=16398
Sall',A.O. Calculation of the errors of an absorption analyser of gas or liquid mixtures, 0=19395
Sall',A.O. Design of the chamber for a baro-optical source of radiation, 0=19410
Sall',A.O. The excitation of thermal and acoustic oscillations during periodic evolution of heat in the volume of a solid or gas, 0=19477
Sall',A.O. and Stanevich,S.B. Use of the selective emission of a gas in infrared gas analysers, 0=4753
Salmeron,R.A. See Montanet,L., 0=15498
Salmi,E.W. See Pidd,R.W., 0=1139
Salmon,J. See Delcroix,J.L., 0=18979
Salmona,A. and Frenkiel,P. Calculation of the elastic scattering without polarization or exchange [effects] of a zero speed electron by a neutral atom of sodium in the ground state, 0=15673
Sal'nikov,O.A. Angular distribution of 2.35 MeV neutrons scattered elastically and inelastically by the nuclei of chromium, iron and lead, 0=7607
Saloman,R.E.,Graven,W.M. and Adams,G.B.,Jr. Ultraviolet absorption spectra of anodic zirconium oxide films, 0=4412
Salomon,L.L. Sensitive 4π detector for scanning radiochromatograms, 0=5450
Salomon,R.E. See Graven,W.M., 0=18411
Salomonovich,A.E. See Amenitskii,N.A., 0=18649
Salomonovich,A.E. See Vitkevich,V.V., 0=18637
Salomons-Grobben,N. See de Vries,C., 0=20404
Salop,A. See Bederson,B., 0=15672
Salpeter,E.E. Scattering of radio waves by electrons above the ionosphere, 0=18501
Salpeter,E.E. See Bowers,D.L., 0=14535
Salpeter,E.E. See Cocconi,G., 0=7470
Salpeter,E.E. See Reeves,H., 0=3424
Salpeter,E.W. See Junkes,J., 0=6923
Salpeter,E.W. See Junkes,J., 0=6930
Salsburg,Z.W. See Wood,W.W., 0=14109
Salter,R. See Lambert,J.D., 0=9789
Saltÿkov,Yu.S. See Mostovoi,V.I., 0=4136
Saltzer,C.,Craig,R.T. and Fetheroff,C.W. Comparison of chemical and electric propulsion systems for interplanetary travel, 0=12335
Saltzman,B. and Fleisher,A. The modes of release of available potential energy in the atmosphere, 0=14189
Salukvadze,R.G. See Nyagu,D.V., 0=17161
Salvador,O. and Masson,H. Continuous recording of the ionic conductivity of air near the ground, 0=18478
Salvadori,P. See Cavallaro,M., 0=15194
Salvat,M. See Bronca,G., 0=2412
Salvat,M. See Bruck,H., 0=2412
Salvaudon,R. See Cassignol,C., 0=20574
Salvi,G. See Venturi,G., 0=8445
Salvini,G. See Bernardini,C., 0=2589
Salzman,F. and Salzman,G. Pion production from π^-—p collisions in the long-range interaction model, 0=17404
Salzman,F. and Salzman,G. Single-virtual-boson-exchange interaction in high-energy collisions, 0=20194
Salzman,G. See Meyer,P., 0=13006
Salzman,G. See Salzman,F., 0=17404
Salzman,G. See Salzman,F., 0=20194

Samain,A. See Bineau,M., 0=19662
amal,K. Experimental evidence of nonlinear relation between spectral number and ultrasonic intensity, 0=14743
amal,K. See Dutta,A.K., 0=3525
amarin,A.M. See Vertman,A.A., 0=14580
Sambell,R.A.J. See Clarke,F.J.P., 0=21147
amios,N. See Plano,R., 0=2570
amios,N.P. Panofsky ratio, 0=13035
Samios,N.P. $\pi^0-\pi^-$ mass difference as determined from double Dalitz pairs, 0=20183
Samios,N.P. See Lee,J., 0=9390
Samiullah,M. See Barut,A.O., 0=20050
Samman,A. and Cüer,P. A study of the structure of C^{12} using the total disintegration $C^{12}(p,p')3\alpha$, 0=9508
Samoilov,A.V. See Alikhanyan,A.I., 0=9696
Samoilov,A.V. See Askar'yan,G.A., 0=20104
Samoilov,A.V. See Kirillov-Ugryumov,V.G., 0=3942
Samoilov,A.V. See Kirillov-Ugryumov,V.G., 0=20090
Samoilov,B.N.,Sklyareskii,V.V. and Stepanov,E.P. Polarization of cobalt and iron nuclei in ferromagnets. 0=9521
Samoilov,B.N.,Sklyarevskii,V.V. and Stepanov,E.P. Polarization of nuclei of diamagnetic elements dissolved in iron, 0=9520
Samoilov,B.N.,Sklyarevskii,V.V. and Stepanov,E.P. Nuclear polarization of weakly-magnetic elements introduced into a ferromagnetic, 0=13115
Samoilov,I.M. Capture mechanism in betatrons, 0=9131
Samoilov,L.N. See Artemov,K.P., 0=9359
Samoilov,L.N. See Artemov,K.P., 0=9362
amoilovich,A.G. and Korolyuk,S.L. Theory of elementary excitations in atomic semiconductors, 0=1630
Samoilovich,A.G. and Nitsovich,M.V. On the problem of magnetic susceptibility of metallic lithium, 0=8029
Samokhvalov,A.A. and Fakidov,I.G. The thermoelectric properties of a single crystal of magnetite in the region of the low temperature transition, 0=6148
Samokhvalov,A.A. and Fakidov,I.G. Magnetoelectric properties of a magnetite monocrystal in the 0–100°C region, 0=15890
Samokhvalov,A.A. See Vasil'eva,I.N., 0=566
Samosudov,B.E.Tulinov,V.F.Charakhchyan,A.N. and Charakhchyan,T.N. Studies of intensity variations of cosmic radiation in the stratosphere, 0=11247
Sampanthar,S. See Eden,R.J., 0=9511
Sampanthar,S. See Eden,R.J., 0=9512
Sampson,D.F. See Pace,J.H., 0=4513
Sampson,J.B. and Luebke,E.A. Plutonium fast power breeder with oxide fuel and blanket elements, 0=13315
Sampson,J.B. See Gaerttner,E.R., 0=13302
Sams,D. See Wilson,C.G., 0=3223
amson,A.M. The effect of secondary absorption and emission processes on the duration of radiation emitted by a plane-parallel layer, 0=11770
Samson,C.A. Effect of atomic tests on radio noise, 0=4817
Samson,C.A. Effects of high-altitude nuclear explosions on radio noise, 0=8430
Samsonov,G.V.,Dzeganovskii,V.P. and Semashko,I.A. Europium hexaboride, 0=14012
Samsonov,G.V.,Paderno,Yu.B. and Serebryakova,T.I. The borides of praesodymium, erbium, and terbium, 0=14020
Samsonov,G.V.,Zhuravlev,N.N.,Paderno,Yu.B. and Melik-Adamyan,V.R. Preparation and properties of samarium hexaboride, 0=13468
Samsonov,G.V. See Kislȳi,P.S., 0=20841
Samsonov,G.V. See Kudintseva,G.A., 0=1879
Samsonov,G.V. See Paderno,Yu.B., 0=1502
Samsonov,G.V. See Serebryakova,T.I., 0=16919
Samuel,I. The definition and properties of the "grilles" (grills) of a symmetric determinant, 0=10465
Samuel,I. Application of the graphical polygon method to operations on Slater wave-functions with real non-orthonormal orbitals (sliding chart method ["methode de glissement"]), 0=10597
Samuel,I. The polygon method for the graphical study of determinants. Applications to problems of theoretical chemistry, 0=11531
Samuel,J. See Gorodetzky,S., 0=11321
Samuel,J. See Gorodetzky,S., 0=11322
Samuel,J. See Gorodetzky,S., 0=17597
Samuels,J.C. On the stability of random systems and the stabilization of deterministic systems with random noise, 0=8467
Samuels,J.C. Remarks on Dr.Caughey's comments on my paper entitled "On the stability of random systems, etc.". 0=18581
Samyatnin,Yu.S. See Bezotosnii,V.M., 0=7389
Sanada,J. Elastic scattering of protons by helium between 9.2 MeV and 14.5 MeV, 0=20140
Sanada,J. See Suwa,S., 0=19856
Sanadze,V.V. The X-ray pulse diffractomer, 0=16290
Sanadze,V.V. and Gulyaev,G.V. Decomposition of solid solutions in the nickel—gold system. I, 0=14075
Sanadze,V.V. and Gulyaev,G.V. Decomposition of solid solutions in the nickel—gold system. II, 0=14076
Sanborn,R.H. See Gunn,S.R., 0=18435
Sanchi,I. and Parthasarathy,N.V. Wavelength standards from a pair of any differently coloured transparent materials, 0=3624
Sandage,A. Current problems in the extragalactic distance scale, 0=2073
Sandars.P.G.H. See Woodgate.G.K.. 0=17684
Sandbach,E. See Mitchell,A.M.J., 0=11039
Sandberg,A.A. See Slack,F.F., 0=12337
Sander,W. Properties of Ag_2Se films, 0=16363
Sander,W. See Mönch,W., 0=3278
Sanders,J. See Newton,D.C., 0=17679
Sanders,J.E.,Price,B.T. and Richmond,R. Fission cross-sections as a function of neutron energy. III. Uranium-233, 0=7644
Sanders,J.E.,Skarsgard,H.M. and Kenward,C.J. The energy dependence of the fission-neutron yield per neutron absorbed in U^{233} over the range 0.025-2.2 eV, 0=7642
Sanders,J.H. Optical maser design, 0=1202
Sanders,J.H. A precise measurement of the magnetic moment of the proton, 0=20129
Sanders,J.H. See Jones,O.C., 0=4784
Sanders,J.H. See Jones,O.C., 0=14957
Sanders,K.F. See Barber,M.R., 0=17037
Sanders,N.L. See Forster,H.H., 0=7532
Sanders,T.M.,Jr. See Donnally,B., 0=17127
Sanders,T.M.,Jr. See Lamb,W.E.,Jr, 0=17708
Sanderson,A.E. See Hall,H.P., 0=2300
Sanderson,E.A. See Mayers,D.F., 0=1471
Sandford,B.P. Studies of the upper atmosphere from Invercargill, New Zealand. IV. Correlation of the intensity of the forbidden oxygen lines in the airglow and aurora with magnetic activity, 0=21329
Sandford,B.P. and Heiser,P. Colour photography of the aurora, 0=4812
Sandham,H.F. See Archenhold,W.F., 0=8044
Sandiford,D.J. Heat treatment centers and bulk currents in silicon p—n junctions, 0=1651
Sandler,S.R.,Loshack,S.,Broderick,E. and Bernstein,P. Dimethyl styrene yields more efficient scintillators, 0=19969
Sandner,W. See Schoenberg,E., 0=18699
Sandomirskii,V.B. and Smilga,V.P. On the possible role played in adhesion phenomena by the double electrical layer formed at the solid—solid interface, 0=4574
Sandomirskii,V.B. See Kogan,Sh.M., 0=1634
Sándor,E. and Wooster,W.A. Diffuse streaks in the diffraction pattern of vanadium single crystals, 0=8204
Sándor,T.,Somogyi,A. and Telbisz,F. Atmospheric effects and periodicities of the cosmic radiation measured 8m below ground, 0=7439
Sándor,T.,Somogyi,A. and Telbisz,F. Meteorological coefficients and solar daily variation of the cosmic radiation measured underground, 0=15488
Sándor,T. See Dohán,I., 0=17441
Sándor,T. See Gémesy,T., 0=15471
Sandover,J.A. and Taylor,C. Determination of the profiles of water waves, 0=8634
Sandoz,O. See Fulton,B., 0=11059
Sands,D.E. See Zalkin,A., 0=724
Sands,D.E. See Zalkin,A., 0=8211
Sands,M. Observation of quantum effects in an electron synchrotron, 0=15100
Sands,M. See Gomez,R., 0=17363
Sands,R.H. See Colegrove,F.D., 0=2732
Sandstad,J. Regularizing action of scalers, 0=20001
Sandström,A.E.,Dyring,E. and Lindgren,S. Dependence on latitude of the amplitude of the diurnal variation of cosmic rays, 0=20289

Sandström,A.E. and Lindgren,S. First and second harmonics of the daily variation of the cosmic ray nucleonic component at Uppsala Aug. 31, 1956 to Aug. 31, 1957, 0=5635
Sandström,A.E. See Pomerantz,M.A., 0=11260
Sandström,A.E. See Pomerantz,M.A., 0=20276
Sandstrom,H. See Wu Ta-You, 0=11492
Săndulescu,A. See Brănduș,I., 0=17697
Sandulova,A.V. and Dzhan Eĕ-Tsin. Anisotropic diffusion of zinc in polycrystalline cuprous oxide, 0=11640
Sandulova,A.V. and Khe Yui-lyan. Diffusion and solubility of Ta in Ge, 0=1599
Sandulova,A.V. See Andrievskii,A.I., 0=11639
Sandweiss,J. See Hannum,W.H., 0=9402
Sane,C.K. See Chandrashekhar Aiya,S.V., 0=21398
Sanfirova,T.P. See Zhurkov,S.N., 0=21135
Sanfirova,T.P. See Zhurkov,S.N., 0=21149
Sanford,J. See Hannum,W.H., 0=9402
Sang Soo Lee. See Lee Sang Soo., 0=3638
Sang Up Choi,Lichtin,N.N. and Rush,J.J. Radiolysis of methanol by recoils from the $B^{10}(n,\alpha)Li^7$ reaction, 0=14133
Sanghi,I. See Visvanathan,S., 0=5015
Saniewska,T. See Bartke,J., 0=13082
Sanikidze,D.G. Contribution to the theory of the Pomeranchuk effect in He^3, 0=2280
Sanikidze,D.G. Hydrodynamics of solutions of strange particles in helium II near the λ point, 0=10826
Sankaranarayanan,R. See Hodge,P.G., 0=19019
San'ko,L.A.,Takibaev,Zh.S.,Shakhova,Ts.I. and Balats,L.Ya. Angular distribution of shower particles in stars produced by high-energy particles, 0=9470
San'ko,L.A. See Takibayev,Zh.S., 0=9449
Sanna,R. See Bellettini,G., 0=12748
Sano,M. The electric-octupole transitions of nuclei, 0=11374
Sansom,D.J. See Bates,L.F., 0=4487
Sanson,L. See Damany-Astoin,N., 0=7781
Santangelo,M. The activities of the Regional Nuclear Research Committee of Sicily, 0=3871
Santangelo,M. See Ciccarello,I.S., 0=20660
Santini,M. See Careri,G., 0=16935
Santochi,O.R.,Manzano,J.R. and Roederer,J.G. Cosmic ray intensity increase on May 4, 1960, 0=20287
Santochi,O.R. See Ghielmetti,H., 0=13093
Santochi,O.R. See Manzano,J.R., 0=20285
Santochi,O.R. See Roederer,J.G., 0=20283
Santochi,O.R. See Roederer,J.G., 0=20284
Santoro,M. See Godoli,G., 0=16547
Santoro,V. Simplified method for the measurement of some isotope effects in chemical kinetics by means of radioisotopes, 0=14113
Santry,D.C. and Yaffe,L. Absolute thermal neutron fission yields of U^{233}, 0=7641
Santry,D.C. and Yaffe,L. The yield of Ba^{140} in the thermal neutron fission of U^{235}, 0=9707
Santschi,P. See Baldinger,E., 0=17192
Sanyal,L. Jet issuing in all directions from a thin slit round a circular cylinder of small radius containing liquid under pressure, 0=19076
Sanyal,N.K. See Joshi,S.K., 0=19429
Sapaly,J. An improvement in the procedure for photoelectric measurements, 0=4971
Sapaly,J. See Comolet,R., 0=16729
Saperstein,A.M. and Feldman,D. Elastic scattering and polarization of high-energy nucleons by nuclei, 0=1400
Sapogin,L.G. and Ivko,V.M. Apparatus for measuring and recording the resistance of semiconductors in $logR = f(T^{-1})$ coordinates, 0=19586
Sarabhai,V. and Palmeira,R. North-south anisotropy and anticipatory increase of intensity associated with the cosmic-ray storm of February 11, 1958, 0=5637
Sarabhai,V.A. See Chitnis,E.V., 0=13083
Sarachik,M.P.,Garwin,R.L. and Erlbach,E. Observation of the energy gap by low-temperature penetration depth measurements in lead, 0=7034
Sarachik,M.P. See Erlbach,E., 0=10853
Saraf,B.,Harihar,P. and Jambunathan,R. Decay of ruthenium-105, 0=11357
Sarbei,O.G. See Borzyak,P.G., 0=11724
Sarbei,O.G. See Borzyak,P.G., 0=11725
Sard,R.D. See de Pagter,J., 0=11194
Sargeant,W.E. See Bockemuehl,R.R., 0=9134
Sargent,B.W. See Millar,C.H., 0=13381
Sargood,D.G. See McDonell,J.A., 0=20455
Sari,C. See Ferro,A., 0=20828
Sarinyan,M.G. See Babayan,Kh.P., 0=9496
Sarkar,S. Effect of nuclear magnetic moment on the bremsstrahlung of electrons, 0=15322
Sarkar,S. Production of bremsstrahlung by longitudinally polarized electron—proton, 0=15326
Sarkar,S. Polarisation of nucleons due to anomalous magnetic moment in higher Born approximation, 0=15342
Sarkes,L.A. and MacKinnon,N.L. U enrichment can be checked by gamma-ray spectrometry, 0=11388
Sarma,J.M.Das. See Das Sarma,J.M.
Sarma,N. Thin carbon films for use with electrostatic accelerators, 0=18415
Sartain,C.C. Laboratory experiment for measuring seven atomic constants, 0=860
Sartor,J.D. Some electrostatic cloud-droplet collision efficiencies, 0=16491
Sarver,J.F.,Katnack,F.L. and Hummel,F.A. Phase equilibria and manganese-activated fluorescence in the system $Zn_3(PO_4)_2-Mg_3(PO_4)_2$, 0=2953
Sarzhevskii,A.M. See Gurinovich,G.P., 0=10055
Sarzhevskii,A.M. See Sevchenko,A.N., 0=8018
Sarzhevskii,A.M. See Sevchenko,A.N., 0=10054
Sasada,Y. See Takaki,Y., 0=21203
Sasakawa,T. The wave packet interpretation of scattering, 0=12874
Sasakawa,T. and Yasuno,M. Spontaneous fission half-lives, 0=11466
Sasakawa,T. See Hayakawa,S., 0=15592
Sasakawa,T. See Nagata,S., 0=20311
Sasakawa,T. See Sakamoto,Y., 0=17342
Sasaki,H. See Kisaka,S., 0=20957
Sasaki,S. Selection rules in strong interactions, 0=17227
Sasaki,T. On the growth conditions of germanium, 0=4590
Sasaki,T. See Ishiguro,K., 0=1623
Sasaki.T. See Miva.K.. 0=19947
Sasaki,W. Anisotropy of hot electrons in germanium, 0=20904
Sasaki,Y. P-I-N junction in the anodic oxide film of tantalum, 0=15962
Sasisekharan,V. Unit cell and space group of L-proline monohydrate, 0=3250
Sasisekharan,V. Structure of poly-L-proline II, 0=4664
Sasisekharan,V. Structure of poly-L-hydroxyproline A, 0=4665
Sasovskaya,I.I. See Skornyakov,G.P., 0=4395
Sass,R.L. A neutron diffraction study on the crystal structure of sulfamic acid, 0=8228
Sastre,C. and Price,G. Half-life of 2.7-day Au-198, 0=13177
Sastry,P.V. See Bahadur,K., 0=12045
Sasvari,K. On the crystal structure of $AlCl_3$, 0=14006
Sasvári,K. On the construction of the lattice of ionic crystals from the viewpoint of close packing, 0=16305
Satarova,L.M. See Lavrukina,A.K., 0=13298
Satchler,G.R. Circularly polarized gamma rays from direct nuclear reactions, 0=11397
Satchler,G.R. Symmetry properties of the distorted wave theory of direct nuclear reactions, 0=17573
Satchler,G.R. and Tobocman,W. Gamma rays from deuteron stripping reactions, 0=11416
Sato,H. Analysis of magnetic interactions in alloys of platinum with iron group transition elements, 0=11833
Sato,H. On the diamagnetism of graphite. I. Energy levels of π-electrons, 0=18159
Sato,H. The field dependence of the mobility of electrons in n-germanium, 0=20901
Sato,H.,Arrott,A. and Kikuchi,R. Remarks on magnetically dilute systems, 0=3014
Sato,H. See Alers,G.A., 0=3065
Sato,H. See Alers,G.A., 0=11874
Sato,H. See Kikuchi,R., 0=3009
Sato,I.,Takahashi,A. and Ueda,Y. Properties of the pion—pion interaction derived from the analysis of pion—nucleon scatterings, 0=20188
Sato,I. See Akiba,T., 0=11130
Sato,K. and Koyasu,M. Measurements of sound absorption coefficient and the sound transmission loss at the Kobayasi Institute of Physical Research, 0=5117
Sato,K. and Koyasu,M. On the new reverberation chamber with nonparallel walls (studies on the measurement of absorption coefficient by the reverberation chamber method. II), 0=19312

to,K. See Mutsuro,N., 0=20476

to,M. Notes on the magnetic mirror effect, 0=15008

to,M. See Amai,S., 0=7395

to,M. See Gotô,T., 0=5301

to,R. Structure of precipitated cadmium sulphide as studied by single-crystal electron diffraction pattern, 0=8207

to,R. A new case of crystallographic stacking fault: U_3O_{8-x}, 0=20793

to,S. See Kelly,A., 0=21133

to,S. See Okubo,S., 0=15296

ato,T. Ionospheric F2-disturbances associated with geomagnetic storms, 0=8392

ato,T. Morphology of the ionospheric F2 disturbances in the polar region, 0=21376

atten,R.A. On the symmetry of normal modes, 0=20605

tten,R.A. and Margolis,J.S. f^2 configuration in a crystalline field, 0=4252

atten,R.A.,Young,D. and Gruen,D.M. Preliminary analysis of U^{4+} ion spectra in crystals, 0=18130

atterly,J. Rotational vibration of elliptical vessels containing liquids, 0=6716

aturno,A.F. and Parr,R.G. A one-centre wave function for the methane molecule, 0=15769

atyanarayana,R.,Bakhru,K. and Khastgir,S.R. Tripple-splitting of the F-echoes, 0=6461

atyanarayana Murty,J. and Ramachandra Rao,B. Diffraction of light superposed ultrasonic waves, 0=2254

audinos,J. See Thirion,J., 0=19841

auer,H.A. See Turner,D.R., 0=12573

auer,J.A. and Woodward,A.E. Transitions in polymers by nuclear magnetic resonance and dynamic mechanical methods, 0=6375

auer.M.C..Jr. See Dorfman.L.M.. 0=16385

auka,Ya. and Apinit,S. Lead selenate crystals, 0=16329

aukov,A.I. See Davidenko, 0=7576

aulev,V.K. On calculations for cylindrical reactors, 0=7673

aum,G.A. See Redington,R.W., 0=3803

aunders,A.W.,Jr. See Lockhart,L.B.,Jr, 0=14322

aunders,F.A. See Hutchins,C.M., 0=19327

aunders,H. Extension of the Myklestad matrix method to include rotary inertia and shear deformation, 0=5067

aunders,H.Wisniewski,E.J. and Paslay,P.R. Vibrations of conical shells, 0=10710

aunders,J.B. Application of multiple beam interference to the measurement of long end standards, 0=3643

aunders,J.B. A new method of measuring gage blocks, 0=19036

aunders,J.H. See Schlömann,E., 0=10197

aunders,M.,Plostnieks,J.,Wharton,P.S. and Wasserman,H.H. NMR studies on 1-methoxyvinyl esters, 0=6276

aunders,M. See Whitman,D.R., 0=4227

aunders,N.H. Analysis of the effects of multiply-charged impurities in semiconductors by the mass action law, 0=18008

aunders,R.A. See Beynon,J.H., 0=6329

aupe,A. See Maier,W., 0=5007

aupe,A. See Maier,W., 0=14625

aurel,J. and Lecocq,A. Fugacity and function F = H-TS of nitrogen up to 900 atmospheres, at temperatures 300, 400, 500, 600, 700, 800 degrees centigrade, 0=14910

auter,E. See Braunbeck,W., 0=19242

auter,F. On the Lorentz invariant formulation of the canonical equations of motion in point mechanics, 0=2103

auteron,X. See Rousset,A., 0=1099

auzade,M. See Benoit,H., 0=17096

auzade,M. See Hervé,J., 0=6253

avage,A. and Miller,R.C. Asymmetric hysteresis loops and the pyroelectric effect in triglycine sulfate, 0=1703

Savage,A. and Miller,R.C. Temperature dependence of the velocity of sidewise 180° domain-wall motion in $BaTiO_3$, 0=16015

avage,A. See Miller,R.C., 0=1701

Savage,A. See Miller,R.C., 0=7983

Savage,H. Effect of Cu precipitation on dislocation etch pits in Ge, 0=13966

Savage,H.W. See Bettis,E.S., 0=13312

Savchenko,I.A. See Zaitsev,A.A., 0=10921

Savchenko,M.K. See Kirenskii,L.V., 0=1795

Savchenko,M.K. See Kirenskii,L.V., 0=10145

Savchenko,M.L. See Kirenskii,L.V., 0=13793

Savchenko,O.V. See Akimov,Yu.K., 0=9357

Savchenko,O.V. See Akimov,Yu.K., 0=11169

Savchenko,O.V. See Akimov,Yu.K., 0=15459

Savchenko,O.V. See Danilov,V.I., 0=1166

Savchenko,V.P. See Komar,A.P., 0=4700

Savel,P. Practical use of a pressure ionization chamber for the determination of absolute intensity of gamma rays, 0=7242

Savin,F.A. and Sobel'man,I.I. Intensities of the Raman spectra and the metallic model of a molecule. I. Polyene compounds, 0=9816

Savin,F.A. and Sobel'man,I.I. Intensities of the Raman spectra and the metallic model of a molecule. II. Aromatic compounds, 0=9817

Savin,F.D. See Alekseeva,K.I., 0=9494

Savin,G,Dumitrescu,S.,Reus,N. and Petrescu,V. Magnetic properties of thick nickel layers, deposited electrolytically in a magnetic field, 0=21043

Savin,G. See Iliescu,G., 0=10132

Savin,I.A. See Viryaşov,N.M., 0=9364

Savintsev,P.A.,Avericheva,V.E. and Zlenko,V.Ya. The nature of contact fusion of alkali-halide crystals, 0=3265

Savitskii,A.V. See Zhurkov,S.N., 0=6314

Savitsky,G.B. Simple graphical method of drawing and interpreting parallel planes through a unit crystal cell for any given set of Miller indices, 0=714

Savornin,F. Electron diffraction from thin films of cobalt obtained by thermal evaporation, 0=16358

Savost'yanova,M.V. On the optical constants of copper and gold, 0=666

Savvinykh,S.K. See Pokrovskii,V.L., 0=1212

Sawada,K. Ground-state energy of Bose—Einstein gas with repulsive interaction, 0=3460

Sawada,K. Ground and excited states of a many-body system with singular interaction, 0=16624

Sawada,K. and Rockmore,R.M. Stability of nuclear matter, 0=4014

Sawada,S., Nomura,S. and Fujii,S. Ferroelectricity in the phase III of KNO_3, 0=639

Sawada,S. and Yonezawa,M. On the radiative muon decay, 0=20170

Sawada,S. and Yonezawa,M. On the possible role of $\pi^{0'}$-meson in decay process, 0=20181

Sawada,T. The drag of lattice of many parallel circular cylinders at low Reynolds number, 0=19176

Sawada,T. See Nagata,S., 0=20311

Sawaguri,T. and Osada,J. Numerical discussions on P-wave meson—nucleon scattering, 0=11189

Sawaki,T. See Tabata,S., 0=19240

Sawaragi,Y.,Fujii,T. and Okada,Y. Forced vibrations of the system with two degrees of freedom with Coulomb damping, 0=984

Sawaguchi,E. and Charters,M.L. Symmetry of the low-temperature phase of barium titanate, 0=4583

Sawamura,M. See Hiida,K., 0=11154

Sawatzky,A. The diffusion and solubility of hydrogen in the alpha-phase of zircaloy-2, 0=18406

Sawicki,J. Spin—orbit splittings in nuclei. II, 0=4026

Sawicki,J. Note on the target exchange corrections in Watson's theory of the optical model potential, 0=15566

Sawicki,J. Note on the effect of the nuclear energy gap on the optical model potential, 0=17463

Sawicki,J. Note on the spin—orbit part of the optical model potential. 0=17464

Sawicki,J. Some effects of hole—hole interactions in systems of fermions, 0=18981

Sawicki,J. and Szymański,Z. Nucleon-surface interaction and the (p,n) reactions, 0=5740

Sawicki,J. See Dabrowski,J., 0=4086

Sawicki,J. See Glendenning,N.K., 0=20330

Sawkill,J. and Schwarzenberger,D.R. X-ray microscopy of beryllium, 0=18417

Sawyer,D.E. Surface-dependent losses in variable reactance diodes, 0=1635

Sawyer,G.A. See Jahoda,F.C., 0=13386

Sawyer,R.F. Decay of the charged pion, 0=1294

Sawyer,R.F. Application of dispersion relations to K_{e_3} and $K\mu_3$ decays, 0=11216

Sawyer,R.F. and Wali,K.C. Pion—pion interactions in τ and τ' decays, 0=15424

Sawyer,R.F. and Wali,K.C. Tests for $\Delta T = \frac{1}{2}$ in $K^+ \longrightarrow 3\pi$ and $K_2^0 \longrightarrow 3\pi$ decay modes, 0=20220

Saxe,R.F. See Bate,D.G., 0=17065

Saxena,A.N. Enhancement of bremsstrahlung produced by 575 MeV electrons in a single crystal of silicon, 0=11137

Saxena,A.P. See Anikhindi,R.G., 0=9228
Saxena,R.C.,Tandon,J.N. and Talwar,S.P. Thermo-magnetic effects in liquids, 0=6785
Saxena,R.P. See Mitra,A.N., 0=20121
Saxena,R.P. See Mitra,A.N., 0=20122
Saxena,S.C. Thermal conductivity of binary and ternary mixtures of helium, argon and xenon, 0=5054
Saxena,S.C. and Watson,W.W. Isotope separation by a hot-wire thermal diffusion column, 0=4160
Saxena,S.C. See Weissman,S., 0=14688
Saxena,S.S. and Biswas,S.N. Test of global symmetry from multinucleon K^--capture, 0=20233
Saxon,D.S. See Lipperheide,R., 0=20428
Saxon,D.S. See Nodvik,J.S., 0=7549
Saxton,J.H. and Kline,D.E. Optical characteristics and physical properties of filled-epoxy mirrors, 0=19389
Sayanagi,K. Fourier analysis of the adjacency effect in photographic emulsion, 0=3662
Sayar,M. Presentation and study of a quartz crystal with cavities of definite crystallographic form, 0=4576
Sayasov,S. See Sayasov,Y., 0=14104
Sayasov,Y. and Sayasov,S. Diffusion theory of chain reactions proceeding from different active centres, 0=14104
Sayasov,Yu.S. Radiation characteristics of an ideally conducting sphere placed in a non-homogeneous medium, 0=15152
Sayers,J. Self-contained measuring equipment for [upper atmosphere] electron density and ionic mass spectrum, 0=10541
Sayers,J.F. Epoxy-resin joints for sealed-off, high-vacuum tubes, 0=10705
Saylor,D.P.,Bryan,R.A. and Marshak,R.E. Boundary condition model for proton—proton scattering, 0=20133
Scandone,F. and Ballerini,L. Gaussian optics of a "quasi-centred" system, 0=2226
Scandrett,J.H. See Ballam,J., 0=2576
Scanlan,T.F. See Yaplee,B.S., 0=18618
Scaramuzzi,F. See Careri,G., 0=8900
Scarf,F.L. Equations of motion for renormalized fields, 0=2489
Scarf,F.L. Thirring model with variable interaction, 0=5493
Scarf,F.L. Quantum electrodynamics in an expanding universe, 0=18954
Scarfone,L.M. and McKinley,W.A. Ghost states and pair effects in the Lee model, 0=20039
Scarl,D.B. See Reynolds,G.T., 0=20178
Scarsi,L. Cosmic radiation, 0=4007
Scarsi,L. See Bonetti,A., 0=12795
Scarsi,L. See K^--collaboration, 0=1308
Scatchard,G.,Vonnegut,B. and Beaumont,D.W. New type of freezing-point apparatus. Freezing points of dilute lanthanum chloride solutions, 0=19506
Schaaffs,W. Observations on electric-wire explosions, 0=209
Schaaffs,W. The jump of the sonic velocity at boiling point and its correlation with the Pictet—Trouton rule, 0=5079
Schaaffs,W. The jump of the sonic velocity at the melting point of some metals, 0=5080
Schaaffs,W. and Streich,M. Imaging of gas streaming with electron bursts, 0=950
Schade,H. See Busch,G., 0=565
Schaefer,E. The ringing effect in the ear by intense sounds, 0=4825
Schaefer,E.J. See Jones,L.M., 0=12160
Schaefer,G. The infrared spectrum of the U-centre, 0=11631
Schaefer,G.W. See Brown,G.E., 0=9730
Schaefer,T. and Schneider,W.G. On the nature of solvent effects in the proton resonance spectra of unsaturated ring compounds. I. Substituted benzenes, 0=7805
Schaefer,T. and Schneider,W.G. On the nature of solvent effects in the proton resonance spectra of unsaturated ring compounds. II. Heterocyclic compounds, 0=7806
Schaefer,T. See Buckingham,A.D., 0=7801
Schaefer,T.P. See Leane,J.B., 0=3866
Schaeffer,O.A. and Thompson,S.O. The exchange of hydrogen and deuterium in the presence of electrons and ultraviolet radiation, 0=749
Schaerf,C. See Beneventano,M., 0=17398
Schäfer,F. See Kuhn,H., 0=4234
Schäfer,K. Microscopic properties and atomic structure of solids, 0=4260
Schafer,W.R. See Cowen,J.A., 0=1838
Schaffer,W. Mechanical structure-factor computer, 0=4842
Schafroth,M.R. On the foundations of equilibrium statistical mechanics, 0=889
Schafroth,M.R. See May,R.M., 0=11611
Schamp,H.W.,Jr. Use of cesium chloride for transmitting high pressures at high temperatures, 0=3387
Schafroth,M.R. See May,R.M., 0=1076
Schafroth,M.R. See May,R.M., 0=5375
Schamp,H.W.,Jr,Oakes,D.A. and Reed,N.M. Grinder for sectioning solid diffusion specimens, 0=3388
Schanda,J. See Weiszburg,J., 0=21017
Scharbert,T. See Berényi,D., 0=4070
Schardin,H. See Hansel,H., 0=19258
Schardt,A.W. See Dropesky,B.J., 0=11351
Scharf,P.T. See Grum,F., 0=14823
Scharff-Goldhaber,G.,Goodman,A. and Silbert,M.G. Decay of oxygen 20, 0=5731
Scharff-Goldhaber,G. See Kane,W.R., 0=17564
Scharmann,A. Measurement of the luminescence decay-times of inorganic fluorescent materials in the case of ion excitation, 0=1756
Schastlivȳi,V.P. See Chizhikov,D.M., 0=18163
Schatz,P.N. Relation between dispersion and intensity measurements in pure liquids, 0=2167
Schatz,P.N. Infrared dispersion measurements and integrated absorption coefficients for pure liquid benzene, 0=5028
Schatzman,E. Stellar plasma, 0=2361
Schatzman,É. The new regime of the earth's rotation established in July, 1959, 0=10529
Schatzman,E. See Bel,N., 0=10474
Schauer,R.F. See Pohm,A.V., 0=9184
Schaug-Pettersen,T. Growing spin waves in ferrites in unstable equilibrium, 0=11880
Schaug-Pettersen,T. See Elliott,B.J., 0=12693
Schawlow,A.L.,Devlin,G.E. and Hulm,J.K. Intermediate state of hard superconductors, 0=2293
Schawlow,A.L.,Wood,D.L. and Clogston,A.M. Electronic spectra of exchange-coupled ion pairs in crystals, 0=660
Schawlow,A.L. See Brassel,J., 0=4509
Schawlow,A.L. See Collins,R.J., 0=21007
Schawlow,A.L. See Davis,J.L., 0=3107
Schawlow,A.L. See Geschwind,S., 0=4508
Schawlow,A.L. See Varsanyi,F., 0=2960
Schectman,R.M. See Chasan,B.M., 0=13039
Schectman,R.M. See White,D.H., 0=17399
Schedling,J.A. and Müller,W.A. On the "hot" particles in atmospheric aerosols, 0=4042
Scheer,D.J. See Kraus,J.D., 0=10540
Scheer,J.A. See Lindenberger,K.H., 0=2678
Scheer,J.J. See van Laar,J., 0=9060
Scheer,M. See Felbinger,K., 0=7327
Scheer,M. See Hübel,H., 0=5534
Scheer,M. See Kulenkampff,H., 0=3949
Scheer,M.D. See McNesby,J.R., 0=14114
Scheffee,R.E. and Margrave,J.L. Vapor pressure equations for species over solid and liquid LiF, 0=10689
Scheffler,K. See Krüger,H., 0=20552
Scheibe,A.,Adelsberger,U.,Becker,G.,Ohl,G. and Süss,R. The quartz clocks at the Physikalisch-Technischen Bundesanstalt and comparison measurements made against atomic standards, 0=2092
Scheibling,F. See Gorodetzky,S., 0=7560
Scheibling,F. See Gorodetzky,S., 0=13150
Scheibling,G. See Leray,J., 0=19454
Scheibner,E.J.,Germer,L.H. and Hartman,C.D. Apparatus for direct observations of low-energy electron diffraction patterns, 0=4613
Scheibner,E.J. See Germer,L.H., 0=21250
Scheidegger,A.E. On the stability of displacement fronts in porous media: a discussion of the Muskat-Aronofsky model, 0=3493
Scheidegger,A.E. Growth of instabilities on displacement fronts in porous media, 0=3495
Scheidt,P. See Wittig,F.E., 0=14645
Schein,M.,Haskin,D.M.,Lohrmann,E. and Teucher,M.W. Multiple meson production in nucleon—nucleon interactions at energies of 10^{12} eV, 0=2559
Schein,M.,Haskin,D.M.,Lohrmann,E. and Teucher,M.W. Multiple meson production in nucleon—nucleon interactions at energies of 10^{12} eV, 0=9448
Schein,M. See Aizu,H., 0=1338

Scheler,G. See Kohler,H.J., 0=3865
Schenk,H.L. See Young,F.J., 0=11014
Schepers,B. See Hoppe,R., 0=18356
Schepers,J. See Schüller,E., 0=7907
Scherer,J.R.,Evans,J.C. and Overend,J. Infrared and Raman spectra of C_2Br_2D, 0=17753
Scherer,J.R. and Overend,J. Transferability of Urey—Bradley force constants. III. The vinylidene halides, 0=15684
Scherer,J.R. and Potts,W.J. Assignment of the vinyl fluoride wagging modes, 0=7762
Scherer,J.R. See Overend,J., 0=11514
Scherer,J.R. See Overend,J., 0=11515
Scherer,J.R. See Overend,J., 0=15685
Scherer,M. See Bermond,J., 0=191
Scherer,M. See Bermond,J., 0=19982
Schérer,M. See Séguinot,J., 0=19973
Scherer,P.M. See Spry,W.J., 0=21020
Scherr,C.W. Second-order perturbation energy of the two-electron atom, 0=17650
Scherr,C.W. and Silverman,J.N. Simple configuration-interaction wave functions. II. Two-electron ions: an analytic study, 0=11482
Scherr,C.W. See Henderson,M.G., 0=17655
Scherr,C.W. See Machacek,M., 0=15643
Scherrer,P. See Brüllmann,M., 0=5563
Scherrer,P. See Knoepfel,H., 0=459
Scherrer,P. See Sunier,J.W., 0=20411
Scheuer,P.A.G. The absorption coefficient of a plasma at radio frequencies, 0=19692
Schiavini,G.M. See Ascoli,A., 0=3174
Schick,L.H. On the existence of the hypernucleus ^{6}He , 0=1371
Schieber,M. See Frei,E.H., 0=10181
Schieber,M. See Goldring,G., 0=21057
Schiele,C. See Weiner,R., 0=10342
Schieve,W.C.,Pomerantz,M.A. and Shatas,R.A. Some effects of neutron bombardment on MgO crystals, 0=7944
Schieve,W.C. See Pomerantz,M.A., 0=19729
Schiff,D. See Ziering,S., 0=12945
Schiff,H. See Horton,G.K., 0=7850
Schiff,H.I. See Elias,L., 0=2332
Schiff,H.I. See Morgan,J.E., 0=18429
Schiff,H.I. See Ogryzlo,E.A., 0=6404
Schiff,L.I. On experimental tests of the general theory of relativity, 0=4934
Schiff,L.I. Possible new experimental test of general relativity theory, 0=6663
Schiff,L.I. Interference effects in high-energy bremsstrahlung from crystals, 0=7323
Schiff,L.I. Motion of a gryoscope according to Einstein's theory of gravitation, 0=16572
Schiff,L.I. Equivalence principle "paradox" in the motion of a gyroscope, 0=16590
Schiffer,J.P. and Lee,L.L.,Jr. Angular distributions of protons from the (d,p) reaction with deuteron energies below the Coulomb barrier, 0=1416
Schiffer,J.P. and Marshall,W. Recoilless resonance and absorption of gamma rays in Fe^{57}, 0=3948
Schiffer,J.P. See Cranshaw,T.E., 0=7467
Schiffer,J.P. See Cranshaw,T.E., 0=7468
Schiffer,J.P. See Hay,H.J., 0=7469
Schiffer,J.P. See Lee,L.L.,Jr, 0=412
Schijff,F.J. Instrumentation for a subcritical homogeneous suspension reactor. IV. The safety circuits, 0=13382
Schiller,K.K. Skeleton strength and critical porosity in set sulphate plasters, 0=13916
Schiller,P. See Kronmüller,H., 0=18185
Schilling,H.K. On the rationale of lecture demonstrations, 0=4921
Schilling,M.O. Capacitance transducers for muscle research, 0=21403
Schilt,J. The correction to the motion of the equinox, 0=12263
Schiltz,J. Ultraviolet band spectra of the molecule AuMg, 0=20657
Schimmel,G. See Narath,A., 0=12504
Schimmel,H. See Miranda,H.A.,Jr, 0=5032
Schindler,A.I. and Salkovitz,E.I. Effect of applying a magnetic field during neutron irradiation on the magnetic properties of Fe—Ni alloys, 0=10168
Schindler,A.I.,Salkovitz,E.I. and Ansell,G.S. Effect of neutron irradiation of the magnetic properties and degree of order of magnetic metal alloys, 0=3007
Schindler,G.M. On the efficiency of a concentric cut-off rod of a thermal reactor as a function of the inserted length of the rod, 0=7670
Schindler,H. Photoelectric conductivity for inorganic complex compounds, 0=4372
Schindler,K. See Jordan,H.L., 0=19664
Schink,D.R. See Lal,D., 0=7241
Schirber,J.E. See Atoji,M., 0=3220
Schirmer,H. On wall stabilized high pressure long arcs in xenon at lower pressures and small thermal wall losses, 0=2342
Schirmer,H. See Friedrich,J., 0=2368
Schissel,P.O. See Searcy,A.W., 0=7072
Schjødt,R. Difference equations for physical and technical problems, 0=16510
Schlabitz,W. See Römelt,G., 0=1772
Schlag,E.W. and Comes,F.J. Intense light sources for the vacuum ultraviolet. II, 0=14835
Schlag,E.W.,Rabinovitch,B.S. and Schneider,F.W. Comparison of n and s fall-off parameters in the Slater and Rice—Ramsperger—Kassel classical theories of unimolecular reaction, 0=14101
Schlapp,D.M. Some measurements of collision frequency in the E-region of the ionosphere, 0=14231
Schlapp,D.M. An attempt to measure the collision frequency of electrons in the F-region of the ionosphere, 0=14241
Schlegel,R. Radiation pressure on a rapidly moving surface, 0=19353
Schlegelmilch,W. Remarks on the physics of the Nernst diffusion layer [in an electrolyte], 0=14637
Schleich,K. See Clusius,K., 0=12416
Schleicher,E. Ceramic electrets, 0=2925
Schlein,P. See Block,M.M., 0=17416
Schlein,P.E. Nonmesonic/mesonic decay ratio of helium hyperfragments, 0=416
Schlein,P.E. See Ammar,R., 0=415
Schlein,P.E. See Ammar,R., 0=13154
Schley,U.,Tingwaldt,C. and Verch,J. Thermo-optical properties of gold and platinum, 0=14875
Schlieder,S. The indefinite metric in the space of states and the probability interpretation. I, 0=18957
Schlieder,S. The indefinite metric in the space of states and the probability interpretation. II, 0=18958
Schlieder,S. The indefinite metric in the space of states and the probability interpretation. III, 0=18959
Schlivitch,S. See Nikolitch,K., 0=16088
Schlobohm,J.C.,Leadabrand,R.L.,Dyce,R.B.,Dolphin,L.T. and Berg,M.R. High-altitude 106.1-Mc radio echoes from auroral ionization detected at a geomagnetic latitude of 43°, 0=10441
Schlobohm,J.C. See Presnell,R.I., 0=10440
Schlobohm,J.G. See Leadabrand,R.L., 0=16526
Schlögl,F. Doublet theory of the baryon and the weak interaction, 0=17229
Schlögl,F. The many-sideness of "unaware" (informationsfremder) states in quantum theory, 0=18961
Schlömann,E. Fine structure in the decline of the ferromagnetic resonance absorption with increasing power level, 0=3116
Schlömann,E. Ferromagnetic resonance in polycrystals,0=13858
Schlömann,E. Generation of phonons in high-power ferromagnetic resonance experiments, 0=16151
Schlömann,E.,Green,J.J. and Milano,U. Recent developments in ferromagnetic resonance at high power levels, 0=11925
Schlömann,E. and Jones,R.V. Ferromagnetic resonance in polycrystalline ferrites with hexagonal crystal structure, 0=3111
Schlömann,E.,Saunders,J.H. and Sirvetz,M.H. L-band ferromagnetic resonance experiments at high peak power levels, 0=10197
Schlömann,E. See Green,J.J., 0=10208
Schlömann,E. See Zeender,R.J., 0=11928
Schlumbohm,H. The electron ionization coefficient (α) for organic vapours and oxygen (from the charge statistics of electron avalanches), 0=2316
Schlumbohm,H. The temporal development of a Townsend discharge, 0=12595
Schlüpmann,K. See Fricke,G., 0=401
Schlüter,H. Studies with a high-frequency [discharge] apparatus equipped with a static magnetic field, 0=12594
Schlüter,H. On high-frequency discharges in constant magnetic fields, 0=19649

Schmalzried,H. Electrical conduction in magnesium oxide, 0=21283
Schmeissner,F. See Näbauer,M., 0=7351
Schmelovsky,K.H. See Klinker,L., 0=12147
Schmerling,E.R. and Ventrice,C.A. Coefficients for the rapid reduction of h'—f records to N—h profiles without computing aids, 0=8363
Schmerling,E.R. See Chandra,S., 0=14236
Schmid,E. See Whitten,C.A., 0=14567
Schmid,E.W. Molecular model calculations with electronic calculating machines. I. Theory and programming, 0=20610
Schmid,L.C. and Burson,S.B. Decay of Pm^{149} (53 hr), 0=17532
Schmidl,H. See Rydell,N., 0=4143
Schmidlin,P. See Goebel,K., 0=4885
Schmidlin,P. See Goebel,K., 0=6581
Schmidt,A.F. See Maxwell,E., 0=295
Schmidt,G. Virial theorem for plasmas, 0=12612
Schmidt,G. Electrical discharges in high vacuum, 0=19631
Schmidt,G.D. See Harrison,G.R., 0=5749
Schmidt,H. Utilizing emulsion thickness variation with blackening, 0=1049
Schmidt,H. Apparatus for recording polarographic displays, 0=4760
Schmidt,H.E. and Halpern,T. Transverse effects in iron—silicon single crystals, 0=11666
Schmidt,H.U. The heating of a toroidal, confined plasma in a slowly oscillating magnetic field, 0=1136
Schmidt,H.W. See Schulten,R., 0=5821
Schmidt,K. Changes in conductivity of pure water caused by X-irradiation, 0=19113
Schmidt,K.H. Investigation of ice crystals with the electron microscope, 0=14094
Schmidt,L. See Görlich,P., 0=3790
Schmidt,L. See Görlich,P., 0=3791
Schmidt,L.W. and Davis,J.I. Infrared detector silicon solar cell power supply, 0=14951
Schmidt,P.F. Truth in physics, 0=27
Schmidt,P.F. and Keiper,D.A. On the jet etching of n-type Si, 0=6340
Schmidt,P.W. See Bale,H.D., 0=3332
Schmidt,V.V. See Borovskii,I.B., 0=20763
Schmidt-Ott,W.D.,Hoffmann,K.W.,Krause,I.Y. and Flammersfeld,A. The internal conversion coefficients of Br^{80m}(4.4 hr), 0=5716
Schmidt-Ott,W.D. See Hoffmann,K.W., 0=414
Schmidt-Ott,W.D. See Hoffmann,K.W., 0=17524
Schmidt-Ott,W.D. See Krause,I.Y., 0=2658
Schmidt-Rohr,U. See Doehring,A., 0=13244
Schmidt-Rohr,U. See Mayer-Kuckuk,T., 0=2634
Schmidt-Tiedemann,K.J. Space-charge retardation of electron avalanches, 0=1100
Schmitt,H.J. and Sengupta,D.L. On the reflection of electromagnetic waves from a medium excited by acoustic waves, 0=7220
Schmitt,H.W.,Block,R.C. and Bailey,R.L. Total neutron cross-section of B^{10} in the thermal neutron energy range, 0=17626
Schmitt,H.W. and Murray,R.B. Neutron-induced fission cross section of Np^{237}, 0=4131
Schmitt,H.W. See Leachman,R.B., 0=2695
Schmitt,H.W. See Murray,R.B., 0=1441
Schmitt,K.H. Investigations on suspended particles in a temperature gradient, 0=4741
Schmitt,R. The distribution of the particle latent image, 0=12763
Schmitt,R.A.,Mosen,A.W.,Suffredini,C.S.,Lasch,J.E.,Sharp,R.A. and Olehy,D.A. Abundances of the rare-earth elements, lanthanum to lutetium in chondritic meteorites, 0=14402
Schmitt,R.G. See Hirt,R.C., 0=10769
Schmitt,R.W. See Jacobs,I.S. 0=10092
Schmitz,G. and Uhlenbusch,J. A mathematical model for arc columns with cylindrical symmetry, 0=19642
Schmitz,N. On the determination of the magnetic moment of the Λ^0, 0=15451
Schmitz,N. See Derado,I., 0=9410
Schmouker,J. See Barjon,R., 0=9630
Schmuntzsch,M. See Fröhlich,F., 0=12485
Schmutzer,E. Theory of spinors in Riemann space, 0=10554
Schmutzer,E. Axiomatics of metric spin tensors in projective relativity theory, 0=18939
Schnabel,P. See Senftleben,H., 0=5205
Schneeberger,M. See Dyer,J., 0=5562
Schneeberger,M. See Koch,W., 0=5612
Schneeberger,M. See Koch,W., 0=17414
Schneeberger,M. See Nikolić,M., 0=9427
Schneeberger,M. See Nikolić,M., 0=17413
Schneeberger,M. See Winzeler,H., 0=15346
Schneider,C. See Bomal,R., 0=17156
Schneider,D.O. and Cormack,D.V. Monte Carlo calculations of electron energy loss, 0=3956
Schneider,E.E. and Thompson,K. Nuclear double resonance in lithium fluoride crystals, 0=16188
Schneider,E.E. See Molyneux,L., 0=18577
Schneider,F. Collision-free heating of plasma, 0=3758
Schneider,F.W. See Schlag,E.W., 0=14101
Schneider,G. See Justi,E., 0=2904
Schneider,H. An a.g. channel with four quadrupole magnets, 0=19783
Schneider,H., de Lange,P.W. and de Villiers,J.W.L. On the beta decay of uranium X2, 0=1386
Schneider,H. See De Lange,P.W., 0=2638
Schneider,J. Dielectric relaxation of dilute solutions in the millimeter wave region, 0=5020
Schneider,J. Negative electrical conductivities, 0=15030
Schneider,J. and Hofmann,F.W. Absorption and dispersion of microwaves in flames, 0=1098
Schneider,J. See Hofmann,F.W., 0=5217
Schneider,M.V. Method for obtaining uniform evaporated layers, 0=737
Schneider,R. See Richter,H., 0=2882
Schneider,W. A new determination of the crystal structure of leonite $K_2Mg(SO_4)_2.4H_2O$, 0=18363
Schneider,W. See Bas,E.B., 0=15091
Schneider,W.G. See Buckingham,A.D., 0=7801
Schneider,W.G. See Schaefer,T., 0=7805
Schneider,W.G. See Schaefer,T., 0=7806
Schnepp,O. and Dressler,K. Absorption spectra of solid xenon, krypton and argon in the vacuum ultraviolet, 0=13699
Schnepp,O. and Dressler,K. Photolysis of ammonia in a solid matrix at low temperatures, 0=14128
Schnepp,O. See Dressler,K., 0=13696
Schnitzel,R.H. High temperature damping of tantalum, rhenium, and tungsten, 0=3145
Schnitzler,A.D.,Folen,V.J. and Rado,G.T. Ionic ordering effects in the ferromagnetic resonance of lithium ferrite monocrystals, 0=11927
Schnürer,E. The problem of space-charge limited currents in CdS crystals, 0=18038
Schoch,A. See Barbier,M., 0=19835
Schoch,A. See Linhart,J.G., 0=19670
Schock,A. Effect of magnetic fields on thermionic power generators, 0=19734
Schodder,G.R. Illusions from an acoustic room impression, 0=18544
Schodder,G.R. On the distribution of high energy sound reflections in halls, 0=19343
Schodder,G.R. and David,E.E.,Jr. Pitch discrimination of two-frequency complexes, 0=21406
Schodder,G.R. and Wiekhorst,F. Electrostatic transducers with solid dielectric for waterborne sound, 0=5088
Schoeck,G. and Seeger,A. The flow stress of iron and its dependence on impurities, 0=15848
Schoeck,G. and Tiller,W.A. On dislocation formation by vacancy condensation, 0=20812
Schoen,L.J. Triboluminescence in a mercury bubbler, 0=14698
Schoen,L.J. and Broida,H.P. Spectra emitted from rare gas—oxygen solids during electron bombardment, 0=6201
Schoen,R. See Chiron,B., 0=2412
Schoenberg,E. and Sandner,W. The dichotomy of the Venus disk, 0=18699
Schoening,F.R.L. On the strength of glass in water vapour, 0=18275
Schoffa,G.,Ristau,O. and Mai,G. On a method of measurement of magnetic anisotropy in a wide temperature range, 0=11837
Schofield,P. Space-time correlation function formalism for slow neutron scattering, 0=9366
Schofield,T.H. and Bacon,A.E. Observations on regular arrays of etch pits in a titanium—10% molybdenum alloy, 0=16281
Scholes,W.E. See Parkin,P.H., 0=14769
Scholte,J.G.J. On the theory of giant pulsations, 0=18462
Scholz,A. Statistical formulation of chemical reactions between defect particles in cubic crystal lattices, 0=9892
Scholz,A. Photochemical phenomena in sensitized AgCl crystals at a temperature of −253°C, 0=10356

Scholz,S. Investigations of the influence of the Peltier effect on resistance welds, 0=7971
Schön,M. See Kramer,B., 0=18139
Schönberg,M. Quantum kinematics and geometry, 0=18940
Schönheit,E. Mass spectrometric ion-detection with an ion converter detector, 0=19789
Schonland,D.S. Electron resonance studies of transition metal oxyions. II. Theory of electron resonance in manganate, 0=21070
Schonland,D.S. See Carrington,A., 0=21069
Schoo,W. See Ythier,C., 0=15545
Schoone,J.C. See Schuyff,A., 0=8244
Schoonmaker,R.C.,Friedman,A.H. and Porter,R.F. Mass spectrometric and thermodynamic study of gaseous transition metal (II) halides, 0=3566
Schöpf,H.G. The problem of the energy of the gravitational field, 0=3440
Schopper,H. See Galster,S., 0=11362
Schopper,H. See Hartwig,G., 0=11361
Schopper,H. See Müller,H., 0=17547
Schott,G.L. Kinetic studies of hydroxyl radicals in shock waves, III. The OH concentration maximum in the hydrogen—oxygen reaction, 0=6408
Schottky,G. Theoretical investigations of vacancy complexes in the noble metals, 0=17961
Schottky,G. See Seeger,A., 0=15853
Schrack,R.A.,Penner,S. and Leiss,J.E. Low energy photoproduction of neutral mesons from complex nuclei, 0=15412
Schrade,H.,Bez,W.,Höcker,K.H. and Kaeppeller,H.J. On the theory of ohmic heating of a fully-ionised plasma, 0=10898
Schrader,A. The structural investigation of iron and steel with the electron microscope, 0=14095
Schrader,B.,Nerdel,F. and Kresze,G. Apparatus for obtaining raman spectra of solid substances at low temperatures, 0=12484
Schrader,C.D. See Benveniste,J., 0=20490
Schrader,W.J. See Braams,C.M., 0=19666
Schram,B.L. See Ythier,C., 0=15545
Schram,K. and Nijboer,B.R.A. The Wigner distribution function for systems of boson or fermions, 0=14533
Schrank,A.R. See Wiegand,O.f., 0=21401
Schreiber,C.L. See Kikuchi,R., 0=16934
Schreiber,H.P. and Waldman,M.H. A rapid determination of some surface properties of solids, 0=8264
Schreiber,T.P.Majkowski,R.F. and Joseph,B.W. Spectrum line distortion caused by step filters, 0=10773
Schreiner,J. Interferometric sound absorption measurement in CO_2, 0=16788
Schreiner,J. Measurement of ultrasonic intensity with the hot wire, 0=16797
Schreurs,J.W.H.,Blomgren,G.E. and Fraenkel,G.K. Anomalous relaxation of hyperfine components in electron spin resonance, 0=15756
Schrieffer,J.R. Knight shift in superconductors, 0=231
Schriempf,J.T. See Allison,F.E., 0=8582
Schrock,V.E. and Grossman,L.M. Local pressure gradients in forced convection vaporization, 0=14873
Schröder,F.K. See Kuhl,W., 0=16755
Schröder,F.K. See Kuhl,W., 0=19336
Schröder,H. Resistivity changes in ferrites in a magnetic field, 0=11664
Schröder,K. Specific heat of chromium—iron alloys at room temperature, 0=7848
Schroeder,A.C. Theory on the receptor mechanism in color vision, 0=18555
Schroeder,M.R. Measurement of sound diffusion in reverberation chambers, 0=145
Schroeder,P.A. See Goode,D.H., 0=1597
Schroeder,R.W. See Bettis,E.S., 0=13312
Schrötter,H.W. Measurement of the intensities of Raman lines, 0=14816
Schrutka-Rechtenstamm,G. and Hopmann,J. The figure of the moon, 0=6570
Schubert,E.D. See Tobias,J.V., 0=2049
Schubert,G.U. Slots in the surface of a superconductor, 0=8953
Schubert,M. See Bottcher,H., 0=19443
Schubert,R. See Bausch,W., 0=5104
Schubring,N.W. See Nine,H.D., 0=12462
Schuch,K. Methods of measuring the axial alignment of optical systems, 0=5141
Schuele,W.J. See Berkowitz,A.E., 0=3087
Schug,J.C.,McMahon,P.E. and Gutowsky,H.S. Electron coupling of nuclear spins. IV. Temperature dependence in substituted ethanes, 0=17784
Schuhl,C. See Miller,J., 0=7320
Schüler,H.,Prchal,K. and Kloppenburg,E. Chemical reactions in the positive column of a glow discharge, 0=10891
Schüler,H. and Stockburger,M. Dissociation processes in benzene and benzene derivatives in a glow discharge. Studies on the spectra of the parent molecules and radicals, 0=485
Schuler,R.H. See Fessenden,R.W., 0=18439
Schull,C.G. Recent magnetic structure studies by neutron diffraction, 0=13803
Schüller,E. and Schepers,J. Electron microscopic examination of neutron irradiated LiF-crystals, 0=7907
Schuller,F. and Oksengorn,B. Attempt at the interpretation of the rotational lines of the vibration—rotation spectrum of a diatomic molecule perturbed by atoms of foreign gas, 0=20633
Schul'man,A.R. See Fridrikhov,S.A., 0=2382
Schulman,J.H.,Ginther,R.J.,Kirk,R.D. and Goulart,H.S. Thermoluminescent dosimetry has storage stability, linearity, 0=9241
Schulman,J.H. See Ginther,R.J., 0=12726
Schulman,J.H. See Rabin,H., 0=7894
Schult,O. The measurement of several soft -ray lines in the neutron capture by europium, by means of a crystal spectrometer, 0=9671
Schult,R.L. and Capps,R.H. Corrections to the impulse approximation for photon—deuteron scattering, 0=12891
Schulte,H.F. See Jones,L.M., 0=12160
Schulten,R.,v.d.Decken,C.B.,Schmidt,H.W. and Wundt,H. Physics of the BBC—Krupp high temperature reactor, 0=5821
Schultis,W.J. See Reynolds,J.M., 0=8905
Schultz,J.M. and Washburn,J. Effect of thermal history on the dislocation substructure near the surfaces of a lithium fluoride crystal, 0=17942
Schultz,M.L. See Morton,G.A., 0=2911
Schultz,R.D. See Chaiken,R.F., 0=3309
Schultz,S. See Lichten,W., 0=2717
Schultz,T.D. Slow electrons in polar crystals: self-energy, mass and mobility, 0=2812
Schultze,D. The reduction of the Curie temperature of superparamagnetic nickel crystallites, 0=10107
Schulz,F. See Deubner,A., 0=7939
Schulz,G. An interference microscope arrangement for absolute studies with incident illumination, 0=10752
Schulz,G.J. Measurement of excitation of N_2, CO, and He by electron impact, 0=2755
Schulz,G.J. Use of SF_6 for calibration of the electron energy scale, 0=10952
Schulz,L.G. Method of preparing thin films of alloys suitable for optical studies, 0=736
Schulz,P. See Bauer,A., 0=1107
Schulze,K.J. Imaging of sides and sharp edges, 0=4704
Schulze,K.J. See Brüche,E., 0=1942
Schulze,M. See Eichenauer,W., 0=4269
Schulze,R. Guidance of the use of Planck's radiation formula in infra-red technology, 0=6989
Schumacher,H.,Bernstein,R.B. and Rothe,E.W. Total collision cross sections for the interaction of molecular beams of cesium chloride with gases. Influence of the dipole—dipole force upon the scattering, 0=15795
Schumacher,H.J. Mechanism of ozone decomposition, 0=18431
Schumann,H. The determination of the refractive indices n of non-opaque mineral substances using the polarization angle, 0=19379
Schumann,W. See Favre,H., 0=19435
Schumann,W.O. The appearance of a "backward wave" in a non-magnetized, air-bounded plasma cylinder, 0=10930
Schumann,W.O. The effect of the Langmuir layer between plasma and tube wall on wave propagation in a "plasma cable", 0=15041
Schumar,J.F. Reactor fuel elements, 0=11472
Schune,D. See Tsai-Chü, 0=17362
Schupp,G.,Daniel,H.,Eakins,G.W. and Jensen,E.N. Transition intensities in the Tl^{208} beta decay, the $Bi^{212} \rightarrow Po^{212}$ decay scheme, and the Bi^{212} branching ratio, 0=17546
Schupp,G. See Daniel,H., 0=5710
Schuppel,W. See Andrä,W., 0=10153
Schüppel,W. See Málek,Z., 0=6234
Schürer,P. and Eckertová,L. Simple construction of glass titanium pump, 0=5059

Schurin,B. See Williamson,D.E., 0=8799
Schuringa,A. and Luttik,C. Measurement of space density of charge in flowing liquids, 0=14653
Schurkow,S.N. The strength of solids, 0=10272
Schurter,W. See Gränicher,H., 0=18084
Schurter,W.H. See Lewis,F.A., 0=12117
Schuyff,A. and Schoone,J.C. Unit cell and space group of aconitine hydrochloride, hydrobromide, and hydroiodide, 0=8244
Schwabe,P.H. See Maggs,F.A.P., 0=7009
Schwabe,P.H. See Maggs,F.A.P., 0=14148
Schwabe,S. Spectroscopic investigation of the transport of material in the pre-breakdown phase of the high vacuum breakdown, 0=14995
Schwahn,D.H. See Siebring,B.R., 0=23
Schwahn,D.H. See Siebring,B.R., 0=25
Schwan,H.P. Alternating current spectroscopy of biological substances, 0=6491
Schwan,H.P. Absorption of ultrasound by tissues and biological matter, 0=6493
Schwan,H.P. and Maczuk,J. Simple technique to control the stray field of electrolytic cells, 0=3316
Schwantke,G. See Cremer,L., 0=19283
Schwartz,A.M. and Minor,F.W. A simplified thermodynamic approach to capillarity. I. Application to flow in capillary channels. II. Applications to contact angle and spreading phenomena, 0=2156
Schwartz,B. See Robbins,H., 0=4600
Schwartz,E.G.K. See Meckel,B.B., 0=13565
Schwartz,H.M. Note on the solution of the Schrödinger equation for the ground state of the helium atom, 0=15640
Schwartz,H.M. Ritz–Hylleraas solutions of the ground state of two-electron atoms involving fractional powers, 0=17649
Schwartz,I. See Luria,S.M., 0=3381
Schwartz,I. See Luria,S.M., 0=18559
Schwartz,M. Feasibility of using high-energy neutrinos to study the weak interactions, 0=11140
Schwartz,M. A class of simple field theories and Von Neumann's infinite direct product spaces, 0=12808
Schwartz,M. and Martin,M. Plane rotator in a Stark field, 0=3450
Schwartz,M. See Barshay,S., 0=15442
Schwartz,M. See Plano,R., 0=2570
Schwartz,R.B. See Kane,J.V., 0=17551
Schwartz,R.B. See Mann,D.P., 0=4126
Schwarz,H. Forced periodic changes of kinetic energy of gas molecules as a means of vacuum measurement, 0=6844
Schwarz,L. See Witzmann,H., 0=4442
Schwarzchild,M. See Gaustad,F., 0=18741
Schwarzenberger,D.R., 0=18417
Schwarzenberger,D.R. Accurate determination of the lattice parameters of beryllium, 0=21184
Schwarzenberger,D.R. See Evans,T., 0=21113
Schwarzl,F. Forced bending and extensional vibrations of a two-layer compound linear viscoelastic beam, 0=16753
Schwarzschild,A. and Grodzins,I. Decay of Ga^{66} and Cu^{66}, 0=13173
Schwarzschild,A. See Kane,J.V., 0=17551
Schwarzschild,A. See Ofer,S., 0=413
Schwarzschild,A. See Ofer,S., 0=1367
Schwarzschild,M.[Ed.]. Symposium: subdwarf stars, 0=18781
Schwebel,S.L. See Sachs,M., 0=11485
Schwed,P. and Allen,G. On A.Raychaudhuri's paper "Electronic energy bands in model three-dimensional lattices", 0=9877
Schwed,P. See Fulton,T., 0=360
Schwed,P. See Glauber,R., 0=17672
Schweinler,H.C. See Sonder,E., 0=6215
Schwenker,R.P. Analog integrator for e.p.r. spectra, 0=2454
Schwerdtfeger,P. Observations on estuary ice, 0=21303
Schwidtal,K. Superconduction of evaporated lead films with Gd impurity, 0=8933
Schwinger,J. Field theory commutators, 0=320
Schwinger,J. The algebra of microscopic measurement, 0=3449
Schwinger,J. Euclidean gauge transformation, 0=6683
Schwinger,J. Field theory of unstable particles, 0=7285
Schwinger,J. The geometry of quantum states, 0=8554
Schwinger,J. Unitary transformations and the action principle, 0=14511
Schwinger,J. Unitary operator bases, 0=14512
Schwinger,J. See Martin,P.C., 0=896
Schwink,C. and Pehland,H. On the possibility of determining the optical constants and thicknesses of very thin metal films using measurements at normal incidence, 0=5170
Schwink,C. and Zankl,G. The variation of the remanence of polycrystalline nickel wires with applied tensile stress, 0=6238
Schwink,C. See Murrmann,H., 0=9147
Schwirzer,T. Acoustic measuring instruments, 0=3589
Schwirzke,F. Ionization and [charge] exchange cross-sections of hydrogen atoms and ions of 9-60 keV in hydrogen [gas], 0=2329
Sciamanda,R. See Meister,R., 0=8651
Scobie,J.,Moler,R.B. and Fink,R.W. Measurements of the L/K-capture ratio in Fe^{55} decay, 0=2641
Scoles,G. See Boato,G., 0=2168
Scoles,G. See Boato,G., 0=8654
Scott,A.B. See Hardtke,F.C., 0=13553
Scott,B.A. Instrument for the measurement of specular reflectivity of bright metal surfaces, 0=19459
Scott,B.L. See Moszkowski,S.A., 0=20083
Scott,D. See Ergen,W.K., 0=13313
Scott,F.P. Report on the AGK3R, 0=12292
Scott,F.R. and Wenzel,R.F. Moving magnetic field behind a strong deuterium shock, 0=1196
Scott,F.R. See Bendt,P.J., 0=13345
Scott,F.R. See Voorhies,H.G., 0=483
Scott,G.D. On solutions of the clock paradox, 0=39
Scott,G.D. Substrate damage in film thickness measurement by multiple beam interferometry, 0=3151
Scott,G.G. Gyromagnetic ratios of Fe and Ni, 0=11924
Scott,G.G. Value of g' for supermalloy, 0=18198
Scott,H.D. See Dalton,A.W., 0=7577
Scott,H.G. See Bowden,F.P., 0=8140
Scott,J. Photoelectric method for the analysis of fluctuation records and its application to electrical noise, 0=14943
Scott,L.E.,Robbins,R.F.,Mann,D.B. and Birmingham,B.W. Temperature stratification in a nonventing liquid helium Dewar, 0=7039
Scott,P.H.,Sliepcevich,C.M. and Churchill,S.W. Elimination of optical discontinuity between two immiscible fluids, 0=3612
Scott,R. Viscosity of fluid argon under conditions of constant density, 0=8674
Scott,R.F. and Wenzel,R.F. Experimental plasma flow into a vacuum magnetic cusp field, 0=15033
Scott,R.M. Optics for infrared systems, 0=14797
Scott,S.A. See Taylor,H.W., 0=9596
Scott,T.A. See Meyer,H., 0=11961
Scott,T.E. and Troiano.A.R. Interstitials and fracture of metals, 0=8127
Scott,V.D. Twinning caused by abrasion on single crystals of beryllium, 0=8156
Scott,V.D. and Owen,L.W. Deposition by thermal evaporation of thin films of titanium and zirconium for tritium targets, 0=8280
Scott,V.D. and Wilman,H. Surface re-orientation caused on metals by abrasion — its nature, origin and relation to friction and wear, 0=704
Scott Blair,G.W. See Reiner,M., 0=4998
Scotti,A. See Prosperi,G.M., 0=5472
Scotti,A. See Prosperi,G.M., 0=12373
Scotti,A. See Prosperi,G.M., 0=16598
Scouler,W.J. and Smakula,A. Coloration of pure and doped calcium fluoride crystals at 20°C and −190°C, 0=20836
Scovil,H.E.D. See De Grasse,R.W., 0=3855
Scovil,H.E.D. See DeGrasse.R.W.. (0=9198
Screaton,G.R. See Polkinghorne,J.C., 0=12878
Screaton,G.R. See Polkinghorne,J.C., 0=12879
Scriven,L.E. and Sternling,C.V. The Maragoni effects, 0=19081
Scriven,L.E. See Sleicher,C.A., Jr, 0=10631
Scrocco,E.,Bucci,P. and Maestro,M. Influence of substituents on the quadrupole coupling constant of chlorine, 0=1508
Scurlock,R.G. Hyperfine coupling in ferromagnetics, 0=9891
Scurlock,R.G. See Grace,M.A., 0=20786
Se Hee Ahn, Hearst,J.R.,Roberts,J.H. and Strait,E.N. Charged particles from the 14 MeV neutron interaction with zirconium, 0=15603
Seaborg,G.T. See Diamond,H., 0=17512
Seaborg,G.T. See Foreman,B.M., 0=1450
Seaborg,G.T. See Gordon,G.E., 0=20516
Seagondollar,L.W.,Harris,G.I. and Rangan,L.K. Gamma rays from the proton bombardment of natural silicon, 0=17594

Seagondollar,L.W. See Harris,G.I., 0=19820
Seagondollar,L.W. See Moore,R.A., 0=111
Seagrave,J.D.,Cranberg,L. and Simmons,J.E. Elastic scattering of fast neutrons by tritium and He^3, 0=17435
Seal,M. The abrasion of diamond, 0=8141
Seal,M. Graphitization of diamond, 0=21185
Seal,M. The fine structure of films of [natural] rubber and other polymers, 0=21220
Searcy,A.W.,Williams,W.S. and Schissel,P.O. Use of constant-boiling systems in calibration of mass spectrometers and other molecular beam instruments, 0=7072
Searl,J.W.,Smith,R.C. and Wyard,S.J. Electron spin resonance absorption for polycrystalline substances, 0=6264
Searle,C.L. See Badessa,R.S., 0=12361
Searle,N.D. See Hirt,R.C., 0=10769
Sears,G.W. Strength of lithium fluoride whiskers, 0=1889
Sears,G.W. Influence of soluble impurities on strength of perfect crystals, 0=1890
Sears,G.W. Growth of tobacco mosaic virus particles, 0=3179
Sears,G.W. Dislocations etchings, 0=10290
Sears,G.W. Nucleation and growth of mercury crystals at low supersaturation, 0=13951
Sears,G.W. Growth poisoning of lithium fluoride from aqueous solutions, 0=21159
Sears,G.W. and Cahn,J.W. Interaction of condensable gases with cold surfaces, 0=14888
Sears,G.W. and DeVries,R.C. Nucleation of alumina at high supersaturations and subsequent recrystallization, 0=3176
Sears,G.W. and Navias,L. Evaporation of aluminum oxide, 0=1057
Sears,G.W. See DeVries,R.C., 0=3183
Sears,G.W. See Morelock,C.R., 0=1888
Seatherton,W.A. A survey of temperature measuring techniques, 0=2272
Seaton,M.J. Local density variations in planetary nebulae, 0=10519
Seaton,M.J. Thermal inelastic collision processes, 0=11501
Seaton,M.J. The solution of capture-cascade equations for hydrogen, 0=17667
Seaton,M.J. Radiative recombination of hydrogenic ions, 0=17707
Seaton,M.J. See Burgess,A., 0=10872
Seaton,M.J. See Burgess,A., 0=17661
Seaton,M.J. See Castillejo,L., 0=7715
Seaton,M.J. See Percival,I.C., 0=17699
Seavey,M.H.Jr, Galvanomagnetic effects in ferromagnetic resonance, 0=10194
Seavey,M.H.,Jr and Tannenwald,P.E. Direct observation of spin wave resonance, 0=3115
Seavey,M.H.,Jr. See Tannenwald,P.E., 0=13860
Sebaoun,W. See Gauvin,H., 0=15213
Sebe,T. See Muto,T., 0=9445
Sebe,T. See Muto,T., 0=20248
Sebeni,P. See Pataki,G., 0=9950
Sebilleau,F. See Chaulet,R., 0=8188
Sechkarev,A.V. See Raskin,Sh.Sh., 0=5948
Secker,P.E. Explanation of the enhanced arc velocity on magnetic electrodes, 0=15000
Seddon,J.C. and Jackson,J.E. Ionosphere electron densities and differential absorption, 0=21349
Sedelnikov,T.Kh. The elastic scattering of neutrons in cylindrical absorbers, 0=11177
Sedel'nikov,T.Kh. See Gordeev,I.V., 0=7375
Sedlák,J. See Fenyves,E., 0=13096
Sedov,V.L. See Kondorskii,E.I., 0=11831
Sedov,V.L. See Kondorskij,E.I., 0=13775
Sedov,V.L. See Kondorsky,E.I., 0=11912
Sedra,R.N.,Fahmy,F. and Sefien,L. Simultaneous observations of the variations in the horizontal component of the earth's magnetic field and solar radio emission, 0=18469
Sedy̆kh,V.M. and Zorkin,A.F. Propagation of quasi-circular electromagnetic waves in a waveguide of cross-like cross-section, 0=9215
Seebold,R.E. See Sweeney,W.E.,Jr, 0=10336
Seed,T.J. Electron damage in mica, 0=13568
Seeger,A. and Kronmüller,H. The approach to ferromagnetic saturation. I. General theory of the effect of internal stresses on the [saturation] approach law with application to interstitial atoms and quenched metals, 0=11812
Seeger,A. and Mann,E. The formation energy and lattice distortion of interstitial atoms and vacancies in cubic closed-shell crystals, particularly in copper, 0=11557
Seeger,A. and Schottky,G. Energy and electrical resistivity of high-angle grain boundaries in metals, 0=15853
Seeger,A. See Kronmüller,H., 0=18185
Seeger,A. See Mann,E., 0=11556
Seeger,A. See Schoeck,G., 0=15848
Seeger,K. Ion scattering of hot electrons in non-degenerate non-polar semiconductors, 0=579
Seeger,K. Delayed electron emission from germanium, 0=1144
Seeger,R.J. On teaching the philosophy of physics, 0=6638
Seelbach,W.C. and Kiseda,J.R. Elastic switching properties of some square loop materials in toroidal structures, 0=9141
Seemann,H.J. and Staats,H. The fundamentals of the vibrational treatment of molten metals, 0=5110
Seevers,D.O. See Torrey,H.C., 0=89
Sefien,L. See Sedra,R.N., 0=18469
Segaert,O.J.,Demuynck,J.,Hoogenboom,A.M. and Van Den Bold,H. On the decay of Rh^{106}, 0=11358
Segaert,O.J. and Demuynck,J.L. On the decay of Rh^{106m}, 0=11359
Segal,I. On the detection of cosmic ray air showers by microwave techniques, 0=20262
Segal,I. See Sitte,K., 0=11241
Segal,I.E. A mathematical characterisation of observables in quantum field theory and its consequences for the structure of free particles, 0=7263
Segal,J.R. See Geschwind,N., 0=8444
Segal',R.B. See Bronshtein,I.M., 0=5341
Segal',R.B. See Bronshtein,I.M., 0=7146
Segal',R.B. See Bronshtein,I.M., 0=7147
Segal',R.B. See Bronshtein,I.M., 0=7148
Segal',R.B. See Bronshtein,I.M., 0=10942
Segalas,R. See Charbonnier,R., 0=2412
Segalas,R. See Debraine,P., 0=2412
Segall,R.L. and Partridge,P.G. Dislocation arrangements in aluminium deformed in tension or by fatigue, 0=21118
Segall,R.L. See Hirsch,P.B., 0=21117
Segar,A.M. and Rubinstein,R. Neutral meson production by 930 MeV protons, 0=5575
Segard,N.,Pouliquen,J. and Trentesaux,B. Development of a variable phase stroboscope with light modulation by ultrasonic waves, 0=5181
Segawa,H. See Hori,S., 0=11190
Segawa,W. Rheological equation of Voigtian material, 0=21129
Segel,R.E. See Shafroth,S.M., 0=9361
Segel,S.L. See Barnes,R.G., 0=687
Segelken,W.G. See Hansler,R.L., 0=11795
Segré,E. Nuclear properties of antinucleons, 0=17328
Segrè,E. See Agnew,L.E.,Jr., 0=11172
Segre,S.E. and Allen,J.E. Magnetic probes of high frequency response, 0=17019
Segui-Cros,M. On the change of excitation conditions in a d.c. arc with the amount of electrode material present in the discharge, 0=19646
Seguier,J. See Herman,L., 0=13412
Séguinot,J.,Schérer,M. and Teiger,J. Efficiency and collection time dispersion of the light from a Cherenkov detector with reflecting walls, 0=19973
Sehgal,M.L. Measurement of thermal neutron activation cross-section, 0=5797
Sehgal,M.L. See Hans,H.S., 0=5790
Sehgal,M.L. See also Lall Sehgal,M.
Sehgal,M.Lall. See Lall Sehgal,M.
Sehr,R. See Labes,M.M., 0=13621
Sehr,R. See Labes,M.M., 0=15969
Seibyl,W. See Tralli,N., 0=15616
Seidel,G. See Keesom,P.H., 0=8947
Seidel,H. Compact passive nonreciprocal structures for UHF frequencies, 0=2438
Seidel,H. and Wolf,H.C. Electron-nucleus double resonances of F-centres in KCl at room temperature, 0=6273
Seidel,H. See Fletcher,R.C., 0=2449
Seiden,J. Statistical mechanics of a disordered Ising lattice, 0=6217
Seiden,J. [Theoretical study of] ferromagnetism in an imperfect crystal using the Ising approximation, 0=13761
Seiden,J. Statistical mechanics of a disordered magnetic lattice, 0=18160
Seiden,J. Statistical mechanics of a disordered magnetic lattice at low temperatures, 0=18161
Seiden,J. Dipolar broadening of n.m.r. lines in liquids, 0=19169
Seiden,P.E. Saturation effects in ferrimagnetic resonance, 0=10205

Seiden,P.E. Calculation of the widths of ferrimagnetic absorption lines in the case of spin waves of non-negligible amplitude, 0=11930
Seiden,P.E.,Kooi,C.F. and Katz,J.M. Microwave properties of nonstoichiometric polycrystalline yttrium iron garnet, 0=11896
Seiden,P.E. and Shaw,H.J. High power effects in ferrimagnetic resonance, 0=8080
Seidensticker,R.G. See Hamilton,D.R., 0=12009
Seidl,F.G.P.,Palevsky,H.,Hughes,D.J. and Zimmerman,R.L. Modification of the Brookhaven fast chopper, 0=17348
Seidl,M. Equilibrium state of toroidal electron beam, 0=2387
Seidl,M. Electron beam in betatron, 0=3819
Seidl,M. Statistical electron capture mechanism in betatrons, 0=12660
Seidl,R. The problem of exo-electron emission, 0=1142
Seidl,R. The influence of the emission properties of an anode on the characteristics of G.M. counters, 0=3875
Seidl,R. On the problem of exo-electron emission, 0=5336
Seidl,R. The exo-electron emission of germanium, 0=5337
Seidl,R. and Střelka,V. A special case of decomposition of cuprous oxide in vacuum, 0=4695
Seidov,Yu. and Berdÿshev,A. Spin—electron relaxation in an antiferromagnetic, 0=1812
Seifert,K. See Heckl,M., 0=16785
Seigal,S. and Wilson,R.F. OMCR power plants: their status and promise, 0=5819
Seigle,L.L. High temperature intercrystalline cracking, 0=18278
Seigle,L.L. and Opinsky,A.J. Mechanism of dimensional instability of uranium, 0=11650
Seiidov,Yu.M. Theory of antiferromagnetic resonance, 0=4504
Seiidov,Yu.M. See Abakarov,Dzh.I., 0=21023
Seiler,H. See Dietrich,W., 0=5342
Seipt,M. Electrode processes in the system silicon monocrystal/sodium hydroxide solution, 0=6115
Seitz,F. On the relationship between dislocations and vacancies, 0=17931
Seitz,J. See Reinhold,G., 0=12655
Seitz,W.R. See Huebotter,P.R., 0=14143
Seiwert,R. The theory of radiation diffusion. Non-stationary and stationary fluorescence. II, 0=53
Seiwert,R. and Ermisch,W. Calculation of the degree of polarization of resonance fluorescence from appearance of radiation diffusion. I, 0=5871
Seiwert,R. See Boldt,W., 0=4439
Seiwert,R. See Link,R., 0=4438
Sekerka,R.F.,Bolling,G.F. and Tiller,W.A. Observations of macromosaic substructures in lead ["striations"], 0=13545
Sekerzh-Zen'kovich,Ya.I. See Sretenskii,L.N., 0=19078
Seki,H. Simple demountable indium O-ring seal, tight to He II, 0=3574
Seki,M.,Katase,A.,Wakuta,Y. and Sonoda,M. Characteristics of a high-frequency ion source, 0=19770
Sekido,T. See Kodama,M., 0=15494
Sekido,Y. Study of the cosmic-ray storm by Japanese group, 0=11253
Sekiguchi,N. On the acceleration of the earth's rotation caused by the atmospheric oscillation, 0=6626
Sekiguti,T. Time rate of decrease of electrical conductivity of polycrystalline [hexagonal]selenium, 0=18052
Sekine,K. A theory of Lepton which is invariant under space inversion, 0=12889
Sekita,Y. See Kawasaki,K., 0=7927
Sekiya,T. See Nishiyama,T., 0=11467
Sekoyan,S.S. and Likhter,A.I. The effect of pressure on magneto-electric properties of bismuth, 0=20913
Sekoyan,S.S. See Vereshchagin,L.F., 0=8619
Sekoyan,S.S. See Vereshchagin,L.F., 0=12404
Sekula,S.T. Resistance minimum and resistivity of copper at low temperatures, 0=2845
Selén,H. See De Kowalewski,D.G., 0=4210
Seletskii,Iu.A. See Protopopov,A.N., 0=11459
Self,S.A. Comments on "Confinement of plasma by standing electromagnetic wave", 0=12610
Self,S.A. and Boot,H.A.H. The effect of field configuration on gas discharge breakdown in microwave cavities at low pressure, 0=2354
Selier,P. See Bennema,P., 0=21290
Seliger,H.H. See Bay,Z., 0=19612
Seliger,H.H. See Mann,W.B., 0=13159
Selin,L.E. Rotational analysis of the red absorption band of the IBr molecule, 0=9769
Selinov,I.P. and Chikhladze,V.L. New isomer Sn^{113m}. 0=15534
Selinov,I.P.,Vartanov,N.A.,Khuleidze,D.E.,Bliodze,Yu.A., Zaitseva,N.G. and Khalkin,V.A. The new isotope Te^{115}, 0=15532
Selinov,I.P. See Chikhladze,V.L., 0=13201
Selitskii,Yu.A. See Protopopov,A.N., 0=13304
Selivanenko,A.S. See Kurskii,Yu.A., 0=16708
Sell,P.J. See Neumann,A.W., 0=8661
Sell,P.J. See v.Engelhardt,W., 0=9838
Sella,C.,Conjeaud,P. and Trillat,J.J. Method of decoration of surfaces of ionic crystals. Application to the study of dislocations and point defects of alkali halides, 0=4286
Sella,C. See Navez,M., 0=16339
Sella,C. See Navez,M., 0=18422
Selleri,F. Evidence for two pion–pion resonances, 0=17394
Selleri,F. K-meson parity from dispersion relations, 0=17411
Selleri,F. See Bonsignori,F., 0=13037
Sello,H. See Sah,C.T., 0=11642
Sells,R.L. See Carr,H.Y., 0=17093
Sellschop,J.P.F. Angular distributions from stripping reactions of low Q values, 0=1418
Sellschop,J.P.F. Stripping mechanism for reactions with small Q value: The reaction $Li^7(d,p)Li^8$, 0=13237
Selove,W. Generalized isobar model, and the pionic form factor of the nucleon, 0=17249
Selove,W. and Gettner,M. Search for a second π^0, 0=17373
Selters,W. See Ward,W.D., 0=3367
Seltz,R. See Bilwes,R., 0=17055
Selwood,P.W. See Dietz,R.E., 0=3070
Seman,O.I. A certain property of the image curvature in short electron-optical lenses, 0=3805
Semashko,I.A. See Samsonov,G.V., 0=14012
Semashko,N.G. See Popova,V.M., 0=9421
Semchinova,A.M. See Flevov,G.N., 0=7497
Semenchenko,V.K. and Dogadkina,N.P. Properties of ternary metal systems. I. Microhardness of ternary alloys tin—sodium—aluminium, 0=18260
Semenchenko,V.K. and Saidov,M. Properties of ternary systems. II. On the simultaneous effect of surface-active and surface-inactive additives on microhardness of tin, 0=18261
Semendyaev,K.A. See Zaidel',R.M., 0=14364
Semenenko,E.E. See Lazarev,B.G., 0=10846
Semenenko,E.E. See Lazarev,B.G., 0=21252
Semenenko,E.E. See Sudovtsov,A.M., 0=2846
Semenko,S.F. See Baldin,A.M., 0=20482
Semennikov,Yu.B. On the transformation from an ultrasonic to a visual image, 0=10736
Semenov,R.I.Fradkin,É.E. and Chaika,M.P. The instrument function of a Fabry—Perot spectrometer with a rectangular aperture, 0=10775
Semerano,G. See Foffani,A., 0=15740
Semerano,G. See Giacometti,G., 0=15752
Semerchan,A.A. See Vereshchagin,L.F., 0=8619
Semerchan,A.A. See Vereshchagin,L.F., 0=12404
Semerchan,A.A. See Vereshchagin,L.F., 0=14359
Semiletov,S.A. Determination of the structure of InSe by electron diffraction, 0=12042
Semiletov,S.A. The effects of some impurities on the structure of thin films of selenium, 0=18412
Semiletov,S.A. and Man,L.I. Electron-diffraction study of the structure of thin films of $TlBiSe_2$ and $TlSbS_2$, 0=16330
Semiletov,S.A. See Belov,N.V., 0=18286
Semjonow,V. See Hellwege,K.H., 0=2276
Sen,A.K. and Bhattacharya,G.N. The dielectric properties of rosin, 0=6153
Sen,B. Energy distribution of neutrons from Ra-D—Be source, 0=15359
Sen,B. Note on some problems of thin equilateral triangular plate, 0=16752
Sen,D. See Ghosh,N.C., 0=11295
Sen,D. See Hariharan,P., 0=5173
Sen,D. See Hariharan,P., 0=5174
Sen,D. See Hariharan,P., 0=5175
Sen,D. See Hariharan,P., 0=5178
Sen,D. See Hariharan,P., 0=8788
Sen,D. See Hariharan,P., 0=14854
Sen,D. See Hariharan,P., 0=16890
Sen,D. See Hariharan,P., 0=16891
Sen,D. See Hariharan,P., 0=19427
Sen,D. See Hariharan,P., 0=19431
Sen,D.C. See Chen,J.M., 0=5614
Sen,D.C. See Lee,W.T., 0=5602

Sen,D.K. A complex non-analytical manifold and conformal Minkowski space—time, 0=6536
Sen,H.K. and Wyller,A.A. Generalization of the Appleton—Hartree magneto-ionic formula, 0=11061
Sen,H.K. See Greenberg,O.W., 0=10905
Sen,K.K. An estimate of the optical thickness of a spherically symmetric, non-conservative scattering atmosphere, 0=2088
Sen,K.K. Method of trigonometrical series in calculating the modification of intensity of monochromatic radiation due to multiple compton scattering in stellar atmosphere, 0=8572
Sen,N. See Leslie,W.C., 0=16325
Sen,N.R. On decay of energy spectrum of isotropic turbulence, 0=6760
Sen,P. The renormalization of Dirac—Maxwell equations, 0=324
Sen,P. Field metrics, 0=15224
Sen,S.N. Hypersonic velocity in viscous liquids as revealed from Brillouin spectra, 0=10724
Sen Chaudhury,P.K. On the absorption coefficients and energy spectra of gamma-rays from Ra (B + C) under thick layers of Pb absorber, 0=5732
Sen Chaudhury,P.K. and Pfotzer,G. The influence of carbon absorbers on neutron production in lead by cosmic radiation and the absolute frequency of nuclear cascades in various thicknesses of lead, 0=1343
Sen Gupta,M.K. See Vaidya,W.M., 0=6919
Sena,L.A. See Ivanchenko,V.A., 0=17046
Sena,L.A. See Kushnir,R.M., 0=7703
Senderikhin,I.M. Theory of the thermal breakdown of germanium diodes, 0=15976
Senderikhin,I.M. and Sharavskii,P.V. Investigations of characteristics of germanium diodes, 0=15975
Sendov,B. See Dolapchiev,B., 0=919
Séndulesku,A. Shell-model reduced widths for emission of tritons and He^3, 0=15567
Senent,F. See Catala,J., 0=12766
Senftle,F.E.,Pankey,T. and Grant,F.A. Magnetic susceptibility of tetragonal titanium dioxide, 0=18165
Senftle,F.E.,Stern,T.W. and Alenka,V.P. α -radioactivity of cerium-142, 0=4044
Senftle,F.E. See Martinez,P., 0=17148
Senftle,F.E. See Thorpe,A., 0=2414
Senftleben,H. and Schnabel,P. The heat transfer between coaxial cylinders in liquids and gases, 0=5205
Sengupta,A.K.,Bhattacharyya,R.,Lahiri,J. and Mukherjee,P.N. Level scheme of Pr^{144}, 0=17501
Sengupta,D.L. See Schmitt,H.J.D., 0=7220
Sengupta,S. and Ghosh,S. Energy levels in a bounded isotropic harmonic oscillator potential and nuclear shell structure, 0=1362
Sengupta,S. and Ghosh,S. Energy levels in a bounded isotropic harmonic oscillator potential and nuclear shell structure, 0=17491
Senin,M.D. See Popov,M.M., 0=13193
Senior,D.A. A theoretical treatment of combustion in a spherical underwater gas bubble, 0=8849
Senior,T.B.A. Diffraction by an imperfectly conducting half-plane at oblique incidence, 0=5403
Senior,T.B.A. and Siegel,K.M. A theory of radar scattering by the moon, 0=16525
Senior,T.B.A. and Siegel,K.M. Radar reflection characteristics of the moon, 0=18619
Senitsky,I.R. Dissipation in quantum mechanics. The harmonic oscillator, 0=14519
Senitzky,B. Electron emission from silicon p—n junctions, 0=2376
Senitzky,B. and Radin,P.D. Effect of internal heating on the breakdown characteristics of silicon p—n junctions, 0=1650
Senitzky,I.R. Induced and spontaneous emission in a coherent field. III, 0=17094
Senkevich,A.A. In answer to A.A.Tuzhilin's letter to the Editor, 0=16777
Senko,M.E. and Templeton,D.H. Unit cells of choline halides and structure of choline chloride, 0=8245
Senne,J.H. See Carr,P.H., 0=17
Seno,H. An approximate method of dielectric measurement in the centimeter wave region, 0=2301
Sens,J.C. See Charpak,G., 0=17366
Seppi,E.J. See Leonard,B.R.Jr, 0=13282
Septier,A. Splitting of a beam of particles by an electrostatic biprism, 0=1165
Septier,A. and Ruytoor,M. The spherical aberration of electrostatic lenses of revolution for beams of large aperture. Methods of measurement, 0=3804
Septier,A. and Ruytoor,M. Spherical aberration of electrostatic lenses of rotational symmetry with large apertures. Symmetrical hyperbolic lenses and asymmetrical lenses, 0=5352
Septier,A. and Van Acker,J. Measurement of the spherical aberration of electrostatic quadrupole lenses, 0=19749
Septier,A. See Dhuicq,D., 0=3806
Seraphim,D.P. and Connell,R.A. Resistance transitions in superconducting tantalum, 0=2292
Seraphim,D.P. See Budnick,J.I., 0=8955
Seraphim,H.P. Investigations into the difference-limens for exponential decay of noise-band pulses, 0=18540
Serber,R. See Nickle,H., 0=12867
Serbin,H. Intense stress field produced in a semi-infinite elastic solid by a bomb blast at the surface, 0=19279
Serbin,H. Propagation of intense shock waves into the earth, 0=19280
Serbu,G.P. See Anderson,R.V., 0=10402
Serdiuk,R.K. See Zavoiskii,V.K., 0=10806
Serdobol'skii,V.I. The theory of scattering via quasi-stationary states, 0=11110
Serebryakova,T.I.,Paderno,Yu.B. and Samsonov,G.V. The emissivities of powders of some refractory compounds, 0=16919
Serebryakova,T.I. See Paderno,Yu.B., 0=1502
Serebryakova,T.I. See Samsonov,G.V., 0=14020
Serebryany̆i,R.V. Bending of a thin, semi-infinite plate resting on an elastic layer of finite thickness, 0=54
Sergeev,F.M. See Kirillov-Ugryumov,V.G., 0=2688
Sergeeva,V.M. See Averkin,A.A., 0=13615
Sergeiev,F.M. See Kirillov-Ugryumov,V.G., 0=9693
Sergent,M. Experimental study of a spectrograph for the far infrared, 0=16857
Sergienko,V.A. See Antonieva,N.M., 0=4060
Sergiescu,V. A modification of Pauling—Fowler's theory of the internal rotation in crystals, 0=15805
Sergolle,H. See Gusakow,M., 0=15571
Series,G.W. and Fox,W.N. R.F. resonances of the n = 4 level of a singly ionized helium atom, 0=17656
Series,G.W. and Taylor,M.J. Optical pumping of paramagnetic ions in solids, 0=18121
Series,G.W. See Dodd,J.N., 0=9743
Serin,B. See Alley,P., 0=1613
Serin,B. See Lynton,E.A., 0=8957
Serkowski,K. Microstructure of the galactic magnetic field, 0=10517
Serra,A. See Diambrini,G., 0=15099
Serruys,M. and Magot-Cuvrû,P. Influence of chemical viscosity and of heat transfer on the speed of sound and the velocity of a stable flow at a constriction, 0=10722
Sertorio,L. See Eberle,E., 0=15586
Servajean,R. A change in the profile of spectral lines depending doubtless on the velocity gradient of matter in the atmosphere from which they originate, 0=8506
Servajean,R. See Michard,R., 0=18768
Servoz-Gavin,P. See Müller-Warmuth,W., 0=19871
Seshardri,T.N. Day-lighting equations for a standard overcast sky, 0=5128
Sessler,A.M. See Cooper,L.N., 0=8924
Sessler,A.M. See Emery,V.J., 0=12548
Sessler,A.M. See Emery,V.J., 0=13101
Sessler,A.M. See Kerst,D.W., 0=19837
Sessler,A.M. See Mills,R.L., 0=1348
Sessler,A.M. See Moszkowski,S.A., 0=20308
Sessler,G. Sound absorption and sound dispersion in gaseous nitrogen and oxygen at high frequency/pressure values, 0=19287
Šesták,B. A method of experimentally determining the Burgers vector of stable dislocations in cubic body-centred crystals, 0=2816
Šesták,B. On the mechanism of rendering visible dislocations on the surface of [alpha] iron crystals by anodic dissolving, 0=2818
Šestak,B. The distribution of dislocations in silicon iron single-crystals grown from the melt, 0=13539
Seth,B.R. New solutions for finite deformation, 0=3474
Seth,K.K. A note on s-wave average neutron cross sections, 0=4113
Seth,K.K. s- and p-wave neutron spectroscopy. III. Area analysis of neutron resonances, 0=5787

Seth,K.K. See Weston,L.W., 0=20488
Seth,R.S. See Singh,H., 0=6786
Sethuraman,R. Measurement of ionospheric drift at Ahmedabad from fading patterns of reflections on 2.6 and 4.0 Mc/s (23° 02' N; 72° 38'E), 0=3347
Sette,D. See Barone,A., 0=6789
Setti,G. See Braccesi,A., 0=18687
Setti,R.Levi. See Levi Setti,R.
Setty,C.S.G.K. Eclipse effects on the F1-layer observed at Cambridge on 30 June 1954, 0=18496
Setty,C.S.G.K. Eclipse effects on the F-layer at sunrise, 0=21372
Setty,C.S.G.K. A pre-sunrise phenomenon and the presence of negative ions in the F-region of the ionosphere, 0=21373
Setty,C.S.G.K. Some studies of bifurcation of the ionospheric F-layer into F1 and F2, 0=21374
Ševarac,I.F.,Perović,B.D.,Dunjić,B.V. and Protić,R.M. 60° sector type electromagnetic isotope separator in the Institute of Nuclear Sciences — Belgrade. 0=19797
Sevast'yanova,I.K. See Salamandra,G.D., 0=12105
Sevchenko,A.N.,Gurinovich,G.P. and Sarzhevskii,A.M. Maximum polarization of fluorescence, 0=8018
Sevchenko,A.N.,Gurinovich,G.P. and Sarzhevskii,A.M. Polarization of the fluorescence of complex molecules, whose spectra do not obey the mirror-symmetry rule, 0=10054
Sevchenko,A.N.,Gurinovich,G.P. and Solov'ev,K.N. Symmetry of porphyrin molecules, 0=9829
Sevchenko,A.N. See Gurinovich,G.P., 0=10055
Severiens,J.C. and Richter,F.W. The measurement of short lifetimes by a refinement of the recoil technique. The lifetime of the first excited state of Ra^{224}, 0=5688
Severin,H. New developments in microwave physics, 0=15135
Severnȳi,A.B.,Steshenko,N.V. and Khokhlova,V.L. The spectroscopy of solar flares with echelette gratings, 0=18771
Sevryugova,N.N.,Uvarov,O.V. and Zhavoronkov,N.M. The separation coefficient of boron isotopes during equilibrium evaporation of BCl_3, 0=5857
Sewell,G.L. The Meissner effect, gauge invariance and electron correlations, 0=5233
Sewell,G.L. See Fröhlich,H., 0=4334
Sexton,M.C.,Lennon,J.J. and Mulcahy,M.J. Microwave method of investigating the afterglows of pulsed gaseous discharges, 0=5295
Sexton,M.C. See Lennon,J.J., 0=2345
Sexton,W.C. See Vickery,R.C., 0=11824
Sexton,W.C. See Vickery,R.C., 0=12664
Seyler,A.J. and Budrikis,Z.L. Measurements of temporal adaptation to spatial detail vision, 0=4829
Seymour,E.F.W. See Flynn,C.P., 0=5038
Seymour,E.F.W. See Flynn,C.P., 0=8796
Seymour,P.W. Drift of a charged particle in a magnetic field of constant gradient, 0=5314
Seyyedi,A. and Petit,G. Cryometry of the alkali salts to oxygenated anions in sodium fluoride, 0=19507
Sgarlata,F. The physical properties of crystals containing atoms with electrons in the "d" valency state (pyrite, hauerite, haematite, rutile and vanadium pentoxide), 0=4650
Shabalin,E.P. Spectra of K_{e4} and $K_{\ 4}$ decays, 0=20224
Shabalin,E.P. See Okun',L.B., 0=7414
Shabanskii,V.P. See Popov,Yu.M., 0=4460
Shabudin,A.F. See Azhgirei,L.S., 0=13231
Shabudin,A.F. See Azhgirey,L.S., 0=5742
Shackel,B. Note on mobile eye viewpoint recording, 0=14342
Shackelford,R.B. See Shirer,H.W., 0=6492
Shadmi,Y. See Racah,G., 0=4171
Shadmi,Y. See Racah,G., 0=13414
Shafeev,R.Sh. See Plaksin,I.N., 0=15953
Shafer,M.W. See Penoyer,R.F., 0=2998
Shafer,Yu.G. The effect of diminishing solar activity and cosmic-ray intensity from measurements in the stratosphere, 0=11249
Shaffer,E.C. See Cess,R.D., 0=6972
Shaffer,J. See Guthrie,A.N., 0=10719
Shaffer,W.H. See Louck,J.D., 0=9785
Shaffer,W.H. See Waggoner,J.H.,Jr, 0=7751
Shafi,N. See Evans,D., 0=15431
Shafie,I.S. See Arafa,A.A., 0=19231
Shafranov,M.D. See Van Gan-Chan, 0=9415
Shafranov,V.D. Equilibrium of a plasma toroid [with distributed current] in a magnetic field, 0=10910
Shafranov,V.D. See Sagdeev,R.Z., 0=19677
Shafranova,M.G. See Barashenkov,V.S., 0=3966
Shafranova,M.G. See Barashenkov,V.S., 0=4088
Shafranova,M.G. See Bogachev,N.P., 0=11400
Shafranova,M.G. See Lyubimov,V.B., 0=11167
Shafranova,M.G. See Markov,P.K., 0=20134
Shafranova,M.G. See Zhdanov,G.B., 0=9617
Shafranovskii,I.I. Geometrical varieties of face forms for crystals falling in the classes of low symmetry, 0=13928
Shafranovskii,I.I. Geometrical varieties of face forms for cubic crystals, 0=13929
Shafranovskii,I.I. See Gendelev,S.Sh., 0=13927
Shafroth,S.M.,Chalmers,R.A.,Strait,E.N. and Segel,R.E. Proton polarization in p—d scattering. 0=9361
Shafroth,S.M.,Strait,E.N. and Carpenter,R.T. The response of NaI(Tl) crystal to monoergic neutrons, 0=17355
Shah,C.J. See Pandya,N.S., 0=18331
Shah,G.Z. and Gatha,K.M. The nuclear scattering of 970 MeV protons by carbon, 0=4094
Shah,K.B. See Vaidya,P.C., 0=6669
Shah,M.J. See Acrivos,A., 0=10633
Shain,C.A. The radio emission from Centaurus-A and Fornax-A, 0=4866
Shain,C.A. and Higgins,C.S. Location of the sources of 19 Mc/s solar bursts, 0=4857
Shain,J. See Kallmann,H., 0=7959
Shakeshaft,J.R. See Conway,R.G., 0=18654
Shakeshaft,J.R. See Edge,D.O., 0=829
Shakhbayan,V.A. The infrared catastrophe in scalar quantum electrodynamics, 0=20023
Shakhbazyan,B.A. See Markov,P.K., 0=20134
Shakhbazyan,V.A. The two-charge renormalization group in scalar quantum electrodynamics, 0=7273
Shakhnovskii,S.M. See Fradlin,B.N., 0=12388
Shakhorostov,V.N. See Kaipov,D.K., 0=15420
Shakhova,Ts.I. See San'ko,L.A., 0=9470
Shakhova,Ts.I. See Takibayev,Zh.S., 0=9449
Shakhtakhtinskii,M.G. and Kuliev,A.A. Study of the pressure of saturated thallium selenides vapours, 0=19201
Shakhulashvili,O.A. See Dzhanelidze,L.P., 0=15445
Shakhulashvili,O.A. See Kostanashvili,N.I., 0=13068
Shalabutov,Yu.K. Non-stationary processes in the Alundum [fused alumina] coating of radio-valve heaters and their origin, 0=3796
Shalagina,E.V. See Lukin,Yu.T., 0=13042
Shalamov,Ya.Ya. See Krestnikov,Yu.S., 0=11192
Shalamov,Ya.Ya. See Meshkovskii,A.G., 0=11452
Shal'nikov,A.I. A method for the observation of helium II films, 0=227
Shal'nikov,A.I. See Arkhipov,R.G., 0=8865
Shal'nikov,A.I. See Ginzburg,N.I., 0=8940
Shal'nikov,A.I. See Smolyankin,V.T., 0=1473
Shalnov,A.V. See Zorin,D.M., 0=10991
Shalȳt,S.S. See Timchenko,I.N., 0=6149
Shamov,V.P. See Arifkhanov,U.R., 0=13234
Shamov,V.P. See Perfilov,N.A., 0=9622
Shamshev,V.N. See Levintov,I.I., 0=2549
Shanack,S. A theoretical current density ansatz for the quiet day solar semi-diurnal tidal mode of oscillation of the ionosphere, 0=14219
Shangareev,F.L. See Arkharov,V.I., 0=1912
Shankar,J. and Khubchandani,P.G. An X-ray study of natural monazite. II. Single crystal data on Indian monazite mineral, 0=3242
Shankar,J.,Khubchandani,P.G. and Padmanabhan,V.M. The crystal structure of magnesium acetate-tetrahydrate $Mg(CH_3COO)_2.4H_2O$, 0=3258
Shankar,J. and Kunchur,N.R. The crystal structure of cerium tetrakis-dibenzoylmethane, 0=3248
Shankar,J. See Amirthalingam,V., 0=8238
Shankar,J. See Nath,A., 0=2837
Shankaranarayana Rao,B. A note of rotating configuration associated with toroidal magnetic field, 0=7208
Shankland,D.G. See Mills,R.L., 0=1348
Shankland,R.S. Atomic and nuclear physics, 0=19957
Shankland,R.S. See Ormestad,H.J., 0=5116
Shapira,J. and Perkins,W.H. Liquid scintillation counting of aqueous solutions of carbon-14 and tritium, 0=5687
Shapira,Y. See Guerriero,L., 0=19981
Shapiro,A. See Sitte,K., 0=11241
Shapiro,F.L. See Barit,I.Ya., 0=9523
Shapiro,F.L. See Isakov,A.I., 0=15599

Shapiro,G. See Garwin,R.L., 0=9392
hapiro,G.A. Vainshtein,E.E., 0=672
Shapiro,I. and Landesman,H. Fragmentation patterns of halogenated pentaboranes, 0=21271
hapiro,I. See Lehmann,W.J., 0=1532
Shapiro,I. See Lehmann,W.J., 0=7760
Shapiro,I. See Lehmann,W.J., 0=15732
Shapiro,I. See Lehmann,W.J., 0=20634
hapiro,I. See Onak,T.P., 0=7808
Shapiro,I.I. See Mathews,P.M., 0=18982
Shapiro,I.I. See Parkinson,R.W., 0=8530
Shapiro,I.P. Luminescence of alkali-halide compounds with uranyl salt impurities, 0=4432
Shapiro,I.P. The effect of the addition of Tl and TlCl on the conductivity and photoconductivity of selenium, 0=7966
Shapiro,I.P. Determination of the absorption spectra of crystal phosphors from the diffuse-reflection spectra, 0=10037
Shapiro,I.R.,Stolarik,J.D. and Heppner,J.P. The vector field proton magnetometer for I.G.Y. satellite ground stations, 0=14161
Shapiro,I.S. The nonradiative conversion of μ-mesons to electrons, 0=15383
Shapiro,I.S. and Blokhintsev,L.D. Circular polarization of gamma quanta emitted by a nucleus after μ-capture, 0=9688
Shapiro,K.A. See Lehman,G.W., 0=17686
Shapiro,M.M. Some applications of nuclear emulsions in the study of the cosmic radiation. I. Heavy primary nuclei. II. High-energy jets, 0=12797
Shapiro,P. See Beach,L.A., 0=12960
Shapiro,R. and Ward,F.W.,Jr. Daily normals of the international magnetic character figure, C_i, 0=12134
Shapiro,S. and Bloembergen,N. Relaxation effects in a maser material, $K_3(CoCr)(CN)_6$, 0=3134
Shapkin,A.A. See Belovintsev,K.A., 0=7181
Shapkin,V.V. See Babykin,M.V., 0=3886
Shapochkin,V.A. Mechanical properties of special steels and other alloys under high hydrostatic pressures, 0=18271
Shapochkin,V.A. See Vereshchagin,L.F., 0=18270
Sharan,B. A new modification of aluminium orthoarsenate, 0=3235
Sharan,S. Restricted dipole orientation in solid dielectrics, 0=18087
Sharapov,A.I. See Shklyarevskii,I.N., 0=16031
Sharavskii,P.V. See Geller,I.Kh., 0=18051
Sharavskii,P.V. See Kalabin,M.M., 0=13624
Sharavskii,P.V. See Senderikhin,I.M., 0=15975
Sharbaugh,A.H. and Watson,P.K. Conduction currents in liquid n-hexane under microsecond pulse conditions, 0=6800
Sharbaugh,A.H. See Watson,P.K., 0=12418
Sharikadze,D.V. "Progressing-wave" [avtomodel'nÿe] motions and a point explosion in the magnetohydrodynamics of an infinitely conducting gas, 0=2432
Sharikadze,D.V. See Dzhorbenadze,N.P., 0=19899
Sharma,B. Thermal stresses in a semi-infinite elastic solid due to periodic temperature distribution over a portion of its plane surface, 0=10626
Sharma,B. See Whyte,G.N., 0=15560
Sharma,B.L. The thermal neutron activation cross section of ^{106}Ru, 0=20498
Sharma,H.D. Threshold potential for the low frequency electric discharge in air using a maze counter, 0=14988
Sharma,H.D. Influence of the inner electrode on the threshold potential using Siemen's type ozonizers under low frequency silent electric discharge, 0=14989
Sharma,H.D. See Jatar,D.P., 0=7096
Sharma,H.D. See Jatar,D.P., 0=16986
Sharma,O.P. See Durga Prasad,N., 0=13004
Sharma,R.C. See Steenberg,N.R., 0=2690
Sharma,S.K. Rotation of a plane lamina in a visco-elastic liquid, 0=6747
Sharma,S.K. Diurnal variation of deviative absorption in the F_2 region of the ionosphere, 0=12186
Sharma,S.K. Diffusion of vorticity in visco-elastic liquids, 0=16680
Sharma,S.K. Diffusion of vorticity in visco elastic liquids, 0=19072
Sharonov,D.I. See Berkovich,S.L., 0=3633
Sharov,A.S. The spatial structure of several clusters of galaxies, 0=18830
Sharov,B.V. See Batenin,I.V., 0=1917
Sharoyan,E.G. See Kocharyan,N.M., 0=7441
Sharp,B.B. Cavity formation in simple pipes due to rupture of the water column, 0=6762
Sharp,R.A. See Schmitt,R.A., 0=14402
Sharp,R.T. Simple derivation of the Clebsch—Gordan coefficients, 0=908
Sharp,R.T. See Smith,R.C., 0=17457
Sharp,R.W. See Archibald,P.C., 0=12666
Sharples,R. See George,W.R., 0=7972
Sharrah,P.C.,Petz,J.I. and Kruh,R.F. Determination of atomic distributions in liquid lead—bismuth alloys by neutron and X-ray diffraction, 0=3521
Sharshanov,A.A. and Stepanov,K.N. Electromagnetic wave propagation in waveguides close to periodic, 0=19934
Sharvin,Yu.V. Measurement of surface tension at the boundary between superconducting and normal phases of indium, 0=8934
Sharvin,Yu.V. and Gantmakher,V.F. Anisotropy of surface tension at the boundary between the superconducting and normal phases in tin, 0=19566
Sharvin,Yu.V. See Gantmakher,V.F., 0=20875
Sharvin,Yu.V. See Zernov,V.B., 0=9932
Shashkov,Yu.M. and Akimchenko,I.P. The diffusion of lithium in silicon, 0=4302
Shashurin,I.P. See Levitskii,S.M., 0=1111
Shashurin,I.P. See Levitskii,S.M., 0=15028
Shaskol'skaya,M.P. and Vekilov,Yu.Kh. The effect of ultraviolet and X-ray irradiation on the internal friction of silver chloride, 0=13908
Shaskol'skaya,M.P. See Sun' Zhui-Fan, 0=13534
Shaskol'skaya,M.P. See Vekilov,Yu.Kh., 0=1848
Shastri,U.A. Some problems of plane stress in an aeolotropic circular disk, 0=19008
Shatalov,A.A. See Tolpÿgo,K.B., 0=15857
Shatas,R.A. See Pomerantz,M.A., 0=19729
Shatas,R.A. See Schieve,W.C., 0=7944
Shatilov,A.V. Scattering of light by dielectric ellipsoids of size comparable with the wavelength. I. A general expression for the scattering indicatrix of an ellipsoidal particle, 0=19447
Shatilov,A.V. See Tolstoi,N.A., 0=661
Shaukat,M.A. See K$^-$-collaboration, 0=1308
Shaukat,M.A. See K$^-$-Collaboration, 0=15430
Shaukat,M.A. See Imaeda,K., 0=1304
Shavitt,I. A calculation of the rates of the ortho-para conversions and isotope exchanges in hydrogen, 0=3293
Shavitt,I. See Boys,S.F., 0=8691
Shavitt,I. See Boys,S.F., 0=8692
Shavrin,P.I. See Klimentovskaya,M.V., 0=11384
Shaw,B.A. See Orton,B.R., 0=16692
Shaw,C.C. See Gates,D.M., 0=14302
Shaw,D. The tensile properties of irradiated uranium, 0=10271
Shaw,D. and Watts,B.N. Evaporated films of niobium, 0=14086
Shaw,E.A.G. and Sujir,R.J. Vibration patterns of loaded barium titanate and quartz disks, 0=19253
Shaw,G.L. The imaginary part of the optical model potential for neutron interactions with nuclei, 0=5779
Shaw,G.L. See Ross,M.H., 0=1310
Shaw,G.L. See Ross,M.H., 0=11106
Shaw,G.L. See Russell,J.E., 0=11488
Shaw,H.C. See Conzett,H.E., 0=5628
Shaw,H.J. See Elliott,B.J., 0=12693
Shaw,H.J. See Seiden,P.E., 0=8080
Shaw,J. See Rose,P.H., 0=19830
Shaw,R.W. and Mapother,D.E. Irreversibility in the superconducting transition of lead, 0=12559
Shaw,R.W.,Mapother,D.E. and Hopkins,D.C. Critical fields of superconducting tin, indium, and tantalum, 0=16951
Shaw,R.W. See Finnemore,D.K., 0=8935
Shaw,T.M. Effect of water vapor on the dissociation of hydrogen in an electrical discharge, 0=3756
Shaylor,H.R. See Fremlin,J.H., 0=3820
Shchebolev,V.T. See Komar,A.P., 0=11001
Shchedrin,B.M. See Trifonov,N.P., 0=18342
Shcheglov,P.V. See Shklovskii,I.S., 0=18889
Shcheglov,P.V. See Volkov,I.V., 0=6957
Shchegolev,G.T. See Suetin,P.E., 0=8697
Shchemelev,V.N. See Zimkina,T.M., 0=21194
Shchepetkin,Yu.P. Aspherical diffraction grating with one plane of symmetry. I. Aberrations of an aspherical grating, 0=1042

Shchepetkin,Yu.P. Certain possibilities of correcting for the vertical astigmatism in assemblies on Rowland's circle. A vacuum monochromator with a concave grating and a toroidal mirror, 0=3630
Shchepkin,D.N. Experimental determination of the infrared absorption-band parameters in liquids, 0=12488
Shchepkin,D.N. See Bulanin,M.O., 0=3535
Shchepkin,D.N. See Chulanovskii,V.M., 0=12481
Shchepkin,D.N. See Chulanovskii,V.M., 0=12482
Shcherbakov,Yu.A. See Kozodaev,M.S., 0=9697
Shcherbakov,Yu.A. See Kozodaev,M.S., 0=12933
Shcherbakova,M.N. See Zhdanov,G.B., 0=9618
Shcherbedinskii,G.V. See Borisov,V.T., 0=8268
Shcherbina,A.G. See Kolenko,E.A., 0=16744
Shchukin,E.D. and Likhtman,V.I. Brittle rupture of zinc single crystals, 0=689
Shchukin,E.D. See Goryunov,Yu.V., 0=6313
Shchukin,E.D. See Kochanova,L.A., 0=16239
Shear,D.D. See Bennett,F.D., 0=3642
Sheard,F.W. The thermal conductivity of impure InAs at high temperatures, 0=20757
Sheard,F.W. and Ziman,J.M. Thermal conductivity of isotopic mixtures of solid helium, 0=19544
Sheard,F.W. See Berman,R., 0=9901
Shearman,E.D.R. and Harwood,J. Sporadic-E as observed by back-scatter techniques in United Kingdom, 0=14232
Shebanov,V.A. See Krestnikov,Yu.S., 0=11192
Shechet,M.L. Lightweight suntracker for balloon applications, 0=10399
Sheff,S. See Zwerdling,S., 0=12087
Shefov,N.N. See Krassovsky,V.I., 0=4808
Sheftal',N.N. See Belov,N.V., 0=18286
Sheftel',I.T.,Zaslavskii,A.I.,Kurlina,E.V. and Tekster-Proskuryakova,G.N. Electrical properties and structure of complex oxide semiconductors. I. MnO—CuO—CoO—O_2 system, 0=2900
Sheftel',I.T. See Burkin,A.L., 0=8836
Sheftel',I.T. See Kolomiets,B.T., 0=15950
Sheftel',N.N. See Slavnova,E.N., 0=18296
Shefter,G.M. See Rÿzhov,O.S., 0=6826
Shefter,G.M. See Rÿzhov,O.S., 0=14676
Shein,V.B. Experimental investigation of concentration-convection processes in vertical or slightly inclined circular tubes, 0=10639
Sheinkman,M.K. On the mechanism of photoconductivity of single crystals of the cadmium sulphide type, 0=13632
Sheka,E.F. See Shpak,M.T., 0=10063
Sheka,E.F. See Shpak,M.T., 0=21003
Sheka,V.I. Symmetry of the energy bands of an electron with spin, 0=15832
Shekhmamet'ev,R.I. See Gross,E.F., 0=16047
Shekhter,V.M. Interference of form-factors in leptonic decay of hyperons, 0=9438
Shekhter,V.M. Beta-decay of strange particles, 0=13069
Shekhter,V.M. The process $e^- + p \rightarrow \Lambda + \nu$, 0=15329
Shekhter,V.M. See Belov,V.P., 0=9439
Shekun,L.Ya. See Imamutdiniv,F.S., 0=2982
Shelby,J. See Newkirk,G.A., 0=4897
Sheldon,J.A. See Billmeyer,F.W.,Jr, 0=183
Sheleg,A.U. See Sirota,N.N., 0=13994
Shelemina,V.M. See Podmoshenskii,I.V., 0=3627
Shelepin,L.A. A contribution to the theory of relativistically invariant equations, 0=7287
Sheline,R.K. Vibrational states in deformed even-even nuclei, 0=9528
Sheline,R.K.,Nielsen,H.L. and Sperduto,A. An aid in the determination of nuclear spins, 0=5650
Sheline,R.K.,Nielsen,H.L. and Sperduto,A. Coulomb excitation of beta- and gamma-vibrational states in Sm^{152}, 0=11415
Sheline,R.K. See Bayman,B.F., 0=1364
Sheline,R.K. See Bjørnholm,S., 0=1363
Shelkov,L.S.,Prager,I.A. and Kostin,A.G. Photon counters for accurate measurements of ultraviolet radiation, 0=3598
Shelton,H.,Hendricks,C.D.,Jr and Wuerker,R.F. Electrostatic acceleration of microparticles to hypervelocities, 0=11989
Sheludko,A. and Ekserova,D. Electrostatic repulsion between diffuse electric layers in bilateral liquid films, 0=12420
Shelÿkh,A.I. See Averkin,A.A., 0=13615
Shemetenko,B.P. See Smirenkin,G.N., 0=11458
Shemilt,L.W. See Dullien,F.A.L., 0=19106
Shen,K.Y. See Griem,H.R., 0=1480
Shenstone,A.G. The third spectrum of cobalt (Co III), 0=9762
Shenton,Y. See Hitchcock,A., 0=7656
Shepelev,M.N. See Dolgov-Savel'ev,G.G., 0=9029
Shephard,W.D. See Walker,W.D., 0=13022
Shepherd,D.M. See Jansen,D.H., 0=8273
Sheppard,A.P. See Derr,V.E., 0=19918
Sheppard,N. See Mathieu,M.V., 0=15731
Sheppard,P.A. Dynamics of the upper atmosphere, 0=12153
Shepstone,B.J. See Alberts,L., 0=11847
Sher,A. and Norberg,R.E. Field-swept Carr—Purcell experiment, 0=9224
Sher,A. and Primakoff,H. Approach to equilibrium in quantal systems: magnetic resonance, 0=12378
Sherbaf,I.D. See Al'perovich,L.I., 0=19158
Sheridan,K.V. An investigation of the strong radio sources in Centaurus, Fornax, and Puppis, 0=4865
Sheridan,K.V. See Wild,J.P., 0=4855
Sherif,I.I. The transfer of momentum across surfaces drawn perpendicular to the direction of flow in gases under laminar conditions, 0=19175
Sherif,I.I. A thermal conductivity gauge for accurate high vacuum measurements, 0=19229
Sherlin,G.C. Behavior of isolated disturbances superimposed on laminar flow in a rectangular pipe, 0=19063
Sherman,A.E. See Coensgen,F.H., 0=17000
Sherman,A.E. See Nexsen,W.E., 0=17013
Sherman,B.,Heikes,R.R. and Ure,R.W.,Jr. Calculation of efficiency of thermoelectric devices, 0=3734
Sherman,L.F. Measurements of the $^{238}U(n, 2n)^{237}U$ cross-section, 0=13267
Sherman,R.H. and Edeskuty,F.J. Pressure—volume— temperature relations of liquid He^3 from 1.00 to 3.30°K, 0=10821
Sherman,R.H. See Hammel,E.F., 0=8873
Sherman,S. Combinatorial aspects of the Ising model for ferromagnetism. I. A conjecture of Feynman on paths and graphs, 0=11814
Sherman,W.F. See Price,W.C., 0=10375
Shermergor,T.D. Calculation of the distribution function of the relaxation times for the elastic after-effect, 0=16222
Sherrill,M.D. See Glover,R.E.,III, 0=19559
Shersby-Harvie,R.B.R. Radio-frequency forced oscillations in non-uniform plasmas, 0=19703
Sherstkov,Yu.A. Applicability of the Cowan and Dieke function to a direct-current arc, 0=3751
Sherwell,R.J. See Hambleton,K.G., 0=7951
Sherwin,C.W. Some recent experimental tests of the "clock paradox", 0=18917
Sherwin,C.W.,Frauenfelder,H.,Garwin,E.L.,Lüscher,E., Margulies,S. and Peacock,R.N. Search for the anisotropy of inertia using the Mössbauer effect in Fe^{57}, 0=10569
Sherwin,C.W. See Hicks,B.L., 0=12700
Sherwood,A.A. Ronchi test charts for parabolic mirrors, 0=3604
Sherwood,A.A. Ronchi test charts for parabolic mirrors, 0=16816
Sherwood,J.N. and Thomson,S.J. Growth of single crystals of anthracene, 0=12008
Sherwood,J.N. and Thomson,S.J. The diffusion of anthracene-9-C-14 in single crystals of anthracene, 0=17977
Shestopalov,L.M. Relationships between properties of atoms and crystals, 0=15797
Shestopalov,V.P. and Adonina,A.I. Influence of periodic annular slots and of thin dielectric layers on the wave attenuation in circular waveguides, 0=11056
Shestopalov,V.P. and Kondrat'ev,B.V. Spatial resonance in a spiral waveguide placed in a magneto-dielectric medium, 0=4955
Shestopalov,V.P. and Kondrat'ev,B.V. Spatial resonance in a spiral waveguide placed in a magneto-dielectric medium, 0=11057
Shestopalov,V.P. and Shishkin,L.A. Slow electromagnetic waves in helix waveguides with a gyrotropic medium, 0=11058
Shestopalov,V.P. and Slyusarskii,V.A. Investigation of a helix-anisotropic dielectric and helix-ribbed structure slow-wave systems. I. 0=11055
Shestopalov,V.P.,Slyusarskii,V.A.,Andrenko,S.D. and Chernyakov,É.I. Electromagnetic waves in a spiral guide filled with an anisotropic dielectric, 0=15149
Shestopalov,V.P.,Slyusarskii,V.A. and Yatsuk,K.P. Investigations of helix—anisotropic dielectric and helix—ribbed structure slow wave systems. II, 0=15151
Shestopalov,V.P. and Spol'nik,L.I. Dispersive properties of a coaxial spiral line placed in a magneto-dielectric medium, 0=9211

Shestopalov,V.P. and Yatsuk,K.P. The use of slow surface waves for the measurement of the dielectric permittivity of substances at ultra high frequencies, 0=3718

Shestopalov,V.P. and Yatsuk,K.P. Use of slow surface waves to measure the dielectric susceptibility of materials at ultra-high frequencies. II, 0=10864

Shestopalov,V.P.Yatsuk,K.P. and Yakimenko,I.P. Use of slow surface waves for measuring the dielectric susceptibility of a material at ultra-high frequencies. III, 0=10865

Shestopalov,V.P. See Bulgakov,B.M., 0=17110

Shestopalov,V.P. See Kalmykova,S.S., 0=17111

Shestopalova,S.A. See Dzhelepov,B.S., 0=11355

Shestoperov,V.Ya. See Grigorov,N.L., 0=15479

Shevchenko,I.B. See Konorov,P.P., 0=15986

Shevchenko,V.G. See Neudachin,V.G., 0=20477

Shevel,W.L.,Jr. Millimicrosecond switching properties of ferrite computer elements, 0=2421

Shevel,W.L.Jr, and Chang,H. A new approach to high-speed storage—low flux density materials, 0=10169

Shevel,W.L.,Jr. See Brownlow,J.M., 0=9137

Shevelëv,A.K. and Balakina,L.M. Camera for photographing X-ray diagrams at low and high temperatures (TRK), 0=716

Shevelev,Ya.V. Neutron diffusion in a one-dimensional uranium—water lattice, 0=7365

Shevelev,Ya.V. The thermal utilization in a close-packed lattice, 0=7660

Shewmon,P.G. and Winslow,F.R. Diffusion in metals, 0=11637

Shi Yan. See Yan Shi.

Shibata,H. and Watanabe,S. On a method of short-term prediction of f_0F2, 0=14259

Shibata,T.,Kimura,I. and Suita,T. N.M.R. study of γ-ray induced polymerisation of ethyl acrylate, 0=1516

Shibata,T.,Masuda,K. and Suita,T. Electric breakdown of mica at microwave frequency, 0=20965

Shibata,T.,Toi,A.,Suita,T. and Kisaka,S. Electrostatic transformer type particle accelerator using ceramic $BaTiO_3$-Ferrostac, 0=5365

Shibuya,Y.,Tawara,Y.,Tanuma,S.,Saito,Y.,Muto,Y. and Fukuroi,T. Some physical properties of alloys of $0.007 \sim 5.4\%$ Mn in Cu, 0=20868

Shibuya,Y. See Muto,Y., 0=6084

Shida,S. See Hayashi,T., 0=13882

Shida,S. See Kuri,Z., 0=4732

Shida,S. See Yamazaki,H., 0=6417

Shields,F.D. Sound absorption in the halogen gases, 0=2183

Shields,H. See Gordy,W., 0=20705

Shiffman,C.A. See Mendelssohn,K., 0=7033

Shigin,V.A. See Gokhberg,B.M., 0=1452

Shigin,V.A. See Gokhberg,B.M., 0=4132

Shiklosh [Siklós] T. Quantum mechanical theory of ferromagnetic semiconductors, 0=6226

Shiklosh [Siklós] T. See Tyablikov,S.V., 0=6225

Shilkov,K.S. See Korobochko,Yu.S., 0=17062

Shilliday,T.S. See Davis,P.W., 0=10028

Shilo,V.P. See Goryunova,N.A., 0=13610

Shil'shtein,S.Sh. See Bogorodskii,O.V., 0=21183

Shil'shtein,S.Sh. See Kagan,A.S., 0=8192

Shimanouchi,T. See Suzuki,I., 0=3532

Shimanouchi,T. See Suzuki,I., 0=9805

Shimanskaya,N.P.,Kilimov,A.P.,Grekov,A.P.,Egupova,L.M. and Azen,R.S. Plastic scintillators with addition of aryl derivatives of 1,3,4-oxadiazole, 0=10073

Shimanskaya,N.S. and Yashugina,E.A. A calorimetric determination of the half-life of Ac^{227}, 0=5686

Shimanskaya,N.S. See Gorshkov,G.V., 0=5685

Shimazaki,T. Effect of the S_q current system on the ionospheric E- and F1-layers, 0=8382

Shimazaki,T. Dynamical structure of the ionospheric F2-layer as deduced from the world-wide daily variations, 0=8393

Shimazaki,T. A statistical study of world-wide occurrence probability of spread-F. I. Average state, 0=14245

Shimazaki,T. A statistical study of world-wide occurrence probability of spread-F. II. Abnormal state in severe magnetic storms, 0=14246

Shimazaki,T. World-wide measurements of horizontal ionospheric drifts, 0=21336

Shimizu,A. See Fukai,Y., 0=15633

Shimizu,H. See Fujiwara,S., 0=15759

Shimizu,K. See Nishiyama,Z., 0=18418

Shimizu,M.,Mizuno,Y. and Izuyama,T. Molecular processes induced by μ^- mesons in hydrogen bubble chamber. I, 0=17862

Shimizu,M. See Mizuno,Y., 0=17863

Shimizu,T. See Ogimoto,T., 0=11204

Shimizu,T. See Takuma,H., 0=20668

Shimizu,Y. Magnetic viscosity of magnetite, 0=18184

Shimoda,K. Radiofrequency spectroscopy using three-level maser action, 0=20642

Shimoda,K. See Takuma,H., 0=20668

Shimodaira,H. Some remarks on fields with negative propagators in quantum field theory, 0=17222

Shimodaira,H. See Judge,O., 0=17211

Shimodaira,H. See Matumoto,K., 0=13032

Shimoji,M. A theoretical treatment of the excess energies of binary metallic solutions, 0=21237

Shimomura,K. Zeeman study of nuclear quadrupole resonance spectrum in p-dibromobenzene, 0=8094

Shimoura,K. See Katsumori,H., 0=17245

Shin,H.M.,Hahm,H.K.,Kwon,S.I.,Jo,S.H. and Hong,S.B. High temperature mass spectrometer sample system, 0=21300

Shinnaka,Y. X-ray study on molecular rotation in tetragonal ammonium nitrate, 0=21190

Shinohara,K. See Matsugashita,T., 0=8320

Shinohara,U. See Ieda,M., 0=18108

Shiono,R. See Jeffrey,G.A., 0=10302

Shiozaki,T. See Ikeda,K., 0=15504

Shiozaki,T. See Ikeda,K., 0=20314

Shirahase,R. See Sakurai,T., 0=14753

Shirane,G.,Pickart,S.J. and Ishikawa,Y. Neutron diffraction study of antiferromagnetic $MnTiO_3$ and $NiTiO_3$, 0=21200

Shirane,G.,Pickart,S.J. and Newnham,R. Neutron-diffraction study of Ti_2O_3, 0=16148

Shirane,G. See Jona,F., 0-4379

Shirane,G. See Nathans,R., 0=4492

Shirane,G. See Subbarao,E.C., 0=8218

Shirane,G. See Subbarao,E.C., 0=13652

Shirane,G. See Takei,W.J., 0=11850

Shirer,H.W.,Shackelford,R.B. and Jochim,K.E. A magnetic flowmeter for recording cardiac output, 0=6492

Shirke,J.S. Measurement of the ionospheric absorption on 2.5 Mc/s at Ahmedabad, 0=5423

Shirkov,D.V. See Bogolyubov,N.N., 0=9258

Shirkov,D.V. See Efremov,A.V., 0=20202

Shirley,D.A. The heat capacity of lithium chloride from 15 to 325 degrees kelvin, 0=17891

Shiro,I. See Hirao,K., 0=14195

Shirokov,M.I. Asimuthal symmetries in cascade reactions and parity conservation, 0=11128

Shirokov,M.I. On a symmetry in τ^0 decay, 0=15425

Shirokov,V.I. The nature of non-active absorption in anti-Stokes excitation of fluorescence, 0=88

Shirokov,Yu.M. Space and time reflections in relativistic theory, 0=5476

Shirokov,Yu.M. Types of symmetry of elementary particles, 0=5477

Shirokov,Yu.M. Spatial and time reflections in relativistic theory, 0=5491

Shirokova,T.A. Second approximation in the method of smooth perturbations, 0=19264

Shirokovskii,V.P. See Sokolov,A.V., 0=2931

Shiryaev,V.I. See Kamenetskaya,D.S., 0=3173

Shishatskaya,L.P. See Levikov,S.I., 0=161

Shishkin,G.V. See Baranov,S.A., 0=7479

Shishkin,L.A. Sound absorption in ferromagnetic dielectrics in a magnetic field at low temperatures, 0=2801

Shishkin,L.A. See Bulgakov,B.M., 0=17110

Shishkin,L.A. See Shestopalov,V.P. 0=11058

Shishkin,N.I. Vitrification of liquids and polymers under pressure. V. Formation of condensed glasses, 0=12060

Shishkin,N.I. and Kovalichev,O.F. Vitrification of liquids and polymers under pressure. VI. Dependence of volume of condensed glasses on temperature, 0=12061

Shishkin,N.I. and Vershinina,M.P. Dependence of the electrical conductivity of polymers on temperature, 0=563

Shishkin,Yu.G. See Pavlovskaya,E.D., 0=17023

Shishova,L.N. See Breido,I.Ya., 0=4430

Shivananda Tolpadi,S. Equation of state of potassium chloride, 0=2779

Shklovskaya-Kordi,V.V. See Zarembo,L.K., 0=19129

Shklovskii,I.S. Corpuscular emission from early-type stars as a possible cause of emission from nebulae in the region 1225-1350 A, 0=18840

Shklovskii,I.S.,Esipov,V.F.,Kurt,V.G.,Moroz,V.I. and Shcheglov,P.V. An artificial comet, 0=18889

Shklovskii,I.S. See Getmantsev,G.G., 0=5
Shklovskii,I.S. See Krasovskii,V.I., 0=1979
Shklovskii,I.S. See Pikel'ner,S.B., 0=18839
Shklovsky,I.S. On the nature of the emission of the Crab nebula, 0=10523
Shklovsky,I.S. Elementary processes in the upper atmosphere and their manifestation in emissions, 0=18509
Shklyarevskii,G.M. One-particle mechanism in high-energy photonuclear reactions, 0=9654
Shklyarevskii,I.N. Measurement of thickness of films using equal-chromatic-order lines, 0=1040
Shklyarevskii,I.N. A new interferometric method of measuring the dispersion in liquids, 0=6945
Shklyarevskii,I.N. and Avdeenko,A.A. Reduction of reflection of metallic coatings, 0=3635
Shklyarevskii,I.N. and Padalka,V.G. The anomalous skin-effect and the optical constants of copper, silver, gold and nickel in the infrared region, 0=6078
Shklyarevskii,I.N. and Sharapov,A.I. A photographic method of measuring optical constants of metals, 0=16031
Shklyarevskii,I.N.,Verkhovtseva,E.T. and Polyakova,G.N. The "vernier effect" observed when the thickness of thick layers is measured using an interferometric method, 0=8805
Shklyarevskii,I.N. See Padalka,V.G., 0=20966
Shklyarevskii,I.N. See Sinel'nikov,K.D., 0=12492
Shkobin,Yu.N. See Van Gan-Chan, 0=3898
Shkoda-Ul'yanov,V.A. On the possibility of applying the Belen'kii—Tamm equilibrium spectrum to the determination of the excitation functions of the (γ,n) reactions, 0=2677
Shkoda-Ul'yanov,V.A. See Grizhko,V.M., 0=20472
Shlepkova,Z.I. See Pedos,F.Z., 0=3628
Shliomis,M.I. The absorption of ultrasound in electrolytes, 0=19293
Shlott,Kh. See Gĕrlikh,P., 0=20142
Shlyapnikov,R.S. See Matveev,V.V., 0=5532
Shmatov,V.T. See Skrotskii,G.V., 0=7013
Shmelev,G.I. Materials for thermoelectric devices made from ternary intermetallic compounds, 0=16002
Shmelev,G.I. See Airapetyants,S.V., 0=12005
Shmelev,I.I. See Barkhatov,A.N., 0=19270
Shmelev,V.P. Application of the variational principle for the determination of the binding energy of a proton—electron—positron system, 0=9727
Shmelev,V.P. Polarization of a hydrogen atom in the ground state by the field of a point charge, 0=20544
Shmidt,V.V. See Borovskii,I.B., 0=1738
Shmoys,J. and Mishkin,E. Hydromagnetic waveguide with finite conductivity and arbitrary cross-section, 0=11026
Shmushkevich,I.M. The polarization of nuclei by capture of polarized μ^--mesons into meso-atomic K-shells, 0=1490
Shmushkevich,I.M. See Bukhvostov,A.P., 0=11196
Shockley,W. and Moll,J.L. Solubility of flaws in heavily-doped semiconductors, 0=15916
Shockley,W. See Goetzberger,A., 0=18032
Shockley,W. See Hubner,K., 0=13602
Shoda,K. See Ishii,C., 0=9326
Shoemaker,C.B. See Low,B.W., 0=4663
Shoemaker,D.P. See Waugh,J.S., 0=5911
Shoenberg,D. The De Haas—Van Alphen effect in copper, silver and gold, 0=16121
Shogenji,K. On galvanomagnetic effects in p-type crystals of PbTe, 0=20920
Sholokhovich,M.L. See Novosil'tsev,N.S., 0=708
Shone,M.G.T. See Lambert,J.D., 0=8701
Shonle,J.I. Negative pion-proton elastic scattering at 600 to 750 MeV, 0=17392
Shono,Y. and Tanaka,H. Nuclear collective motion and the effective two-body potential, 0=20310
Shoolery,J.N. Dependence of C^{13}—proton spin coupling constants on s character of the bond, 0=4225
Shooter,E.V. See Butler,J.A.V., 0=7822
Shore,F.J. Displacement-type He II heat switch, 0=16940
Shore,F.J.,Sailor,V.L.,Marshak,H. and Reynolds,C.A. Use of graphite as low temperature support and shunt for heat switch, 0=16958
Short,A.M. Decay of a tau-meson underground, 0=5600
Short,M.A. Detection and correction of nonlinearity in X-ray proportional counters, 0=11139
Shotov,A.P. See Vul,B.M., 0=15937
Shpak,E.V. See Yavor,S.Ya., 0=10960
Shpak,M.T. and Sheka,E.F. The intrinsic luminescence of crystalline naphthalene, 0=10063
Shpak,M.T. and Sheka,E.F. The effect of impurities on luminescence of crystalline naphthalene, 0=21003
Shpigel',I.S. See Andryukhina,É.D., 0=16978
Shpinel',V.S. See Bedesku,A., 0=11386
Shpinel',V.S. See Delyagin,N.N., 0=20788
Shpunt,A.A. See Geguzin,Ya.E., 0=10278
Shpunt,A.A. See Geguzin,Ya.E., 0=17924
Shrader,E. See Larach,S., 0=2969
Shrafranov,V.D. On the stability of a cylindrical gaseous conductor in a magnetic field, 0=5313
Shramenko,B.I. See Grishaev,I.A., 0=11146
Shramenko,B.I. See Grizhko,V.M., 0=20472
Shraronov,V.V. See Radlova,L.N., 0=8485
Shrednik,V.H. See Komar,A.P., 0=4700
Shrednik,V.N. Interpretation of the field-emission images
Shreider,E.Ya. Measurement of intensities in the Balmer series and determination of the concentration of excited atoms in discharge, 0=1477
Shscherbakov,V.M. See Vdovenko,V.M., 0=6814
Shteins,K.A. The distribution of the Jovian group of comets. II. The spatial problem, 0=18724
Shtennikova,I.N. See Tsvetkov,V.N., 0=12501
Shtepa,N.I. Calculation of trajectories of relativistic charged particles in electric and magnetic fields by the Adams' method of finite differences, 0=7174
Shtepa,N.I. Motion of a relativistic charged particle in the magnetic field produced by a constant cylindrical [discharge] current of a rarefied plasma, 0=10982
Shtepa,N.I. Numerical determination of the trajectories of charged relativistic particles in electric and magnetic fields, 0=12638
Shtivel'man,K.Ya. The energy spectrum of holes in crystals of the diamond type, 0=11597
Shtivel'man,K.Ya. The energy spectrum of holes in diamond-type crystals, 0=15952
Shtol'ts,E.V. See Kandaurova,G.S., 0=3002
Shtol'ts,E.V. See Shur,Ya.S., 0=6232
Shtrikman,S. and Treves,D. On the resolution of Brown's paradox, 0=10141
Shtrikman,S. and Treves,D. Internal structure of Bloch walls, 0=10142
Shtrikman,S. and Treves,D. The remanence of ferromagnetic powders, 0=10154
Shtrikman,S. and Treves,D. The coercive force and rotational hysteresis of elongated ferromagnetic particles, 0=13783
Shtrikman,S. and Treves,D. Fine structure of Bloch walls, 0=13802
Shtrikman,S. See Aharoni,A., 0=1785
Shtrikman,S. See Aharoni,A., 0=3004
Shtrikman,S. See Frei,E.H., 0=3853
Shtrikman,S. See Frei,E.H., 0=10181
Shtrum,E.L. Semiconducting properties of the $AgFeTe_2$ phase, 0=15961
Shuba,Yu.A. and Smirnova,I.V. Photoelectric emission from copper and silver iodide, 0=15055
Shubin,A.A. See Golovashkin,A.I., 0=6077
Shubnikov,A.V. Antisymmetry of textures, 0=12057
Shubnikov,A.V. The inherent symmetry of atoms and molecules in a crystal, 0=13922
Shubnikov,A.V. Symmetry and antisymmetry of rods and semicontinua with a principal axis of infinite order and finite translations along it, 0=13924
Shubnikov,A.V. Complete systematics of point groups of symmetry, 0=16248
Shubny̆i,Yu.K. See Kaipov,D.K., 0=20338
Shugart,H.A. See Ewbank,W.B., 0=20327
Shugart,H.A. See Petersen,F.R., 0=1353
Shuiskaya,F.K. Determination of the Balmer decrement in auroral spectra, 0=21380
Shukeilo,I.A. Strong-focusing lens with cylindrical pole pieces, 0=9088
Shukeilo,I.A. See Grinberg,G.A., 0=10963
Shukhtin,A.M. Determination of the gas density and the electron concentration in a discharge using an interferometric method, 0=12593
Shukhtin,A.M.,Egorov,V.S. and Tumakaev,G.K. A continuous-spectrum emission source capable of single short-duration flashes, 0=16865
Shukhtin,A.M. See Sobolev,N.N., 0=8854
Shukla,P.G. See Biswas,S., 0=9489
Shukla,P.G. See Biswas,S., 0=15468
Shukla,R.C. See Varshni,Y.P., 0=17853

Shuler,K.E. Vibrational distribution functions in bimolecular dissociation reactions, 0=3299
Shuler,K.E. Relaxation of an isolated ensemble of harmonic oscillators, 0=14525
Shuler,K.E. See Rubin,R.J., 0=15682
Shull,C.G.,Wilkinson,M.K. and Mueller,M.H. Slow neutron scattering by the titanium isotopes, 0=9684
Shull,C.G. See Nathans,R., 0=4492
Shull,F.B. See Allas,R.G., 0=2665
Shull,H. The nature of the two-electron chemical bond. I. The homopolar case, 0=15766
Shull,H. and Hall,G.G. Atomic units, 0=7237
Shull,H. See Linderberg,J., 0=17651
Shull,T.T. See Dropesky,B.J., 0=11351
Shüller,E. Contrast shadowcasting of dislocation etch pits in LiF single crystals for electron microscopical examination, 0=12092
Shul'man,A.R. and Ganichev,D.A. Secondary electron emission and elastic reflection of electrons from single crystals of germanium for low-energy electrons, 0=12631
Shul'man,A.R. and Gel',E.P. The depth of colouration in alkali-halide crystals bombarded by electrons with energies from 6 to 15 kV at various angles of incidence, 0=13550
Shul'man,A.R. See Fridrikhov,S.A., 0=7145
Shul'man,A.R. See Kapitsa,M.L., 0=10941
Shul'man,A.R. See Mel'nikov,A.I., 0=10935
Shul'man,L.A. Theory of the electron spin resonance of F-centres in crystals with the NaCl structure, 0=11950
Shulman,R.G. Nuclear magnetic resonance in magnetic materials, 0=2429
Shulman,R.G. and Knox,K. Nuclear magnetic resonance in KMnF$_3$, 0=11955
Shulman,R.G. and Knox,K. Interactions of p$_\sigma$ and p$_\pi$ orbitals in transition element fluorides, 0=18227
Shulman,R.G. See Stout,J.W., 0=10248
Shultin,A.A. Effect of the crystal lattice field on oscillations of the NO$_3^-$ (or CO$_3^{2-}$) ions, as found from the data of the infrared spectra of sodium nitrate and calcite, 0=524
Shultin,A.A. See Gross,E.F., 0=20972
Shulyak,B.A. Deformed beds of undulating streams and their structural parameters, 0=8628
Shuman,V.B. See Pilat,I.M., 0=1660
Shumskiy,P.A. Density of glacier ice, 0=8362
Shumway,G. Sound speed and absorption studies of marine sediments by a resonance method. I, 0=8739
Shuppe,G.N. See Gofman,I.I., 0=15048
Shur,L.I. See Kartuzhanskii,A.L., 0=10789
Shur,Ya.S. and Glazer,A.A. Thermomagnetic treatment and ordering processes. I. Relation of the effect of thermomagnetic treatment to ordering processes, 0=1941
Shur,Ya.S.,Shtol'ts,E.V. and Margolina,V.I. Magnetic structure in small monocrystalline particles of the MnBi alloy, 0=6232
Shur,Ya.S. See Kandaurova,G.S., 0=3002
Shur,Ya.S. See Kandaurova,G.S., 0=6233
Shur.Ya.S. See Luzhinskava.M.G.. 0=18187
Shuraleva,E.I. See Parfianovich,I.A., 0=9907
Shure,K. and Roys,P.A. Spatial distribution of thermal neutrons from an N^{17} source in water, 0=12993
Shure,K. See Roys,P.A., 0=13278
Shuskus,A.J.,Young,C.G.,Gilliam.O.R. and Levy,P.W. Electron spin resonances in irradiated potassium azide, 0=17919
Shustrov,B.N. A new design of pulse magnetic mass spectrometer with high resolving power, 0=17050
Shute,G.G. and Sood,B.S. Lifetime of the 961 keV 1$^-$ level in ^{152}Sm, 0=20337
Shuter,W.L.H. See Galt,J.A., 0=18676
Shutilov,V.A. Optical investigations of a large-amplitude ultrasonic waveform in a liquid, 0=997
Shutilov,V.A. See Mikhailov,I.G., 0=140
Shutilov,V.A. See Mikhailov,I.G., 0=10641
Shutt,A. A note on spread in indenting, 0=16212
Shuttleworth,R. See Johnson,G.W., 0=19120
Shuvalov,L.A. Ferromagnetic phase transitions and the symmetry of crystals, 0=13760
Shuvalov,L.A. and Tavger,B.A. Symmetry of magnetostrictive properties of crystals, 0=13817
Shuvalov,Yu.N. The relationship between the conductivity and the electron density distribution in a germanium crystal, 0=586
Shuvalov,Yu.N. See Rumsh,M.A., 0=12041
Shvaika,O.P. and Grekov,A.P. The relationship between the chemical structure and the scintillation efficiency of
Shvaikovskaya,E.O. See Revnov,B.I., 0=13544
Shvangiradze,R.R.,Oganezov,K.A. and Chikhladze,B.Ya. Isotopic shifts of bands in the electron-vibrational spectra of certain diatomic molecules, 0=15713
Shvartsenau,N.F. Refining tellurium by the zone melting technique, 0=13963
Shvartzman,B.F. See Galanina,N.D., 0=20355
Shvedov,K.K. See Zaitsev,V.M., 0=14728
Shvedova,N.S. See Ilyukhin,V.S., 0=16776
Shvets,A.D. See Esel'son,B.N., 0=10829
Shvetsov,E.N. The theory of phase transitions in a Bose gas, 0=3462
Sianesi,D. See Morero,D., 0=4676
Siao Tien-To. Corrections for mean-velocity and turbulence measurements for high turbulence levels, 0=12408
Sibir,E.E. See Bulȳginskii,D.G., 0=1146
Sibley,W.A. See Theimer,O., 0=11618
Sibley,W.L. See Vestine,E.H., 0=12194
Sibley,W.L. See Vestine,E.H., 0=16410
Sicard,L.,Eyraud,L. and Elston,J. The effect of a structural transformation in a solid on the coefficient of thermal diffusivity. Application to barium titanate, 0=548
Sícha,M. The influence of a strong high-frequency field on the stratification of the positive column of a d.c. glow discharge, 0=3754
Sicha,M. The influence of a h.f. field on the homogeneous positive column of a d.c. glow discharge, 0=7086
Šicha,M. The influence of an amplitude modulated h.f. field on the homogeneous positive column of a d.c. discharge, 0=10889
Sichirollo,A.E. See Bonetti,A., 0=12476
Siddall,G. The preparation of electroluminescent panels, 0=18153
Siddall,G. and Smith,G. Preparation of metal film resistors on laminated plastics, 0=8287
Sidei,T. and Higashimura,T. Measurements of low energy beta-rays, 0=9340
Sidei,T. See Higashimura,T., 0=7490
Sidhu,S.S.,Campos,F.P. and Zauberis,D.D. X-ray diffraction studies of pile-irradiated hafnium hydrides. 0=14015
Sidles,P.H. See Wallace,D.C., 0=1558
Sidnikhin,A.I. See Aksenov,G.I., 0=15849
Sidorenkova,P.T. See Protass,I.R., 0=12745
Sidorov,B.A. Initial stage of the plastic deformation of metals, 0=1855
Sidorov,V.A. See Bogdanov,G.F., 0=7551
Sidorov,E.A. The effect of nonisothermicity on the hydraulic impedance in the laminar motion of trickling liquids, 0=14589
Sidorov,V.M. See Batusov,Yu.A., 0=20192
Sidorov,V.M. See Batusov,Yu.A., 0=20214
Sidorov,V.M. See Bogachev,N.P., 0=9354
Sidorov,V.M. See Bogachev,N.P., 0=9619
Sidorov,V.M. See Bogachev,N.P., 0=11400
Sidorov,V.M. See Bogachev,N.P., 0=13233
Sidorov,V.M. See Bunyatov,S.A., 0=2597
Sidorov,V.M. See Batusov,Yu.A., 0=2586
Sidorova,E.E. See Berg,L.G., 0=19469
Sidorovich,A.V. and Kuvshinskii,E.V. The anisotropic thermal expansion of polytetrafluoroethylene rolled in one direction, 0=10324
Sidorovich,A.V.,Vashchenko,V.S. and Kuvshinskii,E.V. Determination of the softening temperature of polymer films by means of measuring the thermomechanical curves under uniaxial stress, 0=8261
Sidyakin,V.G. Electrical properties of selenium with gold impurity, 0=11717
Sidyakin,V.G. See Geikhman,D.S., 0=1675
Siebring,B.R. and Schwahn,D.H. Institutional influences in the undergraduate training of Ph.D. physicists, 0=23
Siebring,B.R. and Schwahn,D.H. Baccalaureate origins of Ph.D. physicists, 0=25
Siedentopf,H. See Elsässer,H., 0=2085
Siedentopf,H. See Giese,R.H., 0=150
Siegbahn,K. See Berglung,S., 0=17645
Siegbahn,K. See Nilsson,R., 0=7500
Siegbahn,K. See Thun,J.E., 0=17549
Siegel,A. Differential-operator approximations to the linear Boltzmann equation, 0=16622
Siegel,B.M. See Bachmann,L., 0=14046
Siegel,K.M.,Goodrich,R.F. and Weston,V.H. Comments on far field scattering from bodies of revolution, 0=5404
Siegel,K.M. See Senior,T.B.A., 0=16525
Siegel,K.M. See Senior,T.B.A., 0=18619

Siegel,R. The effect of ultrasonic radiation on the creep of copper springs, 0=4563
Siegel,R. See Sparrow,E.M., 0=12518
Siegel,S.,Baum,L.H.,Skolnik,S. and Flournoy,J.M. Observations of the thermal behavior of radicals in gamma-irradiated ice, 0=7796
Siegel,S. See Flournoy,J.M., 0=19522
Siegert,A.J.F. Field operators for bosons with impenetrable cores. I. Equations which replace the commutation rules, 0=2136
Siegler,A. See Cornides,I., 0=19779
Siegman,A.E. Waves on a filamentary electron beam in a transverse-field slow-wave circuit, 0=1157
Siegman,A.E. Entropy and cross-relaxation in spin systems, 0=13884
Siegman,A.E. See Chang,W.S.C., 0=2434
Siekman,J.G. and Pott,G.T. Lifetime of the 241 keV state of ^{220}Tn, 0=9554
Sienko,M.J. and Mazumder,B.R. Some solid state studies of silver-doped WO$_3$, 0=17922
Sierro,J. and Lacroix,R. Paramagnetic resonance in fluorides of the ion Gd^{+++} subjected to a tetragonal crystalline field, 0=10226
Siewert,R. and Ermisch,W. Calculation of the degree of polarization of resonance fluorescence from appearance of radiation diffusion. II, 0=5872
Signarbieux,G. See Hubert,P., 0=9380
Signell,P. Nucleon—nucleon scattering in momentum space: opep as example, 0=20125
Signer,P. Confirmation of the abnormally high Xe^{129} content in the Richardton meteorite, 0=18720
Sih,K.Y. See Swanson,J.A., 0=543
Sihvonen,Y.T. and Boyd,D.R. Transparent indium contacts to CdS, 0=16364
Sikkeland,T. See Gordon,G.E., 0=13306
Sikkeland,T. See Gordon,G.E., 0=20516
Sikkeland,T. See Larsh,A.E., 0=20508
Sikkema,C.P. Elimination of end effects in proportional counters, 0=17133
Siklós,T. See Shiklosh,T.
Sikora,D.I. See Grizhko,V.M., 0=20472
Siksna,R. and Lindsay,R. Air ions produced by a tritium-ion generator. I. Ion generators, 0=7164
Siksna,R. and Lindsay,R. Air ions produced by a tritium-ion generator. II. Measurement of ions in a room. Mobility, 0=7165
Sil,N.C. Electron capture by protons passing through hydrogen, 0=7078
Sil,N.C. See Ghoshi,A., 0=17494
Silad'i,M. See Yavor,S.Ya., 0=17040
Silbert,M.G. See Jarmie,N., 0=20350
Silbert,M.G. See Johnsrud,A.E., 0=2680
Silbert,M.G. See Scharff-Goldhaber,G., 0=5731
Silcock,J.M. The effect of quenching on the formation of G.P. zones and θ' in Al—Cu alloys, 0=21239
Silcox,J. and Hirsch,P.B. Direct observations of defects in quenched gold, 0=15838
Silcox,J. and Hirsch,P.B. Dislocation loops in neutron-irradiated copper, 0=20805
Silcox,J. and Whelan,M.J. Direct observations of the annealing of prismatic dislocation loops and of climb of dislocations in quenched aluminium, 0=20806
Silenok,G.A.,Berezin,A.K.,Zeidlits,P.M. and Nekrashevich,A.M. Experimental investigation of the efficiency of a helix waveguide, 0=9218
Silenok,G.A. See Berezin,A.K., 0=9216
Silin,V.P. A theory of conductivity, 0=559
Silin,V.P. The determination of the effective mass of carriers and the optical constants of semiconductors, 0=575
Silin,V.P. Collective losses of fast electrons in their passage through matter, 0=9091
Silin,V.P. The problem of the optical constants of conductors, 0=10025
Silin,V.P. A contribution to the theory of absorption of ultrasound in metals, 0=11575
Silin,V.P. Electromagnetic properties of a relativistic plasma, 0=19678
Silin,V.P. See Rukhadze,A.A., 0=13726
Silin,V.P. See Van Si-fu, 0=19424
Silin,V.P. See Zharkov,V.N., 0=8863
Silina,E.V. See Alderov,Zh.I., 0=6114
Silk,E.C.H. and Barnes,R.S. Examination of fission fragment tracks with an electron microscope, 0=19979
Silsbee,H.B. See Ewbank,W.B., 0=20327
Silva,E. See Alvial,G., 0=12729
Silva,E. See Ferrero,F., 0=7599
Silver,A.H. Nuclear magnetic resonance in B$_2$O$_3$—H$_2$O glasses and boric acids, 0=8253
Silver,A.H. and Bray,P.J. N.M.R. study of bonding in some solid boron compounds, 0=3138
Silver,E.G. See DeSaussure,G., 0=13303
Silver,E.G. See deSaussure,G., 0=15361
Silver,M. See McNulty,J., 0=18315
Silverberg,L. See Bayman,B.F., 0=11287
Silverman,A. See Bernardini,C., 0=2589
Silverman,A. See McDaniel,B.D., 0=382
Silverman,A. See Malamud,E., 0=19850
Silverman,J. See Garland,C.W., 0=13898
Silverman,J.N.,Platas,O. and Matsen,F.A. Simple configuration-interaction wave functions. I. Two-electron ions: a numerical study, 0=11481
Silverman,J.N. See Scherr,C.W., 0=11482
Silvernail,W.L. See Johnston,H.F., 0=13377
Silverstein,E.A. Calculation of the G factor for gas scattering experiments, 0=17276
Silvester,N.R. Densitometer wedge for measurements at low optical densities, 0=6902
Silvestri,M. See Cicchitti,A., 0=2698
Silvestrini,G.V. See Bertanza,L., 0=11214
Sil'vestrova,I.M.,Aleksandrov,K.S. and Chumakov,A.A. Growing of terpine monohydrate crystals and their elastic and piezoelectric properties, 0=13952
Sil'vestrova,I.M. See Chumakov,A.A., 0=13650
Silvidi,A.A. and McGrath,J.W. Proton magnetic resonance study of the structure of barium chloride dihydrate, 0=6281
Silvidi,A.A. See McGrath,J.W., 0=4536
Silvidi,A.A. See McGrath,J.W., 0=16190
Sim,A.C. A note on the use of filters in photoconductive decay measurements, 0=616
Sim,A.C. The dark-spot method for measuring the diffusion constant and length of excess charge carriers in semiconductors, 0=2857
Sim,G.A. The distribution of phase angles for structures containing heavy atoms. II. A modification of the normal heavy-atom method for non-centrosymmetrical structures, 0=3212
Sim,G.A. The cumulative distribution of structure amplitudes, 0=6353
Sim,G.A. See Ferguson,G., 0=3249
Šimák,V. See Pernegr,J., 0=15480
Simchenko,Yu.A. Back scattering and secondary emission during β-electron irradiation of different materials, 0=12634
Sime,J.G. and Abrahams,S.C. The crystal and molecular structure of 4,4'-dichlorodiphenyl sulfone, 0=4659
Simenel,N. See Calais,D., 0=10260
Simerská,M. and Syneček,V. A contribution to the semi-focusing method with a flat polycrystalline sample, 0=3191
Simić,J.M. See Kiočki,S.D., 0=17540
Simič,J.M. See Koički,S.D., 0=20409
Simmons,B.A.W. See Jerrard,H.G., 0=6802
Simmons,B.A.W. See Jerrard,H.G., 0=12421
Simmons,J.E. and Henkel,R.L. Angular distribution of fragments in fission induced by MeV neutrons, 0=17635
Simmons,J.E. See Seagrave,J.D., 0=17435
Simmons,R.O. and Balluffi,R.W. Measurements of equilibrium vacancy concentrations in aluminum, 0=4294
Simmons,R.O. and Balluffi,R.W. Measurements of the high-temperature electrical resistance of aluminum: resistivity of lattice vacancies, 0=4315
Simmons,R.O. and Balluffi,R.W. Measurement of the equilibrium concentration of lattice vacancies in silver near the melting point, 0=13548
Simms,P.C. and Steffen,R.M. Beta—gamma angular correlation measurements on Au^{198}. II. Transverse polarization of the beta particles, 0=11366
Simon,A. and Harris,E.G. Kinetic equations for plasma and radiation, 0=9046
Simon,A. See Harris,E.G., 0=9047
Simon,F. Chemical sensitization of nuclear emulsions with various inorganic salts, 0=12746
Simon,F.J. See Bonse,U., 0=4291
Simon,G. See Döring,W., 0=10161

Simon,J. Use of a visual method for the measurement of the contrast factor of an objective, 0=19399
Simon,J.C. and Broussaud,G. Relations between the variations in amplitude and phase in the propagation of vibratory phenomena, 0=120
Simon,J.C. See Arsac,J., 0=18569
Simon,K.H. See Rogenhagen,H., 0=19717
Simon,P. Chromospheric flares associated with type IV radio bursts. Ionospheric and geomagnetic effects, 0=18760
Simon,P. See Avignon,Y., 0=4848
Simon,P. See Christiansen,W.N., 0=18732
Simon,R. Radial oscillations of the generalized Roche model, 0=2
Simon,R. Hydromagnetic oscillations of an incompressible cylinder, 0=19907
Simon,R. See Pinte,R., 0=5323
Simon,R.E. Work function of iron surfaces produced by cleavage in vacuum, 0=2373
Simon,R.E. and Spicer,W.E. Photoemission from SI induced by an internal electric field, 0=12627
Simon,R.E. and Spicer,W.E. Field induced photoemission and hot-electron emission from germanium, 0=17030
Simon,W.G. See Heckman,H.H., 0=4105
Simonin,C. See Tsai-Chü, 0=17362
Simonin,R.F. Surface molecular kinematics, 0=6737
Simonoff,G. See Lefort,M., 0=7580
Simonoff,G. See Lefort,M., 0=17595
Simonoff,G. See LeFort,M., 0=20437
Simonov,V.I. The superposition method of solving crystal structures, 0=16300
Simonov,V.I. and Belov,N.V. The determination of the structure of amblygonite by the minimum-function method, 0=14033
Simonov,V.I. and Vainshtein,B.K. The use of structure delineation functions of interatomic vectors for finding the phases of structure amplitudes, 0=13925
Simons,D.G. See Bauer,R.W., 0=20326
Simons,H.A.B. See Palmer,R.B.J., 0=1322
Simons,J.P. See Norrish,R.G.W., 0=8317
Simons,L. Some properties of a thin plasma of variable density, 0=15007
Simons,L. The influence of induction on ion and electron currents in a thin plasma, 0=15010
Simonson,E. Flicker between different brightness levels as determinant of the flicker fusion, 0=6517
Simova,P.D. Interaction between intramolecular and intermolecular vibrations in bromoform, 0=20640
Simpson,J.A. The production of tritons and C^{14} in the terrestrial atmosphere by solar protons, 0=18525
Simpson,J.A. See Fan,C.Y., 0=17453
Simpson,J.A. See Fan,C.Y., 0=20295
Simpson,J.A. See Fan,C.Y., 0=20296
Simpson,O. See Broom,R.F., 0=7035
Simpson,O. See Harding,W.R., 0=17287
Simpson,O. See Hilsum,C., 0=266
Simpson,O.D. See Moore,M.S., 0=9703
Simpson,P.V. and Mukai,V. Design notes on a transistorized v.h.f. t.v. tuner, 0=5258
Simpson,W. See Brown,J.J., 0=12800
Simpson,W.S. and Woods,H.J. Enhancement of the high-spacing meridional reflexions in the X-ray photograph of keratin impregnated with heavy-metal salts, 0=10295
Simpson,W.T. See Anex,B.G., 0=17847
Simpson,W.T. See Jones,W.D., 0=15743
Sims,A.R. See Sonett,C.P., 0=12133
Sims,C.C. Standard calibration hydrophone, 0=1007
Sims,C.C. Bubble transducer for radiating high-power low-frequency sound in water, 0=19288
Sinani,S.S. See Kokosh,G.V., 0=16001
Sinani,S.S. See Kokosh,G.V., 0=18079
Sinanoğlu,O. Inter- and intra-atomic correlation energies and theory of core-polarization, 0=20539
Sinanoğlu,O. and Pitzer,K.S. Equation of state and thermodynamic properties of gases at high temperatures. I. Diatomic molecules, 0=962
Sinanoğlu,O. and Pitzer,K.S. Interactions between molecules adsorbed on a surface, 0=10370
Sinclair,D. See Brown,J.L., 0=4003
Sinclair,D. See Hughes,I.S., 0=20165
Sinclair,T.F. See Stern,S.A., 0=16726
Sindel,P. Brightness coma and diaphragm coma in rotationally-symmetric optical systems, 0=19374
Sinel'nikov,K.D.Fedorchenko,V.D.Rutkevich,B.N.Chernyi,B.M. and Safronov,B.G. Investigation with magnetic trap, 0=10955
Sinel'nikov,K.D.Rutkevich,B.N. and Fedorchenko,V.D. Motion of charged particles in a spatially-periodic magnetic field, 0=10954
Sinel'nikov,K.D.,Shklyarevskii,I.N. and Gladkova,I.V. Colours of wrinkled transport films on metal surfaces, 0=12492
Sinel'nikov,K.D. Tolok,V.T.Nazarov,N.I.Bakaev,I.I.Bondarev,V.A. and Bugai,Yu.P. Investigation of ion cyclotron resonance in a dense plasma, 0=10924
Sinelnikov,K.D. See Veksler,V.I., 0=5369
Sinel'nikov,M.V. Electron emission from the surface of pure molybdenum after bombardment by electrons, 0=268
Sinel'nikov,M.V. Electron emission from pure metal surfaces at room temperature, 0=5330
Singer,J. and Anolick,E.S. Solubility of carbon in iron as determined by the magnetic aftereffect, 0=3270
Singer,J.M. and Castellan,G.W. Excess free energy in dehydrogenated palladium, 0=16379
Singer,J.R. Flow rates using nuclear or electron paramagnetic resonance techniques with applications to biological and chemical processes, 0=929
Singer,J.R. Magnetic susceptibility balance using a null technique, 0=2413
Singer,J.R. Blood flow measurements using dynamical paramagnetic relaxation times and paramagnetic tracer techniques, 0=12217
Singer,K. The use of Gaussian (exponential quadratic) wave-functions in molecular problems. I. General formulae for the evaluation of integrals, 0=20654
Singer,K. See Longstaff,J.V.L., 0=15751
Singer,K. See Longstaff,J.V.L., 0=20655
Singer,L.A. See Wexler,S., 0=4733
Singer,O. See Junge,C., 0=171
Singer,P. See Peres,A., 0=14517
Singer,P. See Rosen,N., 0=3944
Singer,S.F. Space Science Symposium, 0=16519
Singer,S.F. Geophysical effects of solar corpuscular radiation, 0=21313
Singer,S.F. Geophysical effects of solar corpuscular radiation, 0=21314
Singer,S.F. and Wentworth,R.C. Cosmic-ray measurements in the vicinity of planets and some applications. I. Primary cosmic radiation, 0=9488
Singer,S.F. See Öpik,E.J., 0=835
Singh,B.N. and Ram,R.L. Rhythmic fading of short-wave radio signals, 0=15171
Singh,B.P. and Hans,H.S. Investigations of the decay of ^{185}W, 0=1375
Singh,B.P.,Hans,H.S. and Gill,P.S. Coincidence studies of the radiations from the decay of ^{182}Ta, 0=1392
Singh,C. Noise spectra of a probe in a hot-cathode discharge, 0=5280
Singh,D.N. and Bowers,W.A. Vibrational spectrum of vanadium, 0=1552
Singh,H. Free volume approach to polyisobutylene melt viscosity under pressure, 0=3492
Singh,H. and Seth,R.S. Sound velocities in binary liquid mixtures, 0=6786
Singh,I. Effect of e.m. radiation on Lamb shift. II, 0=2730
Singh,I. On the Lamb shift and other radiative effects. III, 0=2731
Singh,J.J. 708 keV gamma-ray in P^{30}, 0=409
Singh,J.J. See Krone,R.W., 0=7568
Singh,K. Crystal structure of silver fulminate, 0=3238
Singh,K.K. Fermi's theory of multiple pion production and the zero-point energy, 0=3997
Singh,N.M. See McCoubrey,J.C., 0=2753
Singh,P.P.,Dosso,H.W. and Griffiths,G.M. The energies and relative pair production cross sections for Zn^{65} and Na^{22} gamma rays, 0=4082
Singh,R.N. and Khastgir,S.R. Study of "winds" in the F-region of the ionosphere during the unusual days in the I.G.Y.-calendar, 0=14240
Singh,R.N. See Khastgir,S.R., 0=16455
Singh,R.N. See Murty,Y.S.N., 0=21367
Singh,R.P. and Goel,N.S. The physical state of condensed matter and the radius of a cold planetary body, 0=16532
Singh,R.S. Visible absorption spectrum of benzoquinone, 0=17757
Singh,S. Penetration of rotating shaped charges, 0=8580
Singh,S. See Rastogi,R.P., 0=19502

Singh,S.N. Heat transfer by laminar flow from a rotating sphere, 0=6975
Singh,V. Ground-state energy of a boson gas, 0=2134
Singleton,J.H. See Constabaris,G., 0=14146
Singwi,K.S. On the theory of the diffusion cooling of neutrons in a finite solid moderator assembly, 0=12992
Singwi,K.S. On the theory of diffusion cooling of neutrons in a finite solid moderator assembly, 0=20528
Singwi,K.S. and Kothari,L.S. Diffusion cooling of neutrons in a finite solid moderator assembly, 0=7374
Singwi,K.S. and Sjölander,A. Diffusive motions in water and cold neutron scattering, 0=14648
Singwi,K.S and Sjölander,A. Resonance absorption of nuclear gamma rays and the dynamics of atomic motions, 0=18992
Singwi,K.S. See Bhandari,R.C., 0=7359
Singwi,K.S. See Kothari,L.S., 0=7360
Sinha,K.P. See Koide,S., 0=21058
Sinha,M.S. See Basu,N., 0=5574
Sinha,M.S. See Basu,N., 0=7399
Sinha,M.S. See Mishra (Basu),N., 0=17447
Sinha,S.K. and Mukherji,A. Nuclear magnetic shielding in molecules: hydrogen molecule, 0=15757
Sinigaglia,G. See Braccesi,A., 0=18687
Sinitsyn,V.I. See Artsimovich,L.A., 0=5317
Sinitsyn,V.I. See Lukyanov,S.Yu., 0=5318
Sinitsÿn,V.I. See Luk'yanov,S.Yu., 0=10914
Sinno,K. On the origin of the long-lived solar corpusular streams which appeared during the last solar cycle 1950-53, 0=8359
Sinno,K. On the great solar flare which started at 21 h 09 m, February 9th, 1958, as the likely source of geomagnetic storm, February 11th, 0=18470
Sinno,K. Method of magnetic storm forecasting from the activities of flares accompanied by solar radio noise outbursts, 0=14181
Sinno,K. and Hakura,Y. On the relation of solar eruptions to geomagnetic and ionospheric disturbances. I. On the power spectrum of solar radio outbursts, 0=18474
Sinno,K. and Hakura,Y. On the relation of solar eruptions to geomagnetic and ionospheric disturbances. II. On the types of solar radio outbursts, 0=18475
Sinno,K. See Jacobs,J.A., 0=12135
Sinno,K. See Jacobs,J.A., 0=21310
Sinno,K. See Jacobs,J.A., 0=21311
Sinton,W.M.,Johnson,H.L. and Hallam,K.L. Aluminizing technique and the ultraviolet efficiency of telecopes, 0=3402
Sinton,W.M. and Strong,J. Radiometric observations of Mars, 0=6572
Sinton,W.M. and Strong,J. Radiometric observations of Venus, 0=6573
Sinvhal,S.D. See Bappu,M.K.V., 0=18728
Sinyakov,E.V. and Stafiichuk,E.A. Solid solutions of niobates and tantalates of transition metals based on Ba TiO$_3$, 0=7979
Sippel,R.F. Diffusion measurements in the system Cu—Au by elastic scattering, 0=1605
Siragusa,G. See Lanzi,G., 0=17774
Sirenko,A.F. See Pines,B.Ya., 0=1866
Sirenko,A.F. See Pines,B.Ya., 0=8126
Sirenko,A.F. See Pines,B.Ya., 0=11982
Sirenko,A.F. See Pines,B.Ya., 0=12070
Sirenko,A.F. See Pines,B.Ya., 0=16223
Sirlin,A. See Behrends,R.E., 0=7506
Sirota,N.N.,Olekhnovich,N.M. and Sheleg,A.U. The determination of electron density distribution in crystals, 0=13994
Sirota,N.N. and Pashintsev,Yu.I. Dynamic displacements of atoms and coefficients of linear expansion of the arsenides of aluminium, gallium and indium, 0=1563
Sirota,Z.D. See Belov,K.P., 0=10105
Sirota,Z.D. See Kataev,G.I., 0=11972
Sirotenko,I.G. and Spivak,G.V. Etching damage of semi-conductors by ion bombardment, 0=21172
Sirotin,Yu.I. Anisotropic tensors, 0=16247
Sirotinin,E.I. See Vasil'ev,Yu.A., 0=13305
Sirotinskaya,A.A. See Bogomolov,C.S., 0=12743
Sirotinskaya,A.A. See Bogomolov,C.S., 0=12744
Sirotinskaya,A.A. See Bogomolov,C.S., 0=15216
Sirotyuk,M.G. See Rozenberg,L.D., 0=999
Sirs,J.A. Galvanometer feedback systems, 0=3709
Sirvetz,M.H. See Kohane,T., 0=5243
Sirvetz,M.H. See Schlömann,E., 0=10197
Sisco,W.B. See Roberts,C.A., 0=16775
Sisefsky,J. Method for photographic identification of microscopic radioactive particles, 0=7486
Sisefsky,J. See Edvarson,K., 0=7650
Sisko,A.W. Capillary viscometer for non-Newtonian liquids, 0=8595
Sitenko,A.G. Deuteron dissociation in nuclear scattering, 0=7571
Sitenko,A.G. [Diffraction] scattering of fast pions by deuterons, 0=9412
Sitenko,A.G. and Berezhnoi,Yu.A. Diffraction breakup of light nuclei, 0=2670
Sitenko,A.G. and Kirochkin,Yu.A. Excitation of waves in a plasma, 0=15042
Sitenko,A.G. and Tartakovsky,V.K. On diffractional disintegration of deuterons, 0=4099
Sitenko,A.G. and Tkalich,V.S. Cherenkov effect in the motion of a charge above a boundary between two media, 0=12678
Sitenko,A.G. See Vysotskii,G.L., 0=9610
Sitnik,G.F. General principles for the realization of a black body at high temperature, 0=19488
Sitnikov,K. The existence of oscillatory motions in the three-body problem, 0=16659
Sitte,K. Problems in the interpretation of cosmic ray nuclear interactions, 0=2601
Sitte,K,Davies,G.Kasha,H.Lerman,N.Oren,Y.Shapiro,A.Segal,I. and Stern,D. Design and preliminary results of an air shower experiment, 0=11241
Sitte,K. and Katz,L. Interpretation of cosmic ray jets as composite collisions: the two-centers model, 0=9455
Sittig,E. Systematics of the natural elastic vibrations of [infinite] isotropic circular cylinders, 0=6854
Sittig,E. See Bauer,H.J., 0=20598
Sittig,E. See Edmonds,P.D., 0=14708
Sivaramakrishnan,V. Magneto-optic studies in the nitrates of lead, barium and strontium, 0=2934
Sivasankara Rao,G. Space group symmetry of K$_2$Cr$_2$O$_7$, 0=722
Siver,Ya.P. Mutual effect of diffusion flows in multi-component systems, 0=3511
Sivers,V.N. See Kaplan,S.A., 0=19448
Siversten,J.M. See Chen,W.K., 0=19870
Sivkov,A.A. See Veingerov,M.L., 0=1055
Sivkov,A.A. See Veingerov,M.L., 0=16399
Sivkov,A.A. See Veyngerov,M.L., 0=3622
Sivo,L. See Waldner,M., 0=11700
Six,F. See Smith,A.G., 0=18638
Sizmann,R. Fundamentals of the physical effects of radiation on solid bodies, 0=6064
Sizmann,R. and Wenzl,H. Calorimetric determination of the stored energy in cold worked copper wire, 0=2277
Sizmann,R. See Riehl,N., 0=1610
Sjoblom,R. See Jaffey,A.H., 0=20513
Sjöfall (Johansson),L.P. See Ericsson,J., 0=19414
Sjölander,A. Multi-phonon processes in slow neutron [incoherent] scattering by crystals, 0=8194
Sjölander,A. See Singwi,K.S., 0=14648
Sjölander,A. See Singwi,K.S., 0=18992
Sjölin,T. See Johansson,C.H., 0=8306
Sjöstrand,N.G. The diffusion cooling effect in heavy water, 0=7367
Sjöstrand,N.G. On the theory underlying diffusion measurements with pulsed neutron sources, 0=7368
Sjöstrand,N.G.,Mednis,J. and Nilsson,T. Geometric buckling measurements using the pulsed neutron source method, 0=5826
Skachkov,Y.F. See Babykin,M.V., 0=3886
Skala,Z. See Kratky,O., 0=8190
Skalinski,T. Optical orientation of atoms in caesium vapour, 0=17705
Skal'skaya,I.P. See Lebedev,N.N., 0=7226
Skal'skaya,I.P. See Lebedev,N.N., 0=9207
Skal'skaya,I.P. See Lebedev,N.N., 0=15075
Skanavi,G.I. Modern ideas on the breakdown of dielectrics, 0=8978
Skanavi,G.I. and Vodop'yanov,L.K. Dielectric properties of isomorphous TlI—TlBr (KRS-5) crystals, 0=16006
Skanavi,G.I. See Konorova,E.A., 0=1709
Skanavi,G.I. See Lipaeva,G.A., 0=16025
Skanavi,G.I. See Skanawi,G.I.

kanawi,G.I. Dielectric relaxation polarization and the inner field in crystals and polycrystals, 0=625
kanawi,G.I. See Skanavi,G.I.
kapski,A.,Billups,R. and Casavant,D. Interfacial tension solid—liquid of benzene, 0=3505
karsgard,H.M. and Kenward,C.J. Measurements of the energy dependence of the fission neutron yield per neutron absorbed in ^{239}Pu and ^{235}U in the range 0.006-0.36 eV, 0=7636
Skarsgard,H.M. See Sanders,J.E., 0=7642
Skarsvåg,K. Multiple fast coincidence unit, 0=17186
Skatulla,W. and Horn,L. A simple high resolution replica method for electron microscopy, 0=14091
Skazka,V.S. See Tsvetkov,V.N., 0=12495
Skeel,W.L. See Ramaswamy,M.K., 0=13170
Skeel,W.L. See Ramaswamy,M.K., 0=20381
kertchly,A. Design and performance of a rapid-scanning X-ray diffractometer, 0=8179
Skidan,V.B. See Malÿshev,G.M., 0=10774
Skilbreid,O. See Nielsen,K.O., 0=19796
kilbried,O. See Toth,K.S., 0=1379
Skillicorn,I.O. See Awunor-Renner,E.R.T., 0=15497
Skinner,B.G. See Kingston,A.E., 0=20561
kinner,N.J. See Wright,R.W., 0=6458
Skinner,N.J. See Wright,R.W., 0=8386
Skinner,R. See Weaver,J.T., 0=16440
Skirkov,D.V. Allowing for Coulomb effects in the theory of superconductivity, 0=8929
Sklyarevskii,V.V.,Stepanov,E.P. and Obinyakov,B.A. Thermal-neutron capture gamma-rays from some rare-earth elements, 0=9673
Sklyarevskii,V.V. See Samoilov,B.N., 0=9520
Sklyareskii,V.V. See Samoilov,B.N., 0=9521
Sklyarevskii,V.V. See Samoilov,B.N., 0=13115
kobelev,N.K. See Mikheev,V.L., 0=11465
kobelkin,V.I. The function of magnetic stream in a three-dimensional field, 0=1187
kobelkin,V.I. Propagation of vector waves in non-linear meson dynamics, 0=1253
kobelkin,V.I. Use of the variational principle to determine basic properties of a ferromagnetic from its hysteresis loop, 0=8043
Skobkin,V.S. See Korneev,E.I., 0=9701
Skoblik,I.P. See Berezin,A.K., 0=9217
Skoblik,I.P. See Zolototrubov,I.M., 0=17008
kobov,V.G. Decay of a photon into two photons in a homogeneous magnetic field, 0=2510
Skobov,V.G. Scattering of a low-energy electron by a short-range potential in a strong magnetic field, 0=11144
Skobov,V.G. Contribution to the theory of electron gas conductivity in a strong magnetic field, 0=12570
Skoda,R.E. See Meiklejohn,W.H., 0=18266
kolnik,S. See Siegel,S., 0=7796
komal,E.N. and Medina,M.A. Study of a microwave ferrimagnetic multiple signal conversion process, 0=3852
Skopets,M.B. Approximate method for integrating the equations of a laminar boundary layer in an incompressible gas in the presence of heat transfer, 0=8613
Skopina,V.I. See Kel'man,V.M., 0=9087
korinko,G. See Rank,D.H., 0=155
korinko,G. See Rank,D.H., 0=7756
korinko,G. See Rank,D.H., 0=14819
Skorinko,G. See Rank,D.H., 0=17710
Skorinko,G. See Rank,D.H., 0=17745
Skorinko,G. See Rank,D.H., 0=17751
Skornyakov,G.P. and Efremova,K.A. Time variations of the coefficient of reflection of light from mechanically polished metals, 0=7998
kornyakov,G.P. and Sasovskaya,I.I. The effect of the angle of incidence of light in the observation of the ultraviolet reflection minimum of silver, 0=4395
Skorobogatov,B.S. The field distribution in optical waveguides, 0=10755
Skorobogatov,B.S. Diffraction at the exit of an optical waveguide, 0=10756
Skorobogatov,N.G. See Sobolev,N.N., 0=8852
korov,D.M. See Bichkov,Yu.F., 0=8105
korov,D.M. See Bichkov,Yu.F., 0=8274
Skowronek,M. Filamentary discharge emitted by a fine point held at a high positive potential with respect to a plane, 0=9008
Skowronek,M. Properties of the filamentary discharge emitted by a fine point, 0=9009
Skowronek,M. See Cabannes,F., 0=11510
Skribljak,M.,Dasgupta,S. and Biswas,A.B. The crystal structure of cadmium indate, 0=3237
Skripkin,V.A. Algebraic integrals for one-dimensional motion of an ideal fluid in a relativistic case, 0=879
Skripov,F.I. See Grechishkin,V.C., 0=1839
Skripov,V.P. Heat of mixing of light and heavy water, 0=3306
Skrivanek,J. and Kuzmiak,M. The local sensitivity of photomultiplier photocathodes, 0=2381
Skrotskaya,E.G. See Zÿryanov,P.S., 0=17886
Skrotskii,G.V. Equations of motion for a system consisting of two types of interacting spins, 0=2976
Skrotskii,G.V. and Alimov,Yu.I. Effect of specimen shape on ferromagnetic resonance in a strong radiofrequency field, 0=10196
Skrotskii,G.V. and Izyumova,T.G. The magneto-optical Kerr effect in ferromagnetic substances situated in a radiofrequency field, 0=18180
Skrotskii,G.V. and Kokin,A.A. On the unordered free precession of the magnetic moments of atomic nuclei, 0=1355
Skrotskii,G.V. and Kokin,A.A. The influence of coherent magnetic dipole radiation on magnetic resonance, 0=10191
Skrotskii,G.V. and Shmatov,V.T. A thermodynamic deduction of the dynamic susceptibility, 0=7013
Skrotskii,G.V. See Izyumov,Yu.A., 0=18212
Skroyskii,G.V. See Kokin,A.A., 0=10219
Skudrzyk,E. Acoustic electronic pulse equipment, 0=8748
Skudrzyk,E.J. and Haddle,G.P. Noise production in a turbulent boundary layer by smooth and rough surfaces, 0=2216
Skudrzyk,E.J. See Biesterfeldt,H.J., 0=10707
Skuridin,G.A. and Gvozdev,A.A. On boundary conditions for jumps in discontinuous solutions of the dynamical equations of elasticity theory, 0=986
Skuridin,G.A. and Stanyukovich,K.P. An approximate solution of a problem concerning motion of a conducting plasma, 0=9169
Skuridin,G.A. and Stanyukovich,K.P. Motion of a conducting plasma under the action of a piston, 0=9170
Skvortsov,Yu.V. See Komel'kov,V.S., 0=7104
Skwierz,A. See Kawski,A., 0=177
Skwierz,A. See Kawski,A., 0=19378
Skyrme,T.H.R. A unified model of K- and π-mesons, 0=13015
Skyrme,T.H.R. Parity nonconservation in weak interactions. II, 0=20033
Skzhipchak,E. See Bunyatov,S.A., 0=2597
Slabospitskii,R.P. See Fogel',Ya.M., 0=9078
Slabospitskii,R.P. See Fogel',Ya.M., 0=17044
Slack,F.F. and Sandberg,A.A. Tracking and display of earth satellites, 0=12337
Slack,G.A. Crystallography and domain walls in antiferromagnetic NiO crystals, 0=16147
Slack,G.A. and Glassbrenner,C. Thermal conductivity of germanium from 3°K to 1020°K, 0=17903
Slack,G.A. See Roth,W.L., 0=11917
Slade,J.J., Jr and Nanni,L.F. Analysis of composite X-ray diffraction profiles, 0=8191
Slager,D.M. See Wharton,C.B., 0=5321
Slansky,S. and Maréchal,A. Low-contrast images with partially coherent illumination, 0=14794
Slaten,L.E. Precipitation of dispersed fine-particle magnetite, 0=10155
Slater,C.H. See Galt,J.A., 0=18676
Slater,N.B. Vibrational characteristics of quasi-harmonic systems related to diatomic molecules, 0=7746
Slater,W.E. See Ammar,R., 0=415
Slater,W.E. See Ammar,R., 0=13154
Slater,W.E. See Levi Setti,R., 0=5672
Slätis,H. On diffusion cloud chambers, 0=17158
Slätis,H. On a set of permanent magnet beta-ray spectrometers, 0=17309
Slaucitajs,S.J. Notes on the Southern Station of La Plata Observatory and on future astrometric work in the southern hemisphere, 0=12237
Slavnov,D.A. and Sukhanov,A.D. Causality in a theory with an indefinite metric, 0=9283
Slavnova,E.N. and Sheftel',N.N. Second conference on the growing of crystals, 0=18296
Slavnova,E.N. See Melankholin,I.M., 0=13954

Sledzik,J. Modified Bohm and Pines collective description of electron interactions in crystals. Spin wave theory of ferromagnetism, III, 0=6218
Slee,O.B. Occultations of the Crab nebula by the solar corona in June 1957 and 1958, 0=4863
Slee,O.B. See Hill,E.R., 0=4861
Slee,O.B. See Mills,B.Y., 0=4869
Sleeper,H.P., Jr. See Stone,R.S., 0=15631
Sleeswyk,A.W. Plastically deformed steel in a weak magnetic field, 0=21048
Sleicher,C.A., Jr, Stern,R.A.,Scriven,L.E. and Oppenheim,A.K. Fluid dynamics, 0=10631
Slepian,D. Coding theory, 0=2121
Slepian,J. A fundamental error in thermonuclear research, 0=12611
Slepian,J. The magneto-ionic expander isotope separator applied to uranium, 0=12652
Slesarev,V.N. See Vereshchagin,L.F., 0=14359
Slezov,V.V. See Lifshits,I.M., 0=4687
Slichter,C.P. See Castner,T.,Jr, 0=6373
Slichter,C.P. See Holton,W.C., 0=18217
Slichter,W.P. Defects in polyethylene crystals, 0=17923
Sliepcevich,C.M. See Scott,P.H., 0=3612
Slifkin,L. See Childs,C., 0=6343
Slinkin,A.A. See Rubinshtein,A.M., 0=11805
Sliv,L.A. and Kharitonov,Yu.I. Calculation of energy levels of Tl^{206} and Bi^{210} nuclei, 0=13137
Slivkov,I.N. Electrical breakdown in vacuum between graphite electrodes, 0=16996
Sloan,G.J. See Chesnut,D.B., 0=17773
Sloanaker,R.M. and Nichols,J.H. Positions, intensities, and sizes of bright celestial sources at a wavelength of 10.2 cm, 0=12260
Sloanaker,R.M. See McClain,E.F., 0=18625
Slobodchikov,S.V. See Nasledov,D.N., 0=598
Slobodrian,R.J. See Conzett,H.E., 0=5628
Slobodrian,R.J. See Lenk,P.A., 0=2667
Slobodrian,R.J. See Rosenblatt,J., 0=15101
Slobodskaya,P.V. A spectrophone with a multiple passage of radiation, 0=137
Slobodskaya,P.V. and Gasilevich,E.S. Development of a method of determining the relaxation time of the vibrational state of molecules using a spectrophone. I. Derivation of a more accurate dependence between the measured phase-shift and the relaxation time, 0=4186
Slobodskaya,P.V. and Gasilevich,E.S. Development of a method of determining the relaxation time using a spectrophone. II. Elimination of the instrumental phase shifts, 0=15692
Slobodskaya,P.V. See Gerlovin,Ya.I., 0=4752
Slomp,G. Temperature effects in nuclear magnetic resonance spectroscopy, 0=2453
Slonczewski,J.C. Effect of orbital degeneracy on magneto-elastic energy, 0=3066
Slonim,I.Ya. Determination of particle size by the scattering of light. I. Formulae and nomograms for the calculation of particle radius from the optical density and from the intensity of the scattered light, 0=12496
Slonim,I.Ya. A nomogram for calculation of particle diameters from turbidity using Mie's equation, 0=16390
Slonim,I.Ya.,Fodiman,N.M. and Ustinova,Z.M. Determination of the particle size from scattering of light. II. Determination of dimensions of polychloroprene latex globules, using optical and electron-microscopic methods, 0=19446
Sluijter,C.G. See van Itterbeek,A., 0=216
Slutsker,A.I. See Zhurkov,S.N., 0=6318
Slutsker,A.I. See Zhurkov,S.N., 0=12065
Slutsky,L.J. and Livingston,A. Lattice dynamics and heat capacity of indium, 0=6017
Sluyters,T.J.M. and Kistemaker,J. The excitation mechanism of Ar^{+} ions of 5-24 keV in He, Ne, Ar, Kr, Xe, 10880
Slykhouse,T.E. See Edwards,A.L., 0=4408
Slyusarskii,V.A. See Shestopalov,V.P., 0=11055
Slyusarskii,V.A. See Shestopalov,V.P., 0=15149
Slyusarskii,V.A. See Shestopalov,V.P., 0=15151
Smagorinsky,J. On the application of numerical methods to the solution of systems of partial differential equations arising in meteorology, 0=18477
Smais,Ch.F.,[Smyth,C.P.]. Dielectric polarization, size and form of molecules, 0=19142
Smakula,A. See Avakian,P., 0=18306
Smakula,A. See Messner,D., 0=20837
Smakula,A. See Scouler,W.J., 0=20836
Small,A.M.,Jr. Pure-tone masking, 0=2055
Small,A.M.,Jr. See Fozard,J.L., 0=3365
Small,V.G. See Green,T.S., 0=5802
Smaller,B. See McMillan,J.A., 0=16168
Smallmann,R.E.,Westmacott,K.H. and Coiley,J.H. Clustered vacancy defects in some face-centred cubic metals and alloys, 0=20791
Smallman,R.E. See Adams,M.A., 0=16231
Smart,J.S. Internal consistency of the Heisenberg—Dirac model for antiferromagnetism, 0=3104
Smeers,R. See Gillet,C., 0=14325
Smelov,V.V. On neutron moderation, 0=7370
Smend,F. The polarization of the Cherenkov radiation of beta rays in Plexiglas, 0=5539
Smerd,S.F. See Christiansen,W.N., 0=18732
Smetannikova,Yu.A. See Nasledov,D.N., 0=16039
Smets,H.B. On Welton's stability criterion for nuclear reactors, 0=2701
Smets,H.B. Exact solution of the reactor kinetic equations for linear, exponential, or reciprocal reactivity dependence on time, 0=4146
Smets,H.B. The response of a nuclear power reactor to a linear reactivity variation, 0=4151
Smets,H.B. The describing function of nuclear reactors, 0=5817
Smets,H.B. See Gyftopoulos,E.P., 0=13320
Smialowski,M. See Baranowski,B., 0=8311
Smiddy,M. and Chalmers,J.A. The double field-mill, 0=2044
Smilga,V.P. See Sandomirskii,V.B., 0=4574
Smiljanic,G. and Rabuzin,T. Automatic scanner for electrophoresis and chromatography paper strips, 0=4759
Smirenkin,G.N. Comparison of the effect temperatures of neutron spectra emitted on fission of U^{235} and Pu^{239} by fast the thermal neutrons, 0=20514
Smirenkin,G.N.,Bondarenko,I.I.,Kutsaeva,L.S.,Mishchenko,Kh.D., Prokhorova,L.I. and Shemetenko,B.P. Average number of prompt neutrons from the fission of ^{233}U and ^{239}P by 4 and 15 MeV neutrons, 0=11458
Smirenkin,G.P. See Kuz'minov,B.D., 0=9713
Smirennyi,L.N. See Kovalev,E.E., 0=7488
Smirnitskaya,G.V. and Reikhrudel',É.M. Cold-cathode electric discharge at low pressures in a magnetic field, 0=7092
Smirnit-skii,V.A. See Vaisenberg,A.O., 0=11198
Smirnit-skii,V.A. See Vaisenberg,A.O., 0=13016
Smirnitskii,V.A. See Vaisenberg,A.O., 0=20180
Smirnov,A.A. and Tikhonova,E.A. The theory of the scattering of X-rays and thermal neutrons by multicomponent substitution alloys, 0=8272
Smirnov,A.A. See Matỹsina,Z.A., 0=16306
Smirnov,A.G. Theory of certain magnetohydrodynamic phenomena occurring in the free laminar thermal convection of an electrically conducting fluid in a round vertical pipe located in a weak magnetic field, 0=9160
Smirnov,A.P. See Lazarev,B.G., 0=14572
Smirnov,A.P. See Mikhailov,Yu.G., 0=2290
Smirnov,A.P. See Teinov,N.M., 0=16214
Smirnov,A.S. See Lovtsov,V.M., 0=3794
Smirnov,B.I. Separation of effects due to lattice distortion and dispersion (particle size) in polycrystalline materials in the harmonic analysis of a single X-ray diffraction line, 0=6354
Smirnov,E.V. See Virvasov,N.M., 0=9364
Smirnov,I.A.,Moizhes,B.Ya. and Nensberg,E.D. The effective mass of carriers in lead selenide, 0=20947
Smirnov,I.A. See Devyatkova,E.D., 0=15930
Smirnov,I.A. See Devyatkova,E.D., 0=10795
Smirnov,I.A. See Devyatkova,E.D., 0=20946
Smirnov,L.A. The influence of a magnetic field on the intensity of X-ray reflections, 0=10301
Smirnov,L.A. and Rumsh,M.A. The change in intensity of X-ray reflections from a single crystal of CdS under illumination, 0=12040
Smirnov,L.A. See Rumsh,M.A., 0=12041
Smirnov,L.S. Radiational disturbances in crystals, 0=20852
Smirnov,L.S. and Glazunov,P.A. The volume distribution of lattice defects in germanium crystals irradiated by fast electrons, 0=1581
Smirnov,L.S. See Vavilov,V.S., 0=9965
Smirnov,V.A. See Zhuravlev,N.N., 0=14011
Smirnov,V.L. See Zeitlenok,G.A., 0=9114

Smirnov,V.N. and Bazhulin,P.A. Investigation of the temperature dependence of the infrared absorption band intensity in gases, 0=3568
Smirnov,V.N. See Bazhulin,P.A., 0=3534
Smirnov,Yu.F. See Balashov,V.V., 0=9545
Smirnov,Yu.F. See Neudachin,V.G., 0=7452
Smirnova,I.S. See Narbutt,K.I., 0=8343
Smirnova,I.V. See Shuba,Yu.A., 0=15055
Smirnova,L.G. See Kondorskii,E.I., 0=4486
Smirnova,N.L. The superstructures possible in close-packed structures, 0=13989
Smirnova,N.L. Possible superstructures in a simple cubic structure, 0=13990
Smirnova,N.L. Possible arrangement of atoms in the octahedral voids in the hexagonal close-packed structure, 0=13992
Smirnova,N.L. On structural types with closest atomic packing. Possible structural types with the composition AB_{12}, 0=14002
Smirnova,N.N. See Nasledov,D.N., 0=15974
Smirnova,T.S. See Donnei,G., 0=16251
Smirnova,T.V. See Mochan,I.V., 0=2873
Smirnova,T.V. See Mochan,I.V., 0=4328
Smirnova,T.V. See Obraztsov,Yu.N., 0=15823
Šmirous,K. and Štourač,L. The question of the inversion of the conductivity type of the semiconducting system $Zn_xCd_{1-x}Sb$, 0=2903
Šmirous,K. and Štourač,L. Solid solutions of Bi_2Te_3 and Sb_2Te_3 as p-type working substances for semiconductor thermoelements, 0=2917
Smit,J.,Lotgering,F.K. and Enz,U. Anisotropy properties of hexagonal ferrimagnetic oxides, 0=10179
Smit,J.van R.,Robb,W. and Jacobs,J.J. AMP — effective ion exchanger for treating fission waste, 0=4719
Smit,J. See Casimir,H.B.G., 0=13742
Smit,J.A. See Terpstra,J., 0=7732
Smith,A. Reflectometer for the vacuum ultraviolet, 0=14821
Smith,A. See Ch'en Shang-Yi., 0=5881
Smith,A.B.,Nobles,R.G. and Cox,S.A. Number of prompt neutrons emitted per thorium-232 fission, 0=1454
Smith,A.C. See Koenig,S.H., 0=11689
Smith,A.C. See Miller,S.L., 0=6104
Smith,A.C.H. See Fox,J.W., 0=16721
Smith,A.G. Extraterrestrial noise as a factor in space communications, 0=12253
Smith,A.G.,Carr,T.D.,Bollhagen,H.,Chatterton,N. and Six,F. Ionospheric modification of the radio emission from Jupiter, 0=18638
Smith,A.W. and Williams,G.W. Domain structure in yttrium iron garnet, 0=16141
Smith,B.L. See Figgins,B.F., 0=9839
Smith,B.L. See Jones,G.O., 0=19153
Smith,B.O. and Stevens,J.W. Quick-acting chemical balance, 0=3484
Smith,C.A. See Chamberlain,J.W., 0=8414
Smith,C.O. Thermal stresses in externally clad cylindrical fuel elements, 0=13369
Smith,D.E. See May,B.R., 0=4909
Smith,D.E. See May,B.R., 0=18887
Smith,D.E. See May,B.R., 0=18888
Smith,D.F. The overlapping hydrogen fluoride monomer—dimer spectra, 0=5940
Smith,D.H. See Hoffman,G.R., 0=21016
Smith,D.L. See Bauer,H.H., 0=14120
Smith,D.M.,Bostrom,N.A. and Hudspeth,E.L. Excitation study of $F^{19}(n,\alpha)N^{16}$ with a BaF_2 crystal, 0=4118
Smith,D.O. Anistropy in permalloy films, 0=3056
Smith,D.O.,Cohen,M.S. and Weiss,G.P. Oblique-incidence anisotropy in evaporated permalloy films, 0=18183
Smith,D.O.,Huber,E.E.,Jr,Cohen,M.S. and Weiss,G.P. Anisotropy and inversion in permalloy films, 0=11869
Smith,D.O. See Cohen,M.S., 0=11867
Smith,D.O. See Dwight,K., 0=2300
Smith,D.O. See Huber,E.E.,Jr, 0=3058
Smith,D.R. See Langer,L.M., 0=15546
Smith,D.S. A method of precise fringe pointing, 0=16893
Smith,E.B. Phase coexistence and hysteresis, 0=220
Smith,E.C.,Pawlicki,G.S.,Thurlow,P.E.F.,Parker,G.W., Martin,W.J.,Creek,G.E.,Lantz,P.M. and Bernstein,S. Total neutron cross section of Xe^{135} as a function of energy, 0=1444
Smith,E.J.,Coleman,P.J.,Jr,Judge,D.L. and Sonett,C.P. Characteristics of the extraterrestrial current system: Explorer VI and Pioneer V, 0=21318
Smith,E.J. See Coleman,P.J.,Jr, 0=21317
Smith,E.J. See Sonett,C.P., 0=10394
Smith,E.K.,Jr and Finney,J.W. Peculiarities of the ionosphere in the Far East: A report on I.G.Y. observations of sporadic E and F-region scatter, 0=14229
Smith,E.K. See Bateman,R., 0=9222
Smith,E.K. See Thomas,J.A., 0=6457
Smith,E.van P. Emission cores in the Ca II lines in plages, 0=14435
Smith,F.A. See Lawson,W.D., 0=11727
Smith,F.B. See Matthews,H.W., 0=8592
Smith,F.G. Artificial satellites. II. Radio studies of artificial satellites, 0=21319
Smith,F.G. Radio astronomy and the solar system (introductory lecture to Part 1 - moon and planets), 0=18615
Smith,F.M. See Dyer,J., 0=5562
Smith,F.M. See Heckman,H.H., 0=4105
Smith,F.M. See Heckman,H.H., 0=12772
Smith,F.T. Participation of vibration in exchange reactions, 0=3295
Smith,F.T. Lifetime matrix in collision theory, 0=9282
Smith,F.T. Generalized angular momentum in many-body collisions, 0=20067
Smith,G. See Siddall,G., 0=8287
Smith,G.C. See Harries,D.R., 0=21120
Smith,G.E. Anamalous skin effect in bismuth, 0=1658
Smith,G.E.,Galt,J.K. and Merritt,F.R. Electron spin resonance in bismuth and antimony, 0=16163
Smith,G.E. See Lawson,A.W., 0=2445
Smith,G.G. See Klein,D., 0=13275
Smith,G.G. See Klein,D., 0=13339
Smith,G.G. See Volpe,J.J., 0=13344
Smith,G.W. and Housley,R.M. Nuclear magnetic resonance of solid hydrogen (67-86% ortho) and solid deuterium (33% and 55% para), 0=6279
Smith,H.L. See Diamond,H., 0=17512
Smith,H.J. and Douglas,J.N. Observations of planetary non-thermal radiation, 0=18622
Smith,J.A. and Duller,N.M. Effects of pi meson decay-absorption phenomena on the high-energy mu meson zenithal variation near sea level, 0=11276
Smith,J.A. See Porter,G., 0=5868
Smith,J.F. and Arbogast,C.L. Elastic constants of single crystal beryllium, 0=1840
Smith,J.F. and Gjevre,J.A. Elastic constants of yttrium single crystals in the temperature range 4.2-400°K, 0=8104
Smith,J.F. and Greiner,J.D. Magnetic susceptibility of thorium metal in the range 130-300°K, 0=669
Smith,J.H. The calculation of Maxwellian-averaged cross sections for resonance absorbers, 0=12970
Smith,J.H. See Street,R., 0=13846
Smith,J.R. See Cundy,D.C., 0=15201
Smith,J.V. See Breck,D.W., 0=14059
Smith,J.W. See Weiss,A.A., 0=18681
Smith,K. Elastic and inelastic scattering of electrons from the S states of atomic hydrogen, 0=20576
Smith,K.C. See McKay,R.W., 0=10173
Smith,K.F. Nuclear moments and spins, 0=20324
Smith,L.G. Electric field-change studies of lightning, 0=21392
Smith,L.W. Diffraction images of disk-shaped particles computed for full Köhler illumination, 0=6948
Smith,L.W. See Osterberg,H., 0=6947
Smith,L.W. See Osterberg,H., 0=8803
Smith,M. and Pounder,E.R. Impurity concentration profiles in ice by an anthrone method, 0=6048
Smith,M.D. and Honeycombe,R.W.K. The effect of oxygen, carbon and nitrogen on the properties of sintered thorium, 0=10462
Smith,M.J.,Kirk,E.S. and Spencer,C.W. Device for measurement of the electrical properties of Bi_2Se_3 at elevated temperatures, 0=13606
Smith,M.J.A. See Doyle,W.T., 0=1598
Smith,M.L. Electromagnetic enrichment of stable isotopes, 0=20572
Smith,M.W. and Lambert,R.F. Propagation of band limited noise, 0=6894
Smith,M.W. and Lambert,R.F. Acoustical signal detection in turbulent airflow, 0=12463

Smith,P. and Sproule,D.O. Experiments on the acousto-electric effect, 0=9846
Smith,P.B. The resonant scattering integral; application to the analysis of elastic proton scattering, 0=9358
Smith,P.B. See Mouton,W.L., 0=11311
Smith,P.G. See Thomas,P.H., 0=8833
Smith,P.L. Some technical and economic aspects of the distribution of liquid helium, 0=8916
Smith,R.A. Semiconductors and infra-red spectroscopy, 0=18015
Smith,R.B. See Moore,R.A., 0=111
Smith,R.C. and Sharp,R.T. Central three-body forces in heavy nuclei, 0=17457
Smith,R.C. and Wyard,S.J. Electron spin resonance in hydrogen peroxide — water solutions at 90°K irradiated with ultra-violet light, 0=10678
Smith,R.C. See Searl,J.W., 0=6264
Smith,R.D.,McVicar,D.D. and Thorne,E.A. Delayed neutron investigations with the Zephyr fast reactor. I. Pneumatic transfer system, 0=5810
Smith,R.D. See Rose,H., 0=5811
Smith,R.D. See Stuart,J.E.A., 0=14944
Smith,R.K. See Bame,S.J.,Jr, 0=20163
Smith,R.L. and Helliwell,R.A. Theory of trapping of whistlers in field-aligned columns of enhanced ionization 0=14312
Smith,R.P. Mean square length of a hindered alkane chain, 0=17858
Smith,R.P. and Mortensen,E.M. Bond and molecular polarizability tensors. I. Mathematical treatment of bond tensor additivity, 0=5978
Smith,R.P. and Mortensen,E.M. Bond and molecular polarizability tensors. II. Discussion of values of polarizability parameters for some single bond involving carbon, 0=5979
Smith,R.S. Measurement of crystallite size and strain of electroplated films, 0=14083
Smith,R.S. See Lloyd,J.C., 0=3052
Smith,R.W. The grey tin ⇌ white tin transition in tin—mercury alloys, 0=727
Smith,R.W. The white tin → grey tin transition in tin—mercury alloys, 0=21231
Smith,R.W. See Ruppel,W., 0=2892
Smith,S.D.,Moss,T.S. and Taylor,K.W. The energy-dependence of electron mass in indium antimonide determined from measurements of the infrared Faraday effect, 0=4361
Smith,S.J. and Branscomb,L.M. Optical methods for negative ion studies, 0=12577
Smith,S.J. and Burch,D.S. Relative measurement of the photodetachment cross section for H^-, 0=2714
Smith,T. Diffusion of cerium and zirconium in molten uranium, 0=3515
Smith,T. See Finlayson,D.M., 0=4482
Smith,T. See Finlayson,D.M., 0=21061
Smith,T. See Llewellyn,J.P., 0=4481
Smith,T.L. and Stedry,P.J. Time and temperature dependence of the ultimate properties of an SBR rubber at constant elongations, 0=21123
Smith,V.H. See Gersch,H.A., 0=14530
Smith,W.E. The microwave spectra of isotopic molecules of sulphur dioxide, 0=5917
Smith,W.G. See Hamilton,J.H., 0=13195
Smith,W.G. See Johnson,O.E., 0=2636
Smith,W.G. See Johnson,O.E., 0=11364
Smith,W.G. See Robinson,R.L., 0=15563
Smith,W.G. See Stelson,P.H., 0=1394
Smith,W.J. See Longini,R.L., 0=12010
Smith,W.L. Remarks on the paper "regenerative stochastic processes", 0=18578
Smith,W.M. and Warter,P.J.,Jr. Photoelectric technique for measuring eye movements, 0=3379
Smith,W.M. and Warter,P.J.,Jr. Eye movement and stimulus movement; new photoelectric electromechanical system for recording and measuring tracking motions of the eye, 0=3380
Smith,W.R. Elementary electricity experiment involving measurement and synthesis, 0=1094
Smith,W.T.,Jr. See Holmberg,R.W., 0=13881
Smith,W.V.,Sorokin,P.P.,Gelles,I.L. and Lasher,G.J. Electron-spin resonance of nitrogen donors in diamond, 0=1832
Smithson,J.R. and Pinkston,E.R. Half-life of a water column as a laboratory exercise in exponential decay, 0=18897
Smolenskii,G.A. and Agranovskaya,A.I. Dielectric polarization of a series of compounds of complex structure, 0=7974
Smolenskii,G.A.,Agranovskaya,A.I. and Isupov,V.A. New ferroelectrics of complex composition. III. Pb_2MgWO_6, $Pb_3Fe_2WO_9$ and Pb_2FeTaO_6, 0=638
Smolenskii,G.A.,Agranovskaya,A.I. and Popov,S.N. The polarization mechanism in $Pb_3NiNb_2O_9$—$Pb_3MgNb_2O_9$, 0=629
Smolenskii,G.A.,Isupov,V.A. and Agranovskaya,A.I. Dielectric polarization of solid solutions in the $(Ba,Sr)(Ta,Nb)_2O_6$ system, 0=631
Smolenskii,G.A.,Isupov,V.A. and Agranovskaya,A.I. A new group of ferroelectrics (with layered structure), 0=636
Smolenskii,G.A.,Isupov,V.A. and Agranovskaya,A.I. New complex ferroelectrics of the $A_2^{2+}(B_I^{3+}B_{II}^{5+})O_6$ type. I, 0=637
Smolenskii,G.A.,Isupov,V.A. and Agranovskaya,A.I. Ferroelectric "substitutional—defect" solid solutions, 0=1698
Smolenskii,G.A.,Isupov,V.A. and Agranovskaya,A.I. Ferroelectric properties of solid solutions in the system $PbNb_2O_6$—$BaNb_2O_6$—$SrNb_2O_6$, 0=6154
Smolenskii,G.A.,Ksendzov,Ya.I.,Agranovskaya,A.I. and Popov,S.N. Dielectric polarization of solid solutions of di- and trivalent metal metaniobates, 0=16020
Smolik,Ch.K. See Fisher,I.Z., 0=15864
Smolin,M.D. See Frantsevich,I.N., 0=732
Smoliński,A.K.,Kaczkowski,Z. and Żbikowski,M. Influence of plastic deformation on the time decrease of permeability in transformer steel, 0=3150
Smolkin,G.E. See Zavoisky,E.K., 0=3887
Smolkin,G.E. See Zavoisky,E.K., 0=3893
Smoluchowski,R. See Chambers,R.H., 0=4558
Smoluchowski,R. See Howard,R.E., 0=1593
Smoluchowski,R. See Ingham,H.S.,Jr, 0=6067
Smoluchowski,R. See Mitchell,P.V., 0=4301
Smoluchowski,R. See Ryan,F.M., 0=2980
Smoluchowski,R. See Wiegand,D.A., 0=2836
Smolyankin,V.T. and Shal'nikov,A.I. Preparation of mixtures of ortho- and para-deuterium, 0=1473
Smorodin,Yu.A. See Birger,N.G., 0=9307
Smorodin,Yu.A. See Birger,N.G., 0=9348
Smorodina,T.P. X-ray investigation of the system tellurium—selenium, 0=12077
Smorodinskii,Ya.A. The "complete experiment" in β-decay, 0=13191
Smorodinskii,Ya.A. and Khe Tszo-Syu [Ho Tso-Hsiu]. On radiative corrections to weak interaction processes, 0=20036
Smorodinskii,Ya.A. See Bilen'kii,S.M., 0=7349
Smorodinskii,Ya.A. See Bilen'kii,S.M., 0=12938
Smorodinskii,Ya.A. See Gol'danskii,V.I., 0=13002
Smorodinskii,Ya.A. See Puzikov,L.D., 0=12851
Smotrich,H. See McDermott,L.C., 0=9645
Smrčka,M. See Rozkoš,M., 0=13256
Smulders,M.C.Eversdijk. See Postma,H., 0=15561
Smulders,P.J.M. See Kuperus,J., 0=9627
Smulkowski,O. See Amsel,G., 0=7247
Smyth,C.N.[Ed.]. Medical electronics. Second International Conference, Paris, 24-27 June, 1959, 0=14326
Smyth,C.P. See Illinger,K.H., 0=5904
Smyth,C.P. See Roberti,D.M., 0=16700
Smyth,C.P. See Smais,Ch.F., 0=19142
Smythe,W.R. Charged sphere in cylinder, 0=8973
Sneddon,I.N. See Eason,G., 0=4970
Snegirev,B.N. and Kovner,M.A. The formulae used for calculation of intensities in the infrared molecular spectra, 0=15720
Snell,A.H.,Pleasonton,F. and Need,J.L. Charge spectrometry for Kr^{79}-Br^{79}, 0=4052
Snell,F.M. See Menninger,J.R., 0=10454
Snell,R.W. Radiofrequency method for the measurement of conductive liquid saturation in a porous medium, 0=21279
Snider,R.F. Quantum mechanical modified Boltzmann equation for degenerate internal states, 0=6700
Snigirev,Yu.A. See Prokof'ev,V.K., 0=3749
Snitko,O.V. The effect of an external electric field on the surface recombination and capacitor photo e.m.f. of n-type silicon, 0=594
Snitko,O.V. See Litovchenko,V.G., 0=15938
Snitko,O.V. See Litovchenko,V.G., 0=15939
Snitko,O.V. See Lyashenko,V.I., 0=15923
Snitko,O.V. See Lyashenko,V.I., 0=15924
Snow,G.A. See Day,T.B., 0=1311
Snow,G.A. See Day,T.B., 0=9417
Snow,G.A. See Day,T.B., 0=13051
Snow,G.A. See Day,T.B., 0=17418
Snow,G.A. See Day,T.B., 0=17671

Snow,W.J. See Miller,W.F., 0=2511
Snow,W.J. See Miller,W.F., 0=16102
Snow,W.J. See Miller,W.F., 0=19970
Snowdon,J.C. Transient behavior of the dynamic absorber, 0=136
Snowdon,J.C. The choice of resilient materials for anti-vibration mountings, 0=6870
Snowdon,J.C. The reduction of structure-borne noise, 0=19329
Snyder,C.W. The upper boundary of the Van Allen radiation belts, 0=3353
Snyder,D.D. Bulk densities of separated copper isotopes, 0=7835
Snyder,D.D. See Bleil,C.E., 0=1746
Snyder,H.S. and Wick,G.C. Broadening of the Mössbauer line, 0=17882
Snyder,J.N. See Bredin,D.J., 0=9447
Snyder,J.N. See Kerst,D.W., 0=19837
Snyder,L.C. Jahn—Teller distortions in cyclobutadiene cyclopentadienyl radical, and benzene positive and negative ions, 0=17768
Snyder,R.G. Vibrational spectra of crystalline n-paraffins. I. Methylene rocking and wagging modes, 0=13697
Snyder,R.G.,Kumamoto,J. and Ibers,J.A. Vibrational spectrum of crystalline potassium hydroxide, 0=20987
Snyder,R.G. See Ibers,J.A., 0=21201
Snyder,T.M. See Gaerttner,E.R., 0=13302
Sobel'man,I.I. See Savin,F.A., 0=9816
Sobel'man,I.I. See Savin,F.A., 0=9817
Sobel'man,I.I. See Vainshtein,L.A., 0=1479
Sobhanadri,J. Temperature variation of dielectric relaxation in six polar liquids, 0=19138
Sobhanadri,J. Dielectric relaxation in relation to viscosity, 0=19145
Sobolev,G.A. See Volarovich,M.P., 0=2928
Sobolev,N.N.,Belousov,M.M.,Rodin,G.M.,Sviridov,A.G., Skorobogatov,N.G. and Faizullov,F.S. Flame temperature of a liquid-fuel jet engine I, 0=8852
Sobolev,N.N.,Frish,S.É.,Kulikova,N.M.,Lotkova,É.N., Maly̆shev,G.M.,Rodin,G.M. and Shukhtin,A.M. Pyrometric study of the flame of an oxygen-silicon-aluminum fuel, 0=8854
Sobolev,N.N.,Kitaeva,V.F.,Rodin,G.M.,Faizullov,F.S. and Fedorov,A.I. Flame temperature of a liquid-fuel jet engine. II, 0=8853
Sobolev,N.N.,Potapov,A.V.,Kitaeva,V.F.,Faizullov,F.S., Alyamovskii,V.N.,Antropov,E.T. and Isaev,I.L. Spectroscopic studies of the state of gas behind a shock wave. I, 0=973
Sobolev,N.N. See Dronov,A.P., 0=217
Sobolev,N.N. See Faizullov,F.S., 0=102
Sobolev,N.N. See Faizullov,F.S., 0=19212
Sobolev,N.N. See Faizullov,F.S., 0=19213
Sobolev,N.N. See Kolesnikov,V.N., 0=3750
Sobolev,V.M. See Ioffe,S.B., 0=2081
Sobolev,V.V. Some problems of diffusion of radiation, 0=4963
Sobolev,V.V. Theory of radiation diffusion in stellar atmospheres, 0=18796
Sobolev,V.V. The brightness of a spherical nebula, 0=18842
Sobolev,V.V. See Gross,E.F., 0=13692
Soboleva,N. See Gelfreich,G., 0=18636
Sobolevskaya,R.B. See Mel'nikov,A.I., 0=10935
Sobotovich,E.V. See Kashtan,M.S., 0=13419
Sobottka,S. Neutron form factors from high-energy inelastic electron—deuteron scattering, 0=9365
Sochava,I.V. The heat capacity of linear polymers at low temperatures, 0=18384
Sochava,L.S. and Mirlin,D.N. The relationship between the excess noise and the surface traps in germanium, 0=11685
Sochava,L.S. See Kornfel'd,M.I., 0=600
Sochava,L.S. See Kornfel'd,M.I., 0=615
Sochnev,A.Ya. Magnetic system with an inhomogeneous field for the experimental investigation of electron tubes, 0=17035
Soden,R.R. See Van Uitert,L.G., 0=4452
Soden,R.R. See Van Uitert,L.G., 0=6196
Soden,R.R. See Van Uitert,L.G., 0=6265
Soden,R.R. See Van Uitert,L.G., 0=10206
Soden,R.R. See Van Uitert,L.G., 0=13706
Soden,R.R. See Van Uitert,L.G., 0=16083
Soden,R.R. See Van Uitert,L.G., 0=21002
Soderman,R.A. and Frisco,L.J., (Eds.). Digest of literature on dielectrics. Volume 22 (1958), 0=2300
Soda,T. See Brueckner,K.A., 0=11124
Sodha,M.S. Spectral distribution of bremsstrahlung from an ionized gas, 0=1265
Sodha,M.S. Transport phenomena in slightly ionized gases: low electric fields, 0=2326
Sodha,M.S. Transport phenomena in slightly ionized gases: high electric fields, 0=8989
Sodha,M.S. Heating of an ionized gas sheath by microwaves, 0=12602
Sodha,M.S. Electrical and thermal currents in a slightly ionized gas, 0=14974
Sodha,M.S. Scattering and drift mobility of carriers in germanium, 0=20906
Sodha,M.S. and Eastman,P.C. Effect of electron—electron scattering on Hall mobility of electrons in n[-type] semiconductors, 0=13584
Sodha,M.S. and Eastman,P.C. Drift and Hall mobilities of electrons in nondegenerate impure N-semiconductors, 0=20884
Sodha,M.S. and Eastman,P.C. Drift and Hall mobilities of electrons in nondegenerate impure n-semiconductors, 0=20884
Sodha,M.S. and Jain,V.K. On evaporation of droplets in rocket motor chamber, 0=8712
Sodha,M.S. and Varshni,Y.P. Drift mobility of electrons in atomic hydrogen, 0=5861
Soergel,V. See Krebs,K., 0=13197
Soergel-Fabricius,C. The Thirring effect in an Einstein universe, 0=18908
Sof'ina,V.V.,Azarkh,Z.M. and Orlova,N.N. An X-ray structural phase analysis of the Zr—H and Ti—H systems, 0=14024
Softky,S.D. and Squire,R.K. A proposed experiment for the investigation of an energy dependence of photon velocity in vacuo, 0=12467
Soga,M. See Kawai,M., 0=9664
Sogo,P.B. See Lombardi,E., 0=6819
Sogomonyants,Zh.S. See Bolotina,I.A., 0=8258
Sohm,J.C. Impact ionization of impurities in silicon at low temperatures, 0=4348
Sohst,H. On the statistics of ignition delay [time lag], 0=2356
Soifer,L.M. See Tsirlin,Yu.A., 0=1760
Soifer,L.M. See Tsirlin,Yu.A., 0=13705
Soklakov,A.I. See Zhdanov,G.S., 0=14009
Sokolik,G.A. A new class of representations of the full Lorentz group, 0=9274
Sokolov,A.A. The clock paradox for motion of charged particles in a magnetic field, 0=8543
Sokolov,A.A. Some remarks on the two-component theory of Lee and Yang, 0=11173
Sokolov,A.A. and Kolesnikova,M.M. Behaviour of the fermion spin in elastic scattering, 0=5503
Sokolov,A.A. and Loskutov,Yu.M. Cherenkov radiation of longitudinally polarized electrons, 0=1267
Sokolov,A.A. and Loskutov,Yu.M. Contribution to the theory of bosons and fermions with oriented spins, 0=2492
Sokolov,A.A.,Ternov,I.M. and Loskutov,J.M. On the problem of transformation properties of the spin pseudo-vector, 0=3919
Sokolov,A.D. See Matveev,V.V., 0=5532
Sokolov,A.V.,Kharus,G.I. and Shirokovskii,V.P. Birefringence in uniaxial semiconducting crystals, 0=2931
Sokolov,I.A. See Kogan,A.V., 0=2652
Sokolov,I.A. See Kogan,A.V., 0=10857
Sokolov,I.A. See Kogan,A.V., 0=20787
Sokolov,M.M.,Ochkur,A.P.,Fedorov,A.A. and Karabanov,N.I. Photo-electric absorption of scattered gamma-rays, 0=12121
Sokolov,N.D. See Aleksandrov,I.V., 0=16189
Sokolov,N.D. See Nikitin,E.E., 0=3298
Sokolov,V.A. The problem of existence and the nature of true "candoluminescence", 0=4427
Sokolov,V.A. See Gorban',A.N., 0=8021
Sokolov,V.A. See Gorban',A.N., 0=10052
Sokolov,V.A. See Gorban',A.N., 0=10053
Sokolov,V.A. See Rabotkin,V.L., 0=16113
Sokolov,V.M. See Dukel'skii,V.M., 0=2320
Sokolova,G.K. See Arkharov,V.I., 0=14064
Sokolova,R.S. and Kry̆lova,T.N. Interference filters for the ultraviolet region of spectrum, 0=3640
Sokolovsky,V.V.,Vladimirsky,V.V.,Radkevich,I.A. and Panov,A.A. The total effective cross-sections of ^{233}U, ^{235}U, ^{239}Pu and the fission cross-section of ^{235}U in the resonance region, 0=7647
Sokolovsky,V.V. See Radkevich,I.A., 0=5799
Sokolovsky,V.V. See Vladimirsky,V.V., 0=15595

Sokolowski,E. Systematic study of electron binding energies of some fourth and sixth period elements by means of the photo electron method, 0=7689
Sokolowski,E. and Nordling,C. Experimental studies of the KLL Auger spectra of Cu and Ge, 0=7719
Sokol'skaya,A.V. and El'piner,I.E. The synthesis of certain organic compounds in an ultrasonic wave field, 0=1964
Sokol'skaya,I.L. See Pavlovskaya,E.D., 0=17023
Sokol'skaya,I.L. See Zubenko,Yu.V., 0=9066
Sola,A. Flux perturbation by detector foils, 0=9371
Sola,A. and Managan,W.W. Flux perturbation produced by ion chambers and fission chambers, 0=15621
Solc,I. Chain bi-refringent filters, 0=5153
Soldaini,G. See Cicchitti,A., 0=2698
Solmitz,F.T. See Leitner,J., 0=384
Solntsev,G.S.,Porokhin,A.G. and Chistyakova,N.M. Measurement of electric fields in a high-frequency discharge at low pressure by means of an electron beam, 0=5298
Solntsev,G.S. See Bulkin,P.S., 0=5296
Solntsev,G.S. See Zastenker,G.N., 0=5297
Solo'eva,V.I. See Vernov,S.N., 0=13084
Solomon,I. Magnetic relaxation in liquids in the presence of a high frequency field, 0=5035
Solomon,I. The Mössbauer effect in pyrites and marcasite, 0=15517
Solomon,I. The increase of nuclear signals by dynamic polarization. I, 0=16183
Solomon,I. See Combrisson,J., 0=21081
Solomon,J. See Devlin,T.J., 0=11206
Solomon,R. Anomalous surface channels on silicon p–n junctions, 0=18031
Solon,L.R. See O'Brien,K., 0=12892
Soloshenko,I.I. Dependence of the damping decrement on the total number of cycles in fatigue tests, 0=21119
Soloukhin,R.I. Physical investigation of gases by means of shock waves, 0=3564
Soloukhin,R.I. and Topchiyan,M.E. Investigation of the trail in spinning detonations, 0=994
Solov'ev,E.S. See Afrosimov,V.V., 0=16977
Solov'ev,K.N. See Sevchenko,A.N., 0=9829
Solov'ev,L.D. and Tentyukova,G.N. Numerical solution of the static dispersion relations of the [pion] photoproduction p-wave, 0=11215
Solov'ev,L.S. See Morozov,A.I., 0=1184
Solov'ev,L.S. See Morozov,A.I., 0=10980
Solov'ev,L.S. See Morozov,A.I., 0=10981
Solov'ev,L.S. See Morozov,A.I., 0=19653
Solov'ev,M.I. See Van Gan-Chan, 0=3898
Solov'ev,M.I. See Van Gan-Chan, 0=9415
Solov'ev,M.I. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358
Solov'ev,M.I. See Van Gan-Chan [Pang Kang-Chang], 0=15455
Solov'ev,M.V. See Baradzei,L.T., 0=11271
Solov'ev,S.M. See Protopopov,A.N., 0=11459
Solov'ev,S.P. See Venevtsev,Yu.N., 0=16017
Solov'ev,S.P. See Venevtsev,Yu.N., 0=16024
Solov'ev,S.P. See Venevtsev,Yu.N., 0=16304
Solov'ev,V.A. Relaxation equations for the calculation of visco-elastic deformation, 0=698
Solov'ev,V.A. Consideration of reflection at the radiator in the thory of an ultrasonic interferometer, 0=10734
Solov'ev,V.A. Comments on the paper by A.S. Predvoditelev, "The coefficients of thermal conductivity and viscosity of liquids and compressed gases", 0=12415
Solov'ev,V.G. Nucleonic interaction which produces a superfluid state of the nucleus, 0=2616
Solov'ev,V.G. Investigation of parity conservation in strong interactions at high energies, 0=3978
Solov'ev,V.G. An investigation of the superfluid state of an atomic nucleus, 0=11293
Solov'ev,V.G. Concerning four-fold correlations in light nuclei, 0=13104
Solov'ev,V.G. Superfluid model of the nucleus, 0=17467
Solov'ev,V.G. and Gȳn,T. An application of the statistical variational principle to the theory of the atomic nucleus, 0=15499
Solov'ev,V.G. See Belyaev,V.B., 0=13110
Solov'eva,V.I. See Abrosimov,A.T., 0=7433
Solov'eva,Z.I. See Pérfilov,N.A., 0=9622
Solov'eva,Z.I. See Perfilov,N.A., 0=15608
Soloviev,A.N. See Novikov,I.I., 0=3526
Soloviev,V.G. Effect of quadruple correlations in light nuclei, 0=17472
Solovieva,V.I. See Abrosimov,A.T., 0=11244
Solov'yeva,L.I. See Vinogradova,K.I., 0=1669
Solt,E.H. See Platzman,P.M., 0=14997
Solt,I.H.Jr, and Fletcher,P.C. Magnetic anisotropy from the magnetostatic modes, 0=10203
Solt,I.H.,Jr. See Fletcher,P.C., 0=3121
Solt,J. See Barragán,A., 0=7176
Soltamov,U.B. and Perestoronin,I.G. On the life-time minority carriers in the sub-surface layer in CdSe + Ag single crystals, 0=7958
Solyakin,G.E. See Bochagov,B.A., 0=20510
Solyakin,G.E. See Vorob'ev,A.A., 0=11345
Som,S.C. Visibility of fringes in a Twyman—Green interferometer, 0=19428
Somasundaram,K.M. See Suryanarayana,C.V., 0=16697
Somasundaram,V. See Venkateswarlu,K., 0=487
Somayajulu,G.R. Lengths of CC "single" bonds and radii of hybrid orbitals of carbon, 0=1510
Somayajulu,G.R. Dissociation energies of diatomic molecules, 0=20599
Somayajulu,Y.V. Magnetic storm effects on the F region of the ionosphere, 0=14235
Somerville,J.M. and Williams,J.F. The early stages of spark channel expansion, 0=5285
Somerville,T. and Head,J.W. Empirical acoustic criterion (Second paper), 0=6899
Somerville,W.B. See Dalgarno,A., 0=20647
Somigliana,R. Remarks on evaluation of the spurious counts in coincidence measurements, 0=15220
Somin,B.Kh. See Latsh,V.V., 0=16326
Somin,B.Kh. See Latsh,V.V., 0=21232
Somló,A. See Tarján,I., 0=6142
Sommer,A.,Walsh,P.N. and White,D. Mass spectrometric and infrared emission investigation of the vapor species in the B—S system at elevated temperatures, 0=14970
Sommer,A. See White,D., 0=4192
Sommer,A. See White,D., 0=4193
Sommer,A.H. Semiconducting photo-emitters, 0=19719
Sommerhalder,R. See Jaggi,R., 0=8931
Somogyi,A. On the transition effect of extensive air showers, 0=7430
Somogyi,A. See Dohán,I., 0=17441
Somogyi,A. See Gémesy,T., 0=15471
Somogyi,A. See Sandor,T., 0=7439
Somogyi,A. See Sándor,T., 0=15488
Sona,A.M. See Colli,L., 0=20494
Sona,P.G. See Beneventano,M., 0=17285
Sona,P.G. See Colli,L., 0=15602
Sona,P.G. See Colli,L., 0=20494
Sonchik,K.K. On the time lag in the discharge of ionic crystals, 0=1712
Sonder,E. and Schweinler,H.C. Magnetism of interacting donors, 0=6215
Sonder,E. and Stevens,D.K. Magnetic susceptibility of electrons and donors in n-type silicon, 0=10099
Sonder,E. and Templeton,L.C. Gamma irradiation of silicon. I. Levels in n-type material containing oxygen, 0=11701
Sondheimer,E.H. See Hebborn,J.E., 0=11797
Sonett,C.P. Coupling of the solar wind and the exosphere, 0=16456
Sonett,C.P.,Judge,D.L. and Kelso,J.M. Evidence concerning instabilities of the distant geomagnetic field: Pioneer I, 0=10390
Sonett,C.P.,Judge,D.L.,Sims,A.R. and Kelso,J.M. A radial rocket survey of the distant geomagnetic field, 0=12133
Sonett,C.P.,Smith,E.J.,Judge,D.L. and Coleman,P.J.Jr, Current systems in the vertigial geomagnetic field: Explorer VI, 0=10394
Sonett,C.P. See Coleman,P.J.,Jr, 0=21317
Sonett,C.P. See Rosen,A., 0=9490
Sonett,C.P. See Smith,E.J., 0=21318
Sonier,F. See Garigue,J., 0=13999
Sonin,A.S. and Zheludev,I.S. Space groups and ferroelectric phase transitions, 0=13986
Sonin,A.S. See Zheludev,I.S., 0=19456
Sonoda,M. See Seki,M., 0=19770
Sonoike,S. and Wakabayasi,H. Temperature dependence of surface voltage of silver bromide, 0=20961
Soo Lee Sang. See Lee Sang Soo, 0=3638
Soo,S.L. Effect of transport processes on attenuation and dispersion in aerosols, 0=14740
Soo,S.L. Friction and heat transfer of compressible flow into an infinite lattice of flat plates, 0=19476

Sood,B.S. Polarization of 0.411, 0.662 and 1.25 MeV γ-rays elastically scattered by lead, 0=452
Sood,B.S. See Knapp,V., 0=451
Sood,B.S. See Moon,P.B., 0=20336
Sood,B.S. See Shute,G.G., 0=20337
Soohoo,R.F. Initial susceptibility spectra of permalloy films, 0=10160
Soohoo,R.F. See Dwight,K., 0=2300
Soper,J.M. See Bell,J.S., 0=5658
Sorensen,B.H. See Regier,R.B., 0=17634
Sorensen,R.A. See Kisslinger,L.S., 0=17458
Sorochenko,R.L. See Vitkevich,V.V., 0=16557
Sorokin,A.A. See Bedesku,A., 0=11386
Sorokin,A.A. See Delyagin,N.N., 0=13213
Sorokin,L.S. Gas-discharge scintillation counter, 0=3888
Sorokin,O.V. and Tuseev,B.T. A comparative study of the magnetoresistance and photoelectric methods of measuring the rates of surface recombination, 0=18003
Sorokin,O.V. See Zhuze,V.P., 0=2861
Sorokin,P.P.,Lasher,G.J. and Gelles,I.L. Cross relaxation studies in diamond, 0=10224
Sorokin,P.P. See Smith,W.V., 0=1832
Sorokin,V.S. and Sushkin,I.V. Stability of equilibrium of a conducting liquid heated from below in a magnetic field, 0=9159
Sorokin,V.S. See Gubkin,A.N., 0=18105
Sorokina,L.A. See Konorova,E.A., 0=1707
Sorokina,Yu.G. See Kolontsova,E.V., 0=13937
Soroko,L.M. Proton—proton scattering in the $^1D_2$ state at 616 MeV, 0=2544
Soroko,L.M. See Akimov,Yu.K., 0=9357
Soroko,L.M. See Akimov,Yu.K., 0=11169
Soroko,L.M. See Akimov,Yu.K., 0=15459
Sosedova,A.L. Certain effects in the propagation of sound in the sea, 0=19267
Soshin,L.D. See Nemilov,Yu.A., 0=4035
Soshin,L.D. See Nemilov,Yu.A., 0=4064
Soshin,L.D. See Pisarevskii,A.N., 0=4040
Soshin,L.D. See Pisarevskii,A.N., 0=7143
Soshnikov,V.N. Temperature dependence of the cross-section for absorption of visible light by nitrogen dioxide, 0=1524
Sosin,A. and Bienvenue,L.L. Effect of electron irradiation and subsequent thermal treatment on Young's modulus of copper, 0=6294
Sosin,A. and Brinkman,J.A. Electrical resistivity recovery in cold-worked and electron-irradiated nickel, 0=15883
Sosin,A. See Meechan,C.J., 0=9924
Sosin,A. See Meechan,C.J., 0=17925
Soskin,M.S. See Brodin,M.S., 0=4403
Sosnina,E.I. See Owsijenko,D.E., 0=13948
Sosnovskii,A.N.,Spivak,P.E.,Prokof'ev,Yu.A.,Kutikov,I.E. and Dobrÿnin,Yu.P. Measurement of the half-life of the neutron, 0=2546
Sosnovskii,A.N.,Spivak,P.E.,Prokof'ev,Yu.A.,Kutikov,I.E. and Dobrynin,Yu.P. Measurement of the neutron half-life, 0=12937
Sosnovskii,R. See Van Gan-Chan, 0=9415
Sosnovsky,H.M.C. The catalytic activity of silver crystals of various orientations after bombardment with positive ions, 0=4709
Sosnowski,R.,Sterliński,S.,Topa,J. and Zylicz,J. Isomeric transition in Hg^{199}, 0=11370
Sotskii,B.A. and Fedorov,F.I. Molecular theory of reflection and refraction of light. I. Light incident from vacuum on to an isotropic medium, 0=8765
Soudek,I. Study of the photodielectric phenomenon in luminescing zinc cadmium sulphides, 0=6158
Soudek,I. Influence of temperature on the spectral composition of the zinc sulphide luminescence, 0=11780
Souers,C. See Mosher,H.S., 0=16381
Soulé,J.L. The determination of specific surfaces and interfaces by small angle scattering of X-rays. I. Theoretical principles, 0=6350
Soulé,J.L. See Alexanian,C., 0=21222
Soulet,M. See Chabbal,R., 0=16851
Soundraraj,A. Studies of copper targets attacked by shaped charges, 0=21104
Souriau,J.M. Algebraic theory of mesons and baryons, 0=9272
South,R.L. See Norment,H.G., 0=18355
Southern,A.L. See Robinson,M.T., 0=13559
Southgate,P.D. Measurement of low values of internal friction at elevated temperatures, 0=4557
Southorn,W.A. The torsiometer — an instrument for the study of gels considered as elastic solids, 0=14142
Soutif,M. See Paulevé,J., 0=13862
Sovinskii,M. See Mostovoi,V.I., 0=4136
Sozin,Yu.I. Method for the simultaneous production, by reflection, of electron diffraction patterns of an investigated substance and a standard, 0=13980
Sowa,E.S. First "treat" results — meltdown tests of EBR-2 fuel, 0=15624
Spaa,J.H. See van Dorsten,A.C., 0=17347
Spaček,L. The energy of periodic surface structures in ferromagnetism, 0=3033
Spaček,L. The surface layer on a ferromagnetic. The energy of some periodic domain structures, 0=3034
Spacek,L. Bloch wall energies in iron and nickel, 0=4491
Spaček,L. The surface structure of closure domains in the (100) planes in iron, 0=10146
Spaček,L. Correction to the paper entitled "The surface structure of closure domains in the (100) planes in iron", 0=10148
Spain,R.J. See Rubinstein,H., 0=11854
Spang,A. and Gebauhr,W. On the source of error due to field disturbances, on the activity measurement of radiochemical preparations in the gas-flow-counter, 0=11069
Spangler,R.A. See Menninger,J.R., 0=10454
Sparks,J.T.,Mead,W.,Kirschbaum,A.J. and Marshall,W. Neutron diffraction investigation of the $Fe_{1-\delta}S$ system, 0=11913
Sparks,M. and Kittel,C. Ferromagnetic relaxation mechanism for M_Z in ytrrium iron garnet, 0=10200
Sparks,R.A. See Gillespie,R.B., 0=4635
Sparks,R.A. See Rollett,J.S., 0=10299
Sparnaay,M.J. On the additivity of London—Van der Waals forces. An extension of London's oscillator model, 0=7818
Sparnaay,M.J. Van der Waals forces and fluctuation phenomena, 0=7819
Sparrow,E.M. and Siegel,R. Laminar tube flow with arbitrary internal heat sources and wall heat transfer, 0=12518
Sparrow,E.M. See Eckert,E.R.G., 0=12507
Sparrow,E.M. See Eckert,E.R.G., 0=16906
Sparrow,E.M. See Gregg,J.L., 0=19485
Späth,H. and Krempl,H. Temperature measurements in spark discharges made with time resolved spectroscopy, 0=5287
Spaulding,A.D. See Crichlow,W.Q., 0=8429
Spear,R.H. Excited states of ^8Be from the $^7Li(d,n)^8Be$ reaction, 0=5664
Spear,R.H. The energy spectrum of protons from the $^7Be(d,p)^8Be$ reaction, 0=5750
Spearman,T.D. The pion—nucleon coupling constant, 0=11201
Spearman,T.D. Dispersion relation predictions for π, p scattering, 0=15401
Speciálný,J. See Delong,A., 0=10965
Spector,H.N. Determination of the Fermi velocity by the high-field tilt effect, 0=20767
Spedding,F.H. See Colvin,R.V., 0=18002
Spedding,F.H. See Curry,M.A., 0=6080
Spedding,F.H. See Hall,P.M., 0=2843
Spedding,F.H. See Hall,P.M., 0=6079
Spedding,F.H. See Jennings,L.D., 0=2788
Spedding,F.H. See Stanton,R.M., 0=6016
Spees,A.H. See Burnham,J., 0=16938
Speidel,R. Grainless and maximum-resolution registration of ion and electron images by means of a light optical interference filter, 0=1946
Spektor,E.Z. See Kamenetskaya,D.S., 0=3173
Speliotis,D.E. See Pugh,E.W., 0=11868
Spence,R.D. and Cowen,J.A. Concentration dependence of the polarization and relaxation time of Al^{27} nuclei in ruby, 0=6277
Spence,R.D. See Cowen,J.A., 0=1838
Spence,R.D. See Forstat,H., 0=3099
Spence,R.D. See Murthy,C.R.K., 0=16711
Spence,R.W. See Diamond,H., 0=17512
Spencer,A.N. and Todd,M.C.J. Viscosity and thermal conductivity of liquid boron trifluoride, 0=6980
Spencer,A.N. See Berman,R., 0=9901
Spencer,C.W. See Porter,R.F., 0=5896
Spencer,C.W. See Smith,M.J., 0=13606
Spencer,D.E. Scattering function for fogs, 0=10453

Spencer,E.G. and LeCraw,R.C. Magnetoacoustic resonance in yttrium iron garnet, 0=3090
Spencer,E.G. and Le Craw,R.C. Spin lattice relaxation in yttrium iron garnet, 0=6260
Spencer,E.G. See Fletcher,R.C., 0=6258
Spencer,E.G. See LeCraw,R.C., 0=3113
Spencer,E.G. See LeCraw,R.C., 0=10220
Spencer,E.G. See Van Uitert,L.G., 0=3072
Spencer,G.H. See Hennessy,W.P., 0=8773
Spencer,H.E. Noise and signal response in lead sulfide photoconductive films, 0=7963
Spencer,H.E. and Morgan,J.V. Hole mobility and crystal size in lead sulfide photoconductive films, 0=20935
Spencer,N.W. See Boggess,R.L., 0=14203
Spencer,R.C. The Astronautic Chart, 0=12264
Spencer,R.R. See Young,T.E., 0=2624
Spencer,T.W. The method of generalized reflection and transmission coefficient, 0=12451
Sperandio,A. See Clusius,K., 0=1562
Sperandio,A. See Clusius,K., 0=12416
Speranskaya,M.P. See Al'tshuler,L.V., 0=11974
Speranskaya,N.I. Determination of the unit colour coordinates for 27 normal observers, 0=8446
Sperduto,A. See Sheline,R.K., 0=5650
Sperduto,A. See Sheline,R.K., 0=11415
Sperling,H.G. Case of congenital tritanopia with implications for a trichromatic model of color reception, 0=3377
Speros,D.M. On the research and development of electron emitting substances for gas discharges, 0=3781
Spescha,G. and Strutt,M.J.O. Definition and measurements of the noise figure of semiconductor photodiodes, including photon noise, 0=4307
Spescha,G.A. and Strutt,M.J.O. Theoretical considerations on the experimental determination of spontaneous photon fluctuations, 0=8830
Spescha,G.A. and Strutt,M.J.O. Experimental determination of spontaneous photon fluctuations, 0=8831
Spicer,B.M. The photodisintegration of nuclei with Z between 9 and 30, 0=5765
Spicer,B.M.,Thies,H.H.,Baglin,J.E. and Allum,F.R. The giant resonance of photodisintegration of tantalum, 0=4112
Spicer,B.M. See Thies,H.H., 0=5651
Spicer,B.M. See Thies,H.H., 0=5769
Spicer,G.S. See Bryant,F.J., 0=7502
Spicer,W.E. See Simon,R.E., 0=12627
Spicer,W.E. See Simon,R.E., 0=17030
Spiegel,E.A. and Veronis,G. On the Boussinesq approximation for a compressible fluid, 0=6983
Spiegel,P. High speed scalers using tunnel diodes, 0=12803
Spiegel,V.Jr,Oliver,D.W. and Caswell,R.S. Age to indium resonance for D–D neutrons in water, 0=12986
Spiegler,G. Quantitative interpretation of X-ray shadows, 0=2522
Spielberg,N. and Ladell,J. Crystallographic aspects of extra reflections in X-ray spectrochemical analysis, 0=16296
Spielberg,N. See Ladell,J., 0=3338
Spier,H.L. See Wanmaker,W.L., 0=13710
Spighel,M. Design of a magnetometer and of a magnetic field-gradient meter, 0=7182
Spighel,M. Beta–gamma angular correlation at the resonance energy, 0=15548
Spighel,M. V and A interactions by at-resonance $\beta-\gamma$ angular correlation in arsenic 76, 0=15549
Spighel,M. and Pénege,L. Pulse height selector with constant analysis time, 0=3907
Spighel,M. See Bussière de Nercy,A., 0=7533
Spigl,H.S. Perth Observatory, 0=12238
Spindel,W. and Stern,M.J. Some observations on atomic exchange in NO, 0=13454
Spindel,W. See Monse,E.U., 0=11497
Spinner,E. Bond lengths and nuclear quadrupole coupling in vinyl halides, 0=17771
Spinner,S. and Cleek,G.W. Temperature dependence of Young's modulus of vitreous germania and silica, 0=13900
Spinner,S.,Reichard,T.W. and Tefft,W.E. A comparison of experimental and theoretical relations between Young's modulus and the flexural and longitudinal resonance frequencies of uniform bars, 0=13905
Spinney,K.T. Resonance absorption in homogeneous mixtures, 0=7619
Spinrad,B.I. Fast effect in lattice reactors, 0=13317
Spinrad,B.I. See Katzin,L.I., 0=13309
Spiridonov,V.M. See Gorbunov,A.N., 0=5519
Spitkovskii,I.M. See Glauberman,A.E., 0=1693
Spitsbergen,U. The crystal structures of $BaZnO_2$, $BaCoO_2$ and $BaMnO_2$, 0=8215
Spitsÿn,V.I.,Torchenkova,E.A. and Glazkova,I.N. The influence of radioactive radiation on the solution process of a solid, 0=14646
Spitsÿn,V.I. See Mikhailenko,I.E., 0=14112
Spitzer,L. See Rogerson,J.B., 0=10761
Spitzer,L.,Jr. Space telescopes and components, 0=14372
Spitzer,L.,Jr, Particle diffusion across a magnetic field, 0=17087
Spitzer,W.G.,Gershenzon,M.,Frosch,C.J. and Gibbs,D.F. Optical absorption in N-type gallium phosphide, 0=16055
Spitzer,W.G. See Kleinman,D.A., 0=10042
Spivak,G.V.,Pryamkova,I.A. and Lepeshinskaya,V.N. Electron-optical observations of the "patch fields" on the emitting surfaces, 0=15063
Spivak,G.V. See Krokhina,A.I., 0=21245
Spivak,P.E.,Erozolimsky,B.G.,Dorofeev,G.A.,Lavrenchik,Y.N., Kutikov,I.G. and Dobrynin,Y.P. Measurements of η for U^{233}, U^{235} and Pu^{239} with epithermal neutrons, 0=4133
Spivak,P.E.,Erozolimsky,B.G.,Dorofeev,G.A.,Lavrenchik,V.N., Kutikov,I.E. and Dobrynin,Y.P. Measurements of η for U^{233}, U^{235} and Pu^{239} with neutrons in the energy range 30 to 900 keV, 0=4134
Spivak,P.E. See Erozolimsky,B.G., 0=7383
Spivak,P.E. See Kalashnikova,V.I., 0=7645
Spivak,P.E. See Mikaélyan,L.A., 0=15335
Spivak,P.E. See Sosnovskii,A.N., 0=2546
Spivak,P.E. See Sosnovskii,A.N., 0=12937
Spoel,H. See Blythe,A.R., 0=6839
Spokes,G.N. and Gaydon,A.G. Flame spectra: the effect of deuteration on the hydrocarbon flame bands, 0=5937
Spokes,G.N. See Gaydon,A.G., 0=19219
Spol'nik,L.I. See Shestopalov,V.P., 0=9211
Sponer,H. See Blackwell,L.A., 0=10067
Spooner,F.J. See Wilson,C.G., 0=4631
Spooner,F.J. See Wilson,C.G., 0=10317
Sprackling,M.T. Reverse bending of crystals of silver chloride, 0=21110
Sprague,G. See Bless,R.C., 0=8403
Sprague,G. See Bless,R.C., 0=14278
Sprague,G. See Gartlein,C.W., 0=16468
Sprangenberg,W.G. and Rowland,W.R. Optical study of boundary-layer transition processes in a supersonic air stream, 0=16727
Spreadborough,J. The occurrence of stacking faults in metallic systems, 0=552
Spreadborough,J. and Christian,J.W. The measurement of the lattice expansions and Debye temperatures of titanium and silver by X-ray methods, 0=1909
Spreadborough,J. and Christian,J.W. High-temperature X-ray diffractometer, 0=4608
Spreadborough,J. See Bollmann,W., 0=10276
Springer,T. See Männer,W., 0=7668
Springer,T.E. See Draper,J.E., 0=11439
Springer,V.T. and Wiedemann,W. The measurement of the total cross-section of solid neon and argon for slow neutrons, 0=20153
Sproson,J.C. See Earnshaw,A.W., 0=8596
Sproule,D.O. See Smith,P., 0=9846
Sproull,R.L. Charged dislocations in lithium fluoride, 0=20817
Spruch,G.M. See Kallmann,H., 0=2906
Spruch,G.M. See Kallmann,H., 0=7959
Spruch,I. See Rosenberg,I., 0=13405
Spruch,L. and Bartram,R. Bounds on the elements of the equivalent network for scattering in waveguides. I. Theory, 0=9213
Spruch,L. and Kelly,M. Pluvinage method for systems of three charged particles, 0=2707
Spruch,L. and Rosenberg,L. Upper bounds on scattering lengths for static potentials, 0=2496
Spruch,L. and Rosenberg,L. Low-energy scattering by a compound system: Positrons on atomic hydrogen, 0=4167
Spruch,L. and Rosenberg,L. Upper bounds on scattering lengths for compound systems: n–D quartet scattering, 0=5863
Spruch,L. and Rosenberg,L. Upper bound on the neutron-deuteron doublet scattering length, 0=17341
Spruch,L. See Bartram,R., 0=9214
Spruch,L. See Rosenberg,L., 0=9288
Spruch,L. See Rosenberg,L., 0=17252
Spry,W.J. and Scherer,P.M. De Haas–Van Alphen effect in graphite between 3 and 85 kilogauss, 0=21020

ourný,K. See Kubie,G., 0=20364

urr,R.T. The friction of mineral particles, 0=8135

quire,C.F.,Briscoe,C.V.,Norwood,M.H.,Scales,W.W. and Low,F.J. Lattice vibrations in alkali halides at liquid helium temperatures from experimental studies on elastic constants, specific heats, and nuclear magnetic resonance, 0=9842

uire,C.F. See Adair,T.W.,III, 0=7193

uire,C.F. See Day,S.M., 0=4533

quire,R.K. See Softky,S.D., 0=12467

uires,E.J. Brueckner theory and the shell model effective potential, 0=5642

uires,E.J. See Chisholm,J.S.R., 0=5504

quires,E.J. See Herzenberg,A., 0=20138

uires,R.K. See O'Keefe,J.A., 0=6627

edniawa,B. A modification of the invariant Lorentz formalism in the theory of fusion, 0=7313

edniawa,B. The theory of the fusion of two Majorana particles, 0=7314

redniawa,B. On the breadths of annihilation lines in copper and in gold, 0=11558

edniawa,B. See O'Raifeartaigh,L., 0=1275

reedhar,A.K. and Daunt,J.G. Vapour pressure of He^3—He^4 solutions, 0=5231

reedhar,A.K. See Brewer,D.F., 0=223

reedhar,A.K. See Brewer,D.F., 0=8879

reedhara Murthy,N. See Tawde,N.R., 0=9811

reekantan,B.V. See Mistry,N.B., 0=17455

reekantan,B.V. See Naranan,S., 0=15467

reekantath,G.M. On the use of coarse gratings in ultrasonics, 0=8753

reekantath,G.M. On dissimilarity in the phenomena of diffraction of sound and light by transmission gratings, 0=19297

reekantath,G.M. and Verghese,C.A. Special type of grating, possessing the properties of a neutral filter for use in homochromatic photometry, 0=5129

reerama Murty,K., See Babu Rao,P., 0=5900

retenskii,L.N. Diffraction waves in the problem of Cauchy and Poisson, 0=2155

Sretenskii,L.N. A hydrodynamic approach to the "Tsunami" effect, 0=10387

Sretenskii,L.N. and Sekerzh-Zen'kovich,Ya.I. The Cauchy [and] Poisson problem for waves of finite amplitude, 0=19078

Srinivasamurthy,B. The diurnal variation of sizes of sudden commencements and impulses in the Kodiakanal magnetograms, 0=16406

rinivasan,R. See Ganesan,S., 0=20751

Srinivasan,S.K. Application of charge independence to annihilation of anti-nucleons, 0=20128

rinivasan,S.K. and Ranganathan,N.R. Numerical calculations on the new approach to the cascade theory. I, 0=2604

Srinivasan,S.K. and Venkatesan,K. Photo-production of pion pairs by polarised nucleons, 0=20210

rinivasan,S.K. See Ramakrishnan,A., 0=2605

rinivasan,S.K. See Ramakrishnan,A., 0=2606

Srinivasan,S.K. See Ramakrishnan,A., 0=7297

Srinivisan,R. See Rajagopal,A.K., 0=7847

rirama Rao,M. and Ramachandra Rao,B. Investigation of magneto-ionic fading in oblique incidence medium-wave transmissions, 0=1985

Srivastava,A.C. [Constant] rotation of a [infinite] plane lamina [about an axis perpendicular to its plane] in non-Newtonian fluids, 0=8615

Srivastava,A.C. Rotatory oscillation of an infinite plate in non-Newtonian fluids, 0=14602

Srivastava,A.M. and Varshni,Y.P. Velocity of sound in water as a function of temperature and pressure, 0=19273

rivastava,B.N. and Barua,A.K. Thermal conductivity of binary mixtures of diatomic and monatomic gases, 0=3562

rivastava,G.P. Absorption of microwaves in ethyl chloride, 0=5920

rivastava,G.P. and Varshni,Y.P. Temperature and concentration of the dielectric constant of mixtures of organic liquids and water, 0=3528

Srivastava,H.N. Dipole moments and relaxation times of some halogenated disubstituted benzenes, 0=15780

Srivastava,H.N. Some dielectric investigations at 3.15 cm. and 8.7 mm. bands, 0=18090

Srivastava,H.N. See Vyas,A., 0=20692

Srivastava,K.G. Electrical and optical investigation of absorption centers in rutile single crystals, 0=13552

Srivastava,K.G. Transfer of electric charges through rutile single crystals, 0=13579

Srivastava,K.K. See Krishna,B., 0=5019

Srivastava,K.P. Mutual diffusion of binary mixtures of helium argon and xenon at different temperatures, 0=8702

Srivastava,K.P. and Barua,A.K. The temperature dependence of interdiffusion coefficient for some pairs of rare gases, 0=14691

Srivastava,K.S. See Gokhale,B.G., 0=20584

Srivastava,P. Renninger effect in naphthazarin. 0=16297

Srivastava,R.C. See Rastogi,R.P., 0=7016

Srivastava,R.C. See Rastogi,R.P., 0=14098

Srivastava,R.S. and Khastgir,S.R. Studies on the waveforms of atmospherics during the regular world days and the world meteorological intervals, 0=18523

Srivastava,R.S. See Tantry,B.A.P., 0=1986

Srivastava,R.S. See Tantry,B.A.P., 0=8423

Srivastava,S.C. Relationship between ultrasonic velocity and other physical properties of pure organic liquids, 0=19130

Srivastava,S.N. Method of virtual work for some problems in physics, 0=5006

Srivastava,S.N. Calorimeter for the measurement of specific heat of lac, 0=7008

Srivastava,S.N. Preliminary report on the crystal structure of anthrone, 0=18366

Srivastava,S.S. and Padmanabhan,V. Capacitor thermometer for hydrologic investigations, 0=1061

Srivastava,S.S.,Puri,D.D. and Mehendru,P.C. Temperature dependence of dielectric loss of shellac in microwave region, 0=7986

Staas,F.A. and De Bruyn Ouboter,R. Critical velocities of ^{4}He in a superfluid flow through a glass capillary of 260 microns diameter, 0=8912

Staats,H. See Seemann,H.J., 0=5110

Stabenow,J. Electron interference in superimposed crystal layers. II. Relation between multiple reflection and the crystal moiré, 0=3210

Stabler,R.C. and Lomon,E.L. Proton—proton scattering phase shifts at 150 MeV, 0=15351

Stabnikov,M.V. See Komar,A.P., 0=11072

Stacey,F.D. Spinner-magnetometer for thermal demagnetization experiments on rocks, 0=3829

Stacey,F.D. The fluctuating field ferromagnet at low temperatures, 0=4477

Stacey,F.D. Ferromagnetic exchange between coupled pairs of electrons, 0=6219

Stacey,F.D. Electron mobility in liquid argon, 0=8993

Stacey,F.D. The possible occurrence of negative nitrogen ions in the atmosphere, 0=10400

Stacey,F.D. Author's reply to the preceding discussion, 0=16423

Stacey,F.D. A domain theory of magnetic grains in rocks, 0=21042

Stadelmaier,H.H. and Huetter,L.J. Ternary carbides of the transition metals nickel, cobalt, iron, manganese with zinc and tin. 0=16324

Stadler,H.L. Localized field permanent magnet arrays, 0=9142

Stafeev,V.I. Injection heat transfer, 0=11731

Stafeev,V.I. See Kramareva,S.A., 0=7921

Stafford,G.H. See Whitehead,C., 0=7353

Stafiichuk,E.A. See Sinyakov,E.V., 0=7979

Stager,C.V. See Hirsch,H.R., 0=17711

Stagg,J.M. Auroral frequency lines, 0=8407

Stähelin,P. See Allen.J.S., 0=1385

Stahl,A. The application of information theory to statistical physics, 0=18998

Stahl,R.H. See Stone,R.S., 0=15631

Stahl-Brada,R. and Low,W. Paramagnetic resonance spectra of chromium and manganese in the spinel structure, 0=3131

Stahl-Brada,R. and Low,W. Tables of eigenvalues and matrix elements of transition probabilities for an axial spin Hamiltonian with $S = \frac{3}{2}$, 0=11038

Stainov,G.,Derzhanski,A. and Dimitrova,M. Electronic devices for analogue multiplication and division of exponential functions, 0=18575

Stair,R.,Johnston,R.G. and Halbach,E.W. Standards of spectral radiance for the region of 0.25 to 2.6 microns, 0=19490

Stair,R. See Maki,A.G., 0=16917

Staley,R.C. High-altitude observation techniques, 0=1976

Stalinski,B.,Coogan,C.K. and Gutowsky,H.S. Proton magnetic resonance studies of nonstoichiometric titanium hydride, 0=18230

Stammreich,H.,Kawai,K.,Tavares,Y,,Krumholz,P., Behmoiras,J. and Bril,S. Raman spectra of metal carbonyl compounds. II. Raman spectra, structure, and force constants of cobalt and iron tetracarbonylate anions, 0=11528

Standil,S. and Loveridge,W.D. Large crystal total absorption spectrometer, 0=2459

Stanevich,A.E. See Yaroslavskii,N.G., 0=4200

Stanevich,S.B. See Sall',A.O., 0=4753

Stanford,R.W.,Moore,R.D. and Hills,T.H. Comparative performance of grids in relation to their stated ratio, 0=10456

Stanghellini,A. See Amati,D., 0=370

Stanghellini,A. See Bergia,S., 0=15409

Stangler,F. See Kapp,W., 0=1621

Stanislavova,J. See Nadjakov,G., 0=20929

Stankowska,J. and Stankowski,J. Ageing process in triglycine sulphate, 0=18100

Stankowski,J. See Stankowska,J., 0=18100

Stanley,E. See Hargreaves,A., 0=8175

Stanley,G.J. See Roberts,J.A., 0=6553

Stanley,N. See Hodkinson,J.R., 0=10362

Stannard,F.R. Total absorption rate of muons in carbon, 0=13291

Stannard,F.R. A measurement of the total absorption rate of muons in carbon, 0=17369

Stannard,F.R. See K$^-$-collaboration, 0=1308

Stannard,F.R. See K$^-$-Collaboration, 0=15430

Stannard,F.R. See Kumar,R.C., 0=2625

Stantic,S. See Alvial,G., 0=12729

Stanton,H.E. On the yield and energy distribution of secondary positive ions from metal surfaces, 0=9095

Stanton,H.E. and Monahan,J.E. Cross section for formation of doubly-ionized helium by electron impact, 0=14968

Stanton,H.E. See Morrison,J.D., 0=17720

Stanton,L. Problems of developing a film method for regularly checking radiation output of X-ray machines, 0=20110

Stanton,R.E. Electron capture by neutral molecules, 0=11512

Stanton,R.M.,Jennings,L.D. and Spedding,F.H. Heat capacity of terbium from 1.4 to 4.0° Kelvin, 0=6016

Stanyukovich,K.P. Cylindrical and plane magnetohydrodynamic waves, 0=11029

Stanyukovich,K.P. Concerning the impact of solids at high velocities, 0=11991

Stanyukovich,K.P. See Golitsȳn,G.S., 0=2203

Stanyukovich,K.P. See Skuridin,G.A., 0=9169

Stanyukovich,K.P. See Skuridin,G.A., 0=9170

Stapleton,H.J. See Axe,J.D., 0=10235

Stapp,H.P. See MacGregor,M.H., 0=2543

Starchik,L.P. See Plaksin,I.N., 0=8457

Starfelt,N. See Hettinger,G., 0=7330

Starfelt,N. See Hettinger,G., 0=17296

Starner,J.W. See Bunker,M.E., 0=1380

Starnes,A.J. See Hess,W.N., 0=16459

Starodubov,Ya.D. See Garber,R.I., 0=11987

Starodubov,Ya.D. See Garber,R.I., 0=13950

Starodubov,Ya.D. See Gindin,I.A., 0=3170

Starodubov,Ya.D. See Gindin,I.A., 0=8118

Starodubtsev,S.B.,Ablyaev,Sh.A. and Ermatov,S.E. Change of adsorptive properties of silica gel, due to gamma radiation, 0=4745

Starodubtsev,S.E.,Khiznichenko,L.P. and Domoryad,I.A. Variation of the elastic constants of quartz filaments caused by Co^{60} γ-rays, 0=16203

Starodubtsev,S.V.,Gurskii,M.N. and Suzȳkh,A.G. Change of the optical properties of benzene irradiated by gamma-rays, 0=6416

Starodubtsev,S.V. and Makaryunas,K.V. Angular distribution of tritons from the reaction Li$^7(\alpha,t)$ Be^8, 0=13246

Stardubtsev,S.V. See Arifov,U.A., 0=7167

Starodubtsev,S.V. See Belskii,S.A., 0=11436

Starodubtsev,S.V. See Makaryunas,K.V., 0=9644

Starodubtsev,S.V. See Velyukhov,G.E., 0=1440

Starr,F.C. See Busse,W.F., 0=55

Starr,V.P. Note concerning the influence of rotation on convection, 0=5208

Starr,W.L. Impulse from an exploding wire plasma accelerator, 0=7114

Start,P.L. and Thring,M.W. Design of laboratory furnaces, 0=7001

Startsev,G.P. See Gruzdev,P.F., 0=20583

Startsev,V.I.,Baturicheva,Z.B. and Tsirlin,Yu.A. The temperature dependence of luminescence of NaI : Tl crystals at temperatures of 0-270°C, 0=13712

Startsev,V.I. and Lavrent'ev,F.F. X-ray diffraction study of the accommodation zone in twinned zinc, 0=12000

Startsev,V.I. See Buravleva,M.G., 0=16356

Startsev,V.I. See Komnik,S.N., 0=4459

Startsev,V.I. See Tsirlin,Yu.A., 0=13705

Stashkov,G.M. See Ivanovskaya,I.A., 0=20222

Stasiw,O. The positions of the absorption bands of electron defects in ionic lattices, 0=16049

Stasova,M.M. See Vainshtein,B.K., 0=14036

Stasyuk,I.V. See Glauberman,A.E., 0=11603

Statton,W.O. and Hoffman,L.C. Structure in vitreous silicate fibres as shown by small-angle scattering of X-rays, 0=6372

Statz,H. and Koster,G.F. Zeeman splittings of paramagnetic atoms in crystalline fields, 0=4418

Statz,H. See Aisenberg,S., 0=3133

Statz,H. See Rimai,L., 0=6269

Staub,H.H. Absolute precision measurements of nuclear energy levels and their breadths in terms of fundamental atomic constants, 0=20345

Staub,H.H. and Winkler,H. An absolute determination of the threshold energy of the Li^7(p,N)Be^7 reaction, 0=17588

Stauér,E.V. and Rozenblat,M.G. Effect of pulverization on the optical and electrical properties of certain ZnS phosphors, 0=10084

Stauss,H.E. Measurement of the linear magnetostriction of hard-worked nickel, 0=1800

Stauss,H.E. Efficiency of a thermomagnetic generator, 0=2309

Staveley,L.A.K. and Randall,T. The thermodynamics of the formation of complex ions of ethylenediaminetetra-acetic acid. 0=21277

Staveley,L.A.K. See Morfee,R.G.S., 0=11582

Stavinskii,V.S. See Agranovich,V.M., 0=2619

Stavinskii,V.S. See Kovalev,V.P., 0=2691

Stavisskii,Yu.Ya.,Bondarenko,I.I.,Krotov,V.I.,Lebedev,S.Ya., Pupko,V.Ya. and Stumbar,É.A. Experiment to obtain reaction thrust in a laboratory model of an ion engine, 0=12644

Stavisskii,Yu.Ya. and Tolstikov,V.A. Measurements of the fast neutron radiative capture cross-sections of gallium isotopes, 0=4119

Stavitskaya,T.S. See Efimova,B.A., 0=2890

Stavitskaya,T.S. See Vinogradova,M.N., 0=6089

Stavroudis,O.N. Lens design: A new approach, 0=3599

Stawikowski,A. and Swings,P. The excitation mechanism of the Swan bands of comets, 0=14406

Stearn,J.L. and Richardson,H. A variant least-squares method of solution of a system of observation equations, 0=14370

Stearns,C.A.,Pack,A.E. and Lad,R.A. Factors affecting the ductility and strength of NaCl single crystals tested in flexure, 0=6306

Stearns,M.B. The spectroscopy of mesonic atoms, 0=20564

Stebbings,R.F.,Fite,W.L. and Hummer,D.G. Charge transfer between atomic hydrogen and N$^+$ and O$^+$, 0=20579

Stebbings,R.F.,Groves,G.V.,Boyd,R.L.F. and Bowen,P.J. Low-altitude testing of the rocket-grenade experiment for upper atmosphere temperatures and winds. 0=16420

Stebbings,R.F.,Fite,W.L.,Hummer,D.G. and Brackmann,R.T. Collisions of electrons with hydrogen atoms. V. Excitation of metastable 2S hydrogen atoms, 0=17689

Stebbings,R.F. See Fite,W.L., 0=1467

Stebbings,R.F. See Fite,W.L., 0=1475

Stebbings,R.F. See Fite,W.L., 0=13408

Stebbings,R.F. See Hummer,D.G., 0=13409

Stech,B. See Rollnik,E., 0=17221

Steckelmacher,W. See Brymner,R., 0=5063

Steckelmacher,W. See Cossutta,D., 0=19237

Stedman,R. Scintillator for thermal neutrons using Li^{6}F and ZnS(Ag), 0=20159

Stedman,R. See Larsson,K.E., 0=7387

Stedman,R. See Larsson,K.E., 0=7654

Stedry,P.J. See Landel,R.F., 0=18244

Stedry,P.J. See Smith,T.L., 0=21123

Steel,C. High frequency factors in unimolecular reactions, 0=1948

Steel,W.H. Scalar diffraction in terms of coherence, 0=8807

Steele,D.,Lippincott,E.R. and Xavier,J. Vibrational spectra of penta-deuterofluoro-benzene, 0=20626

Steele,D.J. Recording weight meter, 0=6724

Steele,J.McA. See Essen,L., 0=21

Steele,J.McA. See Essen,L., 0=10547
Steele,M.C. Low-field electrical breakdown in n-indium phosphide, 0=1673
Steele,M.C. and Glicksman,M. Properties of p-type InSb in pulsed high electric fields, 0=9976
Steele,M.C. See Glicksman,M., 0=1672
Steele,M.C. See Larrabee,R.D., 0=18057
Steele,W.A. and Ross,M. Distribution functions of a fluid in an external potential field: application to physical adsorption, 0=14624
Steen,O. and Maltby,P. On the correlation between observations of magnetic fields of sunspots at Mt. Wilson, Potsdam and the Crimea, 0=6588
Steenberg,N.R. and Sharma,R.C. Alpha decay and fission of aligned nuclei, 0=2690
Steenland,M.J. See Beun,J.A., 0=8035
Steenland,M.J. See Miedema,A.R., 0=7038
Steenland,M.J. See Miedema,A.R., 0=8966
Steenland,M.J. See Postma,H., 0=9561
Stefant,R. Stabilization of a magnetic field by means of a galvanometer and photocells, 0=11012
Steffen,R.M. Circular polarization of gamma radiation following allowed beta transitions, 0=420
Steffen,R.M. Search for higher-order effects in allowed beta decay, 0=421
Steffen,R.M. Nuclear matrix elements in the β-decay of Sb^{124}, 0=11360
Steffen,R.M. Beta—gamma angular correlation measurements on Au^{198}. I. Directional and circular polarization correlation, 0=11365
Steffen,R.M. See Alberghini,J.E., 0=4061
Steffen,R.M. See Simms,P.C., 0=11366
Steffens,F. See Van Itterbeek,A., 0=13736
Stegmann,H. See Junghähnel,G., 0=1147
Stehney,F. See Moses,H., 0=14320
Steier,W.H. and Coleman,P.D. Theory and application of dipolar ferrite modes, 0=9188
Steiger,W.R. and Matsushita,S. Photographs of the high-altitude nuclear explosion "Teak", 0=14198
Steigert,F.E. See Berk,N., 0=4006
Steigert,F.E. See Newman,E., 0=11788
Steigert,F.E. See Plendl,H.S., 0=4033
Steigert,F.E. See Roll,P.G., 0=11073
Steigert,F.E. See Roll,P.G., 0=17051
Steigert,F.E. See Roll,P.G., 0=19624
Steigert,F.E. See Yamamoto,S.S., 0=5671
Stein,B.A. See Moore,C.B., 0=16485
Stein,D.F. and Low,J.R., Jr. Mobility of edge dislocations in silicon—iron crystals, 0=6042
Stein,F.,Einspruch,N.G. and Truell,R. Temperature dependence of fractional velocity changes in a germanium single crystal, 0=1843
Stein,H.J. Transitory electrical properties of n-type germanium after a neutron pulse, 0=13597
Stein,L. See Elliott,D.N., 0=6505
Stein,P.C.,Odian,A.C.,Wattenberg,A. and Weinstein,R. Dependence on atomic number of the nuclear photoeffect at high energies, 0=13260
Stein,R.S. and Rhodes,M.B. Photographic light scattering by polyethylene films, 0=21221
Stein,R.S. See Keedy,D.A., 0=20971
Steinberg,J. See Rothwarf,F., 0=1060
Steinberg,J.L. See Gutmann,M., 0=18635
Steinberg,P.H. See Ammar,R., 0=415
Steinberg,P.H. See Ammar,R., 0=13154
Steinberg,R. Semiconductor fission probe, 0=11462
Steinberger,J. See Plano,R., 0=2570
Steinemann,S. and Hintermann,H.E. Submicroscopic structure of electrolytic Cu deposits, 0=14082
Steinemann,S. See Jan,J.P., 0=12044
Steinemann,S. See Jan,J.P., 0=14008
Steiner,H. See Elioff,T., 0=361
Steiner,H.M. See Agnew,L.E.,Jr., 0=11172
Steiner,H.M. See Foote,J.H., 0=5590
Steiner,R.F. Hydrogen ion titration curve of a polynucleotide capable of undergoing a helix-coil transition, 0=4249
Steinert,J. Sound transmissivity of fabric screens, wood mesh screens and cinema screens, 0=1008
Steinhaus,D.W. Rapid precision wave number measurements from Fabry—Perot interferograms, 0=10768
Steinmann,O. The connection between the Wightman functions and the retarded commutators, 0=14515
Steinmann,O. Wightman's functions and retarded commutators. II, 0=17213
Steinmaurer,R. The cosmic radiation during The International Geophysical Year, 0=20281
Steinrauf,L.K. See Peterson,J., 0=8234
Stekol'nikov,I.S. Some new results in the study of long sparks, 0=2341
Stel'makh,M.F. See Kogan,A.V., 0=2652
Stel'makh,M.F. See Kogan,A.V., 0=10857
Stel'makh,M.F. See Kogan,A.V., 0=20787
Stelson,P.H. and McGowan,F.K. Coulomb excitation of Li^{7}, F^{19} and Na^{23} by Ne^{20} ions, 0=11428
Stelson,P.H.,Smith,W.G. and McGowan,F.K. Polarization of γ rays in Pb^{207}, 0=1394
Stelson,P.H. See Ajzenberg-Selove,F., 0=17609
Stelson,P.H. See McGowan,F.K., 0=1407
Steltes,J.F. See Carmichael,H., 0=1340
Stelzer,I. Surface studies on p—n junctions, 0=15915
Stemme,O. See Andrä,W., 0=10153
Stemme,O. See Málek,Z., 0=6234
Stepanenko,M.M. See Koval'skii,N.G., 0=19650
Stepanov,A.V. The properties of crystals with hypothetical close-packed structures, 0=7831
Stepanov,A.V. The theory of crystals of the noble gases, 0=17869
Stepanov,A.V. See Klyavin,O.V., 0=1867
Stepanov,A.V. See Klyavin,O.V., 0=6293
Stepanov,A.V. See Klyavin,O.V., 0=13915
Stepanov,A.V. See Klyavin,O.V., 0=18241
Stepanov,A.V. See Nikanorov,S.P., 0=11968
Stépanov,B. Dynamical variables and integrals of motion in the theory of quantized fields, 0=10596
Stépanov,B. See Hillion,P., 0=10592
Stepanov,B.I. and Apanasevich,P.A. Classification of secondary emission, 0=10050
Stepanov,B.I. and Gribkovskii,V.P. Dependence of the polarization of luminescence of a system of particles with three energy levels on the exciting light intensity, 0=16075
Stepanov,B.I. and Khvashchevskaya,Ya.S. Background of thermal radiation in infrared spectroscopy, 0=158
Stepanov,B.I. and Prima,A.M. Vibrational spectra of silicates. II. Interpretation of the spectra of glasses, 0=1499
Stepanov,B.I. and Rubanov,A.S. Influence of background heat emission on readings of radiation receivers, 0=3674
Stepanov,B.I. See Gribkovskii,V.P., 0=17758
Stepanov,B.M. Structure of non-relativistic anti-terms, 0=17224
Stepanov,E.P. See Samoilov,B.N., 0=9520
Stepanov,E.P. See Samoilov,B.N., 0=9521
Stepanov,E.P. See Samoilov,B.N., 0=13115
Stepanov,E.P. See Sklyarevskii,V.V., 0=9673
Stepanov,K.N. On the damping of electromagnetic waves in a plasma situated in a magnetic field, 0=2366
Stepanov,K.N. Penetration of an electromagnetic field into a plasma, 0=10908
Stepanov,K.N. Cyclotron absorption of electromagnetic waves in a plasma, 0=12613
Stepanov,K.N. The motion of a strongly relativistic electron in a linear accelerator under the action of random perturbations, 0=19826
Stepanov,K.N. and Pakhomov,V.I. Magnetic Bremsstrahlung of a bounded plasma, 0=19681
Stepanov,K.N. See Sharshanov,A.A., 0=19934
Stepanova,A.A. See Zhuravlev,N.N., 0=10847
Stepanova,A.I. See Berezin,I.A., 0=16904
Stepánova,G.I. See Aleksandrov,B.N., 0=1883
Stepanova,V.M. See Regel',V.R., 0=713
Stephan,W. Small-angle grain boundaries as obstacles to the movement of Bloch walls, on silicon-iron, 0=18192
Stephen,M.J. Rotatory dispersion in hydrated cobaltous salts, 0=4399
Stephen,M.J. and Auffray,J.P. Hyperfine interaction and quadrupole coupling constant in the hydrogen molecule ion, 0=2746
Stephen,M.J. and Fraenkel,G.K. Theory of saturation in electron spin resonance spectra, 0=11534
Stephens,F.S.,Asaro,F. and Perlman,I. States of even—even nuclei in the near-harmonic region: spectra of Rn^{218}, Rn^{220}, and Rn^{222}, 0=13184
Stephens,F.S., Jr,Diamond,R.M. and Perlman,I. Multiple Coulomb excitation in Th^{232} and U^{238}, 0=448
Stephens,F.S. See Asaro,F., 0=5708

Stephens,K.G. and Cooper,W.M. Calibration of manganese and gold foils for relative neutron flux measurements, 0=15367

Stephens,R.E. Four-color achromats and superchromats, 0=16817

Stephens,W.E. See Carroll,E.E.,Jr, 0=11433

Stephenson,C.B. A study of visual binaries having primaries above the main sequence, 0=12325

Stephenson,C.B. See Nassau,J.J., 0=14462

Stephenson,G. Quadratic Lagrangians and gauge-invariance in covariant field theories, 0=16596

Stephenson,R. See Osredkar,M., 0=7652

Stepić,R. See Marinkov,L., 0=20407

Stepina,E.I. See Garber,R.I., 0=1897

Stepina.N.É. See Latsh,V.V., 0=21232

Stepin'sh,P. See Veldre,V., 0=4165

Štérba,F. See Drška,L., 0=3976

Stergis,C.G.,Rein,G.C. and Kangas,T. Electric field measurements in the stratosphere, 0=777

Stergis,C.G.,Rein,G.C. and Kangas,T. Electric field measurement above thunderstorms, 0=778

Sterliński,S. See Sosnowski,R., 0=11370

Stern,D. On the interpretation of cosmic ray μ-meson data, 0=20259

Stern,D. See Sitte,K., 0=11241

Stern,E. See Lurio,A., 0=16011

Stern,E. See Lurio,A., 0=18101

Stern,E.A. and Ferrell,R.A. Surface plasma oscillations of a degenerate electron gas, 0=17906

Stern,F. Calculation of the cohesive energy of metallic iron, 0=2773

Stern,F. See Knop,L., 0=17681

Stern,M.J. See Spindel,W., 0=13454

Stern,R.A.,Laderman,A.J. and Oppenheim,A.K. Statistical study of accelerating flames, 0=3680

Stern,R.A. See Hecht,G.J., 0=18436

Stern,R.A. See Sleicher,C.A.,Jr, 0=10631

Stern,R.M. See Meechan,C.J., 0=9924

Stern,S.A.,Waterman,P.C. and Sinclair,T.F. Separation of gas mixtures in a supersonic jet. II. Behavior of helium—argon mixtures and evidence of shock separation, 0=16726

Stern,T.W. See Senftle,F.E., 0=4044

Sternberg,E. See Muki,R., 0=19479

Sternberk,J. On the problem of the rectangularity of the hysteresis loop of manganese ferrite, 0=11886

Šternberk,J. See Brož,J., 0=6240

Sternberk,J. See Brož,J., 0=6241

Sterner,C.J. Electromagnetic pump for circulating gases at low flow rates, 0=19189

Sternglass,E.J. See Wachtel,M.M., 0=10757

Sternheimer,R.M. Electronic polarizabilities of ions, 0=1466

Sternheimer,R.M. Range straggling of charged particles in Be, C, Al, Cu, Pb and air, 0=5560

Sternheimer,R.M. Range—energy relations for protons in various substances, 0=9360

Sternheimer,R.M. See Lindenbaum,S.J., 0=17403

Sternlicht,H. Polycrystalline resonance line shape of

Sternlicht,H. and McConnell,H.M. Effect of deuterium substitution on the lifetime of the phosphorescent triplet state of naphthalene, 0=16101

Sternling,C.V. See Scriven,L.E., 0=19081

Steshenko,N.V. See Severnÿi,A.B., 0=18771

Stetson,R.F. and Berko,S. A directional scintillation counter for neutrons, 0=20158

Stetter,G. Carbonic acid nuclei, 0=14191

Steubing,W. and Lebowsky,F. Helium lines under the influence of perpendicular crossed electric and magnetic fields, 0=476

Steudel,A. Preparation and properties of reflecting coatings for the Fabry-Perot in the ultraviolet, 0=16881

Steudel,A. See Guthöhrlein,G., 0=1356

Steudel,A. See Heilig,K., 0=9774

Stevančević,D.B. and Dražić,V.G. Spectrophotometric studies of quinoxaline 2,3 dithiol and its chelate compounds with nickel (II), cobalt (II) and palladium (II), 0=20631

Stevens,C.S. See Diamond,H., 0=17512

Stevens,D.K. See Sonder,E., 0=10099

Stevens,J. See Bouillon,F., 0=16375

Stevens,J.W. See Smith,B.O., 0=3484

Stevens,K.N. Toward a model for speech recognition, 0=2045

Stevens,K.W.H. Parametric amplification, 0=7213

Stevens,K.W.H. and Josephson,B.,Jr. The coupling of a spin system to a cavity mode, 0=1181

Stevens,K.W.H. See Newmann,M.M., 0=4480

Stevens,S.S. See Reynolds,G.S., 0=18539

Stevenson,D.P. and Ibers,J.A. On the equilibrium C–H distance in methane, 0=17856

Stevenson,M.J. Cyclotron resonance in CdAs$_2$, 0=1571

Stevenson,M.J. See Ehrenstein,G., 0=1534

Stevenson,M.L. See Button,J., 0=13067

Stevenson,M.L. See Crawford,F.S.,Jr, 0=1316

Stevenson,M.L. See Crawford,F.S.,Jr, 0=1317

Stevenson,P.C.,Hicks,H.G.,Armstrong,J.C.,Jr and Gunn,S.R. Calorimetric determination of the average total kinetic energy of fragments from fission of U^{235} and U^{238} by 14 MeV neutrons, 0=4139

Stevenson,R. Magneto-optical rotation in very high fields, 0=16038

Stevenson,R.W.H. See Berman,R., 0=9901

Steward,E.G. and Cook,B.P. X-ray measurement of thermal expansion perpendicular to the layer planes of artificial and natural graphites, 0=8291

Steward,E.G. and Cook,B.P. Mosaic texture of graphites, 0=14001

Stewardson,E.A. See Hunt,N.A., 0=4982

Stewart,A.L. and Wilkinson,W.J. Photo-ionization of helium, 0=15646

Stewart,A.L. See Dalgarno,A., 0=7740

Stewart,A.L. See Dalgarno,A., 0=9740

Stewart,A.L. See Dalgarno,A., 0=20545-6

Stewart,A.T. See Lawrence,D.J., 0=1576

Stewart,A.T. See March,R.H., 0=3962

Stewart,D.T. A spectrophotometric investigation of the air afterglow, 0=790

Stewart,D.T. and Gabathuler,E. Electron collision cross-sections in helium, 0=5855

Stewart,E.T. The scale parameters in non-empirical molecular-orbital calculations on σ-π systems, 0=5971

Stewart,E.T. Partial variational calculations on π-electron systems: an atomic analogue, 0=9820

Stewart,E.T. "Atoms in molecules": a simple approach, 0=9822

Stewart,J.C. See Bohl,L.S., 0=13343

Stewart,J.E. Out-of-plane vibrations of molecules containing planar XY$_4$ rings. I. The normal vibration problem, 0=7745

Stewart,J.M. and Lingafelter,E.C. The crystal structure of bis-salicylaldiminato-nickel (II) and -Copper (II), 0=4653

Stewart,J.M. See Lingafelter,E.C., 0=8182

Stewart,J.W. Application of indium resistance thermometry, 0=3686

Stewart,J.W. Phase transitions and compressions of solid CH$_4$, CD$_4$ and O$_2$, 0=12055

Stewart,J.W. Compression and phase transitions of solid NH$_3$, SiF$_4$, H$_2$S, and CF$_4$, 0=14042

Stewart,L.,Brolley,J.E.,Jr and Rosen,L. Interaction of 6- to 14-MeV deuterons with helium three and tritium, 0=15461

Stewart,L. See Brolley,J.E.,Jr, 0=7423

Stewart,M.G. and Lu,D.C. Nuclear levels of Cs^{133}, 0=5667

Stewart,M.G. See Glikeman,F.M., 0=5668

Stewart,M.G. See Talbert,W.L.Jr, 0=13181

Stewart,N.G. See Burton,W.M., 0=13164

Stewart,R.M.,Jr. See Carr,P.H., 0=17

Stewart,R.M.,Jr. See Pohm,A.V., 0=9184

Stewart,R.W. The natural occurrence of turbulence, 0=12167

Stewart,R.W. See Grant,H.L., 0=5000

Stewart,R.W. See Odgers,G.J., 0=10514

Stewart,T.W.W. See Brannen,E., 0=19917

Stewartson,K. Toroidal oscillations of a spherical mass of viscous conducting fluid in a uniform magnetic field, 0=19908

Stibbs,D.W.N. and Weir,R.E. On the H-functions for isotropic scattering, 0=19002

Stichel,P. Polarization and time reversal invariance in strong interactions, 0=2481

Stickel,P. and Gouiran,R. The proton synchrotron "Saturne". Direct current power supplies and cooling system for the magnets and coils used in experimentation, 0=2412

Stickel,P. See Duvaux,Y., 0=2412

Stickler,J.J. See Rauch,C.J., 0=6037

Stiegler,J.O. and Noggle,T.S. Direct replica technique for copper, 0=18423

Stiegler,K. Reply to the remarks of Z.Jankovic on my paper: "on the mechanical foundation of the theory of special relativity", 0=16577

Stieler,D. See Moser,H., 0=14817

Stieltjes,F.H. See Krŏger,F.A., 0=4295

tier,F. The stationary radial heat flow in a hollow cylinder for any boundary conditions, 0=8819
tierlin,U. See Paul,P., 0=5770
tiglitz,M.R. and Morgenthaler,F.R. Resonance experiments with single crystal yttrium iron garnets in pulsed magnetic fields, 0=10177
Stigmark,L. See Minnhagen,L., 0=12479
til'bans,L.S. See Efimova,B.A., 0=2890
til'bans,L.S. See Vinogradova,M.N., 0=6089
Stil'bans,L.S. See Vinogradova,M.N., 0=18019
Stille,U. Length and time in the problem range of the Physikalisch-Technischen Bundesanstalt (PTB), 0=861
Stille,U. Avogadro's constant, Loschmidt's constant,and the mole, 0=21263
Stiller,B. and Louckes,F.I. Semi-automatic measurement of track profiles in nuclear emulsions, 0=12788
Stillinger,D. See Margenau,N., 0=3730
Stillinger,F.H.,Jr. Approximations in the theory of dense fluids, 0=16686
Stillinger,F.H.,Jr and Kirkwood,J.G. Theory of the diffuse double layer, 0=19603
tillinger,F.H.,Jr,Kirkwood,J.G. and Wojtowicz,P.J. Theory of fused salts, 0=14628
Stillinger,H.,Jr and Kirkwood,J.G. Quantum statistics of nonideal systems, 0=10605
Stinchfield,R.P. See Wachtman,J.B.,Jr, 0=13899
Stirling,A. See Candes,P., 0=2412
Stirling,P.H. and Ho,H. Pulsating flow measurement — today, 0=10681
Stix,T.H. Absorption of plasma waves, 0=3768
tix,T.H. and Palladino,R.W. Observation of ion cyclotron waves, 0=15046
tober,I. See Freidrich,J., 0=2368
tockburger,M. See Schüller,H., 0=485
Stockendal,R. Decay of the $i_{13/2}$ state in Pb^{205}, 0=9583
Stockendal,R. and Bergkvist,K.E. Evaporation device for beta-spectrometer samples, 0=17308
tockendal,R. and Hultberg,S. A study of internal conversion coefficients of transitions in Pb^{205} and Pb^{206}, 0=5719
tockendal,R. See Hultberg,S., 0=7517
Stocker,D. See Coulson,C.A., 0=20683
tockhausen,R.E. See Osterbrock,D.E., 0=6616
Stöcklein,F. See Riecke,W.D., 0=3289
Stockmayer,W.H. Diffusion of weak electrolytes, 0=19104
Stockmayer,W.H. See Kurata,M., 0=15791
Stoddard,A.E. Effects of illumination upon sodium chloride thermoluminescence, 0=18155
toering,J.P. See Peterson,J.M., 0=17623
toffregen,W. Radio reflections on low frequencies from 75-90 km during intense aurora activity, 0=2039
toffregen,W. and Derblom,H. Life-time of the atomic oxygen 6300 A line in the auroral spectrum, 0=7728
Stoffregen,W.,Derblom,H. and Omholt,A. Some characteristics of the D-region ionization during auroral activity, 0=14227
Stogryn,D.E. and Hirschfelder,J.O. Initial pressure dependence of thermal conductivity and viscosity, 0=3561
togryn,D.E. and Hirschfelder,J.O. Contribution of bound, metastable, and free molecules to the second virial coefficient and some properties of double molecules, 0=3567
Stogryn,D.E. and Hirschfelder,J.O. Errata: "Contributions of bound, metastable, and free molecules to the second virial coefficient and some properties of double molecules" and "Initial pressure dependence of thermal conductivity and viscosity". 0=19197
toicheff,B.P. See Flubacher,P., 0=11581
toicheff,B.P. See Pinchas,S., 0=7755
toker,P.H. and Haarhoff,P.C. The creation of fast electron pairs by high energy muons, 0=3961
Stoker,P.H. See Bertanza,L., 0=11214
Stoker,P.H. See Meyer,M.A., 0=20253
Stokes,A.R. The theory of light scattering and X-ray low angle scattering by semi-stiff chain molecules, 0=11546
Stokes,C.S.,Knipe,W.W. and Streng,L.A. Heat transfer rates of an argon plasma jet, 0=2371
Stokes,H.J. Apparatus for the measurement of Young's modulus, between −200 and 700°C by transverse vibration in vacuum, 0=8099
tokes,H.J. Apparatus for the measurement of Young's modulus, between −200 and 700°C by transverse vibration in vacuum, 0=11964
Stokes,R.H. Computer for the identification of charged particles, 0=12802
Stokes,R.H. See Northrop,J.A., 0=1415
Stokes,R.J.,Johnston,T.L. and Li,C.H. The relationship between plastic flow and the fracture mechanism in magnesium oxide single crystals, 0=21143
Stokes,R.J. See Johnston,T.L., 0=21145
Stolarik,J.D. See Shapiro,I.R., 0=14161
Stoletov,G.D. See Kumekin,Yu.P., 0=20205
Stoll,P. See Knoepfel,H., 0=459
Stolov,A.L. Spectrum of a glow discharge in nitrogen—hydrogen mixtures at high pressures, 0=1520
Stolov,A.M. See Veksler,V.I., 0=5369
Stolovy,A. Spin states associated with neutron resonances in In^{115}, 0=9678
Stolyarov,A.K. See Mikaélyan,A.L., 0=1214
Stolyarov,G.A. See Katkov,V.P., 0=2692
Stolyarova,G.S. See Tumanyan,V.A., 0=9344
Stone,A.P. Interpretation of isotope shifts in the rare gases, 0=5885
Stone,B. and Hill,D. Semiconducting properties of cubic boron phosphide, 0=9971
Stone,F.G.A. See Coyle,T.D., 0=17780
Stone,F.S. See Barry,T.I., 0=8303
Stone,J. and Kerr,W. The design of a pile oscillator for the Ford Nuclear Reactor, 0=4144
Stone,M.L. See James,J.C., 0=8408
Stone,N.W.B. See Gebbie,H.A., 0=17748
Stone,P.H. See Swarup,G., 0=12255
Stone,R.S.,Sleeper,H.P., Jr,Stahl,R.H. and West,G. Transient behavior of TRIGA, a zirconium-hydride, water-moderated reactor, 0=15631
Stonehocker,G.H. See Van Zandt,T.E., 0=16447
Stooksberry,R.W. See DeJuren,J.A., 0=20496
Stoppini,G. See Bernardini,C., 0=2589
Stoppini,G. See Odian,A., 0=20209
Stoppini,G. See Pellegrini,C., 0=17397
Storey,C. Investigation into one of the assumptions of the Hertz theory of contact, 0=6718
Storey,J.R. Changes in the differential rigidity spectrum of primary cosmic rays associated with long-term and short-term intensity variations, 0=4010
Storey,L.R.O. A method for measuring local electron density from an artificial satellite, 0=3348
Storey,L.R.O. On the correlation of solar noise fluctuations in harmonically related bands, 0=3407
Storey,L.R.O. The joint use of the ordinary and extraordinary virtual height curves in determining ionospheric layer profiles, 0=12179
Storey,L.R.O. and Lawrence,R.S. A radio-astronomical test of the ballistic theory of light emission, 0=834
Storey,R.M. Smoke density integrator, 0=18446
Storey,R.S.,Jack,W. and Ward,A. Experiments involving the emission of particles from compound nuclei, 0=11446
Storey,R.S. and McNeill,K.G. The decay of Mg^{23}, 0=425
Storey,W.H.,Jr. See Truby,F.K., 0=500
Stork,D.H. See Melkanoff,M., 0=7416
Stork,D.H. See Melkanoff,M.A., 0=17417
Stork,D.H. See Price,O.R., 0=15432
Stout,J.W. and Shulman,R.G. Nuclear magnetic resonance in paramagnetic FeF_2, 0=10248
Storm,M.L. See Francis,N.C., 0=12979
Storm,M.L. See Greebler,P., 0=13270
Storm,M.L. See Hofmann,P.L., 0=13338
Storm,M.L. See Keaveney,D.M., 0=13327
Storm,M.L. See Petrie,C.D., 0=12978
Storm,M.L. See Ruane,T.F., 0=13378
Stoughton,R.W. and Halperin,J. Heavy isotope buildup in the core of a U^{233} breeder, 0=4147
Stoughton,R.W. and Halperin,J. On the effective capture cross section of Pu-240 for reactor neutrons, 0=13271
Stoughton,R.W. and Halperin,J. Heavy nuclide cross sections of particular interest to thermal reactor operation: Conventions, measurements and preferred values, 0=13284
Štourač,L. Effect of ageing on the electrical properties of the semiconducting system Bi_2Te_3—Bi_2Se_3, 0=2889
Štourač,L. See Šmirous,K., 0=2903
Štourač,L. See Šmirous,K., 0=2917
Stout,J.W. Absorption spectra of $MnCl_2$ and $MnBr_2$, 0=16058
Stover,C.M. Method of butt welding small thermocouples 0.001 to 0.010 inch in diameter, 0=12576
Stoy,R.H. The Cape photographic and meridian programs, 0=12298

Stoyanova,I.G. and Zaitsev,P.V. Electron microscope lens for the investigation of specimens in a gaseous atmosphere, 0=3807
Stow,R.L. Titanium as a gettering material, 0=3573
Strait,E.N. See Se Hee Ahn, 0=15603
Strait,E.N. See Shafroth,S.M., 0=9361
Strait,E.N. See Shafroth,S.M., 0=17355
Straiton,A.W. and Tolbert,C.W. Anomalies in the absorption of radio waves by atmospheric gases, 0=12717
Straiton,A.W. See Clinger,A.H., 0=11045
Straka,R.M. See Aarons,J., 0=6554
Strakhov,L.P. See Artamonov,O.M., 0=15897
Strakhov,L.P. See Berlaga,R.Ya., 0=619
Strakhov,V.N. On the analytic continuation of two-dimensional magnetic fields, 0=1180
Straley,J.W. See Hiller,R.E.,Jr, 0=17740
Straley,R.,Heuer,A.,Kane,B. and Tkach,G. Miniature memory planes for extreme environmental conditions, 0=9139
Stranathan,J.D. See Beeler,J.R.,Jr, 0=4386
Strand,R. See Block,M.M., 0=17416
Strand,R. See Lodge,J., 0=20241
Strandberg,M.W.P.,Davis.C.F. and Kyhl,R.L. Electron spin-lattice relaxation times, 0=10215
Strandberg,M.W.P. and Gokhale,B.V. Graduate examinations in physics, 0=22
Strandberg,M.W.P. See Krongelb,S., 0=2728
Strandberg,M.W.P. See Mattuck,R.D., 0=529
Strandberg,M.W.P. See Mattuck,R.D., 0=3125
Strandberg,M.W.P. See Mattuck,R.D., 0=13732
Strandberg,M.W.P. See Peter,M., 0=7827
Strandberg,M.W.P. See Venkates,H.C., 0=5396
Stranski,I.N. See Plieth,K., 0=2815
Stranz,D. Solar activity and the altitude of the tropopause near the equator, 0=18481
Strasheim,A. See Holdt,G., 0=12480
Strathdee,J. See Mast,C.B., 0=8468
Stratonovich,R.L. The theory of non-equilibrium random processes, 0=12384
Stratton,R. The figure of merit of a thermoelectric generator, 0=4374
Stratton,R. See Chasmar,R.P., 0=4375
Stratton.T.F. See Jahoda.F.C.. 0=13386
Straub,W.D. See Klein,C.A., 0=2551
Straubel,H. The stabilization of electrically charged particles in alternating fields, 0=15113
Strauch,H. See Dickson,E.W., 0=4549
Strauch,K. See Calame,G., 0=19853
Strauch,K. See Gottschalk,B., 0=20135
Straumanis,M.E. Absorption correction in precision determination of lattice parameters, 0=1919
Straumanis,M.E. and Ejima,T. Soundness of the lattice of zone-refined aluminium, 0=6355
Strauss,H.L. See Katz,T.J., 0=15734
Strauss,P.A. See Alpert,N.L., 0=2240
Strayer,R.W. See Dyke,W.P., 0=9068
Streater,R.F. Double commutator in quantum field theory, 0=12811
Streater,R.F. Some integral representations in field theory, 0=15232
Streater,R.F. Special methods of analytic completion in field theory, 0=20016
Streater,R.F. See Minguzzi,A., 0=15285
Streater,R.F. See Minguzzi,A., 0=20076
Street,J.C. See Preston,W.M., 0=9628
Street,R. Magnetic properties of manganese copper alloys, 0=11915
Street,R. and Smith,J.H. Elastically and antiferromagnetism of metallic antiferromagnetics, 0=13846
Streetman,G.B. See Brugger,R.M., 0=12940
Strehlow,R.A. and Cohen,A. Shock-initiated detonations, 0=8745
Streich,M. See Schaaffs,W., 0=950
Střelka,V. See Seidl,R., 0=4695
Strelkov,P.G. See Novikova,S.I., 0=13494
Strelkov,V.S., See Dolgov-Savel'ev,G.G., 0=9029
Strel'nikov,P.I. and Fedorenko,A.I. Investigation of the focusing properties of a paraboloidal magnetic lens, 0=10958
Strel'tsov,V.N. See Zhdanov,G.B., 0=9617
Streng,L.A. See Stokes,C.S., 0=2371
Strick,E. Propagation of elastic wave motion from an impulsive source along a fluid/solid interface. II. Theoretical pressure response; III. The pseudo-Rayleigh wave, 0=19262
Strickler,T.D.,Gilbert,H.E. and Auxier,J.A. Fast neutron scattering from thick slabs, 0=12944
Striebel,H.R. See Baumgartner,E., 0=17431
Strier,F. See Eberhagen,A., 0=2303
Striganov,A.R. See Dontsov,Yu.P., 0=15662
Striganova,G.A. See Korostyleva,L.A., 0=4176
Strikha,V.I. See Lashkarev,V.E., 0=15927
Stringfellow,M.W. See Moffatt,J., 0=9663
Strizhevskii,V.L. The effect of an interaction with the environment on the Fermi resonance in multiatomic molecules, 0=15690
Strizhevskii,V.L. The temperature dependence of dispersion and absorption of light in molecular crystals. I. Theory, 0=16043
Strizhevskii,V.L. Theory of the dispersion and absorption of light in crystals, 0=18110
Strizhevskii,V.L. See Kondilenko,I.I., 0=19412
Strizhevskii,V.L. See Kondilenko,I.I., 0=19413
Strizhevskii,V.L. See Pekar,S.I., 0=16042
Strnad,J. Diffusion in the gas centrifuge, 0=11498
Strnad,J. Separation of gas mixtures in laminar flow, 0=19178
Strnad,J. See Pahor,S., 0=19061
Strnad,J. See Peterlin,A., 0=12964
Strnad,J. See Ribarič,M., 0=12961
Strnad,J. See Ribarič,M., 0=12962
Strnad,J. See Ribarič,M., 0=12963
Stroffolini,R. See Fubini,S., 0=17409
Stroganova,I.S. See Krinchik,G.S., 0=6173
Stroh,A.N. A simple model of a propagating crack, 0=11985
Strohmeier,W. and Lemmon,R.M. The difference in the proton resonance spectra of cyclopentadienyl-metal compounds with "sandwich" structure and with localized metal-carbon bonding, 0=1506
Strohmeier,W.,Lombardi,E. and Lemmon,R.M. Proton resonance spectra of cyclopentadiene, methycyclopentadiene, cycloheptatriene and trimethyl silicon chloride, 0=1505
Strokan,N.B. See Berkovskii,F.M., 0=20899
Strokan,N.B. See Ryvkin,S.M., 0=20900
Stroke,G.W. Interferometric systems of continuously moving mirrors and photoelectric detection, 0=16889
Stroke,G.W. See Maréchal,A., 0=2252
Stromer,E. See Favre,H., 0=19435
Strong,H.M.,Bundy,F.P. and Bovenkerk,H.P. Flat panel vacuum thermal insulation, 0=1051
Strong,J. and Vanasse,G.A. Lamellar grating far-infrared interferometer, 0=2247
Strong,J. See Sinton,W.M., 0=6572
Strong,J. See Sinton,W.M., 0=6573
Strong,J.D. and Vanasse,G. Interferometric modulation and an analogue computer for an interferometric spectrometer, 0=16833
Stroot,J.P. See Fischer,J., 0=1291
Strosche,H. A simple dose apparatus for vacuum deposition, 0=4693
Strotzer,G. On the electrical "clean-up" of gases in the high-vacuum pressure range. II, 0=109
Stroud,W.G. Initial results of the Tiros 1 meteorological satellite, 0=16416
Strugal'skii,Z.S. See Vernov,S.N., 0=9466
Strugal'skii,Z.S. See Vernov,S.N., 0=9473
Strumane,G. See Amelinckx,S., 0=13538
Strumane,R. and Dekeyser,W. Low temperature creep of rock salt single crystals, 0=18255
Strumane,R. See Amelinckx,S., 0=15854
Strunin,B.M. Inhomogeneity of plastic deformation in tension, 0=8114
Strunov,L. See Viryasov,N.M., 0=9364
Strutinski,V.M. Remarks on nuclei of reflectional asymmetry, 0=7481
Strutinski,V.M.,Groshev,L.V. and Akimova,M.K. Spectra of γ-rays from neutron capture by heavy nuclei. II, 0=13286
Strutinskii,V.M. Excitation of vibrational levels and Coulomb excitation in α-decay, 0=7503
Strutinskii,V.M. Angular anisotropy of gamma quanta that accompany fission, 0=9698
Strutinskii,V.M. A correction to V.M.Strutinskii's paper "Excitation of rotational states in alpha-decay of even—even nuclei", 0=15542
Strutinskii,V.W.,Gtoshev,L.V. and Akimova,M.K. Spectra of γ-rays produced in capture of thermal neutrons by heavy nuclei. II, 0=9593

Strutinsky,V.M. Statistical theory of the angular distribution of fission fragments, 0=7632

Strutt,M.J.O. See Spescha,G.A., 0=8830

Strutt,M.J.O. See Spescha,G.A., 0=8831

Strzalwkovski,A. See Al-Jaboori,M.A., 0=5743

Stsiborskii,B.D. See Lebedev,P.P., 0=20486

Stuckes,A.D. The thermal conductivity of germanium, silicon and indium arsenide from 40°C to 425°C, 0=20756

Stull,V.R. See Donohue,T.M., 0=21382

Stump,R. See Harris,G.I., 0=19820

Stumpf,H. A phosphor model on a quantum mechanical basis. VI. Radiationless exciton destruction, 0=1741

Sturge,M.D. The variation with frequency of the resistance of superconducting tin and indium, 0=8936

Sturrock,P.A. Action-transfer and frequency-shift relations in the nonlinear theory of waves and

Stryland,J.C. and May,A.D. Optical cell for the observation of Raman scattering in gases at high pressures, 0=6932

Strzałkowski,A.,Bokhari,M.S.,Al-Jeboori,M.A. and Hird,B. Proton elastic scattering polarization as a test of the low energy optical model, 0=11401

Strzałkowski,A. See Al-Jeboori,M.A., 0=5743

Strzałkowski,A. See Al-Jeboori,M.A., 0=15577

Strzałkowski,A. See Hird,B., 0=15576

Stuart,G.W. Multiple scattering of neutrons, 0=12943

Stuart,G.W. and Gerjuoy,E. Soluble three-dimensional model for Townsend's α, 0=14962

Stuart,H.A. See Dauscher,R., 0=14053

Stuart,I.M. Amplitude corrections for vibroscope measurements, 0=6848

Stuart,J.D. See Robinson,J.M., 0=7787

Stuart,J.E.A.,Manuel,G.,Smith,R.D.,Newman,A.C.D. and Sutton,L.E. An apparatus for the measurement of dielectric loss in finely-divided solids, 0=14944

Stuart,R. and Marshall,W. Direct exchange in ferromagnets, 0=18177

Stuart,R.D. Transient response of direct current amplifier systems, 0=5247

Stuart,R.V. and Wehner,G.K. Sputtering thresholds and displacement energies, 0=12653

Stuart,W.I. See Barrer,R.M., 0=8333

Stuart,W.I. See Barrer,R.M., 0=8334

Stubb,H.E. and Phillips,R.G. High-speed bolometer, 0=3673

Stubb,T. The measurement of conductivity in semiconductors with the aid of microwaves, 0=2852

Stubb,T. Investigations on the lifetime of minority carriers in germanium, 0=18018

Stuchinskii,G.B. See Lepeshinskaya,V.N., 0=15060

Studders,R.J. See Falk,R.B., 0=3036

Studier,M.H. See Diamond,H., 0=17512

Stuetzer,O.M. Ion drag pumps, 0=1096

Stuetzer,O.M. Instability of certain electrohydrodynamic systems, 0=1185

Stuiver,M. See De Vries,H., 0=17134

Stull,V.R. and Plass,G.N. Emissivity of dispersed carbon particles, 0=2268

Stull,V.R. See Blamont,J.E., 0=4802

Stumbar,E.A. See Stavisskii,Yu.Ya., 0=12644

Stump,R. See Daniel,T.B., 0=1274

Stumpf,F.B. and Lukman,F.J. Radiation resistance of magnetostrictive-stack transducer in presence of second transducer at air—water surface, 0=19289

Stumpf,H. and Wagner,M. Dynamical electron-lattice coupling in distorted ionic crystals, 0=6015

Stupp,E. See Honig,A., 0=4512

Sturrock,P.A. Magnetic deflection focusing, 0=2391

Sturrock,P.A. Theory of the focusing of sheet beams in periodic fields, 0=2392

Sturrock,P.A. Excitation of plasma oscillations, 0=7116

Sturrock,P.A. Generalization of the Lagrange expansion with application to physical problems, 0=16514

Sturrock,P.A. Balance accleration and deflection electrostatic focusing, 0=19744

Sturrock,P.A. In what sense do slow waves carry negative energy ?, 0=19925

Sturrock,P.A. See Helmer,J.C., 0=7826

Styrikovich,M.A. and Mostinskii,I.L. Effect of non-uniform heating of a tube's perimeter on the magnitude of the critical heat flow, 0=6970

Stÿrikovich,M.A. and Nevstrueva,E.I. Investigation of the distribution of vapour content in the boiling boundary layer by beta-translucence, 0=10805

Su Hung-Kuei. See Su Khun-Gui, 0=13298

Su Khun-Gui. See Lavrukina,A.K., 0=13298

Su Tsai Yung. See Yung Su Tsai.

Subashiev,V.K. Determination of the losses and efficiency of various processes in the photoelectric utilization of solar energy, 0=9987

Subashiev,V.K. Determination of the recombination parameters from the spectral response of a photocell with a p—n junction, 0=15908

Subashiev,V.K.,Dubrovskii,G.B. and Petrusevich,V.A. Determination of the recombination constants and depth of a p—n junction from the spectral characteristics of photoelements, 0=18062

Subashiev,V.K. and Pedyash,E.M. Energy diagrams of pratical silicon photoelements, 0=9997

Subashiev,V.K.,Petrusevich,V.A. and Dubrovskii,G.B. Determination of the recombination constants from the photoconductivity spectrum, 0=13634

Subashiev,V.K. and Poltinnikov,S.A. Determination of the carrier mobility and density in the surface layer of a semiconductor, 0=13587

Subashiev,V.K. See Dubrovskii,G.B., 0=15909

Subba Rao,B.N. Internal conversion coefficients of E2 transitions, 0=15554

Subba Rao,B.N. Gamma-ray transitions in ^{155}Gd, 0=15557

Subba Rao,K. and Ramachandra Rao,B. Ultrasonic studies in glycerol—alcohol mixtures, 0=10658

Subba Rao,K. See Padmini,P.R.K.L., 0=19133

Subba Rao,K. See Padmini,P.R.K.L., 0=19134

Subbarao,B.N. See Joshi,M.C., 0=2639

Subbarao,E.C. and Shirane,G. Nonstoichiometry and ferroelectric properties of $PbNb_2O_6$-type compounds, 0=13652

Subbarao,E.C.,Shirane,G. and Jona,F. X-ray, dielectric, and optical study of ferroelectric lead metatantalate and related compounds, 0=8218

Subbarao,K. See Ramachandra Rao,B., 0=16767

Subrahmanyam,S.V. Ultrasonic velocities in aqueous solutions of cadmium iodide and mercuric chloride, 0=6790

Subrahmanyam,S.V. Adiabatic compressibilities of electrolytic solutions, 0=19046

Subrahmanyam,S.V. and Bhimasenachar,J. Ultrasonic studies in melts and solutions, 0=10659

Subrahmanyam,S.V. and Bhimasenachar,J. Compressibilities of aqueous nitrate solutions, 0=14640

Subrahmanyam,S.V. See Reddy,P.J., 0=6295

Subramanian,A. See Naranan,S., 0=15467

Subramanian,N. See Rajagopala Rao,P., 0=19082

Subudhi,K.S. Useful length of the insulating column in a self-exciting electrostatic generator, 0=16962

Subudhi,K.S. Function of the collecting electrode in a Van de Graaff generator, 0=19595

Subudhi,M. See Dutta,A.K., 0=3525

Suchan,H.L.,Balchan,A.S. and Drickamer,H.G. The effect of pressure on the absorption edge of $BaTiO_3$ and TiO_2, 0=4405

Suchan,H.L. and Drickamer,H.G. The effect of pressure on the absorption edge of certain molecular compounds, 0=4407

Sucher,J. An asymptotic causality requirement for systems with constrained inputs, 0=4960

Sucher,J. and Day,T.B. On a relation between scattering and production amplitudes, 0=342

Sucher,J. See Bhatia,A.K., 0=20166

Sucher,J. See Day,T.B., 0=1311

Sucher,J. See Day,T.B., 0=9417

Sucher,J. See Day,T.B., 0=13051

Sucher,J. See Day,T.B., 0=17418

Suchet,J. Surface layer granular structures in iron oxide ceramics, 0=4363

Suchet,P.J. Prediction rules for the semiconductivity of the inorganic crystal lattices, 0=11682

Suchkov,A.I. The temperature dependence of the electrical resistivity of nickel—zinc and copper—zinc ferrites, 0=564

Sucksmith,W. Some magnetic properties of dilute ferromagnetic alloys, 0=13765

Sucksmith,W. See Ahern,S.A., 0=1789

Sucksmith,W. See Parsons,D., 0=677

Suda,T. See Kodama,M., 0=15494

Sudarshan,E.G.C. Discrete symmetries and chirality invariance in quantum field dynamics, 0=20026

Sudarshan,E.C.G. and Iwao,S. A model for hyperfragments, 0=17506

Sudarshan,E.C.G. See Deser,S., 0=3934

Sudarshan,E.C.G. See Deser,S., 0=3935
Sudarshan,E.C.G. See Hatsukade,S., 0=15423
Sudarshan,E.C.G. See Iwao,S., 0=7485
Suddaby,A. and Gray,P. Relations between the friction constant and the force correlation integral in Brownian movement theory. A comparison of the microscopic and macroscopic theories, 0=6774
Suddaby,A. See Champion,J.V., 0=14618
Suddeth,J.A. .See Leder,L.B., 0=15332
Sudovtsov,A.I. See Lazarev,B.G., 0=10846
Sudovtsov,A.I. See Lazarev,B.G., 0=14572
Sudovtsov,A.I. See Lazarev,B.G., 0=21252
Sudovtsov,A.M. and Semenenko,E.E. On the influence of domain structure on the electrical resistance of iron at low temperatures, 0=2846
Suekane,S. Octupole type deformation of nuclear surface. 0=15516
Suekane,S. and Watari,W. Rigidity for octupole type surface deformation and shell structure, 0=13106
Suellentrop,F.J. See Rule,E., 0=115
Suellentrop,F.J. See Rule,E., 0=14750
Suemoto,Z. and Hiei,E. Flash spectrum by the grazing incidence method at the total solar eclipse of October 12, 1958, 0=6604
Suemoto,Z. and Hiei,E. Balmer series lines of the flare and its structure, 0=6605
Suemoto,Z. See Hatanaka,T., 0=14419
Süer,B. See Kreiken,E.A., 0=14443
Suess,H.E. See Barth,C.A., 0=3319
Suetin,P.E.,Shchegolev,G.T. and Klestov,R.A. The measurement of the mutual diffusion coefficient of gases by an [absolute] optical method, 0=8697
Suffczynski.M. Optical constants of metals, 0=4389
Suffczynski,M. and Michaelson,S. A calculation of the optical constants of noble metals, 0=13669
Suffert,M.,Endt,P.M. and Hoogenboom,A.M. Polarization measurements of proton capture gamma rays, 0=15574
Suffert,M. See Bilwes,R., 0=17055
Suffert,M. See Magnac-Valette,D., 0=9113
Suffredini,C.S. See Schmitt,R.A., 0=14402
Suga,K. See Watase,Y., 0=13038
Sugai,S. Effects of ionizing radiations on synthetic polymer solutions, 0=21294
Sugai,S.,Ishikawa,M. and Furuichi,J. Effects of γ-rays on aqueous solutions of synthetic polymers, 0=2170
Sugano,R. Pseudoscalar coupling and s-wave pion—nucleon and kaon—nucleon scattering, 0=20199
Sugano.R. See Komatsuzawa.A.. 0=15427
Sugano,R. See Komatsuzawa,A., 0=15428
Sugano,R. See Komatsuzawa,A., 0=15433
Sugano.R. See Komatsuzawa,A., 0=20200
Sugano,R. See Nogami,Y., 0=20189
Sugano,S. and Tanabe,Y. Absorption spectra of Cr^{3+} in Al_2O_3. (A). Theoretical studies of the absorption bands and lines, 0=645
Sugano,S. and Tanabe,Y. The line spectra of Cr^{3+} ion in crystals, 0=20978
Sugano,S. and Tsujikawa,I. Absorption spectra of Cr^{3+} in Al_2O_3. (B). Experimental studies of the Zeeman effect and other properties of the line spectra, 0=646
Sugano,S. See Kamimura,H., 0=21005
Sugarman.N. See Ramaniah,M.V., 0=9699
Sugata,E. See Nakamura,Sh., 0=7133
Sugawara,M. Deuteron magnetic moment and momentum dependence of two-nucleon potential, 0=5621
Sugawara,M. Static model in the meson theory, 0=11104
Sugawara,M. and Kanazawa,A. Meson—meson scattering term in pseudoscalar—pseudoscalar meson theory, 0=1254
Sugawara,M. and Kanazawa,A. Meson-meson scattering term and low-energy pion-nucleon scattering, 0=17393
Sugawara,M. and Okubo,S. Two-nucleon potential from pion field theory with pseudoscalar coupling, 0=5509
Sugawara,M. and Okubo,S. Two-nucleon potential from pion field theory with pseudovector coupling, 0=5510
Sugawara,T. Nuclear magnetic resonance in dilute copper alloys at low temperatures. I. Experimental aspects, 0=18225
Sugawara,T. See Kim,P.H., 0=535
Sugawara,T. See Mizuno,J., 0=4639
Sugden,T.M. See James,C.G., 0=1517
Sugden,T.M. See Knewstubb,P.F., 0=19616
Sugden.T.M. See Padley,P.J., 0=1518
Sugie.A. Shell effects in the optical potential. 0=9500
Sugie,A. The imaginary part of the optical potential, 0=17580
Sugihara,K. Spin—spin interaction in the paramagnetic salts, 0=21068
Sugimoto,K. See Kanamori,J., 0=402
Sugiyama,K.,Ikegami,H.,Yamazaki,Y. and Sakai,M. Decay of I^{124}, 0=20415
Sugiyama,K. See Sakai,M., 0=20419
Sugita,T. See Kawasaki,K., 0=14699
Suh,K.S. Momentum space representation and photodisintegration of the deuteron, 0=5622
Suhl,H. Note on the saturation of the main resonance in ferromagnetics, 0=1819
Suhl,H. "Foldover" effects caused by spin wave interactions in ferromagnetic resonance, 0=10192
Suhl,H. Nuclear spin interactions in ferromagnetics and antiferromagnets, 0=13888
Suhl,H.,Matthias,B.T. and Corenzwit,E. Some further results on ferromagnetism in relation to superconductivity, 0=13753
Suhl,H.,Matthias,B.T. and Walker,L.R. Bardeen—Cooper—Schrieffer theory of superconductivity in the case of overlapping bands, 0=3703
Suhl,H. See Anderson,P.W., 0=2286
Suhl,H. See Bozorth,R.M., 0=1776
Suhl,H. See Clogston,A.M., 0=13745
Suhl,H. See Matthias,B., 0=1079
Suhl,H. See Matthias,B.T., 0=7030
Suhl,H. See Matthias,B.T., 0=12557
Suita,T. See Chong,P., 0=1106
Suita,T. See Itoh,N., 0=20940
Suita,T. See Masuda,K., 0=6420
Suita,T. See Shibata,T., 0=1516
Suita,T. See Shibata,T., 0=5365
Suita,T. See Shibata,T., 0=20965
Suito,E. and Uyeda,N. Spiral growth of colloidal gold and
Sujak,B. Thermostimulated co-exo-electron emission due to apparent release of water of crystallization, 0=1141
Sujak,B. The problem of exo-electron emission phenomena, 0=7130
Sujak,B. and Bohun,A. The simulated thermally excited co-electron emission of hydrates, 0=15050
Sujak,B. See Lewowski,T., 0=6332
Sujak,B. See Lewowski,T., 0=17130
Sujir,R.J. See Shaw,E.A.G., 0=19253
Sujkowski,Z. See Hultberg,S., 0=468
Sukak,B. See Wawrzyniak,J., 0=10937
Sukhanov,A.D. See Slavnov,D.A., 0=9283
Sukharevskii,V.G. Collective properties of Si^{30}, Si^{31} and Ne^{23}, and reduced widths in stripping reactions, 0=7460
Sukharevskii,V.G. Angular distributions in the reactions $Ne^{22}(d,p)Ne^{23}$ and $A^{36}(d,p)A^{37}$, 0=11421
Sukhatme,S.P. See McClintock,F.A., 0=19029
Sukhodrev,A.M. See Ioffe,Yu.K., 0=13975
Sukhodrev,N.K. and Mandel'shtam,S.L. The temperature of electrode vapours in a spark discharge, 0=3747
Sukhoruchkin,S.I. See Kirpichnikov,I.V., 0=7635
Sukhov,L.V. See Belovitsky,G.E., 0=12786
Suladze,K.V. See Kvartskhava.I.F.. 0=15037
Sullivan,A.P. See Hirt,R.C., 0=10769
Sullivan,R.E. See Valente,F.A., 0=15362
Sultan,F.S.A. See Arafa,A.A., 0=19231
Sulyaev,R.M. See Kozodaev,M.S., 0=9697
Sulyaev,R.M. See Kozodaev,M.S., 0=12933
Sumi,M. Excitation of oscillations in a [uniform] plasma layer, 0=19702
Sumi,M. Theory of spatially growing plasma waves, 0=19704
Sumin,L.V. See Brill',O.D., 0=442
Sumitomo,H. See Inuishi,Y., 0=6803
Sumizawa,M. and Kino,T. A study of initial deformation of aluminium single crystal plates by X-ray diffraction technique. I, 0=3209
Summers,R. See Chidley,B., 0=2686
Sumner,C.J. Single pen, strip chart recorder for unattended long period operation, 0=3436
Sumner,G. and Entwistle,K.M. The measurement of the strain-dependent damping of metals vibrating torsionally, 0=6852
Sun,C.R. See Bowen,T., 0=17426
Sun Jui-Fang. See Sun' Zhui-Fan, 0=13534
Sun,K.H. See Ruby,S.L., 0=9524
Sun' Zhui-Fan [Sun Jui-Fang]and M.P.Shaskol'skaya. A unique correlation between etch figures and dislocations, 0=13534
Sunagawa,I. See Tolansky,S., 0=4591

Sunagawa,I. See Tolansky,S., 0=10293

Sunakawa,S. Quantum electrodynamics with the indefinite metric: non-Lorentz-invariance of the Gupta formalism, 0=12821

Sund,R.E.,Arns,R.G. and Wiedenbeck,M.L. Decay of Sm^{155}, 0=9572

Sundaram,R. See Krishnan,K.S., 0=19474

Sundaram,S. Force constants for NH_4^+ and ND_4^+, 0=17724

Sundaram,S. and Cleveland,F.F. Potential energy constants, rotational distortion constants and thermodynamic properties of $B^{11}H_3CO$, $B^{11}D_3CO$, $B^{10}H_3CO$, and $B^{10}D_3CO$, 0=4240

Sundaram,S. and Cleveland,F.F. Wave numbers, rotational distortion constants and thermodynamic properties for NT_3, PT_3, and AsT_3, 0=17741

Sundaram,S. and Cleveland,F.F. Potential energy constants, rotational distortion constants, and thermodynamic properties of $H_2C{=}C{=}O$ and $D_2C{=}C{=}O$, 0=11524

Sundaram,S.,Suszek,F. and Cleveland,F.F. Potential energy constants, rotational distortion constants, and thermodynamic properties for NH_3, ND_3; PH_3, PD_3; AsH_3, and AsD_3, 0=4187

Sundaresan,M.K. Multiple scattering of polarized electrons, 0=9338

Sundbom,M. Theoretical determination of the electronic polarizability of lithium, calcium and scandium, 0=7698

Sundelöff,L.O. The thermodynamic interpretation of the temperature dependence of the diffusion coefficient near the critical solution temperature, 0=19101

Sundquist,B.E. High temperature microscope stage, 0=6917

Sundström,T. and Svennerstedt,S. An experimental study of the linear pinch stability, 0=19658

Sundström,T. See Berglung,S., 0=17645

Sunier,J.W.,Debrunner,P. and Scherrer,P. $\beta-\gamma$ correlation of the $3^- - 2^+ - 0^+$ cascade in the decay of Eu^{152}, 0=20411

Sunyar,A.W. and Goldhaber,M. K-electron capture branch of Sr^{87m}, 0=20392

Sunyar,A.W. See Kistner,O.C., 0=11561

Suomi,V.E. and Kuhn,P.M. A note on "use of an economical thermal transducer as a net radiometer", 0=10799

Suominen,L. Investigation of the vibration properties of the violin, 0=16802

Süptitz,P. Bleaching of colloidal silver in silver chloride, 0=9913

Suquet,P. Diffusion of gases in the vicinity of a cavitation bubble, 0=2182

Šur,Ja.S. Magnetic structure of ferromagnetic solids, 0=13797

Surdin,M. An experiment designed to verify the general theory of relativity, 0=4933

Surdin,M. Review of French progress in nuclear instrumentation, 0=5466

Surdo,C.Lo. See Lo Surdo,C.

Surduts,A. The photo voltage at the surface of semiconductors, 0=18064

Surin,A. On the method of singularities in the Jordan—Thiry 5-dimensional theory, 0=3446

Surin,A. On [the derivation of] the equations of motion in the Jordan—Thiry theory by the method of the energy—momentum tensor, 0=6677

Suris,R.A. and Finkel'shtein,B.N. On the theory of the dielectric susceptibility of anisotropic media, polarized with finite speed, 0=20951

Surkova,L.V. See Ali-Zade,S.A., 0=15378

Surkova,L.V. See Gurevich,I.I., 0=13009

Surnacheva,A.I. See Kuznetsov,V.D., 0=4569

Surplice,N.A. Reversible poisoning by sulphur, oxygen and other gases of oxide-coated cathodes at high temperatures, 0=5333

Surplice,N.A. Emission of negative ions of oxygen during the activation of oxide-coated cathodes, 0=17042

Survilas,H.J. See Moore,C.B., 0=16485

Suryanarayana,C.V. and Somasundaräm,K.M. Azeotropism and dielectric behaviour, 0=16697

Suryanarayana Rao,K. Rotational analysis of the columbium [niobium] oxide bands, 0=2766

Suryanarayana Rao,K. Further investigations of columbium [niobium] oxide bands, 0=2767

Sushchinskii,M.M. See Zubov,V.A., 0=3620

Sushkin,I.V. See Sorokin,V.S., 0=9159

Suslina,L.G. See Gross,E.F., 0=13700

Suss,J.T. See Low,W., 0=11942

Süss,R. See Scheibe,A., 0=2092

Susse,C. and Vodar,B. Cohesive forces in lithium fluoride and periclase (MgO), 0=18237

Sussman,M. Elementary diffraction theory of zone plates, 0=6946

Susuki,Y.,Endō,S. and Haga,E. Thermoelectric power of AgCl, 0=20949

Suszek,F. See Sundaram,S., 0=4187

Sutherland,G.B.B.M. See Ockman,N., 0=10044

Sutter,G. See Gorodetzky,S., 0=7560

Sutter,G. See Gorodetzky,S., 0=13150

Sutton,G.W. Engineering aspects of magnetohydrodynamics, 0=15131

Sutton,L.E. See Nelson,S.M., 0=14945

Sutton,L.E. See Stuart,J.E.A., 0=14944

Sutton,R.B. See Bertram,W.J.,Jr, 0=17371

Sutton,R.B. See Reiter,R.A., 0=17370

Sutton,R.W. See Hawkins,P.O., 0=7381

Sutula,V.D. On the causality of nonlocal field theory, 0=17206

Sutyagina,A.A. See Gorbunova,K.M., 0=16365

Sutyagina,E.I. See Nakhutin,I.E., 0=4749

Suwa,S.,Sanada,J.,Karasawa,T.,Suzuki,A.,Ogawa,H.,Yamaguchi,H., Saji,Y.,Kikuchi,S.,Kumagai,H.,Hayashi,I.,Matsuda,K. and Nisimura,K. Efficient beam extraction from a synchrocyclotron at n ≈ 1, 0=19856

Suwalski,J. See Buras,B., 0=18016

Suzor,F. and Charpak,G. Measurement of the K-shell fluorescent yield of aluminium, 0=15651

Suzor,F. and Charpak,G. Study of the electrons and autoionization X-rays emitted simultaneously with the β-ray from promethium 147, 0=20386

Suzor,F. See Bertrand,F., 0=15652

Suzor,F. See Charpak,G., 0=17131

Suzuki,A. See Suwa,S., 0=19856

Suzuki,I.,Tsuboi,M. and Shimanouchi,T. Solvent effect on the infrared absorptions of N-methylacetamide in the region of the NH stretching frequency, 0=9805

Suzuki,I.,Tsuboi,M.,Shimanouchi,T. and Mizushima,S. Interaction between benzene and N-monosubstituted amides, 0=3532

Suzuki,K. See Suzuki,T., 0=21098

Suzuki,M. Resolving power of curved crystal spectrograph, 0=9330

Suzuki,R. and Akano,M. Supercurrent and energy gap, 0=16948

Suzuki,S. Multiphase radio interferometers for locating the sources of the solar radio emission, 0=6567

Suzuki,S. See Baba,H., 0=15705

Suzuki,S. See Hosoe,M., 0=20502

Suzuki,T. Atomic scattering factor for O^{2-}, 0=8197

Suzuki,T. and Doyama,M. Hardening induced by additive coloration in KCl, 0=3156

Suzuki,T.,Suzuki,K. and Kamigaki,T. Internal friction of KCl crystals at low temperatures, 0=21098

Suzuki,T. and Tomono,Y. Precipitation process of carbon in alpha-iron, 0=18405

Suzȳkh,A.G. See Starodubtsev,S.V., 0=6416

Svechkarev,I.V. See Aleksandrov,B.N., 0=21026

Svelto,V. Analogue computers and nuclear plants, 0=2068

Svelto,V. See Gatti,E., 0=17139

Svennerstedt,S. See Berglung,S., 0=17645

Svennerstedt,S. See Sundström,T., 0=19658

Svensson,K.F. Measurements of the dispersion of air for wavelengths from 2302 to 6907 Å, 0=6910

Svensson,K.F. See Johansson,I., 0=6937

Sventitskii,N.S. See Pedos,F.Z., 0=3628

Sverdlov,L.M. A theory of intensities of the infrared spectra of sulphur dioxide, ammonia and phosphine molecules, 0=4203

Sverdlov,L.M. Relationships between vibrational frequencies of isotopic molecules (the sum and product—sum rules for powers of the squares of frequencies), 0=9788

Sverdlov,L.M. Relationships between the intensities of the infrared bands of isotopic molecules, 0=15719

Sverdlov,L.M. A theory of the intensities of the infrared molecular spectra. VI. BF_3, NF_3, SiF_4 and SF_6, 0=17747

Sverdlov,L.M. Infrared band intensities in multiatomic molecules, 0=20608

Sveshnikov,B.Ya. See Kudryashov,P.I., 0=16100

Svestka,Z. See Blaha,M., 0=18759

Svet,D.Ya. New methods for determination of the coefficients of light emission power (albedo) and the true temperature of radiating surfaces, 0=6903

Svet,D.Ya. Radiation pyrometry of metals in the near infrared region of the spectrum, 0=8855

Svetlitskii,E.M. See Krasovskii,V.I., 0=1979

Svetlolobov,I.A. See Varfolomeev,A.A., 0=11269

Sviridov,A.G. See Dronov,A.P., 0=217
Sviridov,A.G. See Sobolev,N.N., 0=8852
Svirina,E.P. See Belov,K.P., 0=7935
Svirskii,M.S. See Vonsovskii,S.V., 0=10830
Svirskii,M.S. See Vonsovskii,S.V., 0=12560
Svirskii,M.S. See Vonsovskii,S.V., 0=19560
Svitashev,K.K. See Ermolaev,V.L., 0=10070
Svoboda,R.,Tichý,J. and Zelenka,J. Synthetic piezoelectric materials, 0=7988
Swalen,J.D. and Costain,C.C. Internal rotation in molecules with two internal rotors: microwave spectrum of acetone, 0=4212
Swalen,J.D. See Lin,C.C., 0=5913
Swalen,J.D. See Reilly,C.A., 0=11539
Swalin,R.A. On the theory of self-diffusion in liquid metals, 0=14631
Swalin,R.A. See Carter,J.R., Jr, 0=12078
Swalin,R.A. See Meckel,B.B., 0=13565
Swami,M.S. and Udgaonkar,B.M. Hyperfragments and isotopic spin selection rules, 0=2627
Swan,D.W. and Lewis,T.J. Influence of electrode surface conditions on the electrical strength of liquified gases, 0=12423
Swan,J.B. See Powell,C.J., 0=274
Swan,J.B. See Powell,C.J., 0=1273
Swan,J.B. See Powell,C.J., 0=9880
Swan,P. An improved approximation for scattering problems, 0=17251
Swan,P. Distorted wave approximation for scattering phase-shifts, 0=20061
Swan,P.R. See Niegisch,W.D., 0=21205
Swanekamp,F.W. See Van Uitert,L.G., 0=10206
Swank,R.K. and Mroz,E.A. New method for graphical reproduction of cathode-ray oscillograms, 0=2298
Swann,C.P.,Rasmussen,V.K. and Albrecht,H.O. Matters pertaining to elimination of background in low energy nuclear physics measurements, with special reference to the Bartol O.N.R. generator, 0=318
Swann,C.P. See Metzger,F.R., 0=13139
Swann,C.P. See Rasmussen,V.K., 0=5726
Swann,W.F.G. Certain matters in relation to the restricted theory of relativity, with special reference to the clock paradox and the paradox of the identical twins. I. Fundamentals, 0=41
Swann,W.F.G. Certain matters in relation to the restricted theory of relativity, with special reference to the clock paradox and the paradox of the identical twins. II. Discussion of the problem of the identical twins, 0=4931
Swann,W.F.G. Concerning thermal junction resistance in the A.F.Joffe method for measurement of thermal conductivity, 0=6966
Swanson,G.W.,Jr. See Yeh,K.C., 0=12211
Swanson,J.A. Diffusion attenuation. I, 0=542
Swanson,J.A. and Sih,K.Y. Diffusion attenuation. II, 0=543
Swanson,K.M. See Andrew,E.R., 0=11956
Swanson,R.A. Digitron—A digital time analyzer for microsecond intervals, 0=3487
Swanson,R.A. See Lathrop,J.F., 0=15375
Swanson,R.A. See Reynolds,G.T., 0=20178
Swanson,W.P. See Gates,D.C., 0=9243
Swart,J.J.de. See de Swart,J.J.
Swartz,B. See Bame,S.J.,Jr, 0=20163
Swartz,C.E. See Chadwick,G.B., 0=15350
Swartz,G.A. Low-temperature Hall coefficient and conductivity in heavily doped silicon, 0=11697
Swartz,J.M. See Gorton,H.C., 0=20916
Swarup,P. and Misra,B.N. A note on the paramagnetic resonance of free radical, 0=16178
Swarup,G. and Parthasarathy,R. Solar brightness distribution at a wavelength of 60 centimetres. II. Localized radio bright regions, 0=4851
Swarup,G.,Stone,P.H. and Maxwell,A. The association of solar radio bursts with flares and prominences, 0=12255
Swarup,P. See Marr,G.V., 0=6256
Sweeney,E.J.,Kinney,J.A.S. and Ryan,A. Seasonal changes in scotopic sensitivity, 0=3382
Sweeney,W.E.,Jr,Seebold,R.E. and Birks,L.S. Electron probe measurements of evaporated metal films, 0=10336
Sweet,P.A. Coulomb scattering in a magnetic field, 0=19618
Sweetman,D.R. Dissociation of H_2^+ ions by hydrogen, 0=244
Sweetman,D.R. The dissociation of fast H_2^+ ions by hydrogen, 0=19610
Sweetman,D.R. See Crut,M., 0=17606
Swehla,R.J. See Hersh,C.K., 0=14655
Swenson,C.A. and Person,W.B. Infrared studies of crystal benzene. II. Relative intensities, 0=13690
Swenson,C.A.,Person,W.B.,Dows,D.A. and Hexter,R.M. Infrared studies of crystal benzene. I. The resolution and assignment of ν_{20}, and the relative magnitudes of crystal fields in benzene, 0=2939
Swenson,C.A. See Atoji,M., 0=3220
Swenson,C.A. See Beecroft,R.I., 0=1875
Swenson,C.A. See Person,W.B., 0=13691
Swenson,L.W. See Klein,P.R., 0=11426
Swick,D.A. Energy analyzer for electron diffraction by gases, 0=9090
Swift,D.F. and Perez-Mendez,V. Millimicrosecond discriminator, 0=2472
Swift-Hook,D.T. Validity of the theory of double stream amplification, 0=9199
Swigart,J.I. See Haycock,O.C., 0=6448
Swihart,J.C. Law of corresponding states in superconductivity, 0=1074
Swihart,J.C. Isotope effect in the Bardeen—Cooper—Schrieffer and Bogoliubov theories of superconductivity, 0=1077
Swihart,J.C. The interaction in the B.C.S. theory of superconductivity, 0=8943
Swihart,T.L. A series of subdwarf atmospheres, 0=18786
Swinbank,P. See Atkinson,J.R., 0=17286
Swings,P. Problems of astronomical spectroscopy, 0=16518
Swings,P. See Dufay,J., 0=4886
Swings,P. See Stawikowski,A., 0=14406
Swoboda,T.J.,Cloud,W.H.,Bither,T.A.,Sadler,M.S. and Jarrett,H.S. Evidence for an antiferromagnetic-ferrimagnetic transition in Cr-modified Mn_2Sb, 0=11916
Syan' Din-Chan [Hsien Ting-Ch'ang]. Cross-section for the production of Ω^--particles in the reactions $\pi^- + p \rightarrow \Omega^- +$ [illegible] at 8 GeV and $p + \bar{p} \rightarrow \Omega + \bar{\Omega}$ at 4 GeV, 0=9482
Syan' Din-Chan [Hsien Ting-Ch'ang]. The D-mesons, 0=[illegible]
Svan' Din Chan. See Barashenkov,V.S., 0=20193
Sȳchev,V.P. On the problem of collisions of the second kind in a mixture of gases $N_2 + A$, 0=1523
Sȳchev,V.V. Hypersonic flow around thin bodies at high angles of attack, 0=12430
Sȳchev,Yu.D. Magnetic surface effect in the magnetization of flat bodies in a curved field, 0=[illegible]
Sȳcheva,T.M. Eddy currents in a moving sample, 0=[illegible]
Sydoriak,S.G.,Mills,R.L. and Grilly,E.R. P.V.T. anomalies in He^3 near its melting curve, 0=[illegible]
Sydoriak,S.G. and Roberts,T.R. Lambda and stratification temperatures of ^3He—^4He mixtures from precision first sound measurements, 0=[illegible]
Sydoriak,S.G. and Roberts,T.R. Vapor pressures of He^3—He^4 mixtures, 0=10822
Sykes,J.B. (Transl.). Atlas of γ-ray spectra from radiative capture of thermal neutrons, 0=4115
Sykes,J.B. (Transl.). The other side of the moon, 0=6569
Sykes,J.B. and Reid,W.H. (Transl.). Fluid mechanics, 0=915
Symanzik,K. Dispersion relations and vertex properties in perturbation theory, 0=[illegible]
Symanzik,K. On the many-particle structure of Green's functions in quantum field theory, 0=16607
Symmons,[illegible] See [illegible] 0=[illegible]
Symons,M.C.R. See Carrington,A., 0=21069
Syneček,V. Quantitative method for determination of fibre texture in wires. I. Principle of method and analytical expression of absorption factor, 0=3284
Syneček,V. See [illegible] 0=[illegible]
Synge,J.L. A theory of elasticity in general relativity, 0=3445
Synorov,V.F. See [illegible] 0=[illegible]
Syono,Y. Magnetic susceptibility of some rock forming silicate minerals such as amphiboles, biotites, cordierites and garnets, 0=[illegible]
Syrbe,C. The partition of energy of electrons of medium velocity traversing thin layers, 0=15083
Syrbe,G. and Kleint,C. Preparation and some properties of indium sulphide single crystals, 0=2898
Sȳrkin,L.N. A consequence of the similarities in the magnetization of mixed ferrites, 0=678
Sȳrkin,L.N. Theory of magnetostrictive oscillations in the case of large excitation inductions, 0=18196
Syrovatskii,S.I. The distribution of relativistic electrons in the Galaxy and the spectrum of magnetic bremsstrahlung radio-emission, 0=[illegible]
Sysoeva,L.M. See Efimova,B.A., 0=2880
Sysoeva,L.M. See Vinogradova,M.N., 0=6089
Sytenko,[illegible] See [illegible] 0=[illegible]

Sÿtenko,T.N. See Lyashenko,V.I., 0=15924
Syutkin,N.F. The effect of the phase decomposition of a supersaturated solid solution on plastic deformation. II. Non-uniform deformation, 0=16230
Syutkina,V.I. and Yakolev,É.S. Substructure of the grains of deformed aluminium-magnesium alloys, 0=4686
Szabo,A. Relaxation time and multiple pumping effects in masers, 0=5394
Szabo,A. See Armstrong,R.A., 0=18215
Szabó,E. See Gaspar,R., 0=7699
Szabó,J. Weak discontinuities of magnetohydrodynamics, 0=15128
Szabó,P. On the optimum dimensions of collimators for neutron diffraction, 0=20150
Szalay,A. and Berényi,D. Some remarks on the generation of nuclear power by controlled fusion processes, 0=1461
Szász,L. Expansion of the Hartree—Fock approximation by means of a correlation function, 0=1462
Szász,L. The statistical model of metallic tungsten, 0=7830
Szasz,S.E. Discussion of criteria for the in situ combustion of crude oil, 0=14105
Szaynok,A. Influence of X-rays on the electrification of NaCl crystals, 0=3714
Szaynok,A. Influence of irradiation with β rays on the electrification of KCl crystals, 0=10859
Szczeniowski,S. and Cofta,H. Spin waves and their dispersion in antiferromagnetics and ferromagnetics for various types of superstructure, 0=12669
Szebeni,P. See Lörinczy,A., 0=13599
Szenov,Yu.K. See Kucheryaev,A.G., 0=9516
Szépfalusy,P. On the Fermi zero-point kinetic energy of particles with spin $\frac{1}{2}$, 0=5489
Szépfalusy,P. On a new exchange potential, 0=5490
Szépfalusy,P. On the statistical treatment of the fermion gas. I, 11120
Szépfalusy,P. On the statistical treatment of the fermion gas. II, 0=11121
Szépfalusy,P. See Gombás,P., 0=13100
Szhenov,Yu.K. Mechanism of surface ionization of atoms of the alkali earth metals, 0=10878
Szigeti,B. Higher-order terms in the dielectric constant of ionic crystals, 0=13644
Szigeti,G. and Bitó,J. The effect of anode disturbances on the positive column of low pressure gaseous discharges, 0=7083
Szkatula,A. See Budzanowski,A., 0=5912
Szteinsznaider,D.,Roclawski-Conjeaud,M.,Naggir,V. and Phillips,G.C. Asymmetry in the angular distribution of 1-5 MeV inelastically scattered neutrons, 0=9677
Szulc,A. See Porto,S.P.S., 0=19415
Szule,A. See Porto,S.P.S., 0=16859
Szulkin,P. Scattering cross-section of a circular disk situated in the field of a plane electromagnetic wave with a nonuniform amplitude distribution, 0=301
Szulkin,P. The electromagnetic field in a horn waveguide in the neighbourhood of the angle, 0=302
Szulkin,P. Conditions for laminar flow of a focused electron beam, 0=5345
Szymański,J. The decay and structure of hyperfragments. II, 0=13152
Szymański,Z. See Sawicki,J., 0=5740

Tabata,S.,Iwata,M. and Sawaki,T. A new evaporation source for vacuum deposition of aluminium, 0=19240
Tabata,T. See Nonaka,I., 0=20466
Tabor,D. Junction growth in metallic friction: the role of combined stresses and surface contamination, 0=8136
Tabor,D. See Atack,D., 0=8137
Tabori,G. See Fay,G., 0=7011
Tabuchi,S. See Miya,K., 0=18488
Tachibana,A. Contour vibrations of square thin quartz plates, 0=16751
Tachiki,M. and Yosida,K. Antiferromagnetism of Zn-ferrite, 0=8072
Taconis,K.W. Mixtures of ^{3}He and ^{4}He, 0=10823
Taconis,K.W. See de Bruyn Outboter,R., 0=14919
Taconis,K.W. See de Bruyn Ouboter,R., 0=19543
Tacu,G. See Mihul,I., 0=10892
Tadić,D. On the pseudoscalar interaction in $0^- \rightarrow 0+$ beta transitions, 0=17544
Tadokoro,H. Normal vibrations of the polymer molecules of helical configuration, 0=20698
Tadros,S. See Meligy,A.S., 0=11507
Taft,E.A. and Philipp,H.R. Structure in the energy distribution of photoelectrons from K_3Sb and Cs_3Sb. 0=1544
Taft,E.A. See Philipp,H., 0=17029
Taft,E.A. See Philipp,H.R., 0=18116
Tagami,T. Quasi-deuteron model of atomic nuclei. I, 0=17468
Tagami,T. Momentum dependence of the healing distance, 0=17473
Tager,A.S. and Gladun,A.D. Use of cyclotron resonance in semiconductors for the amplification and generation of microwaves, 0=2437
Tagliaferri,G. See Bowen,T., 0=17426
Tagliaferri,G. See Bowen,T., 0=17427
Taguchi,Y. and Kawabe,R. Hyperon decays and characteristics of interactions between elementary particles, 0=13061
Taguchi,Y. See Miya,K., 0=18488
Taher-Zadeh,M. An example of the reaction: $K^- + {}^{12}C \longrightarrow {}^9Be_\Lambda + \pi^- + {}^3He$ and the subsequent decay in flight of the ^{9}Be hyperfragment, 0=20358
Tai Chen To. See Chen To Tai.
Taieb,C. See Lepechinsky,D., 0=16436
Taïeb,C. See Rawer,K., 0=21368
Taïeb,C. See Rawer.K., 0=21369
Taillet,J. The proton synchrotron "Saturne". R.F. accelerating system: Basic design, 0=2412
Taillet,J. See Chonez,A., 0=2412
Taillet,J. See Lecomte,J., 0=2412
Taimuty,S.I.,Towle,L.H. and Peterson,D.L. Ceric dosimetry: routine use at 10^5-10^7 rads, 0=5454
Tainsh,R.J. See Birch.J.A., 0=6025
Tainsh,R.J. See Kemp,W.R.G., 0=2797
Tainsh,R.J. See Kemp,W.R.G., 0=9900
Tainsh,R.J. See Kemp,W.R.G., 0=21131
Tainsh,R.J. See Klemens,P.G., 0=9934
Tainsh,R.J. See White,G.K., 0=15885
Tait,R.I. An apparatus for the study of ultrasonic propagation in liquids under pressure, 0=14757
Takabayasi,T. Relativistic hydrodynamics of the Dirac matter. I. General theory, 0=3917
Takabayasi,T. Internal symmetries of elementary particles, and of their interactions, 0=9318
Takabayasi,T. and Vigier,J.P. Description of Pauli matter as a continuous assembly of small rotating bodies, 0=9303
Takač,S. See Popović,D., 0=20519
Takač,S. See Popović,D., 0=20520
Takač,S. See Raišić,N., 0=20521
Takács,L. Theoretical probability treatment of anode current variations in electron tubes, 0=15070
Takagi,S. Collective motion and particle excitation in many fermion system, 0=15303
Takagi,S.,Watari,W. and Yasuno,M. Note on the spin—orbit coupling and tensor forces, 0=20312
Takagi,S.,Watari,W. and Yasumo,M. Note on the spin—orbit coupling and the tensor forces, 0=20341
Takagi,S. See Ikeda,K., 0=20314
Takagi,S. See Miyake,S., 0=12019
Takahashi,A. See Sato,I., 0=20188
Takahashi,K. and Morinaga,H. Protactinium-237, 0=9562
Takahashi,K. See Morita,A., 0=13476
Takahashi,N. Electron microscopic study of thin films of the aluminum—copper eutectic prepared by a melting method, 0=12068
Takahashi,Y. See Arnous,E., 0=15233
Takahashi,Y. See Ito,D., 0=20052
Takahashi,Y. See Judge,O., 0=17211
Takahashi,Y. See Kamefuchi,S., 0=17259
Takahata,M. See Kaneko,S., 0=9452
Takaki,Y.,Sasada,Y. and Nitta,I. Crystal structure of 2-amino azulene, 0=21203
Takakura,T. Polarized bursts and noise storms of solar radio emission. II. Storm bursts and background continuum, 0=6560
Takakura,T. Polarized bursts and noise storms of solar radio emission. III. The post-detection low frequency spectra of noise storms, 0=6561
Takamatsu,K. See Nakamura,T., 0=20479
Takamura,T. On the melting and freezing behaviors of liquid held in the very narrow capillary, 0=10804
Takano,F. See Wada,Y., 0=14925

Takano,N. See Hu,C., 0=20453
Takano,Y. and Otani,S. X-ray study on spherulitic crystalline aggregates of strontium sulfate formed in the solution containing sodium triphosphate, 0=3180
Takao,Y. See Imaeda,K., 0=12741
Takaoki,A. Study on the change of ultrasonic attenuation by stress in steel, 0=2800
Takata,Y. Magnetic domain pattern of a cobalt polycrystal. I, 0=8045
Takayama,K.,Ikegami,H. and Miyazaki,S. Plasma resonance in a radio-frequency probe, 0=19698
Takayanagi,K. Rotational transition in molecular collisions. I. Transition in diatomic molecule—general discussions, 0=9780
Takayanagi,K. Rotational transition in molecular collisions. II. Rotational transition in H_2, D_2 and HD. 0=9781
Takayanagi,K. and Miyamoto,Y. Vibrational transition in molecular collision. III. A short table of a function useful for calculating the vibrational transition probability, 0=9782
Takayanagi,K. See Niblett,P.D., 0=7815
Takeda,G. Isotopic spin and strange particles, 0=11233
Takeda,G. and Kato,M. Global symmetry and isotopic spin conservation in non-leptonic hyperon decays, 0=15441
Takeda,G. See Kato,M., 0=11087
Takeda,G. See Koba,Z., 0=11156
Takeda,M.,Imamura,Y.,Okamura,S. and Higashimura,T. Dipole moment of isotactic and atactic poly-vinyl iso-butyl ether, 0=17849
Takeda,M. See Hu,C., 0=17607
Takeda,M. See Hu,C., 0=20453
Takeda,M. See Oda,Y., 0=20452
Takeda,S. and Dougal,A.A. Microwave study of afterglow discharge in water vapour, 0=5294
Takei,W.J.,Shirane,G. and Frazer,B.C. Magnetic structure of Mn_4N, 0=11850
Takeishi,Y. On the Auger ejection of electrons from nickel by inert gas ions, 0=1152
Takeishi,Y. A note on the normal cathode fall in the glow discharges in inert gases, 0=1153
Takemoto,S. and Kasai,M. On r.f. electrodeless discharges in a capillary, 0=251
Takeno,H. A comparison of plane wave solutions in general relativity with those in non-symmetric theory, 0=12362
Takenoshita,Y. See Hakura,Y., 0=21344
Takeno,S. On the line width in ferromagnetic resonance, 0=13855
Takeo,M. See Ch'en Shang-Yi, 0=5881
Taketani,M. See Nakamura,S., 0=14465
Takeuchi,H. See Miyazaki,Y., 0=20300
Takeuchi,H. See Miyazaki,Y., 0=20299
Takeuchi,M. See Okamoto,S., 0=7985
Takéuchi,Y. and Sadanaga,R. The crystal structure of xanthophyllite, 0=3234
Takeuti,M. The masses of pulsating stars, 0=12319
Takeutti,Y. On the exciton problem in insulating crystals, 0=11604
Takeya,Y. and Okumoto,T. A method for obtaining the atmospheric temperature and wind [velocity] from sound propagation in the rocket sounding, 0=1978
Takeyama,H. and Guttman,A. Emission of diffuse bands of sodium behind shock fronts, 0=5946
Takgi,S. See Kammuri,T., 0=9636
Taki,S. Studied on annonium titanyl sulfate, 0=8158
Takibaev,Zh. The role of antinucleons and mesons in secondary interactions in the high energy region, 0=1329
Takibaev,Zh.S. An estimate of the energy of shower-producing particles with allowance for their energy spectrum, 0=2607
Takibaev,Zh.S. The possible influence of nucleon structure in high-energy interactions, 0=11159
Takibaev,Zh.S. See Boos,E.G., 0=13085
Takibaev,Zh.S. See Boos,E.G., 0=13097
Takibaev,Zh.S. See Chasnikov,I.Ya., 0=1260
Takibaev,Zh.S. See Loktionov,A.A., 0=11281
Takibaev,Zh.S. See Lukin,Yu.T., 0=13042
Takibaev,Zh.S. See San'ko,L.A., 0=9470
Takibayev,J.S. See Boos,E.G., 0=9451
Takibayev,Zh.S.,Loctionov,A.A.,San'ko,L.A. and Shakhova,Ts.I. Analysis of angular distribution of thin tracks of showers produced by particles with energies $>10^{11}$ eV, 0=9449
Takibayev,Zh.S. See Vinitsky,A.Kh., 0=9450
Talalaeva,E.V. See Belov,K.P., 0=11665
Talalaeva,I.V. See Mitsuk,V.E., 0=2352
Talantov,N.V. On the problem of the analytical method in
Talbert,W.L.Jr and Stewart,M.G. Branching of transitions some mirror nuclei, 0=13181
Talbot,J. See Besnard,S., 0=16243
Talbot,L. Theory of the stagnation-point Langmuir probe, 0=9038
Talham,R.J. See Jacobson,M.J., 0=14747
Talianskyi,I.I. See Glauberman,A.E., 0=7350
Talmi,I. Symplectic invariance and the pairing property of nuclear interactions, 0=11086
Takimoto,N. On the screening of impurity potential by conduction electrons, 0=20859
Takuma,H.,Shimizu,T. and Shimoda,K. Magnetic hyperfine spectrum of H_2CO by a maser, 0=20668
Talley,C.P.,Laplaca,S. and Post,B. A new polymorph of boron. 0=10310
Tallone,L. See Garelli,C.M., 0=2591
Talman,R. See Gomez,R., 0=17363
Talmi,I. and Unna,I. Order of levels in the shell model and spin of Be^{11}, 0=13135
Talmi,I. and Unna,I. Energy levels and configuration interaction in Zr^{90} and related nuclei, 0=20357
Talmi,I. See Katz,A., 0=14924
Taluts,G.G. and Giterman,M.Sh. Theory of the creation of excitons, 0=534
Taluts,G.G. See Guseva,G.I., 0=6034
Talwani,M. and Ewing,M. Rapid computation of gravitational attraction of three-dimensional bodies of arbitrary shape, 0=6715
Talwar,S.P. and Abbi,S.S. On the change in shape of a gravitating fluid sphere in a uniform external electric field. 0=7206
Talwar,S.P. See Chopra,K.P., 0=3838
Talwar,S.P. See Saxena,R.C., 0=6785
Talwar,S.P. See Tandon,J.N., 0=5388
Talyanskii,I.I. Neutron flux distributions in media separated by a plane boundary, 0=11179
Talyzin,V.M. See Flerov,N.N., 0=7603
Tamada,K. and Fujikawa,H. The steady flow of viscous fluidt low Reynolds numbers passing obliquely through a plane grid made of equal parallel circular cylinders [regularly spaced], 0=66
Tamagaki,R. Tensor and spin—orbit forces in nucleon—nucleon scattering, 0=11161
Tamagaki,R. See Hamada,T., 0=20072
Tamagaki,R. See Hamada,T., 0=20126
Tamagaki,R. See Iwadare,J., 0=5625
Tamagaki,R. See Nagata,S., 0=13105
Tamagaki,R. See Nagata,S., 0=20311
Tamagaki,R. See Otsuki,S., 0=12872
Tamagawa,H. and Fujita,J. A visualizing method of electro temperature and plasma density, 0=19688
Tamai,E. High energy nuclear disintegrations, 0=1399
Tamai,E. Heavy nuclei in the primary cosmic rays over Minnesota, 0=7429
Tamai,Y. Low friction of metals in reciprocating sliding, 0=165
Tamaki,F. and Kim,C.-S. Flash X-ray radiography for the density measurement in a hypersonic air flow, 0=19188
Tamanov,E.A. See Fleror,N.N., 0=9100
Tamao,T. Hydromagnetics in the earth's outer atomosphere, 0=1982
Tamao,T. See Kato,Y., 0=1997
Tamarkin,P. See Eby,R.K., 0=2196
Tamarkin,P. See Proud,J.M.,Jr, 0=8751
Tamas,G. See Miller,J., 0=7320
Tamash,D. Making sonograms, 0=14746
Tamássy-Lentei,I. See Gáspár,R., 0=5964
Tamássy-Lentei,I. See Gáspár,R., 0=20671
Tamburini,T. and Thiessen,G. Center-limb variation of the slowly variable earth magnetic effective solar X-ray radiation and remarks on the structure of coronal conde sations, 0=18742
Tamers,M.A. and Wolfgang,R. Nuclear reactions of high-energy C^{12}, N^{14}, and O^{16} with carbon, 0=5760
Tamiya,J. A new method for the measurement of cathode interface impedance, 0=12566
Tamiya,J. Nonlinear effect upon the equivalent circuit of interface impedance in pulse methods, 0=15052
Tamm,E.I. See Belousov,A.S., 0=7311
Tamm,I.E. General characteristics of Vavilov—Cherenkov radiation, 0=5538

amm,K. See Naake,H.J., 0=14722
amm,K. See Naake,H.J., 0=16682
amm,K. See Naake,H.J., 0=16683
amm,K. Survey of the method of measuring acoustic relaxation in aqueous solutions, 0=19124
amm,K. Structural vibration measuring instruments and methods, 0=19316
ammet,Kh.F. See Reinet,Ya.Yu., 0=1097
amor,S. Structure of transport equations, 0=18972
amor,S. See Auer,P.L., 0=18973
amura,M. See Kotaka,T., 0=3497
amura,T. and Komai,L.G. New model for vibrational spectra in even—even nuclei, 0=1347
amura,T. and Udagawa,T. Comments on Davydov and Filippov's theory of the properties of even nuclei, 0=11290
an Hoang Pham. Comparison of the two methods of obtaining the equations of motion in general relativity, 0=10577
an Hoang Pham. See Pham Tan Hoang, 0=6659
an Syao-Vei [T'ang Hsiao-Wei]. See Prokoshkin,Yu.D., 0=3957
Tanabe,H. and Tohmatsu,T. On the latitude effect of airglow intensity, 0=14286
Tanabe,H. See Huruhata,M., 0=21381
Tanabe,Y. See Koide,S., 0=21058
Tanabe,Y. See Nishimura,J., 0=21165
anabe,Y. See Sugano,S., 0=645
Tanabe,Y. See Sugano,S., 0=20978
Tanaka,H. and Kakinuma,T. Eclipse observations of microwave radio sources on the solar disk on 19 April, 1958, 0=18647
Tanaka,H. See Fujii,K., 0=20227
Tanaka,H. See Ito,D., 0=20051
Tanaka,H. See Ito,D., 0=20052
Tanaka,H. See Nishida,Y., 0=15578
Tanaka,H. See Shono,Y., 0=20310
Tanaka,K. Electromagnetic properties of π and K mesons, 0=7403
Tanaka,K. Baryon mass spectrum, 0=17244
Tanaka,K.,Chikawa,J. and Yamanaka,T. Monitoring X-ray tube output with ionization chamber, 0=20109
Tanaka,M. A note on the magnetic relaxation in a low field, 0=21051
Tanaka,S. The parity conservation and the strength of the interaction of elementary particles, 0=11084
Tanaka,S. Electroluminescence of ZnS phosphors excited by short field pulses, 0=21015
Tanaka,S. and Furukawa,M. Excitation functions for (p,n) reactions with titanium, vanadium, chromium, iron and nickel up to Ep = 14 MeV, 0=20446
Tanaka,S. and Tanaka,T. Effects of deuteron bombardment on CdS single crystals, 0=1662
Tanaka,T. See Hatakeyama,R., 0=19198
Tanaka,T. See Masumi,T., 0=21094
Tanaka,T. See Tanaka,S., 0=1662
Tanaka,T. See Yamahuzi,K., 0=11569
Tanaka,Y.,Jursa,A.S. and LeBlanc,F.J., Higher ionization potentials of linear triatomic molecules. I. CO$_2$, 0=7779
Tanaka,Y.,Jursa,A.S. and LeBlanc,F.J. Higher ionization potentials of linear triatomic molecules. II. CS$_2$, COS, and N$_2$O, 0=7780
Tanaka,Y. See Ogawa,M., 0=5955
Tanaka,Y. See Watase,Y., 0=13038
Tananko,I.A. See Palatnik,L.S., 0=18397
Tanaoka,I. See Rikitake,T., 0=18471
Tancrell,R.H. and McMahon,R.E. Studies in partial switching of ferrite cores, 0=11006
Tandberg-Hanssen,E. and Roach,F.E. Excitation mechanisms of the oxygen 5577 emission in the upper atmosphere, 0=3359
Tandberg-Hanssen,E. See Roach,F.E., 0=2026
Tandberg-Hanssen,E. See Roach,F.E., 0=2027
Tandberg-Hanssen,E. See Zirin,H., 0=12281
Tandon,J.N. and Talwar,S.P. Radial pulsations of an infinite cylinder in the presence of a magnetic field, 0=5388
Tandon,J.N. See Naqvi,A.M., 0=3409
Tandon,J.N. See Prakash,S., 0=9162
Tandon,J.N. See Saxena,R.C., 0=6785
Taneda,S. Downstream development of the wakes behind cylinders, 0=19071
Tanenbaum,B.S. and Mintzer,D. Energy transfer in a turbulent fluid, 0=14594
Tanenbaum,B.S. See Mintzer,D., 0=1000
Tanenbaum,M. Calculation of the heat of solution of copper in germanium from diffusion measurements, 0=7863
Tanenbaum,M. See Buehler,E., 0=6341
Tanenbaum,M. See Kolb,E.D., 0=6330
T'ang Hsiao-Wei. See Tan Syao-Vei, 0=3957
Tang,Y.C.,Lemmer,R.H.,Wyatt,P.J. and Green,A.E.S. Plausibility of a nonlocal optical model, 0=1344
Tang,Y.C. See Khanna,F.C., 0=7448
Tang,Y.C. See Lemmer,R.H., 0=9295
Tang,Y.C. See Pearlstein,L.D., 0=17496
Tang,Y.C. See Pearlstein,L.D., 0=17497
Tangen,R. See Andersen,S.L., 0=5744
Tanguay,A.R. See Hock,D.C., 0=12334
Tani,S. Scattering involving a bound state, 0=3933
Tani,S. See Kanazawa,H., 0=12608
Tani,S. See Kobayashi,T., 0=11105
Tanifuji,M. See Hagiwara,H., 0=11405
Tanifuji,M. See Hagiwara,H., 0=13230
Taniguchi,H. See Kjelberg,A., 0=13205
Tanisaki,S. Phase transition in tungsten trioxide, 0=18375
Taniuti,T. On wave propagation in non-linear fields, 0=10590
Taniuti,T. On the propagation of the hydromagnetic waves in compressible ionized fluid, 0=11030
Taniuti,T. An example of isentropic steady flow in the magnetohydrodynamics, 0=12684
Taniuti,T. On the wave propagation in the non-linear fields. II, 0=12882
Taniuti,T. The canonical theory of motion of charged particles in external electromagnetic fields, 0=15115
Taniuti,T. See Kato,Y., 0=17082
Tannenbaum,E. Film stripping technique for making thin silica windows, 0=10335
Tannenbaum,E. See Atalla,M.M., 0=15936
Tannenwald,P.E. and Seavey,M.H.,Jr. Microwave resonance in thin ferromagnetic films, 0=13860
Tannenwald,P.E. See Seavey,M.H.,Jr, 0=3115
Tanner,N.W.,Thomas,G.C. and Meyerhof,W.E. Observations on the photodisintegration of ^{16}O through the inverse process ^{15}N(p,γ)^{16}O, 0=2676
Tanner,N.W. See Meyerhof,W.E., 0=1404
Tanner,N.W. See Thomas,G.C., 0=11413
Tanner,R. Experimental study of various types of stopped sounding pipe, from the point of view of the purity of the timbre, 0=16801
Tanner,R.H. Acoustical design and performance of the Stratford (Ontario) Festival Theatre, 0=2221
Tanner,R.I. Non-Newtonian flow and the oil seal problem, 0=6750
Tanner,W.P.,Jr. Theory of signal detectability as an interpretive tool for psychophysical data, 0=16502
Tantry,B.A.P. Automatic recorder of the waveforms of atmospherics, 0=6485
Tantry,B.A.P. and Srivastava,R.S. Waveforms of atmospherics with superimposed pulses recorded with an automatic atmospherics recorder, 0=1986
Tantry,B.A.P.,Srivastava,R.S. and Khastgir,S.R. Waveform studies of electric field-changes during cloud-to-cloud lightning discharges, 0=8423
Tanttila,W.H. See Bender,P.A., 0=4532
Tantilla,W.H. See Jennings,D.A., 0=10243
Tanuma,S. See Shibuya,Y., 0=20868
Tao,L.N. Heat transfer of combined free and forced convection in circular and sector tubes, 0=14872
Taoka,T.,Yasukochi,K.,Honda,R. and Oyama,I. An experimental investigation on the mode of slip in face-centred cubic metals, 0=21112
Tarab,S. See Legouix,J.P., 0=2046
Tarabanko,V.A. See Komissarov,L.V., 0=2702
Tarago,X. See LeFort,L.M., 0=20367
Tarakanov,K.I. See Ignatenko,A.E., 0=5370
Tarakanova,T.S. See Aleksandrov,V.V., 0=9972
Tarantin,N.I. Competition between neutron-evaporation processes and fission in reactions between multicharged ions and heavy nuclei, 0=11463
Tarantin,N.I. See Guseva,L.I., 0=11429
Tarantin,N.I. See Volkov,V.V., 0=9649
Tarasov,K.I. Simple formulae for estimation of the aberrations of a mirror objective, 0=14798
Tarasov,M.S. See Brish,A.A., 0=6073
Tarasov,M.S. See Brish,A.A., 0=7061
Tarasov,Yu.A. Stability of a plane Poiseuille flow of a plasma with finite conductivity in a magnetic field, 0=7126
Tarasov,V.V. Atomic chains and the fine structure of glass, 0= 10322
Tarasov,V.V. See Romanovskii,V.A., 0=13490
Tarasov,V.V. See Romanovskii,V.A., 0=13491

Tarasova,L.V. and Razin,A.A. Transfer of electrode material in the pre-breakdown phase and in electrical breakdown in high vacuum, 0=9006
Tardy,O. and Lennuier,M.R. Study of the influence of a magnetic field on the intensity of lines emitted by some discharge tubes, 0=10884
Tareeva,E.E. Problem of calculating free energy of a gas of small density, 0=14540
Targonski,G. Approximation of velocity-dependent potentials by separable kernels, 0=5516
Tarină,E. See Bally,D., 0=11186
Tarină,E. See Bally,D., 0=15370
Tarján,I. and Turchányi,G. On Kusnezow's "mutual polishing procedure", 0=21176
Tarján,I.,Voszka,R. and Somló,Á. The effect of thermal pre-treatment on the photoconductivity of NaCl crystals irradiated with X-rays, 0=6142
Tarkhin,D.V. See Kolomiets,B.T., 0=599
Tarkhin,D.V. See Ryvkin,S.M., 0=20900
Tarkhov,G.N. See Pivovarov,V.M., 0=3619
Tarkhova,T.N. See Belov,N.V., 0=13988
Tarnoczy,T. Determination of the spectrum of speech by a new method, 0=18530
Tarnóczy,T. On the "forward—backward" impression, 0=18541
Tarnóczy,T.H. The speech noise and its spectrum, 0=6495
Tarpinian,A. and Gazza,G.E. Etch pits in pyrolytic graphite, 0=16284
Tarpley,H.I. See Nisbet,J.S., 0=2146
Tarrago,X. See Lefort,M., 0=7580
Tarrago,X. See Lefort,M., 0=17595
Tarrago,X. See LeFort,M., 0=20368
Tarrago,X. See LeFort,M., 0=20437
Tarski,J. Analyticity of the fourth order scattering amplitude with two complex invariants, 0=16606
Tartaglia,A.A. See Trumbore,F.A., 0=12080
Tartakovskii,B.D. A method for calculating the amplification factor of converging beams of sound, 0=19269
Tartakovskii,B.D. Sound field in the focal plane of spherically converging beams, 0=19285
Tartakovskii,B.D. See Naumkina,N.I., 0=1013
Tartakovsky,V.K. See Sitenko,A.G., 0=4099
Tashkanova,D.A. See Arifov,U.A., 0=19728
Tasman,H.A. and Boerboom,A.J.H. Elimination of the radial second order angular aberrations in inhomogeneous field mass spectrometers by inclined plane boundaries, 0=19787
Tasman,H.A.,Boerboom,A.J.H. and Wachsmuth,H. Calculation of the ion optical properties of inhomogeneous magnetic sector fields. III. Oblique incidence and exit at curved boundaries, 0=282
Tasman,H.A.,Boerboom,A.J.H. and Wachsmuth,H. Calculation of the ion optical properties of inhomogeneous magnetic sector fields: note on the trajectories outside the median plane with oblique incidence, and on the second order angular aberration coefficient, 0=5360
Tasman,H.A. See Boerboom,A.J.H., 0=285
Tasman,H.A. See Wachsmuth,H., 0=281
Tassie,L.J. Electron excitation of collective nuclear transitions, 0=5761
Tassie,L.J. See Barker,F.C., 0=20348
Tatantin,N.I. See Flevov,G.N., 0=7497
Tatarinova,L.I. Study of short-range order in amorphous semiconductors by the electron diffraction method, 0=14048
Tatarinova,L.I. See Vainshtein,B.K., 0=13996
Tatarinova,N.V. and Chistyakov,P.N. Electron emission from a barium cold cathode after a current pulse in a gas, 0=19711
Tatevskii,V.M. See Akishin,P.A., 0=15774
Tati,T. A theory of elementary particles, 0=11095
Tati,T. On parity nonconservation, 0=17275
Tatsumoto,E.,Fukai,A. and Okamoto,T. Analysis of magnetostriction, 0=3068
Tatsumoto,E. and Okamoto,T. Anisotropy of ordinary Hall effect in silicon iron, 0=6082
Tatsumoto,E. and Okamoto,T. Temperature dependence of the magnetostriction constants in iron and silicon iron, 0=21049
Tatsumoto,E.,Okamoto,T.,Nishimura,A. and Fukai,A. Magnetostriction constants in iron and silicon-steel, 0=3067
Tatsumoto,E. See Harada,T., 0=8048
Tatsumoto,E. See Kimura,H., 0=2841
Tatsuoka,S. See Yoshinaga,H., 0=6928
Tatsuzaki,I. Study of reorientational motion in solid state of 1,2,3-trichlorobenzene and hexachlorobenzene by pure quadrupole resonance, 0=18234
Tatu,V. See Agarbiceanu,I.I., 0=5656
Tau,L. See Anderson,H.L., 0=17374
Tau,L. See Pellegrini,C., 0=17396
Taube,H. See Agarwala,U., 0=14103
Taube,H. See Baldwin,H.W., 0=14123
Taube,H. See Jackson,J.A., 0=3546
Taubenheim,J. The influence of solar flares on the ionospheric E layer, 0=767
Taubenheim,J. Incoherency of pulse echoes and the measurement of ionospheric absorption, 0=16437
Taubenheim,J. See Volland,H., 0=2005
Tauber,A.G. See Kolenko,E.A., 0=16744
Tauber,G.E. Variational principle for transport phenomena, 0=52
Tauber,G.E. and Wu Ta-You. Nuclear shell model: ~~Hartree—Fock~~ Hartree—Fock approximation with Gammel—Thaler two-nucleon potential, 0=11291
Tauc,J. The high-voltage photoeffect in ZnS single crystals, 0=15995
Tauc,J. On the theory of thermoelectricity, 0=20942
Tauc,J. and Abraham,A. The quantum efficiency of the internal photoelectric effect in indium antimonide, 0=2905
Tauc,J. and Antončík,E. Optical observations of spin—orbit interaction in germanium, 0=18120
Tauc,J. and Závětová,M. Photo-piezoelectric effect in semiconductors, 0=2866
Taupin,D. and Fournet,G. Prediction of the paramagnetic susceptibility of ferromagnetic materials. Application to cobalt, 0=13763
Taure,I. See Chudars,Ya., 0=14153
Taurel,L. Study of imperfections in a single crystal by the use of scattered light, 0=17951
Taurel,L. and Humphreys-Owen,S.P.F. Study of quartz imperfections by light scattering, 0=11619
Taurel,L. See Chapelle,J., 0=4378
Tausend,A. See Gobrecht,H., 0=2901
Taussky,O. See Lewis,D.C.,Jr, 0=12234
Tautz,H. An evaluation method for non-stationary diffusivity and thermal conductivity measurements, 0=14865
Tavares,Y. See Stammreich,H., 0=11528
Tavetkov,V.N. and Klenin,S.I. The concentration dependence of the diffusion coefficient of a polymer in solution, 0=10654
Tavger,B.A. The [magnetic] symmetry of ferromagnetics and antiferromagnetics, 0=11820
Tavger,B.A. Symmetry of piezomagnetism of antiferromagnetics, 0=11906
Tavger,B.A. See Shuvalov,L.A., 0=13817
Tavkhelidze,A.N.,Todorov,I.T. and Chernikov,N.A. Spectral properties of Green's functions in a fixed source model of meson field theory, 0=3928
Tawara,Y. See Muto,Y., 0=6084
Tawara,Y. See Shibuya,Y., 0=20868
Tawde,N.R. and Desai,D.D. Role of argon in the development of some band systems of nitrogen, 0=7769
Tawde,N.R. and Murthy,N.S. r-centroids and their properties for ($B^1\Sigma \rightarrow X^1\Sigma$) system of BeO, 0=20601
Tawde,N.R. and Patil,B.S. The evaluation of the electronic transition moment for the $b^3\Sigma^+ - a^3\pi$ system of CO, 0=17763
Tawde,N.R. and Sreedhara Murthy,N. Overlap integrals of BeO ($B^1\Sigma \rightarrow X^1\Sigma$) system by approximate analytic methods, 0=9811
Tayler,A.B. A rapidly convergent procedure for solving the equations for subsonic potential flow. I. Numerical solutions, 0=6823
Tayler,A.B. A rapidly convergent procedure for solving the equations of subsonic potential flow. II. Analytic solutions, 0=6824
Taylor,A. See Kear,B.H., 0=20803
Taylor,A. See Newson,H.W., 0=5786
Taylor,A.E.,Wood,E. and Bird,L. Proton—proton scattering at 98 and 142 MeV, 0=11164
Taylor,A.E. See Bird,L., 0=11166
Taylor,B.T. See Bishop,K.F., 0=5682
Taylor,C. See Sandover,J.A., 0=8634
Taylor,C.A. and Underwood,F.A. A twinning interpretation of "superlattice" reflexions in X-ray photographs of synthetic klockmannite, CuSe, 0=10313
Taylor,D. Health physics instrumentation. I. 0=8438
Taylor,D.F. See Mason,D.E., 0=20912
Taylor,E.D. See Jones,W.M., 0=20143
Taylor,E.H. See Datz,S., 0=9094
Taylor,E.H. See Minturn,R.E., 0=9093

Taylor,G. The dynamics of thin sheets of fluid. I. Water bells, 0=8636
Taylor,G. Dynamics of thin sheets of fluid. II. Waves on fluid sheets, 0=8637
Taylor,G. The dynamics of thin sheets of fluid. III. Disintegration of fluid sheets, 0=8638
Taylor,G. See Forstat,H., 0=1559
Taylor,G. See Forstat,H., 0=3099
Taylor,G.N. See Evans,J.V., 0=4872
Taylor,G.R. and Payne,W.E. Retardation and K X-ray relative intensities, 0=11511
Taylor,H.A. See Low,M.J.D., 0=752
Taylor,H.W. and Scott,S.A. High-energy gamma radiation from Ag^{110m}, 0=9596
Taylor,H.W. See Whyte,G.N., 0=15560
Taylor,I.J.,Barros,F.de S.,Forsyth,P.D.,Jaffe,A.A. and Ramavataram,S. An investigation of some (^{3}He,α) reactions on light nuclei at 5.2 MeV, 0=11422
Taylor,I.J. See Forsyth,P.D., 0=5754
Taylor,I.J. See Jaffe,A.A., 0=17495
Taylor,J.B. Electric field correlation and plasma dynamics, 0=17011
Taylor,J.C. Analytic properties of perturbation expansions, 0=3937
Taylor,J.C. See Bremermann,H.J., 0=7267
Taylor,J.G. Method for the determination of strange particle parities and coupling constants, 0=2598
Taylor,J.G. Limitations to dispersion relations, 0=17262
Taylor,J.G. The renormalization constants in perturbation theory, 0=20079
Taylor,J.G. and Toll,J.S. Formulation of the causality requirement, 0=12860
Taylor,J.G. and Warburton,A.E.A. Complex singularities of partial-wave amplitudes in perturbation theory, 0=20068
Taylor,J.G. See Gunson,J., 0=12869
Taylor,J.G. See Gunson,J., 0=15282
Taylor,K.N.R. See Alfrey,G.F., 0=18055
Taylor,K.N.R. See Bate,G., 0=9975
Taylor,K.W. See Smith,S.D., 0=4361
Taylor,M.A.,Burger,J.P. and Wucher,J. Magnetic effects of transition metal impurities in aluminium, 0=16124
Taylor,M.H. See Kihara,T., 0=16735
Taylor,M.J. See Dodd,J.N., 0=9743
Taylor,M.J. See Series,G.W., 0=18121
Taylor,M.T. See Mackinnon,L., 0=9849
Taylor,R.C. See Vaughan,W.R., 0=4223
Taylor,R.D. and Kerr,E.C. The thermal coefficient of expansion of liquid ^{3}He from 0.55 to 1°K, 0=8881
Taylor,R.D. See Dash,J.G., 0=17489
Taylor,R.E. and Mozley,R.F. Positive pion production by polarized bremsstrahlung, 0=5594
Taylor,R.G. See Fritz,J.J., 0=10093
Taylor,R.T. See Grace,M.A., 0=20786
Taylor,S. See Bjorkland,S., 0=11219
Taylor,T.I. See Monse,E.U., 0=11497
Taylor,T.I. See Safford,G.J.,, 0=15597
Taylor,T.T. Electric polarizability of a short right circular conducting cylinder, 0=19592
Taylor,W.H. See Hume-Rothery,W., 0=515
Taylor,W.J. Dimensions of long-chain molecules with restricted internal rotation and variable bond length and angle, 0=4248
Taylor,W.L. Daytime attenuation rates in the very low frequency band using atmospherics, 0=12716
Taylor,W.L. V.L.F. attenuation for east—west and west—east daytime propagation using atmospherics, 0=16488
Taylor,W.L. and Jean,A.G. Very-low frequency radiation spectra of lightning discharges, 0=3355
Taylor,W.L. See Jean,A.G., 0=14311
Tayman,W.P. See Washer,F.E., 0=19402
Tchao You-Hing and Hervé,J. Dynamic polarization of the protons in a free radical by saturation of the electron resonance, 0=4534
Teague,R.S. Graphic test for linear fit to Kubelka—Munk analysis, 0=19461
Teale,R.W. See Pearson,R.F., 0=10119
Teaney,D. See Portis,A.M., 0=3098
Teaney,D.T.,Blumberg,W.E. and Portis,A.M. Measurement of F-center concentration and relaxation time by microwave Faraday rotation, 0=16161
Teare,P.W. Low-angle geiger diffractometer for use with monochromatic radiation, 0=8181
Teare,P.W. Method of recording low-angle X-ray scattering when intensity scattered by specimen changes rapidly with time, 0=12018
Tebble,R.S. Magnetic hysteresis and domain structure, 0=13784
Tebble,R.S. See Kojima,H., 0=6221
Tech,J.L. See Meggers,W.F., 0=18454
Tedford,D.J. See Blair,D.T.A., 0=10885
Teegarden,K. and Weeks,R. Trapped charge and the low-temperature luminescence of undoped KI, 0=2957
Teegarden,K.J. See Eby,J.E., 0=2937
Tefft,W.E. See Spinner,S., 0=13905
Tefft,W.E. See Wachtman,J.B.,Jr, 0=13899
Teghtsoonian,E. See Saimoto,S., 0=18323
Teichman,J. The influence of fringing on betatron oscillations in an accelerator with a sectioned magnet, I, 0=2410
Teichman,J. The influence of fringing on betatron oscillations in an accelerator with a sectioned magnet. II, 0=2411
Teichman,J. An accelerator with a helical field, 0=3818
Teichman,J. Betatron oscillations in an accelerator with a general field, 0=12659
Teifel',V.G. The difference in the spectral properties of areas on the lunar surface, 0=18694
Teig,M. See Sagnis,J.C.,Jr, 0=18197
Teiger,J. See Meunier,R., 0=19994
Teiger,J. See Séguinot,J., 0=19973
Teissier du Gros,F. See Boisot,M.H., 0=1925
Teitler,S. and Wallis,R.F. Liouville equation and the resolvent formalism, 0=16619
Teja,J.D. Absorption of muons in carbon 12 and the universal Fermi interaction, 0=4129
Tekster-Proskuryakova,G.N. See Kolomiets,B.T., 0=15950
Tekster-Proskuryakova,G.N. See Sheftel',I.T., 0=2900
Tekuchev,A.N. Absorption and dispersion of thin layers of gold, 0=4402
Telbisz,F. See Fenyves,E., 0=13096
Telbisz,F. See Sandor,T., 0=7439
Telbisz,F. See Sándor,T., 0=15488
Telegdi,V.L. and Winston,R. Comments on Faragó's treatment of spin precession in crossed magnetic and electric fields, 0=7334
Telegdi,V.L. See Lathrop,J.F., 0=15375
Telegdi,V.L. See Lathrop,J., 0=20172
Telegdi,V.L. See Lathrop,J., 0=20173
Telegina,I.V. See Kolontsova,E.V., 0=12001
Telegina,I.V. See Kolontsova,E.V., 0=13937
Telegina,I.V. See Kolontsova,E.V., 0=18258
Teller,E. General problems of the controlled thermonuclear process, 0=13384
Teller,E. See Northrop,T.G., 0=3837
Temesváry,S. and v.Hoerner,S. Origin of helium in the Milky Way, 0=2075
Temesvary,S. See Biermann,L., 0=2078
Temkin,A. A note on the scattering of electrons from atomic hydrogen, 0=1476
Temkin,A. Density expansions of hard-sphere Fermi systems, 0=3921
Temkin,A. Nonadiabatic theory of the scattering of electrons from hydrogen, 0=13406
Temkin,A.G. Heat exchange in laminar flow through non-circular tubes, 0=8614
Temmer,G.M. See Barloutaud,R., 0=13145
Temperley,H.N.V. Application of the Mayer method to the melting problem, 0=6992
Temperley,H.N.V. Can the "lattice" model of a gas describe both liquefaction and solidification , 0=6993
Temperley,H.N.V. On the asymptotic behaviour of the Mayer cluster series in the antiferromagnetic problem, 0=8066
Tempest,W. and Parbrook,H.D. The absorption of sound in argon, nitrogen and oxygen, 0=14739
Tempest,W. See Holmes,R., 0=14721
Tempest,W. See Parbrook,H.D., 0=16737
Temple,G. Cartesian tensors. An introduction, 0=18568
Templeton,D.H. and Dauben,C.H. Polarized octahedra in barium tetratitanate, 0=10312
Templeton,D.H. See Olovsson,I., 0=4633
Templeton,D.H. See Olovsson,I., 0=4634
Templeton,D.H. See Senko,M.E., 0=8245
Templeton,I.M. See Gold,A.V., 0=20945
Templeton,I.M. See Pearson,W.B., 0=20861
Templeton,I.M. See MacDonald,D.K.C., 0=2916
Templeton,I.M. See MacDonald,D.K.C., 0=10003

Templeton,I.M. See MacDonald,D.K.C., 0=18076
Templeton,I.M. See MacDonald,D.K.C., 0=19569
Templeton,L.C. See Sonder,E., 0=11701
Tenaglia,L. On the pionic decay of the Λ-particle, 0=1315
Tenaglia,L. On the interactions of the nucleons, 0=2534
Tenaglia,L. On the photonic decay of the hyperons, 0=17421
ten Bruggencate,P. Comment on the growth curves of Fraunhofer lines with pure absorption, 0=12289
ten Bruggencate,P. and Elste,G. Temperature and turbulence in quiescent prominences derived from line-widths, 0=6597
Tendam,D.J. See Corelli,J.C., 0=2668
Tendam,D.J. See Priest,J.R., 0=15579
Tendam,D.J. See Priest,J.R., 0=15582
Tendeloo,K. Strong eddy-current applications of permanent magnets, 0=2427
Tenerz,E. See Lundqvist,S.O., 0=4261
Teng Chia-hsien. See YÜ Min, 0=1350
Tennent,R.M. See Gilboy,W.B., 0=20171
Tennent,R.M. See Hillas,A.M., 0=17190
Tenney,F. See Bernstein,W., 0=1192
Tentyukova,G.N. See Solov'ev,L.D., 0=11215
Tentyukova,G.N. See Zinov,V.G., 0=20197
Tenzer,R.K. Influence of various heat exposures on Alnico V magnets, 0=2987
Teodorescu,I. and Glodeanu,A. Effects of fast-neutron irradiation on nickel thin films, 0=10338
Teodorescu,I. See Glodeanu,A., 0=21046
Teodorescu,P.P. Theory of elasticity. On a potential representation in the three-dimensional problem of elastodynamics, 0=10623
Teodorescu,P.P. The problem of the elastic plane corner, 0=14560
Teodorescu,P.P. and Predeleanu,M. On the plane problem of non-homogeneous elastic bodies, 0=10621
Teodoresku,I. See Grigoresku,L., 0=18400
Teodoresku,I. See Toma,E., 0=10334
Teodorovich,E.V. Pion—pion interaction and the electromagnetic structure of the nucleon in the static theory, 0=20206
Tepley,L.R. A comparison of sferics as observed in the very low frequency and extremely low frequency bands, 0=12207
Teplitskaya,R.B. A comparison of the growth curves for the centre and the limb of the solar disk, 0=18772
Teplitz,V.L. See Rodberg,L.S., 0=20322
Teplov,E.A. See Aleksandrov,V.V., 0=9972
Teplov,I.B. See Neudachin,V.G., 0=9634
Teranishi,T. See Ohnishi,H., 0=1807
Terao,N. See Trillat,J.J., 0=10988
Terasaki,F. and Mannari,I. On the spin—lattice relaxation process in ferromagnets, 0=13865
Terasawa,T. Spin—orbit splitting and tensor force, 0=20340
Terasawa,T. See Kawai,M., 0=9664
Terasawa,T. See Kawai,M., 0=20449
Terashima,Y.,Kitao,K. and Ogawa,K. Acceleration of cosmic rays by hydromagnetic wave, 0=13075
Terashima,Y. See Hayakawa,S., 0=388
Terashima,Y. See Hayakawa,S., 0=15466
Terebenina,L.B. See Losev,S.A., 0=19211
Teregulov,I.G. See Mushtari,Kh.M., 0=3472
Terekhov,Yu.V. See Burgov,N.A., 0=7534
Terekhov,Yu.V. See Burgov,N.A., 0=13215
Terenin,A.N. See Vilesov,F.I., 0=17028
Terenin,A.N. See Vilesov,F.I., 0=19718
Terenin,A.N. See Volesov,F.I., 0=17028
Terentiuk,F. See Wolfson,J.L., 0=16497
Tereshchenko,A.I. Waveguide with a "dumb-bell" shaped cross-section, 0=19936
Tereschchenko,A.I. See Kovtun,N.M., 0=19935
Terezawa,K. and Matsuura,Y. Transverse vibration of higher frequencies of beams of uniform cross-section taking into account the effect of shear, 0=6850
ter Haar,D. Some recent developments in the many-body problem, 0=3448
ter Haar,D. See Coldwell-Horsfall,R.A., 0=568
ter Haar,D. See Grindlay,J., 0=7981
ter Haar,D. See Ross,A.W., 0=6386
Terhune,R.W.,Lambe,J.,Makhov,G. and Cross,L.G. Electron nuclear double resonance experiments with ruby, 0=8092
Terhune,R.W. See King,J.E., 0=3851
Terhune,R.W. See Makhov,G., 0=9197
Terlecki,J. See Gzowski,O., 0=14654
Terletskii,Ya.P. The principle of causality and the second law of thermodynamics, 0=18966
Terletskii,Ya.P. See Gutsunaev,Ts.I., 0=15092
Terletskii,Ya.P. See Konyukov,M.V., 0=1159
Terletskii,Ya.P. See Magalinskii,V.B., 0=10613
Terletskij,Ja.P. See Magalinskij,V.B., 0=6687
Terlouw,J.C. See Braams,C.M., 0=19666
Ter-Martirosyan,K.A. Incompatibility of the analyticity and unitarity conditions in Lee's model, 0=11115
Ter-Martirosyan,K.A. See Avakov,G.V., 0=3916
Ter-Mikaelyan,M.L. Investigation of the limits of applicability of the ionization loss theory, 0=20073
Ter-Mikaelyan,M.L. Radiative corrections to Coulomb scattering with allowance for the medium, 0=12908
Ter-Mikaelyan,M.L. and Khachatryan,B.V. On the limits of applicability of the impact-parameter method, 0=2142
Ternov,I.M. and Tumanov,V.S. Effect of vacuum fluctuations on the polarization of electrons moving in a magnetic field, 0=12909
Ternov,I.M. See Sokolov,A.A., 0=3919
Ternovskii,F.F. Pair production in collisions between charged particles, 0=9345
Ternovskii,F.F. Effect of multiple scattering on pair production by high-energy particles in a medium, 0=11151
Ternovskii,F.F. Effect of multiple scattering on the intrinsic field of a fast charged particle, 0=20093
Ternovskii,F.F. Theory of radiative processes in piecewise homogeneous media, 0=20113
Terpstra,J. and Smit,J.A. Measurement of "optical" transition probabilities in the silver atom, 0=7732
Terreaux,C. See O'Raifeartaigh,L., 0=1275
Terrell,J. Invisibility of the Lorentz contraction, 0=2102
Terrell,J. Relativistic observations and the clock problem, 0=14498
Terrien,J. Photoelectric observations with the Michelson interferometer, 0=16887
Terrien,J. Estimation of two causes of error in the photoelectric observation of interference fringes at infinity with a Michelson interferometer, 0=16888
Terrien,J. Refinements to the use of a photomultiplier — Michelson interferometer system fpr optical wavelength and spectral profile measurements of high sensitivity, 0=19426
Terrell,J. See Diven,B.C., 0=17624
Terrier,C. See Bizette,H., 0=13845
Terry,N.B. Rapid measurement of ultrasonic velocity in a liquid, 0=6858
Tertian,L. See Robin-Dandare,S., 0=19423
Tertian,L. See Trillat,J.J., 0=10988
Teruyama,S. See Hayasi,T., 0=9876
Teska,T.M. See Gehrels,T., 0=16515
Tetenbaum,S.J. See Hill,R.M., 0=258
Teterin,E.D. See Nemilov,Y.A., 0=3789
Teucher,M.W. See Schein,M., 0=2559
Teucher,M.W. See Schein,M., 0=9448
Teutsch,W.B. See Garvin,H.L., 0=15066
Tewordt,L. Dispersion of plasma frequencies and screened exchange energy in the superconducting state, 0=14929
Tewordt,L. See Bennemann,K.H., 0=17926

Thacher,H.C.,Jr. Rational approximations for the Debye functions, 0=6538
Thaddeus,P. and Loubser,J. Beam maser spectroscopy on HDO, 0=4213
Thaddeus,P.,Loubser,J.,Krisher,L. and Lecar,H. Beam maser spectroscopy on formaldehyde, 0=5921
Thaler,R.M. See Gammel,J.L., 0=13072
Thaler,R.M. See Kerman,A.K., 0=5739
Thaler,R.M. See Rodberg,L.S., 0=11224
Thambyahpillai,T. See Quenby,J.J., 0=17444
Thanh Van,J.Tran. See Tran Thanh Van,J.
Thankappan,V.K. and Pandya,S.P. Collective vibrations in P^{31}, 0=20319
Tharmalingam,K. and Lidiard,A.B. Isotope effect in vacancy diffusion, 0=20839
Tharrats,J. On the theorem of Von Neumann concerning the essential indeterminism of quantum mechanics, 0=14510
Thayer,G.D. See Bean,B.R., 0=21322
The Hien Tran. See Tran The Hien, 0=4772
Theimer,O. and Gentry,R. Scattering potential in fully ionized gases, 0=2363

Theimer,O. and Hoffman,H. On the relation between Holtsmark's microfield distribution function and the cutoff value of the collision parameter in fully ionized gases, 0=257
Theimer,O.,Plint,C.A. and Sibley,W.A. Light-scattering by dislocation networks in single crystals of potassium chloride, 0=11618
Theissing,H.H.,Caplan,P.J.,Dieter,F.A. and Rabbiner,N. Optical pumping in crystals, 0=1829
Thekaekara,M.P. See Kiess,C.C., 0=13410
Then,J.W. Laboratory experiments in motional electric fields, 0=17067
Theophanis,G.A. Millimicrosecond triggering of high voltage spark gaps, 0=7108
Thevenet,B. See Brisson,J.C., 0=2412
Thibeau,M. See Cojan,J.L., 0=5856
Thie,J.A. Statistical analysis of power-reactor noise, 0=5833
Thie,J.A. A simple analytical formulation of the Dancoff correction, 0=12990
Thieberger,R. Phenomenological nuclear interaction derived from binding energies, 0=1346
Thieberger,R. See Brueckner,K.A., 0=13127
Thiel,M.Van. See Van Thiel,M.
Thiele,R. See Meyer,E., 0=19342
Thies,H.H. and Spicer,B.M. Spins and parities of levels of ^{9}Be below 15 MeV, 0=5651
Thies,H.H.,Spicer,B.M. and Baglin,J.E.E. The photoneutron cross section of ^{9}Be in the intermediate energy range, 0=5769
Thies,H.H. See Spicer,B.M., 0=4112
Theis,W.R. Two-component spinor fields for describing arbitrary spin-½ particles and their application to weak interactions, 0=20049
Thiess,G.H. See Pippin,J.E., 0=3083
Thiessen,G. and Broglia,P. A polarization effect in vacuum evaporated aluminium films in the case of normal unpolarized light incidence, 0=178
Thiessen,G. See Tamburini,T., 0=18742
Thirion,J. and Saudinos,J. The focusing and analysing magnets of the Saclay cyclotron, 0=19841
Thirion,J. See Beurtey,R., 0=4092
Thirring,W. Three-field theory of strong interactions, 0=3924
Thirring,W. Symmetry properties of elementary particles, 0=7269
Thirring,W. Dispersion relations, 0=7296
Thirring,W. See Bernstein,J., 0=20179
Thirugnanasambandam,P. See Venkateswarlu,K., 0=486
Thirugnanasambandam,P. See Venkateswarlu,K., 0=13429
Thode,H.G. See Kennett,T.J., 0=15620
Thode,H.G. See Young,B.G., 0=2696
Thomaes,G. and Van Steenwinkel,R. Measurement of small differences in the second virial coefficient of gases at temperature below 0°C, 0=14682
Thomaes,G. and Van Steenwinkel,R. The second virial coefficient of methane at low temperature, 0=19199
Thomas,A.T. Unloading effects in aluminium and aluminium—zinc single crystals, 0=21126
Thomas,B.S. and Holladay,W.G. Pion—pion interaction in τ^+-meson decay, 0=1305
Thomas,D.A. Mechanical impedances for thin plates, 0=19246
Thomas,D.A. See Richman,M.H., 0=18393
Thomas,D.E. See Chynoweth,A.G., 0=18048
Thomas,D.G. and Hopfield,J.J. Exciton spectrum of cadmium sulfide, 0=2943
Thomas,D.G.,Hopfield,J.J. and Power,M. Excitons and the absorption edge of cadmium, 0=13679
Thomas,D.G. See Hopfield,J.J., 0=7997
Thomas,D.G. See Hopfield,J.J., 0=11606
Thomas,D.K. and Baker,T.W. An X-ray study of the factors causing variation in the heats of solution of magnesium oxide, 0=7010
Thomas,D.K. See Wilson,C.G., 0=4631
Thomas,D.M.C. and Callow,W.J. A multi-channel gamma-ray spectrometer with automatic Compton or background subtraction, 0=17281
Thomas,D.V. Excitation temperatures for the CN emission from the low chromosphere, 0=18775
Thomas,G. Quenching defects in binary aluminium alloys, 0=20797
Thomas,G. Observations of dislocations and precipitates in aluminium alloys, 0=20824
Thomas,G. and Nutting,J. Precipitation on dislocations in aluminium—4% copper alloys, 0=18390
Thomas,G. and Whelan,M.J. Helical dislocations in quenched aluminium—4% copper alloys, 0=20802
Thomas,G. See Ciccarone,P.A., 0=4757
Thomas,G. See Nicholson,R.B., 0=17936
Thomas,G. See Nicholson,R.B., 0=21257
Thomas,G. See Verly,W.G., 0=4756
Thomas,G.C. and Tanner,N.W. The cross-section of ^{20}Ne(p,γ)^{21}Na, 0=11413
Thomas,G.C. See Tanner,N.W., 0=2676
Thomas,G.E. See Bollinger,L.M., 0=5573
Thomas,G.M. See Evans,S., 0=10433
Thomas,H. See Baer,G., 0=10285
Thomas,H. See Methfessel,S., 0=10152
Thomas,H. See Methfessel,S., 0=11865
Thomas,J. See Ayant,Y., 0=10189
Thomas,J.A. and Hibberd,F.H. Satellite Doppler measurements and the ionosphere, 0=6633
Thomas,J.A. and McNicol,R.W.E. A highly directive rotating array for 16 Mc/s, 0=18495
Thomas,J.A. and McNicol,R.W.E. Experimental relations between ionospheric true height, group height, and phase height, 0=19942
Thomas,J.A. and Smith,E.K. A survey of the present knowledge of sporadic-E ionization, 0=6457
Thomas,J.A. See Hibberd,F.H., 0=14261
Thomas,J.A. McNicol,R.W.E., 0=19941
Thomas,J.E.,Jr. See Frank,R.C., 0=18311
Thomas,J.O. and Robbins,A. The electron distribution in the ionosphere over Slough. II. Disturbed days, 0=2014
Thomas,J.O. See Croom,S., 0=6465
Thomas,J.O. See Croom,S., 0=16425
Thomas,J.O. See Ratcliffe,J.A., 0=8384
Thomas,J.O. See Robbins,A.R., 0=8385
Thomas,L. Some measurements of horizontal movements in region-F2 using widely spaced observing stations, 0=6467
Thomas,L.A. See Brown,C.S., 0=16261
Thomas,L.H. See Mace,D., 0=14471
Thomas,M.A. and Welsh,H.L. The Raman spectrum of methane, 0=17752
Thomas,M.J.B. and Zdanuk,E.J. Cadmium sulfide photoconductive sintered layers, 0=2912
Thomas,P.H. and Smith,P.G. Simple dosage meter for high-intensity thermal radiation, 0=8833
Thomas,R.B.,Jr. See Luttinger,J.M., 0=16614
Thomas,R.G.,Jr. Elastic scattering of 5 BeV π^- mesons on hydrogen, 0=20195
Thomas,R.H. See Ducat,A., 0=9550
Thomas,R.N. The source function in a non-equilibrium atmosphere. IV. Evaluation and application of the net radiative bracket, 0=6606
Thomas,R.N. See Jefferies,J.T., 0=12249
Thomas,R.N. See Pottasch,S.R., 0=9763
Thomas,R.N. See Pottasch,S.R., 0=14417
Thomas,R.N.[Ed.]. See Burgers,J.M., 0=16521
Thomas,S. See Cawsey,G.F., 0=8307
Thomas,S. See Gray,A.C., 0=3488
Thomas,T.D. Cross section for compound-nucleus formation in heavy-ion-induced reactions, 0=1424
Thomas,T.D. See Gallagher,C.J.,Jr, 0=4063
Thomas,W. See Otto,J., 0=5210
Thomas,W.F. An investigation of the factors likely to affect the strength and properties of glass fibres, 0=8128
Thomason,R. Modification of the Farmer electrometer for use with Sievert ionization chambers, 0=3884
Thommen,K. Thermal bleaching of color centres in KCl, 0=11635
Thompson,A.R. and Maxwell,A. Solar radio bursts and low-energy cosmic-rays, 0=6558
Thompson,B.J. The three-dimensional intensity distribution near the focus of waves diffracted by slit and rectangular apertures, 0=3648
Thompson,D.O. and Paré,V.K. Effect of fast neutron bombardment at various temperatures upon the Young's modulus and internal friction of copper, 0=8103
Thompson,D.S. and Roberts,J.P. Flow of magnesium oxide single crystals, 0=8119
Thompson,E.D. See Foner,S., 0=2985
Thompson,G.P. Nature of physics and its relation to other disciplines, 0=3431
Thompson,H.W. See Caldow,G.L., 0=10669
Thompson,H.W. See Caldow,G.L., 0=10670
Thompson,H.W. See Eaton,D.R., 0=9795

Thompson,H.W. See Eaton,D.R., 0=9796
Thompson,H.W. See Krueger,P.J., 0=7750
Thompson,J.B. See Boyd,R.L.F., 0=9039
Thompson,J.E. Effect of crystallographic twins on the d.c. and a.c. properties of nickel—iron alloys, 0=8037
Thompson,J.E. Beam method for the measurement of internal friction, 0=10257
Thompson,J.E. See Archenhold,W.F., 0=3828
Thompson,J.E. See Archenhold,W.F., 0=8044
Thompson,J.E. See George,W.R., 0=7972
Thompson,J.E. See Parsons,D., 0=677
Thompson,K. See Schneider,E.E., 0=16188
Thompson,M.C.,Jr,Janes,H.B.J. and Freethey,F.E. Atmospheric limitations on electronic distance-measuring equipment, 0=14578
Thompson,M.C.,Jr,Janes,H.B. and Kirkpatrick,A.W. An analysis of time variations in troposhperic refractive index and apparent radio path length, 0=12205
Thompson,M.W. How focusing collisions cause radiation damage, 0=13564
Thompson,M.W. The damage and recovery of neutron irradiated tungsten, 0=20853
Thompson,M.W. See Kinchin,G.H., 0=7906
Thompson,N. See Charsley,P., 0=701
Thompson,P.T. See Frank,H.S., 0=938
Thompson,S.G. See Asaro,F., 0=20372
Thompson,S.G. See Diamond,H., 0=17512
Thompson,S.O. See Schaeffer,O.A., 0=749
Thompson,W.B. See Harrison,E.R., 0=5308
Thompson,W.E. See Ewing,G.E., 0=5930
Thompson,W.E. See Ferguson,J.M., 0=9680
Thomsen,J.S. Thermodynamics of an irreversible quasi-static process, 0=1063
Thomsen,J.S. Distinction between quasi-static processes and reversibility, 0=14903
Thomsen,J.S. See Bearden,J.A., 0=311
Thomson,G. The two aspects of science, 0=18895
Thomson,G.P. Thermonuclear reactions, 0=4153
Thomson,G.P. The two aspects of science, 0=16558
Thomson,J.H. See Aitchison,G.J., 0=8396
Thomson,J.H. See Davies,J.G., 0=8528
Thomson,J.H. See Evans,J.V., 0=18616
Thomson,J.H. See Roger,R.S., 0=12340
Thomson,J.O. See Careri,G., 0=8900
Thomson,J.S. See Blin-Stoyle,R.J., 0=4047
Thomson,R. Radiation limited dislocation motion in crystals, 0=11621
Thomson,S.J. See Hoodless,I.M., 0=20845
Thomson,S.J. See Sherwood,J.N., 0=12008
Thomson,S.J. See Sherwood,J.N., 0=17977
Thonemann,P.C. High temperature plasmas, 0=2359
Thonemann,P.C. See Butt,E.P., 0=5837
Thorn,R.J. See Rauh,E.G., 0=3786
Thorndike,E.H. and Ophel,T.R. Proton—proton depolarization at 98 MeV, 0=12927
Thorndike,E.H. See Hwang,C.F., 0=12926
Thorne,E.A. See Smith,R.D., 0=5810
Thornley,R.F.M. See Everhart,T.E., 0=12567
Thornton,E. Design and performance of a compact surge generator, 0=12600
Thornton,S. See Osborne,D.G., 0=6735
Thornton,W.A. Electroluminescence at low voltages, 0=1765
Thorp,J.S. See Pace,J.H., 0=4513
Thorpe,A. and Senftle,F.E. Absolute method of measuring magnetic susceptibility, 0=2414
Thorpe,G. See Nutt,C.W., 0=2758
Thorson,H.M. See Chamberlain,J.W., 0=10436
Thorson,W.R. and Nakagawa,I. Dynamics of the quasi-linear molecule, 0=20597
Thosar,B.V. See Joshi,M.C., 0=2639
Thouless,D.J. Proof of the linked-cluster expansion in quantum statistical mechanics, 0=892
Thouless,D.J. Strong-coupling limit in the theory of superconductivity, 0=7025
Thouless,D.J. Perturbation theory in statistical mechanics and the theory of superconductivity, 0=16942
Thouvenin,J. Electrical conductivity of air under the action of a shock wave, 0=5055
Thrasher,D.B. See Macpherson,P.A., 0=14751
Thring,M.W. Compact calorimeter for measuring the overall thermal efficiency of freestanding fires and stoves for room warming, 0=3689
Thring,M.W. See Start,P.L., 0=7001
Thuillier,J.M. See Douzou,P., 0=15970
Thulin,A. See Lerond,P., 0=3825
Thumwood,R.F. Production of X-rays during a low-pressure gas discharge, 0=7084
Thun,J.E.,Pettersson,B.G. and Siegbahn,K. Investigation of internal bremsstrahlung cross-section with specified electron and photon energies, 0=17549
Thun,R.,Hass,G. and Craig,D.R. Electronic dodging of electron diffraction and electron microscope pictures, 0=3287
Thun,R.E. On dimensional analysis, 0=16562
Thun,R.E.,Caudle,G.F. and Pasciutti,E.R. Rugged film resistor thermometer for the measurement of surface temperatures, 0=7005
Thun,R.E.,Johnson,J.,Krause,B.H. and Meredith,E.A. Electronic image intensification of X-ray diffraction patterns, 0=13974
Thurber,W.C. and Beaver,R.J. Dispersions of uranium carbides in aluminum for plate-type fuel elements requiring high-uranium concentrations, 0=9722
Thureau,P. and Leroux,J.P. A pyrometric application of the photoluminescence of ZnS:Cu excited by ultraviolet radiation (366 mμ) modulated at a frequency of 100 c/s, 0=16095
Thureau,P. See Leroux,J.P., 0=1062
Thurlow,P.E.F. See Smith,E.C., 0=1444
Thurlow,W.R. and Elfner,L.F. Pure-tone cross-ear localization effects, 0=2053
Thurmond,C.D. and Kowalchik,M. Germanium and silicon liquidus curves, 0=19119
Thuro,G. See Paic,M., 0=194
Thurston,G.B. Theory of oscillation of a viscoelastic fluid in a circular tube, 0=2151
Thurston,G.B. Theory of oscillation of a viscoelastic medium between parallel planes, 0=3502
Thyagarajan,G. and Cleveland,F.F. Thermodynamic properties for P_4, 0=19200
Thyagarajan,G. See Venkateswarlu,K., 0=85
Thyagarajan,G. See Venkateswarlu,K., 0=86
Thyagarajan,G. See Venkateswarlu,K., 0=87
Ti Nguyen Quat. See Nguyen Quat Ti.
Tibell,G. See Harting,D., 0=368
Tibell,G. See Harting,D., 0=15419
Ticho,H.K. See Crawford,F.S.,Jr, 0=1316
Ticho,H.K. See Crawford,F.S.,Jr, 0=1317
Ticho,H.K. See Melkanoff,M.A., 0=17417
Ticho,H.K. See Price,O.R., 0=15432
Ticho,H.K. See Eberhard,P., 0=20234
Tichý,J. See Svoboda,R., 0=7988
Tick,L.J. See London,J., 0=10393
Tickle,R.S. See Fast,R.W., 0=9660
Tickle,R.S. See Flournoy,P.A., 0=20478
Tidman,D.A. Radio emission by plasma oscillations in nonuniform plasmas, 0=3772
Tidman,D.A. See Parker,E.N., 0=10480
Tidwell,E.D. See Benedict,W.S., 0=4201
Tidwell,E.D. See Plyler,E.K., 0=6938
Tidwell,E.D. See Plyler,E.K., 0=15701
Tidwell,E.D. See Plyler,E.K., 0=15735
Tiensuu,V.H. See Ergun,S., 0=6371
Tietz,T. The pair production cross section for high photon energies for the Thomas—Fermi and Hartree atom, 0=5551
Tietz,T. On the diamagnetism of the Thomas—Fermi ion, 0=584
Tietz,T. The phase shifts for the Thomas—Fermi potential corrected for the self-interaction of the electron, 0=5843
Tietz,T. The penetrability of a Thomas—Fermi potential barrier, 0=5844
Tietz,T. Atomic form factor of an electron in the Thomas—Ferm atom, 0=5845
Tietz,T. Electron groups in the periodic system of the elements in the statistical theory of atoms, 0=7679
Tietz,T. The calculation of the differential elastic cross section for complex atoms for the self-consistent field, 0=9733
Tietz,T. Phase shift analysis of combined Coulomb and nuclear scattering, 0=17333
Tietz,T. An analytical formula in the theory of the formation of the electronic shells in the periodic system of elements, 0=17646
Tietz,T. The scattering of electrons by free neutral atoms in the Thomas-Fermi model, 0=17687

ietz,T. Elastic scattering of electrons by an approximate potential of the self-consistent field for ions in the first and second Born approximation, 0=17688
ietz,T. See Titts,T., 0=12852
iisler,E.S. See Lushchik,Ch.B., 0=20996
ikhinskii,G.F. See Amonenko,V.M., 0=3677
ikhinskii,G.F. See Kruglȳkh,A.A., 0=16265
ikhomirov,F.A. See Belovitskii,G.E., 0=9709
ikhomirov,G.P. See Oksman,Ya.A., 0=11707
ikhomirov,V.G. See Lebedev,B.P., 0=18437
ikhomirova,N.N. and Voevodskii,V.V. A method of analysing the form of electron paramagnetic resonance lines, 0=10213
ikhomirova,N.S.,Malinskii,Yu.M. and Karpov,V.L. Reversible changes in the permeability of polymers to gas during gamma irradiation, 0=12064
ikhonov,A.N. The propagation of a continuous electromagnetic wave in a laminarly anisotropic medium, 0=19927
Tikhonov,L.V. See Lȳsak,L.I., 0=13529
ikhonova,E.A. See Smirnov,A.A., 0=8272
Tikhonova,L.K. See Favorin,V.N., 0=10081
iller,W.A. The function of constitutional supercooling in crystal growth, 0=1881
Tiller,W.A. See Armstrong,R.W., 0=21202
Tiller,W.A. See Bolling,G.F., 0=13947
Tiller,W.A. See Schoeck,G., 0=20812
Tiller,W.A. See Sekerka,R.F., 0=13545
Tilley,D.R. and Madansky,L. Search for positron emission in K^{40}, 0=1389
Tillman,T.W. See Jerger,J.F., 0=4826
Timashev,S.F. and Kaminskii,V.A. Anisotropic distribution of internal bremsstrahlung γ-quanta from K-capture by polarized nuclei, 0=9595
Timchenko,I.N. and Shalȳt,S.S. The influence of phonon drag of the current carriers on the thermoelectric power of tellurium, 0=6149
Timis,P. See Totia,H., 0=7386
Timmens,J. See Olson,H.F., 0=5114
Timofeev,A.D. See Fogel',Ya.M., 0=12640
Timofeev,A.N. See Arkharov,V.I., 0=4303
Timofeev,A.N. See Arkharov,V.I., 0=11647
Timofeev,A.V. Build-up of ion-acoustic oscillations in an anisotropic plasma, 0=19696
Timofeev,G.A. See Volkonskaya,T.G., 0=1328
Timofeev,V.B. See Gorban',I.S., 0=20982
Timofeeva,L.P. See Gustova,L.V., 0=2654
Timoshuk,D.V. See Bezrukov,L.S., 0=7574
Ting Lu. See Lu Ting.
Ting Ta-Ts'ao. See Din Da-Tsao.
Tingwaldt,C. See Schley,U., 0=14875
Tinkham,M. Absorption of electromagnetic radiation in superconductors, 0=10845
Tinkham,M. See Ginsberg,D.M., 0=1083
Tinkham,M. See Ginsberg,D.M., 0=10852
Tinkham,M. See Richards,P.L., 0=14933
Tinoco,I.,Jr. Optical and other electronic properties of polymers, 0=20704
Tinoco,I.,Jr and Woody,R.W. Optical rotation of oriented helices. II. Calculation of the rotatory dispersion of the alpha helix, 0=6000
Tirskii,G.A. Melting of a heat-conducting wall behind a moving density discontinuity, 0=6864
Tirskii,G.A. The melting of a semi-infinite solid in a plane- or axisymmetric stream of incompressible gas, 0=19503
Tiruvenganna Rao,P. See Haranath,P.B.V., 0=5924
Tiruvenganna Rao,P. See Paddi Reddy,S., 0=5944
Tiruvenganna Rao,P. See Reddy,S.P., 0=5941
Tischer,M. See Hess,S., 0=16564
Tishchenko,B.I. See Inopin,E.V., 0=9651
Tishchenko,B.I. See Inopin,E.V., 0=13255
Tishchenko,G.A. See Cherkasov,A.S., 0=9235
Tishkov,P.G. Measurement of spin—lattice relaxation time in Mn^{++} salt solutions, 0=10679
Tishkov,P.G. and Vishnevskaya,G.P. Paramagnetic relaxation in manganese salt solutions, 0=8670
Tishkov,P.G. See Avvakumov,V.I., 0=8085
Tissen,K.P. The extraction of copper and nickel from germanium, 0=820
Tissen,K.P. See Kalashnikov,C.G., 0=11691
Tissier,J.M. See Apter,J., 0=19996
Tisza,L. How can the multiplicity of the ground state wave function of liquid helium be inferred from thermostatics, 0=8895
Titchener,A.L. and Bever,M.B. The stored energy of cold work and its relation to work softening, 0=16349
Titheridge,J.E. Ray paths in the ionosphere. Approximate calculations in the presence of the earth's magnetic fields, 0=5421
Titheridge,J.E. The calculation of real and virtual heights of reflection in the ionosphere, 0=14215
Titheridge,J.E. The use of the extraordinary ray in the analysis of ionospheric records, 0=14216
Titheridge,J.E. Ionization below the night-time F-layer. 0=14217
Title,R.S. Paramagnetic resonance detection of the optical excitation of an infrared stimulable phosphor, 0=682
Title,R.S. Paramagnetic resonance detection of trapping in a photoconductor, 0=11729
Title,R.S. See Lew,H., 0=13411
Titov,N.E. See Kaliamin,A.V., 0=11408
Titova,A.G. Growing single crystals of the yttrium ferrite, 0=13953
Titterton,E.W. and Brinkley,T.A. Rare modes in the spontaneous fission of californium-252, 0=20517
Titterton,E.W. See Purser,K.H., 0=7613
Titts [Tietz],T. On the methods of Born and Pais for finding phase shifts, 0=12852
Titus,F. Measurement of the gamma-ray dose near the interface between two media, 0=12895
Tiwari,R. A particular solution of the field equations in Einstein's generalized theory of gravitation, 0=6650
Tixaire,A. See Garrido,L.M., 0=7300
Tixaire,A.G. Scattering equations in Hilbert space, 0=337
Tjøtta,S. On some non-linear effects in sound-fields, with special emphasis on the generation of vorticity and the formation of streaming patterns, 0=2197
Tjötta,S. See Johnsen,I., 0=6880
Tkach,G. See Straley,R., 0=9139
Tkalich,V.S. See Fainberg,Ya.B., 0=9057
Tkalich,V.S. See Sitenko,A.G., 0=12678
t'Kint de Roodenbeck,A. See Monod-Herzen,G., 0=13704
To Tai Chen. See Chen To Tai.
Tobelko,K.I. See Makarov,E.S., 0=8227
Tobias,C.W. See De La Rue,R.E., 0=3330
Tobias,C.W. See Meredith,R.E., 0=12403
Tobias,J.V. "On American English phonemes", 0=14329
Tobias,J.V. and Schubert,E.D. Effective onset duration of auditory stimuli, 0=2049
Tobias,J.V. and Zerlin,S. Lateralization threshold as a function of stimulus duration, 0=2048
Tobin,J.M. The diffusion of xenon in silver, 0=15868
Tobin,M.C. Irreducible representations, symmetry coordinates, and the secular equation for line groups, 0=9830
Tobin,R.A. Resonant scattering of X-rays from magnesium and silicon, 0=17621
Tobin,R.A. See Cohen,L., 0=4075
Tobocman,W. and Bilhorn,D.E. Simple model for giant resonance effects in nuclear reactions. 0=1445
Tobocman,W. See Oliphant,T.A., 0=12555
Tobocman,W. See Satchler,G.R., 0=11416
Toda,M. On the Brownian motion of a classical oscillator, 0=18994
Todd,B.J.,Lineweaver,J.L. and Kerr,J.T. Outgassing caused by electron bombardment of glass, 0=979
Todd,M.C.J. See Spencer,A.N., 0=6980
Todd,W.B. See Metzger,F.R., 0=5717
Todes,O.M. See Vetrov,B.M., 0=10686
Todireanu,S. See Bally,D., 0=11186
Todireanu,S. See Bally,D., 0=15370
Todorov,I.T. Analytical properties of the scattering amplitude for inelastic processes involving strange particles, 0=20243
Todorov,I.T. and Khrustalev,O.A. Spectral representations for some vertex parts, 0=5601
Todorov,I.T. See Tavkhelidze,A.N., 0=3928
Tohmatsu,T. Notes on the nightglow continuum near λ 5300 A, 0=18514
Tohmatsu,T. The dynamical effect on the intensity of nightglow [O$_{\rm I}$]λ5577, 0=18515
Tohmatsu,T. See Huruhata,M., 0=14296
Tohmatsu,T. See Huruhata,M., 0=21381
Tohmatsu,T. See Tanabe,H., 0=14286
Toi,A. See Shibata,T., 0=5365

Tokuoka,Z. New equation of spin $\frac{1}{2}$ particles and isomorphism between various transformations, 0=17246
Tolansky,S. The assessment of high reflecting films for interferometry or monochromatic filters, 0=1038
Tolansky,S. Diamond, 0=3391
Tolansky,S. An optical illusion affecting instrument cross-wires, 0=19382
Tolansky,S. and Sunagawa,I. Spiral and other growth forms of synthetic diamonds: a distinction between natural and synthetic diamond, 0=4591
Tolansky,S. and Sunagawa,I. Interferometric studies on synthetic diamonds, 0=10293
Tolbert,C.W. See Straiton,A.W., 0=12717
Tolchenov,Yu.M. The shape of electric field in corona counters, 0=5452
Tolchenov,Yu.M. See Dmitriev,A.B., 0=5451
Toll,J.S. Taylor,J.G., 0=12860
Tollestrup,A.V. See Ashkin,J., 0=367
Tollestrup,A.V. See Webb,F.H. Jr, 0=10883
Tollin,G.,Kearns,D.R. and Calvin,M. Electrical properties of organic solids. I. Kinetics and mechanisms of conductivity of metal-free phthalocyanine, 0=6144
Tollin,G. See Kearns,D.R., 0=6145
Tollis,B.De. See De Tollis,B.
Tolman,L.F. See Barton,G.W., Jr, 0=19867
Tolmie,E.D. Apparatus for the zone refining of copper, 0=8170
Tolok,V.T. See Sinel'nikov,K.D., 0=10924
Tolok,V.T. See Zolototrubov,I.M., 0=17008
Tolpadi,S.Shivananda. See Shivananda Tolpadi,S.
Tolpȳgo,K.B. The theory of vibrations of lattices with deformable ions applied to the physical properties of binary cubic crystals, 0=17875
Tolpȳgo,K.B. The foundations of the theory of incompletely polar crystals, 0=20738
Tolpȳgo,K.B.,Tsvirko,Yu.A. and Shatalov,A.A. Kinetics of the photochemical transformation of F-centres into F_2-centres in alkali halide crystals, 0=15857
Tolpȳgo,K.B. See Gorkun,Yu.I., 0=18085
Tolpȳgo,K.B. See Ostroukhov,A.A., 0=15901
Tolpygo,K.B. See Ostroukhov,A.A., 0=17024
Tolstikov,V.A. See Stavisskii,Yu.Ya., 0=4119
Tolstoi,N.A. Formal analysis of the theory of two-stage excitation of phosphorescence and photoconductivity. III. Comparison of the theory with experiment (ZnS:Cu emission), 0=1757
Tolstoi,N.A. and Rȳskin,A.I. Superlinearity in the luminescence and photoconductivity phenomena and the rose-bube theory, 0=16079
Tolstoi,N.A. and Shatilov,A.V. Formal analysis of the theory of two-step excitation of phosphorescence and photoconductivity. II. Relaxation relations, 0=661
Tolstov,K.D. See Barashenkov,V.S., 0=3966
Tolstov,K.D. See Barashenkov,V.S., 0=4088
Tolstov,K.D. See Bogachev,N.P., 0=11400
Tolstoy,I. Guided waves in a fluid with continuously variable velocity overlying an elastic solid: theory and experiment, 0=2195
Tolstoy,I. Modes, rays, and travel times, 0=8349
Tolstoy,I. See Biot,M.A., 0=16511
Tolstoy,I. and May,J. A numerical solution for the problem of long-range sound propagation in continuously stratified media, with applications to the deep ocean, 0=10720
Tolstoy,I. See Guthrie,A.N., 0=10719
Toma,E.,Teodoresku,I. and Khollosh,G. Optical and electron-diffraction study of gold—tin alloys prepared by simultaneous vacuum deposition, 0=10334
Toma,E. See Ciobanu,G., 0=14850
Toman,K. The change in primary extinction during decomposition of a super saturated solid solution. I. System Al—Ag, 0=3266
Toman,K. Focusing, defocusing, and refraction in a circularly stratified atmosphere, 0=17115
Toman,K. A note on the structure of Guinier-Preston zones in Al-Cu alloys, 0=8266
Toman,K. The structure of ZnSb—CdSb alloys, 0=16327
Tomaš,P. See Antolković,B., 0=19829
Tomášek,M. See Koutecký,J., 0=20719
Tomashov,N.D. See Paleolog,E.N., 0=8310
Tomasini,A. See Alles,W., 0=2539
Tomasini,A. See Alles,W., 0=2540
Tomasini,A. See De Sabbata,V., 0=2675
Tomasini,A. See de Sabbata,V., 0=15587
Tomasini,G. See Ciuffolotti,L., 0=12768
Tombrello,T.A.,Barloutaud,R. and Phillips,G.C. Polarization of protons scattered from C^{12}, 0=13228
Tomchuk,E. See Kelly,F.M., 0=5877
Tomiie,Y. See Komura,Y., 0=1915
Tomiki,T. Electron microscopic observations in the KI single crystal, 0=8295
Tomiki,T. Electronmicroscopic observations of the cleavage plane of KCl crystal. The deformation zone, 0=20821
Tomiki,T. and Ueta,M. Electronmicroscopic observations of the KCl single crystal irradiated with ultraviolet light, 0=18424
Tomiki,T. See Hibi,T., 0=743
Tomiki,T. See Hibi,T., 0=8296
Tomiki,T. See Ishii,T., 0=20834
Tomil'chik,L.M. and Fedorov,F.I. Optics of absorbing magnetic crystals. I. Polarization of uniform plane waves, 0=3651
Tomil'chik,L.M. and Fedorov,F.I. Optics of absorbing magnetic crystals. II. Field vectors for plane waves. Refractive indices and optical axes, 0=3652
Tomil'chik,L.M. and Fedorov,F.I. Magnetic anisotropy as a metrical property of space, 0=13727
Tomilovskii,G.E. See Indenbom,V.L., 0=13543
Tominaga,G. See Fujii,S., 0=17637
Tominaga,G. See Imoto,M., 0=4157
Tomishima,Y. Thomas-Fermi-Dirac theory with correlation correction, 0=17647
Tomita,K. See Hayakawa,S., 0=15592
Tomita,T. A micrographic estimation of crystal distortion, 0=10305
Tomita,K. On the pressure shift of the inversion frequency of ammonia, 0=13442
Tomita,K. A general theory of magnetic double resonance, 0=13883
Tomita,K. A general theory of magnetic resonance saturation, 0=13887
Tomita,T. Note for structure analysis of silicon carbide of 174 layers, 0=10314
Tomka,P. Parallel measurements of the electrical conductivity of additively coloured and colourless alkali-halide crystals, 0=15880
Tomkevich,S.L. See Baranskii,P.I., 0=20944
Tomkins,F.S. and Fred,M. Fabry—Perot fringes in white light used as wavelength standards, 0=16853
Tomlin,D.H. See Mortlock,A.J., 0=20844
Tomlin,S.G. See Ericson,L.G., 0=14038
Tomlinson,J.L. See Archibald,P.C., 0=12666
Tomlinson,T.E. See Nelson,S.M., 0=14945
Tomnovec,F.M. See Cook,C.S., 0=20362
Tomono,Y. See Suzuki,T., 0=18405
Tompkins,E.H. Jr See Mickelwait,A.B., 0=10535
Tompkins,F.C. See Culver,R., 0=18452
Tompkins,F.C. See Cunningham,J., 0=8008
Tompkins,J.E.,Reggia,F. and Joseph,L. Multimode propagation in gyromagnetic rods and its application to traveling-wave devices, 0=9220
Tompson,C.W. and Gingrich,N.S. Atomic distributions in liquid, plastic, and crystalline sulfur, 0=3517
Toner,W.T. See Aguilar,J., 0=20463
Toner,W.T. See Bredin,D.J., 0=20250
Tonin,M. Quantization of the two-component fermion theory, 0=5497
Tonks,L. Self-consistent field and motion of electrons which have a range in canonical angular momentum in a uniform magnetic field, 0=9156
Tonks,L. Uniformly spaced control elements in a reactor: theoretical basis of application of "absorption area" to reactor control evaluation, 0=15627
Tonks,L. Diffusion through a finite plasma in a uniform magnetic field, 0=17014
Tonks,L. Electromagnetic standing waves and ball lightning, 0=21393
Tonndorf,J. Shearing motion in scala media of cochlear models, 0=3369
Tonndorf,J. Dimensional analysis of cochlear models, 0=6512
Tonndorf,J. Response of cochlear models to aperiodic signals and to random noises, 0=18543
Tonnelat,M.A. Representation of matter in general relativity and in unified theory, 0=10581
Tonnelat,M.A. Generalization of the equations of the asymmetric unified field, 0=10587

Tonnelat,M.A. and Bouche,L. Some remarks on pressure-free matter in an asymmetric gravitation theory (following D.W.Sciama and O.Costa de Beauregard), 0=16571
Tonolini,F. See Colli,L., 0=15602
Toor,E.W. See Lonsdale,K., 0=2978
Topa,J. See Sosnowski,R., 0=11370
Topchiyan,M.E. See Soloukhin,R.I., 0=994
Toperczer,H. See Hangos,I., 0=18149
Toporets,A.S. An investigation of diffuse reflection from diffusely illuminated powders, 0=12469
Toporov,Yu.P. and Lazarev,V.P. An apparatus for investigating external static friction in a controlled atmosphere and in vacuum, 0=4573
Toppel,B.J. Sources of error in reactivity determinations by means of asymptotic period measurements, 0=13331
Toptўgin,I.N. See Batygin,V.V., 0=9751
Toptўgin,I.N. See Dolginov,A.Z., 0=2479
Toptўgin,I.N. See Dolginov,A.Z., 0=9281
Toraldo di Francia,G. On the theory of some Čerenkovian effects, 0=12902
Toraldo di Francia,G. and Zoli,M.T. A particular class of concentric optical systems, 0=6907
Toraldo di Francia,G. See Bittini,M., 0=8449
Torchenkova,E.A. See Spitsўn,V.I., 0=14646
Torelli,M. Photographic photometry of the Penumbra during the lunar eclipse of 13-14 March, 1957, 0=10492
Toresson,Y.G. Spectrum and term system of trebly ionized silicon, Si IV, 0=15664
Tornabene,S. See Whitehead,C., 0=7353
Tornau,R. Decay of 1.25 minutes nuclear isomer Dy^{165m}, 0=9600
Torok,S. See Bujdoso,E., 0=7388
Toropov,P.V. See Vasilev,Yu.A., 0=11181
Toropov,P.V. See Vasil'ev,Yu.A., 0=13305
Törös,R. See Fáy,G., 0=8552
Torrey,H.C.,Korringa,J.,Seevers,D.O. and Uebersfeld,J. Magnetic spin pumping in fluids contained in porous media, 0=89
Tortosa,J. See David,J.P., 0=19422
Toschi,R. See Beneventano,M., 0=17285
Tosi,M.P. See Fumi,F.G., 0=7836
Tosi,M.P. See Fumi,F.G., 0=13474
Tosi,M.P. See Guccione,R., 0=4306
Tosi,R. See Bergia,S., 0=15402
Tosima,S. and Nakamura,T. On the F^{19} n.m.r. shift in CoF_2, 0=18226
Toth,K. See Gergely,G., 0=2963
Toth,K.S. and Rasmussen,J.O. Systematics of alpha-radioactivity in the rare earth region, 0=11343
Toth,K.S.,Bjørnholm,S.,Jørgensen,M.,Nielsen,O.B., and Skilbreid,O. Tb^{156}: A new terbium isotope, 0=1379
Toth,K.S. and Nielsen,O.B. Decay of Pm^{144}, 0=428
Tôth,M. See Náray,Z., 0=5130
Toth,R.S.,Kilkson,R. and Trivich,D. Preparation of large area single crystal cuprous oxide, 0=10284
Toţia,H.,Timiş,P. and Lazarovici,C. A neutron time of flight spectrometer, 0=7386
Touchais,M. and Oualid,J. Studies of the efficiency of devices using solar energy in a dynamical system, 0=19601
Touchard,J. See Jean,M., 0=9501
Touchard,J. See Jean,M., 0=9527
Touger,M.L. See Weinreb,L., 0=3370
Toupin,R.A. and Rivlin,R.S. Dimensional changes in crystals caused by dislocations, 0=6044
Tournarie,M. See Okuzumi,H., 0=3228
Tournarie,M. See Perio,P., 0=3227
Tournarie,M. See Perio,P., 0=3229
Touschek,B. Fixed-source meson theory, 0=5506
Touschek,B. Elementary considerations on photo meson production, 0=7394
Touschek,B. See Pauli,W., 0=3912
Tousey,R. The solar constant, 0=21389
Tousey,R. See Purcell,J.D., 0=841
Tousey,R. See Purcell,J.D., 0=12277
Tousset,J. and Moussa,A. The β- and electron spectra of RaD [Pb^{210}], 0=9563
Tove,P.A. A flexible 20-channel time-delay and pulse-height analyser. Equipment for pulsed bombardment study of short-lived nuclei in a cyclotron, 0=3906
Tove,P.A. Alpha-emitters with short half-life induced by protons on heavy elements, 0=7504
Tove,P.A. Electronic time analyzer applied to the measurement of the half-lives of metastable nuclear states, 0=17184
Towle,L.H. See Taimuty,S.I., 0=5454
Townes,C.H. See Alsop,L.E., 0=18626
Townes,C.H. See Cedarholm,J.P., 0=6656
Townes,C.H. See Ehrenstein,G., 0=1534
Townes,W.D. See Artman,J.O., 0=13877
Townsend,J.R. and Handler,G.S. Relaxation solution of the Thomas—Fermi atomic equation, 0=7734
Townsend,J.W.,Jr. Experimental research program in the space sciences, 0=8524
Townsend,M.G. and Weissman,S.I. Possible symptom of the Jahn—Teller effect in the negative ions of coronene and triphenylene, 0=7798
Townsend,P.D. See Mitchell,E.W.J., 0=20989
Toxen,A.M. See Jones,R.E., 0=20755
Toya,T. Influence of the exchange and correlation on the electron—phonon interaction in metals, 0=15825
Toya,T. Electrical conductivity of monovalent metals, 0=15826
Toya,T. Normal vibrations of copper, 0=15827
Toyama,M. Relative intensities of Zeeman components in nuclear quadrupole resonance spectrum, 0=21090
Toyama,M. See Chiba,T., 0=6271
Toyoda,H. Etch patterns on ferroelectric triglycine sulphate, 0=4601
Toyoda,H.,Waku,S. and Hirabayashi,H. Structures of ferroelectric domains in triglycine sulfate, 0=20956
Toyoda,T. See Dallaporta,N., 0=1244
Toyozawa,Y. Theory of line-shapes of the exciton absorption
Toyozawa,Y. The exciton—lattice interaction and the line shape of the exciton absorption band, 0=13508
Tozer,B.A. and Craggs,J.D. Cross-sections for ionization of the inert gases by electron impact, 0=16972
Tozer,B.A. See Craggs,J.D., 0=242
Tozer,B.A. See Craggs,J.D., 0=8996
Trainina,S.S. See Aérov,M.É., 0=12514
Trainor,A. and Harris,P.T. The control of resistivity in pulled silicon crystals, 0=4594
Trainor,J.H. See Henkel,J.E., 0=9487
Trainor,L.E.H. Considerations on a meson-atomic model of the nucleon, 0=17318
Traite,M.,Welkowitz,W. and Downs,R. Intracardiac catheter tip piezoresistive pressure gauge, 0=16501
Tralli,N.,Agresta,J. and Seibyl,W. Multigroup diffusion calculation of k∞ for D_2O lattices, 0=15616
Tramer,A. Vibration spectra and structure of ammonium thiocyanate crystals, 0=4411
Trammell,G.T. Theory of the low-lying states of some rare earth compounds, 0=11598
Trammell,G.T. See Zeldes,H., 0=6257
Tran an Nhan. Contributions to the study of the bi-ionized electric field in the case of a corona wire and a coaxial cylinder producing counter-emission, 0=240
Tran Thanh Van,J. See Gourdin,M., 0=7421
Tran The Hien. See Benoit,R., 0=4772
Traore,K. and Brenet,J.P. Crystal structure of Re_2S_7, 0=723
Trapeznikova,O.N. See Novikova,G.E., 0=6342
Trapeznikova,Z.A. See Antonov-Romanovskii,V.V., 0=13713
Trapeznikova,Z.A. See Oranovskii,V.E., 0=1767
Traub,J. and Foley,H.M. Variational calculations of energy and fine structure for the 2^3P state of helium, 0=2713
Trautman,A. See Robinson,I., 0=10567
Travers,S. See Hardy,R., 0=8331
Traving,G. See Cayrel,R., 0=16546
Travis,N. See Barrow,R.F., 0=17765
Treacy,P.B. and Bowkett,N.F. A target box for bombardment of CF_4 in gaseous or solid form, 0=17586
Treaftis,H.N. See Turnbull,D., 0=16347
Treanor,C.E. and Wurster,W.H. Measured transition probabilities for the Schumann—Runge system of oxygen, 0=5953
Treanor,P.J. Interferometric techniques in solar observations, 0=16544
Treanor,P.J. The spatial analysis of magnetic fields in sunspots, 0=18737
Trebble,R.S. and Williams,D.E.G. Summarized proceedings of a conference on some aspects of magnetism, Sheffield, September 1959, 0=16120
Trebukhovskii,Yu.V.,Vladimirskii,V.V.,Grigor'ev,V.K. and Ergakov,V.A. Electron—neutrino angular correlation in the beta-decay of the free neutron, 0=11175

Trees,R.E. Low even configurations in the first spectrum of ruthenium (Ru I). II, 0=7731
Trefall,H. On the diurnal variation of cosmic-ray intensities, 0=9465
Trefall,H. and Nordö,J. On systematic errors in the least squares regression analysis, with application to the atmospheric effects on the cosmic radiation, 0=5632
Trefftz,E. Relevance of comparison of energy as test of the adequacy of an approximate wave-function for excited states, 0=888
Trefftz,E. See Biermann,L., 0=3415
Trefftz,E. See Malik,F.B., 0=15675
Treguer,L. See Koch,L., 0=17151
Trehan,S.K. Oscillations of an incompressible fluid sphere of varying density, 0=14601
Trehan,Y.N. and Goswami,A. The growth of sulphide layers on copper, 0=13959
Treichler,W. See Witzmann,H., 0=6191
Treiman,S.B. The weak interactions, 0=11127
Treiman,S.B. Weak global symmetry, 0=15264
Treiman,S.B. and Weinberg,S. Interference effects in neutral K-particle decay, 0=1306
Treiman,S.B. See Albright,C.H., 0=2483
Treiman,S.B. See Blankenbecler,R., 0=12849
Treiman,S.B. See Khuri,N.N., 0=13052
Treiman,S.B. See Weinberg,S., 0=1239
Treitel,S. Thermal attenuation of nonlinear stress waves, 0=5093
Treitel,S. On the attenuation of small-amplitude plane stress waves in a thermoelastic solid, 0=8734
Trekhtenberg,A.D. and Fainshtein,S.M. Etching at means of revealing dislocations in germanium and silicon, 0=1580
Trellis,M. The slow evolution of coronal jets, 0=18750
Trellis,M. See Freon,A., 0=9481
Tremere,D.A. See Sah,C.T., 0=11642
Trembley,J. See Budde,R., 0=2465
Trenholme,W.M. Effects of reactor exposure on boron-lined and BF$_3$ proportional counters, 0=5440
Trent,H.M. Physical equivalents of spectral notions, 0=5102
Trentesaux,B. See Segard,N., 0=5181
Tresise,H.C. See Dearnaley,G., 0=12235
Treskina,M.N. See Melik-Gaikazyan,I.Ya., 0=20990
Tretner,W. A mass spectrometer for high vacuum technique, 0=2402
Tret'yakov,D.N. See Borshchevskii,A.S., 0=7953
Tret'yakov,E.F.,Anikina,M.P.,Gol'din,L.L.,Novikova,G.I. and Pirogova,N.I. Spectrum of the internal conversion electrons accompanying α-decay of U^{233} and the level scheme of Th^{229}, 0=11372
Tret'yakov,E.F. See Novikova,G.I., 0=11338
Tret'yakov,E.F. See Gol'din,L.L., 0=13187
Tretyakov,E.F. See Vishnevsky,M.E., 0=17545
Tret'yakov,E.F. See Vishnevsky,M.E., 0=20399
Tret'yakova,M.I. See Zhdanov,G.B., 0=9617
Tret'yakova,M.I. See Zhdanov,G.B., 0=9618
Treuting,R.G. New synthetic garnets: Appendix, 0=8226
Treuting,R.G. See Van Uitert,L.G., 0=4452
Treuting,R.G. See Van Uitert,L.G., 0=4589
Treve,Y.M. See Greenberg,O.W., 0=10905
Treve,Y.M. See Greenberg,O.W., 0=17021
Treves,D. See Frei,E.H., 0=3853
Treves,D. See Shtrikman,S., 0=10141
Treves,D. See Shtrikman,S., 0=10142
Treves,D. See Shtrikman,S., 0=10154
Treves,D. See Shtrikman,S., 0=13783
Treves,D. See Shtrikman,S., 0=13802
Trey,F. Practicability and limitations of the electromagnetic orientation of core drills, 0=2063
Triché,H. An application of the kinetic theory of gases to the study of the spectral nature of an emission, 0=3559
Triebwasser,S. Space charge fields in BaTiO$_3$, 0=10020
Trifonov,E.D. A new method of calculating the statistical weights of the rotational energy levels of polyatomic molecules, 0=11521
Trifonov,N.P. and Shchedrin,B.M. Solution of the main problems of structure analysis on universal computers, 0=18342
Trigg,G.L. Virtual binding and its relation to resonance scattering, 0=17568
Trigg,G.L. See Frank,W., 0=4923
Trikha,S.K. Theory of liquid He^3, 0=8860
Trikha,S.K. Density of the normal component for solutions of He^3 and He^4, 0=14920
Trikha,S.K. A note on the theories of metals and of pressure ionization, 0=15799
Trikha,S.K. and Nanda,V.S. Latent heat of evaporation of liquid He^4 and liquid He^3, 0=2283
Trikha,S.K. and Rustgi,O.P. The surface tension of liquid He^3, 0=8861
Trillat,J.J.,Tertian,L. and Terao,N. The oxidation of nickel by ionic bombardment, 0=10988
Trillat,J.J., See Cunningham,R.L., 0=8173
Trillat,J.J. See Sella,C., 0=4286
Trilling,C.A. OMRE operating experience, 0=5818
Trilling,G.H. See Brown,J.L., 0=4003
Trinkler,E.I. Observations of the magnetic after-effects in ferromagnetics, 0=2428
Tripp,R.D. See Leitner,J.; 0=384
Trittipoe,W. See Pollack,I., 0=2052
Trivelpiece,A.W. and Gould,R.W. Space charge waves in cylindrical plasma columns, 0=1132
Trivich,D. See Toth,R.S., 0=10284
Trlifaj,L. The relation between the method of spherical harmonics and the method of discrete coordinates, 0=3969
Trlifaj,L. A variational method for the homogenization, of a heterogeneous medium, 0=7358
Trlifaj,L. Note on paper by M.Trlifaj, 0=5029
Trlifaj,M. The propagation of excitation energy in perturbed crystals, 0=2809
Trlifaj,M. The diffusion and non-radiative transfer of excitation energy in molecular crystals containing foreign molecules, 0=2949
Trlifaj,M. The theory of annihilation of excitons, accompanied by the creation of defects of another type and of current carriers, 0=4281
Trlifaj,M. The attachment of excitons to defects in crystal lattices, 0=4282
Trlifaj,M. The destruction of excitons in the electrostatic fields of defects in ionic crystals, 0=13526
Trnka,J. A contribution to the study of the thermal properties of NaCl:Ca crystals irradiated with X-rays, 0=2833
Trnka,J. See Dolejsi,J., 0=6192
Trodden,W.G. See Jenkins,R.O., 0=7135
Trodden,W.G. See Jenkins,R.O., 0=9072
Trofimenko,A.P.,Fedorus,G.A. and Razmadze,A.K. Some specific features of the thermally induced conductivity of CdS single crystals, 0=18037
Trofimenko,A.P. See Boiko,I.I., 0=11674
Trofimov,V.S. The dependence of the brightness of electroluminescence on voltage, 0=1764
Troiano,A.R. See Scott,T.E., 0=8127
Tröim,J. See Harang,L., 0=6481
Troinar,E. The destruction of superconductivity by [the critical] current, 0=12563
Troitskaya,N.V. and Pinsker,Z.G. The cubic nitride of molybdenum, 0=12043
Troitskaya,V.A. and Mel'nikova,M.V. Characteristic intervals of oscillations with decrement period of 10-1 sec in the electromagnetic field of the earth, and their relationship to phenomena in the upper atmosphere, 0=6436
Troitskii,Yu.V. The influence of a magnetic field on the thermal spreading of the beam in an electron gun, 0=10951
Troitskii,Yu.V. Examination of the possibility of using a non-uniform magnetic field for production of high-density electron beams, 0=15072
Troitskii,V.S. See Zelinskaya,M.R., 0=18650
Trolan,J.K. See Barbour,J.P., 0=7839
Trolan,J.K. See Dyke,W.P., 0=9068
Trolan,J.K. See Martin,E.E., 0=9067
Trombetti,C. Tests on the lens of the Galileo—Santoni photogrammetric camera, model VI, 0=3664
Trömel,G. See Krisement,O., 0=1878
Trömel,G. See Krisement,O., 0=4582
Trömel,G. See Krisement,O., 0=15878
Tromp,R.L. See Regier,R.B., 0=17634
Trompette,J.,Latière,H.J. and Balique,O. A new precision method of measuring the width of the lines obtained in the X-ray diffraction from crystallites, 0=8189
Troshin,Ya.K. See Denisov,Yu.N., 0=12104
Trossi,L. See Colombino,P., 0=15336
Trott,B.B. Reduction of dead-time in halogen-quenched Geiger counters, 0=15182
Trotter,J. The crystal structure of nitrobenzene at −30°C, 0=4655

rotter,J. A refinement of the 1:12-Benzperylene structure, 0=4656
rotter,J. The crystal structures of some anthracene derivatives. IV. Anthraldehyde, 0=4658
rotter,J. A three-dimensional analysis of the crystal structure of p-benzoquinone, 0=8231
rotter,J. The crystal structure of 1,5-dinitronaphthalene, 0=8232
rotter,J. Crystal data for some naphthalene derivatives, 0=8242
rotter,J. See Catterall,J.A., 0=20731
roubetzkoy,E.S. See Mossin-Kotin,C., 0=2681
roughton,A.G.H. See Jackson,R.C., 0=8039
roup,G.J. The optimum line width for the transition used in a reflection cavity maser amplifier, 0=3847
rubitsy̆n,V.P. An equation of state for metals obtained by a statistical method, 0=13461
ruby,F.K. and Storey,W.H.,Jr. Radiation induced free radicals in lactose, 0=500
rue,W.W. See Carter,J.C., 0=17500
rueblood,K.N. See Gillespie,R.B., 0=4635
ruell,R. Nature of defects arising from fast neutron irradiation of silicon single crystals, 0=2835
ruell,R. See Chick,B., 0=2206
ruell,R. See Dobbs,E.R., 0=11573
ruell,R. See Einspruch,N.G., 0=2211
ruell,R. See Einspruch,N.G., 0=8754
ruell,R. See Stein,F., 0=1843
ruesdell,C. See Coleman,B.D., 0=14906
rujillo,T.T. See Ott,D.G., 0=3889
rulio,J.G. See Harris,G.M., 0=17007
ruman,C.L. Fission counter sample disk holder and slide, 0=15188
rumbore,F.A. Solid solubilities of impurity elements in germanium and silicon, 0=18396
rumbore,F.A. and Porbansky,E.M. Solvent evaporation technique for the growth of arsenic-doped germanium single crystals for esaki diodes, 0=21164
rumbore,F.A.,Porbansky,E.M. and Tartaglia,A.A. Solid solubilities of aluminum and gallium in germanium, 0=12080
Trumpy,G. Positron annihilation in aqueous solutions, 0=9343
runin,R.F. See Al'tshuler,L.V., 0=11550
rurnit,H.J. and Lauer,W.E. Automatic recording film balance system, 0=2162
rusov,G.N. and Aladzhalova,N.A. The isotopic exchange of hydrogen on palladium, 0=12106
sai,B. and Desportes,H. The proton synchrotron "Saturne". Electromagnets employed with Saturne, 0=2412
Tsai,B. See Bizette,H., 0=13845
Tsai-Chü,Morand,M.,Bourlet,G.,Simonin,C. and Schune,D. Search for antineutron annihilation events in nuclear emulsions, 0=17362
sai-Chü. See Chemel,B., 0=3900
Tsai-Chü. See Dépaux,B., 0=15204
sai Yung Su. See Yung Su Tsai.
Tsakadze,D.S. and Chkeidze,I.M. Measurement of the logarithmic decrement of the damping of a [oscillating] cylinder [immersed]in rotating hellium II, 0=12552
Tsakadze,D.S. See Andronikashvili,É.L., 0=10828
Tsakadze,D.S. See Andronikashvili,É.L., 0=10827
sao,H.L. See Wang,M.H., 0=400
Tsarenkov,B.V. See Nasledov,D.N., 0=9994
Tsarenkov,B.V. See Nasledov,D.N., 0=15974
sarev,B.M. See Kudintseva,G.A., 0=1879
Tsarev,V.A. See Nelipa,N.F., 0=9422
sekhanskaya,Yu.V. See Krichevskii,I.R., 0=78
Tsekmistrenko,Yu.V. Some applications, in the theory of metals, of the method of summation of the main Feynmann diagrams, 0=9873
Tsekhmistrenko,Yu.V. Structure of the S-matrix in the theory of elastic and inelastic scattering of nonrelativistic particles, 0=12877
Tsekhmistrenko,Yu.V. Two-particle excitations of superfluid fermi-systems, 0=12887
Tsekvava,B.E. Generalized Fresnel formulae for the surface of a crystal taking account of the anisotropic effective mass of the exciton, 0=16035
Tsellner,V. Dispersion relations for production of π-mesons, 0=372
Tsellner,V. Dispersion relations and Chew—Low type equations for inelastic meson processes in the fixed source case, 0=9299
Tseng Chin-Yuen,Chang Ching-Ying and Yang Li-Ming. Estimation of the nuclear moment of inertia and the g_R-factor, 0=13117
Tsenter,É.M.,Khabakhpashev,A.G. and Pirkin,I.A. Gamma-rays from a Po—O^{18} neutron source, 0=13207
Tsenter,E.M. See Khabakhpashev,A.G., 0=11333
Tsepalov,V.F. Interaction between chains in complex chain processes, 0=10344
Tserineo,M.A. See Zaika,N.I., 0=20458
Tserkovnikov,Yu.A. An approach to the question of convective instability of a plasma, 0=15013
Tserkovnikov,Yu.A. See Bogolyubov,N.N., 0=19550
Tsibul'ko,Iu.A. See Barchuk,M.V., 0=9679
Tsikin,A.N. See Koikov,S.N., 0=3720
Tsiklis,D.S. See Gonikberg,M.G., 0=3385
Tsinober,L.I. and Chentsova,L.G. Synthetic amethyst quartz, 0=18314
Tsinte,F. See Martalogu,N., 0=19995
Tsintsadze,N.L. Determination of a relativistic electron beam, 0=9083
Tsintsadze,N.L. Motion of charged particles and charged disks through an electron—ion beam, 0=17048
Tsintsadze,N.L. See Akhiezer,I.A., 0=9163
Tsintsadze,N.L. See Polovin,R.V., 0=9053
Tsintsadze,N.L. See Polovin,R.V., 0=10950
Tsiovkin,Yu.N. See Fakidov,N.G., 0=6220
Tsiovkin,Yu.N. See Volkenshtein,N.V., 0=17890
Tsirlin,Yu.A. Disperse detectors of fast neutrons, 0=7385
Tsirlin,Yu.A.,Komnik,S.N. and Soifer,L.M. Dependence of the luminescence yield of α- and γ-excited CsI:Tl crystals on the concentration of Tl, 0=1760
Tsirlin,Yu.A.,Startsev,V.I. and Soifer,L.M. Luminescent properties of caesium iodide crystals grown from superheated melt, 0=13705
Tsirlin,Yu.A. See Breido,I.Ya., 0=4430
Tsirlin,Yu.A. See Daich,A.R., 0=14807
Tsirlin,Yu.A. See Komnik,S.N., 0=4459
Tsirlin,Yu.A. See Startsev,V.I., 0=13712
Tsirul'nikova,L.M. The phenomenological theory of the Voigt effect in paramagnetics, 0=21031
Tsitsiliano,D.D. See Gertsriken,S.D., 0=1600
Tskhai,N.S. and Mandel'shtam,S.L. The influence which affect the line intensities in flame spectra, 0=4174
Tsopa,V. See Dzhurdzhya,M., 0=16900
Tsuboi,M. See Suzuki,I., 0=3532
Tsuboi,M. See Suzuki,I., 0=9805
Tsuchida,T. and Kanazawa,A. On the consistency between the P-wave dispersion relation and the experiment, 0=15406
Tsuchiya,A. See Hatanaka,T., 0=14419
Tsuda,H. See Hayashi,C., 0=14466
Tsuda,H. See Hayashi,C., 0=18867
Tsuda,T. The motion of irregularities on the ionosphere, 0=21338
Tsuda,T. See Maeda,K., 0=2011
Tsui,R.T.C. See Kahan,G.J., 0=10854
Tsuji,M. Anomalous hall effect due to an s—d interaction in the dilute alloys containing the transition elements, 0=17991
Tsuji,M. The thermoelectric, galvanomagnetic and thermomagnetic effects of monovalent metals. IV. Effect of the non-equilibrium distribution of the phonons, 0=18077
Tsuji,M.,Huzinaga,S. and Hasino,T. Bond alternation in long polyenes, 0=17839
Tsujikawa,I. and Kanda,E. Absorption spectrum of manganous halides tetrahydrates in the antiferromagnetic states, states, 0=13695
Tsujikawa,I. See Sugano,S., 0=646
Tsujiuchi,J. Improvement of aberrant images by means of spatial frequency filtering, 0=19372
Tsukamoto,K. and Ogata,Y.. Ionospheric drifts at Yamagawa in Japan, 0=21337
Tsukerman,I.S. Lepton decays of hyperons with emission of π-mesons, 0=13065
Tsukerman,V.A. See Brish,A.A., 0=6073
Tsukerman,V.A. See Brish,A.A., 0=7061
Tsukernik,V.M. See Kaganov,M.I., 0=10170
Tsukernik,V.M. See Kaganov,M.I., 0=11821
Tsukernik,V.M. See Kaganov,M.I., 0=21032
Tsukhanova,O.A. A method of studying the state of the products of an explosion by measuring the parameters of shock waves, 0=14110

Tsuneoka,Y. $C^{12}(n,n')3\alpha$ reaction induced by 14.8 MeV neutrons, 0=20491
Tsuneto,T. Transverse collective excitations in superconductors and electromagnetic absorption, 0=10842
Tsuneto,T. and Fujiwara,I. Relativistic wave equations with maximum spin two, 0=12880
Tsutsumi,K. The X-ray non-diagram lines $K\beta'$ of some compounds of the iron group, 0=20735
Tsuzuki,Y. See Daniel,R.R., 0=12923
Tsvang,L.R. and Gutman,L.N. The measurement of the light atmospheric ion spectra, 0=2043
Tsvankin,D.Ya. See Kitaigorodskii,A.I., 0=16298
Tsvelȳkh,N.G. See Lisitsa,M.P., 0=4396
Tsvelȳkh,N.G. See Lisitsa,M.P., 0=7992
Tsvelȳkh,N.G. See Lisitsa,M.P., 0=7993
Tsvelȳkh,N.G. See Lisitsa,M.P., 0=20975
Tsvetaeva,N.E. and Rozenfel'd,L.A. Investigation of β-radiation of Nb^{95} and Ce^{144} by the atmospheric absorption method, 0=11353
Tsvetkov,V.N. and Klenin,S.I. The diffusion of polybutylmethacrylate in good and ideal solvents, 0=14636
Tsvetkov,V.N. and Shtennikova,I.N. Double refraction in flowing solutions of poly-para-tertiary butylphenylmethacrylate. I. The region of small velocity gradient, 0=12501
Tsvetkov,V.N. and Skazka,V.S. A visual nephelometer, 0=12495
Tsvetkov,V.N. See Frisman,E.V., 0=12500
Tsvetkov,V.P. Investigation of the dependence upon the temperature of the coefficient of structural diffuseness, 0=936
Tsvirko,Yu.A. Relation between the structure of exciton bands and natural optical activity of crystals, 0=20782
Tsvirko,Yu.A. See Tolpȳgo,K.B., 0=15857
Tsyganov,E.N. See Barashenkov,V.S., 0=3966
Tsyganov,E.N. See Barashenkov,V.S., 0=4088
Tsȳganov,É.N. See Lyubimov,V.B., 0=11167
Tsȳganov,E.N. See Markov,P.K., 0=20134
Tsypin,S.G. See Kukhtevich,V.I., 0=9327
Tsȳrlin,L.E. The unipolar corona in the case of an eccentric cylinder, 0=8974
Tsȳrlin,L.E. Concerning the theory of bipolar currents in a gas, 0=12587
Tsȳrlin,L.É. The condition for preservation of the geometry of an electrostatic field during introduction of a volume charge, 0=14948
Tsytko,S.P. See Tutakin,P.M., 0=7567
Tuan,S.F. See Dailitz,R.H., 0=379
Tuan,S.F. See Dalitz,R.H., 0=15435
Tuan,T.F. and Gerjuoy,E. Charge transfer in molecular hydrogen, 0=5996
Tubaev,V.M. See Pivovar,L.I., 0=17054
Tuchkevich,V.M. See Orlova,N.S., 0=1647
Tuchkevich,V.V. See Iodko,M.G., 0=13212
Tuchkevich,V.V. See Kel'man,V.M., 0=2648
Tuchkevich,V.V. See Kel'man,V.M., 0=9588
Tuchkevich,V.V. See Romanov,V.A., 0=13211
Tuchman,A. See Guerriero,L., 0=19981
Tuck,J.L. Plasma jet piercing of magnetic fields and entropy trapping into a conservative system, 0=256
Tuck,J.L. A new plasma confinement geometry, 0=16997
Tuck,J.L. See Boyer,K., 0=13385
Tucker,D.G. Some aspects of the design of strip arrays, 0=6868
Tucker,D.G. The signal/noise performance of electro-acoustic strip arrays, 0=14735
Tucker,D.G. Signal/noise performance of super-directive arrays, 0=14736
Tucker,D.G. The randomization of combinations of noise sources by means of delay lines, 0=14738
Tucker,T.J. Possible explanation of the current density-dependent resistivity of exploding wires, 0=2850
Tucker,T.J. Square-wave generator for the study of exploding wires, 0=3846
Tuczek,H. See Fünfer,E., 0=1140
Tuczek,H. See Fünfer,E., 0=16999
Tulczyjew,W. Motion of multipole particles in general relativity theory, 0=14502
Tulinov,A.F. See Neudachin,V.G., 0=9634
Tulinov,V.F. See Charakhch'yan,A.N., 0=13094
Tulinov,V.F. See Charakhch'yan,A.N., 0=20277
Tulinov,V.F. See Rȳmko,N.P., 0=11279
Tulinov,V.F. See Samosudov,B.E., 0=11247
Tulinova,N.I. See Kolotov,O.S., 0=11005
Tulinova,Z.I. See Baradzei,L.T., 0=11271
Tulub,A.V. The mean free path of an exciton in a polar crystal, 0=11610
Tumakaev,G.K. See Shuktin,A.M., 0=16865
Tumanov,V.S. See Ternov,I.M., 0=12909
Tumanyan,E.R. See Babayan,Kh.P., 0=9496
Tumanyan,V.A. The direct production of electron–positron pairs by electrons, 0=9475
Tumanyan,V.A.,Stolyarova,G.S. and Mishakova,A.P. Direct production of electron–positron pairs by high-energy electrons, 0=9344
Tunitskaya,V.F. See Levshin,V.L., 0=16118
Tunkelo,E. See Hughes,D.J., 0=80
Tunkelo,E. See Hughes,D.J., 0=14649
Tunmer,H. The relation of cosmic radio emission to the electronic component of cosmic rays, 0=16528
Tunner,H.E.C. On the dimensions, spatial density, and power of the extragalactic radio sources, 0=18656
Tunnicliff,D.D. and Badley,J.H. Adiabatic calorimeter for small samples, 0=16924
Tunnicliff,D.D. and Hawes,R.C. Absorptivity recorder, 0=19416
Tunnicliffe,P.R. See Henderson,W.J., 0=13273
Tuominen,J.,Kataja,E. and Riihimaa,J. On the rate of scintillation of Cassiopeia A on 45 Mc/s, 0=18672
Tuominen,J.,Tuominen,I. and Riihimaa,J. An occassional decrease in the average reception of Cassiopeia A on 45 Mc/s, 0=18671
Tuominen,J. See Tuominen,I., 0=18671
Turchányi,G. and Horváth,T. Evaporation figures on the surface of sodium chloride crystals, 0=7891
Turchányi,G. See Tarján,I., 0=21176
Turchin,V.F. Multiple-scattering corrections in "spherical" and "ring" geometry, 0=9665
Turchinskaya,M.I. See Volkenshtein,N.V., 0=3017
Turchinskaya,M.I. See Volkenshtein,N.V., 0=13774
Turek,L. See Ostrowski,K.W., 0=15183
Turf,J. See Verhaeghe,J., 0=19823
Turk-Zivkovic,M. See Paic,M., 0=194
Turkevich,A. See Hagemann,F., 0=1980
Turkevich,A. See Lindner,M., 0=15607
Turkevich,A. See Yule,H.P., 0=11403
Turkin,Yu.I. Anomalies in the intensities of the hyperfine-structure components of thallium resonance lines, 0=4175
Turnbull,D. and Cormia,R.L. A dynamic hard sphere model, 0=8690
Turnbull,D. and Hoffman,R.E. A correlation of data on diffusion of solutes in face-centered cubic metals, 0=15867
Turnbull,D.,Rosenbaum,H.S. and Treaftis,H.N. Kinetics of clustering in some aluminium alloys, 0=16347
Turnbull,D. See Cohen,M.H., 0=2141
Turnbull,D. See May,J.E., 0=3273
Turnbull,D. See Rosenbaum,H.S., 0=16350
Turnbull,D. See Rosenbaum,H.S., 0=21227
Turnbull,L.G. See Preston-Thomas,H., 0=10628
Turner,A. See Rao,C.N.R., 0=7895
Turner,D.P. Daylight factor meter, 0=14784
Turner,D.R. On the mechanism of chemically etching germanium and silicon, 0=18330
Turner,D.R. and Sauer,H.A. Ohmic contacts to semiconducting ceramics, 0=12573
Turner,E.H. Interaction of phonons and spin waves in yttrium iron garnet, 0=18210
Turner,J.C.R. See Agar,J.N., 0=6784
Turner,J.E. See McIntosh,J.S., 0=7586
Turner,R.E. Temporal fluctuations in a classical linear system, 0=16625
Turner,R.E. Motion of a heavy particle in a one dimensional chain, 0=16626
Turner,W.J. and Reese,W.E. Infrared absorption in n-type aluminum antimonide, 0=6184
Turnock,A.C. See Pickart,S.J., 0=11829
Turov,E.A. Anisotropy in magnetic susceptibility and dependence of heat capacity on field direction in an antiferromagnet, 0=1815
Turov,E.A. Electrical conductivity of ferromagnetic metals at low temperatures. II, 0=9933
Turov,E.A. Theory of weak ferromagnetism, 0=18181
Turov,E.A. and Guseinov,N.G. Magnetic resonance in rhombohedral weakly ferromagnetic substances, 0=11926
Turov,E.A. and Mitsek,I. The theory of the temperature dependence of ferromagnetic anisotropy, 0=11836

Turov,E.A. and Naish,V.E. Theory of weak ferromagnetism in rare earth orthoferrites, 0=18202
Turov,E.A. See Vonsovsky,S.V., 0=2983
Turovtsev,V.V. The mechanism of the leptonic decay of hyperons, 0=11226
Turrell,G.C.,Vu,H. and Vodar,B. Induced Q branch in the vibration–rotation spectrum of HCl pressurized with Ar, 0=17749
Turrell,G.C. See Hai Vu , 0=7752
Turusova,A.V. See Broder,D.L., 0=3971
Tuseev,B.T. See Sorokin,O.V., 0=18003
Tutakin,P.M.,Tsytko,S.P.,L'vov,A.N.,Walter,A.K. and Gonchar,V.Iu. The polarization of the gamma-radiation from the reaction Si^{30}(p,γ)P^{31}, 0=7567
Tutihasi,S. Ultraviolet absorption in thallous halides, 0=11766
Tuttle,T.R., Jr. Spin distribution in naphthalene negative ion, 0=11535
Tuttle,T.R., Jr. See Pake,G.E., 0=90
Tuvdendorzh.D. See Bogachev.N.P., 0=9354
Tuvdendorzh,D. See Dzhanelidze,L.P., 0=15445
Tuvdéndorzh,D. See Gramenitskii,I.M., 0=1401
Tuxworth,R.H. and Evans,W. Habit planes for U$_4$O$_9$ precipitation in uranium dioxide, 0=8150
Tuzhilin,A.A. In answer to A.A.Senkevich, 0=16778
Tuzzolino.A.J. See Rieke,F.F., 0=8840
Tverdokhlebov,V.I. Answer to S.D.Vagner, 0=12598
Tveten,L.H. See Bateman,R., 0=9222
Tweet,A.G. Studies of vacancies in dislocation-free Ge crystals, 0=1588
Twersky,V. Electromagnetic waves, 0=15134
Twiddy,N.D. See Boyd,R.L.F., 0=7117
Twiss,R.Q. Radiation transfer and the possibility of negative absorption in radio astronomy, 0=4962
Twiss,R.Q. Growth of electron space-charge and radio waves in moving ion streams, 0=19781
Twiss,R.Q.,Carter,A.W.L. and Little,A.G. Brightness distribution over some strong radio sources at 1427 Mc/s, 0=18663
Twiss,R.Q. and Little,A.G. The detection of time-correlated photons by a coincidence counter, 0=12468
wiss,R.Q. and Roberts,J.A. Electromagnetic radiation from electrons rotating in an ionized medium under the action of a uniform magnetic field, 0=5316
Twiss,R.Q. See Brown,R.H., 0=823
Twiss,R.Q. See Brown,R.H., 0=824
Twiss,R.Q. See Fellgett,P., 0=5123
Twomey,S. Nucleation of ammonium chloride particles from hydrogen chloride and ammonia in air, 0=12096
Tyablikov,S.V. On the theory of ferromagnetic resonance, 0=8077
Tyablikov,S.V. and Shiklosh[Siklos],T. Quantum theory of the ferromagnetic anisotropy of uniaxial crystals, 0=6225
Tyagaraja Rao,S. A technique for eliminating the variation of mass with velocity in relativistic problems, 0=15265
Tyapkin,A.A. See Neganov,B.S., 0=15605
Tyas,J.P.I.,Franklin,C.A. and Molozzi,A.R. Measurement of cosmic noise at low frequencies above the ionosphere, 0=4847
Tydlitat,V. The phase diagram of Zn–Sb, 0=6379
Tye,R.P. See Powell,R.W., 0=6963
Tykodi,R.J. Thermodynamics, stationary states, and steady-rate processes. I. Introduction and migrational equilibrium in isothermal and monothermal fields, 0=3691
Tykodi,R.J. Thermodynamics, stationary states, and steady-rate processes. III. The thermocouple revisited, 0=3693
Tykodi,R.J. Thermodynamics, stationary states, and steady-states, and steady-rate processes. V. A collection of corollaries, 0=14907
Tykodi,R.J. and Erikson,T.A. Thermodynamics, stationary states and steady-rate processes. II. Migrational equilibrium in thermal fields, 0=3692
Tykodi,R.J. and Erikson,T.A. Thermodynamics, stationary states and steady-rate processes. IV. Steady monothermal rate processes, 0=3694
Tykodi,R.J. See Erikson,T.A., 0=14908
Tyler,J.E.,Richardson,W.H. and Holmes,R.W. Method for obtaining the optical properties of large bodies of water, 0=8768
Tyrén,H. and Maris,T.A.J. Magnetic energy analysis of high energy particles, 0=11075
Tyren,H. See Hillman,P., 0=17587
Tyrén,H. See Vallinder,U.L., 0=5804
Tyrrell,A.C. See Newton,D.C., 0=17679
Tyutekin,V.V. Diffraction of a plane sound wave by an infinite cylindrical cavity in an elastic medium with an arbitrary angle of incidence, 0=19299
Tzara,C. On the resonant excitation of metastable nuclear levels of very long lifetime, 0=7462
Tzara,C. and Barloutaud,R. Recoilless Rayleigh scattering in solids, 0=11560
Tzara,C. See Barloutaud,R., 0=9662
Tzara,C. See Miller,J., 0=7320
Tzou,K.H. Particle representation of the vector field, and comparison with the field of maximum spin 1 of the fusion theory, 0=3918
Tzou,K.-H. Interactions with "inversion images" with respect to PM and CT, 0=7279
Tzou,K.H. A generalization on the tensor quantities of spin $\frac{1}{2}$ fields, 0=7282
Tzou,K.H. The interaction of the general vector field with an electromagnetic field and a comparison with the field of maximum spin 1 of the fusion theory, 0=15244
Tzou,K.H. Mass inversion and solutions of the Dirac equations; 0=17242
Tzou,K.H. Transformation groups and solutions of Dirac's equations, 0=20048
Tzou, Kuo-Tsien. Field interactions with "inversion images", 0=5478
Tzu,H.Y. See Chen,J.M., 0=5614
Tzu,H.Y. See Dai,Y.B., 0=356
Tzu,H.Y. See Lee,W.T., 0=5602

Ubbelohde.A.R. See Andrews.J.N., 0=8309
Ubbelohde,A.R. See Arnold,J.W., 0=7817
Ubbelohde,A.R. See Blackman,L.C.F., 0=7970
Ubbelohde,A.R. See Cimino,A., 0=21196
Ubbelohde,A.R. See Frame,J.P., 0=13466
Ubbelohde.A.R. See Rhodes.E., 0=10038
Ubbink,J. See Bölger,B., 0=9193
Ubbink,J. See Bölger,B., 0=17095
Überall,H. μ-meson capture in Li^6 leading to the ground state of He^6, 0=1447
Uberall,H. Decay of μ^- mesons bound in the K shell of light nuclei, 0=13425
Überall,H. Decay electron spectrum from bound μ^--mesons, 0=15374
Überall,H. Interference effects of bremsstrahlung and pair production in crystals, 0=20100
Ubisch.H.von. See von Ubisch.H.
Uchevatkin,I.F. See Dzhelepov,B.S., 0=11355
Uchida,S. The pulsating viscous flow superposed on the steady laminar motion of incompressible fluid in a circular pipe, 0=19055
Uchida,T. See Gotô,T., 0=5301
Uchida,Y. and Kato,R. Optical studies on thallium-activated alkali-iodide crystals, 0=20997
Uchida,Y. See Fukudu,K., 0=683
Uchiyama,F.,Otsuka,Y. and Kobayasi,K. On the electromagnetic energy-momentum vector, 0=7194
Uchiyama,Y. The influence of interelectronic collision on conduction in non-polar crystals, 0=4335
Udagawa,T. See Igarasi,S., 0=17579
Udagawa,T. See Tamura,T., 0=11290
Udal'tsov,V.A. See Vitkevich,V.V., 0=16557
Udal'tsov,V.A. See Vitkevich,V.V., 0=18637
Udgaonkar,B.M. See Swami,M.S., 0=2627
Udy,L.L. See Cook,M.A., 0=1133
Uebersfeld,J.,Motchane,J.L. and Erb.E. Enhancement of nuclear polarization in liquids and gases adsorbed on carbon. Extension to solids containing paramagnetic impurities, 0=16717
Uebersfeld,J. See Jacubowicz,M., 0=4736
Uebersfeld,J. See Jung.P., 0=16179
Uebersfeld,J. See Torrey,H.C., 0=89
Ueda,A. and Ogita,N. On the structure of extensive air showers, 0=11265
Ueda,A. and Ogita,N. The lateral distribution of the electron component in extensive air showers, 0=15473
Ueda,A. See Fukuda,H., 0=15475
Ueda,H. See Kuri,Z., 0=4732
Ueda,Y. See Sato,I., 0=20188
Uehara,M. See Hiida,K., 0=17319
Uehara,M. See Hiida,K., 0=20116

Uehara,M. See Hiida,K., 0=20117
Uehara,Y.,Kobuke,Y. and Masuda,I. Luminescent properties of silver-activated magnesium borate phosphors, 0=4445
Uehara,Y.,Masuda,I. and Kobuke,Y. Wave-length dependence of the quantum efficiency and absorption of powder phosphors, 0=2954
Uehara,Y. See Nakamura,D., 0=4538
Uehling,E.A. See Bichsel,H., 0=15354
Uemura,Y. See Mimura,H., 0=20832
Ueno,K. See Kananva,S., 0=19940
Ueno,S. The probabilistic method for problems of radiative transfer. IX. Diffuse reflection and transmission in a finite atmosphere with isotropic scattering in the non-conservative case, 0=14551
Ueno,S. The probabilistic method for problems of radiative transfer. XI. On the scattering and the transmission functions of S.Chandrasekhar, 0=14552
Ueno,Y. See Nariai,H., 0=14379
Ueno,Y. See Nariai,H., 0=14494
Ueta,M. and Ishii,T. Luminescence of KI:Tl induced by far ultraviolet light, 0=21004
Ueta,M. See Ishii,T., 0=20834
Ueta,M. See Tomiki,T., 0=18424
Ueta,M. See Yagi,M., 0=8093
Uflyand,Ya.S. Twisting of an elastic cylindrical shell, 0=4969
Uflyand,Ya.S. Some cases of non-stationary flow of a conducting fluid in an annular tube, 0=15122
Uflyand, Ya.S. and Chekmarev,I.B. An investigation of the unsteady flow of a conducting fluid in a plane channel with moving boundaries, 0=15121
Uflyand,Ya.S. and Chekmarev,I.V. Exact solution for a problem in magneto-hydrodynamics, 0=19892
Ugai,Ya.A. and Vigutova,T.N. A new intermetallic semiconductor, 0=7947
Uhlenbeck,G.E. Some recent progress in statistical mechanics, 0=14521
Uhlenbeck,G.E. See Pais,A., 0=903
Uhlenbusch,J. See Schmitz,G., 0=19642
Uhler,U. and Åkerlind,L. Rotational analysis of the band systems of yttrium oxide, 0=1497
Uhlir,A.Jr. Junction-diode amplifiers, 0=12692
Uhrig,R.E. Operating characteristics of a graphite-moderated subcritical assembly, 0=13346
Ui,H. Inelastic scattering of nucleons by asymmetrically deformed nuclei. A comment on the structure of medium weight nuclei, 0=7544
Ui,H. Inelastic scattering of neutrons and surface direct processes, 0=7601
Ui,H. See Kawai,M., 0=9664
Uitert,L.G.Van. See Van Uitert,L.G.
Ukei,K. See Mizuno,J., 0=4639
Ukhanov,Yu.I. Investigation of the infrared absorption spectrum due to the minority current carriers in germanium, 0=1733
Ulegla,I. See Marek,I., 0=12848
Ulfendahl,H.R. See Bill,A., 0=12804
Ulinich,F.R. See Pokrovskii,V.L., 0=1212
Ullrich,W. See Rothhardt,L., 0=8600
Ulmanis,U. See Alksnis,Ya., 0=13259
Ulmer,K. New method for the evaluation of h/e from the quantum limit of the continuous X-ray spectrum, 0=2094
Ulmer,K. and Zimmermann,M. Measurements of the charge-carrying emission due to the influence of gases on freshly prepared aluminium surfaces, 0=15049
Ulmer,W. See Prugger,H., 0=4755
Ulwick,J.C. See Pfister,W., 0=14208
Ul'yanov,G.K. See Vinogradov,K.N., 0=8738
Umakanth,N. See Iyengar,S.B.D., 0=9374
Umakanth,N. See Iyengar,S.B.D., 0=9375
Umakantha,N. See Lowde,R.D., 0=13805
Umamaheswararao,G.V. and Krishnaswamy,R. Determination of uranium content in radioactive minerals by auto-radiography, 0=3335
Umanskii,M.M.,Kheiker,D.M. and Zevin,L.S. Precision measurements of the unit cell parameters using a diffractometer, 0=13979
Umanskii,M.M. See Ezhkova,Z.I., 0=13492
Umanskii,Ya.S. See Belikov,A.M., 0=13488
Umanskii,Ya.S. See Bogorodskii,O.V., 0=21183
Umanskii,Ya.S. See Kagan,A.S., 0=16317
Umeda,I. See Nonaka,I., 0=20466
Umezawa,H. On the structure of interactions, 0=11088
Umezawa,H. See Ezawa,H., 0=1249
Umezawa,H. See Miyazawa,H., 0=20045
Umlauft,G. Focusing of electromagnetic waves by E_s-clouds, 0=17120
Underhill,A.B. A possible identification of B III in O-type spectra, 0=6618
Underwood,F.A. See Taylor,C.A., 0=10313
Ungstrup,E. Observations of "whistlers" and very low frequency phenomena at Godhavn, Greenland, 0=4818
Unik,J.P. and Rasmussen,J.O. Decay schemes of the isomers of Tc^{95} and Tc^{97}, 0=1377
Unna,I. See Talmi,I., 0=13135
Unna,I. See Talmi,I., 0=20357
Unno,W. Comments on Warwick's paper on the formation of absorption lines in a sunspot, 0=14410
Unno,W. See Goldberg,L., 0=14431
Unsöld,A. The interpretation of continuous spectra of stars, 0=4904
Unsöld,A. Spectroscopic problems of stellar evolution, 0=6621
Unsöld,A. The temperature of the solar corona, 0=14426
Unsold,A. Structure and variations of the solar corona, 0=14427
Unsöld,A. Reply to the previous remarks of H.Kienle "The interpretation of continuous stellar spectra", 0=14457
Unwin,R.S. Studies of the upper atmosphere from Invercargill, New Zealand. I. Characteristics of auroral radar echoes at 55 Mc/s, 0=21326
Uny,C. Remarks on some electrical properties of very thin films of germanium, 0=588
Uny,C. Measurements of deviations from Ohm's law and the effect of noise shown by very thin polycrystalline films of germanium, 0=15921
Upton,E.,Bailie,A. and Musem,P. Lunar and solar perturbations on satellite orbits, 0=2090
Urakawa,K. See Nishikawa,K., 0=14891
Uranova,T.A. Absorption of light in a region in the rift of the Milky Way (Aquila constellation), 0=18791
Urbakh,V.Yu. The radiative correction to the mass of the electron in nonlinear electrodynamics, 0=12676
Urbanec,J.,Kopecký,J. and Kajfosz,J.. Radiative capture of slow neutrons by atomic nuclei, 0=4124
Urbanec,J. See Kopecký,J., 0=13266
Ure,R.W., Jr. Effect of impurity scattering on the figure of merit of thermoelectric materials, 0=1689
Ure,R.W., Jr. See Sherman,B., 0=3734
Uretsky,J.L. See Bloom,S.D., 0=17538
Uretsky,J.L. See Matthews,P.T., 0=378
Uretsky,J.L. See Redmond,P.J., 0=3452
Urey,H.C. Primary and secondary objects, 0=10498
Urey,H.C. The duration of intense bombardment processes on the moon, 0=18691
Urick,R.J. Side scattering of sound in shallow water, 0=5099
Uritskii,Z.I. See Gurevich,L.E., 0=6174
Uritskii,Z.I. See Gurevich,L.É., 0=16046
Urlin,V.D. See Kormer,S.B., 0=11549
Urushadze,G.I. See Bar'yakhtar,V.G., 0=11878
Urusovskaia,A.A. Study of LiF crystals by the etch method, 0=11625
Urusovskii,I.A. Scattering of sound on a non-uniform sinusoidal surface with normal acoustic admittance, 0=6877
Urusovskii,I.A. Compensating for the reactive loading of harmonic radiations, 0=8747
Urusovskii,I.A. Sound diffraction at periodically uneven and inhomogeneous surfaces, 0=12461
Usami,S. See Funatogawa,Z., 0=21054
Usatyi,A.F. See Vasil'ev,G.Ya., 0=1759
Ushanova,N.I.,Godnev,I.N. and Orlova,I.V. Normal vibration frequencies and thermodynamic functions of titanium tetraiodide, 0=1496
Usik,P.A. See Ruskin,V.I., 0=13070
Usov,A.Ya. See Kunin,N.F., 0=15998
Usova,I.N. Absolute intensity measurement of high-energy γ-rays by the pair difference method, 0=12901
Ustinova,A.K. Angular correlation in internal conversion, including effects of screening and of the finite size of the nucleus, 0=13203
Ustinova,Z.M. See Slonim,I.Ya., 0=19446
Ust'yanov,V.I. and Khaikina,R.M. An electron-diffraction investigation of thin aluminium antimonide layers, 0=16320
Ust'yanov,V.I. See Konozenko,I.D., 0=313
Ust'yanov,V.I. See Konozenko,I.D., 0=15983
Utashiro,S. Studies on the local character of the geomagnetic pulsation, pc, 0=1999

Hyama,R. Theory of invariant variation and the generalized canonical dynamics, 0=10589
tley,H.B. See Adair,T.W.,III, 0=7193
terback,N.G. and Miller,G.H. Ionization yields for fission fragments, 0=2322
varov,A.I. The influence of the space charge of mobile carriers on the electrical breakdown of a highly asymmetrical p—n junction, 0=2862
varov,O.V. See Sevryugova,N.N., 0=5857
yeda,H.,Maeda,H.,Kimpara,A.,Obayashi,T.,Ishikawa,S. and Kawabata,Y. Geophysical effects associated with the high-altitude nuclear explosion, 0=16412
yeda,N. The crystal structure analysis by the subsidiary maxima of the electron diffraction pattern, 0=4624
yeda,N. See Suito,E., 0=8162
yeda,R. See Kamiya,Y., 0=21259
yeda,S. See Nagata,T., 0=4773
yeda,S. See Rikitake,T., 0=18471
zhik,G.V. Composite beams (cores) used as means of increasing carrying ability and of avoiding brittleness at points of load concentration, 0=1868
zhik,G.V. and Gal'perin,M.Ya. On the danger of instantaneous destruction of construction elements under cyclic overloading, 0=14563
znanski,R.M. See Clark,G.L., 0=349

acca,M.T. Forces and deformations in an elastic sphere with a radial variation of the transverse rigidity and subject to a tangential torsional force in the surface, 0=10620
acek,K. Luminescence of AgCl crystals, 0=13703
achaspati. See Rastogi,N.C., 0=20046
aciago,A. and Mugnoli,A. Crystalline structure and isomorphism of some Co^{111} cyanides with bivalent cations, 0=4581
aes,G. See van Itterbeek,A., 0=216
ager,Z. See Goldring,G., 0=21057
aghi,F. See Cottini,C., 0=17195
agner,S.D. Concerning V.I.Tverdokhlebov's article "Connection between Langmuir probe-characteristic method and the method of two probes in determination of electron temperature, 0=12597
agner,S.D. and Van'chkova,N.I. The effect of a constant longitudinal magnetic field on the high-frequency mercury discharge, 0=16983
agner,S.D. See Vavilin,E.I., 0=9019
agradov,G.M. and Kirzhnits,D.A. The theory of nuclear matter, 0=20084
ahlensieck,H.J. See Czekalla,J., 0=662
aidanich,V.I. See Dudkin,L.D., 0=13577
aidya,P.C. and Pandya,I.M. Radiation: gravitational and electro-magnetic, 0=18932
aidya,P.C. and Shah,K.B. A radiating mass particle in an expanding universe, 0=6669
aidya,W.M. and Sen Gupta,M.K. Measurement of axial and off-axis geometrical aberrations of microscope objectives, 0=6919
ainberg,B.I. See Arkhangel'skaya,V.A., 0=16829
ainer,R. and Yusim,Kh. Effect of deformation of the nucleus on the electron wave-functions. Application to β-decay, 0=13192
aisenberg,A.O. Low energy positrons from the μ^+—e^+ decay, 0=9391
ainshtein,B.K. A new type of relationship between structure factors, 0=12029
ainshtein,B.K. Functional projections for structural analysis of crystals, 0=12032
ainshtein,B.K. Some data on crystal-chemical hydrogen, 0=12054
ainshtein,B.K. Quantitative relations in generalized Fourier projections of the electron density of crystals, 0=13993
ainshtein,B.K. and Aibers,Dzh.A.[Ibers,J.A.]. Atomic scattering for electrons for the elements of the third period, 0=16302
ainshtein,B.K.,Lobachev,A.N. and Stasova,M.M. Electron-diffraction determination of the C—H distance in some paraffins, 0=14036
ainshtein,B.K. and Pinsker,Z.G. A horizontal electron diffraction camera "EG", 0=13971
Vainshtein,B.K. and Tatarinova,L.I. The use of strips for the calculation of integrals occurring in formulae for radial distribution curves, 0=13996
Vainshtein,B.K. See Aibers,Dzh.A., 0=16303
Vainshtein,B.K. See Belov,N.V., 0=18286
Vainshtein,B.K. See Dvoryankin,V.F., 0=16293
Vainshtein,B.K. See Simonov,V.I., 0=13925
Vainshtein,B.K. See Voronova,A.A., 0=14031
Vainshtein,É.E.,Bril',M.N. and Kopelev,Yu.F. Fine structure of the X-ray K absorption spectra of titanium in the titanates of Bao-TiO$_2$ type and its relation to the nature of polarization of atoms in ferroelectric crystals, 0=1739
Vainshtein,É.E.,Kotlyar,B.I. and Shapiro,G.A. Investigation of the fine structure of the X-ray absorption spectrum of iron in various antiferromagnetics and ferrites, 0=672
Vainshtein,É.E. and Zhurakovskii,E.A. New data on the X-ray emission spectra of titanium in several hydrides, carbides and nitrides, 0=5889
Vainshtein,É.E. See Zhurakovskii,E.A., 0=1737
Vainshtein,É.E. See Zhurakovskii,E.A., 0=20736
Vainshtein,L.A. Current waves in thin cylindrical conductor. I. Currents and impedance of a transmitting antenna, 0=7218
Vainshtein,L.A. Current waves in a thin cylindrical conductor. II. The current in a passive oscillator, and the radiation of a transmitting antenna, 0=7219
Vainshtein,L.A. and Dolgov,G.G. Effective cross-sections of excitation of He n^{1}P-levels by slow electrons, 0=4163
Vainshtein,L.A. and Norman,G.É. Calculation of the photoionization cross-sections of aluminium and gallium atoms, 0=15654
Vainshtein,L.A. and Sobel'man,I.I. Non-stationary theory of the Stark broadening of spectral lines in a plasma, 0=1479
Vainshtein,L.A. See Kapitsa,P.L., 0=8975
Vainshtein,L.A. See Kapitsa,P.L., 0=9206
Vaipolin,A.A. and Porai-Koshits,E.A. On the structures of the glassy chalcogenides of arsenic, 0=21199
Vaisenberg,A.O. Space asymmetry of low-energy positrons from π^+—μ^+— e^+ decay, 0=15388
Vaisenberg,A.O.,Rabin,N.V. and Smirnit-skii,V.A. Depolarization of μ^+ mesons in nuclear emulsion, 0=11198
Vaisenberg,A.O. and Smirnitskii,V.A. Asymmetry of π^+–μ^+—e^+-decay in a magnetic field, 0=20180
Vaisenberg,A.O.,Smirnit-skii,V.A.,Kolganova,E.D. and Rabin,N.V. Energy dependence of the spatial asymmetry of positrons in $\pi^+ \to \mu^+ \to e^+$ decay, 0=13016
Vaisnys,J.R. See Alder,B.J., 0=11555
Vaks,V.G. Theories with an indefinite metric, 0=9259
Vaks,V.G. Radiative deviations from the Coulomb law at small distances, 0=11078
Vakselj,M. and Bezič,N. Energy—angle distribution of Bremsstrahlung spectrum, 0=12897
Vakselj,M. See Horvat,P., 0=11437
Vakulenko,A.A. Thermodynamic investigations of relations between stresses and deformations in isotropic elastoplastic media, 0=1852
Vakulov,P.V. See Vernov,S.N., 0=395
Vakulov,P.V. See Vernov,S.N., 0=10397
Valachovic,B. See Duncan,G.I., 0=14987
Valadarès,M. See Albouy,G., 0=11371
Valadarès,M. See Albouy,G., 0=15553
Valadares,M. See Rosenblum,S., 0=4045
Valassis,J. See Bess,L., 0=2406
Valatin,J.G. On the divergences in quantum field theory, 0=7267
Valatin,J.G. On a parallel treatment of the collective behaviour of Fermion and Boson systems, 0=8890
Valdrè,U. See Cevolani,M., 0=15596
Valenta,L. The quantum theory of the spontaneous magnetization of ferrimagnetics and thin films with arbitrary spin at high temperatures, 0=3100
Valenta,L. Some recent developments in magnetism in Czechoslovakia, 0=13743
Valente,F.A. and Sullivan,R.E. The age of plutonium—beryllium neutrons in light water, 0=15362
Valentin,F. A study of photoelectric detection in a pulsing system Its application to spectrometry of the Raman effect, 0=3618
Valentine,R.F. See Morewitz,H.A., 0=13348
Valentini,H.B. The palletron as a high-frequency mass spectrometer, 0=19791
Valeriu,A. Maximum allowable radial fall-off of the magnetic field in a cyclotron, 0=2409

Valiev,K.A. Theory of spin–lattice quadrupole relaxation [of nuclear spins] in liquid solutions of diamagnetic salts, 0=8669
Valiev,K.A. Theory of lattice–spin relaxation, 0=11614
Valiev,K.A. Theory of quadrupole relaxation of nuclear spins in liquids, 0=12427
Valiev,K.A. and Bashkirov,Sh.Sh. Stimulated r.f. amplifier working on hyperfine levels of paramagnetic atoms, 0=2436
Valik,I.L. and Khromov,L.I. The possibility of applying television transmission tubes in the detection of faint optical images, 0=8784
Valk,H.S. See Neumann,H., 0=17509
Valkenburg,A.van. See van Valkenburg,A.
Val'kov,V.D. See Byalobzheskii,A.V., 0=21282
Valladas,G. See Brisson,J.C., 0=2412
Valladas,G. See Brisson,J.C., 0=3989
Valladas,G. See Brisson,J.C., 0=17202
Vallander,S.V. New kinetic equations in the theory of monoatomic gases, 0=10687
Vallauri,M.E. See Boato,G., 0=2168
Vallauri,M.E. See Boato,G., 0=8654
Vallauri,M.E. See Boato,G., 0=14683
Valley,L.M. and Legvold,S. Sound dispersion in ethane and 1.1-difluoroethane, 0=17737
Valley,L.M. and Legvold,S. Vibrational relaxation times for gas mixtures, 0=19208
Vallinder,U.L. and Tyrén,H. Angular distribution of fragments from fission of uranium induced by 185 MeV protons, 0=5804
Valouch,M. See Kratochvíl,P., 0=18303
Val't,L.O. See Reinet,Ya.Yu., 0=1097
Val'ter,A.K.,Zalyubovskii,I.I.,Klyucharev,A.P. and Lutsik,V.A. Concerning a new method of identification of γ-emission in the reactions $(p,p'\gamma)$, (p,γ) and $(p,n\gamma)$, 0=20431
Val'ter,A.K.,Zalyubovskii,I.I.,Klucharyev,A.P.,Pasechnik,M.V., Pucherov,N.N. and Chirko,V.I. Angular distributions of 6.8 MeV protons elastically scattered on chromium, nickel and copper nuclides, 0=20450
Val'ter,A.K. See Rutkevich,I.Ya., 0=7563
Valuev,B.N. Comments on the covariants in the beta-decay interaction, 0=13190
Van,J.Tran Thanh. See Tran Thanh Van,J.
Van Shu-Fen' [Wang Shu-Fen]. See Barashenkov,V.S., 0=3966
Van Tsu-Tszen. See Van Gan-Chan, 0=9415
Van-Pei. See Barashenkov,V.S., 0=9350
Van Acker,J. See Septier,A., 0=19749
van Albada,T.S. and Borgman,J. A standard light-source for photoelectric photometry based on Čerenkov radiation, 0=19358
Van Allen,J.A. The geomagnetically-trapped corpuscular radiation, 0=10423
Van Allen,J.A. Geomagnetically-trapped corpuscular radiation, 0=10424
Van Allen,J.A. Radiation belts around the earth, 0=12188
Van Allen,J.A. and Frank,L.A. Radiation measurements to 658 300 km with Pioneer IV, 0=12189
Van Allen,J.A.,McIlwain,C.E. and Ludwig,H. Radiation observations with satellite 1958ϵ, 0=8398
Van Allen,J.A.,McIlwain,C.E. and Ludwig,G.H. Satellite observations of electrons artificially injected into the geomagnetic field, 0=10428
Van Allen,J.A. See Yoshida,S., 0=14265
Vanasse,G. See Strong,J.D., 0=16833
Vanasse,G.A. See Strong,J., 0=2247
van Aswegen,J.T.S. and Verleger,H. X-ray investigation of the system ZnS–FeS, 0=10316
van Atta,C.M. Thermonuclear research in the United States of America, 0=4154
Van Baarle,C. See De Vroomen,A.R., 0=9861
van Baarle,C. See de Vroomen,A.R., 0=18078
Van Beek,L.K.H. The Maxwell–Wagner–Sillars effect, describing apparent dielectric loss in inhomogeneous media, 0=18083
van Beek,L.K.H. See Debye,P., 0=3650
van Bergeijk,W.A. See Guttman,N., 0=18538
Van Bladel,J. Fields in slanted-gap excited rectangular ducts, 0=2450
Van Bladel,J. General formulas for gap-excited linear ducts, 0=19828
Van Bladel,J. See Beyer,J.B., 0=6721
Van Biesen,J. See Van Itterbeek,A., 0=19568
van Breeman,P.G. See Lim,T.G., 0=20232
van Bueren,H.G. Theory of creep of germanium crystals, 0=13914
Van Cakenberghe,J. See Jung,P., 0=16179
Van Cakenberghe,J. See Offergeld,G., 0=12081
van Calker,J. and Braunisch,H. Investigations on changes in intensity ratios in the spectra of copper-zinc alloys on addition of a third alloying component, 0=1488
van Calker,J. and van der Linde,L. Field measurements on electrets and studies of the formation of the homocharge, 0=235
Van'chkova,N.I. See Vagner,S.D., 0=16983
Vančura,A. A note on the Watanabe theory of weak interactions, 0=12907
Vand,V. Formation of stellar associations from galactic gas, 0=825
van Dael,W. See van Itterbeek,A., 0=124
van Dael,W. See van Itterbeek,A., 0=8695
Vandakurov,Yu.V. Possible equilibrium configurations for a thin circular plasma conductor in a magnetic field, 0=9168
Vandakurov,Yu.V. The stability of a thin ring-shaped plasma conductor in a magnetic field, 0=15015
Vandakurov,Yu.V. Vibrations of a thin toroidal plasma thread in a magnetic field, 0=15040
Vandakurov,Yu.V. The stability of a thin ring-shaped plasma conductor in a magnetic field. II, 0=19674
Vandakurov,Yu.V. Stationary state of a thin plasma ring with finite conductivity, 0=19675
Vandakurov,Yu.V. and Lur'e,K.A. The stability of a cylindrical plasma conductor with volume current, 0=10911
Vandakurov,Yu.V. and Perel',V.I. The motion of positive ions in a natural gas under the effect of electric and magnetic fields, 0=8990
Van Damme,K.J. See Bölger,B., 0=10223
van de Hulst,H.C. The interstellar plasma, 0=3404
van de Hulst,H.C. Density and velocity distribution of the interstellar gas, 0=8470
van de Kamp,P. Trigonometric parallaxes of subdwarfs, 0=18782
Vandenbelt,J.M. Collaborative readings with the Cary-14 spectrophotometer, 0=160
van den Berg,G.J. and Franken,B. The measuring of the electrical resistance of gold monocrystals by an alternating current method, 0=1611
Van Den Bold,H. See Segaert,O,J., 0=11358
Vandenbosch,R. and Huizenga,J.R. Isomeric cross-section ratios for reactions producing the isomeric pair $Hg^{197,\,197m}$, 0=20424
Vandenbosch,R. See Huizenga,J.R., 0=20423
Van den Broek,J. Paramagnetic relaxation in cobalt salts at helium temperatures, 0=10218
van den Broek,J.,van der Marel,L.C. and Gorter,C.J. Anomalous spin lattice relaxation in some cobalt salts at liquid helium temperatures, 0=6261
van den Broek,J. See Lasheen,M.A., 0=10095
van den Broek,J. See Miedema,A.R., 0=13738
Van Den Handel,J. See Gijsman,H.M., 0=16144
van den Heuvel,A.P. See Mason,B.J., 0=10281
Van den Maydenberg,C.J.N. and De Bruyn Ouboter,R. The fountain effect in liquid helium II at pressures from 0–30 atm, 0=8909
Van der Auwera,A.M. See Anet,F.A.L., 0=15711
Van der Borght,R. Non-steady solutions of stratified self-gravitating stellar systems, 0=18818
van der Breggen,J.C. and Wouterlood,H.J. Novel displacement detector and its application in a recording thermobalance, 0=14574
van der Burgh,J. Thermal convection at a melting benzene surface, 0=12520
van der Does de Bye,J.A.W. Measurement of decay times of excess carriers in semiconductors, excited by X-ray pulses, 0=13589
Vanderhaeghe,G. See Harting,D., 0=368
Vanderhaeghe,G. See Harting,D., 0=15419
Vanderhaeghe,G. See Réné,M., 0=198
Vanderhaeghe,G. See Réné,M., 0=12765
Van Der Kelen,G.P. See Lox,F.E.M., 0=19963
Vanderkulk,W. See Potter,R.L., 0=10348
van der Leun,C. and Endt,P.M. A doublet resonance in the reaction $^{32}S(p,\gamma)^{33}Cl$, 0=7565
van der Linde,L. See van Calker,J., 0=235

Vanderlinden,H.L. Escape velocity in globular clusters, 0=18815

Van der Lugt,W. and Poulis,N.J. Nuclear magnetic resonance in diluted Cu—Mn alloys, 0=10247

an der Lugt,W.,Poulis,N.J.,Hass,W.P.A. Nuclear magnetic resonance in dilute Cu—Mn alloys, 0=6280

van der Maesen,F. Determination of numbers of injected holes and electrons in semiconductors, 0=13585

Van der Marel,L.C. Some thermodynamical calculations on paramagnetic relaxation in low frequency magnetic fields, 0=10217

an der Marel,L.C. See van den Broek,J., 0=6261

van der Pauw,L.J. See Hornstra,J., 0=7047

Van der Raay,H.B. Focussing of the synchrotron scattered-out beam, 0=19847

Van der Schee,B.L.A. and van Tol,M. Instrumentation for a subcritical homogeneous suspension reactor. II. Measurement and control of operating parameters, 0=13382

Vanderslice,J.T.,Mason,E.A. and Maisch,W.G. Interactions between ground state oxygen atoms and molecules: O—O and O_2—O_2, 0=4245

Vanderslice,J.T. and Mason,E.A. Interaction energies for the H—H_2 and H_2—H_2 system, 0=15785

Vanderslice,J.T. and Mason,E.A. Quantum mechanical calculations of shortrange intermolecular forces, 0=17837

Vanderslice,J.T.,Mason,E.A.,Maisch,W.G. and Lippincott,E.R. Potential curves for N_2. NO and O_2. 0=17734

Vanderslice,J.T. See Fallon,R.J., 0=5982

Vanderslice,J.T. See Fallon,R.J., 0=7716

Vanderslice,J.T. See Fallon,R.J., 0=11525

Vanderslice,J.T. See Fallon,R.J., 0=17733

Vanderslice,J.T. See Mason,E.A., 0=957

Vanderslice,T.A. See Blodgett,K.B., 0=10703

van der Spuy,E. A possible model for the four-fermion coupling, 0=17232

Vander Stricht,A. See Crevecoeur,E.G., 0=9543

Vander Velde,J.C. See Brown,J.L., 0=4003

an der Vlugt,N.J. See Miedema,A.R., 0=7038

Vandervoort,P.O. The relativistic motion of a charged particle in an inhomogeneous electromagnetic field, 0=15114

Vandervoort,R. and Washburn,J. On the stability of the dislocation substructure in quenched aluminium, 0=20810

van der Waals,J.H. and de Groot,M.S. Paramagnetic resonance in phosphorescent aromatic hydrocarbons. I. Naphthalene, 0=21080

van der Walt,C.M. See Fourie,D.J., 0=10282

Van de Vorst,A. On the validity of central force fields in molecular vibrations, 0=11517

Van de Vorst,A. On the validity of the central force field in molecular vibrations, 0=17726

Van de Vorst,A. and Duchesne,J. Vibrational potential functions for some molecules and free radicals, 0=7743

Van de Vorst,A. See Depireux,J., 0=6282

an Dijk,H. On the use of platinum resistance thermometers between 90 and $4^{\circ}K$, 0=213

an Dijk,H.,Durieux,M.,Clement,J.R. and Logan,J.K. The "1958 He^4 scale of temperatures". II. Tables for the 1958 temperature scale, 0=7036

van Dijk,H.,Durieux,M.,Clement,J.R. and Logan,J.K. Vapour pressure temperature scale for the liquid He^4 region, 0=8878

van Dijk,H. See Durieux,M., 0=10103

van Dijk,J.J. See Michels,A., 0=14639

Van Dilla,M.A. Large crystal counting, 0=5446

Van Domelen,S.S. See Hirschfelder,J.O., 0=8304

Van Dong Nguyen. See Nguyen Van Dong.

van Doorn,C.Z. Thermal equilibrium between F and M centres in potassium chloride, 0=7893

Van Dorn,W.G. A new long-period wave recorder, 0=12410

van Dorsten,A.C. and Spaa,J.H. A high output D—D neutron generator for biological research, 0=17347

an Ee,H.,van Itterbeek,A. and Beenakker,J.J.M. The influence of the density on the thermal diffusion in gas mixtures of gases at low temperatures, 0=100

Van Elst,H.C. Magnetoresistance of some nickel alloys, 0=9943

Van Elst,H.C. The anisotropy in the magneto-resistance of some nickel alloys, 0=13583

Vanfleet,H.B. See Partridge,W.S., 0=6

Van Gan-Chan [Wang Kang-Ch'ang],Solov'ev,M.I. and Shkobin,Yu.N. A 24 litre propane bubble chamber, 0=3898

Van Gan-Chan [Wang Kan-Ch'ang],Van Tsu-Tszen [Wang Ts'u-Ts'eng],Din Da-Tsao [Ting Ta-Ts'ao], Ivanov,V.G.,Katȳshev,Yu.V.,Kladnitskaya,E.N., Kulyukina,L.A.,Nguyen Dinh Tu,Nikitin,A.V.,Otvinovskii,S.Z., Solov'ev,M.I.,Sosnovskii,R. and Shafranov,M.D. Investigation of elastic scattering of π^--mesons with 6.8 GeV/c momentum on protons in a propane bubble chamber, 0=9415

Van Gan-Chan [Pang Kang-Ch'ang],Van Tsu-Tszen [Pang Tsu-Tseng],Din Da-Tsao [Ting Ta-Ts'ao], Ivanov,V.G.,Kladnitskaya,E.N.,Kuznetsov,A.A., Nguen Din-Ty,Nikitin,A.V.,Otvinovskii,S.Z. and Solov'ev,M.A. Generation of antiprotons in the interaction of π^- mesons with nucleons, 0=15358

Van Gan-Chan [Pang Kang-Chang],Van Tsu-Tszen [Pang Tsu-Tseng],Veksler,V.I.,Viryasov,N.M.,Vrana,I., Din Da-Tsao [Ting Ta-Ts'ao],Kim Khi In,Kladnitskaya,E.N., Kuznetsov,A.A.,Mikhul,A.,Nguen Din Ty,Nikitin,A.V. and Solov'ev,M.I. Generation of a Σ^--hyperon from negative π^--mesons with momentum 8.3 BeV/c, 0=15455

van Geest,D.W. See de Vries,G., 0=13772

Vangengeim,S.D. See Arkharov,V.I., 0=14064

Van Gerven,L.,Van Itterbeek,A. and de Laet,L. Magnetic relaxation phenomena in germanium at low temperatures, 0=10227

van Gool,W. and Cleiren,A.P. Self-activated and Cu-activated fluorescence of ZnS, 0=13716

van Gool,W.,Cleiren,A.P. and Heijligers,H.J.M. Fluorescence of some activated ZnS phosphors, 0=13717

Van Gunten,O. See Condell,W.J.,Jr, 0=7212

van Gurp,G.J. See Diemer,G., 0=13525

van Heerden,I.J. and Judek,B. The relative abundances of cosmic ray nuclei of charge $Z \geq 3$, 0=20260

Van Heerden,I.J. and McEwen,J.G. On the fixing of thick nuclear emulsions, 0=19983

Van Heerden,I.J. and Prowse,D.J. The scattering of 38 MeV alpha particles by C^{12}, 0=7582

Van Heerden,P.J. See Redington,R.W., 0=3803

Vanheiden,J. and Kappler,E. II. Investigations of the elastic behaviour of metallic substances within the plastic deformation range by the Brinell ball pressure test, 0=11978

van Hove,L. Many-particle problems, 0=48

van Hove,L. Strong and weak interactions in a simple field-theoretical model, 0=5481

Van Hove,L. Some methods and problems of the quantum theory of interacting fields, 0=7262

van Hove,L. The ergodic behaviour of quantum many-body systems, 0=7309

van Hove,L. Abnormal behaviour of the dilute Fermi gas for negative two body scattering length, 0=15301

van Huong,P. See Lascombe,J., 0=4199

Vanhuyse,V. See Verhaeghe,J., 0=19823

Vanhuyse,V.J. See Barber,W.C., 0=11432

Vanier,J. Temperature dependence of the pure nuclear quadrupole resonance frequency in $KClO_3$, 0=18232

van Iersel,A.M.R. See Guptill,E.W., 0=8870

Van Iersel,F. See Guptill,E.W., 0=8887

Van Itterbeek,A. and Dupré,A. Measurements on the variation of coercive field as a function of the angle in nickel films condensed in vacuum, 0=16139

van Itterbeek,A.,Forrez,G.,Sluijter,C.G. and Vaes,G. Temperature measurements with an acoustical thermometer, 0=216

van Itterbeek,A. and Nihoul,J. Measurements of thermal and ordinary diffusion in gas mixtures (H_2-He, H_2-N_2 and H_2-O_2), by using ultrasonics, 0=5049

Van Itterbeek,A.,Peelaers,W. and Steffens,F. Susceptibility measurements of [bulk] Nb between room temperature and liquid helium temperatures, 0=13736

Van Itterbeek,A.,Polluntier,W. and Peelaerts,G. Measurements on the magnetic susceptibilities of AgMn and CuMn alloys, 0=10100

Van Itterbeek,A.,Van Biesen,J. and Dupré,A. Apparatus for adiabatic demagnetization in the Liége low-temperature laboratory, 0=19568

van Itterbeek,A. and van Dael,W. Measurements on the velocity of sound in liquid oxygen and nitrogen and mixtures of nitrogen and oxygen under high pressures, 0=124

van Itterbeek,A.,van Dael,W. and Grevendonk,W. Measurements on the velocity of sound in argon under high pressure, 0=8695

van Itterbeek,A. See Beenakker,J.J.M., 0=6837

van Itterbeek,A. See Coremans,J.M.J., 0=92
van Itterbeek,A. See Coremans,J.M.J., 0=8703
van Itterbeek,A. See Coremans,J.M.J., 0=8705
van Itterbeek,A. See Dupré,A., 0=1786
van Itterbeek,A. See Rietveld,A.O., 0=6820
van Itterbeek,A. See Rietveld,A.O., 0=8675
van Itterbeek,A. See van Ee,H., 0=100
Van Itterbeek,A. See Van Gerven,L., 0=10227
Van Itterbeek,A.F. See Guptill,E.W., 0=8887
van Kampen,N.G. On the problem of neutron diffusion, 0=5566
Van Kleef,T.A.M. Structure and Zeeman effect in the spectra of the osmium atom Os I and Os II. I-III, 0=20588
van Koeveringe,J.L. See Jongerius,H.M., 0=7766
Van Kranendonk,J. Theory of the infrared and Raman spectra of solid parahydrogen, 0=4197
van Kranendonk,J. Induced infrared absorption in gases. Calculation of the ternary absorption coefficients of symmetrical diatomic molecules, 0=7748
van Kranendonk,J. Rotational and vibrational energy bands in solid hydrogen, 0=15700
Van Kranendonk,J. and Kiss,Z.J. Theory of the pressure-induced rotational spectrum of hydrogen, 0=494
van Laar,J. and Scheer,J.J. Photoelectric determination of the electron work function of indium, 0=9060
van Ladesteyn,D. See Bruin,F., 0=7217
van Leeuwen,F.J. The damping of "eigentones" in small rooms by Helmholtz resonators, 0=19350
van Leeuwen,J.M.J.,Greoneveld,J. and de Boer,J. New method for the calculation of the pair correlation function. I, 0=14647
Van Leuven,P. See Verhaeghe,J., 0=19823
van Lieshout,R.,Girgis,R.K.,Ricci,R.A.,Wapstra,A.H. and Ythier,C. Characterization of the 10 hour ^{196}Au isomer, 0=15533
Van Lieshout,R. See Girgis,R.K., 0=4055
Van Lieshout,R. See Girgis,R.K., 0=4056
Van Lieshout,R. See Girgis,R.K., 0=4065
Van Lieshout,R. See Girgis,R.K., 0=4066
Van Lieshout,R. See Girgis,R.K., 0=4068
Van Lieshout,R. See Girgis,R.K., 0=4072
Van Lieshout,R. See Girgis,R.K., 0=7538
van Lieshout,R. See Girgis,R.K., 0=9601
van Lieshout,R. See Girgis,R.K., 0=11382
van Lieshout,R. See Girgis,R.K., 0=15536
van Lieshout,R. See Girgis,R.K., 0=15559
Van Lieshout,R. See Gupta,R.K., 0=4071
van Lieshout,R. See Ricci,R.A., 0=11385
Van Lieshout,R. See Ricci,R.A., 0=17560
van Lieshout,R. See Ythier,C., 0=15545
Van Lin [Wang Ling]. Transition probabilities between rotational states of non-axial odd nuclei, 0=13208
van Loef,J.J. See González,L., 0=20495
Van Meerssche,M. and Léonard,A. The structure of $SP(C_2H_5)_3$ and $SeP(C_2H_5)_3$, 0=3254
Vänngård,T. See Fröman,P.O., 0=10237
Van Niekerk,J.N. Vacuum furnace for high temperature X-ray diffractometry, 0=8185
van Nooijen,B. See Grabowski,Z., 0=13114
van Nooijen,B. See Konijn,J., 0=13198
Van Nooijen,B. See Marklund,I., 0=7477
van Oostrum,K.J.,Alster,J.,Hazewindus,N. and Wapstra,A.H. The 367 keV resonance in $^{28}Si(p,\gamma)^{29}P$, 0=7566
Van Ostenburg,D.O. See Marshall,S.A., 0=4522
van Panthaleon van Eck,C.L.,Mendel,H. and Fahrenfort,J. A tentative interpretation of the results of recent X-ray and infra-red studies of liquid water and $H_2O + D_2O$ mixtures, 0=8666
Van Patter,D.M. E2 transitions from the second 2+ level of even—even nuclei, 0=5722
Van Patter,D.M. See Nath,N., 0=4121
van Patter,D.M. See Nath,N., 0=5798
Van Peski-Tinbergen,T. See Van Weir,O.P., 0=6247
van Putten,J.D. See Brown,J.L., 0=4003
Van Raalte,T.L. Refractive indices of fused quartz and lithium fluoride, 0=2229
Van Raalte,T.L. Measurement of the refractive index of silicone oils for the U.K.A.E.A., 0=2230
van Regemorter,H. Theoretical problems of stellar classification. I. The growth curves in radiative transfer theory, 0=4905
Van Regemorter,H. Modern methods of measuring oscillator strengths, 0=15653
van Regemorter,H. Electron impact excitation of positive ions: Application to Ca^+ 4s–4p and 3d–4p, 0=17662
van Roosbroeck,W. Current-carrier transport and photoconductivity in semiconductors with trapping, 0=13586
Van Rossum,G. See Philbert,G., 0=12779
Van Rossum,L. See Brisson,J.C., 0=2412
van Rossum,L. See Brisson,J.C., 0=3989
van Sabben,D. See Veldkamp,J., 0=14428
Van Sciver,W.J. Mechanism of the scintillation phenomenon in alkali halide phosphors, 0=18147
Van Sciver,W.J. Fluorescence and reflection spectra of NaI single crystals, 0=21006
Vanselow,K. See Kroebel,W., 0=206
Van Shufen. See Bogachev,N.P., 0=11400
Van Si-fu [Wang Hsi-fu],Silin,V.P. and Fetisov,E.P. Optical properties of metal films in the region of the anomalous skin effect, 0=19424
Van Soest,P.C. See Bruin,F., 0=17126
Van Steenwinkel,R. See Thomaes,G., 0=14682
Van Steenwinkel,R. See Thomaes,G., 0=19199
van Suchtelen,J. See Gaydon,A.G., 0=19219
Van Thiel,M. and Pimentel,G.C. Matrix isolation studies: Infrared spectra of intermediate species in the photolysis of hydrazoic acid. II, 0=3320
van Tol,M. Instrumentation for a subcritical homogeneous suspension reactor. IIIB. The monitoring of high neutron flux with the aid of an electrometer, 0=13382
van Tol,M. See Gerthsen,P., 0=14668
van Tol,M. See Van der Schee,B.L.A., 0=13382
Van Tsu-Tszen [Pang Tsu-Tseng]. See Van Gan-Chan [Pang Kang-Chang], 0=15455
Van Tsu-Tszen [Pang Tsu-Tseng]. See Van Gan-Chan [Pang Kang-Ch'ang], 0=15358
Van Uitert,L.G. Factors influencing the luminescent emission states of the rare earths, 0=18136
Van Uitert,L.G.,LeCraw,R.C.,Spencer,E.G. and Martin,R.L. Proposed means for realizing high power stability in magnetic oxides, 0=3072
Van Uitert,L.G. and Soden,R.R. Emission spectra of trivalent terbium, 0=6196
Van Uitert,L.G. and Soden,R.R. Single crystal tungstates for resonance and emission studies, 0=6265
Van Uitert,L.G. and Soden,R.R. Emission spectra of erbium in the scheelite structure, 0=13706
Van Uitert,L.G. and Soden,R.R. Multiple emission spectra of trivalent europium in the Scheelite structure, 0=16083
Van Uitert,L.G. and Soden,R.R. Emission spectrum of trivalent holmium in the Scheelite structure, 0=21002
Van Uitert,L.G.,Soden.R.R. and Swanekamp,F.W. Resonance line widths of sintered nickel ferrites having low porosities, 0=10206
Van Uitert,L.G.,Soden,R.R. and Treuting,R.G. Emission of terbium hexa-antipyrine tri-iodide, 0=4452
Van Uitert,L.G. and Treuting,R.G. Growth and crystal symmetr of metal chelate salt crystals, 0=4589
van Uitert,L.G. See Nassau,K., 0=18310
van Valkenburg,A. See Lippincott,E.R., 0=6178
Van Vleck,J.H. The magnetic susceptibility of nitric oxide in a clathrate compound, 0=10097
Van Vleck,J.H. Some recent progress in the theory of magnetism for non-migratory models, 0=13838
VanVleck,J.H. See Bozorth,R.M., 0=11808
Van Vleck,J.H. See Joseph,R.I., 0=11578
Van Vleck,J.H. See Kittel,C., 0=10162
Van Vleck,J.H. See Wolf,W.P., 0=11894
van Voorst,J.D.W. See Bennema,P., 0=21290
van Wageningen,R. Nuclear models, 0=7446
Van Weir,O.P.,Van Peski-Tinbergen,T. and Gorter,C.J. New solutions of the molecular field equations for antiferromagnetism in an orthorhombic crystal at zero temperature, 0=6247
Van Wijk,W.R. See Bruijn,P.J., 0=18450
van Wijngaarden,L. See Broer,L.J.F., 0=12646
van Wijngaarden,L. See Broer,L.J.F., 0=19897
Vanwormhoudt,M.C. See Callebaut,D.K., 0=17092
Van Vleck,J.H. The magnetic behaviour of regular and inverted crystalline energy levels, 0=21021
Vanyashin,V.S. Second-order equations for spinor fields, 0=20056
Vanyukov,M.P. and Mak,A.A. High-intensity pulsed light sources, 0=170

anyukov,M.P. and Mak,A.A. Obtaining high temperature by means of a spark discharge, 0=7105
anyukov,M.P.,Mak,A.A. and Muratov,V.R. An investigation of spark discharge in helium, 0=14998
an Yun-yui [Wang Yung-yü],Kuznetsov,V.V.,Kuznetsova,M.Ya. and Khalkin,V.A. Investigation of secondary (α, xn) reactions in bismuth, 0=20436
an Zandt,T.E.,Norton,R.B. and Stonehocker,G.H. Photochemical rates in the equatorial F$_2$ region from the 1958 eclipse, 0=16447
n Zeggeren,F.,de Courval,C. and Goddard,E.D. Profiles and areas of interfaces in the Du Noüy ring method, 0=2163
an Zolingen,J.J. Instrumentation for a subcritical homogeneous suspension reactor. IIIA. The monitoring of low neutron flux by means of fast pulse-counting channels, 0=13382
an Zurk,R. See Brisson,J.C., 0=17202
apaille,A. Measurement of the lifetime of carriers produced in silicon by electron bombardment, 0=1645
apnik,V.H.,Gurvich,L.G. and Zinov'ev,N.V. The theory of scattering of ions at metal surfaces, 0=19801
aradrajan,B.N. See Chiplonkar,V.T., 0=15089
arcaccio,G. See Ricci,R.A., 0=17560
ardya,M.S. and Wildt,R. Molecules and late-type stellar models, 0=6623
arekamp,F.H. and Beenakker,J.J.M. Non ideal mixing of gases at low pressures and liquid hydrogen temperatures, 0=8707
arekamp,F.H. and Beenakker,J.J.M. The equation of state of the hydrogen isotopes and their mixtures with helium below the boiling point of hydrogen, 0=16734
arekamp,F.H. See Beenakker,J.J.M., 0=6837
arekamp,F.H. See Beenakker,J.J.M., 0=8706
arfolomeev,A.A. The ionization at the origin of a high-energy electron—positron pair, 0=12911
arfolomeev,A.A.,Gerasimova,R.I.,Gurevich,I.I.,Makar'ina,L.A., Romantseva,A.S. and Chuyeva,S.A. Effect of the medium density on bremsstrahlung from electron—photon showers with energies from 10^{11} to 10^{13} eV, 0=7324
arfolomeev,A.A.,Gerasimova,R.I.,Makarina,L.A., Romantseva,A.S. and Chueva,S.A. Ionization along the tracks of high energy electron—positron pairs, 0=355
arfolomeev,A.A. and Svetlolobov,I.A. Monte Carlo calculations of electromagnetic cascades taking into account the influence of the medium on bremsstrahlung, 0=11269
arfolomeev,V.N. and Zhevandrov,N.D. Spatial distribution of polarization of luminescence from stilbene and tolane crystals, 0=656
aricak,M. Influence of the wall temperature on the sensitivity of the thermal manometer, 0=6842
arićak,M. and Saftić,B. Principle of a semiconductor manometer in the pressure range of 1 to 10^{-6} mm Hg, 0=2189
arley,J.H.O. An approximate correlation between the electron Fermi energy and work function of a metal, 0=20766
arma,K.T.Rama. See Rama Varma,K.T.
arney,R.N. Molecular ions, 0=2323
arsanyi,F. and Dieke,G.H. Monochromatically excited fluorescence in rare earth salts, 0=1747
arsanyi,F.,Wood,D.L. and Schawlow,A.L. Self-absorption and trapping of sharp-line resonance radiation in ruby, 0=2960
arsavsky,C.M. The gravitational contraction times of stars in very young clusters, 0=18807
arsavsky,C.M. See Pottasch,S.R., 0=14459
Varshalovich,D.A. Probabilities of electromagnetic transitions in and static moments of odd-odd atomic nuclei, 0=7522
Varshalovich,D.A. Probabilities for rotational γ-transitions of the E2 type and the quadrupole moments of deformed nuclei with K = 1 and K = $\frac{1}{2}$, 0=20401
Varshni,Y.P. Classical theory of alkali halide molecules, 0=9792
Varshni,Y.P. A new particle accelerator, 0=19836
Varshni,Y.P.,Mitra,S.S. and Shukla,R.C. Spectroscopic constants of molecules. VII. Relation between force constant and equilibrium internuclear distance for hydride diatoms, 0=17853
Varshni,Y.P. See Srivastava,A.M., 0=19273
arshni,Y.Pal. See Pal Varshni,Y.
Vartanov,N.A. See Selinov,I.P., 0=15532
Vartanyan,A.T. and Rozenshtein,L.D. The contribution of a singlet excitation state to the electrical conductivity of a series of organic semiconductors, 0=13619
Vartapetian,H. See Foucher,R., 0=5675
Vartapetyan,G.A. The lifetime of the 321 keV level in Hf^{177}, 0=15537
Vartapetyan,H.A. and Khudaverdyan,A.G. The level scheme of Ta^{181}, 0=20412
Varteva,M. See Hovi,V., 0=18372
Vasenina,M.Ya. See Novikov,I.I., 0=3526
Vashakidze,I.Sh. and Cheishvili,O.D. [A note] on d—d reactions, 0=2662
Vashakidze,I.Sh.,Kopaleishvili,T.I. and Chilashvili,G.A. Resonance scattering of gamma quanta by Mg^{24}, 0=9661
Vashakidze,I.Sh.,Kopaleishvili,T.I. and Chilashvili,G.A. Investigation of the (n,p) reaction on the Li^6 nucleus, 0=20492
Vashakidze,I.Sh.,Kopaleishvili,T.I.,Mamasakhlisov,V.I. and Chilashvili,G.A. Structure of the Be^9 nucleus, 0=13112
Vashchenko,V.S. See Sidorovich,A.V., 0=8261
Vasilache,V. See Petrescu,V., 0=20950
Vasilenko,S.S. See Antonova,S.F., 0=9566
Vasilenko,S.S. See Antonova,S.F., 0=9567
Vasilenko,S.S. See Antonova,S.F., 0=13210
Vasil'ev,A.A. Shaping of the phase motion of particles in a synchrophasotron using the system of inertial synchronisation of the frequency-modulated generator, 0=17060
Vasil'ev,A.M. Paramagnetic resonance fine structure spectrum of a chromium ion in chrome alum, incorporating the calculation of high-order terms, 0=21073
Vasil'ev,D.M. On the microstresses arising in metals under plastic deformation. II, 0=10263
Vasil'ev,D.M. and Arkovenko,G.I. On the role of microstresses in the process of plastic deformation of metals, 0=10264
asil'ev,D.M. and Kozhenikova,L.V. The nature of the flow plateau of pure iron and carbon steels, 0=6304
Vasil'ev,G.Ya.,Usatyi,A.F.,Lazurkin,Yu.S. and Markov,A.A. Measurement of the luminescence and darkening of glasses during their irradiation in a nuclear reactor, 0=1759
Vasil'ev,L.I. Twins and formation of sub-boundaries during deformation of zinc, 0=13909
Vasil'ev,L.I.,Zaring,K.L. and Kudryavtseva,L.A. Multiple slip in zinc at room temperature, 0=13547
Vasil'ev,S.S.,Komarov,V.V.,Koshalyaev,G.V. and Popova,A.M. Angular distribution of α-particles from the reaction C^{12}(p,p'3α), 0=9625
Vasil'ev,S.S. See Akishin,A.I., 0=267
Vasil'ev,Yu.A.,Zamyatnin,Yu.S.,Il'in,Yu.I.,Sirotinin,E.I., Toropov,P.V. and Fomushkin,É.F. Measurement of the spectra and the average number of neutrons emitted in the fission of U^{235} and U^{238} induced by 14.3 MeV neutrons, 0=13305
Vasilev,Yu.A.,Zamyatnin,Yu.S.,Toropov,P.V. and Fomushkin,E.F. Time-of-flight measurements of neutron spectra at energies below 0.5 MeV, 0=11181
Vasil'eva,I.N.,Novogrudskii,V.N.,Samokhvalov,A.A. and Fakidov,I.G. The Hall effect in the Mn—Sb system, 0=566
Vasil'eva,L.V. See Bol'shov,V.G., 0=19716
Vasil'eva,M.Ya.,Zaitsev,A.A. and Andryukhina,É.D. Waves of charge-density oscillations in a cylindrical plasma, 0=2369
Vasil'eva,M.Ya. See Zaitsev,A.A., 0=19630
Vasilev'skaya,D.P. and Denisov,Yu.N. A magnetometer based on the Hall effect, 0=5373
Vasilevskaya,V.N. See Belyaev,A.D., 0=13536
Vasilevskii,I.M. and Vishnyakov,V.V. Elastic scattering of 300 MeV π^--mesons on hydrogen, 0=9416
Vasilevskii,I.M. and Vishnyakov,V.V. Polarization of recoil protons in π^-—p scattering at 300 MeV, 0=11210
Vasilevskis,S. Automatic measurement of astrographic plates, 0=12244
Vasilevskis,S. The Lick proper motion program, 0=12300
Vasilevskis,S. See Mayall,N.U., 0=14373
Vasil'kov,R.G. and Govorkov,B.B. Total cross-section of photoproduction of π^0-mesons on protons at low energies, 0=13045
Vasil'kov,R.G.,Govorkov,B.B. and Gol'danskii,V.I. Photoproduction of neutral π-mesons on hydrogen by gamma quanta with energy between the threshold and 240 MeV, 0=9420
Vasil'kov,R.G.,Govorkov,B.B. and Gol'danskii,V.I. Photoproduction of π^0-mesons from carbon near threshold, 0=13044
Vasin,I.G. See Yaroslavskii,M.I., 0=14713
Vaško,A. Simplification of the formulae for calculating the optical constants of absorbing materials, 0=5133

Vaško,A. A new method for measuring absolute reflection coefficients with double beam spectrometers, 0=5152
Vaško,A. Polyethylene anti-reflection coating for KRS-5, 0=5155
Vaško,A. See Prokopová,H., 0=6904
Vassallo,A. Determination of the right ascension of the planet Saturn, 0=18702
Vassamillet,L.F. Dislocations and their effect on X-ray diffraction, 0=717
Vassilev.V. See Nadiakov.G.. 0=19706
Vassiliéva,I.A. See Guérassimov.J.I.. 0=1955
Vassy,A. and Rasool,I. Relations between the atmospheric ozone and terrestrial magnetism, 0=14192
Vassy,E. New principle for measuring ionospheric absorption, 0=16428
Vasudevan.R. See Ramakrishnan.A.. 0=2606
Vasudevan,R. See Ramakrishnan,A., 0=7297
Vasvári,B. See Horváth,J.I., 0=5378
Vater,O. See Lauterjung.K.H.. 0=1228
Vateva,E. See Kŷnev,S., 0=18074
Vatulev,V.N. The relationship between the electronic spectra of impurity molecules and the lattice vibrations of a crystalline solvent, 0=16066
Vaucouleurs,G.de. See de Vaucouleurs,G.
Vaughan,P.A. Regression formulae and the joint distribution of structure factors. 0=3211
Vaughan,P.A. See Muha,G.M., 0=14627
Vaughan,W.R. and Taylor,R.C. N.M.R. spectra of normal and deuterated methylacetylenes. 0=4223
Vaughn,F.J.,Imhof,W.L.,Johnson,R.G. and Walt,M. Total neutron cross sections of helium, neon, argon, krypton, and xenon, 0=9676
Vaughn,M.T. Phenomenology of Σ—nucleon scattering, 0=20242
Vaughn,M.T. See Lee,B.W., 0=13031
Vaughn,M.T. See Peaslee,D.C., 0=12825
Vaulin,E.P. Temperature of a plane lamina around which flows a reacting gaseous mixture, 0=14674
Vauquois,B. Study of the slowly varying component of solar radio emission. 0=4850
Vautier,R. On the physical significance of Kittel's formula in ferromagnetic resonance, 0=16149
Vautier,R. and Berteaud,A.J. Influence of the porosity on the width of the absorption curve of yttrium garnet pure and substituted with Cr and Al, 0=8076
Vavilin,E.I.,Vagner,S.D. and Drukman,A.M. Characteristics of a high-frequency mercury discharge in a constant magnetic field, 0=9019
Vavilov,V.S. Solar batteries. On the direct conversion of radiation into electrical energy by means of photo-elements, 0=5265
Vavilov,V.S. Absorption of infrared radiation by free charge carriers in silicon, 0=16071
Vavilov,V.S. and Britsŷn,K.I. The spectral and temperature dependence of the quantum efficiency in silicon, 0=13638
Vavilov,V.S.,Gippius,A.A.,Gorshkov,M.M. and Kopŷlovskii,B.D. Radiative recombination in germanium [single] crystals bombarded by fast electrons, 0=20984
Vavilov,V.S.,Patskevich,V.M.,Yorkov,B.Ya. and Glazunov,P.Ya. The effect of bombardment with high energy electrons on the electrical conductivity of silicon and the dependence of the rate of the defect formation on the orientation of the crystal with reference to the electron beam. 0=18030
Vavilov,V.S.,Plotnikov,A.F. and Zakhvatkin,G.V. Infrared absorption in silicon of high specific resistivity containing radiation defects. 0=651
Vavilov,V.S.,Smirnov,L.S. and Patskevich,V.M. The diffusion length of the charge carriers in silicon photo-elements, 0=9965
Vavilov,V.S.Vul,B.M.Galkin,G.N. and Fridman,S.A. The operation of "atomic" current sources with double energy-conversion, 0=10867
Vavilov,V.S. See Britsŷn,K.I., 0=15993
Vavilov,V.S. See Malovetskaya,V., 0=10031
Vazeva,V.G. See Gabovich,M.D., 0=19697
Vdovenko,V.M. and Shcherbakov,V.A. Paramagnetism of radioactive solutions, 0=6814
Vdovin,Yu.A.,Grafov,B.M. and Myamlin,V.A. The rectifying effect of an electrolyte—n-type semiconductor contact. 0=6101
Vedam,K.,Okaya,Y. and Pepinsky,R. Crystal structure of ferroelectric $LiH_3(SeO_3)_2$, 0=14032
Vedam,K. See Pepinsky,R., 0=7980
Vedenov,A.A. and Larkin,A.I. Equation of state of a plasma, 0=10895
Vedrenne,G. See Blanc,D., 0=16498
Vedula,Yu.S.,Gavrilyuk,V.M. and Morgulis,N.D. Electronic and adsorption properties of an atomic barium film on the surface of oxygen-coated tungsten, 0=9064
Vegard,L. Report on spectrographic work at Tromsö and Oslo, 0=8415
Vegard,L.,Berger,S. and Nundal,A. Results of auroral observations at Tromsø and Oslo for the four winters 1953-54 to 1956-57. 0=794
Vegors,S.H.,Jr and Heath,R.L. Isomeric level in Pb^{205} formed in the decay of Bi^{205}. 0=9571
Veilex,R. See Bok,J., 0=610
Veillette,L.J. See Amster,A.B., 0=3584
Veingerov,M.L. and Sivkov,A.A. A single-beam optico-acoustic gas analyser, 0=16399
Veingerov,M.L.,Sivkov,A.A. and Petrov,A.P. Crooke's radiometer as a modulator of radiation. 0=1055
Veisbein,M.M. See Veksler,V.I., 0=5369
Vekilov,Yu.Kh. and Shaskol'skaya,M.P. Influence of plastic deformation on internal friction and on shear modulus of silver chloride. 0=1848
Vekilov,Yu.Kh. See Shaskol'skaya,M.P., 0=13908
Veklenko,B.A. See Biberman,L.M., 0=10728
Veksler,V.I. Energy distribution of sputtered and scattered ions in bombardment of tantalum and molybdenum by positive caesium ions, 0=9107
Veksler,V.I.,Efremov,D.V.,Mints,A.L.,Veisbein, M.M., Vodopyanov,F.A.,Gashev,M.A.,Zeidlits,A.I.,Ivanov,P.P., Kolomensky,A.A.,Malyshev,I.F.,Monoszon,N.A., Nevyazhsky,I.Kh.Petukhov,V.A.,Rabinovich,M.S., Rudchinsky.S.M..Sinelnikov.K.D. and Stolov.A.M. The 10 GeV proton synchrotron of the USSR Academy of Sciences. 0=5369
Veksler,V.I. See Van Gan-Chan [Pang Kang-Chang], 0=15455
Velde,J.C. Vander. See Vander Velde,J.C.
Veldkamp,J. and van Sabben,D. On the current system of solar-flare effects, 0=14428
Veldre,V. On the choice of the atomic electron (wave) functions in scattering problems. II, 0=7712
Veldre,V. and Damburg,R. On the choice of atomic electron wave-functions for scattering problems. 0=4164
Veldre,V.,Gailitis,M.,Damburg,R. and Stepin'sh,P. Elastic scattering of slow electrons on lithium atoms, 0=4165
Velds,C.A. See Rietveld,A.O., 0=6820
Velikhov,E.P. Stability of a plane Poiseuille flow of an ideally conducting fluid in a longitudinal magnetic field, 0=9174
Velikhov,E.P. Stability of an ideally conducting liquid flowing between cylinders rotating in a magnetic field, 0=11032
Veller,A.E. Hydrogen emission at the final stage of the aurora, 0=4811
Velyukhov,G.E.,Prokof'ev,A.N. and Starodubtsev,S.V. Study of the reactions $F^{19}(n,d)O^{18}$ and $P^{31}(n,d)Si^{30}$ with 14.1 MeV neutrons. 0=1440
Venables,J.D. Cleavage whiskers, 0=13964
Vendrik.A.J.H. See Eijkman.E.. 0=16499
Vene,N. and Mohorčič,G. Viscosity and light scattering of solutions of polyacenaphthene, 0=14657
Venediktov,A.P. See Barkov,L.M., 0=3974
Venema,A. The measurement of pump speed. 0=978
Venema,A. See Marchand,J.F., 0=2291
Vénéroni,M. See Arvieu,R., 0=7453
Vénéroni,M. and Arvieu,R. Quasi-particles and collective states of spherical nuclei, 0=11308
Venevtsev,Yu.N.,Solov'ev,S.P. and Zhdanov,G.S. The structure coefficients of the internal field in Perovskite-type ferroelectrics, 0=16304
Venevtsev,Yu.N.,Verbitskaya,T.N.,Zhdanov,G.S. and Solov'ev,S.P. Electrical and X-ray diffraction studies of the $BaTiO_3$—$BaSnO_3$ system. 0=16017
Venevtsev,Yu.N. and Zhdanov,G.S. A crystallochemical analysis of the thermal phase transformations in ferro- and antiferroelectrics with the perovskite structure. 0=14026
Venevtsev,Yu.N.,Zhdanov,G.S.,Solov'ev,S.P. and Zubov,Yu.A. The internal fields of some ferroelectrics with the perovskite-type structure. 0=16024
Vendryes,G. See Blaise,S., 0=9708
Venini,C. Motion of electric dipoles in Einstein's latest unified theory, 0=6675

Venini,C. Mass of a charged particle in the second approximation to Einstein's final unified theory, 0=12364
Venkataraman,C.N. See Mani,A., 0=1984
Venkatasubramanian,V.S. See Krishnan,R.S., 0=4737
Venkates,H.G. and Strandberg,M.W.P. Operating characteristics of a molecular-beam maser, 0=5396
Venkates,H.G.R. See Peter,M., 0=7827
Venkatesan,D. Solar activity and transient decreases in cosmic-ray intensity, 0=9478
Venkatesan,D. See Forbush,S.E., 0=17446
Venkatesan,D. See Katzman,J., 0=17443
Venkatesan,K. See Srinivasan,S.K., 0=20210
Venkateswarlu,K.,Somasundaram,V. and Krishna,M.G.P. Potential constants of XY$_4$ and XY$_3$Z types of molecules and radicals, 0=487
Venkateswarlu,K. and Thirugnanasambandam,P. Force constants of some systems of the bent symmetrical XY$_2$ type, 0=486
Venkateswarlu,K. and Thirugnanasambandam,P. Force constants of sulphur molecule, 0=13429
Venkateswarlu,K. and Thyagarajan,G. Intensity studies in Raman effect. III. Relative intensities of Raman lines in liquids, 0=85
Venkateswarlu,K. and Thyagarajan,G. Intensity studies in Raman effect. IV. Depolarisation factors of Raman lines in liquids, 0=86
Venkateswarlu,K. and Thyagarajan,G. Intensity studies in Raman effect. V. Overtone lines in some liquids, 0=87
Venkateswarlu,K.S. See Nath,A., 0=2837
Venkateswarlu,P. and Jaseja,T.S. The ionic character of singly bonded molecules, 0=2738
Venkateswarlu,P. and Khanna,B.N. Emission spectrum of chlorine excited in the presence of argon. I. The band system in the region 2600-2390 A, 0=20615
Venkateswarlu,P. and Nageswara Rao,B.D. Halogen nuclear magnetic resonance shifts. I. Cl^{35} resonance in alkali chlorides, 0=20670
Venkiteshwaran,S.P. See Ananthakrishnan,R., 0=16473
Vennik,J. See Aerts,E., 0=15920
Venturello,G. See Ferro,A., 0=20828
Vennik,J. See Amelinckx,S., 0=7917
Venturi,G. and Salvi,G. Some comparisons between the recovery after green pre-adaptation and the recovery after blue-green pre-adaptation, 0=8445
Venturini,G. See Cevolani,M., 0=15596
Venugopal,V.R. Sunrise effect in the F region of the ionosphere over Kodiakanal, 0=16443
Venugopal,V.R. Temperature of the F region of the ionosphere over Kodaikanal, 0=16444
Venugopal,V.R. Temperature of the F2 region of the ionosphere over Kodaikanal, 0=18499
Venugopalan,M. The production of the Joshi effect in the infrared, 0=1121
Venzke,G. Sound absorption of porous foamed plastics, 0=16789
Venzke,G. Architectural acoustics of churches of various periods of architectural styles, 0=16813
Venzke,G.,Dämmig,P. and Reichow,D. Random and systematic errors in air-borne and structure-borne sound measurements, 0=19346
Vérain,A. A photoelectric tensiograph, 0=10644
Verbitskaya,T.N.,Gindin,E.I. and Prokhvatilov,V.G. The structure and electrical properties of ferroelectrics of the BaTiO$_3$—BaZrO$_3$, BaTiO$_3$—BaSnO$_3$, BaTiO$_3$—ZrO$_2$ and BaTiO$_3$—SnO$_2$ systems, 0=16018
Verbitskaya,T.N. See Burakova,T.N., 0=1928
Verbitskaya,T.N. See Venevtsev,Yu.N., 0=16017
Verborenko,P.K. Determination of the recrystallization temperature of metals, 0=16266
Verbraak,G.A. The application of the Rowland mechanism to the problem of the nucleation of secondary crystals in cube-texture copper, 0=18300
Verch,J. See Schley,U., 0=14875
Verdenne,G. See Blanc,D., 0=15528
Verdier,J. See Bonjour,E., 0=10663
Verdier,P. See Dupouy,G., 0=11138
Verdini,L. The changes in volume produced by the martensitic transformation in lithium and sodium at low temperatures, 0=21243
Verdini,L. See Basinski,Z.S., 0=21188
Verdini,L. See Bordoni,P.G., 0=1590
Verdini,L. See Bordoni,P.G., 0=17944
Vereshchagin,I.K. The effect of adsorption of gases on electroluminescence, 0=16116
Vereshchagin,L.F.,Galaktionov,V.A.,Semerchan,A.A. and Slesarev,V.N. High pressure and temperature apparatus with conical plungers, 0=14359
Vereshchagin,L.F.,Semerchan,A.A.,Maslennikov,M.V. and Sekoyan,S.S. [Contribution] to the problem of wall friction in a stream of water at supersonic speed, 0=12404
Vereshchagin,L.F.,Semerchan,A.A. and Sekoyan,S.S. The problem of the break-up of high-speed jets of water, 0=8619
Vereshchagin,L.F. and Shapochkin,V.A. The effect of hydrostatic pressure on the shear strength of solids, 0=18270
Vereshchagin,L.F. See Evdokimova,V.V., 0=20721
Vereshchagin,L.F. See Ryabinin,Yu.N., 0=1856
Veret,C. Interferometric etalon filter for apparatus for determining the temperatures of flames, 0=1039
Verevkin,V.M.,Evdokimov,N.A.,Zharkov,K.V. and Merkulov,L.G. Ultrasonic assembly for recording images of flaws in sheet metal, 0=8760
Verghese,C. See Sreekantath,G.M., 0=5129
Vergne,R. Orientation superstructures created by mechanical deformation of an Fe—Ni alloy, 0=13768
Vergne,R. See Gallissot,F., 0=4544
Vergnes,M. Lifetime of the 402 keV level of arsenic 75, 0=408
Vergnes,M. Excited levels of Dy^{161}, 0=7473
Vergnes,M. Forbidden electric dipole transitions in the Tb$^{161}\rightarrow$Dy^{161} disintegration, 0=9585
Vergnes,M. A contribution to the study of electric dipole transition in the region of the rare earths. (Disintegration of Gd^{153}, Eu^{155}, Tb^{161}, W^{187}), 0=11302
Vergnoux,A.M. See Duverney,R., 0=6952
Verhaeghe,J.,Vanhuyse,V.,Van Leuven,P. and Turf,J. Some problems in the construction of an electron linear accelerator, 0=19823
Verhaeghe,J.L.,Robbrecht,G.G. and Bruynooghe,W.M. On the specific heat of MnZn- and Ni Zn-ferrite between 20°C and 350°C, 0=7853
Verkhovtseva,E.T. See Shklyarevskii,I.N., 0=8805
Verkin,B.I. and Dmitrenko,I.M. Effect of uniaxial elastic deformations on the magnetic properties of zinc crystals at low temperatures, 0=1773
Verkin,B.I. See Aleksandrov,B.N., 0=1883
Verkin,B.I. See Aleksandrov,B.N., 0=21026
Verleger,H. See van Aswegen,J.T.S., 0=10316
Verlet,L. On the optical model of the nucleus, 0=398
Verly,W.G.,Hunebelle,G. and Thomas,G. Estimation of tritium in a proportional counter, 0=4756
Verly,W.G. See Ciccarone,P.A., 0=4757
Verma,G.S. Ultrasonic investigation of nuclear spin-lattice relaxation, 0=3136
Verma,G.S. Ultrasonic absorption due to chemical relaxation in electrolytes, 0=10660
Verma,G.S. Thermodynamics of an isomeric reaction from ultrasonic relaxation, 0=10662
Verma,G.S. and Joshi,S.K. Possibility of molecular resonance acoustic absorption in solid cyclohexane, 0=17887
Verma,P.D. See Bhatnagar,P.L., 0=2148
Verma,P.D.S. Steady flow of linear fluent material past a fixed sphere, 0=16676
Verma,R.D. The spectrum of iodine excited in the presence of argon, 0=1527
Verma,R.D. Ultraviolet resonance spectrum of the iodine molecule, 0=5951
Verma,R.K. Elasticity of some high-density crystals, 0=13901
Verma,Y.K. See Raju,P.K., 0=12688
Vermout,P. and Dekeyser,W. Surface imperfection and epitaxy, 0=21171
Verniani,F. The deceleration of meteors during their passage through the earth's atmosphere, 0=4881
Verniani,F. The velocity of meteors during their evaporation, 0=6578
Vernier,P. and Hartmann,P. A new method for the study of the spectral distribution of photoelectric emission, 0=7141
Vernon,C.W. Rapid cycling bubble chamber, 0=7254
Vernon,E.V. See House,D.G., 0=10255
Vernon,R. Effective resonance integral for uranium carbide, 0=20499
Vernon,R. See Baños,A. Jr, 0=12623
Vernon,R. See Chernick,J., 0=13280
Vernotte,P. On two forms of the solution of the equation of heat conduction, 0=5194

Vernotte,P. The best possible determination of a physical constant with the help of experimental laws, 0=18901

Vernov,S.N.,Babetskii,Ya.S.,Goryunov,N.N.,Kulikov,G.V., Nechin,Yu.A.,Strugal'skii,Z.S. and Khristiansen,G.B. Structure of the core and of the central region of an extensive air shower at sea level, 0=9466

Vernov,S.N.,Chudakov,A.E.,Vakulov,P.V. and Logachev,Yu.I. A study of terrestrial corpuscular radiation and cosmic rays by the flight of a cosmic rocket, 0=395

Vernov,S.N.,Chudakov,A.E.,Vakulov,P.V.,Logachev,Yu.I. and Nikolaev,A.G. Radiation measurements during the flight of the second cosmic rocket, 0=10397

Vernov,S.N.,Dmitriev,V.A.,Solo'eva,V.I. and Khristiansen,G.B. The energy of the electron—photon component of extensive air showers, 0=13084

Vernov,S.N.,Gorchakov,E.V.,Ivanenko,I.P. and Khristiansen,G.B. Development of the nuclear-active component of extensive air showers, 0=9469

Vernov,S.N.,Goryunov,N.N.,Dmitriev,V.A.,Kulikov,G.B., Nechin,Yu.A. and Khristiansen,G.B. Spatial distribution of charged particles in individual extensive air showers, 0=15478

Vernov,S.N.,Ivanenko,I.P.,Kulikov,G.V. and Khristiansen,G.B. The nature of beams of particles in the core of an extensive atmospheric shower, 0=20263

Vernov,S.N.,Khrenov,B.A. and Khristiansen,G.B. Investigation of the high-energy μ-meson flux in extensive air showers, 0=9474

Vernov,S.N.,Kulikov,G.V.,Strugal'skii,Z.S. and Khristiansen,G.B. Microstructure of the core of extensive air showers, 0=9473

Veron,D. A γ-ray directional detector, 0=17289

Véron,D. See Consoli,T., 0=19769

Veronesi,P. See Fuschini,E., 0=15550

Veronesi,P. See Fuschini,E., 0=17278

Veronis,G. See Spiegel,E.A., 0=6983

Verriest,G. The possible role played by contrast phenomena in the difference between spectral visibility curves determined by the direct-comparison and flicker methods, 0=18564

Vershinina,M.P. See Shishkin,N.I., 0=563

Versteegen,W.A.J. and Dokoupil,Z. On the equilibrium of the gaseous and solid phases of the system hydrogen—methane, 0=8710

Verstelle,J.C. Paramagnetic resonance line forms in D.P.P.H. at radio frequencies, 0=10225

Vertman,A.A. and Samarin,A.M. Viscosity of molten nickel and nickel—copper alloys, 0=14580

Vervier,J. On the method of measurement of the effective cross-sections for inelastic scattering of fast neutrons, 0=7602

Vervier,J.F. and Macq,P.C. Reduction of dispersion in scintillation detectors, 0=17143

Verweij,W. Probe measurements in the positive column of low-pressure mercury—argon discharges, 0=16970

Veselovskii,V.I. See Lazorenko-Manevich,R.M., 0=21281

Veselovskii,V.I. See Yakovleva,A.A., 0=21286

Vestine,E.H. Note on conjugate points of geomagnetic field lines for some selected auroral and whistler stations of the I.G.Y., 0=10435

Vestine,E.H. Polar auroral, geomagnetic, and ionospheric disturbances, 0=12166

Vestine,E.H. and Sibley,W.L. Remarks on auroral isochasms, 0=12194

Vestine,E.H. and Sibley,W.L. The geomagnetic field in space, ring currents, and auroral isochasms, 0=16410

Veter,V.V. See Kirenskii,L.V., 0=1796

Veter,V.V. See Kirenskii,L.V., 0=3039

Vetrov,B.M.,Petrenko,I.I. and Todes,O.M. Nonstationary flow of a gas and transfer of pressure through a porous medium, 0=10686

Veveris,O. See Chudars,Ya., 0=14153

Veyngerov,M.L.,Nechaeva,L.M.,Pankratov,N.A. and Sivkov,A.A. A new method of investigation of emission spectra of bodies at room temperature, 0=3622

Veze,A. See Birzvalk,Yu., 0=5389

Vial,H. See Döring,W., 0=13857

Viard,J. Hugoniot curve of vitreous silica and crystallization by shock, 0=3259

Viaux,M. See LeFort,M., 0=20368

Vice,R.W. See Fejer,J.A., 0=14228

Vice,R.W. See Fejer,J.A., 0=15168

Vicentini,M. and Paoletti,A. Self diffusion in liquid In—Sn alloys, 0=12417

Vicentini,M. See Paoletti,A., 0=2166

Vick,F.A. See Hopkins,B.J., 0=9071

Vick,F.A. See Richardson,J.F., 0=7132

Vick,G.L. and Hollander,L.E. Ultrasonic measurement of the elastic moduli of rutile, 0=13902

Vick,G.L. See Hollander,L.E., 0=6097

Vick,G.L. See Hollander,L.E.,Jr, 0=7949

Vickers,J.M.F. Heat transfer coefficients between fluid jets and normal surfaces. Behaviour of laminar impacted jets, 0=3670

Vickers,M.D. The calculation of the m.u.f. factor for a non-parabolic ionospheric layer, 0=15174

Vickers,M.D. The effect of the F1-layer on the calculation of the height of the F2-layer, 0=14247

Vickery,R.C. and Sexton,W.C. Simple transducer type magnetic balance, 0=12664

Vickery,R.C.,Sexton,W.C.,Novy,V. and Kleber,E.V. Magneto structural studies on gadolinium-iron alloys, 0=11824

Victorov,I.A. and Grigoryan,R.A. Quasi-Rayleigh waves in an elastic layer, 0=8732

Vidmar,M.I. See Muždeka,S.D., 0=19583

Vienet,R. The proton synchrotron "Saturne". Injector, 0=2412

Viénot,J.C. See Aebischer-Néoschil, 0=19370

Vigier,J.P. See de Broglie,L., 0=3442

Vigier,J.P. See Halbwachs,F., 0=6684

Vigier,J.P. See Halbwachs,F., 0=10551

Vigier,J.P. See Halbwachs,F., 0=12355

Vigier,J.P. See Halbwachs,F., 0=16578

Vigier,J.P. See Hillion,P., 0=10591

Vigier,J.P. See Hillion,P., 0=10592

Vigier,J.P. See Hillion,P., 0=11094

Vigier,J.P. See Hillion,P., 0=12842

Vigier,J.P. See Hillion,P., 0=15259

Vigier,J.P. See Hillion,P., 0=17238

Vigier,J.P. See Hillion,P., 0=18919

Vigier,J.P. See Takabayasi,T., 0=9303

Viglin,A.S. On the anisotropy constants of ferromagnetic cubic crystals, 0=13770

Vignudelli,A.Q. See Quareni,G., 0=7417

Vigone,M. See Garelli,C.M., 0=2591

Vigone,M. See Garelli,C.M., 0=13076

Vigone,M. See Garelli,C.M., 0=15447

Vigone,M. See Garelli,C.M., 0=20228

Vigoureux,P. Correction for size of cross-section of the secondary windings of mutual inductance standards of the Campbell type, 0=7048

Vigroux,E. Vertical distribution of atmospheric ozone from 9.6 μ band observations, 0=21323

Vigroux,E. Continuous emission spectra of the terrestrial atmosphere at 9.6μ , 0=21386

Vigutova,T.N. See Ugai,Ya.A., 0=7947

Vihinen,S. Experimental values for structure amplitudes of sodium chloride measured by a powder method, 0=18350

Vij,K.K. See Dasgupta,P., 0=17121

Vij,K.K. See Mitra,S.N., 0=14221

Viktor,S. See Budagov,Yu.A., 0=2532

Viktor,S. See Budagov,Yu.A., 0=9399

Viktor,S. See Budagov,Yu.A., 0=13017

Viktor,S. See Budagov,Yu.A., 0=13018

Vilcsek,E. See Wänke,H., 0=4884

Vilesov,F.I. and Terenin,A.N. Photoelectric emission from solid layers of organic dyes, 0=17028

Vilesov,F.I. and Terenin,A.N. Photoelectric emission from solid layers of pinacyanol and pinacryptol, 0=19718

Vilhonen,E. See Kantola,M., 0=15814

Villain,J. The structure of magnetic substances, 0=11796

Villain,J. See de Gennes,P.G., 0=11802

Villain,J. See Herpin,A., 0=1818

Villani,S. See Brigoli,B., 0=2721

Villeneuve,A.T. Orthogonality relationships for waveguides and cavities with inhomogeneous anisotropic media, 0=5414

Villers,G. Magnetic properties of a single crystal of magnetoplumbite, 0=6222

Villers,G.,Pauthenet,R. and Loriers,J. Magnetic properties of Al, Ga and Cr substituted garnet ferrites, 0=13827

Villers,G. See Berteaud,A.J., 0=13859

Villiers,J.W.L.De. See De Villiers,J.W.L.

Vinard,R. and de Lamotte,M. The proton synchrotron "Saturne". Supporting structure and foundation ring of the synchrotron magnet, 0=2412

Vincent,B.J. Stroboscopic radiography with a linear accelerator, 0=6958
Vincent,C.H. and King,W.G. A pulse to direct current voltage comparator, 0=20005
Vincent,C.H.,King,W.G. and Rowles,J.B. A modification of the nuclear resonance method for measurements of non-uniform magnetic fields, 0=19864
Vincent,D. See Lee,L.L.,Jr, 0=412
Vincent,D.G. See Andreae,J.H., 0=5010
Vincent,D.H. Measurement of the absolute activity of nuclides decaying by electron capture, 0=5674
Vincent,D.H. See Hanna,S.S., 0=5663
Vincent,D.H. See Hanna,S.S., 0=7463
Vincent,D.H. See Hanna,S.S., 0=11827
Vincent,D.H. See Perlow,G.J., 0=7466
Vincent-Geisse,J. and Lecomte,J. Recent measurements of optical constants in the infrared region, 0=14802
Vincent-Geisse,J. and Lecomte,J. Measurement of the refractive index of some liquids in the infrared by an interferometric method, 0=14803
Vine,J. Numerical investigation of a range of unipotential electron lenses, 0=17041
Vinen,W.F. Vortex lines in liquid helium II, 0=8874
Vines,R.G. The damping of water waves by surface films, 0=12411
Vines,R.G. Reducing evaporation with cetyl alcohol films: A new method of treating large water storages, 0=14890
Vinetskii,R.M. and Miselyuk,E.G. The determination of the concentration of impurities in germanium, 0=9963
Vinetskii,V.L. and Deigen,M.F. Influence of acoustic vibrations on the parameters of the impurity-absorption bands in crystals, 0=2944
Vineyard,G.H. Molecular distribution functions involving two times, 0=10651
Vineyard,G.H. Neutron scattering by fluids and the law of corresponding states, 0=14650
Vineyard,G.H. See Gibson,J.B., 0=20856
Vingiani,G.B. See Ricci,R.A., 0=17560
Vining,T.F. See Roever,W.L., 0=19262
Vinitsky,A.Kh.,Golyak,I.G.,Takibayev,Zh.S. and Chasnikov,I.Ya. Investigation of energy spectrum of particles produced in high-energy nuclear interactions, 0=9450
Vink,H. Osmotic measurements with solute-permeable membranes, 0=8659
Vink,H.J. See Kröger,F.A., 0=4295
Vinogradov,G.V.,Mamakov,A.A. and Pavlov,V.P. Flow of an anomalously viscous system under the action of two pure shears in mutually perpendicular directions, 0=916
Vinogradov,K.N. and Ul'yanov,G.K. Measurement of the velocity and attenuation of ultrasonic surface waves in hard materials, 0=8738
Vinogradova,L.M. See Pankratov,N.A., 0=12526
Vinogradov,S.I. See Bȳkov,V.N., 0=3041
Vinogradov,S.I. See Bȳkov,V.N., 0=12049
Vinogradova,A.K. and Ivantsov,L.M. Raster illuminating devices with cylindrical optical elements, 0=3615
Vinogradova,K.I.,Galavanov,V.V.,Nasledov,D.N. and Solov'yeva,L.I. Preparation of high purity indium antimonide single crystals by zone melting, 0=1669
Vinogradova,M.N.,Golikova,O.A.,Efimova,B.A.,Kutasov,V.A., Stavitskaya,T.S.,Stil'bans,L.S. and Sysoeva,L.M. A study of carrier scattering mechanisms in several semimetals, 0=6089
Vinogradova,M.N.,Golikova,O.A.,Mitrenin,B.P. and Stil'bans,L.S. The mechanism of carrier scattering in p-type germanium, 0=18019
Vinokur,M. See Lequeux,J., 0=826
Vinokurov,L.A. and Fok,M.V. The simultaneous action of light and electric fields on phosphors, 0=4428
Vinokurov,V.M. The nature of the magnetic properties of siderite, ankerite and rhodochrosite, 0=13729
Vinokurov,V.M.,Zaripov,M.M. and Yafaev,N.R. Fine structure in the paramagnetic resonance spectrum of natural sapphire, 0=11947
Vinti,J.P. New method of solution of unretarded satellite orbits, 0=3427
Violet,C.E. See Johnson,G.W., 0=10383
Violett,T. and Rense,W.A. Solar emission lines in the extreme ultraviolet, 0=10508
Vir,L. See Gill,P.S., 0=15482
Virgin,H.S. See Wakelin,J.H., 0=1918
Virkkunen,J. Neutron thermalization: Space—energy distribution in heavy media with constant cross-sections, 0=1453
Virkkunen,J. Neutron thermalization: Asymptotic spectrum and diffusion length in a heavy gas with arbitrary absorption, 0=17344
Virkkunen,J. The heavy gas model in determination of diffusion cooling coefficients, 0=17345
Viryasov,N.M.,Vovenko,A.S.,Vorob'ev,G.G.,Kirillov,A.D., Kim Khi In,Kulakov,B.A.,Lubimov,A.L.,Matulenko,Yu.A., Savin,I.A.,Smirnov,E.V.,Strunov,L. and Chuvilo,I.V. A 2.8 BeV/c momentum antiproton channel, 0=9364
Viryasov,N.M. See Van Gan-Chan [Pang Kang-Chang], 0=15455
Vishki,T. See Bogachev,N.P., 0=9619
Vishnevskaya,G.P. See Tishkov,P.G., 0=8670
Vishnevskii,M.E. See Lyubimov,V.A., 0=2649
Vishnevskii,V.N. and Romanyuk,N.A. A monochromator with an ammonium dihydrogen phosphate prism, 0=16863
Vishnevsky,M.E.,Lyubimov,V.A.,Tretyakov,E.F. and Grishuk,G.I. Investigation of polarization of internal conversion electrons emitted after β-decay in heavy elements, 0=17545
Vishnevsky,M.E.,Lyubimov,V.A.,Tret'yakov,E.F. and Grishuk,G.I. Investigation of polarization of the internal-conversion electrons in transitions following β^--decay of heavy elements, 0=20399
Vishnyakov,V.V. See Vasilevskii,I.M., 0=9416
Vishnyakov,V.V. See Vasilevskii,I.M., 0=11210
Visscher,W.M. Neutrino detection by resonance absorption in crystals at low temperatures, 0=3954
Visscher,W.M. Study of lattice by resonance absorption of nuclear gamma rays, 0=7842
Visvanathan,S. Free carrier absorption due to polar modes in the III–V compound semiconductors, 0=18010
Visvanathan,S. Free carrier absorption arising from impurities in semiconductors, 0=18011
Visvanathan,S. and Sanghi,I. Relationship between heat conductivity, molecular weight, and freezing point of liquids, 0=5015
Viswamitra,M.A. and Ramaseshan,S. Simple device for growing crystals at low temperatures in X-ray cameras, 0=8165
Viswanathan,K.S. The Dirac equation for many-electron systems, 0=15269
Vitale,B. See Amati,D., 0=370
Vitale,B. See Amati,D., 0=15341
Vitkevich,V.V. The solar supercorona from the observations of 1951-1958, 0=18754
Vitkevich,V.V.,Gorelova,M.V. and Lozinskaya,T.A. The spectrum of peaks in solar radio emission, 0=18641
Vitkevich,V.V. and Kokurin,Yu.L. The investigation of winds and irregularities in the ionosphere by radio-astronomical methods, 0=21347
Vitkevich,V.V.,Kuz'min,A.D.,Salomonovich,A.E. and Udal'tsov,V.A. Radio picture of the sun at 3.2 cm wavelength, 0=18637
Vitkevich,V.V.,Kuz'min,A.D.,Sorochenko,R.L. and Udal'tsov,V.A. Radioastronomical observations of the second Soviet cosmic rocket, 0=16557
Vitkevich,V.V. and Panovkin,B.N. The structure of the non-uniformities of the solar supercorona, 0=18752
Vitousek,M.J. See Mason,R.G., 0=4771
Vitovskii,B.V. See Belyaev,L.M., 0=16270
Vitrikhovskii,N.I. and Mizetskaya,I.B. The preparation of mixed CdS—CdTe monocrystals and some of their characteristics, 0=621
Vitrikhovskii,N.I. and Mizetskaya,I.B. Preparation of mixed CdS.CdSe monocrystals from vapour phase and some of their properties, 0=7957
Vivargent,M. Focusing and analysis of the beam of the cyclotron at the Collège de France. Application of the analysed beam of α-particles for the Coulomb excitation of heavy nuclei, 0=3821
Vivargent,M. Convergence of magnetic sectors with shaped edges, 0=9102
Vivian,W.E. Transport of noise at microwave frequencies through a space-charged-limited diode, 0=10945
Vladimirov,L.A. See Al'tshuler,L.V., 0=11974
Vladimirov,V.I. A theory of the coalescence of excess vacancies on cooling a solid, 0=6046
Vladimirov,V.I. See Gurevich,L.É., 0=21136
Vladimirov,V.V. See Glauberman,A.E., 0=11603

Vladimirova,V.I.,Enikiev,E.Kh.,Zhabrova,G.M. and Margolis,L.Ya. The relationship between electrical conductivity and work function of modified zinc oxide, 0=11718

Vladimirskii,V.V. Optical methods of observing the ionization along fast particle tracks, 0=1231

Vladimirskii,V.V. See Trebukhovskii,Yu.V., 0=11175

Vladimirsky,V.V.,Panov,A.A.,Radkevich,I.A. and Sokolovsky,V.V. The interaction of slow neutrons with nuclei (review), 0=15595

Vladimirsky,V.V. See Radkevich,I.A., 0=5799

Vladimirsky,V.V. See Sokolovsky,V.V., 0=7647

Vlasenko,N.A. Investigation of the fundamental absorption spectrum of zinc sulphide, 0=10048

Vlasenko,N.A. The effect of temperature on photoluminescence of the sublimated phosphor ZnS:Mn, 0=16094

Vlasenko,N.A. The effect of temperature on electroluminescence of a sublimated phosphor ZnS:Mn, 0=16115

Vlasenko,N.A. and Popkov,Yu.A. Investigation of electroluminescence of the sublimated ZnS:Mn phosphor, 0=11792

Vlasov,A.D. Alternating-gradient focusing in linear accelerators, 0=5366

Vlasov,K.B. Rotation of the plane of polarization of elastic waves by magnetically polarized metals, 0=8057

Vlasov,K.B. and Ishmukhametov,B.Kh. On the rotation of the plane of polarization of elastic waves in a magnetically polarized medium, 0=10712

Vlasov,K.B. and Ishmukhametov,B.Kh. Rotation of the plane of polarization of elastic waves in magnetically polarized magneto-elastic media, 0=10713

Vlasov,K.B. State equations defining the magneto-elastic properties of ferromagnetic single crystals, 0=11871

Vlasov,N.A.,Kalinin,S.P.,Ogloblin,A.A. and Chuev,V.I. The (d,t) reaction on C^{12}, F^{19} and Al^{27} nuclei, 0=9638

Vlasov,N.A.,Kalinin,S.P.,Ogloblin,A.A. and Chuev,V.I. The (d,t) reactions in medium and heavy nuclei, 0=9639

Vlasov,N.A. and Ogloblin,A.A. (d,t) reactions on Li^6, Li^7 and Be^9 nuclei, 0=9640

Vlasov,N.A. See Artemov,K.F., 0=9362

Vlasov,N.A. See Bogdanov,G.F., 0=7551

Vlček,A.A. Relations between the polarographic half-wave potentials and optical properties of some inorganic complexes, 0=21280

Vlieger,J.,Mazur,P. and de Groot,S.R. Relations between path integrals and the variational principles of Hamilton, 0=8553

Vlokh,O.G. See Zheludev,I.S., 0=20973

Vlugt,N.J.van der. See van der Vlugt,N.J.

Vo-Dinh,M. See Baudin,G., 0=10378

Vo-Xuan,B. See Marin,P., 0=14983

Vodakov,Yu.A.,Lomakina,G.A.,Naumov,G.P. and Maslakovets,Yu.P. Investigation of surface layers on cadmium telluride crystals, 0=7937

Vodakov,Yu.A.,Lomakina,G.A.,Naumov,G.P. and Maslakovets,Yu.P. A cadmium telluride photoelement with a p—n junction, 0=11723

Vodakov,Yu.A.,Lomakina,G.A.,Naumov,G.P. and Maslakovets,Yu.P. Properties of p—n junctions in cadmium telluride photocells, 0=15948

Vodar,B. See Balloffet,G., 0=16397

Vodar,B. See Oksengorn,B., 0=20632

Vodar,B. See Susse,C., 0=18237

Vodar,B. See Turrell,G.C., 0=17749

Vodička,V. Steady temperature field in a semi-infinite composite plate, 0=6974

Vodička,V. A class of inhomogeneous Bessel equations, 0=14366

Vodička,V. Elementary solution of some plate problems, 0=14558

Vodička,V. Circular cylinder under periodic fluctuations of temperature, 0=14866

Vodička,V. Laminated circular cylinder in a field of periodic temperature variations, 0=19472

Vodicka,V. Stationary temperature distribution in the wall of a multilayered tube, 0=19473

Vodopyanov,F.A. See Veksler,V.I., 0=5369

Vodop'yanov,L.K. See Skanavi,G.I., 0=16006

Voeks,J.F. and Crane,R.A. Dilatometers for highly viscous systems: recording and non-recording instruments, 0=207

Voelker,W.H. See Proctor,D.G., 0=9659

Voevodskii,V.V. See Tikhomirova,N.N., 0=10213

Vogel,A. Contribution to exo-electron emission from crystals and metals, 0=2383

Vogel,L. See Pecker,J.C., 0=14415

Vogel,S. Guide rods for the measurement of flexural waves, 0=19249

Vogel,S. See Meyer,E., 0=17099

Vogel,T. Hereditary dynamic systems, 0=10627

Vogel,T. See Laville,G., 0=6871

Vogelsang,S. See Jahn,G., 0=6504

Vogler,G. The influence of addition of radioactive substances to aerosols on the emission effect in the measurement of the elastic conductivity of air, 0=6840

Vogt,E. Low-energy neutron cross sections of fissionable nuclei, 0=9706

Vogt,E. and McManus,H. "Molecular" states formed by two carbon nuclei, 0=13252

Vogt,E. See Burger,J.P., 0=1775

Vogt,E. See Dyson,P.M., 0=1451

Vogt,E. See Henning,W., 0=13764

Vogt,E. See Lingelbach,R., 0=16125

Vogt,G.S. See George,L.A.,II, 0=7487

Vogt,O. See Busch,G., 0=18022

Voigtlaender-Tetzner,G. See Hosemann,R., 0=4603

Voishvillo,N.A. See Andreev,N.S., 0=16040

Voisin,J. The interpretation of high-order polarizations, 0=7198

Voit,E. See Bodmann,H.W., 0=14356

Voit,S.S. Propagation of tidal waves on the surface of a rotating liquid in presence of boundaries, 0=923

Voitenko,R.M.,Dunayeva,T.N. and Kolenko,E.A. Volatilization of silicon without the use of a crucible, 0=8284

Voitsekhovskii,B.V. Stationary detonation, 0=6398

Vojinović,M.M. Fatigue of photomultipliers in scintillation counters, 0=17152

Vojinović,M.M. Increased sensitivity of trigger circuits, 0=17194

Vojta,G. The entropy of spin systems in nuclear magnetic resonance. I, 0=12670

Vokes,J.C. See Bierrum,N.R., 0=12592

Volarovich,M.P.,Parkhomenko,É.I. and Sobolev,G.A. Investigation of the piezoelectric effect in quartz-containing rocks under field conditions, 0=2928

Volchek,B.Z. Investigation of swelling of caprone using polarized infrared light, 0=1885

Voldaykina,K.G. See Cherkasov,A.S., 0=9235

Vol'f,Yu. Dispersion relations for inelastic processes involving K-mesons, 0=9429

Volinez,G. See Meiron,J., 0=3600

Volk,H. and Halsey,G.D.,Jr. Solubility of hydrogen and deuterium in liquid argon, 0=19118

Vol'kenshtein,M.V. and El'yashevich,A.M. Effect of solvent and of the specific nature of the addition of nucleotides on the reduplication of desoxyribonucleic acid, 0=15794

Vol'kenshtein,M.V. and El'yashevich,A.M. The model thermodynamic theory of deoxyribonucleic acid polycondensation, 0=21276

Vol'kenshtein,M.V. and Ptitsÿn,O.B. Internal rotation in polymer chains and their physical properties. XV. The effect of internal and intermolecular interactions on extension of polymers, 0=17857

Vol'kenshtein,M.V. See Anufrieva,E.V., 0=4680

Vol'kenshtein,M.V. See Aslanyan,V.M., 0=3542

Vol'kenshtein,M.V. See Bazhenov,N.M., 0=5187

Vol'kenshtein,M.V. See Bolotina,I.A., 0=8258

Vol'kenshtein,M.V. See Volkova,L.A., 0=1913

Volkenshtein,N.V. and Fedorov,G.V. Temperature dependence of the Hall effect in pure ferromagnetics, 0=6075

Volkenshtein,N.V. and Fedorov,G.C. Temperature dependence of the Hall effect in the Ni_3Mn alloy, 0=18398

Volkenshtein,N.V. and Tsiovkin,Yu.N. The temperature dependence of the specific heat of disordered Ni_3Mn alloy, 0=17890

Volkenshtein,N.V. and Turchinskaya,M.I. The anisotropy of magnetization of the unordered alloy Ni_3Mn at helium temperatures, 0=13774

Volkenshtein,N.V.,Turchinskaya,M.I. and Galoshina,É.V. Peculiarities of magnetization of disordered Ni_3Mn alloy at low temperatures, 0=3017

Volkenshtein,N.V. See Komar,A.P., 0=1619

Volkin,H.G. Slow-neutron scattering by rotators. II, 0=5780

Volkonskaya,T.G.,Ivanenko,I.P. and Timofeev,G.A. Influence of multiple scattering on the development of high-energy electron—photon cascades in lead, 0=1328

Volkov,D.I. See Cecernikov,V.I., 0=13757

Volkov,D.V. The possibility of distinguishing the masses of relativistic charged particles with the help of travelling waves in a waveguide, 0=319
Volkov,D.V. The quantization of half-integer spin fields, 0=9255
Volkov,D.V. S-matrix in the generalized quantization method, 0=9256
Volkov,D.V. and Peletminskii,S.V. Lagrangian formalism for spin variables, 0=10601
Volkov,I.V.,Esipov,V.F. and Shcheglov,P.V. Utilization of the principle of contact photography in the study of feeble light fluxes, 0=6957
Volkov,T.F. Ion oscillations in a plasma, 0=9049
Volkov,V.V.,Guseva,L.I.,Myasoedov,B.F.,Tarantin,N.I. and Filippova,K.V. Production cross-section of Fm^{250} in the reactions $Pu^{241}(C^{13},4n)Fm^{250}$ and $U^{238}(O^{16},4n)Fm^{250}$, 0=9649
Volkov,V.V. See Flevov,G.N., 0=7497
Volkova,E.A. See Novikova,G.I., 0=11338
Volkova,L.A. and Vol'kenshtein,M.V. X-ray investigation of swelling in crude rubber, 0=1913
Volkova,L.A. See Bazhenov,N.M., 0=5187
Volkova,L.M. Effective cross-sections of excitation of potassium spectral lines, 0=1478
Volkova,L.M. The effective excitation cross-sections of certain potassium and argon lines, 0=11487
Volkova,L.V. and Denisov,F.P. Recoil range of Na^{24} and the mechanism of Al^{27} (p,3pn), Si^{28}(p,4pn), and P^{31}(p,5p3n) for 660 MeV protons, 0=1402
Volkova,L.M. and Devyatov,A.M. Effective excitation cross-sections of certain spectral lines of argon, 0=9759
Volkovyskii,R.Yu. Circular polarization of internal γ-bremsstrahlung in β-decay and time-reversal invariance, 0=2651
Volland,H. The fine structure of the geomagnetic solar eclipse effect, 0=1991
Volland,H. and Taubenheim,J. On the ionospheric current system of the geomagnetic solar flare effect (s.f.e.), 0=2005
Volokobinskaya,N.I.,Galavanov,V.V. and Nasledov,D.N. Electric and galvanomagnetic properties of high-purity InSb, 0=609
Volokobinskaya,N.I.,Galavanov,V.V. and Nasledov,D.N. Electrical and magnetoelectric properties of p-type indium antimonide, 0=15957
Voloshinskii,A.N. The application of Green functions to the quantum theory of the electrical conductivity of metals, 0=2840
Volosok,V.I. One type of relaxation oscillation in an electron beam, 0=1158
Volosov,V.I. and Chirikov,B.V. On the theory of the skin effect in a transition region, 0=13576
Volotskaya,V.G. See Borovik,E.S., 0=9945
Volotskaya,V.G. See Borovik,E.S., 0=11661
Volpe,J.J.,Smith,G.G.,Klein,D.,Frantz,F.S. and Andrews,J.C. Two region studies in slightly enriched water-moderated uranium and uranium dioxide lattices, 0=13344
Volpi,G.G. See Cimino,A., 0=16372
Volpi,G.G. See Giardini-Guidoni,A., 0=19627
Volynskii,V.Kh. See Daion,M.I., 0=12805
v.Ardenne,M. Advances in the mass spectrography of polyatomic molecules by electron capture, 0=2325
von Ardenne,M. Note on: use of a platinum filament in the electron microscope, by Francis W.Bishop, 0=15079
von Baeyer,H.C. See Callaway,J., 0=20795
Von Ballmoos,F. Investigations on superconducting single layer coils and on hollow cylinders with a circular current [load], 0=5238
Von Behr,J. and Marschall,H. Depolarization of μ-mesons on Auger-capture in hydrogen, 0=5580
von Behr,J. See Cerulus,F., 0=15416
von Behr,J. See Cerulus,F., 0=20216
v.Békésy,G. Neural inhibitory units of the eye and skin. Quantitative description of contrast phenomena, 0=18566
Vonbun,F.O. Fused silica cavity for a maser oscillator, 0=19922
Von Dardel,G.F. The Cern Symposium 1956. II, 0=19812
von Dardel,G.[Ed.]. Cern meeting on nucleonic instrumentation for high energy physics, 0=19962
v.d.Decken,C.V. See Schulten,R., 0=5821
v.d.Pauw,L.J. An analysis of the circuit of Dauphinee and Mooser for measuring resistivity and Hall constant, 0=19587
v.d.Steeg,M.G. See Koch,A.J.J., 0=10135
von Diestel,H.G. Measurements on electromechanical transducers, 0=5089
von Ehrenstein,D.,Fricke,G. and Pietsch,P. Construction of a magnetic atomic beam resonance apparatus, 0=288
v.Ehrenstein,D.,Fricke,G. and Pietsch,P. Design of a magnetic atomic beam resonance apparatus, 0=15671
von Engel,A. and Arnold,K.W. Stepwise ablation and heat transfer in cold-cathode arcs, 0=19645
von Engel,A. See Sakuntala,M., 0=12586
von Engel,A. See Sakuntala,M., 0=20646
v.Engelhardt,W. and Sell,P.J. Interfacial energy and specific adsorption of crystal surfaces, 0=9838
v.Ehrenstein,D.,Kopfermann,H. and Penselin,S. Measurement of the hyperfine structure splitting of the $^4F_{9/2}$ ground state in the Co^{59} I spectrum and determination of the quadrupole moment of the Co^{59} nucleus, 0=13121
Vong,T.S. See Levengood,W.C., 0=1924
Vong,T.S. See Levengood,W.C., 0=13541
von Gehlen,G. Pion production in muon—nucleon collisions, 0=13041
v.Gelder,Z. See Ahsmann,G.J.M., 0=19633
v.Haeseler,R. See Hofmeister,H.K., 0=14893
von Hoene,J. and Hickam,W.M. Electron attachment in $C_8F_{16}O$. 0=5273
von Hoerner,S. The numerical integration of n-body problem
v.Hoerner,S. See Temesváry,S., 0=2075
Von Issendorff,H. See Bienlein,H., 0=17306
Vonk,C.G. Effect of a second crystalline modification in polyethylene on X-ray crystallinity measurements, 0=18371
Vonk,C.G. and Wiebenga,E.H. The crystal structure of $ISbCl_8$ and $IAlCl_6$, 0=4642
von Karman,T. Magnetofluidmechanics. Some comments in memory of Donat Banki, 0=5380
v.Koch,C. and Glemser,O. The effect of moderately fast electrons on several metal oxides, 0=1162
von Klüber,H. Intensities, polarization and electron density of the solar corona from photographs taken at the solar eclipse of 1952, February 25, 0=18755
v.Konow,R. The thunder-storm as a chemical phenomenon, 0=18526
v.Krzywoblocki,M.Z. and Bergonz,F.H. On some problems of heat transfer in free molecule flow, 0=203
v.Krzywoblocki,M.Z. and Nutant,J. On the similarity rule in magneto-gas-dynamics, 0=5382
v.Krzywoblocki,M.Z. See Pottsepp,L., 0=4977
v.Krzywoblocki,M.Z. See Pottsepp,L., 0=12395
von Laue,M. Fields of X-ray waves in crystals, 0=6351
von Lindern,L. See K^--collaboration, 0=1308
v.Minnigerode,G. See Buckel,W., 0=16955
Vonnegut,B. and McCaig,D.A. Airplane instrument for measurement and vectorial presentation of electrical potential gradient, 0=16492
Vonnegut,B. See Brook,M., 0=14308
Vonnegut,B. See Moore,C.B., 0=16485
Vonnegut,B. See Scatchard,G., 0=19506
v.Ossowski,H. See Just,K., 0=2116
Von Plinsky,F.O. See Prus,L.G., 0=14057
von Roos,O. Collision-induced spin flip of hydrogen atoms, 0=473
Von Roos,O. Liouville's equation for a weakly interacting gas possessing internal degrees of freedom, 0=3509
von Roos,O. Boltzmann—Vlasov equation for a quantum plasma, 0=15006
von Roos,O. Formal solution of Liouville's equation, 0=16620
von Roos,O. Solution of the collisionless Boltzmann equation using a diagram technique, 0=16621
von Schelling,H. In memoriam: Dean Farnsworth, Cdr, MSC, USNR. New derivation for the deuteranopic copoint, 0=12227
v.Schelling,H. The geometry of binocular vision, 0=18550
Vonsovskii,S.V.,Berdyshev,A.A.,Izyumov,Yu.A.,Karpenko,B.V. and Polyak,Yu.Ya. On the exchange interaction between the outer and inner electrons in the transition metals, 0=13750
Vonsovskii,S.V. and Giterman,M.Sh. Many-electron theory of ionic crystals, 0=20761
Vonsovskii,S.V. and Svirskii,M.S. On the superfluidity of a system of polar bose excitations, 0=10830
Vonsovskii,S.V. and Svirskii,M.S. The influence of exchange interaction on the transition temperature of superconductors, 0=12560
Vonsovskii,S.V. and Svirskii,M.S. Superconductivity of a ferromagnetic with weak exchange interaction, 0=19560
Vonsovskij,S.V. Research by Soviet physicists in the field of magnetism during recent years, 0=13741

Vonsovsky,S.V. and Turov,E.A. Some problems of phenomenologic theory of ferro- and antiferromagnetism, 0=2983
von Sydow,E. See Degerman,G., 0=18368
von Sydow,E. See Degerman,G., 0=18369
von Ubisch,H. The thermal conductivities of mixtures of rare gases at 29°C and at 520°C, 0=104
von Ubisch,H. See Mason,E.A., 0=10696
Von Voss,W.D. and Brotzen,F.R. Electron emission from plastically strained aluminum, 0=1143
v.Weyssenhoff,H. See Groth,W., 0=3318
Voorhies,H.G. and Scott,F.R. Anomalous precursor signals in helium shocks, 0=483
Vorob'ev,A.A. and Andreev,G.A. Determining the disintegration energy of solid dielectrics on breakdown, 0=16026
Vorob'ev,A.A. and Budÿlin,B.V. Spontaneous formation of colour centres in irradiated alkali halide crystals after annealing, 0=11629
Vorob'ev,A.A.,Ivanov,B.A.,Komar,A.P. and Korolev,V.A. The influence of the Ramsauer—Townsend effect upon electron mobility in spectrally pure argon, 0=8991
Vorob'ev,A.A.,Komar,A.P. and Korolev,V.A. Measurement of the relative intensity of transitions to the first excited state of the daughter nucleus in decay of U^{238} and U^{234}, 0=11348
Vorob'ev,A.A.,Komar,A.P. and Korol'ev,V.A. [Precise] measurement of the energy of α-particles from some emitters, 0=20374
Vorob'ev,A.A.,Komar,A.P.,Korolev,V.A. and Solyakin,G.E. Alpha spectrum of the natural samarium isotope mixture, 0=11345
Vorob'ev,A.A. and Vorob'ev,G.A. Investigation of the electric breakdown of rock salt containing color centres, 0=1710
Vorob'ev,A.A. and Vorob'ev,G.A. Pulse breakdown of solid dielectrics, 0=20964
Vorob'ev,A.A. See Bogachov,B.A., 0=15186
Vorob'ev,A.A. See Budÿlin,B.V., 0=18242
Vorob'ev,A.V.,Vorob'ev,G.A. and Mel'nikov,M.A. Propagation of a discharge in single crystals of NaCl and KCl, 0=19632
Vorob'ev,G.A. See Vorob'ev,A.A., 0=1710
Vorob'ev,G.A. See Vorob'ev,A.A., 0=20964
Vorob'ev,G.A. See Vorob'ev,A.V., 0=19632
Vorob'ev,G.G. New data on tectites, 0=3412
Vorob'ev,G.G. See Viryasov,N.M., 0=9364
Vorob'ev,M.G. See Dmitriev,A.B., 0=5443
Vorob'ev,Yu.A. Range of nitrogen and beryllium ions, 0=2327
Vorob'ev,Yu.V. Image defects of cathode electron lenses with violation of axial symmetry of the field, 0=10961
Vorobiev,V.N. See Zavoiskii,V.K., 0=10806
Vorona,J.,Olness,J.W.,Haeberli,W. and Lewis,H.W. Levels of P^{28} from $Si^{28}(p,p)Si^{28}$ and $Si^{28}(p,p')Si^{28*}$, 0=4032
Voronel',A.V. On the problem of a thermodynamic scale for high pressures, 0=16930
Voronel',A.V. The equation of the melting curve for normal and anomalous substances, 0=19504
Voronina,G.F. See Burshtein,R.Kh., 0=10368
Voronina,G.F. See Burshtein,R.Kh., 0=16395
Voronkov,A.A. The piezoelectric, elastic, and dielectric properties of crystals of $MgSO_4.7H_2O$, 0=11749
Voronkov,V.V. and Kolesnikov,N.N. Electron levels of atoms of super-heavy elements, 0=20537
Voronov,Yu.V. The ratio of intensities of the luminescence bands of ZnS:Mn and ZnS:Ag:Mn phosphors as a function of the intensity of electron or optical excitation, 0=21010
Voronova,A.A. and Vainshtein,B.K. An electron-diffraction study of $CuCl_2 \cdot 3Cu(OH)_2$, 0=14031
Vorontsov-Vel'yaminov,B.A. See Manova,G.A., 0=18727
Vorst,A. Van de. See Van de Vorst,A.
Vos,J.J. Some new aspects of color stereoscopy, 0=14354
Vosburgh,W.C. The manganese dioxide electrode, 0=4716
Voshage,H. and Hintenberger,H. Potassium as a reaction product of cosmic radiation in iron-meteorites, 0=4882
Voshage,H. and Hinterberger,H. Calculation of cosmic-ray ages in the iron meteorites "Carbo" and "Treysa", 0=8495
Voska,R. Making NaI:Tl crystals with holes, 0=16255
Vosko,S.H. See Kohn,W., 0=13891
Vosko,S.H. See Langer,J.S., 0=4275
Voskoboinikov,G.M. On the accuracy and the limits of applicability of thé diffusion approximation in problems concerned with the propagation of γ-rays, 0=20098
Voskoboinikov,I.M. and Apin,A.Ya. Temperature measurement of the front of detonation of explosives, 0=10814
Voss,R.G.P. See Astbury,A., 0=2687
Voss,W.D.Von. See Von Voss,W.D.
Vossos,P.H.,Jennings,L.D. and Rundle,R.E.. Structure and magnetic properties of $LiCuCl_3.2H_2O$, 0=12047
Voszka,R. See Tarján,I., 0=6142
Vot,M.V. See Andronik,I.K., 0=15946
Votava,E. and Berghezan,A. Appearance of dislocations in metal crystals on evaporation: Twinning dislocations and their relation to annealing twins in copper, 0=16278
Votruba,M. See Pernegr,J., 0=15480
Voutsas,A.M. Ultrasonic matterscope, 0=3590
Vovenko,A.S. See Virvasov,N.M., 0=9364
Vrana,I. See Van Gan-Chan [Pang Kang-Chang], 0=15455
Vrána,J. See Fenyves,E., 0=13096
Vratny,F. and Fischer,R.B. The effect of absorbance on Raman intensities in solids, 0=13687
Vrehoiu,C. See Vrezhoiu,K., 0=20096
Vrezhoiu,K. [Vrehoiu,C.] See Eftimiu,E., 0=20096
Vries,A.E.De. See De Vries,A.E.
Vrkljan,V. The analogue of Poynting's vector for the pseudoscalar meson, 0=9273
Vroelant,C. Contribution to the study of molecular wave functions, 0=1493
Vroelant,C. Contribution to the study of molecular wave functions, 0=11540
Vroomen,A.R.de. See de Vroomen,A.R.
Vrščaj,S. Nuclear magnetic resonance apparatus for the relative measurement of magnetic fields, 0=15104
Vrščaj,V. See Debevec,L., 0=12124
Vrščaj,V. See Furman,L., 0=12650
Vrublevskii,A. See Bunyatov,S.A., 0=2597
Vsekhsvyat-skii,S.K. On the nature of "synchronic" formations in comets' tails, 0=18723
Vu,H. See Turrell,G.C., 0=17749
Vu Hai. See Atwood,M., 0=15702
Vu Hai. See Hai Vu.
Vuccino,S. Some ideas on the theoretical interpretation of catalyzed nuclear reactions, 0=9608
Vuks,M.F. The components of the polarizability tensor of the double bonds C=C and C=O, 0=17799
Vuks,M.F. Comparison of the activation energy of molecular orientation with the activation energy of viscous flow, 0=19100
Vuks,M.F. See Atakhodzhaev,A.K., 0=3530
Vul,B.M. P—N junctions at low temperatures, 0=6099
Vul,B.M. and Shotov,A.P. Impact ionization in silicon p—n junctions, 0=15937
Vul,B.M. and Zavaritskaya,É.I. Capacitance of p—n junctions at low temperatures, 0=6100
Vul,B.M. See Basov,N.G., 0=11046
Vul,B.M. See Vavilov,V.S., 0=10867
Vuorinen,A.P.U. Effective background shield for low activity measurements, 0=11074
Vuylsteke,A.A. Maser states in ammonia — inversion, 0=488
Vuylsleke,A.A. See Donovan,R.E., 0=11041
Vvedenskaya,A.V. The displacement field during total rupture in an elastic medium, 0=699
Vyas,A. and Srivaštava,H.N. Dipole moments and relaxation times of some simple ketones, 0=20692
Vyatskin,A.Ya. On the theory of inelastic scattering of electrons in a solid body, 0=7871
Vyatskin,A.Ya. and Makhov,A.F. Absorption and range of electrons in a solid, 0=15082
Vzorov,I.K. See Azhgirey,L.S., 0=5742
Vzorov,I.K. See Azhgirei,L.S., 0=13231
Vysotskii,G.L. and Sitenko,A.G. The theory of direct nuclear reactions involving polarized particles, 0=9610

Waag,R.C. See Gartlein,C.W., 0=16468
Waard,H.de. See de Waard,H.
Waber,J.T.,Kline,M.R. and Johnson,L.K. Effect of alloying on the critical mass of a plutonium spherical fast reactor, 0=13328
Wachsmuth,H.,Boerboom,A.J.H. and Tasman,H.A. Calculation of the ion optical properties of inhomogeneous magnetic sector fields. II. The second order aberrations outside the median plane, 0=281
Wachsmuth,H.,Liebl,H. and Ewald,H. Double-focusing aberration-free mass spectrometer with particularly high resolving power and dispersion, 0=1169
Wachsmuth,H. See Boerboom,A.J.H., 0=285

Wachsmuth,H. See Liebl,H., 0=1170
Wachsmuth,H. See Tasman,H.A., 0=282
Wachsmuth,H. See Tasman,H.A., 0=5360
Wachspress,E.L. Thin regions in diffusion theory calculations, 0=12953
Wachtel,A. CaS:Su, Eu electroluminescent phosphors, 0=11791
Wachtel,A. ZnS:Cu, Cl and (Zn,Cd)S:Cu, Cl electroluminescent phosphors, 0=16110
Wachtel,A. (Zn,Hg)S and (Zn,Cd,Hg)S electroluminescent phosphors, 0=16114
Wachtel,M.M.Doughty,D.D.Goetze,G.Anderson,A.E. and Sternglass,E.J. Image intensification by transmission secondary electron emission, 0=10757
Wächter,M.H.,Ellett,W.H. and Brownell,G.L. Absorption of gamma radiation in NaI well crystals, 0=11133
Wachtman,J.B., Jr,Tefft,W.E.,Lam,D.G., Jr and Stinchfield,R.P. Elastic constants of synthetic single crystal corundum at room temperature, 0=13899
Wacks,M.E. and Dibeler,V.H. Electron impact studies of aromatic hydrocarbons. I. Benzene, naphthalene, anthracene and phenanthrene, 0=3738
Wada,G. See Dunn,D.A., 0=3801
Wada,H. See Yamanaka,C., 0=7065
Wada,M. See Kamiya,Y., 0=20280
Wada,M. See Kawabata,K., 0=15464
Wada,M. See Kodama,M., 0=15494
Wada,M. See Kodama,M., 0=20282
Wada,M. See Kondo,I., 0=11256
Wada,Y. On the mechanical loss of polyethylene, 0=1846
Wada,Y. and Fukuda,N. On the theory of superconductivity, 0=19548
Wada,Y.,Takano,F. and Fukuda,N. Exact treatment of Bardeen's theory of superconductivity in the strong coupling limit, 0=14925
Wada,Y. See Hisatsune,I.C., 0=17750
Wada,Y. See Kawai,M., 0=9664
Wada,Y. See Kukuda,N., 0=14926
Wada,Y. See Miyazima,T., 0=15509
Waddell,C.N. See Adelson,H.E., 0=2466
Waddell,C.N. See Jeong,T.H., 0=11165
Waddington,C.J. The study of cosmic ray variations with nuclear emulsions, 0=13092
Waddington,C.J. The determination of the flux of cosmic ray protons with nuclear emulsions, 0=20256
Waddington,C.J. The relative abundances of the heavy nuclei in the primary cosmic radiation, 0=20261
Waddington,F.B. See Baker,W.P., 0=5259
Wade,C.M. On the radio emission of hydrogen nebulae, 0=4862
Wade,C.M. The extended component of Centaurus A, 0=6563
Wade,C.M. The Eta Carinae nebula Centaurus A near 1400 Mc/s. II. Physical discussion of the Eta Carinae nebula, 0=8476
Wade,C.M. See Hindman,J.V., 0=4867
Wade,G. See Adler,R., 0=12637
Wade,J.W. Neutron age in mixtures of D_2O and H_2O, 0=12984
Wade,W.H. See Donovan,P.F., 0=13219
Wade,W.H. See Gonzalez-Vidal,J., 0=20425
Wade,W.H. See Harvey,B.G., 0=13220
Wadsworth,B.F. See Robertson,D.S., 0=2296
Wadsworth,M.E. See Gabrysh,A.F., 0=17979
Wadsworth,N.J. Vacuum fatigue-apparatus, 0=4566
Wadsworth,N.J. and Hutchings,J. The effect of atmospheric corrosion on metal fatigue, 0=702
Wageningen,R. van. See van Wageningen,R.
Waggoner,J.A. See Berkelman,K., 0=7410
Waggoner,J.H., Jr and Shaffer,W.H. The influence of virbation—rotation interaction on line intensities in the perpendicular and parallel infrared bands of the linear symmetric X—Y—X molecule, 0=7751
Wagner,B.C. See Chu,W.W.L., 0=3277
Wagner,C. Ion and electron conduction in silver bromide and deviations from the ideal stoichiometric composition, 0=4322
Wagner,C.A. See Balser,M., 0=12712
Wagner,H. See Hettner,G., 0=10901
Wagner,K. See Zeil,W., 0=5021
Wagner,M. See Stumpf,H., 0=6015
Wagner,P. and Coriell,S.R. On the high-temperature compatibility of cesium gas with some dielectrics, 0=2923
Wagner,P.E.,Castle,J.G.,Jr and Chester,P.F. Inversion by fast passage in a multilevel spin system, 0=18222
Wagner,P.E. See Castle,J.G.,Jr, 0=13878
Wagner,P.E. See Chester,P.F., 0=5434
Wagner,R. The influence of finely dispersed precipitates on the coercive force of transformer sheet, 0=18186
Wagner,R.J. Pulse height distribution of Čerenkov counters, 0=7246
Wagner,R.S. On the growth of germanium dendrites, 0=18321
Wagner,R.S. and Chalmers,B. Grain boundaries in germanium, 0=7898
Wagner,S. and Heitzmann,M. Resonance energies for proton capture. I. Magnesium, 0=4097
Wagner,S. and Heitzmann,M. Resonance energies for proton capture. II. Sodium, 0=11412
Wagoner,G. Spin resonance of charge carriers in graphite, 0=10240
Wahl,F. Classical, non-linear lattice statics of the edge dislocation. I. Theory, 0=1592
Wahl,F. Classical atomistic energy calculations for null- and one-dimensional lattice faults, 0=17921
Wahl,F. See Gross,H., 0=715
Wahl,H. Temperature and ignition capability of friction sparks in different gas mixtures, 0=7109
Wahl,J.J. See McCoyd,G.C., 0=13403
Wahl,P. Study of rotational Brownian movement of chain macromolecules, 0=18995
Wahl,R. See Apter,J., 0=19996
Wahlborn,S. See Blomqvist,J., 0=13103
Wahlgren,M.A. and Meinke,W.W. Isomerism of silver-108, 0=9568
Wahlin,H.B. and Mack,D.J. The escape of hydrogen from iron, 0=20723
Wahrhaftig,A.L. See Kropf,A., 0=3741
Wahsweiler,H.G. Development of optimum broadband omnidirectional aerials, 0=19937
Waidelich,W. See Bösnecker,D., 0=1547
Waidelich,W. See Bösnecker,D., 0=6415
Waidelich,W. See Peisl,H., 0=4611
Wainer,R. Nuclear isomerism and atomic spectra, 0=2733
Wainfan,N. and Parratt,L.G. X-ray reflection studies of the anneal and oxidation of some thin solid films, 0=14089
Wainwright,T.E. See Adler,B.J., 0=18993
Wait,J.R. Some solutions for electromagnetic problems involving spheroidal, spherical, and cylindrical bodies, 0=7021
Wait,J.R. On the electromagnetic response of a conducting sphere to a dipole field, 0=12694
Wait,J.R. Propagation of electromagnetic pulses in a homogeneous conducting earth, 0=12704
Wait,J.R. On the propagation of e.l.f. radio waves and the influence of a nonhomogeneous ionosphere, 0=12714
Wait,J.R. Mode theory and the propagation of e.l.f. [extremely low frequency] radio waves, 0=12715
Wait,J.R. On the theory of the slow-tail portion of atmospheric waveforms, 0=16489
Wait,J.R. and Conda,A.M. On the diffraction of electromagnetic pulses by curved conducting surfaces, 0=1206
Wait,J.R. and Conda,A.M. Diffraction of electromagnetic waves by smooth obstacles for grazing angles, 0=3858
Wait,J.R. See Jean,A.G., 0=14311
Wait,S.C., Jr. and Barnett,M.P. The calculation of the energy levels of nearly symmetric rotors, 0=5905
Waite,T.R. Bimolecular reaction rates in solids and liquids, 0=3301
Waite,T.R. Antiferromagnetic coupling and covalent bonding in almost totally ionic salts, 0=13843
Wajda,E.S.,Kippenhan,B.W. and White,W.H. Epitaxial growth of silicon, 0=18326
Wakabayashi,I. See Kirmser,P.G., 0=2091
Wakabayasi,H. See Sonoike,S., 0=20961
Wakasa,A. See Hori,S., 0=11190
Wakefield,J. See Bullough,R., 0=20826
Wakelin,J.H.,Virgin,H.S. and Crystal,E. Development and comparison of two X-ray methods for determining the crystallinity of cotton cellulose, 0=1918
Wakita,H. On the representations of field quantities, 0=12813
Wakita,H. On the representation of field quantities. II, 0=15229
Waku,S. See Toyoda,H., 0=20956
Wakuta,Y. See Seki,M., 0=19770
Walcott,C. See Littauer,R.M., 0=3362
Wald,G. Analysis of retinal function by a two-filter method, 0=12225
Waldman,M.H. See Schreiber,H.P., 0=8264

Waldmann,L. The force of a non-homogeneous gas on small suspended spheres, 0=955

Waldmann,L. Multiple scattering of polarized particles, 0=3930

Waldmann,L. Diffusion theory for polarized particles, 0=5524

Waldmeier,M. Radio heliograms and corona intensity, 0=2082

Waldmeier,M. Circulation and magnetic field of the solar polar zone, 0=6601

Waldmeier,M. Form and extension of the monochromatic corona, 0=12283

Waldmeier,M. The behaviour of the monochromatic corona in the 11-year cycle, 0=14437

Waldmeier,M. The structure of the active chromosphere, 0=16543

Waldmeier,M. A comparison between radioheliograms and optical observations of the solar corona, 0=18634

Waldner,M. and Sivo,L. Lifetime preservation in diffused silicon, 0=11700

Waldron,R.A. What is ferromagnetic resonance? 0=6249

Waldron,R.A. Resonant cavity methods of measuring ferrite properties, 0=8059

Waldron,R.A. Electromagnetic fields in ferrite ellipsoids, 0=8060

Waldron,R.A. See Clarricoats,P.J.B., 0=19926

Walecka,D. See Fubini,S., 0=1299

Walecka,J.D. The binding energy of Λ-particles in nuclear matter, 0=15506

Walecka,J.D. See Frautschi,S.C., 0=20198

Walen,R.J. Transformation of a first order focus into a second order focus in a homogeneous field magnetic spectrograph, 0=19785

Walen,R.J. and Bastin-Scoffier,G. The α-spectrum of Bi^{214} and remarks on some Bi α-emitters, 0=11340

Walen,R.J. and Bastin-Scoffier,G. α [-ray] fine structure of Bi^{210} (RaE), 0=20377

Walen,R.J. See Bastin-Scoffier,G., 0=9551

Wales,W. See Neugebauer,G., 0=15413

Wali,K.C. See Ernst,F.J., 0=12915

Wali,K.C. See Sawyer,R.F., 0=15424

Wali,K.C. See Sawyer,R.F., 0=20220

Walker,A.D.M. See Gledhill,J.A., 0=14248

Walker,C.B. and Marezio,M. Lattice parameters and zone overlap in solid solutions of lead in magnesium, 0=16315

Walker,C.T. See Morse,R.W., 0=13502

Walker,D.H. See Pearce,R.M., 0=13330

Walker,D.M.C. See King-Hele,D.G., 0=8372

Walker,D.M.C. See King-Hele,D.G., 0=14201

Walker,E.J. Simple mechanical pressure controller for liquid-helium cryostats, 0=112

Walker,E.J. and Fairbank,H.A. Thermal conductivity of isotopic mixtures of solid helium, 0=12549

Walker,E.J. and Fairbank,H.A. Thermal conductivity of solid He^3, 0=19545

Walker,G.F. See Mathieson,A.McL., 0=6362

Walker,J. See Dobrowolski,T., 0=14481

Walker,L.R. Antiferromagnetic linear chain, 0=3105

Walker,L.R. See Clogston,A.M., 0=6272

Walker,L.R. See Clogston,A.M., 0=13745

Walker,L.R. See Geschwind,S., 0=3119

Walker,L.R. See Geschwind,S., 0=13861

Walker,L.R. See Jaccarino,V., 0=13893

Walker,L.R. See Kunzler,J.E., 0=16143

Walker,L.R. See Pierce,J.R., 0=19916

Walker,L.R. See Suhl,H., 0=3703

Walker,R.E.,deHaas,N. and Westenberg,A.A. Measurements of multicomponent diffusion coefficients for the Co_2-He-N_2 system using the point source technique, 0=10688

Walker,R.E.,deHaas,N. and Westenberg,A.A. New method of measuring gas thermal conductivity, 0=12519

Walker,R.E. and Westenberg,A.A. Molecular diffusion studies in gases at high temperature. IV. Results and interpretation of the CO_2-O_2, CH_4-O_2, H_2-O_2, $CO-O_2$ and H_2O-O_2 systems, 0=3563

Walker,R.L. See Brody,H.M., 0=15439

Walker,R.L. See Neugebauer,G., 0=15413

Walker,R.M. See Corbett,J.W., 0=6066

Walker,T.G. and Morton,W.T. High energy photo-spallation leading to ^{18}F, 0=7595

Walker,W.D.,Davis,J. and Shephard,W.D. π-nucleon phase shifts in the energy range 350 to 600 MeV, 0=13022

Walker,W.D. See Ballam,J., 0=2576

Walker,W.H.,Westcott,C.H. and Alexander,T.K. Measurement of radiative capture resonance integrals in a thermal reactor spectrum, and the thermal cross section of Pu-240, 0=2683

Walker,W.W. See Brandt,W., 0=20115

Walkinshaw,W. See King,N.M., 0=19852

Walkley,J.,Glew,D.N. and Hildebrand,J.H. Relations between ultraviolet and visible absorption peaks of iodine solutions, 0=16705

Wall,F.T.,Cote,J.A. and Rucker,S.M. Ion binding by spherical polyelectrolyte molecules, 0=4181

Wall,N.S. See Cindro,N., 0=15575

Wall,N.S. See Crut,M., 0=2620

Wall,N.S. See Crut,M., 0=17606

Wall,N.S. See Hunting,C.E., 0=445

Wall,N.S. See Klein,P.R., 0=11426

Wallace,D.C. Specific heat of thorium at high temperatures, 0=17894

Wallace,D.C.,Sidles,P.H. and Danielson,G.C. Specific heat of high purity iron by a pulse heating method, 0=1558

Wallace,L. An analysis of a spectrogram of the aurora of 11 February 1958, in the wavelength range 3710-4420 Å, 0=14279

Wallace,L. Note on airglow temperature determinations from OH spectra, 0=14283

Wallace,L. Note on the spectrum of lightning in the region 3670 to 4280 A, 0=14307

Wallace,R. and Welch,J.A.,Jr. Beta spectra of the mirror nuclei, 0=7505

Wallace,R. See Hess,W.N., 0=1326

Wallace,R.L. See Batdorf,R.L., 0=11714

Wallace,W.E. See Wollam,J.S., 0=16126

Wallenmeyer,W.A. See Kerst,D.W., 0=19837

Waller,I. See Lundqvist,S.O., 0=4261

Wallerstein,G. and Westfall,J. A color-magnitude diagram of high velocity double stars, 0=14447

Wallin,L. Large deflections of non-linear elastic rectangular plates, 0=14559

Walline,R.E. See Ergun,S., 0=20992

Walling,J.C. and Bunn,P.B. The electronic specific heats of some nickel cobalt alloys, 0=4267

Wallingford,E. See Hedgcock,F.T., 0=6083

Wallingford,E.W. See Gaudet,G., 0=17999

Wallis,R.F. Theory of surface modes of vibration in two- and three-dimensional crystal lattices, 0=1553

Wallis,R.F. and Bowlden,H.J. Theory of the valence band structure of germanium in an external magnetic field, 0=9883

Wallis,R.F.,Herman,R. and Milnes,H.W. Energy levels of an electron in the field of a finite dipole, 0=5543

Wallis,R.F. See Gazis,D.C., 0=13907

Wallis,R.F. See Maradudin,A.A., 0=18122

Wallis,R.F. See Teitler,S., 0=16619

Walmsley,R.H. See Atkins,K.R., 0=9968

Walnut,T.H. Use of the self-consistent field in the treatment of the vibrations of crystals, 0=2781

Waloschek,P. See Alles-Borelli,V., 0=1303

Waloschek,P. See Bergia,S., 0=15402

Walrafen,G.E. A cube-root law for the activity coefficient quotient of the dissociation of HSO$_4^-$ ion, 0=18433

Walraven,P.L. and Bouman,M.A. Relation between directional sensitivity and spectral response curves in human cone vision, 0=14353

Walsh,A.D. See Lee,J., 0=497

Walsh,D. See Bierrum,N.R., 0=12592

Walsh,D. See Bierrum,N.R., 0=19647

Walsh,D. See Gaskell,C.S., 0=12656

Walsh,D. See Hazard,C., 0=18660

Walsh,D.J. See Batdorf,R.L., 0=11714

Walsh,J.B. and Mackenzie,A.C. Elastic-plastic torsion of a circumferentially notched bar, 0=12392

Walsh,P. and Borowitz,S. Application of wave functions containing interelectron coordinates. I. The ground-state energy of lithium, 0=1468

Walsh,P. and Borowitz,S. Application of wave functions containing interelectron coordinates. II. Approximate energy levels of atoms, 0=15645

Walsh,P.J. Effect of simultaneous Doppler and collision broadening and of hyperfine structure on the imprisonment of resonance radiation, 0=2729

Walsh,P.N. See Sommer,A., 0=14970

Walsh,P.N. See White,D., 0=4192

Walsh,P.N. See White,D., 0=4193

Walsh,W.M.,Jr. Pressure dependence of cubic crystalline field splittings of S-state ions, 0=18218
Walshaw,C.D. See Gebbie,H.A., 0=17748
Walt,M. See Day,R.B., 0=7605
Walt,M. See Vaughn,F.J., 0=9676
Walter,A.K. See Tutakin,P.M., 0=7567
Walter,F.J.,Dabbs,J.W.T. and Roberts,L.D. Large area germanium surface-barrier counters, 0=12725
Walter,J.L. A mechanism for secondary recrystallization in high-purity silicon iron, 0=16263
Walter,J.L. See Dunn,C.G., 0=3020
Walter,J.L. See Dunn,C.G., 0=8146
Walter,J.L. See Dunn,C.G., 0=18329
Walter,J.L. See Dunn,C.G., 0=20829
Walter,K. On the potentials of the free surfaces of close binary systems: (a critical supplement to the work of Z.Kopal: the classification of close binary systems. 0=18800
Walters,L.C. See Johler,J.R., 0=17122
Walters,S.T. See Morfee,R.G.S., 0=11582
Walters,T.J.,Webber,J.H.,Rasmussen,N.C. and Mark,H. Gamma rays following the decay of Nd^{147}, 0=7535
Waltner,A.W. and Leonard,B.E. Measurement of the spontaneous fission neutron yield of natural uranium, 0=20518
Walton,A.K. See Moss,T.S., 0=7872
Walton,A.K. See Moss,T.S., 0=18049
Walton,G.F. Calculation of the vertical distribution of atmospheric ozone, 0=14193
Walton,G.N. Fission recoil and its effect, 0=20509
Walton,R.B. See Allen,L.Jr, 0=10429
Waluga,T. See Hrynkiewicz,A.Z., 0=5036
Waluga,T. See Hrynkiewicz,A.Z., 0=5037
Walz,A. Compressible turbulent boundary layers with heat transfer and pressure gradient in flow direction, 0=3553
Walz,E. and Magun,S. Mechanical relaxation in mixed crystals of ice and NH$_4$F, 0=4565
Wandel,C.F.,Hesselberg Jensen,T. and Kofoed-Hansen,O. A compilation of some rates and cross sections of interest in controlled thermonuclear research, 0=17638
Wanders,G. On the problem of causality, 0=882
Wanders,G. Mandelstam representation for the ladder approximation of the Bethe-Salpeter formalism, 0=17255
Wanders-Vincenz,B. See Geneux,E., 0=2715
Wanders-Vincenz,B. See Geneux,E., 0=17683
Wang,F.B. See Whirry,W.L., 0=3862
Wang Hsi-fu. See Van Si-fu, 0=19424
Wang Kang-Ch'ang. See Van Gan-Chan.
Wang,K.H. See McIntyre,J.A., 0=7579
Wang Ling. See Van Lin, 0=13208
Wang,M.H. and Tsao,H.L. The binding energy of helium nucleus, 0=400
Wang,P. See Hu,N., 0=1314
Wang P'ei. See Van-Pei.
Wang Shou Feng. See Barashenkov,V.S., 0=4088
Wang Shu-Fen. See Van Shu-Fen, 0=3966
Wang,T.C. See Giordmaine,J.A., 0=7825
Wang Ts'u-Ts'eng. See Van Tsu-Tszen.
Wang Yung-yü. See Van Yun-yui, 0=20436
Wangsness,R.K. Ferrimagnetic resonance in three-sublattice systems, 0=16155
Wangsness,R.K. See Evett,A.A., 0=16580
Wanic,A. Scattering of slow neutrons by molecules of liquid water, ammonia and hydrogen sulfide, 0=15360
Wanic,A. See Budzanowski,A., 0=5912
Wänke,H. and König,H. A new method of potassium-argon activity age determination, and its application to meteorites, 0=5683
Wänke,H. and Vilcsek,E. Argon 39 produced by cosmic rays in iron meteorites, 0=4884
Wänke,H. See König,H., 0=4883
Wanlass,F.M. Automatic Q-meter peaking circuit, 0=5246
Wanmaker,W.L. and Bakker,C. Luminescence of copper-activated calcium and strontium orthophosphates, 0=4441
Wanmaker,W.L.,de Graaf,W.P. and Spier,H.L. Luminescence of Pb- and Pb—Mn-activated lanthanum silicates, 0=13710
Wanner,M. Adiabatic or isothermal equilibrium of a mixture of gases in a vessel of constant volume and exposed to external forces derived from a potential that is time independent, 0=16929
Wannier,G.H. Wave functions and effective Hamiltonian for Bloch electrons in an electric field, 0=4273
Wannier,G.H. See Chynoweth,A.G., 0=18048
Wansdronk,C. On the influence of the diffraction of sound waves around the human head on the characteristics of hearing aids, 0=1003
Wapstra,A.H. Energies of alpha-particles, 0=20376
Wapstra,A.H., See Everling,F., 0=9509
Wapstra,A.H. See Everling,F., 0=20570
Wapstra,A.H. See Hagedoorn,H.L., 0=5851
Wapstra,A.H. See Konijn,J., 0=13198
Wapstra,A.H. See van Lieshout,R., 0=15533
Wapstra,A.H. See van Oostrum,K.J., 0=7566
Warburton,A.E.A. See Taylor,J.G., 0=20068
Warburton,E.K. and Pinkston,W.T. Shell model assignments for the energy levels of C^{14} and N^{14}, 0=9531
Warburton,E.K. See Cohen,S.G., 0=1434
Ward,A. See Jack,W., 0=15600
Ward,A. See Jones,D.A., 0=16103
Ward,A. See Storey,R.S., 0=11446
Ward,A.L. See DeBitetto,D.J., 0=10886
Ward,B.W. and Lewis,T.J. A new statistical theory for the breakdown of liquid hydrocarbons, 0=12425
Ward,C.E. See Littmann,M.F., 0=3276
Ward,F.L. See Randall,K.E., 0=16812
Ward,F.W.Jr. The variance (power) spectra of C_i, K_p, and A_n, 0=16413
Ward,F.W.,Jr. See Shapiro,R., 0=12134
Ward,G.D. See Gallet,R.M., 0=10916
Ward,J.C. See Luttinger,J.M., 0=10607
Ward,J.C. See Montroll,E.W., 0=7303
Ward,L.W. See Grosch,C.E., 0=14603
Ward,R.B. See Grant,P.M., 0=5066
Ward,R.L. Electron spin resonance studies of the potassium salt of m-dinitrobenzene negative ion, 0=4219
Ward,R.L. Experimental flux pattern determination in magnetic cores, 0=11013
Ward,R.L. C^{13} hyperfine splitting in benzonitrile negative ion, 0=13448
Ward,R.L. See Sagnis,J.C.,Jr, 0=18197
Ward,S.G. See Eveson,G.F., 0=6731
Ward,S.G. See Oliver,D.R., 0=4987
Ward,W.D. Latent and residual effects in temporary threshold shift, 0=2047
Ward,W.D. Recovery from high values of temporary threshold shift, 0=6513
Ward,W.D.,Glorig,A. and Selters,W. Temporary threshold shift in a changing noise level, 0=3367
Ward,W.H. On the origin of terrestrial particles from solar flares, 0=6583
Ward,W.H. E-region winds, 0=18492
Ward,W.H. and Cheney,J.E. Oscillator measuring equipment for vibrating-wire gauges, 0=8583
Ward,W.H. See Mawdsley,J., 0=16458
Ward,W.S.P. See Fulton,B.J., 0=17118
Wardzyński,W. Investigation of infrared absorption in alkali halide crystals with anionic impurities, 0=6177
Wardzyński,W. and Giriat,W. Optical and photoelectric properties of thin CdSe layers, 0=18113
Ware,A.A. Sceptre IIIA, 0=5839
Ware,W.R. and Wiig,E.O. New neutron-deficient isotope of cerium, 0=4058
Warekois,E.P. Low-temperature X-ray diffraction studies on vanadium sesquioxide, 0=12046
Warekois,E.P.,Lavine,M.C. and Gatos,H.C. Damaged layers and crystalline perfection in the (111) surfaces of III-V intermetallic compounds, 0=13941
Warfield,G. See Goodman,A.M., 0=20941
Warick,C.S. See Wood,M.B., 0=6562
Wark,D.Q. Doppler widths of the atomic oxygen lines in the airglow, 0=8412
Warke,C.S. See Mehta,M.L., 0=4101
Warmoltz,N. and Bouwmeester,E. Metal vacuum equipment, 0=12437
Warncke,J. and Neuert,H. Differences in fluorescence decay in ZnS:Ag for particles of different ionization density, 0=6203
Warnecke,M. and Moutou,P.C. A miniature titanium pump, 0=14700
Warnecke,R.J. Study and realisation of a mass spectrometer of the omegatron type. Application to leak detection and gas analysis at low pressures, 0=283
Warnecke,R.J. Study and realization of a mass spectrometer of the omegatron type. Application to leak detection and gas analysis at low pressures, 0=15087
Warner,A.J. Digest of literature on dielectrics. Engineering applications, 0=2300

Warner,B. The emission spectrum of the night side of Venus, 0=18700
Warner,R.M.,Jr. See Lawrence,H., 0=11696
Warnock,R.L. Angular momentum expansions in relativistic field theory, 0=11103
Warren,B. See Bunker,M.E., 0=1380
Warren,B.E. Small angle intensities from double reflections in powder samples, 0=4618
Warren,E. See Fulton,B., 0=11059
Warren,E. See Hagg,E.L., 0=6459
Warren,J.B. See Hay,H.J., 0=453
Warren,J.L. and Ferrell,R.A. Nonlocal current—field relationship in metals, 0=6070
Warschauer,D.M. and Reynolds,D.C. Edge and impurity emission in cadmium sulfide, 0=658
Warschauer,D.M. and Reynolds,D.C. Mechanically-excited emission in cadmium sulfide, 0=16119
Warschauer,D.M. See Paul,W., 0=3386
Warsh,K.L. See Browne,C.P., 0=20378
Warter,P.J.,Jr. See Smith,W.M., 0=3379
Warter,P.J.,Jr. See Smith,W.M., 0=3380
Warwick,C. Green coronal line intensity and geomagnetism, 0=8503
Warwick,C.S. and Hansen,R.T. Geomagnetic activity following large solar flares, 0=6434
Warwick,J.W. Some remarks on the interaction of solar plasma and the geomagnetic field, 0=21316
Warwick,J.W. See Newkirk,G.A., 0=20279
Warwick,J.W. and Zirin,H. Diurnal absorption in the D-region, 0=765
Warwick,J.W. See Boischot,A., 0=6556
Warwick,J.W. See Boischot,A., 0=8474
Warzee,J. The distance and absorbing power of a dark nebula, 0=14453
Washburn,J.,Groves,G.W.,Kelly,A. and Williamson,G.K. Electron microscope observations of deformed magnesium oxide, 0=20823
Washburn,J.,Kelly,A. and Williamson,G.K. Direct observations of dislocations in magnesium oxide, 0=17930
Washburn,J. See Schultz,J.M., 0=17942
Washburn,J. See Vandervoort,R., 0=20810
Washer,F.E. and Darling,W.R. Evaluation of lens distortion by the inverse nodal slide, 0=3610
Washer,F.E. and Darling,W.R. Evaluation of lens distortion by the modified goniometric method, 0=3611
Washer,F.E. and Tayman,W.P. Variation of resolving power and type of test pattern, 0=19402
Washington,E.L. See Mangelsdorf,P.C.,Jr, 0=21223
Wasilewski,S. See Barrer,R.M., 0=18451
Wasiutynski,J. The dynamic constitution of the outer layer of the sun. I. Rotation, meridional currents, activity, 0=4887
Wasiutynski,J. The dynamic constitution of the outer layer of the sun. II. Diffusion and chemical stratification, 0=4888
Wasiutynski,J. The dynamic constitution of the outer layer of the sun. III. Recurrence of deep-seated convection and the ice ages, 0=4889
Wassef,E.G.T. Linearity of the relationship between the tristimulus values of corresponding colours seen under different conditions of chromatic adaptation, 0=18556
Wassenaar,T. See Michels,A., 0=6838
Wasserburg,G.J.,Fowler,W.A. and Hoyle,F. Duration of nucleosynthesis, 0=5684
Wasserman,E. Theory of the optical activity of bimesityl derivatives, 0=17843
Wasserman,H.H. See Saunders,M., 0=6276
Wasserman,R.H. Helical fluid flows, 0=3496
Wasson,J.T. Measurement of gamma and X-ray capture spectra of Sm and Gd, 0=11448
Watanabe,D. See Ogawa,S., 0=21235
Wataghin,G. Causality complementarity and S-matrix formalism in a non-local relativistic theory of fields, 0=5496
Wataghin,G. Causality in a non-local field theory and a covariant formulation of interaction between fields based on the introduction of a universal length, 0=20012
Wataghin,V. On the $\mu-e$ mass difference, 0=20174
Watanabe,H. Collective electron ferromagnetism. III. Relative magnetization of ferromagnetic alloys, 0=3013
Watanabe,H. On the ground level splitting of Mn^+ and Fe^{+++} in nearly cubic crystalline field, 0=11601
Watanabe,H. On the widths of forbidden bands of electronic states for one-dimensional periodic fields, 0=17914
Watanabe,H. See Ito,K., 0=7807
Watanabe,H. See Mikami,I., 0=21040
Watanabe,H. See Nakasima,R., 0=17590
Watanabe,H. See Ogawa,S., 0=21235
Watanabe,K. On the one-body propagator, 0=20028
Watanabe,R. and Koda,S. Crystallographic orientation of nodules formed by the grain boundary reaction of aluminium—zinc alloys, 0=1940
Watanabe,S. Low energy elastic scattering of nucleons by deuterons, 0=3965
Watanabe,S. and Abraham,C.T. Loss and recovery of information by coarse observation of stochastic chain, 0=18999
Watanabe,S. See Shibata,H., 0=14259
Watanabe,T. Morphology of the geomagnetic pulsation, 0=1994
Watanabe,T. Hydromagnetic oscillation of the outer ionosphere and geomagnetic pulsation, 0=1996
Watanabe,T. Solar spicules and heating of solar outer atmosphere, 0=18762
Watanabe,T. See Kato,Y., 0=1995
Watanabe,T. See Kido,K., 0=21027
Watanabe,T. See Kuwabara,G., 0=20937
Watanabe,T. See Narumi,H., 0=13071
Watanabe,T. See Narumi,H., 0=20331
Watanabe,T. See Narumi,H., 0=20332
Watanabe,T. See Okada,M., 0=1860
Watanabe,Y. See Koh,Y., 0=9590
Watanabe,Y. See Nishiyama,T., 0=11467
Watanake,H. Proposal for an electron spin resonance experiment of S-state ions under high hydrostatic pressure, 0=11944
Watari,W. Neutron—proton scattering and pion theory of nuclear forces, 0=12930
Watari,W. See Hamada,T., 0=20072
Watari,W. See Hamada,T., 0=20126
Watari,W. See Iwadare,J., 0=5625
Watari,W. See Kajikawa,R., 0=9626
Watari,W. See Otsuki,S., 0=12872
Watari,W. See Suekane,S., 0=13106
Watari,W. See Takagi,S., 0=20312
Watari,W. See Takagi,S., 0=20341
Watase,T. See Kasai,N., 0=8330
Watase,Y.,Mitani,S.,Suga,K. and Tanaka,Y. On the production of mesons in hydrogen and carbon above 10 GeV. II, 0=13038
Watase,Y. See Fukui,S., 0=13012
Waterman,P.C. See Stern,S.A., 0=16726
Waters,D.G. See Jones,W.M., 0=20143
Waters,J.R. See Bird,J.R., 0=4079
Waters,N.E. See Kinloch,C.D., 0=8584
Waters,W.E. Electron sheet beam focusing with tape ladder lines, 0=19743
Waterstrat,R.M. See Rajan,N.S., 0=7910
Watkins,C.D. The height and geometry of auroral radio echoes, 0=18508
Watkins,C.D. See Bullough,K., 0=797
Watkins,C.D. See Greenhow,J.S., 0=16466
Watson,D.K. See Newkirk,G.A., 0=4897
Watson,J. Three-dimensional disturbances in flow between parallel planes, 0=8610
Watson,J.H.L. See Freeman,M.W., 0=12214
Watson,K.M. Quantum mechanical transport theory. I. Incoherent processes, 0=9298
Watson,K.M.,Bludman,S.A. and Rosenbluth,M.N. Statistical mechanics of relativistic streams. I., 0=17003
Watson,K.M. See Bludman,S.A., 0=17004
Watson,K.M. See Fowler,T.K., 0=4085
Watson,K.M. See Glassgold,A.E., 0=890
Watson,K.M. See Glassgold,A.E., 0=18984
Watson,K.M. See Lippmann,B.A., 0=2724
Watson,K.M. See Mittleman,M.H., 0=12906
Watson,M.T. See Fitzgerald,E.R., 0=8110
Watson,P.K. and Sharbaugh,A.H. High-field conduction currents in liquid n-hexane under microsecond pulse conditions, 0=12418
Watson,P.K. See Sharbaugh,A.H., 0=6800
Watson,R.A. Magnetic activity following a solar flare, 0=755
Watson,R.B. Acoustical features of the addition to the Physics Building at the University of Texas, 0=14776
Watson,R.E. Hartree—Fock calculations for Mn^{++} in cubic fields, 0=4253
Watson,R.E. Approximate wave functions for atomic Be, 0=13392

Watson,R.E. Iron series Hartree–Fock calculations. 0=9737
Watson,R.E. Iron series Hartree–Fock calculations. II. 0=17657
Watson,R.E. and Freeman,A.J. Unrestricted Hartree–Fock method: electron densities and magnetic form factors for spin polarized Ni^{++}, 0=20769
Watson,R.E. and Freeman,A.J. Crystalline field and spin polarization effects on electron densities and magnetic form factors, 0=20770
Watson,R.E. See Freeman,A.J., 0=9886
Watson,R.E. See Freeman,A.J., 0=11801
Watson,R.E. See Freeman,A.J., 0=20720
Watson,R.W. See Allison,F.E., 0=8581
Watson,W.K.R. A theory of ball lightning formation. 0=8422
Watson,W.K.R. See Kaus,P.E., 0=17871
Watson,W.K.R. See Norton,R.E., 0=3913
Watson,W.W. See Mann,D.P., 0=4126
Watson,W.W. See Saxena,S.C., 0=4160
Watt,A.D. and Maxwell,E.L. Measured electrical properties of snow and glacial ice, 0=12131
Watt,L.A.K. and Morrish,A.H. Comparison of the critical single domain size for Fe_3O_4 and γ-Fe_2O_3, 0=10149
Watteau,J.P. The realization of a strongly ionized plasma obtained by a combination of the pinch effect and a cusp-shaped magnetic field, 0=19672
Wattenberg,A. See Ozaki,S., 0=13292
Wattenberg,A. See Stein,P.C., 0=13260
Watts,B.N. See Shaw,D., 0=14086
Watts,J.M. Interpretation of some features of low-frequency ionograms, 0=12178
Watts,J.M. A further note on "sweepers". 0=16494
Watts,J.M. See Bateman,R., 0=9222
Watts,J.M. See Ellyett,C., 0=3351
Watts,T.L. See McIntyre,J.A., 0=2671
Watts,T.L. See McIntyre,J.A., 0=15584
Waugh,J.B.S. and Nicholson,R.W. Transistor amplifier for fast proportional counting, 0=19998
Waugh,J.S. and Dobbs,F.W. Strong coupling in nuclear resonance spectra. III. Systems containing many equivalent spins, 0=7802
Waugh,J.S.,Loehlin,J.H.,Cotton,F.A. and Shoemaker,D.P. Barrier to rotation about the metal-cyclopentadienyl bond, 0=5911
Waugh,J.S. See Fessenden,R.W., 0=1507
Waugh,J.S. See Klein,M.P., 0=2621
Wauschkun,G. See Pupke,H., 0=3873
Wawner,F. See Krause,B., 0=18358
Wawrzyniak,J. and Sujak,B. Photo-stimulated emission of exo-electrons from the surface layer of amphoteric metals reacting with concentrated sodium hydroxide or potassium hydroxide, 0=10937
Wayland,H. Photoelectric measurements on flow birefringence, 0=3655
Wayland,H. Streaming birefringence of rigid macromolecules in general two-dimensional laminar flow, 0=16703
Wayland,H. and Badoz,J. Photoelectric determination of the position of the neutral lines of a weakly birefringent medium, 0=5186
Weaner,D.H. See Enge,H.A., 0=441
Weatherly,T.L. See Long,W.M., 0=15737
Weaver,C. and Hill,R.M. Intermetallic reactions and ageing effects in thin films, 0=10463
Weaver,C. and Hill,R.M. Adhesion of evaporated aluminium films with underlayers of nickel, cobalt and chromel, 0=16246
Weaver,C. and Hill,R.M. Ageing effects in bimetallic films, 0=21249
Weaver,C. See Benjamin,P., 0=4696
Weaver,C. See Benjamin,P., 0=8144
Weaver,C. See Benjamin,P., 0=8145
Weaver,C.W. and Gross,K.A. X-ray examination of brittle fractures in extruded chromium, 0=8130
Weaver,H.E. Dielectric properties of single crystals of $SrTiO_3$ at low temperatures, 0=11745
Weaver,J.T. and Skinner,R. A theory of ionospheric currents associated with aurorae. I, 0=16440
Weaver,J.T. and Skinner,R. A theory of ionospheric currents associated with aurorae. II, 0=16441
Webb,D.L. See Rose,P.H., 0=19830
Webb,F.H., Jr,Bingham,H.H. and Tollestrup,A.V. High-energy densities before dwell in electrically exploded wires, 0=10883
Webb,M.B. The structure of g.p. zones in Al(Ag) alloys, 0=18392
Webb,W.W. Dislocation structure and the formation and strength of sodium chloride whiskers, 0=1586
Webb,W.W. and Bertolone,N.P. Novel mechanism for mass transport during whisker growth — cesium chloride from aqueous films, 0=1887
Webb,W.W. See Allan,W.J., 0=18319
Webb,W.W., See Amelinckx,S., 0=13538
Webb,W.W. See Fourdeux,A., 0=7887
Webber,J.H. See Walters,T.J., 0=7535
Webber,R.T. See de Launay,J., 0=4317
Webber,R.T. See de Launay,J., 0=9940
Webber,W.R. and Quenby,J.J. On the derivation of cosmic ray specific yield functions, 0=20305
Webber,W.R. See McDonald,F.B., 0=15483
Webber,W.R. See Quenby,J.J., 0=15492
Weber,A. and McGinnis,E.A. The Raman spectrum of gaseous oxygen, 0=7763
Weber,D. Low-temperature, directional, spectral emissivity of translucent solids, 0=14874
Weber,E.H. See Berger,H., 0=9992
Weber,G. See Harting,D., 0=368
Weber,G. See Harting,D., 0=15419
Weber,J. Detection and generation of gravitational waves, 0=6655
Weber,J.H. See Ehrett,W.E., 0=1064
Weber,M. The wave-velocity function and its interpretation in the refraction seismic of a uniaxial inhomogeneous medium, 0=12128
Weber,M. The plane N-layer problem of the reflection seismic with constant wavefront velocity, arbitrary [discontinuity] inclines and arbitrary position of source, 0=14159
Weber,M.J. and Hahn,E.L. Selective spin excitation and relaxation in nuclear quadrupole resonance, 0=18233
Weber,M.J. See Rimai,L., 0=6269
Weber,R. See Genzel,L., 0=628
Weber,R. See Rupprecht,H., 0=20918
Weber,W. See Blamont,J.E., 0=4803
Weber,W.M. and Brinkman,H. The K absorption spectrum of gallium, 0=20733
Webre,N. See Levinger,J.S., 0=12886
Webster,H.C. A study of "spread-F" ionospheric echoes at night at Brisbane, 0=3864
Webster,J.W. See Barbieri,L.J., 0=13366
Webster,T.F. See Garland,G.D., 0=12132
Wechsler,M.S. On the theory of martensitic transformations the generalized lattice invariant shear and the degeneracy of solutions for the cubic to tetragonal transformation. 0=16313
Wechsler,M.S. and Kernohan,R.H. Lattice defects in a copper-aluminum alloy, 0=15837
Weekes,D.F. See Robinson,M.T., 0=13363
Weekes,K. On the interpretation of the Doppler effect from senders in an artificial satellite, 0=851
Weekes,K. See Aitchison,G.J., 0=8395
Weekes,K. See Aitchison,G.J., 0=8396
Weekley,B. See Wilcock,W.L., 0=7142
Weeks,R. See Teegarden,K., 0=2957
Weeks,R.W. and Nelson,C.M. Irradiation effects and short-range order in fused silica and quartz, 0=15876
Weertman,J. Possibility of the existence of attractive forces between dislocations of like sign, 0=15846
Weertman,J.R. See Rado,G.T., 0=11615
Wegener,H. Time reversal and polarization of RaE electrons, 0=2645
Wegener,H. Schrödinger equation in multiply connected spaces and phase optics, 0=15112
Wegener,H. See Bienlein,H., 0=17306
Wegener,H.A.R. Powder technique for the empirical determination of absorption corrections, 0=4616
Wegener,H.A.R. On the Taylor series approximation of ΔF, 0=8198
Wegener,P.P. and Mack,L.M. Comments on "Condensation in nozzles", 0=2269
Weger,M. Passage effects in paramagnetic resonance experiments, 0=15175
Weger,M. See Low,W., 0=10228
Weger,M. See Low,W., 0=10229
Weglein,R.D. See Knechtli,R.C., 0=13625
Wegmann,F. Investigations on arcs in new type of quenching chambers for rapid d.c. switching, 0=1110
Wegner,H.W. and Hall,W.S. Study of (He^3,d) and (He^3,t) reactions in light nuclei at 25 MeV, 0=15580

Wegner,U. A contribution to the stability criteria of elasticity theory, 0=4543
Wehlau,W. See Brannen,E., 0=10745
Wehner,G. Influence of the angle of incidence on sputtering yields, 0=1173
Wehner,G.K. and Rosenberg,D. Angular distribution of sputtered material, 0=1174
Wehner,G.K. Forces on ion-bombarded electrodes in a low-pressure plasma, 0=15086
Wehner,G.K. See Stuart,R.V., 0=12653
Wehrli,P. See Baldinger,E., 0=17192
Wei,Chau-Chin. Relativistic hydrodynamics for a charged nonviscous fluid, 0=9161
Wei,C.T. See Cheng,C.H., 0=17896
Weibel,E.S. Oscillations of a nonuniform plasma, 0=10927
Weichman,F.L. Photoconductivity of cuprous oxide in relation to its other semiconducting properties, 0=6138
Weidemann,W. See Du Plessis,I.D., 0=20007
Weidenhammer,F. Resonance investigations with unbalanced excitation, 0=985
Weidenmüller,H.A. A general formulation of the theory of surface reactions with application to the angular distribution of stripping reactions, 0=7570
Weidenmüller,H.A. Possibility of a test of the conserved vector current theory in the A = 8 polyad, 0=9581
Weider,B. See Gallet,R.M., 0=10916
Weidlich,W. On the interpretation of quantum mechanics, 0=18960
Weiffenbach,G.C. Measurement of the Doppler shift of radio transmissions from satellites, 0=14478
Weigang,O.E.,Jr. Spectral solvent shift. I. Paraffin hydrocarbon solvent interactions with polynuclear hydrocarbons, 0=16707
Weik,H. and Henschke,E.B. Whisker growth from a double spiral source, 0=6334
Weil,D.J. See Prener,J.S., 0=2951
Weil,J.L. See Retz-Schmidt,T., 0=13241
Weil,J.W. See Crowther,R.L., 0=13354
Weil,L. Electromagnets, 0=9145
Weil,L. Magnetic studies at low temperature of Cu—Co: the effect of thermal and mechanical treatment on the precipitates, 0=13728
Weil,L. and Petit,P. Solubility of oxygen, nitrogen and argon in liquid hydrogen, 0=75
Weil,L. See Conte,R., 0=13811
Weil,L. See Doulat,J., 0=3706
Weil,R. and Paquin,R. The relationship between brightness and structure in electroplated nickel, 0=4393
Weil,R. See Nerurkar,N., 0=11258
Weill,A.R. The presence of dislocations in crystals, 0=20800
Weill,J. See Duchene,J., 0=3882
Weill,R. See Rüfenacht,J., 0=12787
Weimer,E.Q. See White,C.E., 0=8795
Weimer,P.K. See Gray,S., 0=3282
Weinberg,A.M. See Briant,R.C., 0=13311
Weinberg,F. See Fourie,J.T., 0=12090
Weinberg,F.J. and Wood,N.B. Interferometer based on four diffraction gratings, 0=3645
Weinberg,F.J. See Fox,M.D., 0=12536
Weinberg,F.J. See Payne,K.G., 0=8851
Weinberg,S. Interference effects in leptonic decays, 0=330
Weinberg,S. High-energy behavior in quantum field theory, 0=9289
Weinberg,S. New test for $\Delta I = \frac{1}{2}$ in K^+ decay, 0=7412
Weinberg,S. Muon absorption in liquid hydrogen, 0=15384
Weinberg,S. See Feinberg,G., 0=1238
Weinberg,S. See Feinberg,G., 0=2561
Weinberg,S. See Treiman,S.B., 0=1306
Weinberg,S.B. and Treiman,S.B. Electromagnetic corrections to isotopic spin conservation, 0=1239
Weinberger,A.J. See Livingston,R., 0=14137
Weiner,R. and Schiele,C. The electron microscope preparation of cathode films, 0=10342
Weiner,R. and Schiele,C. The accuracy of the diffraction patterns in the Elmiskop I, 0=19753
Weinhardt,K. The stability of photo-electric stabilizers for magnet currents, 0=2308
Weinig,S. See Mendel,E., 0=9897
Weinreb,A. See Basile,L.J., 0=20998
Weinmann,A. Theory of ultrasonic vibration potentials in pure liquids, 0=6787
Weinmann,A. Bounds for elastic and inelastic scattering, 0=11108
Weinreb,A. See Cohen,S.G., 0=14662
Weinreb,L. and Touger,M.L. Variation in ear protector attenuation as measured by different methods, 0=3370
Weinreich,G. Heads—tails statistics for two partially distinguishable coins, 0=4959
Weinreich,G. See Lurio,A., 0=17669
Weinreich,G. See Miller,R.C., 0=7984
Weinrich,O.A.,Matare,H. and Reed,B. The grain-boundary amplifier, 0=5397
Weinstein,M.A. On the validity of Kirchhoff's law for a freely radiating body, 0=1054
Weinstein,M.A. Thermodynamic limitation on the conversion of heat into light, 0=10049
Weinstein,M.A. Thermodynamics of radiative emission processes, 0=12524
Weinstein,R. Observation of length by a single observer, 0=16573
Weinstein,R. See Davidson,G., 0=2378
Weinstein,R. See Ozaki,S., 0=13292
Weinstein,R. See Stein,P.C., 0=13260
Weinstock,B.,Claassen,H.H. and Malm,J.G. Vibrational spectra OsF_6 and PtF_6, 0=4202
Weinstock,B. See Claassen,H.H., 0=15723
Weinstock,B. See Hutchison,C.A.,Jr. 0=3126
Weinstock,B. See Osborne,D.W., 0=8880
Weintroub,S. See Hurle,D.T.J., 0=6347
Weir,C.E. See Lippincott,E.R., 0=6178
Weir,D.G. See Mackie,A.G., 0=6861
Weir,O.P.Van. See Van Weir,O.P.
Weir,R.E. See Stibbs,D.W.N., 0=19002
Weis,O. Stress-optical investigations of bending waves with exponential near-fields, 0=14715
Weisbecker,A. See Barriol,J., 0=19196
Weisbrod,S. and Colin,L. Refraction of very high frequency radio signals at ionospheric heights, 0=1223
Weisbrod,S. See Heritage,J.L., 0=10413
Weiser,K. See Glicksman,M., 0=7942
Weisman,J. Heat transfer to water flowing parallel to tube bundles, 0=14868
Weiss,A. The nuclear spin resonance spectrum of Na^{23} in single crystals of sodium nitrite, $NaNO_2$, 0=13895
Weiss,A.A. The temporal variation of the heights of reflection points of meteor trials, 0=4873
Weiss,A.A. Radio echo observations of the Geminid meteor stream, 0=4874
Weiss,A.A. Theory of the radio-echo meteor height distribution in a non-isothermal atmosphere, 0=4876
Weiss,A.A. Elevation, height, and electron density of echoing points of meteor trails, 0=6565
Weiss,A.A. The limitations of narrow-beam radio equipments in the detection of weak meteor showers, 0=6566
Weiss,A.A. Approximations for the electron density in meteor trails, 0=8494
Weiss,A.A. Radio-echo observations of southern hemisphere meteor shower activity from 1956 December to 1958 August, 0=18680
Weiss,A.A. and Smith,J.W. A southern hemisphere survey of the radiants of sporadic meteors, 0=18681
Weiss,A.W. See McLean,A.D., 0=17812
Weiss,A.W. See Roothaan,C.C.J., 0=17808
Weiss,A.W. See Roothaan,C.C.J., 0=17810
Weiss,G. Remarks on the vibrational properties of one-dimensional ionic lattices, 0=4262
Weiss,G. Remarks on the vibrational properties of one-dimensional ionic lattices, 0=13481
Weiss,G. On the inversion of the specific-heat function, 0=20744
Weiss,G. See Gillis,J., 0=1551
Weiss,G. See Rabinowitz,P., 0=21152
Weiss,G.H. See Mahanty,J., 0=11570
Weiss,G.H. See Maradudin,A.A., 0=12035
Weiss,G.H. See Maradudin,A.A., 0=13485
Weiss,G.P. See Cohen,M.S., 0=11867
Weiss,G.P. See Dwight,K., 0=2300
Weiss,G.P. See Smith,D.O., 0=11869
Weiss,G.P. See Smith,D.O., 0=18183
Weiss,H. See Rupprecht,H., 0=20918
Weiss,J. Primary processes in the action of ionizing radiations on water: formation and reactivity of self-trapped electrons ("polarons"), 0=14136
Weiss,J.A. The Reggia—Spencer microwave phase shifter, 0=2447
Weiss,J.A. Tetrahedral junction, 0=9219

Weiss,M.T. Microwave and low-frequency oscillations due to resonance instabilities in ferrites, 0=2448
Weiss,M.T. Spin temperature and high power effects in ferri-magnets, 0=8079
Weiss,M.T. High—power effects on ferrimagnetic resonance, 0=8081
Weiss,M.T. Ferrimagnetic resonance at high power, 0=10204
Weiss,P.R. See Charap,S.H., 0=3001
Weiss,R.J. and Freeman,A.J. X-ray and neutron scattering from electrons in a crystalline field and the determination of outer electron configurations in iron and nickel, 0=12028
Weiss,R.J. See Corliss,L.M., 0=1816
Weiss,R.J. See Marshall,W., 0=2775
Weissburg,J. See Greguss,P., 0=18152
Weisskopf,V.F. Meson—nucleon scattering and nuclear forces, 0=3985
Weisskopf,V.F. Present status of the low energy nuclear physics, 0=12718
Weisskopf,V.F. The visual appearance of rapidly moving objects, 0=18915
Weissler,A. Some sonochemical reaction yields, 0=3323
Weissler,A. Effects of ultrasonic irradiation on hemoglobin, 0=18528
Weissman,S.,Saxena,S.C. and Mason,E.A. Intermolecular forces from diffusion and thermal diffusion measurements, 0=14688
Weissman,S. and Wood,S.E. Vapor—liquid equilibrium of benzene-2,2,4-trimethylpentane mixtures, 0=6781
Weissman,S.I. See Phillips,W.D., 0=16715
Weissman,S.I. See Reitz,D.C., 0=17722
Weissman,S.I. See Townsend,M.G., 0=7798
Weisz,R.S. and Brown,D.L. Square loop properties of copper—manganese ferrites, 0=11891
Weiszburg,J. On the electroluminescence of insulated SiC crystals, 0=8024
Weiszburg,J. On the grouping of electroluminescent effects, 0=10079
Weiszburg,J. and Greguss,P.,Jr. The effect of ultrasonic irradiation on electroluminescent panels, 0=8025
Weiszburg,J. and Hangos,I. Covering of plane surface with inequigranual powders, 0=10325
Weiszburg,J.,Schanda,J. and Bodó,Z. Time-dependent spectra of electroluminescent ZnS:Cu,Pb, 0=21017
Weiszburg,J. See Bodó,Z., 0=10085
Weiszburg,J. See Nagy,E., 0=18053
Weitkamp,C. and Robin,J. Perturbation of the spectrum of thallium vapour by compressed argon and hydrogen, 0=5888
Weitsch,W. See Mahl,H., 0=3785
Weitsch,W. See Mahl,H., 0=14093
Weitsch,W. See Mahl,H., 0=16294
Weizel,W. and Brandt,B. The stability of high-current glow discharges, 0=7087
Weizel,W. and Brandt,B. Operating conditions for a high current glow discharge, 0=9014
Weizel,W. and Duk Hyun Whang. The current density at the cathode of a glow discharge at high pressures between diaphragms with a separate anode, 0=9015
Weizel,W. and Ohlendorf,W. Glows in divided discharge chambers, 0=9016
Weizer,V.G. and Girifalco,L.A. Vacancy-vacancy interaction in copper, 0=17958
Weizer,V.G. See Girifalco,L.A., 0=11628
Welber,B. Damping of a torsionally oscillating cylinder in liquid helium at various temperatures and densities, 0=16937
Welch,J.A.Jr and Whitaker,W.A. Theory of geomagnetically trapped electrons from an artificial source, 0=10430
Welch,J.A.Jr. See Allen,L.Jr, 0=10429
Welch,J.A.,Jr. See Wallace,R., 0=7505
Welch,J.H. See Aruja,E., 0=4607
Welford,G.A. and Collins,W.R.Jr. An evaluation of existing fallout collection methods, 0=13161
Welford,W.T. On the limiting sensitivity of the star test for optical instruments, 0=168
Welford,W.T. Use of annular apertures to increase focal depth, 0=14795
Welischanina,K.A. Research on a high efficiency sound absorbing system, 0=1016
Welkowitz,W. See Traite,M., 0=16501
Weller,R.I. ^{90}Sr-^{90}Y beta-ray applicator calibration, 0=7491
Wellner,M. Energy renormalization in ordinary wave mechanics, 0=11079
Wells,D.K. and Johnson,R. Variable-slope pulse line for synchrotron injector, 0=17059
Wells,E.J. See Bennett,J.M., 0=9784
Wells,F.H. Electronics for radiation detection. IV. Multi-channel analysers, 0=2474
Wells,H.W. See Lovell,A.C.B., 0=18667
Wells,O.C. Examination of nylon spinneret holes by scanning electron microscopy, 0=6396
Wells,O.C. Correction of errors in electron stereo-microscopy, 0=8294
Wells,H.W. See Chivers,H.J.A., 0=14316
Wells,W.H. See Hutchinson,G.W., 0=19999
Welsh,H.L. See Gush,H.P., 0=4196
Welsh,H.L. See Kiss,Z.J., 0=1495
Welsh,H.L. See Thomas,M.A., 0=17752
Welton,T.A. See Gardner,C.G., 0=385
Wendling,R. Thermoremanent and isothermal remanent magnetizations of the alloy Pd$_3$Mn$_2$. 0=10108
Wendling,R. and Wucher,J. Thermoremanent magnetization and anisotropy in CrSb, 0=10112
Wendling,R. See Burger,J.P., 0=13854
Wendt,R.P. See Margrave,J.L., 0=105
Weniger,S. Study of the rotational temperature of the $^1\Sigma$-$^1\Pi$ Angström bands of carbon monoxide emitted from a hollow cathode, 0=7753
Went,F.W. Blue hazes in the atmosphere, 0=18520
Went,J.J. Instrumentation for a subcritical homogeneous suspension reactor. I. Reasons behind the choice of a homogeneous suspension reactor, 0=13382
Wentink,T.,Jr and Martin,C.E. Infrared transmission of trifluorochloroethylene, 0=12474
Wentorf,R.H.,Jr. Note on the scratching of diamond, 0=1863
Wentworth,R.C. See Singer,S.F., 0=9488
Wentzel,G. Superfluidity and superconductivity in electron gases, 0=10839
Wentzel,G. Anisotropic fermion gas, 0=18983
Wenzel,R.F. See Scott,F.R., 0=1196
Wenzel,R.F. See Scott,R.F., 0=15033
Wenzel,W.A. See Armenteros,R., 0=17338
Wenzel,W.A. See Cork,B., 0=20236
Wenzl,H. See Sizmann,R., 0=2277
Werber,T. See Mrowec,S., 0=21268
Werbrouck,A.E. Depolarization due to target motion, 0=20094
Werbrouk,A.E. See Bowen,T., 0=17426
Werbrouk,A.E. See Bowen,T., 0=17427
Werner,F.G. and Brill,D.R. Derivation of the speed of electromagnetic waves in terms of dielectric constant, magnetic permeability, and ratio of charge units, 0=1203
Werner,F.G. and Brill,D.R. Significance of electromagnetic potentials in the quantum theory in the interpretation of electron interferometer fringe observations, 0=10953
Werner,R.D. See Eastwood,T.A., 0=11447
Wernick,J.H. and Wolfe,R. Three-element semiconductor materials, 0=11680
Wernick,J.H. See Jaccarino,V., 0=18229
Wernick,J.H. See Wolfe,R., 0=20921
Werntz,C. Meson capture in He^3, 0=11195
Werntz,C. See Kramer,G., 0=15460
Wertheim,G.K. Measurement of local fields at impurity Fe^{57} atoms using the Mössbauer effect, 0=11826
Wertz,J.E.,Auzins,P.,Griffiths,J.H.E. and Orton,J.W. Electron transfers among transition elements in magnesium oxide, 0=21075
Wertz,J.E. See Orton,J.W., 0=6270
Wertz,J.E. See Orton,J.W., 0=15513
Wesemeyer,H. See Daniels,J.M., 0=10216
Wess,J. On scale transformations, 0=1246
Wess,J.E. Investigation of the invariance group in the three fundamental fields model, 0=12843
Wessel,W. On the theory of the electron. V, 0=2526
Wesselink,A.J. On the reduction of polarization measures affected by instrumental polarization, 0=1
West,D.R.F. See Carrea,A.J., 0=8275
West,D.R.F. See Ghate,V.B., 0=18388
West,E.D. Techniques in calorimetry. I. A noble metal thermocouple for differential use, 0=16925
West,F.G. and Einspruch,N.G. Calorimetric measurement of ultrasonically produced strains in solids, 0=18243
West,G. See Stone,R.H., 0=15631
West,G.W. Nuclear magnetic resonance in β-brass, 0=21082
West,H.I.Jr. See Rodrigues,R.M., 0=17180

West,J. High-temperature rotor bore dilatometer unit, 0=3480
West,J.M. Flow of electrolyte within a propagating stress-corrosion crack, 0=6319
Westbrook,J.H. Hardness—temperature characteristics of some simple glasses, 0=8133
Westcott,C.H. See Walker,W.H., 0=2683
Westcott,E.M.,Pope,J.H.,Dyer,D.O. and Campbell,W.H. Rare hiss, earth currents and micropulsations on November 27, 1959, 0=10448
Westenberg,A.A. See Walker,R.E., 0=3563
Westenberg,A.A. See Walker,R.E., 0=10688
Westenberg,A.A. See Walker,R.E., 0=12519
Westerhout,G. See Blaauw,A., 0=18582
Westerhout,G. See Gum,C.S., 0=18675
Westermark,T.,Lindroth,H. and Enander,B. Isotope labelling by means of electrical gaseous discharges, 0=15527
Westervelt,P.J. Effect of sound waves on heat transfer. 0=5198
Westfall,J. See Wallerstein,G., 0=14447
Westmacott,K.H. See Smallmann,R.E., 0=20791
Westman,S.,Blomqvist,G. and Asbrink,S. Crystallographic calculations using an electronic digital computer. I. Calculation of Patterson and electron density functions, 0=8200
Westman,S. See Åsbrink,S., 0=8201
Westmeyer,H. A thickness measurement technique using a three-beam interference arrangement for objects of thickness less than 1 micron, 0=12491
Westmeyer,H. and Lorenz,E. The production of evaporated layers with the help of a small vapour source heated by electron bombardment, 0=18425
Weston,D.E. A moire fringe analog of sound propagation in shallow water, 0=10718
Weston,E.T. and Paix,D. Cosine correction of a weatherproofed photovoltaic cell, 0=19598
Weston,G.F. Glow discharge characteristics of helium—neon mixtures, 0=7085
Weston,G.F. Glow-discharge characteristics of helium—argon mixtures, 0=15001
Weston,L.W.,Seth,K.K.,Bilpuch,E.G. and Newson,H.W. Neutron capture cross sections in the keV region. II. Spin-orbit coulping and the optical model, 0=20488
Weston,L.W. See Bilpuch,E.G., 0=20487
Weston,M. See Miller,G.H., 0=3551
Weston,R.E., Jr. H_3 activated complex and the rate of reaction of hydrogen atoms with hydrogen molecules, 0=1514
Weston,V.H. See Siegel,K.M., 0=5404
Westpfahl,K. The theory of a class of diffraction problems by means of singular integral equations. I, 0=3857
Westphal,W. Propagation of structure-borne sound in buildings, 0=19332
Westphal,W. Structure-borne sound measurements in a tall building, 0=19337
Westrum,E.F., Jr and Grimes,D.M. Low-temperature heat capacities and thermodynamic properties of zinc ferrites. III. Effect of copper substitution, 0=4498
Westrum,E.F., Jr. See Burns,J.H., 0=15811
Westwood,A.R.C. The effects of surface condition on the mechanical properties of lithium fluoride crystals, 0=21096
Westwood,A.R.C. and Demer,L.J. Piling-up of dislocations beneath a surface film, 0=11626
Wetherell,A.M. Interference effects of the retardation term in pion photoproduction, 0=1301
Wetherell,A.M. See Brody,H.M., 0=15439
Wetherell,E. See Rotenberg,A., 0=15615
Wetmore,F.E.W. See Murphy,J.W., 0=64
Wetstone,D.M.,Ehrlich,M.P. and Finkelstein,D. Experiments on plasmoid motion along magnetic fields, 0=15032
Wette,F.W.de. See de Wette,F.W.
Weulersse,P.,Balkanski,M. and Aigrain,P. Study of chemisorption and photodesorption on oxidized titanium, 0=6423
Wever,F. and Engell,H.J. Reply to the letter to the editor, 0=17969
Wever,H. Permanent change in length of a metallic conductor as a result of alternating current electrolysis. 0=4309
Wexler,A. See Jones,F.E., 0=16414
Wexler,S. and Anderson,G.R. Dissociation of methyl bromide by nuclear isomeric transition of 4.4 hr Br^{80m}. 0=16388
Wexler,S.,Anderson,G.R. and Singer,L.A. Isomeric effects in fragmentation by beta decay: monotritiated propanes and toluenes, 0=4733
Weyl,P.K. Pressure solution and the force of crystallization—a phenomenological theory, 0=10280
Weyl,W.A. and Marboe,E.C. Structural changes during the melting of crystals and glasses, 0=10321
Weymann,H.D. Electron diffusion ahead of shock waves in argon, 0=14731
Weymann,R. Coronal evaporation as a possible mechanism for mass loss in red giants, 0=18857
Weymann,R. Heating of stellar chromospheres by shock waves, 0=18858
Weyssenhoff,H.v. See v.Weyssenhoff,H.
Whale,H.A. The effects of ionospheric irregularities and the auroral zone on the bearings of short-wave radio signals, 0=5427
Whalen,J.F.,Meadows,J.W. and Nelson,C.H. Time analyzer utilizing the argonne type 256-channel pulse-height analyzer, 0=2145
Whan,R.E. See Crosby,G.A., 0=6194
Whan,R.E. See Crosby,G.A., 0=16084
Whapham,A.D. and Makin,M.J. The hardening of lithium fluoride by electron irradiation, 0=18268
Wharton,C.B. and Slager,D.M. Microwave determination of plasma density profiles, 0=5321
Wharton,L.,Gold,L.P. and Klemperer,W. Dipole moment of lithium hydride, 0=20691
Wharton,P.S. See Saunders,M., 0=6276
Wheatley,J.C. and Anderson,A.C. Nuclear magnetic resonance in cerium ethysulfate at temperatures below 1°K, 0=10245
Wheatley,G.H. See Kaiser,W., 0=592
Wheatley,J.C. See Anderson,A.C., 0=19542
Wheatley,J.C. See Hart,H.R., Jr, 0=1067
Wheatley,J.C. See Hart,H.R., Jr, 0=5230
Wheatley,J.C. See Hulsizer,R.I., 0=9598
Wheatley,P.J. The crystal and molecular structure of pyrimidine, 0=8230
Wheeldon,J.W. Absorption of sodium and argon by glass, 0=4683
Wheeler,R.G. and Dimmock,J.O. Zeeman splitting of exciton lines in CdS, 0=533
Wheeler,R.G. See Kendall,L.F., 0=12102
Wheelon,A.D. Relation of turbulence theory to ionospheric scatter propagation experiments, 0=12174
Wheelon,A.D. Relation of turbulence theory to ionospheric scatter propagation experiments, 0=12711
Whelan,J.M. and Fuller,C.S. Precipitation of copper in gallium arsenide, 0=18039
Whelan,M.J. Dislocation interactions in face-centred cubic metals, with particular reference to stainless steel, 0=2821
Whelan,M.J. An outline of the theory of diffraction contrast observed at dislocations and other defects in thin crystals examined by transmission electron microscopy, 0=21256
Whelan,M.J. See Chapman,J.A., 0=8292
Whelan,M.J. See Hashimoto,H., 0=19768
Whelan,M.J. See Silcox,J., 0=20806
Whelan,M.J. See Thomas,G., 0=20802
Whelpley,W.A. See Ludwig,G.H., 0=15465
Whetstone,A.L. See Frankel,S., 0=9389
Whetten,N.R. See Laponsky,A.B., 0=1154
Whetten,N.R. See Laponsky,A.B., 0=19730
Whetten,N.R. See Young,J.R., 0=21299
Whiffen,D.H. See Atherton,N.M., 0=20666
Whiffen,D.H. See Ghosh,D.K., 0=20665
Whipple,E.C., Jr. The ion-trap results in "Exploration of the upper atmosphere with the help of the Third Soviet Sputnik", 0=8373
Whipple,E.C.Jr. See Bourdeau,R.E., 0=10409
Whipple,F.L. Solid particles in the solar system, 0=10495
Whipple,F.L. and Davis,R.J. Proposed stellar and interstellar survey, 0=14439
Whipple,F.L. and Fireman,E.L. Calculation of erosion in space from the cosmic ray exposure ages of meteorites, 0=10496
Whirry,W.L. and Wang,F.B. Experimental study of the modified semistatic ferrite anmplifier, 0=3862
Whitaker,W.A. See Allen,L.Jr, 0=10429
Whitaker,W.A. See Welch,J.A.Jr. 0=10430
White,C.E.,Ho,M. and Weimer,E.Q. Methods for obtaining correction factors for fluorescence spectra as determined with the Aminco-Bowman spectrophotofluorometer, 0=8795
White,C.T. and Ford,A. Eye movement during simulated radar search, 0=14346
White,D. and Lassettre,E.N. Theory of ortho-para hydrogen separation by adsorption at low temperatures, isotope separation, 0=3329

White,D.,Mann,D.E.,Walsh,P.N. and Sommer,A. Infrared emission spectrum of gaseous HBO_2, 0=4192
White,D.,Mann,D.E.,Walsh,P.N. and Sommer,A. Infrared emission spectra of gaseous B_2O_3 and B_2O_2, 0=4193
White,D. See Sommer,A., 0=14970
White,D.H. and Hutchinson,G.W. A fast coincidence circuit, 0=17185
White,D.H.,Schectman,R.M. and Chasan,B.M. Photoproduction of negative mesons in deuterium, 0=17399
White,D.H. See Chasan,B.M., 0=13039
White,D.H. See Hart,E.L., 0=2517
White,D.H. See Hutchinson,G.W., 0=19999
White,F.A. See Balestrini,S.J., 0=12651
White,G.K. Thermal expansion at low temperatures, 0=17901
White,G.K. and Tainsh,R.J. Lorenz number for high-purity copper, 0=15885
White,G.K. and Woods,S.B. Thermal conductivity of the solidified inert gases: argon, neon and krypton, 0=9868
White,G.K.,Woods,S.B. and Elford,M.T. The lattice thermal conductivity of dilute alloys of silver and gold, 0=20754
White,G.K. See Klemens,P.G., 0=9934
White,H.E. More effective teaching of physics through television, 0=6637
White,H.S. See Agnew,L.E.,Jr., 0=11172
White,H.S. See Lander,R.L., 0=383
White,H.S. See Muller,F., 0=11220
White,J.A.,Chow,L.Y.,Drake,C. and Hughes,V.W. Hyperfine structure of the metastable triplet state of helium three, 0=2712
White,J.A. See Lurio,A., 0=17669
White,J.C. See Young,J.P., 0=19155
White,J.E. Use of reciprocity theorem for computation of low-frequency radiation patterns, 0=12448
White,J.E. Cathode of an arc in xenon, 0=16990
White,J.E. Probes at high pressure, 0=16992
White,J.G. and Roth,W.C. Polarity of gallium arsenide single crystals, 0=721
White,J.G. See Goldsmith,G.J., 0=2921
White,L.D. See Ashkin,A., 0=15074
White,M.L. Atmospheric tides and ionospheric electrodynamics, 0=12156
White,M.L. Thermal and gravitational atmospheric oscillations — ionospheric dynamo effects included, 0=14218
White,R.B. See Herz,A.J., 0=854
White,R.E. Energy levels of the silicon isotopes from inelastic proton scattering, 0=13141
White, R.E. and Buechner,W.W. Ground-state Q values for the $Si^{30}(p,\alpha)Al^{27}$ and $O^{16}(p,\alpha)N^{13}$ reactions, 0=11414
White,R.L. Dipolar line broadening and enhanced pseudo-dipolar moments, 0=1830
White,R.L. Observations on line width in ferrimagnetic resonance, 0=3122
White,R.L. Use of magnetostatic modes as a research tool, 0=10202
White,R.L. and Andelin,J.P.,Jr. Energy levels for rare earth ions subject both to exchange and crystalline fields, 0=1540
White,R.L. See Carson,J.W., 0=10239
White,R.L. See Wickersheim,K.A., 0=6186
White,R.S. See Freden,S.C., 0=9434
White,R.S. See Freden,S.C., 0=14268
White,R.S. See Freden,S.C., 0=15446
White,W. See Moore,R.B., 0=17490
White,W.H. See O'Rourke,M.J., 0=18023
White,W.H. See Wajda,E.S., 0=18326
Whitehead,A.B. See Cranshaw,T.E., 0=7468
Whitehead,A.B. See Phillips,G.C., 0=19773
Whitehead,C.,Tornabene,S. and Stafford,G.H. The polarization in neutron—proton scattering at 77 MeV, 0=7353
Whitehead,C. See Davis,D.G., 0=15411
Whitehead,J.D. The focusing of short radio waves reflected from the ionosphere, 0=305
Whitehead,J.D. The absorption of radio waves in an ionospheric layer, 0=306
Whitehead,J.D. The absorption of short radio waves in the ionosphere, 0=1222
Whitehead,J.D. The mesopause region of the ionosphere, 0=10418
Whitehead,J.D. The absorption of short radio waves in the D-, E- and F-regions of the ionosphere, 0=15167
Whitehead,J.D. Sudden changes in the virtual height of radio waves reflected from the E-region of the ionosphere, 0=15170
Whitehead,J.D. See Heisler,L.H., 0=21358
Whitehead,M.N.,Lanou,R.E.,Jr,Cook,V.,Jr and Birge,R.W. Charge-exchange cross section of 175- to 250-MeV K^+ in carbon, copper, tungsten, and nuclear emulsion. 0=9433
Whitehead,M.N. See Birge,R.W., 0=17159
Whitehead,W.D. See Aull,L.B., 0=5777
Whitehead,W.D. See Fast,R.W., 0=9660
Whitehead,W.D. See Flournoy,P.A., 0=20478
Whitehouse,J. See Bastin,J.A., 0=5134
Whitfield,G.R. A survey of radio stars at a frequency of 38 Mc/s, 0=14387
Whitfield,G.R. The spectra of radio stars, 0=18661
Whitfield,G.R. and Högbom,J. Radio observations of the comet Arend-Roland, 0=18623
Whitfield,G.R. See Conway,R.G., 0=18654
Whitley,S. and Betts,C. Study of gas-lubricated, hydrodynamic full journal bearings, 0=5046
Whitlock,W.S. and Hilsum,C. Measurement of ion beam currents using a Hall effect magnetometer, 0=7166
Whitlow,L. A 450 J spark discharge for shadowgraph photography, 0=14994
Whitman,D.R.Onsager,L.,Saunders,M. and Dubb,H.E. Proton magnetic resonance spectrum of propane, 0=4227
Whitman,G.D. See Bettis,E.S., 0=13314
Whitmore,D.H. Excitation processes in ceramics and anomalous increase in thermal conductivity at elevated temperatures, 0=11590
Whitmore,D.H. and Moser,J.B. Sublimation of small sodium chloride spheres into argon, 0=16921
Whitmore,D.H. See Moser,J.B., 0=8463
Whitmore,F.C. Experimental study of thermal diffusion in dilute solutions of high polymers, 0=19103
Whitmore,R.L. See Boardman,G., 0=16391
Whitmore,R.L. See Fidleris,V., 0=3491
Whitmore,R.L. See Maude,A.D., 0=8323
Whitmore,R.W. See Chessin,H., 0=10303
Whitney,B.S. Periods of fifty-eight Mira-type variables. 0=18805
Whittaker,E.J.W. The crystal chemistry of the amphiboles, 0=8147
Whitten,C.A. and Schmid,E. [Eds]. International symposium on electronic distance-measuring techniques, 0=14567
Whittle,H.R. See Mitchell,J.T.D., 0=5838
Whittle,J.E. See Clark,C.A., 0=5371
Whittlestone,W.G. Electrolytic potentiometer as a general purpose physiological transducer, 0=3711
Whitworth,R.W. Some effects of vibration on the internal friction of sodium chloride, 0=21100
Wholley,J.W.,Jr. See Bacon,J.F., 0=18383
Whymark,R.R. Magnetostrictive transducers with mechanical loads, 0=5092
Whyte,G.N.,Sharma,B. and Taylor,H.W. A note on the decay of Cs^{132}, 0=15560
Whyte,J.N. A new optical method for wide angle tracking. I, 0=8781
Whyte,J.N. A new optical method for wide angle tracking. II, 0=19388
Whyte,L.L. A fore runner of twentieth century physics. A re-view of Larmor's "aether and matter", 0=16559
Whytlaw-Gray,R. See Bottomley,G.A., 0=8698
Whytlaw-Gray,R. See Bottomley,G.A., 0=8699
Wick,G.C. See Snyder,H.S., 0=17882
Wickersheim,K.A. Infrared absorption spectrum of lithium hydroxide, 0=1735
Wickersheim,K.A. and Hanking,B.M. Infrared absorption in calcium fluoride, 0=10040
Wickersheim,K.A. and Lefever,R.A. Optical properties of synthetic spinel, 0=16033
Wickersheim,K.A.,Lefever,R.A. and Hanking,B.M. Infrared absorption spectrum of the silicate ion in the garnet structure, 0=2941
Wickersheim,K.A. and White,R.L. Optical observation of exchange splitting in ytterbium iron garnet, 0=6186
Wickham,D.G. and Goodenough,J.B. Suggestion concerning magnetic interactions in spinels, 0=1814
Wickham,D.G. See Dwight,K., 0=2300
Wickham,D.G. See Menyuk,N., 0=6246
Wickham,R. See Cunnell,F.A., 0=18317
Wideröe,R. See Hintermann,K., 0=4158
Widgoff,M. See Fazio,G.G., 0=2612
Widmer,R. Deformation mechanisms during creep in metals, 0=4564

Widom,B. Collision theory of the kinetics of dissociation of diatomic molecules, 0=1492
Widom,B. Mean-first-passage times and the collision theory of bimolecular reactions, 0=3300
Widom,B. Rotational relaxation of rough spheres, 0=6833
Wiebenga,E.H. See Vonk,C.G., 0=4642
Wieber,R.H.,Gorton,H.C. and Peet,C.S. The diffusion of copper into AlSb, 0=9915
Wiechec,W. and Kelley,C.M. Fast switching by domain walls in ferrites, 0=10172
Wiedenbeck,M.L. See Sund,R.E., 0=9572
Wiedecke,L. Measurement of ionization of 250 keV positive and negative electrons in a hydrogen cloud-chamber, 0=1271
Wiedemann,W. See Springer,V.T., 0=20153
Wiedemann,W.H. See Mössbauer,R.L., 0=9525
Wiedenbeck,M.L. See Arns,R.G., 0=5733
Wiedenbeck,M.L. See Hickman,G.D., 0=11390
Wieder,H.H. Model for switching and polarization reversal in colemanite, 0=1696
Wieder,H.H. and Collins,D.A. Electro-optic Kerr effect and polarization reversal in deuterium-doped Rochelle salt, 0=18099
Wieder,I. Optical detection of paramagnetic resonance saturation in ruby, 0=1833
Wieder,I. Solid-state, high-intensity monochromatic light sources, 0=2975
Wiederhorn,S. and Drickamer,H.G. Optical observations concerning the polymorphic transition in the potassium halides, 0=16037
Wiedersich,H. Growth of whiskers by reduction of halogenides, 0=3184
Wiedling,T. See Barber,W.C., 0=20473
Wiegand,C. Fast electronics in high-energy physics, 0=17153
Wiegand,C. See Agnew,L.E.,Jr., 0=11172
Wiegand,C. See Elioff,T., 0=361
Wiegand,C. See Foote,J.H., 0=5590
Wiegand,D.A. and Smoluchowski,R. Low-temperature annealing of irradiation-induced defects in LiF, 0=2836
Wiegand,D.A. See Mitchell,P.V., 0=4301
Wiegand,O.f. and Schrank,A.R. Simple versatile volumeter, 0=21401
Wiedling,T. See Asplund,I., 0=1361
Wiedling,T. See Asplund,I., 0=5721
Wiekhorst,F. See Schodder,G.R., 0=5088
Wieland,K. Band systems $B(^2\Sigma^+) \rightarrow X(^2\Sigma^+)$ and dissociation values of the radicals HgI and HgBr, 0=20619
Wielding,T. See Harmann,B., 0=5653
Wienecke,R. See Burhorn,F., 0=5894
Wienecke,R. See Burhorn,F., 0=7129
Wienecke,R. See Hinrichs,E., 0=5290
Wiener,G.W. See Chen,C.W., 0=3271
Wiener,R. See Cohen,S.G., 0=5695
Wienke,R.E. Refractive error and the green-red ratio, 0=6526
Wiese,W.,Berg,H.F. and Griem,H.R. Measurements of temperatures and densities in shock-heated hydrogen and helium plasmas, 0=19689
Wiese,W.L. Mechanical spectrograph shutter for extremely short exposure times, 0=16862
Wigartz,K. See Lagerqvist,A., 0=9800
Wiggill,J.B. See Davies,J.T., 0=8656
Wiggins,J.S. See Friedland, S.S., 0=9237
Wiggins,C.S. See Alfrey,G.F., 0=11713
Wiggins,T.A. and Jackson,P.W. Demonstration LCR circuits, 0=7049
Wiggins,T.A. See Rank,D.H., 0=155
Wiggins,T.A. See Rank,D.H., 0=5926
Wiggins,T.A. See Rank,D.H., 0=5928
Wiggins,T.A. See Rank,D.H., 0=7756
Wiggins,T.A. See Rank,D.H., 0=14819
Wiggins,T.A. See Rank,D.H., 0=15726
Wiggins,T.A. See Rank,D.H., 0=15727
Wiggins,T.A. See Rank,D.H., 0=17710
Wiggins,T.A. See Rank,D.H., 0=17745
Wiggins,T.A. See Rank,D.H., 0=17751
Wightman,A.S. Relativistic invariance and quantum mechanics, 0=3912
Wightman,A.S. Vacuum expectation values and analytic functions, 0=3912
Wightman,A.S. Mathematical problems of relativistic quantum theory, 0=7261
Wigley,D.L. See Morfee,R.G.S., 0=11582
Wigner,E.P. Normal form of antiunitary operators, 0=16608
Wigner,E.P. Phenomenological distinction between unitary and antiunitary symmetry operators, 0=16609
Wigner,E.P. Measurement of the curvature in a two-dimensional universe, 0=18929
Wiig,E.O. See Caretto,A.A., Jr, 0=1405
Wiig,E.O. See Ware,W.R., 0=4058
Wijn,H.P.J. See Casimir,H.B.G., 0=13742
Wikdahl,C.E. See Persson,R., 0=4140
Wikner,E.G.,Blumberg,W.E. and Hahn,E.L. Nuclear quadrupole spin—lattice relaxation in alkali halides, 0=10253
Wiktor,S. See Budagov,Yu.A., 0=7402
Wilbur-Ham,J. and Gibbs,W.E.K. Error of rectifier-type milliammeters in low-resistance circuits, 0=14940
Wilchinsky,Z.W. Measurement of orientation in polypropylene film, 0=18410
Wilcock,W.L.,Emberson,D.L. and Weekley,B. An image intensifier with transmitted secondary electron multiplication, 0=7142
Wilcock,W.L. See Geake,J.E., 0=16553
Wilcox,J.M. Review of high-temperature rotating-plasma experiments, 0=4156
Wilcox,J.M. and Boley,F.I. Comments on "Experimental demonstration of hydromagnetic waves in an ionized gas", 0=5383
Wilcox,J.M.,Boley,F.I. and DeSilva,A.W. Experimental study of Alfvén-wave properties, 0=3843
Wilcox,L. See Lamb,W.E., 0=16167
Wilcox,L.R. and Lamb,W.E.,Jr. Fine structure of short-lived states of hydrogen by a microwave-optical method. II, 0=17709
Wilcox,R.H. Use of a diode ring as a four-quadrant multiplier, 0=2306
Wild,J.P.,Sheridan,K.V. and Neylan,A.A. An investigation of the speed of the solar disturbances responsible for type III radio bursts, 0=4855
Wild,W. Many-body problem of a fermion system. I, 0=7306
Wilde,H. and Girke,H. The measurement of the probability distribution of Barkhausen jumps in a ferromagnetic material, 0=676
Wildermuth,K. See Kannelopoulos,T., 0=4012
Wildermuth,K. See Pearlstein,L.D., 0=17496
Wildermuth,K. See Pearlstein,L.D., 0=17497
Wildermuth,K. See Roth,B., 0=20354
Wildi,B.S. See Epstein,A., 0=4358
Wildt,R. See Vardya,M.S., 0=6623
Wilenzick,R.M. See Lewis,H.W., 0=2476
Wilets,L. Surface coupling mechanism for approaching statistical equilibrium in compound nucleus formation, with application to fission, 0=1395
Wiley,J.S. See Anderson,S., 0=8167
Wilf,H.S. Numerical integration of the transport equation with no angular truncation, 0=12374
Wilhelm,F.J. See Deutch,B.I., 0=11380
Wilhelm,E. The electrical conductivity of a plasma at high temperature, 0=19691
Wilhelm,J. The application of Schottky's diffusion theory to discharges with several ion species and excited neutral particles, 0=247
Wilhelm,J. The thermally-inhomogeneous glow column, 0=1120
Wilhelm,J. The radial distribution of charge carriers in a [plasma] column with several types of positive ions, 0=7111
Wilhelmsson,H. The scattering of electromagnetic waves by an electron beam, 0=3859
Wilhelmsson,H. and Kerman,A. On the integration of a certain matrix element $\langle 0|f^{(2)}(x)|q, k\rangle$ in the perturbation approach of quantum electrodynamics, 0=15239
Wilhelmy,W. See Kirchner,F., 0=20130
Wilk,M. Polarizability and half-life of optical sensitizers, 0=10358
Wilk,M.B. See Lundberg,J.L., 0=12066
Wilke,K.T. The luminescence of manganese activated magnesium lithium antimonate, 0=10062
Wilke,K.T.,Albers,K. and Mannheim,R. The luminescence of the complex fluorides, 0=8017
Wilkening,M.H. Daily and annual courses of natural atmospheric radioactivity, 0=8431
Wilkens,M. Determination of deformation stacking faults in cubic face-centred metals by X-rays, 0=10304
Wilkens,W. Growth of thin layers of alkali halide by nucleation, observed in the electron microscope, 0=1893
Wilkerson,T.D. See Charatis,G., 0=484

lkes,J.G. The growing of 5 kg single crystals of germanium, 0=4593
lking,S. Multiple quanta transitions of protons, 0=5040
lking,S. Nuclear resonance in weak magnetic fields. Nuclear amplifiers, 0=5433
lkins,G.A. See Sadler,D.H., 0=18875
lkins,H.P. See Moore,P., 0=3428
lkins,J.E.,Jr. Minimum total mass, 0=15612
lkinson,D.H. Stripping at low energies, 0=440
lkinson,D.H. Configurational assignments of giant photonuclear resonances, 0=1428
ilkinson,D.H. Parity conservation in strong interactions, 0=9316
lkinson,D.H. Nucleon clusters in the nuclear surface, 0=15500
lkinson,D.H.,St-Lorant,S.J.,Robinson,D.K. and Lokanathan,S. Double-hyperfragment event, 0=418
lkinson,D.H. See Alburger,D.E., 0=2635
lkinson,D.H. See Eisberg,R.M., 0=17576
lkinson,D.H. See Elwyn,A., 0=4100
ilkinson,D.H. See Johnson,C.M.P., 0=9560
lkinson,D.H. See Jones,G.A., 0=20467
ilkinson,D.H. See Kane,J.V., 0=20353
lkinson,D.H. See Kane,J.V., 0=20442
ilkinson,D.H. See Pixley,R.E., 0=20352
ilkinson,D.H. See Pixley,R.E., 0=20406
ilkinson,G.R. See Price,W.C., 0=10375
lkinson,J.D. and Calvert,L.D. An oscillating flat-specimen holder for an X-ray powder diffraction camera, 0=21181
lkinson,M.K. Neutron diffraction investigations of magnetic phenomena in crystalline compounds, 0=3042
lkinson,M.K.,Child,H.R.,Cable,J.W.,Wollan,E.O. and Koehler,W.C. Neutron diffraction investigations of the magnetic ordering in rare earth nitrides, 0=11849
lkinson,M.K. See Cable,J.W., 0=10184
ilkinson,M.K. See Koehler,W.C., 0=10187
ilkinson,M.K. See Koehler,W.C., 0=10188
ilkinson,M.K. See Koehler,W.C., 0=13849
ilkinson,M.K. See Shull,C.G., 0=9684
lkinson,P.G. Forbidden band system in nitrogen. III. The $Y\,^3\Sigma_u^- \leftarrow X\,^1\Sigma_\sigma^+$ system in absorption, 0=7788
lkinson,P.G. Refractive dispersion of nitrogen in the vacuum ultraviolet, 0=16821
ilkinson,P.R. See Eley,D.D., 0=8335
lkinson,R.H. Capillary pH electrode, 0=4715
lkinson,W.J. See Stewart,A.L., 0=15646
lkowa,T. See Dereń,J., 0=2849
lks,E.M. The cleavage surfaces of type I and type II diamonds, 0=719
lks,E.M. and Wilks,J. The resistance of diamond to abrasion, 0=16244
lks,J. See Challis,L.J., 0=8917
lks,J. See Harding,G.O., 0=3700
ilks,J. See Harding,G.O., 0=8886
lks,J. See Newell,J.A., 0=19536
ilks,J. See Niblett,D.H., 0=13532
lks,J. See Wilks,E.M., 0=16244
llard,H.B. See Bair,J.K., 0=17499
llard,H.B. See Bair,J.K., 0=17583
llardson,R.K. and Duga,J.J. Magnetoresistance in gallium arsenide, 0=6121
llardson,R.K. See Allred,W.P., 0=4598
llardson,R.K. Bate,R.T., 0=6116
illardson,R.K. See Aukerman,L.W., 0=9973
llardson,R.K. See Duga,J.J., 0=1858
ille,R.G. and Fink,R.W. Activation cross sections for 14.8 MeV neutrons and some new radioactive nuclides in the rare earth region, 0=9672
illens,R.H. See Duwez,P., 0=14077
illens,R.H. See Duwez,P., 0=14078
illens,R.H. See Duwez,P., 0=18402
illiams,A. See Moisewitsch,B.L., 0=9753
illiams,A. See Riddiford,L., 0=20139
lliams,A.H. See Mather,J.W., 0=7107
illiams,A.J. See Bosworth,R.M., 0=16956
illiams,A.J. See Bozorth,R.M., 0=19564
illiams,A.J. See Nesbitt,E.A., 0=10330
lliams,A.O.,Jr. Some effects of velocity structure on low-frequency propagation in shallow water, 0=5083
lliams,A.O.,Jr. See Eby,R.K., 0=2196
lliams,D. See Cox,H.L.,Jr, 0=6284
illiams,D.B. See Kurnick,S.W., 0=10452
lliams,D.E.G. See Kojima,H., 0=6221
Williams,D.E.G. See Trebble,R.S., 0=16120
Williams,D.L. See Hayes,F.N., 0=7499
Williams,F.A. On the assumptions underlying droplet vaporization and combustion theories, 0=14894
Williams,F.C. See Grum,F., 0=10790
Williams,F.E. Theory of the energy levels of donor—acceptor pairs, 0=11602
Williams,F.E. See Johnson,P.D., 0=6033
Williams,G. See Davies,M., 0=14656
Williams,G.I. See Hatt,B.A., 0=13972
Williams,G.I. See Orton,B.R., 0=16692
Williams,G.W. Variable ultrasonic water delay line, 0=14727
Williams,G.W. See Smith,A.W., 0=16141
Williams,J.F. See Somerville,J.M., 0=5285
Williams,J.H. See Maggs,F.A.P., 0=14148
Williams,L.P. Michael Faraday and the evolution of the concept of the electric and magnetic field, 0=16560
Williams,L.S.,Livey,D.T.,Barnes,E. and Murray,P. A preliminary study of three cermets based on uranium oxide, 0=6533
Williams,P.R. See Alston,M.H., 0=15200
Williams,P.R. See Cundy,D.C., 0=15201
Williams,P.R. See Evans,W.H., 0=3897
Williams,Q. See Long,W.M., 0=15737
Williams,R. Electric field induced light absorption in CdS, 0=8006
Williams,R. Becquerel photovoltaic effect in binary compounds, 0=9985
Williams,R. and Bube,R.H. Photoemission in the photovoltaic effect in cadmium sulfide crystals, 0=9990
Williams,R.L. High frequency light modulation, 0=8800
Williams,R.L. See Bellamy,L.J., 0=8667
Williams,R.O. Comments on the recent paper of Clarebrough, Hargreaves and Loretto, 0=21132
Williams,R.V. and Kaufman,S. The measurement of electron temperature in high-temperature plasmas, 0=8857
Williams,R.W. Heavy-liquid bubble chambers, 0=316
Williams,R.W. Mean free path of primary cosmic rays in the atmosphere, 0=20274
Williams,S.E. See Crisp,R.S., 0=20732
Williams,T.J. See Kastner,L.J., 0=10693
Williams,V.L. The simultaneity of sudden commencements of magnetic storms, 0=12139
Williams,W.E. Diffraction of an E-polarized plane wave by an imperfectly conducting wedge, 0=3856
Williams,W.E. A note on diffraction by a half plane, 0=6949
Williams,W.E. Reflection and refraction of hydromagnetic waves at the boundary of two compressible media, 0=7204
Williams,W.E. Diffraction of an electromagnetic plane wave by a metallic sheet, 0=19929
Williams,W.J. See Murcray,D.G., 0=2025
Williams,W.S. Phonon scattering in KCl—KBr solid solutions at low temperatures, 0=13506
Williams,W.S. See Searcy,A.W., 0=7072
Williams,W.S.C. The measurement of the K_1-K_2 mass difference, 0=17410
Williams,W.S.C. See Prentice,J.D., 0=5584
Williamson,C. Course in physics for students of architecture, 0=4920
Williamson,D.E.,Nichols,I.A. and Schurin,B. Optically calibrated infrared high pressure cell, 0=8799
Williamson,G.K. See Washburn,J., 0=17930
Williamson,G.K. See Washburn,J., 0=20823
Williamson,J.B.P. See Greenwood,J.A., 0=16965
Williamson,R.M.,Katman,T. and Burton,B.S. F^{19}, Na^{23}, and $Al^{27}(\alpha,n)$ reactions, 0=7585
Williamson,R.S. and Fankuchen,I. Double crystal X-ray monochromator-collimator, 0=3194
Willis,B.T.M. An optical method of studying the diffraction from imperfect crystals. III. Layer structures with stacking faults, 0=1903
Willis,D.E. See Day,M.C., 0=19872
Willis,J.B. See Bullough,R., 0=20826
Willis,J.B. See Cohen,L., 0=5627
Willis,V. Analysis of permanent gases by gas chromatography using a radioactive ionization type detector, 0=4758
Willis,W.J. π^+-p interactions at 500 MeV, 0=2573
Willis,W.R. See Robinson,M.T., 0=13559
Willman,H.E.,Jr. See Koester,C.J., 0=6920
Willmarth,W.W. See Kuethe,A.M., 0=16728

Willmeyer,F.W., Jr. Use of a digital readout unit in converting spectrophotometric data to color coordinates, 0=2258
Willmott,J.C. See Baart,E.E., 0=9530
Wills,J.G. See Wyatt,P.K., 0=13107
Willstrop,R.V. The Newtonian flat, 0=165
Willstrop,R.V. Absolute measures of stellar radiation, 0=18797
Willstrop,R.V. See Blackwell,D.E., 0=18729
Wilman,H. See Goddard,J., 0=3164
Wilman,H. See Porgess,P.V.K., 0=10277
Wilman,H. See Scott,V.D., 0=704
Wilmshurst,J.K. Orbital radii and the dependence of bond length upon ionicity, hybridization, and bond order, 0=17794
Wilner,L.B. Variable capacitance liquid level sensors, 0=8602
Wilner,L.B.,Morrison,W.L. and Brown,A.E. An instrument for measuring liquid level and slosh in the tanks of a liquid-propellant rocket, 0=14606
Wilner,L.B. See Perls,T.A., 0=3586
Wilner,L.B. See Perls,T.A., 0=16702
Wilsdorf,D.K. and Wilsdorf,H.G.F. On the behavior of thermal vacancies in pure aluminum, 0=7888
Wilsdorf,H.G.F. See Richman,M.H., 0=21208
Wilsdorf,H.G.F. See Wilsdorf,D.K., 0=7888
Wilson,A.H. Transport phenomena in metals, 0=9862
Wilson,A.J.C. See Mitra,G.B., 0=7329
Wilson,A.J.C. See Pike,E.R., 0=8187
Wilson,B.G.Rose,D.C. and Pomerantz,M.A. The unusual cosmic ray events of July 17-18, 1959, 0=11274
Wilson,C.G.,Sams,D. and Renouf,T.J. The crystal structure of Zr_5Al_3, 0=3223
Wilson,C.G. and Spooner,F.J. The crystal structure of Zr_3Al_2, 0=10317
Wilson,C.G.,Thomas,D.K. and Sponner,F.J. The crystal structure of Zr_4Al_3, 0=4631
Wilson,C.G. See Mallon,H.D., 0=10294
Wilson,C.O., Jr. See Lehmann,W.J., 0=1532
Wilson,C.O., Jr. See Lehmann,W.J., 0=7760
Wilson,C.O., Jr. See Lehmann,W.J., 0=15732
Wilson,C.O., Jr. See Lehmann,W.J., 0=20634
Wilson,D.C. See Elliott,K.W.T., 0=8677
Wilson,D.J. See Buff,F.P., 0=6406
Wilson,D.McL.A. Electron density measurements in the upper ionosphere using the Faraday rotation of radio signals from artificial satellites, 0=14262
Wilson,D.V. and Russell,B. Stress induced ordering and strain-ageing in low carbon steels, 0=16220
Wilson,D.V. and Russell,B. The contribution of atmosphere locking to the strain-ageing of low carbon steels, 0=16345
Wilson,E.B., Jr. See Kivelson,D., 0=4236
Wilson,E.B., Jr. See Krisher,L., 0=2763
Wilson,E.B., Jr. See Myers,R.J., 0=15696
Wilson,E.B.,Jr. Bond lengths and nuclear quadrupole coupling in vinyl halides, 0=17772
Wilson,E.J. and Hughes,J.D.H. Light sources using radioisotopes, 0=2238
Wilson,J.E. See Hunt,N.A., 0=4982
Wilson,J.G. Cosmic radiation: the primary particles, 0=20255
Wilson,J.M. The chemical purification of germanium and silicon, 0=20908
Wilson,J.N. Health physics, laboratory instruments, 0=5456
Wilson,J.P. Perceptual anomalies associated with a single contour, 0=18549
Wilson,J.T. Some consequences of expansion of the earth, 0=10381
Wilson,L.N. Experimental investigation of the noise generated by the turbulent flow around a rotating cylinder, 0=19330
Wilson,M.H. and Brocklebank,R.W. Two-color projection phenomena, 0=14355
Wilson,O.C. Internal kinematics of the planetary nebulae, 0=10520
Wilson,O.C. Observational limitations to mass loss by normal late-type giants, 0=14463
Wilson,R. Nuclear radii from neutron scattering, 0=11306
Wilson,R. The relation between interstellar extinction and polarization, 0=19458
Wilson,R. See Calame,G., 0=19853
Wilson,R. See Cooper,P.F.,Jr, 0=7553
Wilson,R. See Hwang,C.F., 0=12926
Wilson,R. See Preston,W.M., 0=9628
Wilson,R.F. See Seigal,S., 0=5819
Wilson,R.G. and Pool,M.L. Radioactive decay of lutetium-174, 0=4059
Wilson,R.G. and Pool,M.L. Radioactive decay of lutetium-173, 0=5725
Wilson,R.G. and Pool,M.L. Radioactive decay of Lu^{168}, 0=9569
Wilson,R.G. and Pool,M.L. Radioactive decay of Tm^{166}, 0=13172
Wilson,R.G. and Pool,M.L. Radioactive decay of Lu^{170}, 0=20391
Wilson,R.G. and Pool,M.L. Radioactive decay of Yb^{167}, 0=20393
Wilson,R.H., Jr. Magnetic damping of rotation of satellite $1958\beta 2$, 0=853
Wilson,R.H., Jr. A gravitational force function for the earth representing all deviations from a spherical geoid, 0=2097
Wilson,R.H., Jr. Magnetic damping of rotation of the Vanguard I satellite, 0=4910
Wilson,R.H., Jr. Geomagnetic rotational retardation of Satellite $1959\alpha 1$ (Vanguard II), 0=4911
Wilson,R.L. Remanent magnetism of late secondary and early tertiary British rocks, 0=21305
Wilson,R.R. Precision quantameter for high energy X-rays, 0=17298
Wilson,R.R. See McDaniel,B.D., 0=382
Wilson,T.G. and Pool,M.L. Radioactive decay of Lu^{172}, 0=9570
Wilson,W.B. Device for ultra-high-pressure high-temperature research, 0=8460
Wilson,W.D. Speed of sound in sea water as a function of temperature, pressure, and salinity, 0=10721
Wilson,W.D. Equation for the speed of sound in sea water, 0=19276
Wimett,T.F. See Keepin,G.R., 0=7649
Winand,L. See Gillet,C., 0=14325
Winand,L. See Morand,M., 0=7581
Winans,J.G. See Younger,P., 0=5933
Winans,J.G. See Zei,D., 0=1113
Winckler,J.R. Balloon study of high-altitude radiations during the International Geophysical Year, 0=14266
Winckler,J.R. See Anderson,K.A., 0=9483
Winckler,J.R. See Arnoldy,R.L., 0=14267
Winckler,J.R. See Freier,P.S., 0=9482
Winckler,J.R. See Peterson,L.E., 0=8399
Winder,J.M. [Nuclear] relaxation time and dynamic polarization time in the presence of spin diffusion, 0=4524
Windle,J.J. Single crystal electron spin resonance spectra for X-irradiated glycine, 0=499
Winegard,W.C. See Holmes,E.L., 0=16273
Winegard,W.C. See Plaskett,T.S., 0=4587
Winegard,W.C. See Plaskett,T.S., 0=16338
Wing,G.M. See Bellman,R., 0=5568
Wing,G.M. See Bellman,R., 0=16616
Wing,G.M. See Bellman,R., 0=19004
Wing,G.M. See Bellman,R., 0=19005
Winick,H. See Barnes,S.W., 0=3987
Winkler,G.M.R. See Reder,F.H., 0=12344
Winkler,H. See Staub,H.H., 0=17588
Winkler,J.R.,Peterson,L.,Hoffman,R. and Arnoldy,R. Auroral X-rays, cosmic rays, and related phenomena during the storm of February 10-11, 1958, 0=8402
Winkler,R. See Krebs,K., 0=17706
Winn,M.M. and Ogilvie,K.W. Automatic device for recording experimental results directly on teleprinter tape, 0=4928
Winn,M.M. See Ogilvie,K.W., 0=5638
Winning,D.S. See Aitchison,T.W., 0=3581
Winocur,J. See Cabezas,A., 0=9514
Winocur,J. See Marrus,R., 0=20329
Winogradzki,J. The conserved amplitudes for spin-$\frac{1}{2}$ particles of zero mass, 0=328
Winogradzki,J. On the variational principle for spinor fields, 0=1247
Winogradzki,J. Invariance and conservation in field theory. Application of the general theory to the study of a spinor field, 0=12810
Winogradzki,J. Fundamental spinor representations of the general Lorentz group and inversions of space, time and the universe, 0=18905
Winogradzki,J. A reply to the remarks of R.Reulos, 0=18907
Winsberg,L. See Amiel,S., 0=4777
Winsberg,L. See Dostrovsky,I., 0=13217
Winsberg,L. See Ladenbauer,I.M., 0=15572
Winsberg,L. See Nethaway,D.R., 0=15573
Winslow,F.R. See Shewmon,P.G., 0=11637
Winslow,G.H. See Companion,A., 0=18112

Winstel,G. See Zerbst,M., 0=4337
Winston,R. See Lathrop,J., 0=20172
Winston,R. See Lathrop,J., 0=20173
Winston,R. See Telegdi,V.L., 0=7334
Wintenberger,M. The elimination of vacancies in high-purity aluminium, 0=15856
Winter,A. The energy balance of vitrification and crystallization, 0=12059
Winter,J. The theory of boundary layers, 0=8617
Winter,J. A hypothesis on the superfluid state, 0=10817
Winter,J.M. Theoretical and experimental study of transitions involving several quanta between the Zeeman sublevels of an atom, 0=464
Winter,J.M. Relaxation in a system having a long correlation time, 0=5034
Winter,J.M. Theoretical and experimental study of several-quanta transitions between Zeeman sublevels of an atom, 0=17653
Winter,J.M. See Abragam,A., 0=4528
Winter,J.M. See Robert,C., 0=13892
Winter,K. Inelastic scattering of fast neutrons, 0=9668
Winter,K. See Rémy,E., 0=9249
Winter,K. See Remy,E., 0=9383
Winter,S.D. See Levy-Mandel,R., 0=2412
Winterberg,R.P. See Hanson,J.A., 0=14351
Winterberg,R.P. See Hanson,J.A., 0=14352
Winther,A. See Alder,K., 0=17487
Wintle,H.J. Velocity of sound in relaxing gases, 0=5052
Winzeler,H.,Klaiber,B.,Koch,W.,Nikolić,M. and Schneeberger,M. Interactions of 6.2 GeV protons in emulsions. I. General results, 0=15346
Winzeler,H. See Dyer,J., 0=5562
Winzeler,H. See Koch,W., 0=5612
Winzeler,H. See Koch,W., 0=17414
Winzeler,H. See Nikolić,M., 0=9427
Winzeler,H. See Nikolič,M., 0=17413
Wippler,C. See Benoit,H., 0=14851
Wise,H. See Motz,H., 0=16370
Wise,H. Diffusion coefficient of atomic hydrogen through multicomponent mixtures, 0=5050
Wise,H. See Wood,B.J., 0=12119
Wise,M.E. On the radii of five packed spheres in mutual contact, 0=14363
Wiseman,G.G. See Beeler,J.R.,Jr, 0=4386
Wishnia,A. Proton relaxation times in protein complexes of paramagnetic ions, 0=5970
Wisniewski,E.J. See Saunders,H., 0=10710
Wit,R.de. See de Wit,R.
Witalis,E. See Lindberg,L., 0=7115
Witt,G. Polarization of light from noctilucent clouds, 0=6484
Witt,G. Polarization of light from noctilucent clouds, 0=14290
Witt,R. See Fleischmann,R., 0=14856
Witte,R.S. See McNulty,J., 0=18315
Wittekindt,R. Individual detection of electrons (15-50 keV) in nuclear photographic emulsions, 0=9334
Witten,L. Initial value problem of the Einstein—Maxwell field, 0=18934
Witterholt,E.J. See Einspruch,N.G., 0=8754
Wittig,F.E. and Scheidt,P. The heat of mixing in binary systems of mercury with zinc, cadmium, indium, thallium, tin, lead and bismuth, 0=14645
Wittke,O. and Garrido,J. The symmetry of multicoloured polyhedra, 0=4575
Wittkower,A.B. See Rose,P.H., 0=19830
Witkowski,A. and Moffitt,W. Electronic spectra of dimers: Derivation of the fundamental vibronic equation, 0=17769
Witzmann,H. and Buhrow,J. The temperature dependence of the intensity of inorganic crystalline luminophores, 0=2961
Witzmann,H. and Buhrow,J. Characterisation of the temperature quenching of inorganic crystal phosphors by means of experimentally accessible parameters, 0=6190
Witzmann,H. and Müller,R. On the u.v. emission of lead-activated borate phosphors in relation to activator content and the temperature, 0=4435
Witzmann,H. and Schwarz,L. The electrical conductivity of silver activated calcium metaborate phosphors, 0=4442
Witzmann,H. and Treichler,W. The emission properties of lead-activated alkaline-earth borates with reference to the base lattice type and activator concentration, 0=6191
Wlerick,G. See Lallemand,A., 0=18591
Wlodek,S.T. and Wulff,J. The adhesion of vapour-deposited molybdenum coatings, 0=14084
Wobst,M. Mechanical properties of rhombic polycrystalline sulphur. I, 0=1862
Woermann,D. See Debye,P., 0=6805
Woerner,S. and Magun,S. Mechanical damping of heavy ice crystals, 0=3146
Woessner,D.E. Self-diffusion measurements in liquids by the spin-echo technique, 0=19109
Wöhle,W. The sound absorption of single resonators in an infinite wall, 0=1021
Wöhle,W. The absorption of single resonators for different arrangements in closed rooms (near middle of room, edges of walls, and corners), 0=1023
Wöhle,W. Sound absorption of single resonators for omnidirectional sound incidence and for the arrangement in a line, in the middle of the room, on the wall, in the angle or corner of the room, 0=5119
Wohlfarth,E.P. Angular variation of the coercivity of partially aligned elongated ferromagnetic particles, 0=3005
Wohlfarth,E.P. Remanent magnetization of fine particles, 0=13808
Wohlfarth,E.P. The anhysteretic remanence of magnetic recording tapes, 0=21052
Wohlfarth,E.P. See Cornwell,J.F., 0=9882
Wohlfarth,E.P. See Edwards,D.M., 0=13754
Wojaczek,K. Moving striations of small amplitude in low pressure argon discharges, 0=7082
Wojciechowski,K.F. Thermoemission of alloys, 0=5357
Wojciechowski,K.F. General theory of order in n-component alloys, 0=14063
Wojciechowski,K.F. Theory of order in ternary alloys. II, 0=16336
Wojtowicz,P.J. Theoretical model for tetragonal-to-cubic phase transformations in transition metal spinels, 0=1550
Wojtowicz,P.J. Theoretical model for cubic to tetragonal phase transformations in transition metal spinels, 0=2814
Wojtowicz,P.J. High-temperature susceptibility of ferrimagnetic spinels, 0=11899
Wojtowicz,P.J. and Kirkwood,J.G., Contribution of lattice vibrations to the order—disorder transformation in alloys, 0=21233
Wojtowicz,P.J. See Baltzer,P.K., 0=3079
Wojtowicz,P.J. See Stillinger,F.H.,Jr, 0=14628
Wold,A. See Dwight,K., 0=2300
Wold,A. See Goodenough,J.B., 0=11830
Wolf,E. Coherence properties of partially polarized electromagnetic radiation, 0=146
Wolf,E. A scalar representation of electromagnetic fields. II, 0=7199
Wolf,E. Electromagnetic diffraction in optical systems. I. An integral representation of the image field, 0=8786
Wolf,E.,Zigler,M.J. and Cowen-Solomons,H.B. Variability of dark adaptation, 0=18560
Wolf,E. See Richards,B., 0=8787
Wolf,E. See Roman,P., 0=19880
Wolf,E. See Roman,P., 0=19881
Wolf,H. The activation energy for cross slip of a dissociated screw-dislocation, 0=9898
Wolf,H.C. and Hausser,K.H. Electron spin resonance of F-centres in rubidium halide crystals, 0=4300
Wolf,H.C. See Seidel,H., 0=6273
Wolf,P. Free and forced oscillations of the magnetization in thin permalloy films, 0=18194
Wolf,P. See Dietrich,W., 0=10157
Wolf,W.P. Cooling by adiabatic magnetization, 0=1087
Wolf,W.P. Magnetic properties of rare earth ions in garnets, 0=4517
Wolf,W.P. and Van Vleck,J.H. Magnetism of europium garnet, 0=11894
Wolf,W.P. See Boakes,D., 0=4516
Wolf,W.P. See Cooke,A.H., 0=8040
Wolf,W.P. See Cooke,A.H., 0=8068
Wolf,W.P. See Cooke,A.H., 0=10094
Wolf,W.P. See Cooke,A.H., 0=13734
Wolfe,B. Epithermal effects on control element worth, 0=7663
Wolfe,B. The effect of a current boundary condition on control rod effectiveness, 0=7664
Wolfe,B. The general theory of control sheets, 0=13374
Wolfe,B. and Fischer,D.L. Perturbation of control elements. I, 0=13375

Wolfe,B. and Fischer,D.L. Perturbation theory of control elements. II. 0=13376

Wolfe,J.E. See Chu,W.W.L., 0=3277

Wolfe,J.L. Satellite tracking by h.f. direction finder, 0=849

Wolfe,J.L. Measurements of the last few periods of Sputnik III by a radio direction finder, 0=12341

Wolfe,R.,Wernick,J.H. and Haszko,S.E. Anomalous Hall effect in AgSbTe$_2$, 0=20921

Wolfe,R. See Wernick,J.H., 0=11680

Wolfe,R.A. See Yeniscavich,W., 0=8332

Wolfe,R.N. See Higgins,G.C., 0=19397

Wolfe,W.L. and Ballard,S.S. Optical materials, films, and filters for infrared instrumentation, 0=14808

Wolfe,W.L. See Holter,M.R., 0=14811

Wolfendale,A.W. See Ashton,F., 0=9458

Wolfendale,A.W. See Ashton,F., 0=9477

Wolfendale,A.W. See Coxell,H., 0=9239

Wolfendale,A.W. See Lloyd,J.L., 0=3982

Wolfendale,A.W. See O'Connor,P.V., 0=15463

Wolfenstein,L. See Manacher,G.K., 0=2563

Wolff,H.H. Wagner-earth and other null instrument capacity neutralizing circuits, 0=2305

Wolff,P.A. Effects of electron correlation on the optical properties of metals, 0=2930

Wolff,P.A. Spin susceptibility of an electron gas, 0=17907

Wolfgang,R. See Kaufmann,R., 0=447

Wolfgang,R. See Preiss,I.L., 0=20394

Wolfgang,R. See Tamers,M.A., 0=5760

Wolfhard,H.G. See Gaydon,A.G., 0=5216

Wolfsberg,M. Note on secondary isotope effects in reaction rates, 0=14115

Wolfsberg,M. Isotope effects on reaction rates and the reaction coordinate, 0=14116

Wolfsberg,M. See Gutmann,J.R., 0=21269

Wolfson,J.L. and Terentiuk,F. Concentration of particulate air-borne fission products at ground level in Canada during I.G.Y., 0=16497

Wolfson,R.G.,Fine,M.E. and Ewald,A.W. Transformation studies of gray tin single crystals, 0=18307

Wolfson,Y. See Birk,M., 0=1369

Wolfstirn,K. See Fuller,C.S., 0=15941

Wolicki,E.A.,Holmgren,H.D.,Johnston,R.L. and Illsley,E.G. Differential cross sections for the Be^9(He^3,p)B^{11} reaction, 0=4102

Wolke,R.L. Fission of radium by 11 to 22 MeV protons, 0=17632

Wolkers,G.J. See Michels,A., 0=14909

Wollam,J.S. and Wallace,W.E. Magnetic susceptibility, heat capacity and third-law entropy of MgNi$_2$, 0=16126

Wollan,E.O. Magnetic coupling in crystalline compounds. A phenomenological theory of magnetism in 3d metals, 0=4474

Wollan,E.O. See Cable,J.W., 0=10184

Wollan,E.O. See Koehler,W.C., 0=10187

Wollan,E.O. See Koehler,W.C., 0=10188

Wollan,E.O. See Koehler,W.C., 0=13849

Wollan,E.O. See Wilkinson,M.K., 0=11849

Wollenberger,H. See Bialas,D., 0=8214

Wollnik,H. and Ewald,H. Aberration-free mass spectrometer with radial intermediate image, 0=9105

Wolsky,S.P. Studies of semiconductor materials using a vacuum microbalance, 0=11681

Wolter,H. On the sampling theorem of the second kind, 0=2225

Wolter,H. Estimation of the required measuring accuracy and signal—noise ratio when the field of view is reduced in order to improve resolution, 0=19439

Wolter,W. See Benisz,J., 0=15323

Woltjer,L. A magnetostatic model for a compressible star, 0=6622

Woltjer,L. See Kahn,F.D., 0=10472

Wolzak,G. See Aten,A.H.W.,Jr, 0=7537

Wondratschek,H. See Brunner,G., 0=4416

Wong,C.,Anderson,J.D.,Gardner,C.C.,McClure,J.W. and Nakada,M.P. Neutron spectra from the p + d reaction, 0=1276

Wong,C. See Anderson,J.D., 0=458

Wong,E.Y. Paramagnetic resonance of Ti^{3+}, Cr^{3+}, and Fe^{3+} in AlCl$_3$.6H$_2$O, 0=4515

Wong Wen-Nong and Ross,M. Theory of the high-energy peaks in the pion-nucleon cross sections, 0=371

Wood,B.J. and Wise,H. Diffusion and heterogeneous reaction. II. Catalytic activity of solids for hydrogen-atom recombination, 0=12119

Wood,D.E. Intermediate energy neutron leakage through iron, 13360

Wood,D.L. Infrared absorption of defects in quartz, 0=16070

Wood,D.L. See King,J.C., 0=11764

Wood,D.L. See Schawlow,A.L., 0=660

Wood,D.L. See Varsanyi,F., 0=2960

Wood,E. See Bird,L., 0=11166

Wood,E. See Taylor,A.E., 0=11164

Wood,F.B. The eclipsing system, TZ Coronae-Austrinae, 0=12313

Wood,F.B. Photoelectric photometry in astronomical studies, 0=18595

Wood,G.T. Directional and polarization correlation measurements on Eu^{152m}, 0=4069

Wood,G.T. Evidence for 0^+ and 1^- levels in U^{234} populated in the one-minute beta decay of Pa^{234}, 0=17531

Wood,H. The Astrometric program at Sydney Observatory, 0=12296

Wood,J.H. Wave functions for iron d band, 0=4274

Wood,J.L. Dielectric properties of water/alumina, 0=5257

Wood,J.L. The diffusion theory of chemical reaction, 0=21266

Wood,M. See DeMastus,H., 0=12285

Wood,M.B. and Warick,C.S. Geomagnetic disturbance and velocity of slow drift bursts, 0=6562

Wood,N.B. See Weinberg,F.J., 0=3645

Wood,R.H. Madelung constant for K$_2$SO$_4$(II), 0=13475

Wood,S.E.,Langer,S. and Battino,R. Refractive index and dispersion of the benzene—methanol system, 0=10668

Wood,S.E. and Masland,C.H.,3rd. Refractive index and dispersion of the benzene—carbon tetrachloride system, 0=10667

Wood,S.E. See Weissman,S., 0=6781

Wood,W.W. and Salsburg,Z.W. Analysis of steady-state supported one-dimensional detonations and shocks, 0=14109

Wood,W.W. See Fickett,W., 0=8653

Woodbury,H.H. and Ludwig,G.W. Spin resonance of transition metals in silicon, 0=4514

Woodbury,H.H. and Ludwig,G.W. Magnetic moment of Au^{197}, 0=7459

Woodbury,H.H. and Ludwig,G.W. Vacancy interaction in silicon, 0=17959

Woodbury,H.H. See Ludwig,G.W., 0=7458

Woodbury,H.H. See Ludwig,G.W., 0=17960

Woodbury,W.C. See Edwards,M.H., 0=7018

Woodgate,G.K. and Sandars,P.G.H. A method of measuring nuclear magnetic moments using three oscillating fields along an atomic beam, 0=17684

Woodhead,M.M. Value of ear defenders for mental work during intermittent noise, 0=12221

Wooding,E.R. See Porter,G., 0=5158

Wooding,R.A. The stability of a viscous liquid in a vertical tube containing porous material, 0=8601

Woodley,R.E. See Hardtke,F.C., 0=13553

Woodley,R.G.,Bronstein,E.L. and Laughlin,J.S. Exit dosimeter for effective patient thickness, 0=7250

Woodruff,A.E. Semiphenomenological analysis of the process $p + p \rightarrow d + \pi^+$ near threshold, 0=5597

Woodruff,T.O. See Cohen,M.H., 0=4298

Woods,A.D.B.,Cochran,W. and Brockhouse,B.N. Lattice dynamics of alkali halide crystals, 0=13479

Woods,A.D.B. and Hallett,A.C.Hollis. The viscosity of liquid helium between 1.1°K and 0.79°K, 0=8903

Woods,H.J. See Onions,W.J., 0=10296

Woods,H.J. See Simpson,W.S., 0=10295

Woods,J. Study of cadmium sulphide crystals grown from the vapour phase in a stream of argon, 0=8154

Woods,J. Etch pits and dislocations in cadmium sulphide crystals, 0=13535

Woods,J. and Champion,J.A. Hole conduction and photovoltaic effects in CdS, 0=4356

Woods,P.B. See Onions,W.J., 0=10296

Woods,S.B. See MacDonald,D.K.C., 0=19569

Woods,S.B. See White,G.K., 0=20754

Woodward,A.E. See Sauer,J.A., 0=6375

Woodward,J.G. and Della Torre,E. Particle interaction in magnetic recording tapes, 0=1792

Woodward,J.G. and Della Torre,E. Particle interaction in magnetic recording tapes, 0=11870

Woody,R.W. See Tinoco,I.,Jr, 0=6000

Woolcock,W.S. See Hamilton,J., 0=9397

Woolf,N.J. See Geake,J.E., 0=18584

Woolf,N.J. See Ring,J., 0=16516

Woolfson,M.M. Some new aspects of color perception, 0=3375
Woolfson,M.M. Origin of the solar system, 0=14393
Woolley,H.W. Empirical intermolecular potential for inert gas atoms, 0=3560
Woolley,J.C.,Evans,J.A. and Gillett,C.M., Optical energy gap variation in the GaSb—InSb system. 0=6120
Woolley,J.C. and Ray,B. Solid solution in $A^{II}B^{VI}$ tellurides, 0=12083
Wooster,G.A. See Wooster,W.A., 0=8180
Wooster,W.A. and Wooster,G.A. Twin-head goniometer for the study of diffusely reflected X-rays, 0=8180
Wooster,W.A. See Sándor,E., 0=8204
Worhald,J.R. See O'Keefe,T.W., 0=5578
Workman,E.J.,Brook,M. and Kitagawa,N. Lightning and charge storage, 0=14309
Worley,C.E. Measures of 241 double stars, 0=12317
Worley,R.E. Demonstration of hydrodynamic flow, 0=917
Worlock,R.M. Photoproduction of neutral pions at energies 600 to 800 MeV, 0=3994
Wormser,E.M. See De Waard,R., 0=8839
Worsley,B.H. Radial wave functions with exchange for Va^{2+}, Kr and Ag^{+}, 0=467
Worth,D.C. and Haste,G.R. Experimental calibration of scintillation pulse heights of thin CsI crystals, 0=3908
Worthington,C.R. See Posner,A.S., 0=8251
Wouterlood,H.J. See van der Breggen,J.C., 0=14574
Woyk (Chvojkova),E. The refraction of radio waves by a spherical ionized layer, 0=15158
Wraight,H. See McGuire,J.H., 0=8835
Wray,K.L. and Connolly,T.J. Thermal conductivity of clear fused silica at high temperatures, 0=1577
Wright,C.V. See Barrow,R.F., 0=17765
Wright,D.A. Thermoelectric cooling, 0=19574
Wright,F.W. An observation concerning mean radiant paths of photographic meteor showers, 0=12269
Wright,F.W.,Jacchia,L.G. and Boehm,B.W. Photographic lyrid meteors, 0=12270
Wright,G.B. See Lax,B., 0=4392
Wright,G.T. Dielectric devices, 0=7055
Wright,H. and Wyszecki,G. Field trial of 10° color-mixture functions, 0=12228
Wright,H.N. Audibility of switching transients, 0=3366
Wright,H.W.,Wyatt,E.I.,Reynolds,S.A.,Lyon,W.S. and Handley,T.H. Half-lives of radionuclides. I, 0=13178
Wright,J.K. Shock waves and controlled thermonuclear fusion, 0=9724
Wright,J.K. See Medford,R.D., 0=19635
Wright,J.P. Diffusion of charged particles across a magnetic field due to neutral particles, 0=14975
Wright,J.W. A model of the F region above $h_{max}F2$, 0=12187
Wright,J.W. Note on quiet-day vertical cross-sections of the ionosphere along 75°W geographic meridian, 0=21351
Wright,J.W. Some magnetoionic phenomena of the arctic E-region, 0=21355
Wright,J.W. and Gautier,T.N. Note on a test of the equivalence theorem for sporadic E propagation, 0=14233
Wright,M.R.,Frosch,R.P. and Robinson,G.W. Phosphorescence lifetime of benzene. An intermolecular heavy-atom effect, a deuterium effect, and a temperature effect, 0=18141
Wright,P. and Goddard,K.F. Lattice parameter and resistivity study of order in the alloy CuAu, 0=16342
Wright,R.E. See Jopson,R.C., 0=17149
Wright,R.W. and Skinner,N.J. Lunar tides in the sporadic E-layer at Ibadan, 0=6458
Wright,R.W. and Skinner,N.J. Equatorial spread-F, 0=8386
Wright,R.W. See Koster,J.R., 0=16475
Wright,R.W.H. Geomorphology of spread F and characteristics of equatorial spread F, 0=12184
Wright,W. See McCaig,M., 0=11822
Wright,W.B. and Feiner,F. Note on position-dependent spectra, 0=15629
Wroe,H. The magnetic stabilization of low pressure d.c. arcs, 0=7099
Wroe,H. and Alderson,R.H. An effect of oxide layers on the behaviour of vacuum arc cathode spots, 0=1114
Wrzecionko,G. The ultraviolet asymptotic value for the interaction of K-mesons with baryons, 0=9430
Wu,C.S. See Fleishman,H., 0=5030
Wu,T.T. Ground state of a Bose system of hard spheres, 0=899
Wu Ta-You,Rosenberg,R.L. and Sandstrom,H. μ-hydrogen molecular ion and collisions between μ-hydrogen atom and proton, deuteron and H atom, 0=11492
Wu Ta-You. See Tauber,G.E., 0=11291
Wucher,J. See Burger,J.P., 0=1775
Wucher,J. See Burger,J.P., 0=13854
Wucher,J. See Taylor,M.A., 0=16124
Wucher,J. See Wendling,R., 0=10112
Wuenschel,P.C. Seismogram synthesis including multiples and transmission coefficients, 0=6430
Wuerker,R.F. See Shelton,H., 0=11989
Wulfeck,J.W.,Johannsen,D.E. and McBride,P.I. Studies on dark adaptation. III. Pre-exposure tolerance of the human fovea as measured by constrast sensitivity, 0=8451
Wulfeck,J.W. See Hanson,J.A., 0=8452
Wulff,H. The possibility of observing "over-thermal" electric-field fluctuations in plasmas by means of spectroscopic measurements, 0=5311
Wulff,H. Plasma diagnostics by spectroscopical means, 0=19686
Wulff,J. See Wlodek,S.T., 0=14084
Wulff,H. See Durant,J., 0=19876
Wulfman,C.E. Approximate electronic energy surfaces from cuspless wave functions, 0=20680
Wundt,H. See Schulten,R., 0=5821
Wurster,W.H. See Treanor,C.E., 0=5953
Wüstenhagen,J. Investigations of exoelectrons from evaporated metallic layers and some non-metallic surfaces, 0=3780
Wyard,S.J. See Searl,J.W., 0=6264
Wyard,S.J. See Smith,R.C., 0=10678
Wyatt,E.I. See Wright,H.W., 0=13178
Wyatt,P.J. Induction drag on a large negatively charged satellite moving in a magnetic-field-free ionosphere, 0=14473
Wyatt,P.J. See Tang,Y.C., 0=1344
Wyatt,P.K.,Wills,J.G. and Green,A.E.S. Nonlocal optical model for nucleon—nuclear interactions, 0=13107
Wyatt,S.P. Solar effects in the motion of Vanguard, 0=20
Wybourne,B.G. Optimum optical density for "shot" noise limited spectrophotometers, 0=1034
Wybourne,B.G. Analysis of the solid-state spectra of trivalent neodymium and erbium, 0=6179
Wybourne,B.G. See Runciman,W.A., 0=5886
Wyckoff,H.O. Measurement of cobalt-60 and cesium-137 gamma rays with a free-air chamber, 0=17559
Wyckoff,H.O. See Frantz,F.S.,Jr, 0=3946
Wyckoff,J.M. and Koch,H.W. X-ray attenuation coefficients from 13 to 80 MeV for hydrogen, carbon, water, and aluminum, 0=7328
Wykoff,W.R. See Bidwell,R.M., 0=13310
Wykoff,W.R. See Bidwell,R.M., 0=13370
Wyld,H.W. Jr, Radiation by plasma oscillations in a bounded plasma in a magnetic field, 0=10917
Wyller,A.A. See Sen,H.K., 0=11061
Wyllie,G. See Atkinson,J.R., 0=9653
Wyly,L.D. See Dulaney,H.,Jr, 0=5705
Wynne,C.G. See Nunn,M., 0=5142
Wysocki,J.J. and Rappaport,P. Effect of temperature on photovoltaic solar energy conversion, 0=7967
Wysocki,J.J. See Jenny,D.A., 0=1631
Wysocki,J.S. Thermal conversion in n-type GaAs, 0=18040
Wyszecki,G. Multifilter method for determining relative spectral sensitivity functions of photoelectric detectors, 0=16824
Wyszecki,G. See Wright,H., 0=12228

Xanthakis,J. The N—S asymmetry in solar activity, 0=8
Xanthakis,J. The expression for the solar activity as a function of rise time, 0=18734
Xavier,J. See Steele,D., 0=20626
Xinh Nguyen Xuan. See Nguyen Xuan Xinh, 0=7195
Xuan,C. and Chastel,R. The use of diamond grains embedded in photographic emulsions in the study of nuclear reactions on carbon, 0=12791
Xuan Xinh Nguyen. See Nguyen Xuan Xinh.

Yablokov,B.N. See Belovintsev,K.A., 0=7180
Yablokov,B.N. See Belovintsev,K.A., 0=7181
Yablokov,B.N. See Fateev,A.P., 0=17057

Yablokov,Yu.V. See Egorov,G.A., 0=21072
Yablonskii,S.V.,Gil'man,A.M.,Kotel'nikov,I.V. and Potȳlitsȳn,P.M. Apparatus for the study of algorithms of road traffic movement, 0=16513
Yacob,A. Some features of magnetic elements at Trivandrum and Annamalainagar, situated near the geomagnetic equator in the Indian Peninsula, 0=16405
Yada,M. See Kumabe,I., 0=20435
Yadav,R.S. See Gill,P.S., 0=15482
Yadavalli,S.V. Collision damping of space-charge waves in a plasma, 0=3771
Yadavalli,S.V. Non-linear behaviour of a modulated electron beam in the presence of a velocity distribution, 0=17039
Yaek,I.V. The step-like dependence of the quantum yield of recombination luminescence of alkali-halide crystal phosphors on the frequency of the exciting light, 0=16085
Yaek,I.V. and Liid'ya,G.G. Excitation of recombination luminescence in the fundamental absorption bands of certain halides, 0=11771
Yaék,I.V. See Kark,V.Ya., 0=10072
Yaek,I.V. See Lushchik,Ch.B., 0=20996
Yafaev,N.R. See Vinokurov,V.M., 0=11947
Yafet,Y. Energy levels of conduction electrons in a magnetic field, 0=1548
Yafet,Y. See Bowers,R., 0=1771
Yafet,Y. See Bowers,R., 0=18168
Yaffe,L. See Friedlander,G., 0=5747
Yaffe,L. See Kjelberg,A., 0=13205
Yaffe,L. See MacEwan,J.R., 0=2826
Yaffe,L. See MacEwan,J.R., 0=2827
Yaffe,L. See Santry,D.C., 0=7641
Yaffe,L. See Santry,D.C., 0=9707
Yagfarov,M.S. A new method of determining thermal characteristics and thermal effects by means of a thermograph, 0=2275
Yagi,M. Structural investigations of short chain monocarboxylic acids in the solid states by proton magnetic resonance. I. Acetic and propionic acids, 0=18231
Yagi,M. and Ueta,M. The proton magnetic resonance absorption of the trichloroacetic acid in solid phase, 0=8093
Yagi,T. Recovery of cosmic-ray intensities after the "Forbush-type decrease", 0=15484
Yagi,T. See Kodama,M., 0=15494
Yagi,T. See Moriuchi,Y., 0=1262
Yagoda,H. The exposure of emulsions in free space, 0=12796
Yagoda,H. Star production by trapped protons in the inner radiation belt, 0=16457
Yagoda,H. The recovery of cosmic-ray emulsions from rocket and space probes, 0=20251
Yagoda,H. and Dickinson,M.B. Microscopy of thick emulsion films, 0=12747
Yagudina,F.R. See Adamovich,M.I., 0=13046
Yagudina,F.R. See Gorzhevskaya,É.G., 0=15414
Yagudina,F.R. See Popova,V.M., 0=9421
Yahagi,K. and Danno,A. Gamma-ray induced conductivity in polyethylene coaxial cable, 0=9949
Yajima,N. and Kobayakawa,K. Multiple meson production in antinucleon—nucleon annihilation, 0=11162
Yakhontova,V.E. See Frish,S.É., 0=5854
Yakimenko,I.P. See Bulgakov,B.M., 0=17110
Yakimenko,I.P. See Shestopalov,V.P., 0=10865
Yakimov,B.V. See Grishaev,I.A., 0=9202
Yakoleva,É.S. See Syutkina,V.I., 0=4686
Yakovlev,A.F. On the anomaly found in aeroplane γ-ray surveys, 0=2042
Yakovlev,E.I. The excitation of the spin system of a ferromagnetic by a spatially non-uniform electromagnetic field, 0=21034
Yakovlev,L.A. See Merkulov,L.G., 0=10733
Yakovlev,L.G. Wave-front velocity in electrodynamics containing higher derivatives, 0=2439
Yakovlev,L.G. Calculation of phase integrals in the covariant formulation of the theory of multiple production of particles, 0=11116
Yakovlev,V.A. The absorption of infrared radiation by electrons in n-type silicon, 0=18129
Yakovlev,V.I. See Murzina,E.A., 0=2602
Yakovlev,V.V. The heat loss from non-boiling water at high heat fluxes, 0=6979
Yakovleva,A.A.,Borisova,T.I. and Veselovskii,V.I. The effect of optical radiation on an anodically-polarized germanium electrode, 0=21286
Yakubov,I.T. See Biberman,L.M., 0=15749
Yalow,R.S. See Berson,S.A., 0=9541
Yamada,E. Anomalous magnetic moment of the nucleon, 0=358
Yamada,E. See Doniach,S., 0=17377
Yamada,E. See Matumoto,K., 0=13032
Yamada,M. See Fujita,J., 0=11356
Yamada,M. See Iwamoto,F., 0=12884
Yamada,M. See Matumoto,Z., 0=11349
Yamada,M. See Mikami,I., 0=21040
Yamada,N. See Kinase,W., 0=1720
Yamada,O. The variations of magnetization in the Rayleigh domain, due to heating or cooling, 0=16131
Yamada,Y. See Mitsuishi,A., 0=6953
Yamagata,T. See Hillman,P., 0=2568
Yamagata,T. See Odian,A., 0=20209
Yamagata,Y. See Itoh,J., 0=4531
Yamaguchi,H. See Nonaka,I., 0=20466
Yamaguchi,H. See Suwa,S., 0=19856
Yamaguchi,J. and Hamakawa,Y. Barrier temperature at turnover in germanium p—n junction, 0=4341
Yamaguchi,S. Measurement of the magnetization of thin film, 0=1799
Yamaguchi,S. Measurement of the magnetic field in a thin film, 0=3061
Yamaguchi,S. Interaction between electron beam and magnet, 0=4475
Yamaguchi,S. The measurement of the magnetization of thin films, 0=4493
Yamaguchi,S. Electron diffraction at nickel catalysts, 0=4764
Yamaguchi,S. Possibility of polarization of free electrons, 0=10968
Yamaguchi,S. Magnetic gradient at the surface of ferromagnetic substances, 0=13751
Yamaguchi,S. On the magnetic perturbation of an electron beam, 0=19736
Yamaguchi,Y. Theory of scatterings and reactions, 0=11111
Yamaguchi,Y. The possible existence of a neutral meson with isotopic spin 0, 0=11187
Yamaguchi,Y. A composite theory of elementary particles, 0=12835
Yamaguchi,Y. A model of strong interactions, 0=12836
Yamaguchi,Y. Phenomenological analysis of the decay processes of the Σ- and Λ-hyperons, 0=13060
Yamaguchi,Y. The global symmetry of pion—baryon interactions and bound states of hyperon-nucleon system, 0=17385
Yamaguchi,Y. Possibility of super-weak interactions and the stability of matter, 0=20035
Yamaguchi,Y.,Banno,N.,Ōshima,H. and Araki,T. Effect of the solar eclipse, 19th April, 1958 on the geomagnetic field and earth currents, 0=18472
Yamaguchi,Y. See Minami,S., 0=9437
Yamaguchi,Y. See Ogimoto,T., 0=13155
Yamahuzi,K. and Tanaka,T. Effects of defects on lattice vibrations. Thermodynamical properties, 0=11569
Yamakawa,H. and Kurata,M. Theory of dilute polymer solution. III. Heterogeneous polymer, 0=14629
Yamamoto,H. Approximate solution of the relativistic two-body equation and its application to the nuclear forces, 0=17265
Yamamoto,K. On the change in physical properties of radiation shielding window glass by gamma ray irradiation, 0=8254
Yamamoto,K. Theory of unstable particles in the wave-packet-formalism, 0=15272
Yamamoto,K. See Okuda,T., 0=1134
Yamamoto,R.K. See Guerriero,L., 0=19981
Yamamoto,S.S. and Steigert,F.E. Low-lying levels in P^{30}, 0=5671
Yamamoto,T. Theory of adiabatic susceptibility, 0=13733
Yamamoto,Y. Charge distribution of pions produced in high energy nuclear collisions, 0=9428
Yamamoto,T. Quantum statistical mechanical theory of the rate of exchange chemical reactions in the gas phase, 0=14097
Yamamura,H. and Hiraga,K. Supplement to the measurement of complex dielectric constant of liquid in the microwave region by the four-branched coaxial line, 0=5025
Yamamura,H. See Murakami,I., 0=6801
Yamamura,Y. See Yamanaka,C., 0=7065
Yamanaka,C.,Wada,H. and Yamamura,Y. Fundamental study of atomic battery, 0=7065
Yamanaka,C. See Chong,P., 0=1106
Yamanaka,T. See Tanaka,K., 0=20109
Yamanouchi,T. Strangeness 2 meson, 0=2553

Yamanouchi,T. and Kaplon,M.F. Possible evidence for a negative heavy meson, 0=374
Yamanouchi,T. See Kaplon,M.F., 0=4002
Yamanouchi,T. See Kaplon,M.F., 0=15262
Yamanouchi,T. See Ohmura,T., 0=11503
Yamanouchi,T. See Ohmura,T., 0=20578
Yamartino,E.J.,Broadley,H.R., Jr and Lever,R.C. Stability of magnets composed of elongated single-domain iron particles, 0=3038
Yamasaki,S. See Katoh,T., 0=17542
Yamasaki,S. See Nakasima,R., 0=11375
Yamashita,J. and Inoue,K. Hot electron in n-type germanium, 0=11688
Yamashita,J. See Keffer,F., 0=1837
Yamashita,J. See Kondo,J., 0=3142
Yamashita,T. The effect of annealing on Young's modulus of the single crystal plate of aluminium, 0=8106
Yamashita,T. On the plastic deformation of the single crystal plates of aluminium, 0=8107
Yamashita,T. See Dohi,S., 0=4561
Yamayi,I. See Kanaya,K., 0=15078
Yamazaki,H.,Sakashita,S. and Ono,Y. On the possibility of helium burning in giant stars in a globular cluster, 0=18870
Yamazaki,H. and Shida,S. Radiolysis and bond stability of squalene, 0=6417
Yamazaki,T. See Hu,C., 0=20453
Yamazaki,M. See Ito,D., 0=11205
Yamazaki,M. See Ito,D., 0=20052
Yamazaki,T. See Sakai,M., 0=20419
Yamazaki,Y. See Sugiyama,K., 0=20415
Yampol'skii,P.A. See Glagolev,V.L., 0=11376
Yampol'skii,P.A. See Morozov,A.M., 0=1382
Yamzin,I.I. Apparatus for neutron diffraction structural analysis, 0=16292
Yan Shi. The influence of ordering on the magnetic properties of a binary ferromagnetic alloy, 0=1781
Yanagawa,S. On the ground state spin of Ti^{47} and Mn^{55}, 0=11298
Yanagihara,K. Some characters of geomagnetic pulsation pt and accompanied oscillation spt, 0=1993
Yanase,M.M. See Araki,H., 0=18951
Yang,C.N. See Lee,T.D., 0=897
Yang,C.N. See Lee,T.D., 0=3457
Yang,C.N. See Lee,T.D., 0=3458
Yang,C.N. See Lee,T.D., 0=4948
Yang,C.N. See Lee,T.D., 0=9332
Yang,C.N. See Lee,T.D., 0=15252
Yang,K. Possible ion-molecule reaction in the gamma radiolysis of C_4 hydrocarbons. 0=16386
Yang,K. and Gant,P.L. Reactions initiated by β decay of tritium. II. The tritium—ethylene system, 0=3321
Yang,K. See Gant,P.L., 0=745
Yang,K. See Gant,P.L., 0=14132
Yang Li-ming. A note on the general theory of the nuclear many-body problem, 0=397
Yang Li-Ming. See Tseng Chin-Yuen, 0=13117
Yankov,V.V. Dynamics of a conducting gaseous sphere in a quasi-stationary electromagnetic field, 0=10909
Yano,K. See Hikosaka,T., 0=18482
Yano,S. Proton magnetic resonance in hydrates of halogen compounds of Mg, Ca, Sr and Ba, 0=21089
Yanoukh,F. Polarization of γ-quanta in the internal Compton effect, 0=5715
Yantovskii,E.I. An estimate of the influence of free convection upon turbulent flow, 0=14678
Yanus,R.I. Limit of usefulness of repeated measurements, 0=865
Yao Ch'ing-Hsieh. See Yao Tsin-Se, 0=3966
Yao Tsin-Se [Yao Ch'ing-Hsieh]. See Barashenkov,V.S., 0=3966
Yao Tsying Se. See Barashenkov,V.S., 0=4088
Yao,Y.L. Detection of order in Ni_3Co, 0=16355
Yaplee,B.S.,Roman,N.G.,Craig,K.J. and Scanlan,T.F. A lunar study at 10-cm wavelength, 0=18618
Yarba,V.A. See Batusov,Yu.A., 0=20192
Yarba,V.A. See Batusov,Yu.A., 0=20214
Yarba,V.A. See Bogachev,N.P., 0=9619
Yarba,V.A. See Bogachev,N.P., 0=13233
Yarger,F.I. See Rogge,W.H., 0=15730
Yariv,A. Spontaneous emission from an inverted spin system, 0=9186
Yarnell,J.,Bendt,Kerr,E.C. and Arnold. Measurements of the temperature dependence of the excitation spectrum of liquid helium, 0=8919
Yarominek,V. On the equivalence of the Routh—Hurwitz and of the Markov stability criteria, 0=8728
Yaroshetskii,I.D. See Konopleva,R.F., 0=15875
Yaroslavskii,M.I.,Posniakov,P.G. and Vasin,I.G. Mode of vibration of double-convex quartz lenses of AT-cut crystals, 0=14713
Yaroslavskii,N.G. and Stanevich,A.E. Rotational spectrum of H_2O vapour and absorption by moist air in the wavelength region from 40 to 2500 microns, 0=4200
Yaroslavsky,S. and Bergmann,E.D. Dipole moment and conformation of 2-chlorocyclohexane, 0=17850
Yarov-Yarovoi,M.S. and Grebenikov,E.A. The computation of exact and approximate ephemerides of artificial earth satellites, 0=18884
Yaru,É.A. See Alferov,Zh.I., 0=9966
Yarwood,J. [Conf. rep.]. Summarized proceedings of a symposium on current developments in the production of high vacua — London, April, 1959, 0=5057
Yashchin [Jaszczyn],P.B. The effect of infrared light on luminescence of ZnS:Mn phosphors, 0=10069
Yashugina,E.A. See Shimanskaya,N.S., 0=5686
Yashukova,I.M. The effect of electric field on electric conductivity of polycrystalline cadmium selenide, 0=1661
Yasukochi,K. See Taoka,T., 0=21112
Yasumi,S. See Nakamura,T., 0=20479
Yasunaga,T. The calculation of sound velocity in electrolytic solutions, 0=5013
Yasunaga,T. Effect of pressure on the structure of and sound velocity in water, 0=10657
Yasuno,M. See Hayakawa,S., 0=15592
Yasuno,M. See Sasakawa,T., 0=11466
Yasuno,M. See Takagi,S., 0=20312
Yasuno,M. See Takagi,S., 0=20341
Yata,M. See Nakamura,T., 0=20479
Yates,D.J.C. See Mathieu,M.V., 0=15731
Yates,E.S. Digest of literature on dielectrics. Engineering applications, 0=2300
Yates,M.J.L. See Allen,K.W., 0=5669
Yatsuk,K.P. and Bÿchkova,G.N. Application of resonant retarding systems for the measurement of permittivity of substances at u.h.f., 0=12422
Yatsuk,K.P. See Shestopalov,V.P., 0=3718
Yatsuk,K.P. See Shestopalov,V.P., 0=10864
Yatsuk,K.P. See Shestopalov,V.P., 0=10865
Yatsuk,K.P. See Shestopalov,V.P., 0=15151
Yavin,A.I. Detection of alpha particles with commercially available transistors, 0=9238
Yavin,A.I. See Allen,J.S., 0=15096
Yavlinsky,N.A. See Bezbatchenko,A.L., 0=5312
Yavlinskii,N.A. See Dolgov-Savel'ev,G.G., 0=9029
Yavnel',A.A. The dependence of the structure of siderolites on their chemical composition, 0=16536
Yavor,I.P. See Komar,A.P., 0=13257
Yavor,S.Ya.Shpak,E.V. and Minina,R.M. Magnetic cylindrical lenses with plane of antisymmetry, 0=10960
Yavor,S.Ya. and Silad'i,M. Iron-clad magnetic cylindrical lenses with a plane of antisymmetry, 0=17040
Yavor,S.Ya. See Kel'man,V.M., 0=10983
Yazÿkova,S.M. Eigenvalues of π-electrons in a potential box with an even number of barriers n, 0=11533
Yee,R. See Kurtz,A.D., 0=6058
Yeh,G.C.K. and Martinek,J. Forced vibration of a clamped rectangular plate in fluid media, 0=19247
Yeh,K.C. Second-order Faraday rotation formulas, 0=19945
Yeh,K.C. and Swanson,G.W., Jr. The scintillation of radio signals from satellites, 0=12211
Yekutieli,G. On the radiation of mesons with a constant transverse momentum P_t in cosmic ray jets, 0=13095
Yekutieli,G. See Maor,U., 0=15372
Yelon,A. and Hoffman,R.W. Production of single-crystal copper films at low temperatures, 0=16359
Yen Kuo-Tai. Optimal coordinates for a simple shear flow over a flat plate, 0=19058
Yeniscavich,W.,Wolfe,R.A. and Lieberman,R.M. Hydrogen absorption by nickel enriched Zircaloy-2, 0=8332
Yennie,D.R. See Eisberg,R.M., 0=17576
Yennie,D.R. See Fried,H.M., 0=15648
Yermolov,P.F. See Budagov,Yu.A., 0=7402
Ÿiglane,Kh. Note on a baryon scheme, 0=11097
Yih Chia-Shun. Effect of density variation on fluid flow, 0=12406
Yih Chia-Shun. Finite two-dimensional cavities, 0=19048

Yih,Chia-Shun. Instability of a rotating liquid film with a free surface, 0=19084
Yilmaz,F. Observations of sunspots during the first half of 1957, 0=8501
Yilmaz,H. Two maser experiments to test general relativity, 0=878
Yntema,J.L. (αt) reactions near $Z = 28$, 0=9646
Yntema,J.L.,Zeidman,B. and Raz,B.J. Scattering of 43 MeV α particles by nuclei, 0-5759
Yoder,P.R.,Jr. Two new lightweight miliary binoculars, 0=6922
Yodh,G.B. See Fetkovich,J.G., 0 13460
Yodh,G.B. See Fields,T.H., 0=20207
Yodh,G.B. See Narayan,D.S., 0=15472
Yoffe,E.H. The angular dislocation, 0=15845
Yokoi,K. See Aizu,H., 0=1338
Yokota,I. See Miyatani,S., 0=20922
Yokota,M. See Hayakawa,S., 0=15592
Yokouchi,Y. Severe magnetic storms recorded at Kakioka [Japan], 0 18464
Yonemitsu,H. Ferrimagnetic resonance of polycrystalline nickel ferrite-chromites, 0=6254
Yonemitsu,H. Size effects on the ferrimagnetic resonance absorption of polycrystalline ferrites and garnets, 0=21066
Yonezawa,M. See Sawada,S., 0=20170
Yonezawa,M. See Sawada,S., 0=20181
Yonezawa,T. A new theory of formation of the F2-layer, 0=8391
Yonezawa,T. On the seasonal and non-seasonal annual variations and the semi-annual variation in the noon and midnight electron densities of the F2 layer in middle latitudes. II, 0=14258
Yonezawa,T. A consideration of the mechanism of electron removal in the F2 layer of the ionosphere. II, 0=14260
Yonezawa,T. and Arima,Y. On the seasonal and non-seasonal annual variations and the semi-annual variation in the noon and midnight electron densities of the F2 layer in middle latitudes, 0=14257
Yonezawa,T. See Fukui,K., 0=14102
Yonts,O.C. and Harrison,D.E.,Jr. Surface cleaning by cathode sputtering, 0=16747
Yonts,O.C.,Normand,C.E. and Harrison,D.E.,Jr. High-energy sputtering, 0=9110
York,C.M.,Kernan,W.J. and Garwin,E.L. Charge-exchange scattering of negative pions at 61 MeV and 95 MeV, 0=13030
York,C.M.,Kim,C.O. and Kernan,W. Search for the reaction $\mu^+ + e^- \rightarrow \gamma + \gamma$, 0=364
York,C.M. See Gabriel,R., 0=17284
York,C.M. See Garwin,E., 0=1296
York,C.M. See Kim,C.O., 0=20169
Yos,J.M. See Mason,E.A., 0=957
Yoshida,S. Theory of direct interaction in nucleon inelastic scattering, 0-11443
Yoshida,S. and Ikeda,T. Dark blue ring developed by electron bombardment in rock salt, 0=9923
Yoshida,S.,Ludwig,G.H. and Van Allen,J.A. Distribution of trapped radiation in the geomagnetic field, 0-14265
Yoshida,S. See Kondo,I., 0=11256
Yoshida,S. See Matsunobu,H., 0=11444
Yoshikawa,O. See Mizushina,T., 0=14630
Yoshiki,H. $p'-\gamma$ angular correlation in the inelastic scattering of 16.6 MeV protons by Mg^{24}, 0=5745
Yoshiki,H. See Hornyak,W.F., 0-17198
Yoshimatsu,T. On the frequency of geomagnetic pulsation pc, 0-1998
Yoshimine,M. See McLean,A.D., 0=17812
Yoshimori,A. A new type of antiferromagnetic structure in the rutile type crystal, 0-21064
Yoshimura,H. See Fukudu,K., 0=683
Yoshinaga,H.,Okazaki,B. and Tatsuoka,S. Geometrical optical image formation in infrared spectrometer, 0=6928
Yoshinaga,H. See Mitsuishi,A., 0-6953
Yoshino,T. Difference of upper and lower state rotational constants of symmetrical top molecules from infrared intensity measurement, 0=13430
Yoshizawa,Y. See Katoh,T., 0=17542
Yoshizawa,Y. See Nakasima,R., 0=11375
Yoshizawa,Y. See Yusa,M., 0=19064
Yosida,K. Collective excitations in superconductors, 0=19554
Yosida,K. See Tachiki,M., 0=8072
Young,A.S. See Lawson,W.D., 0=11727
Young,A.S. See Moore,A.C., 0=11853
Young,B.G. and Thode,H.G. Absolute yields of the xenon and krypton isotopes in U^{238} spontaneous fission, 0=2696
Young,C.G. See Shuskus,A.J., 0=17919
Young,D. See Satten,R.A., 0=18130
Young,D.E. and Johnston,L.H. Proton—proton scattering at 68 MeV, 0=12925
Young,D.E. See Jeong,T.H., 0=11165
Young,D.E. See Johnston,L.H., 0=2542
Young,D.R. Superconducting circuits, 0=19573
Young,F.C. See Elliot,J.O., 0=13179
Young,F.J. Family of bars of revolution in longitudinal half-wave resonance, 0=16756
Young,F.J. and Schenk,H.L. Method for measuring iron losses in elliptically polarized magnetic fields, 0=11014
Young,F.J. See Martin,A.V.J., 0=13383
Young,F.W. and Gwathmey,A.T. Development of facets, spirals, and etch pits on copper crystals by heating to high temperatures in high vacua, 0=6338
Young,F.W.,Jr. Oxide nuclei and dislocations, 0=17934
Young,F.W.,Jr and Noggle,T.S. Evidence for dislocation reactions in copper, 0=7883
Young,F.W.,Jr. See Crawford,J.H.,Jr, 0=17962
Young,H.D. and Cutkosky,R.E. Magnetic moment of the deuteron, 0=5620
Young,I.R. Position transducer using a divided circle and coded scale, 0=8586
Young,I.R. See Lewis,A., 0=4983
Young,J.A. See Bludman,S.A., 0=9400
Young,J.E. Three-body breakup; deuteron dissociation cross-sections, 0=2666
Young,J.E.R. See Goodall,M.J., 0=19599
Young,J.P. and White,J.C. Absorption spectra of molten fluoride salts. Solutions of several metal ions in molten lithium fluoride—sodium fluoride—potassium fluoride, 0=19155
Young,J.R. Interaction of oxygen with incandescent filaments, 0=1950
Young,J.R. Evolution of gases and ions from different anodes under electron bombardment, 0=9096
Young,J.R. and Whetten,N.R. A method for detecting hydrogen in gas mixtures, 0=21299
Young,K.M. See Jones,W.M., 0=20143
Young,L. Anodic oxide films on niobium: thickness, dielectric constant, dispersion, reflection minima, formation field strength, and surface area, 0=14085
Young,L. See Bray,A.R., 0=10337
Young,N.O. See Dawson,E.F., 0=2256
Young,O.B. and Chen,H.Y. Heavy primary cosmic rays at geomagnetic latitude of 41°N, 0=1337
Young,O.B. and Zurheide,F.W. Primary heavy cosmic rays near the geomagnetic equator, 0=1336
Young,R.A. Light collection and absolute calibration of extended sources, 0=10747
Young,R.A. Pressure dependence of some infrared and vacuum ultraviolet bands occurring in active nitrogen, 0=20621
Young,R.A. and Clark,K.C. Vibrational distribution in late nitrogen afterglows, 0=4189
Young,R.A. and Clark,K.C. Excitation of the auroral green line in nitrogen afterglows, 0=4190
Young,R.W. On naming reverberation equations, 0=2218
Young,T. Photoelectromagnetic effect in bismuth, 0=6137
Young,T.E.,Phillips,G.C.,Spencer,R.R., and Rao,D.A.A.S.N. Nuclear energy levels in C^{13}, N^{13}, N^{14}, N^{15}, O^{15}, and F^{18} from He^3 induced reactions, 0=2624
Young,T.R. See Meyerson,M.R., 0=19037
Younger,P. and Winans,J.G. Molecular constants of InCl from absorption bands near 3600 Angstroms, 0=5933
Youngkin,F.G. See Pietrokowsky,P., 0=18352
Yousef,Y.L. See Saleh,F.M., 0=18240
Yovanovitch,D.D. Decay rates of bound negative muons, 0=7814
Yovanovitch,D.D. See Lathrop,J.F., 0=15375
Yovanovitch,D.D. See Lathrop,J., 0=20172
Yovanovitch,D.D. See Lathrop,J., 0=20173
Yovanovitch,D.K. See Kiritch,D.M., 0=6198
Yovanovitch,J. Prevention of the development of coloration in silica glass on irradiation with neutrons by pretreatment in an electric field at high temperature, 0=8459
Ypsilantis,T. See Agnew,L.E.,Jr., 0=11172
Ypsilantis,T. See Elioff,T., 0=361
Ypsilantis,T. See Foote,J.H., 0=5590
Ythier,C. Activity of arsenic of half-life 33 ± 1s, 0=9546

Ythier,C. The preparation of a new isotope of gallium, 0=9549
Ythier,C. and Aten,A.H.W.,Jr. On the multiple decay $Ge^{78}\xrightarrow{\beta^-}As^{78}$, 0=20384
Ythier,C.,Schoo,W.,Schram,B.L.,Polak,H.L.,Girgis,R.K.,Ricci,R.A. and Van Lieshout,R. On the decay of ^{74}Ga. 0=15545
Ythier,C. See van Lieshout,R., 0=15533
Yü Min,Teng Chia-hsien,Chou Hsiao-tsien and Lee Yang-kou. The deformation of light nuclei, 0=1350
Yuan,L.C.L. See Brisson,J.C., 0=3989
Yuasa,T. Construction of a new type of automatically controlled variable pressure Wilson cloud chamber, 0=3894
Yuasa,T.,Laberrigue-Frolow,J. and Feuvrais,L. Y^{90} disintegratio $0^+ \rightarrow 0^+$ transition in Zr^{90}. Fierz's term. I. $0^+ \rightarrow 0^+$ transition in Zr^{90}, 0=7527
Yuasa,T.,Laberrigue-Frolow,J. and Feuvrais,L. II. Study of the influence of the term of Fierz on the form of the β – spectrum of Y^{90}. 0=7528
Yuasa,T. See Corbé,G., 0=11071
Yudin,N.P. See Balashov,V.V., 0=9545
Yudin,N.P. See Neudachin,V.G., 0=7452
Yudin,N.P. See Neudachin,V.G., 0=20477
Yudovich,V.I. Periodic movement of viscous incompressible liquids, 0=8607
Yukutake,T. See Rikitake,T., 0=18471
Yule,H.P. and Turkevich,A. Radiochemical studies of the (p,pn) reaction in complex nuclei in the 80-450 MeV range, 0=11403
Yung Su Tsai. Radiative corrections to the e–e scattering, 0=17303
Yung Su Tsai. High-energy electron–electron scattering, 0=17304
Yung Su Tsai. See Johnston,L.H., 0=1282
Yunovich,A.É. The kinetics of electron exchange between the surface and interior in germanium, 0=589
Yurasova,V.E.Pleshivtsev,N.V. and Orfanov,I.V. Directed emission of particles from a copper single crystal sputtered by bombardment with ions up to 50 keV energy, 0=10990
Yur'ev,V.G. See Kolenko,E.A., 0=3731
Yur'ev,V.G. See Kolenko,E.A., 0=16744
Yurkevich,M.I. See Andrievskii,A.I., 0=11639
Yurko,G.A.,Barton,J.W. and Parr,J.G. The crystal structure of Ti_2Ni. 0=4648
Yurkov,B.Ya. The theory of the directional distribution of radiation damage in the silicon crystal lattice on irradiation with a mono-energetic electron beam, 0=1608
Yurkov,B.Ya. See Vavilov,V.S., 0=18030
Yusa,M. and Yoshizawa,Y. Standardized treatment of non-Newtonian laminar flow in a circular pipe, 0=19064
Yusim,Kh. See Vainer,R., 0=13192
Yuta,H. and Morinaga,H. Study of heavy odd-mass indium isotopes from the (γ,p) reaction on tin, 0=11352
Yvon,J. The macroscopic diffusion of neutrons — a method of approximation, 0=3970
Yvon,J. Nuclear reactors in France, 0=5815

Zabidarov,E.I. See Sakharov,V.N., 0=4067
Zabusky,N.J. Hydromagnetic stability of a streaming cylindrical incompressible plasma, 0=9035
Zaccheroni,E. The 2.5 MW h.f. amplifier of the Cern linear accelerator, 0=19834
Zachariasen,F. See Baker,M., 0=12844
Zachariasen,F. See Baker,M., 0=13028
Zachariasen,F. See Drell,S.D., 0=12826
Zachariasen,F. See Drell,S.D., 0=17407
Zachariasen,W.H. On the crystal structure of protactinium metal, 0=1877
Zacharisen,D.H. and Agy,V. World maps of F_2 critical frequencies and maximum usable frequency factors for use in making ionospheric radio predictions, 0=14252
Zadorozhnÿi,B.A. See Kilimov,A.P., 0=10762
Zadorozhnÿi,B.A. See Naboikin,Yu.V., 0=18140
Zadumkin,S.N. An approximate calculation of the surface energy of some semiconductors with the diamond and zinc blende structure, 0=13467
Zaffarano,D.J. See Holloway,J.T., 0=4037
Zăgănescu,M. An attempt to resolve the paradox of Landau, 0=17223
Zăgănescu,M. See Sălceanu,C., 0=5082
Zaglio,E. See Arrechi,F.T., 0=17191
Zaglio,E. See Cottini,C., 0=2473
Zagorodnov,O.G.,Fainberg,Ya.B. and Egorov,A.M. Reflection of electromagnetic waves from a plasma moving in slow-wave guides, 0=5410
Zahn,C.T. Dewar system for low temperature experiments, 0=7040
Zahner,J.C. and Drickamer,H.G. The effect of pressure on the absorption edge in heavy-metal halides, 0=4406
Zähringer,J. See Gentner,W., 0=8361
Zähringer,J. See Goebel,K., 0=4885
Zaidel',R.M. and Semendyaev,K.A. Limiting solutions of a non-linear equation of parabolic type, 0=14364
Zaidi,M.H. Double scattering of electrons with a dipole moment, 0=1272
Zaidi,S.A.A. See Mayer-Kuckuk,T., 0=17502
Zaika,N.I.,Nemets,O.F. and Prokopenko,V.S. Angular distribution of protons from the reaction $CA^{40}(d,p)Ca^{41}$, 0=7573
Zaika,N.I.,Nemets,O.F. and Tserineo,M.A. Angular distribution of protons from the $C^{12}(d,p)C^{13}$ reaction with 5–13 MeV deuterons, 0=20458
Zaikin,D.A. Ground states of non-spherical odd nuclei according to the independent particle model, 0=9507
Zaikin,D.A. Axial symmetry of atomic nuclei, 0=13132
Zaitsev,A.A. The problem of the stability of a viscous [liquid] film [flowing] on a solid body within a stream of gas, 0=8642
Zaitsev,A.A. and Éfendiev,K.I. A study of anode oscillations in a low pressure discharge, 0=2350
Zaitsev,A.A.,Leonov,G.S. and Savchenko,I.A. Electron oscillations in a plasma, 0=10921
Zaitsev,A.A.,Vasil'eva,M.Ya. and Mnev,V.N. Possibility of determining the potential distribution of a plasma from the characteristics of the noise generated in a gaseous discharge, 0=19630
Zaitsev,A.A. See Vasil'eva,M.Ya., 0=2369
Zaitsev,G.P. Calculation of the mechanical properties of cold-rolled metals, 0=16213
Zaitsev,P.V. See Stoyanova,I.G., 0=3807
Zaitsev,V.M. The behaviour of a ferromagnetic in a magnetic field close to the Curie point, 0=1782
Zaitsev,V.M.,Pokhil,P.F. and Shvedov,K.K. Measurement of sound velocity in explosion products, 0=14728
Zaitseva,A.K. See Gliberman,A.Ya., 0=20938
Zaitseva,L.S. An experimental investigation of the heat conductivity of monatomic gases over wide temperature intervals, 0=8711
Zaitseva,M.A. See Belov,K.P., 0=11884
Zaitseva,M.A. See Belov,K.P., 0=13834
Zaitseva,M.A. See Belov,K.P., 0=13835
Zaitseva,N.G. See Selinov,I.P., 0=15532
Zajdel',A.N.,Zhiglinskii,A.G. and Čajko,J. Spectral method of determining the isotopic composition of lead. II, 0=4159
Zak,J. Method to obtain the character tables of nonsymmorphic space groups, 0=12024
Zakharchenya,B.P. See Gross,E.F., 0=1745
Zakhar'ev,B.N. See Belyaev,V.B., 0=7828
Zakhar'ev,B.N. See Belyaev,V.B., 0=13110
Zakharin,Ya.A. See Buravleva,M.G., 0=16356
Zakharov,A.L. The appearance of instability in a semiconducting amplifier with negative effective mass of the carriers, 0=15918
Zakharov,G.M.,Nikitinskaya,T.I. and Khapachev,A.G. The electrical conductivity of fluorite, 0=11654
Zakharova,M.I. and Khatanova,N.A. Mutual orientation of the α- and σ-phases upon the decomposition of solid solutions in iron–vanadium alloys, 0=14067
Zakharova,M.I. and Khatanova,N.A. Substructure of crystals of the γ-solid solution of nickel in iron during polymorphic transformation, 0=14074
Zakharova,V.M.,Kagan,Yu.M.,Mustafin,K.S. and Perel',V.I. Probe measurements at intermediate pressures, 0=19690
Zakharova,V.M.,Kagan,Yu.M. and Perel',V.I. Positive column of a discharge in diffusion conditions, 0=5283
Zakharova,V.P. See Apalin,V.F., 0=4137
Zakhvatkin,G.V. See Vavilov,V.S., 0=651
Zakrzewski,J. See Davis,D.H., 0=2595
Zakrzewski,J. See Evans,D., 0=20359
Zalesskii,A.V. See Belov,K.P., 0=13818
Zalewski,K. See Gołębiewski,A., 0=17791
Zalivadnÿi,S.Ya. See Garber,R.I., 0=16254
Zalivadnÿi,S.Ya. See Garber,R.I., 0=18267

Zalkin, A.,Bedford,R.G. and Sands,D.E. Crystal structures of $ZrBe_5$ and Zr_2Be_{17}, 0=724

Zalkin, A.,Sands,D.E. and Krikorian,O.H. Crystal structure of Nb_2Be_{17}, 0=8211

Zallen,R.,Eriksen,W.T. and Ahlburg,H. Electroluminescence under pulsed square wave excitation, 0=11793

Zalm,P. See Diemer,G., 0=8026

Zalubas,R. A preliminary list of levels and g-values for the first spectrum of thorium (Th I), 0=7733

Zalubas,R. New description of thorium spectra, 0=15665

Zalyubovskii,I.I. See Val'ter,A.K., 0=20431

Zalyubovskii,I.I. See Val'ter,A.K., 0=20450

Zamorzaev,A.M. Derivation of new Shubnikov groups, 0=13987

Zamyatnin,Yu.S.,Gutnikova,E.K.,Ivanova,N.I. and Safina,I.N. Spectra of secondary neutrons produced in the passage of fast neutrons through layers of various materials, 0=11442

Zamyatnin,Yu.S.,Safina,I.N.,Gutnikova,E.K. and Ivanova,N.I. Spectra of secondary neutrons produced in the passage of 14 MeV neutrons through layers of fissile material, 0=9683

Zamyatnin,Yu.S. See Gorbachev,V.M., 0=7390

Zamyatnin,Yu.S. See Bezotosnii,V.M., 0=7389

Zamyatnin,Yu.S. See Vasilev,Yu.A., 0=11181

Zamyatnin,Yu.S. See Vasil'ev,Yu.A., 0=13305

Zanchi,F. A method of measurement with the vibrating-wire extensometer, 0=62

Zandberg,É.Ya. The effect of electric fields on the temperature threshold of the appearance of positive ions during surface ionization of atoms, 0=10873

Zandbergen,P. See Coremans,J.M.J., 0=92

Zandbergen,P. See Coremans,J.M.J., 0=8703

Zankel,K.L. Diffraction of light by two ultrasonic waves of the same frequency, 0=10782

Zanker,V. See Rammansee,H., 0=11772

Zankl,G. See Schwink,C., 0=6238

Zanmarchi,G. An estimate of the cross section for production of positive K-mesons by electrons, 0=15440

Zannatti,R. See Frasson,E., 0=3252

Zanon,I. See Foffani,A., 0=15740

Zanotti,L. See Lanzi,G., 0=17774

Zanstra,H. Comparison of gas and radiation pressure in the problems of the dynamics of planetary nebulae, 0=10518

Zapalski,G. See Hrynkiewicz,A.Z., 0=5037

Zapesochnȳi,I.P. and Kishko,S.M. Some results of an investigation of excitation functions of the bands in the negative system of N_2^+, 0=15703

Zappa,L. See Bisi,A., 0=7325

Zappa,L. See Bisi,A., 0=15543

Zappa,L. See Bisi,A., 0=17144

Zappa,L. See Bisi,A., 0=17908

Zarauz,Y.de. See de Zarauz,Y.

Zarembo,L.K. A method for determining the width of the front of an acoustic wave similar in form to a saw-tooth, 0=19309

Zarembo,L.K. and Krasil'nikov,V.A. Some questions of propagation of finite amplitude ultrasonic waves in liquids, 0=3582

Zarembo,L.K. and Shklovskaya-Kordi. Propagation velocity of finite amplitude ultrasonic waves in a liquid, 0=19129

Zarembovitch,A. Dispersion of high frequency dilatational waves in solids, 0=990

Zarembovitch,A. The scattering of light by ultrasonic waves in glycine sulphate, 0=9845

Zaretskii,D.F. Radiative transitions between rotational levels in spin 1/2 nuclei, 0=9575

Zaretskii,D.F. Radiative capture of neutrons, 0=11441

Zaretskii,D.F. and Novikov,V.M. Depolarization of muons in μ-mesic atoms with deformed nuclei, 0=11491

Zaretskii,D.F. See Bat',G.A., 0=9368

Zaretskii,D.F. See Grin',Yu.T., 0=5641

Zaretskii,D.F. See Grin',Yu.T., 0=13118

Zaretsky,D.F. and Novikov,V.M. On excitation of nuclei by μ-mesons, 0=4128

Zaring,K.L. See Vasil'ev,L.I., 0=13547

Zaripov,M.M. See Vinokurov,V.M., 0=11947

Zarubin,V.V. See Bol'shov,V.G., 0=1149

Zarzycki,J. High-temperature X-ray diffraction study of molten salts. — I. Structure of fluorides LiF, NaF and KF in the liquid state, 0=6778

Zarzycki,J. High-temperature X-ray diffraction study of molten salts. II. The liquid state structure of the chlorides LiCl, NaCl, KCl, $BaCl_2$ and of the fluoride CaF_2. General considerations of the structure of molten halides, 0=19114

Zarzycki,J.M. See Collinson,A.J.L., 0=7238

Zarzycki,J.M. See Collinson,A.J.L., 0=15180

Zashkvara,V.V. See Korsunskii,M.I., 0=5364

Zaslavskaya,I.G. The exciton for intermediate binding taking translation into account, 0=20779

Zaslavskii,A.I. See Sheftel',I.T., 0=2900

Zasorin,E.Z. See Akishin,P.A., 0=14007

Zasorin,E.Z. See Akishin,P.A., 0=17855

Zastavenko,L.G. On the question of the uniqueness of phase analysis, 0=2506

Zastavenko,L.G. A method for calculation of phase volumes, 0=9279

Zastavenko,L.G. and Chzhou Guan-Chzhao[Chou Kuang-ch'ao]. Integral transformations of the I.S. Shapiro type for zero-mass particles, 0=7288

Zastenker,G.N. and Solntsev,G.S. Some results on the formation of high-frequency discharge at low pressure, 0=5297

Zatsepin,G.T.,Nikol'skii,S.I. and Pomanskii,A.A. Decay processes in the development of nuclear cascades in the atmosphere, 0=9471

Zatsepin,G.T. See Gerasimova,N.M., 0=13079

Zatzkis,H. The Thomas precession, 0=10582

Zauberis,D.D. See Sidhu,S.S., 0=14015

Zavadovskaya,E.K.,Ivankina,M.S. and Melik-Gaikazyan,I.Ya. The question of the influence of annealing on the physical properties of solid solutions of alkali halide salts, 0=12075

Zavadovskaya,E.K. See Melik-Gaikazyan,I.Ya., 0=20990

Zavadskii,É.A. See Fakidov,I.G., 0=2881

Zavadskii,É.A. See Fakidov,I.G., 0=7044

Zavaritskaya,É.I. See Vul,B.M., 0=6100

Zavaritskii,N.V. Investigation of the thermal properties of superconductors. III. Anisotropy of the thermal conductivity of gallium, 0=7026

Zavaritsky,N.V. The determination of specific heats by the temperature-wave method, 0=19580

Zavattarelli,R. See Cicchitti,A., 0=2698

Zavattini,E. See Hillman,P., 0=2568

Zavenyagin,Yu.A. and Fedorov,N.D. Considerations relating to the choice of the Dee voltage in a cyclotron, 0=9119

Závěta,K. A new method of measuring the magnetocaloric effect in ferromagnetic semiconductors, 0=2853

Zaveta,K. On the measurement of the galvanomagnetic properties of ferrites, 0=6244

Závěta,K. A contribution to the study of the electrical conductivity of non-stoichiometric manganese ferrites, 0=11656

Závěta,K. See Brož,J., 0=11888

Závěta,K. See Krupička,S., 0=3239

Závětová,M. See Tauc,J., 0=2866

Zavoiskii,V.K.,Vorobiev,V.N. and Serdiuk,R.K. The density of steam—water mixtures formed during rapid reductions in pressure, 0=10806

Zavoisky,E.K.,Butslov,M.M.,Plakhov,A.G. and Smolkin,G.E. A luminescence camera, 0=3893

Zavoisky,E.K. and Smolkin,G.E. An investigation of the time-resolving power of parallel-plate spark counters, 0=3887

Zavrazhin,A.G. See Blazhevich,A.I., 0=16106

Zav'yalov,O.I. Dispersion relations and perturbation theory, 0=1251

Zav'yalov,O.I. "Non-physical" steps in the perturbation theory, 0=15278

Zawadzki,A. See Firkowski,R., 0=15470

Zawadzki,A. See Maze,R., 0=20257

Żbikowski,M. See Smoliński,A.K., 0=3150

Zbinden,R. Vibrational interaction in chain molecules, 0=5906

Zdanuk,E.J. See Thomas,M.J.B., 0=2912

Zdravković,Z. See Popović,D., 0=20519

Zdravković,Z. See Popović,D., 0=20520

Zeedijk,H.B. See Ottens,E., 0=558

Zeender,R.J. and Schlömann,E. Ferromagnetic resonance in polycrystalline ferrites using circularly polarized radiation, 0=11928

Zeggeren,F.van. See van Zeggeren,F.

Zegler,S.T. and Nevitt,M.V. Some properties of uranium-fissium alloys, 0=14072

Zeh,H.D. See Banerjee,P., 0=13144

Zehender,E. The formation of carbon films on electron microscopical preparations, 0=741

Zehender,O. The polarization of the nuclear resonance fluorescence in germanium 74, 0=5773
Zei,D. and Winans,J.G. Motion of high speed arc spots in magnetic fields, 0=1113
Zeidlits,A.I. See Veksler,V.I., 0=5369
Zeidlits,P.M. See Berezin,A.K., 0=9216
Zeidlits,P.M. See Berezin,A.K., 0=9217
Zeidlits,P.M. See Kharchenko,I.F., 0=5367
Zeidlits,P.M. See Silenok,G.A., 0=9218
Zeidlits,P.M. See Zeitlenok,G.A., 0=9114
Zeidman,B. See Yntema,J.L., 0=5759
Zeiger,H.J. See Lax,B., 0=20968
Zeiger,H.J. See Rauch,C.J., 0=6037
Zeigler,R.K. See Keepin,G.R., 0=7649
Zeil,W.,Fischer,H.,Metzger,W.,Wagner,K. and Haase,J. Dielectric investigations of the relaxation behaviour of concentrated solutions in the microwave region, 0=5021
Zeinallȳ,A.Kh. See Kolomiets,B.T., 0=620
Zeitlenok,G.A.,Rumyantsev,V.V.,Smirnov,V.L.,Fomin,L.P., Khokhlov,V.K.,Grishaev,I.A. and Zeidlits,P.M. Design criteria for high energy electron linear accelerators, 0=9114
Zeitler.E. See Becker.K.. 0=19978
Zeitler,E. See Kulenkampff,H., 0=3949
Zelazny,R. Derivation of hydrodynamic equations for the quantum systems of diatomic molecules, 0=3456
Zelazny,R. See Mika,J., 0=20149
Zeldes,H.,Trammell,G.T.,Livingston,R. and Holmberg,R.W. Common error made in treating hyperfine effects in electron paramagnetic resonance studies of free radicals, 0=6257
Zel'dovich,Ya.B. Energy levels in a distorted Coulomb field, 0=6031
Zel'dovich,Ya.B. Quasi-stable states of high isotopic spin in light nuclei, 0=9529
Zel'dovich,Ya.B. The number of elementary baryons and the universal baryon repulsion hypothesis, 0=11098
Zel'dovich,Ya.B. The transformation $K_2^0 \rightarrow K_1^0$ by electrons, 0=11223
Zel'dovich,Ya.B. Scattering by a singular potential in perturbation theory and in the momentum representation, 0=12856
Zel'dovich,Ya.B. Storage of cold neutrons, 0=13000
Zel'dovich,Ya.B. The existence of new isotopes of light nuclei and the state equation of neutrons, 0=13396
Zel'dovich,Ya.B. On the masses of μ-mesons and electrons, 0=15381
Zel'dovich,Ya.B. and Gershtein,S.S. The universal Fermi interaction and capture of a μ-meson by a proton, 0=2564
Zel'dovich,Ya.B. and Rabinovich,E.M. The conditions of applicability of statistical formulae to degenerate Fermi gas, 0=10608
Zelenka,J. See Svoboda,R., 0=7988
Zelinskaya,M.R.,Troitskii,V.S., and Fedoseev,L.I. Lunar radio emissions at 1.63 cm wavelength, 0=18650
Zelinskii,V.V. See Borgman,V.A., 0=13718
Zelinskii,V.V. See Zhmȳreva,I.A., 0=10677
Zelinskii,V.V. See Zhmȳreva,I.A., 0=15739
Zeller,E.E. See Porter,R.F., 0=16732
Zeltmann,A.H. and Gerhold,G. Equilibrium in the exchange of hydrogen between arsine and water, 0=1952
Zel'tser,G.I. Fock's cyclic symmetry condition and Young's patterns, 0=2708
Zemach,C. See Cabibbo,N., 0=13011
Zemann,A. and Zemann,J. A study of the crystal structure of lorandite, $TlAsS_2$, 0=3236
Zemann,J. See Bachmann,H.G., 0=12052
Zemann,J. See Zemann,A., 0=3236
Zemel,J. See Greene,R.F., 0=9955
Zemke,H.J. Experiments with room acoustics models, 0=14770
Zenger,J.H. See Benveniste,J., 0=20490
Zenkova,É.K. See Panin,V.E., 0=8270
Zenner,G.H. See Dana,L.I., 0=8709
Zerbe,J.E. See DeBortoli,R.A., 0=12523
Zerbst,M. and Heywang,W. On the temperature dependence of the carrier lifetime in high purity silicon, 0=593
Zerbst,M.,Winstel,G. and Heywang,W. Carrier recombination in semiconductors after high excitation, 0=4337
Zerlin,S. See Tobias,J.V., 0=2048
Zernik,W. Imaginary part of the Delbrück scattering amplitude, 0=17614
Zernov,V.B. and Sharvin,Yu.V. Measurement of the resistance of high purity tin at helium temperatures, 0=9932
Zernyatko,V.G. and Chetaev,D.N. The influence of the conductivity of the surrounding medium upon the input impedance of a current loop, 0=9152
Zetterstrom,R.B. See Hutson,A.R., 0=6085
Zeuli,T. Some axially symmetric stationary magnetodynamic motions of an electrically conducting gravitating compressible fluid mass, 0=17080
Zevin,L.S. and Leizerzon,M.S. The problem of the position of the potassium ion in mica structure, 0=18362
Zevin,L.S. See Umanskii,M.M., 0=13979
Zhabrova,G.M. See Vladimirova,V.I., 0=11718
Zharinov,A.A. See Bol'shov,V.G., 0=7139
Zharinov,A.V. The diffusion of electrons in a magnetic field, 0=1128
Zharinov,A.V. A stepwise increase in the electron current to a probe placed in a discharge in a magnetic field, 0=2331
Zharitonov,E.V. See Dolginov,A.Z., 0=9579
Zharkov,G.F. The intermediate state in ferromagnetic superconductors, 0=7031
Zharkov,K.V. See Verevkin,V.M., 0=8760
Zharkov,V.N. and Silin,V.P. Theory of weak solutions of He^4 in liquid He^3, 0=8863
Zhavoronkov,N.M. See Sevryugova,N.N., 0=5857
Zhdanov,A.P. and Fedotov,P.I. Use of diamond dust suspension in the study of nuclear reactions in carbon, 0=5463
Zhdanov,A.P. and Fedotov,P.I. Results of a study of the disintegration of carbon nuclei by 660 MeV protons, 0=9624
Zhdanov,A.P. See Berkovich,I.B., 0=9539
Zhdanov,A.P. See Berkovich,I.B., 0=9540
Zhdanov,G.B.,Maksimenko,V.M.,Tret'yakova,M.I. and Shcherbakova,M.N. Nuclear interactions of 8.7 BeV protons in photographic emulsions, 0=9618
Zhdanov,G.B.,Markov,P.K.,Strel'tsov,V.N.,Tret'yakova,M.I. Chzhen Pu-In [Cheng P'u-Ying] and Shafranova,M.G. Secondary stars created by the interaction of 8.7 BeV protons with the nuclei of photographic emulsions, 0=9617
Zhdanov,G.S.,Zhuravlev,N.N.,Kuz'min,R.N. and Soklakov,A.I. A new compound in the system Bi—Rh established by means of X-ray diffraction, 0=14009
Zhdanov,G.S.,Zubov,V.G.,Ivanov,A.T. and Firsova,M.M. The elastic properties of neutron irradiated quartz, 0=11967
Zhdanov,G.S. See Ezhkova,Z.I., 0=13492
Zhdanov,G.S. See Venevtsev,Yu.N., See 0=14026
Zhdanov,G.S. See Venevtsev,Yu.N., 0=16017
Zhdanov,G.S. See Venevtsev,Yu.N., 0=16024
Zhdanov,G.S. See Venevtsev,Yu.N., 0=16304
Zheleznyakov,V.V. See Ginzburg,V.L., 0=2080
Zheltov,Yu.P. See Barenblatt,G.I., 0=12407
Zheludev,I.S. The oscillations of dielectric bodies, 0=16030
Zheludev,I.S. and Fotchenkov,A.A. Electrostriction of linear dielectrics, 0=11750
Zheludev,I.S. and Fridkin,V.M. A piezoelectric effect in photoelectrets, 0=11747
Zheludev,I.S. and Romanyuk,N.A. Study of the processes of piezoelectric polarization of Rochelle salt crystals by observation of their domain structure, 0=13664
Zheludev,I.S. and Sonin,A.S. Rotation of the plane of polarization of light and the symmetry of crystals, 0=19456
Zheludev,I.S. and Vlokh,O.G. The electro-optical effect in crystals, 0=20973
Zheludev,I.S. See Beliaev,L.M., 0=13660
Zheludev,I.S. See Golovin,B.M., 0=10001
Zheludev,I.S. See Gurevich,V.M., 0=13578
Zheludev,I.S. See Sonin,A.S., 0=13986
Zhevakin,S.A. On the pulsational theory of stellar variability. V. Multilayer spherical discrete model, 0=18861
Zhevandrov,N.D. See Gribkov,V.I., 0=16093
Zhevandrov,N.D. See Varfolomeeva,V.N., 0=656
Zhiglinskii,A.G. and Kund,G.G. The spectral determination of the isotopic composition of strontium, 0=13418
Zhiglinskii,A.G. See Zaidel',A.N., 0=4159
Zhigulev,V.N. On the ejection phenomenon in an electric discharge, 0=15116
Zhileiko,G.I. On the problem of particle bunching in a travelling wave linear accelerator, 0=9112
Zhilinskii,A.P. See Golant,V.E., 0=12703
Zhilinskii,A.P. See Golant,V.E., 0=17015

Zhirnov,N.I. Quasi-classical solutions of the radial Dirac equations. 0=7683
Zhirnov.N.I. The energv levels of μ-mesic atoms. 0=13424
Zhitnikov,R.A. See Bukat,G.M., 0=15644
Zhitnikov,R.A. See Drabkin,G.M., 0=20154
Zhivlyuk,Yu.N. Calculation of the polarizability of molecules within the framework of the metallic model, 0=17770
Zhizhin,E.D. Scattering of a photon on a nucleon in the one-meson approximation, 0=11132
Zhizhin,E.D. See Berestetskii,V.B., 0=20211
Zhmy̆reva,I.A.,Zelinskii,V.V.,Kolobkov,V.P.,Kochemirovskii,A.S. and Reznikova,I.I. The effect of solvents on the electronic spectra of organic molecules, 0=15739
Zhmy̆reva,I.A.,Zelinskii,V.V.,Kolobkov,V.P. and Krasnitskaya,N.D. The universal scale of the effect of solvents on the electron spectra of organic compounds, 0=10677
Zhmy̆reva,I.A. See Borgman,V.A., 0=13718
Zhokovskiĭ,M.K.,Konyaev,Yu.S. and Levchenko,V.G. A piston manometer [working] to 20000 atmospheres, 0=3548
Zholkevich,G.A. Optical and photo-electric properties of zinc selenide and telluride, 0=13671
Zhukov,V.F. See Kirvalidze,I.D., 0=1646
Zhukov,V.F. See Kirvalidze,I.D., 0=13603
Zhukova,L.N. Chromatic scintillations, 0=18794
Zhukovitskii,E.M. See Gershuni,G.E., 0=17084
Zhumartbaev,M.T. Absorption of sound and the width of shock waves in relativistic hydrodynamics, 0=10732
Zhurakovskii,E.A. and Vainshtein,É.E. X-ray K-absorption spectra of vanadium in various hydrides, carbides, nitrides and borides, 0=1737
Zhurakovskii,E.A. and Vainshtein,É.E. Comparative investigation of the fine structure of the X-ray emission lines of the Kβ-group of titanium in the metal form and in compounds with several light elements, 0=20736
Zhurakovskii,E.A. See Vainshtein,É.E., 0=5889
Zhuravlev,N.N. X-ray investigation of the γ-phase in the bismuth—palladium system. 0=16318
Zhuravlev,N.N. and Katsnel'son,A.A. An X-ray camera for the study of crystals over the range -175°C to +300°C, 0=16291
Zhuravlev,N.N. and Smirnov,V.A. X-ray analysis of the structure of Cs_3Bi, 0=14011
Zhuravlev,N.N.Stepanova,A.A. and Zyuzin,N.I. Superconductivity of the compound BiPt, 0=10847
Zhuravlev,N.N. See Samsonov,G.V., 0=13468
Zhuravlev,N.N. See Zhdanov,G.S., 0=14009
Zhuravleva,L.I. and Noskov,M.M. On a method of measuring the optical constants of metals, 0=8802
Zhurkov,S.N.,Levin,B.Ya. and Sanfirova,T.P. Temperature—time dependence of the strength of silver chloride, 0=21135
Zhurkov,S.N.,Marikhin,V.A. and Slutsker,A.I. Study of the submicroscopic porosity of deformed polymers, 0=12065
Zhurkov,S.N. and Sanfirova,T.P. Study of the variation of toughness with time and temperature, 0=21149
Zhurkov,S.N. and Savitskii,A.V. On the mechanism of fracture of solid bodies, 0=6314
Zhurkov,S.N.,Slutsker,A.I. and Marikhin,V.A. Determination of the form of submicroscopic cracks in deformed polymers, 0=6318
Zhuze,V.P.,Pikus,G.E. and Sorokin,O.V. Application of the magnetoconcentration effect to the investigation of the surfaces of semiconductors, 0=2861
Zichichi,A. See Charpak,G., 0=17366
Zichichi,Z. See Montanet,L., 0=15498
Zickendraht,W. See deWit,M., 0=1278
Ziegler,A. On a method for the experimental determination of the buckling of a heterogeneous reactor structure, 0=5827
Ziegler,B. Total absorption of γ-rays between 10 and 30 MeV in light nuclei, 0=17618
Ziegler,C.A. See Chleck,D.J., 0=4051
Ziegler,H. Note on a principal axis problem in plasticity theory, 0=21134
Ziegler,M.A. See Marx,G., 0=5508
Zieliński,P. See Gierula,J., 0=20271
Zieliński,P. See Gierula,J., 0=20306
Ziemba,F.P.,Lockwood,G.J.,Morgan,G.H. and Everhart,E. Resonant electron capture and stripping in moderately large-angle atomic collisions, 0=13407
Ziemba,F.P. and Russek,A. Resonance electron exchange in large-angle scattering of He^+ on He at keV energies, 0=474
Ziemkiewicz,O.C. See Hunter,W.B., 0=8611
Zienau,S. See Aub,M.R., 0=20581
Zienau,S. See Power,E.A., 0=20025
Zienkiewicz,O.C. See Charnes,A., 0=8575
Ziering,S. Shear and heat flow for Maxwellian molecules, 0=14685
Ziering,S. and Schiff,D. Yvon's method for slabs, 0=12945
Ziering,S. See Gross,E.P., 0=958
Zigenlaub,R. The damping method in the theory of electrical conductivity, 0=7059
Zigenlaub,R. Calculation of the electrical conductivity of a semiconductor with high concentration of impurities, 0=7920
Zigler,M.J. See Wolf,E., 0=18560
Zijderveld,G.R.D. See Dymanus,A., 0=5428
Zijlstra,H. See Aldenkamp,A.A., 0=9132
Zil'berman,G.E. Some problems of the theory of the de Haas—van Alphen effect, 0=4468
Zil'berman,G.E. The motion of an electron in a crystal located in an external field, 0=9878
Zil'berman,G.E. Band energy spectrum in the presence of a magnetic field, 0=9889
Zil'berman,G.E, and Kulik,I.O. Quantum oscillations of the photoelectric yield of metals in a magnetic field, 0=11719
Zil'berman,G.E. See Kulik,I.O., 0=13955
Zil'berman,G,E. See Ratner,A.M., 0=11768
Ziman,J.M. Galvanomagnetic properties of cylindrical Fermi surfaces, 0=567
Ziman,J.M. The theory of the residual resistance of copper, 0=9929
Ziman,J.M. See Berman,R., 0=9901
Ziman,J.M. See Sheard,F.W., 0=19544
Zímerman,A.H. On the influence of the anomalous moments of the baryons in the decay of μ^0 in two γ-rays, 0=15387
Zimerman,A.H. See Prakash,P., 0=5611
Zimkina,T.M. and Shchemelev,V.N. Electron-diffraction investigation of the products of oxidation of PbS, 0=21194
Zimm,B.H. Theory of "melting" of the helical form in double chains of the DNA type, 0=20707
Zimmerer,R.W. Precision Zeeman modulation microwave spectrometer, 0=3869
Zimmerman,J.E. Low-temperature lattice heat conduction in high-resistivity alloys, 0=11591
Zimmerman.R.L. See Mann.D.P., 0=4126
Zimmerman,W.B. and Montgomery,D.J. Infrared absorption wavelengths for solid LiH and LiD, 0=18127
Zimmermann,G. Sound level in rounded corners and angles between the walls of a room, 0=19349
Zimmermann,M. See Ulmer,K., 0=15049
Zimmermann,R.L. See Seidl,F.G.P., 0=17348
Zimmermann,W. One-particle singularities of Green's functions in quantum field theory. II, 0=15266
Zimonyi,G. On the mechanism of the growth of quartz crystals, 0=18299
Zin,G. On the foundations of electrodynamics. I, 0=19884
Zingerman,A.S. On the problem of the volume of metal melted during electrical discharge erosion, 0=7097
Zinov,V.G. and Korenchenko,S.M. Charge-exchange scattering of 240-330 MeV π^--mesons on hydrogen, 0=20196
Zinov,V.G.,Korenchenko,S.M.,Polumordvinova,N.I. and Tentyukova,G.N. Phase-shift analysis of scattering of 240-330 MeV π -mesons on hydrogen, 0=20197
Zinov'eva,K.N. and Peshkov,V.P. Phase diagram for liquid He^3—He^4 solutions, 0=8862
Zinov'eva,K.N. See Peshkov,V.P., 0=10856
Zingl,H. Scattering of fast electrons from the deuteron, 0=351
Zinn,J. and Mader,C.L. Thermal initiation of explosives, 0=5200
Zinn,J. See Chan,S.I., 0=17756
Zinngrebe,H. The optical absorption of thallium chloride, 0=1729
Zinov,V.G. and Korenchenko,S.M. Elastic scattering of 240-330 MeV π^--mesons on hydrogen, 0=13033
Zinov,V.G.,Konin,A.D.,Korenchenko,S.M. and Pontekorvo [Pontecorvo],B. Possible method of search for the ρ^0 meson, 0=13001
Zinov'ev,N.V. See Vapnik,V.H., 0=19801
Ziock,K. See Hughes,V.W., 0=17365
Zipoy,D. See McDaniel,B.D., 0=5616
Zirin,H. and Tandberg-Hanssen,E. Physical conditions in limb flares and active prominences. IV. Comparison of active and quiescent prominences, 0=12281
Zirin,H. See Lüst,R., 0=6593
Zirin,H. See Newkirk,G.A., 0=20279
Zirin,H. See Roberts,W.O., 0=14407
Zirin,H. See Warwick,J.W., 0=765

Zirker,J.B. The energy balance of opaque atmospheres, 0=12248

Zisin,Yu.A. See Lebedev,P.P., 0=20486

Zitelli,L.T. See Chodorow,M., 0=5347

Zítka,B. See Brož,J., 0=3078

Zitter,R.N. See Kurnick,S.W., 0=10452

Ziv,D.M. and Efros,I.A. The effect of alpha-activity on the corrosion rates of platinum and zirconium in HBr, 0=12100

Ziv,D.M. See Novikova,G.I., 0=11338

Zlatarich.S.A. See Brabbs.T.A.. 0=16377

Zlatev,I. and Isaev,P.S. Bremsstrahlung and pair production from protons with allowance for the form factor, 0=2538

Zlatev,I.S. and Isaev,P.S. Dispersion relations for the virtual Compton effect, 0=9324

Zlatev,I.S. and Isaev,P.S. Use of dispersion relations for a test of quantum electrodynamics at small distances, 0=12819

Zlatev,I.S. See Isaev,P.S., 0=12818

Zlenko,V.Ya. See Savintsev,P.A., 0=3265

Zmerli,A. and Poulet,H. Polarized absorption and fluorescence spectra of 2,6-dimethylnaphthalene at different temperatures, 0=18132

Zmuda,A.J. Some characteristics of the upper-air magnetic field and ionospheric currents, 0=12148

Zmuda,A.J. Ionospheric electrostatic fields and the equatorial electrojet, 0=16478

Zobač,L. See Delong,A., 0=10965

Zobnina,B.N. and Dudkin,L.D. Investigation of the thermoelectric properties of the compound $CoSb_3$ with electroactive impurities Sn,Te, and Ni, 0=10006

Zoboli,V. See Bergia,S., 0=15402

Zoellner,W.G. See Pine,C., 0=81

Zoli,M.T. See Toraldo di Francia,G., 0=6907

Zolina,Z.K. and Ershova,A.D. The unit cells and space groups of piezoelectric crystals of $KHC_4H_4O_6$, $NH_4HC_4H_4O_6$, and $C_6H_5CH(CH_3)NH_2C_4H_6O_6$. 0=14037

Zoller,K. The heat conduction equation for thermal gradients, 0=5193

Zolotarev,V.F. and Larichev,V.N. P—N junctions in photosensitive layers of PbS, 0=20934

Zolotavin,A.V. See Grigoriev,E.P., 0=4062

Zolototrubov,I.M.,Pyzhov,N.M.,Skoblik,I.P. and Tolok,V.T. Behaviour of a plasma in an alternating magnetic field, 0=17008

Zolotov,V.A. and Kurochkin,A.I. The dehydration of gypsum in an ultrasonic field, 0=1965

Zolotўkh,B.N. The mechanism of electrical erosion of metals in liquid dielectric media, 0=14981

Zorin,D.M.Milovanov,O.S. and Shalnov,A.V. The elutron, a linear-cyclic accelerator, 0=10991

Zorin,V.S. See Palatnik,L.S., 0=1929

Zorina,E.L. A note on the Mooser-Pearson law, 0=18004

Zorkin.A.F. See Sedўkh.V.M.. 0=9215

Zorzoli,G.B. See Bonalumi,R., 0=11470

Zosel,J.M. See Kuhl,W., 0=19320

Zotov,T.D. The temperature dependence of the electrical resistivity of a magnetite monocrystal, cooled in a magnetic field below its low-temperature transition, 0=15887

Zotov,T.D. Temperature dependence of the variation of the electrical resistance of magnetite monocrystals in a magnetic field at low temperatures, 0=18000

Zotova,N.V. and Nasledov,D.N. Indium arsenide Hall-effect probes for measuring the magnetic field intensity. 0=6123

Zotova,N.V. See Emel'yanenko,O.V., 0=6124

Zrelov,V.P. See Azhgirey,L.S., 0=5742

Zrelov,V.P., See Azhgirei,L.S., 0=13231

Zubarev,D.N. On the theory of superconductivity, 0=14923

Zubarev,D.N. See Bogolyubov,N.N., 0=19550

Zubenko,Yu.V.,Klimin,A.I. and Sokol'skaya,I.L. The current-voltage characteristics of the auto-electron ["hot" electron] current from semiconductors, 0=9066

Zubov,V.A.,Petrash,G.G. and Sushchinskii,M.M. Some applications of a spectrometer with high dispersion in molecular analysis using Raman spectra. 0=3620

Zubov,V.G. See Zhdanov,G.S., 0=11967

Zubov,Yu.A. See Venevtsev,Yu.N., 0=16024

Zubrin,G.P. See Lashkarev,V.E., 0=15927

Zuccaro,D.E. See McCullough,J.D., 0=3245

Zucker,A. Mechanism of transfer reactions with heavy ions, 0=4106

Zucker,J. Mobility in high-resistivity germanium at high d.c. electric fields, 0=13598

Zucker,A. See Halbert,M.L., 0=1423

Zucker,A. See Halbert,M.L., 0=7590

Zucker,A. See Halbert,M.L., 0=11427

Zucker,I.J. The zero-point energy and equation of state of solid helium at the absolute zero, 0=6005

Zudkevitch,D. See Othmer,D.F., 0=1065

Zuev,K.P. The dependence of the electrical conductivity of copper oxide on oxygen pressure at high temperatures. III, 0=1668

Zuev,K.P. Thermo-emf of cuprous oxide at high temperatures (1000° to 1250°C). IV, 0=6147

Zumino,B. Gauge properties of propagators in quantum electrodynamics, 0=5474

Zumino,B. The renormalization constants in quantum electrodynamics, 0=17219

Zumino,B. See Johnson,K., 0=1242

Zupančić,Č. See Dular,J., 0=5767

Zupančić,C. See Miklavžič,U., 0=12657

Zupančić,C. See Nikolić,M.M., 0=17591

Župančić,M. See Marinkov,L., 0=20407

Zurheide,F.W. See Young,O.B., 0=1336

Zusman,Sh.I. Anomalies in the magnetic properties of the iron—aluminium alloys at elevated temperatures, 0=13779

Zutshi,P.K. See Lal,D., 0=14321

Zvenglinskii,B. See Delyagin,N.N., 0=20788

Zverev,G.I. See Demirkhanov,R.A., 0 =15043

Zverev,G.M. and Prokhorov,A.M. Electron paramagnetic resonance of the V^{+++} ion in sapphire, 0=1834

Zverev,G.M. and Prokhorov,A.M. Investigation of the electron paramagnetic resonance spectrum of V^{3+} in corundum, 0=8086

Zverev,G.M. and Prokhorov,A.M. Electron paramagnetic resonance and spin—lattice relaxation of the Co^{2+} ion in corundum, 0=21074

Zverev,M.S. An investigation of the P.F.K.S.Z, 0=12302

Zverev,M.S. See Nemiro,A.A., 0=12303

Zvonkova,Z.V. The crystal structure of tribromoboronsulfide, 0=14028

Zvonkova,Z.V. Structural characteristics of the electronegativity of atoms, 0=14040

Zvyagina,A.P. and Iveronova,V.I. Characteristic temperature and the spectrum of thermal vibrations of a lattice, 0=6008

Zwanzig,R. Ensemble method in the theory of irreversibility, 0=18970

Zwanzig,R.W. Collision of a gas atom with a cold surface, 0=6835

Zweifel,P.F. See Faber,M., 0=15628

Zweifel,P.F. See Francis,N.C., 0=12979

Zweifel,P.F. See Krieger,T.J., 0=13356

Zweifel,P.F. See Petrie,C.D., 0=12978

Zwerdling,S.,Button,K.J. and Lax,B. Zeeman effect of impurity levels in silicon, 0=11765

Zwerdling,S.,Button,K.J.,Lax,B. and Roth,L.M. Internal impurity levels in semiconductors: experiments in p-type silicon, 0=7933

Zwerdling,S. and Sheff,S. The growth of anodic oxide films on germanium, 0=12087

Zwick,S.A. Note on evaporation, 0=16688

Zwick,S.A. Growth of vapor bubbles in a rapidly heated liquid, 0=16684

Zwicker,E. A graphic method of determining loudness and loudness level from the "third-octave" level diagram, 0=5103

Zwicker,E. Elementary principles of the determination of the information capacity of the ear, 0=6499

Zwicker,E. On the threshold of hearing for different sound events, 0=6503

Zwicker,E. Psychological and methodical foundations for loudness, 0=18537

Zwicker,E.F. See Grossweiner,L.I., 0=4725

Zwicker,E.F. See Grossweiner,L.I., 0=6413

Zwietering,P.,Koks,H.L.T. and van Heerden,C. Quantitative aspects of the changes in the electrical conductivity of metals due to chemisorption, 0=4313

Zwislocki,J. Theory of temporal auditory summation, 0=14334

Zўkov,A.I. Splitting of an electron beam at the exit of a linear accelerator by means of an electromagnetic wave in a guide. 0=17053

Zylbersztejn,A. Collision ionization in silicon. Saturation of the effect, 0=18033

Zylicz,J. See Sosnowski,R., 0=11370

Zyryanov,G.K. Variation of the cadmium sulfide contact potential during illumination, 0=7956
Zȳryanov,P.S. and Škrotskaya,E.G. On the interaction of acoustic vibrations in ionic and electro-ionic plasmas, 0=17886
Zȳsina-Molozhen,L.M. The calculation of heat transfer in a cascade of blades, 0=10793
Zýsina-Molozhen,L.M. A study of the effect of a longitudinal pressure gradient on the development of a boundary layer, 0=12432
Zȳsina-Molozhen,L.M. An approximate method for calculating the thermal boundary layer, 0=12512
Zȳryanov,P.S. See Eleonskii,V.M., 0=3729
Zyuzin,N.I. See Zhuravlev,N.N., 0=10847